

**VOLUME
130**

**CHAPTER
6**

**TABLES
5, 7, 9, AND 10**

Table 5. Carbonate and inorganic carbon data, Hole 804A.

Core, section, interval (cm)	Depth (mbsf)	Inorganic carbon (%)	CaCO ₃ (%)
130-804A-			
1H-1, 34-36	0.34	9.68	80.60
2H-1, 109-111	2.29	8.87	73.90
2H-2, 34-36	3.04	9.26	77.10
2H-3, 35-37	4.55	9.97	83.10
2H-4, 35-37	6.05	10.34	86.10
2H-5, 45-47	7.65	9.74	81.10
2H-6, 34-36	9.04	9.58	79.80
2H-7, 35-37	10.55	10.55	87.90
3H-1, 35-37	11.05	10.08	84.00
3H-2, 35-37	12.55	9.23	76.90
3H-3, 35-37	14.05	7.02	58.50
3H-4, 35-37	15.55	9.92	82.60
3H-5, 35-37	17.05	10.40	86.60
3H-6, 34-36	18.54	10.12	84.30
3H-7, 35-37	20.05	10.61	88.40
4H-1, 50-52	20.70	10.04	83.60
4H-2, 35-37	22.05	9.38	78.10
4H-3, 35-37	23.55	9.89	82.40
4H-4, 29-31	24.99	6.55	54.60
4H-5, 34-36	26.54	10.68	89.00
4H-6, 34-36	28.04	10.34	86.10
4H-7, 35-37	29.55	10.17	84.70
5H-1, 68-70	30.38	9.96	83.00
5H-2, 40-42	31.60	10.13	84.40
5H-3, 40-42	33.10	10.50	87.50
5H-4, 37-39	34.57	9.36	78.00
5H-5, 45-47	36.15	9.69	80.70
5H-6, 33-35	37.53	9.53	79.40
5H-7, 32-34	39.02	9.99	83.20
6H-1, 124-125	40.44	10.21	85.00
6H-2, 40-41	41.10	10.40	86.60
6H-3, 57-58	42.77	10.23	85.20
6H-4, 29-30	43.99	10.77	89.70
6H-5, 39-40	45.59	11.19	93.20
6H-6, 13-14	46.83	10.91	90.90

130-804B-

5H-1, 119-121	34.39	10.80	90.00
5H-2, 34-36	35.04	10.03	83.50
5H-3, 36-38	36.56	8.59	71.60
5H-4, 40-42	38.10	9.31	77.60
5H-5, 29-31	39.49	8.08	67.30
5H-6, 29-31	40.99	9.73	81.10
5H-7, 45-47	42.65	9.33	77.70
6H-1, 35-37	43.05	9.78	81.50
6H-2, 38-40	44.58	9.48	79.00
6H-3, 34-36	46.04	10.86	90.50
6H-4, 34-36	47.54	10.87	90.50
6H-5, 34-36	49.04	10.86	90.50
6H-6, 35-37	50.55	10.92	91.00
6H-7, 34-36	52.04	10.77	89.70
7H-1, 35-37	52.55	10.78	89.80
7H-2, 33-35	54.03	8.23	68.60
7H-3, 34-36	55.54	11.26	93.80
7H-4, 35-37	57.05	11.40	95.00
7H-5, 36-38	58.56	11.27	93.90
7H-6, 34-36	60.04	10.85	90.40
7H-7, 34-36	61.54	10.92	91.00
8H-1, 109-111	62.79	10.90	90.80
8H-2, 34-36	63.54	11.19	93.20
8H-3, 35-37	65.05	10.94	91.10
8H-4, 34-36	66.54	10.86	90.50
8H-5, 35-37	68.05	11.07	92.20
8H-6, 34-36	69.54	10.69	89.00
8H-7, 35-37	71.05	10.44	87.00
9H-1, 34-36	71.54	10.22	85.10
9H-2, 33-35	73.03	10.41	86.70
9H-3, 34-36	74.54	10.98	91.50
9H-4, 34-36	76.04	10.80	90.00
9H-5, 34-36	77.54	10.49	87.40
9H-6, 34-36	79.04	10.74	89.50
9H-7, 35-37	80.55	10.89	90.70
10H-1, 109-111	81.79	10.99	91.50
10H-2, 33-35	82.53	10.55	87.90

Table 5 (continued).

Core, section, interval (cm)	Depth (mbsf)	Inorganic carbon (%)	CaCO ₃ (%)
130-804B- (Cont.)			
10H-3, 34-36	84.04	10.79	89.90
10H-4, 35-37	85.55	9.23	76.90
10H-5, 34-36	87.04	10.98	91.50
10H-6, 33-35	88.53	11.03	91.90
10H-7, 38-40	90.08	10.74	89.50
11H-1, 34-36	90.54	10.05	83.70
11H-2, 48-50	92.18	10.00	83.30
11H-3, 36-38	93.56	10.82	90.10
11H-4, 34-36	95.04	10.71	89.20
11H-5, 34-36	96.54	10.78	89.80
11H-6, 36-38	98.06	10.68	89.00
11H-7, 36-38	99.56	10.98	91.50
12H-1, 109-111	100.79	11.10	92.50
12H-2, 34-36	101.54	11.08	92.30
12H-3, 34-36	103.04	11.08	92.30
12H-4, 34-36	104.54	11.24	93.60
12H-5, 34-36	106.04	11.05	92.00
12H-6, 34-36	107.54	10.99	91.50
12H-7, 34-36	109.04	11.04	92.00
13H-1, 109-111	110.29	10.79	89.90
13H-2, 98-100	111.68	11.11	92.50
13H-3, 34-36	112.54	10.46	87.10
13H-4, 34-36	114.04	10.94	91.10
14H-1, 100-102	119.70	11.13	92.70
14H-2, 34-36	120.54	10.95	91.20
14H-3, 34-36	122.04	11.12	92.60
14H-4, 34-36	123.54	11.20	93.30
14H-5, 34-36	125.04	11.10	92.50
14H-6, 37-39	126.57	11.14	92.80
14H-7, 36-38	128.06	11.03	91.90
15H-1, 34-36	128.54	11.43	95.20
15H-2, 34-35	130.04	10.58	88.10
15H-3, 34-35	131.54	10.95	91.20
15H-4, 27-28	132.97	11.15	92.90
15H-5, 35-36	134.55	11.70	97.50
15H-6, 35-36	136.05	10.85	90.40
15H-7, 40-41	137.60	11.05	92.00

130-804C-

15X-1, 108-110	130.88	11.34	94.50
15X-2, 109-111	132.39	10.59	88.20
15X-3, 99-101	133.79	10.78	89.80
16X-1, 95-97	140.25	10.49	87.40
16X-2, 54-56	141.34	10.43	86.90
17X-1, 109-111	149.89	11.12	92.60
17X-2, 109-111	151.39	10.55	87.90
17X-3, 101-103	152.81	11.08	92.30
17X-4, 109-111	154.39	11.08	92.30
17X-5, 109-111	155.89	11.08	92.30
17X-6, 109-111	157.39	10.82	90.10
18X-1, 98-100	159.28	9.70	80.80
18X-2, 99-101	160.79	10.17	84.70
18X-3, 99-101	162.29	10.40	86.60
18X-3, 129-131	162.59	10.86	90.50
18X-5, 100-102	165.30	10.75	89.50
18X-6, 22-24	166.02	10.36	86.30
19X-1, 99-101	168.99	10.83	90.20
19X-2, 98-100	170.48	10.74	89.50
19X-3, 104-106	172.04	10.82	90.10
19X-4, 104-106	173.54	10.54	87.80
19X-5, 110-112	175.10	10.02	83.50
19X-6, 40-42	175.90	10.02	83.50
20X-1, 108-110	178.78	9.78	81.50
20X-2, 121-123	180.41	10.29	85.70
20X-3, 106-108	181.76	11.11	92.50
20X-4, 106-108	183.26	10.90	90.80
20X-5, 106-108	184.76	10.43	86.90
21X-1, 100-102	188.40	9.46	78.80
21X-2, 100-102	189.90	10.14	84.50
21X-3, 100-102	191.40	10.04	83.60
21X-4, 100-102	192.90	10.80	90.00
22X-1, 102-104	198.12	8.52	71.00
22X-2, 80-82	199.40	10.01	83.40
22X-4, 38-40	201.98	9.19	76.60
22X-5, 4-6	203.14	7.80	65.00

Table 5 (continued).

Core, section, interval (cm)	Depth (mbsf)	Inorganic carbon (%)	C/CO ₃ (%)
130-804C- (Cont.)			
23X-1, 71-73	207.51	9.08	75.60
23X-3, 42-44	210.22	8.97	74.70
23X-4, 32-34	211.62	10.13	84.40
23X-5, 39-41	213.19	11.16	93.00
24X-1, 87-89	217.37	11.23	93.50
24X-2, 95-97	218.95	11.05	92.00
25X-2, 102-104	228.72	9.94	82.80
25X-3, 51-53	229.71	9.84	82.00
25X-4, 100-102	231.70	10.81	90.00
25X-5, 71-73	232.91	9.80	81.60
25X-6, 26-28	233.96	10.55	87.90
26X-1, 103-105	236.83	9.37	78.10
26X-2, 85-87	238.15	9.98	83.10
26X-3, 121-123	240.01	10.76	89.60
26X-4, 52-54	240.82	10.58	88.10
26X-5, 65-67	242.45	9.94	82.80
27X-1, 66-68	246.06	10.83	90.20
27X-3, 93-94	249.33	10.78	89.80
27X-6, 58-60	253.48	9.72	81.00
28X-1, 116-118	256.26	7.87	65.60
28X-2, 94-96	257.54	10.36	86.30
28X-5, 110-112	262.20	9.77	81.40
28X-6, 65-67	263.25	10.74	89.50
29X-4, 120-122	270.40	8.03	66.90
29X-5, 61-63	271.31	9.56	79.60
30X-1, 110-112	275.50	7.91	65.90
30X-2, 95-97	276.85	10.74	89.50
30X-3, 17-19	277.57	11.28	94.00
30X-4, 44-46	279.34	11.07	92.20
31X-1, 146-148	285.46	10.95	91.20
31X-2, 122-124	286.72	11.08	92.30
31X-4, 35-37	288.85	11.10	92.50
32X-1, 115-117	294.85	11.20	93.30
32X-2, 119-121	296.39	11.19	93.20
32X-3, 106-108	297.76	11.24	93.60
32X-4, 34-36	298.54	11.31	94.20
33X-1, 100-102	304.30	9.95	82.90
33X-2, 82-84	305.41	10.35	86.20
33X-3, 82-84	306.91	10.13	84.40
33X-4, 63-65	308.22	10.46	87.10
33X-5, 21-23	309.30	9.58	79.80

Table 7. Shear strength data, Site 804.

Core, section, interval (cm)	Depth (mbsf)	Peak shear (kPa)	Residual strength (kPa)
130-804A-			
1H-1, 45	0.45	4.7	2.2
2H-1, 120	2.40	7.3	3.1
2H-2, 120	3.90	9.0	4.5
2H-3, 120	5.40	7.0	3.6
2H-4, 120	6.90	9.3	5.2
2H-5, 120	8.40	7.9	5.2
3H-1, 120	11.90	17.4	9.2
3H-2, 120	13.40	11.8	6.3
3H-3, 80	14.50	8.0	4.3
3H-4, 120	16.40	17.6	8.1
3H-5, 120	17.90	18.3	9.9
3H-6, 130	19.50	31.8	15.5
4H-1, 120	21.40	12.7	5.6
4H-2, 120	22.90	11.6	5.4
4H-3, 120	24.40	9.5	3.4
4H-4, 110	25.80	13.6	6.3
4H-4, 120	25.90	23.5	9.9
4H-5, 120	27.40	22.2	9.9
5H-1, 132	31.02	18.8	
5H-2, 132	32.52	22.0	9.1
5H-3, 133	34.03	24.7	
5H-4, 133	35.53	17.3	12.5
5H-5, 140	37.10	29.4	9.7
5H-6, 130	38.50	38.2	20.2
5H-7, 18	38.88	50.5	22.5
6H-1, 138	40.58	16.8	13.5
6H-2, 140	42.10	16.8	10.1
6H-3, 138	43.58	16.8	10.1
6H-4, 128	44.98	14.6	5.6
6H-5, 128	46.48	23.5	14.2
6H-6, 35	47.05	17.1	7.4
6H-6, 128	47.98	12.0	5.6
130-804B-			
1H-3, 103	4.03	8.2	4.2
2H-1, 138	6.08	10.7	4.9
2H-2, 140	7.60	11.8	6.3
2H-3, 136	9.06	9.2	4.7
2H-4, 80	10.00	10.2	4.9
2H-5, 110	11.80	11.0	6.7
2H-6, 139	13.59	13.2	9.2
2H-7, 66	14.36	14.5	7.0
3H-1, 140	15.60	10.2	4.5
3H-2, 136	17.06	13.7	6.3
3H-3, 140	18.60	8.2	3.6
3H-4, 131	20.01	17.9	10.3
3H-5, 97	21.17	21.8	10.1
3H-7, 58	23.78	35.3	16.8
4H-1, 130	25.00	25.2	12.4
4H-2, 132	26.52	21.5	7.9
4H-3, 132	28.02	13.0	4.5
4H-4, 128	29.48	18.0	9.0
4H-5, 116	30.86	24.7	11.2
4H-6, 120	32.40	25.2	11.2
4H-7, 50	33.20	32.6	15.7
5H-1, 134	34.54	22.5	12.4
5H-2, 135	36.05	18.0	
5H-3, 135	37.55	16.8	
5H-4, 80	38.50	28.1	13.5
5H-5, 140	40.60	33.7	19.1
5H-6, 118	41.88	30.3	13.5
6H-1, 120	43.90	29.2	15.7
6H-2, 122	45.42	19.1	5.6
6H-3, 122	46.92	12.4	6.7
6H-4, 120	48.40	15.7	6.7
6H-5, 120	49.90	7.9	2.2
6H-6, 120	51.40	6.3	4.5
7H-1, 120	53.40	8.8	4.0
7H-3, 120	56.40	8.9	3.4
7H-4, 120	57.90	9.0	4.3
7H-5, 120	59.40	7.2	2.9
7H-6, 120	60.90	8.8	4.3
8H-1, 120	62.90	12.6	4.5
8H-2, 120	64.40	13.5	

Table 7 (continued).

Core, section, interval (cm)	Depth (mbsf)	Peak shear (kPa)	Residual strength (kPa)
130-804B- (Cont.)			
8H-3, 120	65.90	11.3	5.2
8H-4, 120	67.40	16.4	4.5
8H-5, 120	68.90	12.4	4.7
8H-6, 120	70.40	12.5	6.1
9H-1, 120	72.40	9.3	2.2
9H-2, 120	73.90	9.4	2.5
9H-3, 120	75.40	10.1	2.9
9H-4, 120	76.90	10.1	3.6
9H-5, 120	78.40	10.6	3.4
9H-6, 120	79.90	7.8	3.3
10H-1, 120	81.90	10.2	3.8
10H-2, 120	83.40	16.0	6.3
10H-3, 120	84.90	16.4	6.7
10H-4, 120	86.40	12.5	5.2
10H-5, 120	87.90	11.2	4.5
10H-6, 125	89.45	12.8	5.6
11H-1, 128	93.08	25.2	
11H-2, 140	94.70	14.6	5.3
11H-3, 125	96.05	12.8	4.5
11H-4, 140	97.70	16.2	5.6
11H-5, 125	99.05	27.0	9.9
11H-6, 125	100.55	20.2	6.1
12H-1, 125	102.55	19.8	6.1
12H-2, 119	103.99	14.2	4.5
12H-3, 120	105.50	14.5	6.5
12H-4, 115	106.95	28.5	8.8
12H-5, 115	108.45	24.7	9.4
12H-6, 135	110.15	35.9	16.8
13H-1, 128	110.48	20.2	11.2
13H-2, 39	111.09	27.4	15.7
13H-3, 125	113.45	39.8	20.2
14H-2, 132	121.52	20.2	11.2
14H-3, 134	123.04	18.0	9.0
14H-4, 134	124.54	16.8	7.9
14H-5, 133	126.03	21.8	11.2
14H-6, 133	127.53	27.0	10.1
15H-1, 134	129.54	33.2	11.2
15H-2, 130	131.00	47.2	18.0
15H-3, 136	132.56	41.6	10.1
15H-4, 82	133.52	34.8	15.7
15H-5, 133	135.53	52.3	24.7
15H-6, 135	137.05	52.3	20.2
130A-804C-			
1H-1, 138	1.38	6.1	2.2
1H-2, 136	2.86	5.6	2.5
1H-3, 131	4.31	6.8	4.0
1H-4, 136	5.86	10.0	5.6
2H-1, 139	7.69	7.1	2.9
2H-2, 140	9.20	6.7	3.6
2H-3, 140	10.70	7.0	3.1
2H-4, 140	12.20	11.0	5.8
2H-5, 135	13.65	8.3	4.0
2H-6, 141	15.21	14.2	7.2
3H-1, 140	17.20	13.9	6.1
3H-2, 140	18.70	10.8	5.4
3H-3, 132	20.12	14.2	7.0
3H-3, 139	20.19	18.2	9.2
3H-4, 140	21.70	14.2	6.1
3H-5, 140	23.20	16.6	9.8
3H-6, 131	24.61	25.8	12.2
4H-4, 119	30.99	19.1	10.8
4H-5, 134	32.64	23.6	
4H-6, 146	34.26	30.3	9.7
4H-7, 32	34.62	20.9	7.3
6H-2, 137	47.17	15.3	6.3
6H-2, 141	47.21	11.2	5.6
6H-3, 141	48.71	11.9	4.7
6H-4, 141	50.21	11.2	5.1
6H-5, 140	51.70	7.8	4.3
6H-6, 142	53.22	9.1	3.9
6H-7, 78	54.08	9.7	4.5
7H-2, 140	56.70	15.5	5.3
7H-3, 127	58.07	9.4	3.6

Table 7 (continued).

Core, section, interval (cm)	Depth (mbsf)	Peak shear (kPa)	Residual strength (kPa)
130-804C- (Cont.)			
7H-4, 140	59.70	11.7	3.1
7H-5, 139	61.19	12.0	3.6
7H-6, 139	62.69	17.5	5.6
8H-1, 140	64.70	23.1	5.8
8H-2, 134	66.14	18.8	5.2
8H-3, 140	67.70	16.2	4.7
8H-4, 136	69.16	19.5	5.4
8H-5, 140	70.70	14.3	5.2
8H-6, 140	72.20	11.6	3.8
9H-1, 144	74.24	10.6	
9H-2, 140	75.70	9.4	2.7
9H-3, 140	77.20	14.2	3.7
9H-4, 120	78.50	13.5	4.2
9H-5, 122	80.02	11.8	1.9
10H-1, 119	83.49	13.7	2.2
10H-2, 120	85.00	16.2	1.7
10H-2, 128	85.08	22.5	
10H-3, 120	86.50	18.5	4.3
10H-5, 130	89.60	19.8	6.7
11H-1, 130	93.60	30.1	11.2
11H-2, 120	94.50	22.5	14.6
11H-3, 120	96.00	16.8	9.0
11H-3, 120	97.50	18.0	11.2
11H-4, 120	99.00	18.6	7.9
11H-5, 120	100.30	16.4	6.7
11H-6, 100	100.30	15.3	5.8
12H-2, 120	104.00	24.0	8.1
12H-4, 120	107.00	28.3	9.0
12H-5, 120	108.50	12.8	4.7
12H-6, 120	110.00	19.8	6.7
13H-1, 110	111.90	21.5	7.9
13H-1, 120	112.00	16.6	6.4
13H-2, 120	113.50	23.1	9.0
13H-4, 120	116.50	20.9	6.7
13H-5, 120	118.00	21.8	4.5
13H-6, 120	119.50	13.5	2.2
14H-1, 120	121.50	8.5	
14H-2, 120	123.00	7.9	3.4
14H-3, 120	124.50	14.8	3.4
14H-4, 120	126.00	16.0	
15H-1, 120	131.00	13.5	4.9
15H-2, 120	132.50	18.0	5.8
15H-3, 120	134.00	13.5	7.9
16H-1, 114	140.44	22.5	8.1
17X-1, 122	150.02	23.1	14.6
17X-2, 120	151.50	25.8	11.2
17X-3, 123	153.03	25.8	14.6
17X-4, 123	154.53	31.5	16.8
17X-5, 120	156.00	27.0	12.4
17X-6, 120	157.50	23.6	13.0
18X-1, 120	160.00		

Table 9. Index properties data, Site 804.

Core, section, interval (cm)	Depth (mbsf)	Wet-bulk density (g/cm ³)	Grain density (g/cm ³)	Water content (% dry wt)	Porosity (%)	Dry-bulk density (g/cm ³)
130-804A-						
1H-1, 35	0.35	1.51	2.66	89.5	69.7	0.80
2H-1, 33	1.53	1.49	2.68	96.0	71.3	0.76
2H-1, 109	2.29	1.49	2.72	96.8	71.7	0.76
2H-2, 34	3.04	1.52	2.69	88.1	69.6	0.81
2H-2, 109	3.79	1.48	2.70	101.6	72.6	0.73
2H-3, 35	4.55	1.53	2.73	88.0	69.9	0.81
2H-3, 106	5.26	1.51	2.72	93.6	71.1	0.78
2H-4, 35	6.05	1.52	2.67	88.8	69.6	0.80
2H-4, 110	6.80	1.54	2.71	84.3	68.8	0.84
2H-5, 45	7.65	1.53	2.69	85.7	69.0	0.83
2H-5, 110	8.30	1.52	2.69	89.0	69.8	0.80
2H-6, 34	9.04	1.51	2.68	89.9	69.9	0.80
2H-6, 109	9.79	1.54	2.72	84.0	68.9	0.84
2H-7, 35	10.55	1.56	2.68	79.3	67.2	0.87
3H-1, 35	11.05	1.52	2.63	86.0	68.6	0.82
3H-1, 109	11.79	1.51	2.68	89.6	69.8	0.80
3H-2, 35	12.55	1.51	2.68	90.8	70.1	0.79
3H-2, 109	13.29	1.57	2.63	75.4	65.7	0.89
3H-3, 35	14.05	1.45	2.65	107.2	73.2	0.70
3H-4, 35	15.55	1.50	2.68	93.7	70.8	0.77
3H-4, 109	16.29	1.56	2.65	77.7	66.6	0.88
3H-5, 35	17.05	1.54	2.70	83.5	68.5	0.84
3H-5, 109	17.79	1.53	2.69	85.8	69.0	0.82
3H-6, 34	18.54	1.57	2.73	78.1	67.3	0.88
3H-6, 109	19.29	1.53	2.67	85.2	68.7	0.83
3H-7, 35	20.05	1.59	2.68	71.7	65.0	0.93
4H-1, 50	20.70	1.54	2.70	85.1	68.9	0.83
4H-1, 109	21.29	1.52	2.72	90.4	70.3	0.80
4H-2, 35	22.05	1.50	2.69	94.4	71.0	0.77
4H-2, 109	22.79	1.62	2.72	68.0	64.2	0.97
4H-3, 35	23.55	1.53	2.66	85.4	68.7	0.82
4H-3, 109	24.29	1.52	2.70	88.0	69.7	0.81
4H-4, 29	24.99	1.51	2.66	89.5	69.7	0.80
4H-4, 109	25.79	1.52	2.65	87.0	69.0	0.81
4H-5, 34	26.54	1.57	2.68	76.6	66.5	0.89
4H-5, 105	27.25	1.57	2.66	76.7	66.3	0.89
4H-6, 34	28.04	1.57	2.67	77.4	66.7	0.88
4H-6, 109	28.79	1.52	2.68	88.4	69.6	0.81
4H-7, 35	29.55	1.53	2.67	85.4	68.8	0.82
5H-1, 68	30.38	1.52	2.68	88.8	69.7	0.80
5H-1, 119	30.89	1.46	2.65	105.3	72.9	0.71
5H-2, 40	31.60	1.55	2.67	80.9	67.6	0.86
5H-2, 105	32.25	1.51	2.68	92.3	70.5	0.78
5H-3, 40	33.10	1.55	2.67	80.1	67.4	0.86
5H-3, 112	33.82	1.46	2.69	106.3	73.4	0.71
5H-4, 37	34.57	1.47	2.65	100.7	72.0	0.73
5H-4, 124	35.44	1.49	2.65	94.0	70.7	0.77
5H-5, 45	36.15	1.52	2.64	85.4	68.5	0.82
5H-5, 115	36.85	1.58	2.72	76.6	66.8	0.89
5H-6, 33	37.53	1.49	2.65	94.8	70.8	0.77
5H-6, 119	38.39	1.42	2.64	119.4	75.2	0.65
5H-7, 32	39.02	1.54	2.70	85.3	69.0	0.83
6H-1, 124	40.44	1.54	2.69	83.9	68.6	0.84
6H-2, 40	41.10	1.55	2.69	81.7	68.0	0.85
6H-2, 110	41.80	1.47	2.68	101.0	72.3	0.73
6H-3, 57	42.77	1.53	2.70	86.2	69.2	0.82
6H-3, 127	43.47	1.55	2.71	81.9	68.2	0.85
6H-4, 29	43.99	1.54	2.68	83.2	68.3	0.84
6H-4, 108	44.78	1.58	2.68	73.8	65.7	0.91
6H-5, 39	45.59	1.58	2.68	74.2	65.8	0.91
6H-5, 108	46.28	1.57	2.65	75.0	65.8	0.90
6H-6, 13	46.83	1.58	2.70	75.6	66.4	0.90
6H-6, 115	47.85	1.62	2.69	68.2	64.0	0.96
130-804B-						
1H-1, 32	0.32	1.49	2.67	94.6	70.9	0.77
1H-1, 103	1.03	1.50	2.65	93.1	70.5	0.78
1H-2, 24	1.74	1.51	2.69	92.6	70.7	0.78
1H-2, 104	2.54	1.53	2.72	87.8	69.7	0.81
1H-3, 34	3.34	1.50	2.66	91.6	70.2	0.79
1H-3, 119	4.19	1.51	2.67	90.1	69.9	0.79
2H-1, 48	5.18	1.49	2.64	95.5	70.9	0.76
2H-1, 110	5.80	1.54	2.67	82.8	68.1	0.84
2H-2, 34	6.54	1.54	2.69	83.5	68.4	0.84

Table 9 (continued).

Core, section, interval (cm)	Depth (mbsf)	Wet-bulk density (g/cm ³)	Grain density (g/cm ³)	Water content (% dry wt)	Porosity (%)	Dry-bulk density (g/cm ³)
130-804B- (Cont.)						
2H-2, 114	7.34	1.55	2.67	80.9	67.6	0.86
2H-3, 24	7.94	1.52	2.67	88.3	69.5	0.81
2H-3, 118	8.88	1.53	2.66	84.2	68.4	0.83
2H-4, 24	9.44	1.55	2.66	80.8	67.5	0.86
2H-4, 103	10.23	1.55	2.70	82.5	68.3	0.85
2H-5, 29	10.99	1.49	2.65	93.9	70.6	0.77
2H-5, 128	11.98	1.54	2.71	84.7	68.9	0.83
2H-6, 24	12.44	1.53	2.69	87.1	69.3	0.82
2H-6, 115	13.35	1.53	2.67	85.1	68.7	0.83
2H-7, 50	14.20	1.55	2.68	81.0	67.7	0.86
3H-1, 115	15.35	1.55	2.66	81.3	67.7	0.85
3H-2, 34	16.04	1.51	2.71	91.0	70.4	0.79
3H-3, 40	17.60	1.55	2.69	81.9	68.0	0.85
3H-3, 116	18.36	1.52	2.63	86.7	68.8	0.81
3H-4, 39	19.09	1.53	2.68	86.0	69.0	0.82
3H-4, 104	19.74	1.53	2.69	86.1	69.1	0.82
3H-5, 34	20.54	1.53	2.66	85.1	68.6	0.83
3H-5, 107	21.27	1.54	2.64	80.9	67.4	0.85
3H-6, 39	22.09	1.56	2.67	77.4	66.6	0.88
3H-6, 108	22.78	1.58	2.70	76.3	66.6	0.89
3H-7, 44	23.64	1.57	2.64	74.8	65.7	0.90
4H-1, 44	24.14	1.50	2.65	92.8	70.4	0.78
4H-1, 107	24.77	1.56	2.68	79.7	67.3	0.87
4H-2, 34	25.54	1.52	2.63	85.2	68.4	0.82
4H-2, 107	26.27	1.57	2.68	77.7	66.8	0.88
4H-3, 40	27.10	1.58	2.71	76.0	66.6	0.90
4H-3, 103	27.73	1.55	2.68	81.9	68.0	0.85
4H-4, 29	28.49	1.56	2.67	78.5	67.0	0.87
4H-4, 108	29.28	1.55	2.67	80.7	67.5	0.86
4H-5, 29	29.99	1.51	2.66	89.3	69.6	0.80
4H-5, 108	30.78	1.50	2.66	93.4	70.6	0.77
4H-6, 34	31.54	1.52	2.65	87.5	69.1	0.81
4H-6, 109	32.29	1.45	2.63	106.3	73.0	0.70
4H-7, 35	33.05	1.49	2.63	95.0	70.7	0.76
5H-1, 119	34.39	1.56	2.71	81.3	68.1	0.86
5H-2, 34	35.04	1.51	2.66	89.6	69.7	0.80
5H-2, 107	35.77	1.47	2.67	102.7	72.6	0.72
5H-3, 36	36.56	1.46	2.64	105.2	72.8	0.71
5H-3, 126	37.46	1.55	2.67	81.4	67.8	0.85
5H-4, 40	38.10	1.49	2.66	94.3	70.8	0.77
5H-4, 109	38.79	1.58	2.74	76.2	66.9	0.90
5H-5, 29	39.49	1.42	2.65	119.1	75.2	0.65
5H-5, 115	40.35	1.45	2.67	108.0	73.5	0.70
5H-6, 29	40.99	1.47	2.69	104.0	72.9	0.72
5H-6, 108	41.78	1.51	2.69	90.3	70.1	0.79
5H-7, 45	42.65	1.48	2.69	99.6	72.1	0.74
6H-1, 112	43.82			83.6		
6H-1, 35	43.05	1.51	2.71	91.4	70.5	0.79
6H-2, 38	44.58	1.50	2.71	95.3	71.4	0.77
6H-2, 110	45.30	1.55	2.69	82.2	68.1	0.85
6H-3, 34	46.04	1.54	2.69	84.7	68.8	0.83
6H-3, 106	46.76	1.60	2.64	68.9	63.8	0.95
6H-4, 34	47.54	1.58	2.68	74.5	65.9	0.91
6H-4, 109	48.29	1.63	2.70	66.6	63.5	0.98
6H-5, 34	49.04	1.61	2.70	69.3	64.5	0.95
6H-5, 110	49.80	1.63	2.70	67.0	63.7	0.97
6H-6, 35	50.55	1.64	2.71	64.6	62.9	1.00
6H-6, 109	51.29	1.60	2.70	71.2	65.0	0.94
6H-7, 34	52.04	1.58	2.67	73.9	65.6	0.91
7H-1, 35	52.55	1.60	2.69	70.7	64.8	0.94
7H-1, 110	53.30	1.63	2.69	65.6	63.1	0.99
7H-2, 33	54.03	1.62	2.70	68.5	64.2	0.96
7H-2, 108	54.78	1.66	2.70	61.5	61.7	1.03
7H-3, 34	55.54	1.65	2.67	62.2	61.7	1.02
7H-3, 109	56.29	1.66	2.71	61.5	61.7	1.03
7H-4, 35	57.05	1.66	2.69	60.7	61.3	1.03
7H-4, 109	57.79	1.65	2.68	61.9	61.7	1.02
7H-5, 36	58.56	1.66	2.68	61.0	61.3	1.03
7H-5, 108	59.28	1.64	2.72	65.3	63.2	0.99
7H-6, 34	60.04	1.60	2.68	70.3	64.6	0.94
7H-6, 109	60.79	1.67	2.69	59.6	60.8	1.05
7H-7, 34	61.54	1.62	2.67	66.8	63.4	0.97
8H-1, 109	62.79	1.65	2.68	61.6	61.6	1.02
8H-2, 34	63.54	1.66	2.68	61.2	61.4	1.03

Table 9 (continued).

Core, section, interval (cm)	Depth (mbsf)	Wet-bulk density (g/cm ³)	Grain density (g/cm ³)	Water content (% dry wt)	Porosity (%)	Dry-bulk density (g/cm ³)
130-804B- (Cont.)						
8H-2, 109	64.29	1.66	2.68	60.9	61.3	1.03
8H-3, 35	65.05	1.70	2.67	54.9	58.7	1.10
8H-3, 108	65.78	1.63	2.66	64.7	62.5	0.99
8H-4, 34	66.54			56.0		
8H-4, 109	67.29	1.68	2.65	56.6	59.3	1.07
8H-5, 35	68.05	1.69	2.70	56.8	59.7	1.08
8H-5, 109	68.79	1.70	2.68	55.4	59.0	1.09
8H-6, 34	69.54	1.64	2.69	65.0	62.9	0.99
8H-6, 109	70.29	1.63	2.69	65.9	63.2	0.98
8H-7, 35	71.05			70.4		
9H-1, 34	71.54	1.55	2.63	79.5	66.9	0.86
9H-1, 109	72.29	1.61	2.68	69.2	64.2	0.95
9H-2, 33	73.03	1.59	2.67	72.9	65.4	0.92
9H-2, 107	73.77			68.3		
9H-3, 34	74.54	1.62	2.68	66.8	63.4	0.97
9H-3, 109	75.29	1.59	2.64	71.3	64.6	0.93
9H-4, 34	76.04	1.63	2.68	65.7	63.0	0.98
9H-4, 108	76.78	1.63	2.68	65.3	62.9	0.99
9H-5, 34	77.54	1.58	2.66	74.1	65.6	0.91
9H-5, 108	78.28	1.61	2.68	68.2	63.9	0.96
9H-6, 34	79.04			68.7		
9H-6, 109	79.79	1.64	2.70	63.7	62.5	1.00
9H-7, 35	80.55			65.8		
10H-1, 109	81.79	1.63	2.66	64.3	62.4	0.99
10H-2, 33	82.53	1.61	2.66	68.4	63.8	0.96
10H-2, 109	83.29	1.59	2.64	71.5	64.7	0.93
10H-3, 34	84.04			61.9		
10H-3, 109	84.79	1.62	2.70	67.3	63.8	0.97
10H-4, 35	85.55	1.60	2.67	70.0	64.4	0.94
10H-4, 110	86.30	1.64	2.69	64.0	62.6	1.00
10H-5, 34	87.04	1.67	2.70	60.0	61.1	1.04
10H-5, 109	87.79	1.66	2.69	61.6	61.6	1.02
10H-6, 33	88.53	1.64	2.68	64.5	62.6	0.99
10H-6, 102	89.22	1.65	2.71	63.1	62.3	1.01
10H-7, 38	90.08	1.65	2.67	61.8	61.6	1.02
11H-1, 34	90.54	1.56	2.62	76.7	66.1	0.88
11H-1, 105	91.25	1.52	2.58	83.3	67.5	0.83
11H-2, 48	92.18	1.58	2.63	73.0	65.1	0.91
11H-2, 131	93.01	1.58	2.64	73.9	65.4	0.91
11H-3, 36	93.56	1.60	2.63	69.3	63.9	0.94
11H-3, 115	94.35			69.5		
11H-4, 34	95.04	1.64	2.65	63.2	61.9	1.00
11H-4, 113	95.83	1.64	2.65	63.4	62.0	1.00
11H-5, 34	96.54	1.62	2.64	65.8	62.7	0.98
11H-5, 113	97.33	1.65	2.67	61.2	61.3	1.03
11H-6, 34	98.06	1.67	2.69	58.8	60.5	1.05
11H-6, 113	98.83	1.68	2.68	57.5	59.9	1.07
11H-7, 38	99.58	1.65	2.70	63.1	62.2	1.01
11H-2, 111	92.81	1.55	2.64	80.6	67.3	0.86
12H-1, 109	100.79	1.64	2.69	63.3	62.2	1.01
12H-2, 34	101.54	1.63	2.68	65.4	62.9	0.99
12H-2, 109	102.29	1.66	2.68	60.4	61.1	1.04
12H-3, 34	103.04	1.67	2.67	59.1	60.5	1.05
12H-3, 109	103.79	1.66	2.68	60.5	61.2	1.03
12H-4, 34	104.54	1.68	2.70	58.4	60.4	1.06
12H-4, 105	105.25	1.70	2.68	55.4	59.0	1.09
12H-5, 34	106.04	1.70	2.68	54.5	58.6	1.10
12H-5, 109	106.79			56.9		
12H-6, 34	107.54	1.69	2.68	56.2	59.3	1.08
12H-6, 109	108.29	1.66	2.61	58.1	59.6	1.05
12H-7, 34	109.04	1.68	2.66	56.2	59.1	1.08
13H-1, 109	110.29	1.67	2.69	59.9	61.0	1.04
13H-2, 138	112.08	1.62	2.67	67.2	63.4	0.97
13H-2, 98	111.68	1.69	2.67	55.4	58.9	1.09
13H-3, 34	112.54	1.62	2.66	67.1	63.4	0.97
13H-3, 109	113.29	1.62	2.66	66.3	63.1	0.97
13H-4, 34	114.04	1.66	2.69	60.8	61.3	1.03
13H-4, 135	115.05	1.63	2.70	65.8	63.3	0.98
14X-1, 100	119.70	1.51	2.71	91.9	70.6	0.79
14X-2, 34	120.54	1.58	2.68	74.1	65.8	0.91
14X-2, 107	121.27	1.67	2.70	60.6	61.3	1.04
14X-3, 34	122.04	1.67	2.70	59.5	60.9	1.05
14X-3, 108	122.78	1.66	2.68	60.5	61.1	1.03
14X-4, 34	123.54	1.67	2.66	58.4	60.1	1.05
14X-4, 107	124.27	1.67	2.69	60.1	61.0	1.04

Table 9 (continued).

Core, section, interval (cm)	Depth (mbsf)	Wet-bulk density (g/cm ³)	Grain density (g/cm ³)	Water content (% dry wt)	Porosity (%)	Dry-bulk density (g/cm ³)
130-804B- (Cont.)						
14X-5, 34	125.04	1.67	2.70	59.2	60.8	1.05
14X-5, 107	125.77	2.01	2.68	25.7	40.1	1.60
14X-6, 37	126.57	1.69	2.69	56.6	59.6	1.08
14X-6, 107	127.27	1.70	2.71	56.4	59.7	1.08
14X-7, 36	128.06	1.69	2.68	56.7	59.6	1.08
15X-1, 34	128.54	1.72	2.68	52.5	57.8	1.13
15X-1, 105	129.25	1.63	2.67	64.5	62.5	0.99
15X-2, 34	130.04	1.61	2.65	67.7	63.5	0.96
15X-2, 105	130.75	1.64	2.71	65.2	63.2	0.99
15X-3, 34	131.54	1.62	2.68	66.4	63.2	0.98
15X-3, 108	132.28	1.58	2.68	74.1	65.7	0.91
15X-4, 27	132.97	1.61	2.66	69.2	64.1	0.95
15X-4, 99	133.69	1.58	2.63	73.5	65.1	0.91
15X-5, 35	134.55	1.63	2.71	67.2	63.8	0.97
15X-5, 106	135.26	1.59	2.66	72.3	65.1	0.92
15X-6, 35	136.05	1.60	2.68	71.3	64.9	0.93
15X-6, 107	136.77	1.61	2.67	69.5	64.2	0.95
15X-7, 40	137.60	1.58	2.66	73.2	65.4	0.91
130-804C-						
1H-1, 90	0.90	1.48	2.67	99.7	71.9	0.74
1H-2, 106	2.56	1.50	2.68	94.4	71.0	0.77
1H-3, 120	4.20	1.53	2.69	85.7	69.0	0.82
1H-4, 100	5.50	1.53	2.67	84.7	68.6	0.83
2H-1, 99	7.29	1.46	2.70	105.5	73.3	0.71
2H-2, 101	8.81	1.53	2.68	85.1	68.8	0.83
2H-3, 96	10.26	1.57	2.71	78.8	67.4	0.88
2H-4, 100	11.80	1.55	2.71	82.0	68.2	0.85
2H-5, 100	13.30	1.53	2.68	86.0	69.0	0.82
2H-6, 101	14.81	1.52	2.68	88.4	69.6	0.81
3H-1, 99	16.79	1.53	2.70	86.0	69.1	0.82
3H-2, 104	18.34	1.58	2.68	75.1	66.1	0.90
3H-3, 99	19.79	1.51	2.70	91.3	70.4	0.79
3H-4, 98	21.28	1.54	2.69	85.0	68.9	0.83
3H-5, 100	22.80	1.53	2.70	86.4	69.2	0.82
3H-6, 40	23.70	1.50	2.68	92.5	70.6	0.78
4H-3, 127	29.57	1.53	2.67	85.2	68.8	0.83
4H-4, 107	30.87	1.48	2.69	99.8	72.1	0.74
4H-5, 98	32.28	1.53	2.70	86.7	69.3	0.82
4H-6, 100	33.80	1.54	2.68	83.8	68.4	0.84
6H-2, 100	46.80			66.3		
6H-3, 100	48.30			61.5		
6H-4, 99	49.79	1.65	2.72	63.2	62.5	1.01
6H-5, 98	51.28			64.0		
6H-6, 100	52.80			63.8		
7H-2, 99	56.29	1.66	2.72	62.3	62.2	1.02
7H-3, 99	57.79	1.65	2.69	61.8	61.7	1.02
7H-4, 122	59.52	1.63	2.68	65.4	62.9	0.99
7H-5, 100	60.80	1.70	2.70	56.0	59.4	1.09
7H-6, 100	62.30	1.70	2.73	56.6	60.0	1.09
7H-7, 27	63.07	1.62	2.67	67.1	63.4	0.97
8H-1, 99	64.29	1.71	2.68	52.8	57.8	1.12
8H-2, 99	65.79	1.68	2.65	56.8	59.4	1.07
8H-3, 103	67.33	1.64	2.71	64.7	62.9	1.00
8H-4, 99	68.79	1.63	2.67	65.9	63.0	0.98
8H-5, 99	70.29	1.61	2.64	67.5	63.3	0.96
8H-6, 98	71.78	1.62	2.68	67.9	63.8	0.96
8H-7, 39	72.69	1.60	2.67	70.8	64.7	0.94
9H-1, 125	74.05	1.61	2.70	69.8	64.6	0.95
9H-2, 106	75.36	1.64	2.72	64.7	63.0	1.00
9H-3, 113	76.93	1.66	2.70	61.8	61.8	1.02
9H-4, 109	78.39	1.66	2.70	60.8	61.5	1.03
9H-5, 114	79.94	1.63	2.68	65.7	63.0	0.98
10H-1, 110	83.40	1.63	2.70	65.9	63.3	0.98
10H-2, 109	84.89	1.62	2.69	67.1	63.6	0.97

Table 9 (continued).

Core, section, interval (cm)	Depth (mbsf)	Wet-bulk density (g/cm ³)	Grain density (g/cm ³)	Water content (% dry wt)	Porosity (%)	Dry-bulk density (g/cm ³)
130-804C- (Cont.)						
10H-3, 109	86.39	1.66	2.72	62.1	62.1	1.02
10H-4, 115	87.95	1.63	2.68	65.0	62.8	0.99
10H-5, 110	89.40	1.58	2.66	74.4	65.7	0.90
11H-1, 109	92.89	1.51	2.61	88.0	68.9	0.80
11H-2, 108	94.38	1.66	2.69	61.1	61.4	1.03
11H-3, 109	95.89	1.63	2.69	65.8	63.2	0.98
11H-4, 109	97.39	1.67	2.70	60.7	61.4	1.04
11H-5, 109	98.89	1.68	2.69	58.6	60.4	1.06
11H-6, 90	100.20	1.72	2.70	52.9	58.1	1.12
12H-1, 108	102.38	1.68	2.71	59.4	60.9	1.05
12H-2, 110	103.90	1.68	2.69	57.8	60.2	1.07
12H-3, 109	105.39	1.72	2.69	52.2	57.7	1.13
12H-4, 110	106.90	1.70	2.68	55.0	58.8	1.10
12H-5, 109	108.39	1.66	2.68	61.1	61.4	1.03
12H-6, 109	109.89	1.65	2.69	62.1	61.8	1.02
13H-1, 99	111.79	1.62	2.67	66.7	63.3	0.97
13H-2, 109	113.39	1.62	2.64	65.4	62.6	0.98
13H-3, 110	114.90	1.58	2.67	75.1	66.0	0.90
13H-4, 109	116.39	1.62	2.68	66.5	63.3	0.98
13H-5, 109	117.89	1.63	2.67	64.7	62.6	0.99
13H-6, 109	119.39	1.63	2.69	65.6	63.1	0.99
14X-1, 109	121.39	1.64	2.69	63.9	62.5	1.00
14X-2, 109	122.89	1.63	2.69	66.2	63.3	0.98
14X-3, 109	124.39	1.65	2.67	62.0	61.6	1.02
14X-4, 109	125.89	1.63	2.68	64.8	62.7	0.99
15X-1, 108	130.88	1.69	2.73	58.2	60.6	1.07
15X-2, 109	132.39	1.58	2.65	74.3	65.6	0.90
15X-3, 99	133.79	1.58	2.68	74.1	65.8	0.91
16X-1, 95	140.25	1.58	2.69	75.0	66.1	0.90
16X-2, 54	141.34	1.57	2.71	77.7	67.1	0.88
17X-1, 109	149.89	1.66	2.70	60.6	61.3	1.04
17X-2, 109	151.39	1.67	2.65	57.8	59.7	1.06
17X-3, 101	152.81	1.68	2.68	58.0	60.1	1.06
17X-4, 109	154.39	1.70	2.68	54.6	58.6	1.10
17X-5, 109	155.89	1.68	2.70	58.6	60.5	1.06
17X-6, 110	157.40	1.71	2.69	53.6	58.3	1.11
18X-1, 98	159.78	1.59	2.68	73.4	65.6	0.92
18X-2, 99	161.29	1.60	2.67	70.6	64.6	0.94
18X-3, 99	162.79	1.58	2.68	74.9	66.0	0.90
18X-4, 129	164.59	1.68	2.68	58.2	60.2	1.06
18X-5, 100	165.80	1.61	2.69	70.0	64.5	0.95
18X-6, 20	166.50	1.63	2.63	63.6	61.9	1.00
19X-1, 99	168.99	1.64	2.68	64.4	62.6	0.99
19X-2, 98	170.48	1.67	2.67	59.3	60.6	1.05
19X-3, 104	172.04	1.59	2.64	70.4	64.3	0.94
19X-4, 104	173.54	1.63	2.66	64.9	62.6	0.99
19X-5, 110	175.10			71.6		
19X-6, 40	175.90	1.59	2.68	72.3	65.2	0.92
20X-1, 108	178.78	1.62	2.66	65.7	62.8	0.98
20X-2, 121	180.41	1.65	2.65	61.2	61.1	1.02
20X-3, 106	181.76	1.69	2.69	56.2	59.5	1.08
20X-4, 106	183.26	1.67	2.68	59.4	60.7	1.05
20X-5, 100	184.70	1.60	2.67	69.9	64.4	0.94
21X-1, 100	188.40	1.56	2.65	77.8	66.6	0.88
21X-2, 100	189.90	1.64	2.67	63.2	62.0	1.01
21X-3, 100	191.40	1.59	2.65	71.2	64.7	0.93
21X-4, 100	192.90	1.71	2.67	52.7	57.7	1.12
22X-1, 102	198.12	1.62	2.64	64.9	62.4	0.98
22X-2, 80	199.40	1.68	2.75	60.5	61.7	1.05
22X-4, 38	201.98					
22X-5, 4	203.14	1.52	2.59	83.5	67.6	0.83
23X-1, 71	207.51	1.58	2.62	71.4	64.4	0.92
23X-3, 42	210.22	1.57	2.65	75.3	65.9	0.90
23X-4, 32	211.62	1.68	2.72	59.8	61.2	1.05
23X-5, 39	213.19	1.70	2.78	58.6	61.2	1.07
24X-1, 87	217.37	1.76	2.75	49.3	56.8	1.18
24X-2, 95	218.95	1.68	2.71	58.0	60.3	1.07
25X-2, 102	228.72	1.67	2.54	54.1	57.2	1.08
25X-3, 51	229.71	1.67	2.65	58.2	59.9	1.06
25X-4, 100	231.70	1.81	2.72	42.9	53.2	1.27
25X-5, 71	232.91	1.71	2.71	54.9	59.1	1.10
25X-6, 26	233.96	1.77	2.77	49.0	56.8	1.19
26X-1, 103	236.83	1.68	2.78	61.2	62.3	1.04
26X-2, 85	238.15	1.68	2.66	56.2	59.2	1.08
26X-3, 121	240.01	1.77	2.70	47.0	55.2	1.20

Table 9 (continued).

Core, section, interval (cm)	Depth (mbsf)	Wet-bulk density (g/cm ³)	Grain density (g/cm ³)	Water content (% dry wt)	Porosity (%)	Dry-bulk density (g/cm ³)
130-804C- (Cont.)						
26X-4, 52	240.82	1.72	2.70	52.2	57.8	1.13
26X-5, 65	242.45	1.67	2.66	58.4	60.1	1.05
27X-1, 66	246.06	1.74	2.65	48.7	55.6	1.17
27X-3, 93	249.33	1.80	2.66	42.0	52.1	1.27
27X-6, 58	253.48	1.72	2.65	50.4	56.4	1.15
28X-1, 116	256.26	1.64	2.65	62.8	61.8	1.01
28X-2, 94	257.54	1.71	2.51	46.7	53.2	1.17
28X-5, 110	262.20	1.82	2.65	40.1	50.8	1.30
29X-4, 120	270.40	1.63	2.58	62.0	60.8	1.00
29X-5, 61	271.31	1.71	2.66	53.3	57.9	1.11
30X-2, 95	276.85	1.81	2.68	42.1	52.3	1.27
30X-3, 17	277.57	1.79	2.78	47.7	56.3	1.21
30X-4, 44	279.34	1.85	2.69	38.4	50.1	1.34
31X-1, 146	285.46	1.79	2.70	44.6	53.9	1.24
31X-2, 122	286.72	1.97	2.68	28.5	42.6	1.53
31X-4, 35	288.85	1.81	2.65	40.9	51.3	1.29
32X-1, 115	294.85	1.80	2.69	43.5	53.2	1.25
32X-2, 119	296.39	1.78	2.72	46.8	55.3	1.21
32X-3, 106	297.76	1.76	2.69	47.6	55.4	1.19
32X-4, 34	298.54	1.83	2.71	40.6	51.7	1.30
33X-1, 100	304.30	1.68	2.64	55.6	58.7	1.08
33X-2, 82	305.62	1.69	2.65	55.0	58.6	1.09
33X-3, 82	307.12	1.71	2.65	52.6	57.4	1.12
33X-4, 63	308.43	1.70	2.68	55.6	59.1	1.09
33X-5, 21	309.51	1.66	2.61	58.7	59.8	1.04

Table 10. P-wave velocity data, Site 804.

Core, section, interval (cm)	Depth (mbsf)	Vertical P-wave velocity (m/s)	Horizontal P-wave velocity (m/s)
130-804A-			
1H-1, 35	0.35	1531.8	1528.0
2H-1, 35	1.55	1536.8	1534.8
2H-1, 110	2.30	1517.2	1534.8
2H-2, 35	3.05	1514.0	1528.0
2H-2, 110	3.80	1517.2	1521.2
2H-3, 35	4.55	1526.9	1534.8
2H-3, 110	5.30	1523.7	1517.8
2H-4, 110	6.80	1514.0	1528.0
2H-4, 110	6.80	1551.8	1573.6
2H-5, 35	7.55	1520.4	1528.0
2H-5, 110	8.30	1515.6	1528.0
2H-6, 10	8.80		1528.0
2H-6, 35	9.05	1526.9	1534.8
2H-6, 110	9.80	1522.1	
2H-7, 5	10.25		
2H-7, 35	10.55	1540.1	
3H-1, 35	11.05	1531.8	1559.3
3H-1, 110	11.80	1523.7	1531.4
3H-2, 35	12.55	1528.6	1528.0
3H-2, 110	13.30	1531.8	1541.7
3H-3, 5	13.75		1534.8
3H-3, 35	14.05	1528.6	
3H-4, 35	15.55	1526.9	1534.8
3H-4, 110	16.30	1528.6	1534.8
3H-5, 35	17.05	1540.1	1534.8
3H-5, 110	17.80		1538.2
3H-6, 35	18.55	1535.1	1541.7
3H-6, 110	19.30	1538.4	1552.2
3H-7, 35	20.05	1526.9	1548.7
4H-1, 35	20.55	1518.8	
4H-1, 110	21.30		1524.6
4H-2, 35	22.05		1545.2
4H-2, 110	22.80		1548.7
4H-3, 35	23.55		1538.2
4H-3, 110	24.30		1534.8
4H-4, 30	25.00		1534.8
4H-4, 110	25.80		1541.7
4H-5, 35	26.55		1545.2
4H-5, 110	27.30	1523.7	1555.7
4H-6, 35	28.05	1526.9	1534.8
4H-6, 110	28.80	1518.8	1548.7
4H-7, 35	29.55	1523.7	1534.8
5H-1, 60	30.30		1545.2
5H-1, 112	30.82		1538.2
5H-2, 41	31.61		1528.0
5H-2, 110	32.30		1524.6
5H-3, 41	33.11	1522.1	1531.4
5H-4, 37	34.57		1517.8
5H-4, 125	35.45	1520.4	1538.2
5H-5, 45	36.15	1523.7	1531.4
5H-5, 115	36.85	1515.6	1521.2
5H-6, 34	37.54	1520.4	1528.0
5H-6, 125	38.45	1510.8	1528.0
5H-7, 40	39.10		
6H-1, 125	40.45	1517.2	
6H-2, 40	41.10	1520.4	
6H-2, 110	41.80		1521.2
6H-3, 58	42.78		1514.4
6H-3, 125	43.45	1512.4	1528.0
6H-4, 30	44.00	1515.6	1524.6
6H-4, 109	44.79	1515.6	1514.4
6H-5, 40	45.60	1538.4	1559.3
6H-5, 109	46.29	1525.3	1534.8
6H-6, 115	47.85	1526.9	1531.4
130-804B-			
1H-1, 35	0.35	1522.1	1534.8
1H-1, 105	1.05		1514.4
1H-2, 25	1.75	1531.8	1531.4
1H-2, 105	2.55	1541.7	1566.4
1H-3, 35	3.35		1517.8
2H-1, 50	5.20	1531.8	1524.6
2H-1, 110	5.80	1514.0	
2H-2, 35	6.55	1535.1	1548.7

Table 10 (continued).

Core, section, interval (cm)	Depth (mbsf)	Vertical P-wave velocity (m/s)	Horizontal P-wave velocity (m/s)
130-804B- (Cont.)			
2H-2, 115	7.35	1510.8	1528.0
2H-3, 25	7.95	1525.3	1541.7
2H-3, 120	8.90	1514.0	1517.8
2H-4, 25	9.45	1518.8	1517.8
2H-4, 105	10.25	1523.7	1517.8
2H-5, 30	11.00	1522.1	1528.0
2H-5, 130	12.00	1540.1	1541.7
2H-6, 25	12.45	1541.7	1545.2
2H-6, 115	13.35	1526.9	1545.2
2H-7, 50	14.20	1530.2	1534.8
3H-1, 115	15.35	1525.3	1531.4
3H-2, 35	16.05	1523.7	1524.6
3H-2, 115	16.85		1531.4
3H-3, 40	17.60		1534.8
3H-3, 117	18.37		1528.0
3H-4, 40	19.10		1541.7
3H-4, 105	19.75	1531.8	1552.2
3H-5, 35	20.55		1534.8
3H-5, 109	21.29	1518.8	1521.2
3H-6, 40	22.10	1520.4	1528.0
3H-6, 109	22.79	1518.8	1524.6
3H-7, 45	23.65	1518.8	1538.2
4H-1, 45	24.15	1538.4	1528.0
4H-1, 109	24.79	1530.2	
4H-2, 35	25.55		1521.2
4H-2, 109	26.29	1525.3	1524.6
4H-3, 40	27.10		1531.4
4H-3, 104	27.74		1517.8
4H-4, 30	28.50	1522.1	1521.2
4H-4, 109	29.29		1566.4
4H-5, 30	30.00	1515.6	1521.2
4H-5, 109	30.79	1517.2	1514.4
4H-6, 35	31.55	1518.8	1528.0
4H-6, 110	32.30		1517.8
4H-7, 35	33.05	1517.2	1514.4
5H-1, 120	34.40	1514.0	1521.2
5H-2, 109	35.79		1517.8
5H-3, 29	36.49		1517.8
5H-3, 125	37.45		1521.2
5H-4, 30	38.10		1521.2
5H-4, 110	38.80	1533.5	
5H-5, 30	39.50	1515.6	1524.6
5H-5, 115	40.35	1512.4	1534.8
5H-6, 35	41.05	1517.2	1534.8
5H-6, 109	41.79		1538.2
5H-7, 45	42.65	1517.2	1521.2
6H-1, 35	43.05	1531.0	1570.0
6H-1, 110	43.80		1555.7
6H-2, 35	44.55	1531.8	1555.7
6H-2, 35	44.55		1552.2
6H-2, 110	45.30		1552.2
6H-2, 110	45.30		1552.2
6H-4, 35	47.55	1536.8	1541.7
6H-4, 110	48.30	1543.4	1566.4
6H-5, 35	49.05	1531.8	1552.2
6H-5, 110	49.80	1533.5	1570.0
6H-6, 35	50.55	1543.4	1559.3
6H-6, 110	51.30	1525.3	1541.7
6H-7, 35	52.05	1525.3	1545.2
7H-1, 35	52.55	1540.1	1552.2
7H-1, 110	53.30	1531.8	1559.3
7H-2, 35	54.05	1543.4	1534.8
7H-2, 110	54.80	1536.8	1566.4
7H-3, 35	55.55	1553.5	1570.0
7H-3, 110	56.30	1536.8	1566.4
7H-4, 35	57.05	1541.7	1566.4
7H-4, 110	57.80	1548.4	1566.4
7H-5, 35	58.55	1533.5	1552.2
7H-5, 110	59.30	1528.6	1555.7
7H-6, 35	60.05	1553.5	
7H-6, 110	60.80	1541.7	1570.0
7H-7, 35	61.55	1555.1	1599.3
8H-1, 110	62.80	1545.1	1562.8
8H-2, 35	63.55	1560.2	1573.6
8H-2, 110	64.30	1577.4	1603.0

Table 10 (continued).

Core, section, interval (cm)	Depth (mbsf)	Vertical P-wave velocity (m/s)	Horizontal P-wave velocity (m/s)
130-804B- (Cont.)			
8H-3, 35	65.05	1570.5	1603.0
8H-3, 110	65.80	1556.8	1577.2
8H-4, 35	66.55	1574.0	1588.2
8H-4, 110	67.30	1560.2	1618.2
8H-5, 35	68.05	1548.4	1588.2
8H-5, 110	68.80	1570.5	1595.6
8H-6, 35	69.55	1541.7	1570.0
8H-6, 110	70.30	1541.7	1573.6
8H-7, 35	71.05	1546.7	1562.8
9H-1, 35	71.55	1538.4	1548.7
9H-1, 110	72.30	1541.7	1562.8
9H-2, 35	73.05	1530.2	1552.2
9H-2, 110	73.80	1541.7	1552.2
9H-3, 35	74.55	1531.8	1552.2
9H-3, 110	75.30	1535.1	1545.2
9H-4, 35	76.05	1533.5	1555.7
9H-4, 110	76.80	1541.7	1555.7
9H-5, 35	77.55	1535.1	1559.3
9H-5, 110	78.30	1535.1	1548.7
9H-6, 35	79.05	1538.4	1552.2
9H-6, 110	79.80	1545.1	1552.2
9H-7, 35	80.55	1543.4	1555.7
10H-1, 110	81.80	1545.1	1555.7
10H-2, 35	82.55	1555.1	1566.4
10H-2, 110	83.30	1545.1	1580.8
10H-3, 35	84.05	1545.1	1566.4
10H-3, 110	84.80	1540.1	1566.4
10H-4, 35	85.55	1538.4	1552.2
10H-4, 110	86.30	1541.7	1562.8
10H-5, 35	87.05	1546.7	1566.4
10H-5, 110	87.80	1536.8	1559.3
10H-6, 35	88.55	1533.5	1562.8
10H-6, 104	89.24	1531.8	1562.8
10H-7, 39	90.09	1538.4	1552.2
11H-1, 36	90.56	1536.8	1588.2
11H-1, 105	91.25	1535.1	1588.2
11H-2, 36	92.06	1536.8	1570.0
11H-2, 111	92.81	1579.2	1641.5
11H-2, 132	93.02	1545.1	1577.2
11H-3, 36	93.56	1546.7	1591.9
11H-3, 115	94.35	1548.4	1584.5
11H-4, 35	95.05	1545.1	1603.0
11H-4, 115	95.85	1515.6	1591.9
11H-5, 35	96.55	1530.2	1577.2
11H-5, 115	97.35	1545.1	1591.9
11H-6, 35	98.05	1531.8	1584.5
11H-6, 115	98.85	1550.1	1599.3
11H-7, 35	99.55	1570.5	1614.4
12H-1, 110	100.80	1551.8	1606.8
12H-2, 35	101.55	1548.4	1603.0
12H-2, 110	102.30	1561.9	1622.0
12H-3, 35	103.05	1567.1	1606.8
12H-3, 110	103.80	1558.5	1606.8
12H-4, 35	104.55	1584.5	1622.0
12H-4, 105	105.25	1555.1	1595.6
12H-5, 35	106.05	1570.5	1649.4
12H-5, 110	106.80	1555.1	1614.4
12H-6, 35	107.55	1548.4	1633.6
12H-6, 110	108.30	1551.8	1603.0
12H-7, 35	109.05	1561.9	1645.4
13H-1, 110	110.30	1543.4	1599.3
13H-2, 97	111.67		1633.6
13H-3, 35	112.55	1545.1	1610.6
13H-3, 110	113.30	1550.1	1584.5
13H-4, 35	114.05	1548.4	1610.6
13H-4, 136	115.06	1546.7	1595.6
14H-1, 100	119.70		1552.2
14H-2, 35	120.55		1577.2
14H-2, 108	121.28	1548.4	1591.9
14H-3, 35	122.05	1560.2	1588.2
14H-3, 108	122.78	1558.5	1570.0
14H-4, 35	123.55	1565.4	1599.3
14H-4, 108	124.28		1584.5
14H-5, 35	125.05		1591.9
14H-5, 108	125.78	1561.9	1591.9

Table 10 (continued).

Core, section, interval (cm)	Depth (mbsf)	Vertical P-wave velocity (m/s)	Horizontal P-wave velocity (m/s)
130-804B- (Cont.)			
14H-6, 38	126.58		1625.9
14H-6, 38	126.58		1618.2
14H-6, 108	127.28	1579.2	1618.2
14H-7, 51	128.21		1618.2
15H-1, 35	128.55		1649.4
15H-1, 105	129.25		1573.6
15H-2, 35	130.05	1523.7	1584.5
15H-2, 105	130.75	1528.6	1570.0
15H-3, 35	131.55		1588.2
15H-3, 108	132.28		1573.6
15H-4, 28	132.98	1520.4	1591.9
15H-4, 100	133.70	1540.1	1577.2
15H-5, 35	134.55		1595.6
15H-5, 105	135.25	1541.7	1584.5
15H-6, 108	136.78	1538.4	1588.2
15H-7, 40	137.60		1595.6
130-804C-			
1H-3, 30	3.30	1518.00	1521.40
1H-3, 120	4.20	1526.10	1538.50
1H-4, 40	4.90	1521.20	1524.80
1H-4, 100	5.50	1529.40	1531.60
2H-1, 50	6.80	1531.00	1531.60
2H-1, 100	7.30	1534.30	1545.40
2H-2, 40	8.20	1526.10	1538.50
2H-2, 100	8.80	1527.70	1531.60
2H-3, 40	9.70	1518.00	1518.00
2H-3, 97	10.27	1521.20	1535.10
2H-4, 38	11.18	1527.70	1531.60
2H-4, 100	11.80	1545.90	1559.50
2H-5, 40	12.70	1521.20	1528.20
2H-5, 100	13.30	1540.90	1552.40
2H-6, 40	14.20	1527.70	1531.60
2H-6, 100	14.80	1544.20	1538.50
3H-1, 100	16.80	1531.00	1535.10
3H-2, 40	17.70	1519.60	1535.10
3H-2, 105	18.35	1537.60	1538.50
3H-3, 40	19.20	1529.40	1545.40
3H-3, 100	19.80	1526.10	1531.60
3H-4, 35	20.65	1537.60	1542.00
3H-4, 100	21.30		1524.80
3H-5, 35	22.15		1511.30
3H-5, 100	22.80		1518.00
3H-6, 40	23.70	1516.40	1524.80
3H-6, 100	24.30	1537.60	1531.60
4H-3, 120	29.50	1511.60	
4H-4, 40	30.20	1518.00	1518.00
4H-4, 100	30.80	1518.00	1524.80
4H-5, 100	32.30	1519.60	1528.20
4H-6, 35	33.15		1528.20
4H-6, 100	33.80	1518.00	1528.20
4H-7, 40	34.70	1514.80	1535.10
6H-2, 40	46.20	1532.60	1531.60
6H-2, 100	46.80	1524.50	1535.10
6H-3, 35	47.65	1526.10	1535.10
6H-3, 100	48.30	1532.60	1531.60
6H-4, 40	49.20	1532.60	1538.50
6H-4, 100	49.80	1532.60	1531.60
6H-5, 40	50.70	1534.30	1531.60
6H-5, 100	51.30	1535.90	1531.60
6H-6, 40	52.20	1529.40	1524.80
6H-6, 100	52.80	1531.00	1531.60
6H-7, 48	53.78	1540.90	1552.40
7H-2, 40	55.70	1526.10	1531.60
7H-2, 100	56.30	1531.00	1521.40
7H-3, 40	57.20	1524.50	1521.40
7H-3, 100	57.80	1529.40	1535.10
7H-4, 40	58.70	1537.60	1548.90
7H-4, 125	59.55	1545.90	1552.40
7H-5, 40	60.20	1544.20	1556.00
7H-5, 100	60.80	1549.30	1552.40
7H-6, 40	61.70	1540.90	1545.40
7H-6, 100	62.30	1549.30	1556.00
7H-7, 27	63.07	1542.60	1542.00

Table 10 (continued).

Core, section, interval (cm)	Depth (mbsf)	Vertical P-wave velocity (m/s)	Horizontal P-wave velocity (m/s)
130-804C- (Cont.)			
8H-1, 40	63.70	1545.90	1542.00
8H-1, 100	64.30	1561.10	1573.90
8H-2, 40	65.20	1549.30	1573.90
8H-2, 100	65.80	1554.30	1566.70
8H-3, 20	66.50	1551.00	
8H-3, 100	67.30	1524.50	1552.40
8H-3, 105	67.35		1524.80
8H-4, 40	68.20	1529.40	1535.10
8H-4, 100	68.80	1531.00	1535.10
8H-5, 37	69.67	1519.60	1521.40
8H-5, 100	70.30	1532.60	1531.60
8H-6, 40	71.20	1531.00	1524.80
8H-6, 100	71.80	1535.90	1542.00
8H-7, 40	72.70	1524.50	1535.10
9H-1, 125	74.05	1521.20	1521.40
9H-2, 35	74.65	1534.30	1545.40
9H-2, 110	75.40	1534.30	1545.40
9H-3, 35	76.15	1531.00	1538.50
9H-3, 115	76.95	1539.30	1542.00
9H-4, 35	77.65	1547.60	1581.10
9H-4, 110	78.40	1540.90	1545.40
9H-5, 35	79.15	1544.20	1566.70
9H-5, 115	79.95	1534.30	1545.40
10H-1, 110	83.40	1537.60	1545.40
10H-2, 35	84.15	1531.00	1542.00
10H-2, 110	84.90	1532.60	1548.90
10H-3, 35	85.65	1539.30	1556.00
10H-3, 110	86.40	1544.20	1552.40
10H-4, 35	87.15	1537.60	1559.50
10H-4, 117	87.97	1540.90	1559.50
10H-5, 35	88.65	1547.60	1552.40
10H-5, 110	89.40	1540.90	1556.00
11H-1, 35	92.15	1527.70	1535.10
11H-1, 110	92.90	1531.00	1552.40
11H-2, 35	93.65	1551.00	
11H-2, 108	94.38	1545.90	1556.00
11H-3, 35	95.15	1551.00	1595.90
11H-3, 110	95.90	1537.60	1570.20
11H-4, 35	96.65	1544.20	1545.40
11H-4, 100	97.30	1544.20	
11H-4, 110	97.40	1544.20	1607.10
11H-5, 35	98.15	1535.90	1538.50
11H-5, 110	98.90	1549.30	1588.40
11H-5, 110	98.90	1551.00	
11H-6, 35	99.65	1545.90	1577.50
11H-6, 110	100.40	1557.70	1581.10
12H-1, 110	102.40	1557.70	1610.90
12H-2, 35	103.15	1562.80	1607.10
12H-2, 110	103.90	1569.70	1607.10
12H-3, 35	104.65	1576.60	1622.30
12H-3, 110	105.40	1559.40	1599.60
12H-4, 35	106.15	1544.20	1610.90
12H-4, 110	106.90	1554.30	1603.30
12H-5, 35	107.65	1547.60	1588.40
12H-5, 110	108.40	1552.60	1599.60
12H-6, 35	109.15	1559.40	1595.90
12H-6, 110	109.90	1545.90	1614.70
12H-7, 35	110.65	1549.30	1603.30
13H-1, 35	111.15		1566.70
13H-1, 110	111.90	1535.90	
13H-2, 35	112.65	1537.60	1548.90
13H-2, 110	113.40		1581.10
13H-3, 35	114.15		1559.50
13H-3, 110	114.90		1563.10
13H-4, 35	115.65	1542.60	1563.10
13H-4, 110	116.40		1573.90
13H-5, 35	117.15		1566.70
13H-5, 110	117.90	1544.20	1573.90
13H-6, 35	118.65	1545.90	1595.90
13H-6, 110	119.40	1556.00	1581.10
14X-1, 35	120.65	1556.00	1563.10
14X-1, 110	121.40		1581.10
14X-2, 35	122.15	1549.30	1559.50
14X-2, 110	122.90	1549.30	1552.40
14X-3, 35	123.65	1564.50	1577.50

Table 10 (continued).

Core, section, interval (cm)	Depth (mbsf)	Vertical P-wave velocity (m/s)	Horizontal P-wave velocity (m/s)
130-804C- (Cont.)			
14X-3, 110	124.40	1566.30	1603.30
14X-4, 35	125.15	1557.70	1577.50
14X-4, 110	125.90	1556.00	1588.40
14X-5, 35	126.65	1551.00	1584.80
15X-1, 110	130.90	1564.50	1607.10
15X-2, 35	131.65	1527.70	1548.90
15X-2, 110	132.40	1524.50	1538.50
15X-3, 35	133.15		1521.40
15X-3, 110	133.90	1519.60	
16X-1, 37	139.67	1532.60	1535.10
16X-1, 105	140.35	1521.20	1542.00
16X-2, 54	141.34	1519.60	1542.00
17X-1, 35	149.15	1580.10	
17X-1, 110	149.90	1587.20	1599.60
17X-2, 110	151.40	1580.10	1573.90
17X-3, 35	152.15	1569.70	1595.90
17X-3, 113	152.93	1603.20	1599.60
17X-4, 37	153.67	1571.40	
17X-4, 110	154.40	1581.90	1622.30
17X-5, 35	155.15	1578.40	1599.60
17X-5, 110	155.90	1578.40	1614.70
17X-6, 35	156.65	1576.60	1581.10
17X-6, 110	157.40	1581.90	1610.90
18X-1, 110	159.40	1532.60	1528.20
18X-2, 35	160.15	1524.50	
18X-4, 130	164.10		1577.50
19X-1, 100	169.00		1657.60
19X-3, 35	171.35	1580.10	1626.20
19X-3, 105	172.05	1603.20	1649.70
19X-4, 35	172.85		1559.50
19X-4, 105	173.55	1585.40	1610.90
19X-5, 110	175.10		1573.90
20X-1, 35	178.05		1588.40
20X-1, 110	178.80		1618.50
20X-2, 29	179.49		1614.70
20X-3, 30	181.00		1521.40
20X-5, 90	184.60		1557.90
21X-1, 82	188.22	1562.70	1581.20
21X-2, 79	189.69		1546.40
21X-3, 81	191.21		1559.00
21X-4, 89	192.79		1566.50
22X-1, 104	198.14		1530.00
22X-2, 81	199.41		1525.90
22X-4, 40	202.00	1550.30	1558.10
22X-5, 2	203.12	1546.10	1523.20
23X-1, 75	207.55	1522.80	
23X-2, 70	209.00	1512.50	
23X-3, 48	210.28	1540.90	
23X-4, 28	211.58	1563.50	
23X-5, 35	213.15	1528.60	
24X-1, 94	217.44	1518.00	
24X-2, 94	218.94	1567.90	
25X-2, 98	228.68	1614.30	1620.90
25X-3, 56	229.76	1607.20	1597.80
25X-4, 96	231.66	1601.90	1607.50
25X-5, 76	232.96		1596.00
25X-6, 27	233.97		1555.60
26X-1, 102	236.82		1607.70
26X-2, 87	238.17		1591.90
26X-3, 122	240.02		1549.80
26X-4, 50	240.80	1559.40	1549.20
26X-5, 60	242.40		1568.70
27X-1, 60	246.00		1567.70
27X-3, 94	249.34		1741.80
27X-6, 60	253.50		1571.00
28X-1, 148	256.58		1531.90
28X-2, 119	257.79		1575.70
28X-4, 100	260.60		1552.80
28X-5, 111	262.21		1661.70
28X-6, 64	263.24		1604.10
29X-4, 120	270.40	1512.70	1523.50
29X-5, 58	271.28	1533.80	1555.80
30X-1, 109	275.49	1527.20	1555.80
30X-2, 96	276.86	1586.20	1559.10
30X-3, 18	277.58	1710.60	1607.30

Table 10 (continued).

Core, section, interval (cm)	Depth (mbsf)	Vertical P-wave velocity (m/s)	Horizontal P-wave velocity (m/s)
130-804C- (Cont.)			
30X-4, 45	279.35	1622.90	1597.90
31X-2, 123	286.73	1723.70	1744.50
32X-1, 116	294.86		1620.70
32X-2, 120	296.40	1700.20	1697.80
32X-3, 107	297.77	1617.70	1657.70
32X-4, 35	298.55		1632.00
32X-4, 36	298.56		1585.10
32X-CC, 13	301.09	1753.60	1832.80
33X-1, 101	304.31		1583.20
33X-2, 83	305.42	1606.30	1542.20
33X-3, 83	306.92	1596.70	1584.20
33X-4, 64	308.23		1518.70
33X-5, 22	309.31	1566.40	1579.90