

Table T14. Inorganic carbon, carbonate, total carbon, total organic carbon, total nitrogen, total sulfur, and atomic organic carbon/nitrogen values for sediments from Holes 1122A and 1122C. (See [table note](#). Continued on next two pages.).

Core, section, interval (cm)	Depth (mbsf)	IC (%)	CaCO ₃ (%)	TC (%)	TOC (%)	TN (%)	TS (%)	[C/N] _a (%)
181-1122A-								
1H-1, 8-9	0.08	2.77	23	1.2	0.78	0.09	ND	10.4
1H-3, 72-73	3.72	2.55	21.2					
1H-6, 90-91	8.4	1.7	14.1					
2H-6, 94-95	17.74	0.86	7.15	1.5	0.64	0.14	0.28	5.5
2H-6, 98-99	17.78	0.76	6.33					
2H-6, 102-103	17.82	0.97	8.08					
3H-1, 79-80	19.59	0.73	6.1	0.86	0.13	0.08	ND	1.8
3H-1, 142-143	20.22	0.64	5.35					
3H-6, 71-72	27.01	0.39	3.29					
4H-2, 88-89	30.68	0.49	4.11					
4H-3, 13-14	31.43	0.49	4.1	0.59	0.1	0.04	0.1	3
4H-5, 102-103	35.32	0.51	4.23					
5H-1, 97-98	38.77	0.66	5.52					
5H-2, 8-9	39.38	1.92	16	2.09	0.17	0.09	0.03	2.2
5H-6, 20-21	45.4	0.7	5.84					
6H-3, 65-66	50.95	0.44	3.68					
6H-4, 67-68	52.47	0.37	3.1	0.55	0.17	0.08	ND	2.6
6H-5, 26-27	53.56	0.46	3.86					
7H-2, 55-56	58.85	0.68	5.71					
7H-4, 92-93	62.22	2.54	21.1	2.59	0.05	0.08	0.07	0.8
7H-5, 26-27	63.06	4.61	38.4					
8H-2, 101-102	67.95	5.32	44.3					
8H-4, 6-7	70	1.04	8.62	1.22	0.18	0.09	0.03	2.4
8H-4, 50-51	70.44	1.12	9.33					
9X-1, 60-61	76.4	0.69	5.76					
10X-1, 17-18	85.57	0.45	3.74	0.72	0.28	0.09	0.04	3.6
10X-1, 23-24	85.63	0.42	3.51					
11X-1, 63-64	95.63	1.24	10.3					
11X-1, 73-74	95.73	1.2	9.97	1.37	0.17	0.09	ND	2.3
11X-1, 124-125	96.24	2.4	20					
12X-2, 55-56	106.75	0.11	0.89					
12X-2, 122-123	107.42	2.19	18.2	2.41	0.22	0.07	ND	3.6
13X-1, 110-111	115.4	0.6	5					
13X-3, 70-71	118	0.36	2.98					
13X-4, 104-105	119.84	0.36	3.01	0.54	0.18	0.08	0.09	2.6
181-1122C-								
9H-1, 34-35	61.84	0.28	2.34					
9H-3, 103-104	65.53	2.5	20.8					
9H-5, 15-16	67.65	0.9	7.51	0.98	0.08	0.07	0.09	1.3
10H-1, 10-11	71.1	3.91	32.6					
10H-1, 16-17	71.16	5.91	49.2					
10H-4, 55-56	76.05	0.44	3.7	0.67	0.22	0.08	ND	3.3
11H-2, 10-11	82.1	0.99	8.23					
11H-2, 41-42	82.41	2.75	22.9					
11H-2, 147-148	83.47	1.09	9.12	1.56	0.46	0.07	ND	7.7
12H-3, 71-72	90.61	0.7	5.83					
12H-5, 52-53	93.42	0.86	7.17					
12H-5, 141-142	94.31	0.88	7.37	1.23	0.35	0.06	0.09	7.4
13H-2, 92-93	97.32	1.84	15.4					
13H-3, 16-17	98.06	2.77	23.1	3.37	0.6	0.07	ND	10.6
13H-3, 135-136	99.25	0.74	6.17	0.95	0.21	0.05	ND	4.8
14X-1, 14-15	103.84	1.85	15.4					
14X-2, 121-122	106.41	0.47	3.9					
15X-1, 140-141	109.4	1.78	14.8	1.83	0.05	0.06	ND	0.9
15X-2, 66-67	110.16	1.25	10.4					
16X-1, 101-102	118.61	0.6	5.03					
16X-4, 40-41	122.5	0.59	4.93	0.78	0.19	0.09	ND	2.4
17X-1, 30-31	127.5	0.24	1.96					
17X-2, 57-58	129.27	2.37	19.7					
17X-4, 39-40	132.09	1.7	14.2	1.97	0.27	0.07	0.09	4.7
18X-1, 42-43	137.32	0.62	5.17					

Table T14 (continued).

Core, section, interval (cm)	Depth (mbsf)	IC (%)	CaCO ₃ (%)	TC (%)	TOC (%)	TN (%)	TS (%)	[C/N] _a (%)
18X-2, 79-80	139.19	1.87	15.6					
20X-2, 81-82	158.41	7.27	60.5	7.35	0.08	0.07	ND	1.4
20X-4, 30-31	160.9	0.28	2.37					
21X-1, 6-7	165.76	0.56	4.63					
21X-2, 27-28	167.47	0.44	3.67	1	0.56	0.11	ND	6.1
22X-1, 72-73	176.02	1.07	8.94					
22X-2, 21-22	176.91	1.43	11.9					
23X-1, 20-21	185.2	0.17	1.4	0.64	0.47	0.09	ND	6.4
23X-2, 35-36	186.85	0.42	3.46					
26X-2, 7-8	215.57	7.06	58.8					
26X-3, 126-127	217.76	1.85	15.4	1.92	0.07	0.09	ND	0.9
28X-3, 89-90	237.19	0.1	0.8					
29X-3, 9-10	245.99	4.69	39.1					
30X-2, 125-126	255.25	3.7	30.9	3.75	0.04	0.06	0.31	0.9
31X-2, 71-72	263.91	0.7	5.86					
32X-2, 24-25	273.04	1.22	10.2					
33X-3, 112-113	284.82	7.26	60.5	8.06	0.8	0.14	0.37	6.6
33X-4, 6-7	285.26	5.17	43					
34X-2, 36-37	292.26	4.04	33.7					
34X-2, 70-71	292.6	2.75	22.9	2.99	0.24	0.08	0.11	3.3
34X-3, 55-56	293.95	2.26	18.8					
35X-1, 56-57	300.56	2.59	21.6					
35X-1, 86-87	300.86	2.37	19.8	2.63	0.25	0.09	0.45	3.1
35X-2, 70-71	302.2	5.73	47.7					
36X-1, 69-70	310.29	0.96	7.99					
36X-3, 70-71	313.3	0.53	4.39	0.99	0.47	0.09	0.61	6.1
36X-5, 127-128	316.87	2.2	18.4					
37X-2, 4-5	320.84	3.1	25.8					
37X-5, 32-33	325.62	0.13	1.1	0.67	0.53	0.1	0.5	6.4
37X-6, 122-123	328.02	0.45	3.7					
38X-2, 42-43	330.82	0.53	4.43					
38X-2, 44-45	330.84	3.3	27.5	3.52	0.22	0.05	ND	4.8
38X-2, 67-68	331.07	0.3	2.53					
39X-1, 5-6	338.55	0.01	0.11					
39X-2, 95-96	340.95	1.2	10	1.69	0.48	0.05	0.22	11.2
39X-2, 139-140	341.39	1.24	10.3					
40X-2, 2-3	349.72	0.22	1.8					
40X-2, 23-24	349.93	0.89	7.44	1.04	0.15	0.11	0.27	1.6
40X-2, 111-112	350.81	0.68	5.66					
41X-1, 118-119	359.08	2.05	17.1					
41X-2, 6-7	359.46	0.91	7.61	1.14	0.23	0.08	0.05	3.3
42X-1, 11-12	367.61	1.71	14.2					
42X-2, 13-14	369.13	1.61	13.4					
42X-3, 12-13	370.62	1.4	11.7	1.96	0.55	0.1	0.32	6.7
44X-2, 68-69	389.08	3.61	30.1					
44X-3, 74-75	390.64	1.52	12.7					
45X-1, 142-143	398.02	2.62	21.8	2.66	0.04	0.08	ND	0.6
45X-2, 46-47	398.56	0.9	7.52					
45X-2, 123-124	399.33	1.47	12.3					
46X-1, 105-106	407.25	3.66	30.5	4.15	0.48	0.06	0.3	9.8
46X-2, 126-127	408.96	2.22	18.5					
47X-1, 133-134	417.23	0.74	6.18					
47X-3, 50-51	419.4	0.6	5.02	0.85	0.25	0.04	0.06	7.3
48X-3, 48-49	428.98	5.98	49.8					
48X-4, 95-96	430.95	3.82	31.9					
49X-2, 73-74	437.43	3.57	29.8	3.59	0.02	0.06	0.03	0.3
49X-3, 109-110	439.29	1.73	14.4					
51X-2, 61-62	456.51	2.41	20.1					
51X-3, 60-61	458	0.02	0.17	0.33	0.31	0.06	0.03	5.6
51X-6, 106-107	462.96	2.42	20.2					
52X-2, 15-16	465.75	2.78	23.2					
52X-6, 20-21	471.8	3.6	30	3.61	0.01	ND	0.05	
52X-6, 87-88	472.47	4.64	38.6					
53X-3, 6-7	476.46	4.51	37.6					
54X-2, 48-49	484.98	6.55	54.6	6.64	0.08	0.06	0.06	1.5
54X-4, 57-58	488.07	0.1	0.84					
55X-2, 110-111	495.3	0.2	1.66					

Table T14 (continued).

Core, section, interval (cm)	Depth (mbsf)	IC (%)	CaCO ₃ (%)	TC (%)	TOC (%)	TN (%)	TS (%)	[C/N] _a (%)
55X-4, 24-25	497.44	5.66	47.2	5.61	ND	0.04	ND	
55X-5, 70-71	499.4	6.7	55.8					
56X-1, 7-8	502.37	0.84	7.03					
56X-3, 92-93	506.22	0.52	4.31	0.69	0.17	0.07	0.18	3.1
56X-4, 36-37	507.16	1.96	16.3					
57X-2, 106-107	514.46	4.12	34.3					
57X-2, 109-110	514.49	1	8.32	1.01	0.01	0.06	0.5	0.2
57X-3, 7-8	514.97	0.62	5.13					
58X-1, 17-18	521.67	0.67	5.59					
58X-2, 26-27	523.26	5.09	42.4	5.22	0.13	0.06	ND	2.6
61X-2, 52-53	552.42	6.58	54.8					
61X-4, 30-31	555.2	0.06	0.54					
63X-1, 56-57	570.16	1.12	9.37	1.15	0.03	0.06	ND	0.6
63X-1, 125-126	570.85	2.55	21.2					
64X-1, 56-57	579.86	1.32	11					
65X-1, 57-58	589.47	7.5	62.49	7.71	0.2	0.05	ND	5.2
66X-1, 47-48	598.97	9.17	76.41					

Notes: Carbonate is calculated assuming that all inorganic carbon is calcite. ND = not detected. This table is also available in [ASCII format](#).

Table T15. List of index properties measured from Holes 1122A and 1122C. (See table note. Continued on next two pages.)

Leg	Hole	Core	Section	Interval (cm)	Depth (mbsf)	Wet-water content (%)	Dry-water content (%)	Wet-bulk density (g/cm ³)	Dry density (g/cm ³)	Grain density (g/cm ³)	Porosity (%)	Void ratio
181	1122A	1H	1	107-109	1.07	40.3	67.4	1.637	0.978	2.743	64.3	1.81
181	1122A	1H	3	122-124	4.22	39.3	64.7	1.646	1.000	2.713	63.2	1.71
181	1122A	1H	5	127-129	7.27	36.1	56.6	1.720	1.098	2.794	60.7	1.54
181	1122A	1H	6	83-85	8.33	37.7	60.4	1.681	1.048	2.744	61.8	1.62
181	1122A	2H	1	122-124	10.52	37.5	60.0	1.689	1.055	2.767	61.9	1.62
181	1122A	2H	3	122-124	13.52	34.8	53.4	1.734	1.130	2.756	59.0	1.44
181	1122A	2H	5	25-27	15.55	37.5	60.1	1.694	1.059	2.792	62.1	1.64
181	1122A	2H	6	134-136	18.14	35.9	56.0	1.722	1.104	2.787	60.4	1.52
181	1122A	3H	1	92-94	19.72	33.9	51.3	1.757	1.161	2.776	58.2	1.39
181	1122A	3H	3	86-88	22.66	32.0	47.1	1.782	1.212	2.735	55.7	1.26
181	1122A	3H	5	6-8	24.86	31.9	46.9	1.805	1.229	2.808	56.3	1.29
181	1122A	3H	6	90-92	27.20	38.4	62.3	1.668	1.028	2.743	62.5	1.67
181	1122A	4H	1	143-145	29.73	36.0	56.3	1.720	1.101	2.785	60.5	1.53
181	1122A	4H	3	84-86	32.14	33.5	50.3	1.753	1.167	2.731	57.3	1.34
181	1122A	4H	5	145-147	35.75	33.7	50.9	1.761	1.167	2.779	58.0	1.38
181	1122A	4H	6	107-109	36.87	36.2	56.7	1.715	1.094	2.778	60.6	1.54
181	1122A	5H	1	103-105	38.83	35.7	55.5	1.706	1.097	2.706	59.5	1.47
181	1122A	5H	3	113-115	41.93	30.6	44.2	1.809	1.255	2.737	54.2	1.18
181	1122A	5H	5	119-121	44.99	34.5	52.8	1.749	1.144	2.791	59.0	1.44
181	1122A	5H	6	45-47	45.65	31.4	45.9	1.808	1.240	2.787	55.5	1.25
181	1122A	6H	1	91-93	48.21	32.9	49.1	1.765	1.184	2.739	56.8	1.31
181	1122A	6H	3	114-116	51.44	29.3	41.5	1.863	1.317	2.823	53.4	1.14
181	1122A	6H	5	20-22	53.50	29.4	41.6	1.851	1.308	2.789	53.1	1.13
181	1122A	6H	6	126-128	56.06	29.9	42.6	1.845	1.294	2.804	53.9	1.17
181	1122A	7H	2	129-131	59.59	30.5	44.0	1.830	1.271	2.799	54.6	1.20
181	1122A	7H	4	105-107	62.35	36.3	57.1	1.716	1.093	2.795	60.9	1.56
181	1122A	7H	6	112-114	65.42	32.5	48.3	1.778	1.200	2.760	56.5	1.30
181	1122A	8H	1	38-40	66.68	35.9	55.9	1.720	1.103	2.772	60.2	1.51
181	1122A	8H	3	126-128	69.70	32.3	47.6	1.776	1.203	2.731	56.0	1.27
181	1122A	8H	5	110-112	72.54	30.3	43.4	1.840	1.283	2.812	54.4	1.19
181	1122A	9X	1	47-49	76.27	30.0	42.8	1.824	1.278	2.739	53.4	1.14
181	1122A	10X	1	10-12	85.50	31.3	45.5	1.818	1.250	2.809	55.5	1.25
181	1122A	11X	1	126-128	96.26	30.8	44.5	1.808	1.252	2.741	54.3	1.19
181	1122A	12X	2	106-108	107.26	37.3	59.4	1.689	1.059	2.751	61.5	1.60
181	1122A	12X	4	8-10	109.28	27.9	38.7	1.896	1.366	2.828	51.7	1.07
181	1122A	13X	1	131-133	115.61	29.7	42.2	1.846	1.299	2.793	53.5	1.15
181	1122A	13X	3	119-121	118.49	35.1	54.0	1.708	1.109	2.673	58.5	1.41
181	1122C	2H	4	135-137	8.35	42.3	73.2	1.601	0.924	2.725	66.1	1.948
181	1122C	3H	4	108-110	15.08	41.9	72.1	1.601	0.930	2.698	65.5	1.901
181	1122C	4H	6	114-116	22.68	34.5	52.6	1.749	1.146	2.789	58.9	1.433
181	1122C	5H	4	135-137	29.35	35.1	54.0	1.742	1.131	2.801	59.6	1.477
181	1122C	6H	6	114-116	41.64	34.1	51.7	1.749	1.153	2.759	58.2	1.393
181	1122C	7H	2	132-134	45.32	34.1	51.7	1.764	1.163	2.817	58.7	1.421
181	1122C	8H	2	108-110	54.58	33.1	49.5	1.772	1.185	2.777	57.3	1.343
181	1122C	8H	3	65-67	55.65	30.7	44.2	1.827	1.267	2.797	54.7	1.208
181	1122C	8H	4	37-39	56.87	29.8	42.4	1.840	1.292	2.779	53.5	1.150
181	1122C	8H	6	75-77	60.25	31.9	46.9	1.797	1.224	2.781	56.0	1.273
181	1122C	9H	1	110-112	62.60	33.9	51.2	1.758	1.163	2.778	58.2	1.390
181	1122C	9H	3	133-135	65.83	38.0	61.3	1.671	1.036	2.726	62.0	1.633
181	1122C	9H	4	9-11	66.09	30.9	44.8	1.808	1.249	2.752	54.6	1.204
181	1122C	9H	5	139-141	68.89	35.4	54.8	1.725	1.114	2.759	59.6	1.475
181	1122C	10H	1	148-150	72.48	31.1	45.2	1.795	1.236	2.724	54.6	1.204
181	1122C	10H	3	72-74	74.72	30.8	44.6	1.820	1.259	2.787	54.8	1.214
181	1122C	10H	5	15-17	77.15	23.1	30.1	1.973	1.517	2.738	44.6	0.805
181	1122C	10H	5	76-78	77.76	29.3	41.5	1.851	1.308	2.783	53.0	1.127
181	1122C	11H	1	129-131	81.79	34.4	52.5	1.729	1.134	2.708	58.1	1.388
181	1122C	11H	3	81-83	84.31	30.2	43.3	1.828	1.276	2.768	53.9	1.169
181	1122C	11H	3	94-96	84.44	21.6	27.6	2.000	1.567	2.714	42.2	0.731
181	1122C	12H	1	83-85	87.73	29.8	42.6	1.834	1.286	2.763	53.4	1.148
181	1122C	12H	3	147-149	91.37	34.1	51.7	1.738	1.146	2.717	57.8	1.371
181	1122C	12H	5	125-127	94.15	33.8	51.1	1.761	1.166	2.786	58.1	1.389
181	1122C	13H	1	130-132	96.20	32.5	48.1	1.780	1.201	2.761	56.5	1.298
181	1122C	13H	4	115-117	100.55	30.5	43.9	1.824	1.267	2.776	54.4	1.191
181	1122C	13H	6	87-89	103.27	34.9	53.7	1.721	1.120	2.711	58.7	1.421

Table T15 (continued).

Leg	Hole	Core	Section	Interval (cm)	Depth (mbsf)	Wet-water content (%)	Dry-water content (%)	Wet-bulk density (g/cm ³)	Dry density (g/cm ³)	Grain density (g/cm ³)	Porosity (%)	Void ratio
181	1122C	14X	1	70-72	104.40	38.2	61.9	1.665	1.028	2.719	62.2	1.644
181	1122C	14X	3	58-60	107.28	32.0	47.1	1.797	1.221	2.791	56.2	1.285
181	1122C	15X	2	11-13	109.61	36.0	56.3	1.711	1.095	2.750	60.2	1.511
181	1122C	16X	1	52-54	118.12	37.0	58.7	1.680	1.058	2.692	60.7	1.544
181	1122C	16X	3	65-67	121.25	37.5	60.1	1.700	1.062	2.818	62.3	1.653
181	1122C	17X	2	127-129	129.97	33.2	49.8	1.773	1.184	2.789	57.6	1.36
181	1122C	17X	4	104-106	132.74	31.3	45.5	1.790	1.230	2.715	54.7	1.21
181	1122C	18X	1	80-82	137.70	32.7	48.6	1.781	1.199	2.777	56.8	1.32
181	1122C	18X	3	8-10	139.98	35.4	54.8	1.714	1.107	2.717	59.3	1.45
181	1122C	19X	1	68-70	147.18	33.0	49.3	1.784	1.195	2.813	57.5	1.36
181	1122C	19X	3	57-59	150.07	31.7	46.4	1.792	1.224	2.746	55.4	1.24
181	1122C	20X	2	137-139	158.97	34.5	52.8	1.733	1.135	2.733	58.5	1.41
181	1122C	20X	4	33-35	160.93	30.0	42.9	1.832	1.282	2.769	53.7	1.16
181	1122C	21X	1	95-97	166.65	32.0	47.0	1.786	1.215	2.747	55.8	1.26
181	1122C	22X	1	110-112	176.40	37.2	59.3	1.679	1.054	2.706	61.0	1.57
181	1122C	23X	1	109-111	186.09	34.0	51.5	1.749	1.155	2.751	58.0	1.38
181	1122C	24X	1	62-64	195.32	23.2	30.2	1.989	1.527	2.780	45.1	0.82
181	1122C	25X	1	14-16	204.44	28.3	39.5	1.866	1.338	2.764	51.6	1.07
181	1122C	26X	1	120-122	215.20	35.5	55.0	1.721	1.110	2.751	59.6	1.48
181	1122C	26X	3	122-124	217.72	36.9	58.4	1.675	1.057	2.664	60.3	1.52
181	1122C	27X	1	120-122	224.90	30.3	43.4	1.814	1.265	2.728	53.6	1.16
181	1122C	27X	3	17-19	226.87	29.7	42.2	1.821	1.280	2.711	52.8	1.12
181	1122C	28X	1	130-132	234.60	30.5	44.0	1.812	1.259	2.739	54.0	1.18
181	1122C	28X	3	53-55	236.83	34.2	51.9	1.734	1.142	2.711	57.9	1.38
181	1122C	29X	1	121-123	244.11	35.6	55.4	1.708	1.099	2.710	59.4	1.47
181	1122C	29X	3	109-111	246.99	33.5	50.3	1.764	1.174	2.770	57.6	1.36
181	1122C	30X	1	126-128	253.76	35.9	56.0	1.697	1.087	2.686	59.5	1.47
181	1122C	30X	3	68-70	256.18	31.6	46.2	1.799	1.230	2.765	55.5	1.25
181	1122C	30X	5	36-38	258.86	32.6	48.4	1.759	1.185	2.696	56.0	1.27
181	1122C	31X	1	126-128	262.96	31.1	45.0	1.804	1.244	2.746	54.7	1.21
181	1122C	31X	3	94-96	265.64	30.9	44.8	1.814	1.253	2.770	54.8	1.21
181	1122C	32X	1	110-112	272.40	34.9	53.6	1.703	1.109	2.642	58.0	1.38
181	1122C	33X	2	52-54	282.72	32.6	48.4	1.767	1.191	2.724	56.3	1.29
181	1122C	33X	4	14-16	285.34	32.8	48.8	1.758	1.182	2.702	56.3	1.29
181	1122C	33X	5	73-75	287.43	30.2	43.3	1.832	1.279	2.783	54.0	1.18
181	1122C	34X	1	88-90	291.28	34.3	52.1	1.739	1.143	2.732	58.2	1.39
181	1122C	34X	3	122-124	294.62	34.0	51.6	1.734	1.144	2.701	57.6	1.36
181	1122C	34X	5	124-126	297.64	34.1	51.8	1.729	1.139	2.690	57.7	1.36
181	1122C	35X	1	96-98	300.96	39.5	65.3	1.617	0.979	2.600	62.4	1.66
181	1122C	35X	3	35-37	303.35	31.8	46.7	1.786	1.218	2.738	55.5	1.25
181	1122C	35X	5	123-125	307.23	33.8	51.0	1.743	1.154	2.716	57.5	1.35
181	1122C	36X	2	49-51	311.59	33.1	49.5	1.758	1.176	2.725	56.8	1.32
181	1122C	36X	4	19-21	314.29	30.9	44.7	1.802	1.245	2.727	54.3	1.19
181	1122C	36X	6	65-67	317.75	27.9	38.7	1.875	1.352	2.764	51.1	1.04
181	1122C	37X	1	128-130	320.58	34.2	52.0	1.733	1.140	2.706	57.9	1.37
181	1122C	37X	3	116-118	323.46	33.6	50.6	1.749	1.162	2.727	57.4	1.35
181	1122C	37X	5	132-134	326.62	31.7	46.4	1.785	1.219	2.726	55.3	1.24
181	1122C	38X	1	118-120	330.08	36.9	58.5	1.669	1.053	2.641	60.1	1.51
181	1122C	38X	3	127-129	333.17	37.3	59.4	1.664	1.044	2.646	60.6	1.54
181	1122C	39X	1	121-123	339.71	30.3	43.5	1.816	1.265	2.738	53.8	1.16
181	1122C	39X	3	119-121	342.69	29.5	41.9	1.833	1.292	2.740	52.8	1.12
181	1122C	40X	1	102-104	349.22	29.5	41.9	1.842	1.298	2.768	53.1	1.13
181	1122C	41X	2	30-32	359.70	31.9	46.9	1.767	1.203	2.680	55.1	1.23
181	1122C	42X	1	62-64	368.12	35.5	55.0	1.688	1.089	2.626	58.5	1.41
181	1122C	42X	3	14-16	370.64	33.9	51.3	1.710	1.130	2.608	56.7	1.31
181	1122C	44X	1	111-113	388.01	31.0	45.0	1.793	1.237	2.708	54.3	1.19
181	1122C	44X	3	116-118	391.06	32.3	47.7	1.769	1.198	2.709	55.8	1.26
181	1122C	45X	2	17-19	398.27	34.2	51.9	1.730	1.139	2.693	57.7	1.36
181	1122C	45X	4	100-102	402.10	33.7	50.8	1.750	1.161	2.736	57.6	1.36
181	1122C	46X	1	136-138	407.56	32.5	48.1	1.764	1.191	2.705	55.9	1.27
181	1122C	46X	4	45-47	411.15	32.2	47.5	1.793	1.216	2.785	56.3	1.29
181	1122C	47X	1	126-128	417.16	34.1	51.8	1.741	1.146	2.731	58.0	1.38
181	1122C	47X	3	138-140	420.28	29.2	41.3	1.846	1.307	2.763	52.7	1.11
181	1122C	48X	1	92-94	426.42	28.3	39.5	1.862	1.335	2.751	51.5	1.06
181	1122C	48X	3	140-142	429.90	30.3	43.5	1.813	1.263	2.727	53.7	1.16
181	1122C	48X	5	29-31	431.79	33.2	49.8	1.750	1.169	2.705	56.8	1.31

Table T15 (continued).

Leg	Hole	Core	Section	Interval (cm)	Depth (mbsf)	Wet-water content (%)	Dry-water content (%)	Wet-bulk density (g/cm ³)	Dry density (g/cm ³)	Grain density (g/cm ³)	Porosity (%)	Void ratio
181	1122C	49X	1	120-122	436.40	32.0	47.1	1.783	1.213	2.739	55.7	1.26
181	1122C	49X	3	11-13	438.31	30.0	42.9	1.814	1.270	2.710	53.2	1.14
181	1122C	49X	5	120-122	442.40	32.0	47.1	1.811	1.232	2.838	56.6	1.30
181	1122C	50X	1	17-19	444.97	37.6	60.3	1.652	1.031	2.623	60.7	1.55
181	1122C	50X	3	120-122	449.00	33.1	49.4	1.750	1.171	2.692	56.5	1.30
181	1122C	50X	5	13-15	450.93	31.0	44.8	1.809	1.249	2.757	54.7	1.21
181	1122C	51X	1	117-119	455.57	32.0	47.1	1.789	1.216	2.763	56.0	1.27
181	1122C	51X	3	9-11	457.49	28.7	40.2	1.870	1.334	2.802	52.4	1.10
181	1122C	51X	5	140-142	461.80	29.4	41.6	1.840	1.300	2.752	52.8	1.12
181	1122C	52X	1	126-128	465.36	32.4	47.9	1.773	1.199	2.731	56.1	1.28
181	1122C	52X	3	88-90	467.98	31.8	46.6	1.790	1.221	2.745	55.5	1.25
181	1122C	52X	5	114-116	471.24	32.5	48.1	1.747	1.180	2.648	55.4	1.25
181	1122C	53X	2	72-74	475.62	31.9	46.9	1.779	1.211	2.721	55.5	1.25
181	1122C	54X	1	31-33	483.31	37.5	60.0	1.658	1.036	2.637	60.7	1.55
181	1122C	54X	3	97-99	486.97	30.9	44.8	1.802	1.245	2.731	54.4	1.19
181	1122C	55X	1	132-134	494.02	30.4	43.6	1.821	1.268	2.758	54.0	1.18
181	1122C	55X	3	134-136	497.04	32.0	47.0	1.783	1.213	2.739	55.7	1.26
181	1122C	55X	5	74-76	499.44	24.9	33.1	1.946	1.463	2.773	47.3	0.90
181	1122C	56X	1	98-100	503.28	27.5	38.0	1.892	1.372	2.790	50.8	1.03
181	1122C	56X	3	128-130	506.58	27.2	37.3	1.893	1.378	2.772	50.3	1.01
181	1122C	57X	1	133-135	513.23	31.1	45.2	1.806	1.244	2.759	54.9	1.22
181	1122C	57X	4	36-38	516.76	18.9	23.3	2.338	1.897	3.332	43.1	0.76
181	1122C	58X	2	42-44	523.42	28.9	40.7	1.848	1.313	2.748	52.2	1.09
181	1122C	61X	1	117-119	551.57	18.8	23.2	2.100	1.705	2.777	38.6	0.63
181	1122C	61X	4	11-13	555.01	22.9	29.8	1.968	1.517	2.712	44.1	0.79
181	1122C	62X	1	100-102	561.00	19.9	24.9	2.068	1.656	2.770	40.2	0.67
181	1122C	62X	2	15-17	561.65	17.3	20.9	2.131	1.763	2.752	35.9	0.56
181	1122C	63X	1	65-67	570.25	23.5	30.8	1.964	1.502	2.736	45.1	0.82
181	1122C	64X	1	114-116	580.44	23.5	30.7	1.968	1.506	2.746	45.2	0.82
181	1122C	65X	1	35-37	589.25	19.3	23.8	2.063	1.666	2.722	38.8	0.63
181	1122C	66X	1	40-42	598.90	19.7	24.5	2.043	1.641	2.703	39.3	0.65
181	1122C	67X	1	46-48	608.66	18.8	23.2	2.093	1.699	2.762	38.5	0.63

Note: This table is also available in [ASCII format](#).