Ms 209SR-003, Table T3. Microprobe analyses of primary and secondary phases in altered peridotite, Hole 1272A.

Core, section, Interval (cm)	Depth (mbsf)	Thin section/ Sample number	Rock type	Laboratory	Mineral	Serpentine after	Element oxides (wt%) SiO_2	TiO_2	Al_2O_3	Cr_2O_3	$Fe_2O_3(c)$	FeO(c)	Fe_2O_{3tot}	FeO_{tot}	MgO	MnO	CaO	ZnO	Na_2O	K_2O	Cl	O = Cl	$H_2O(c)$	CuO	NiO	S	Sum O (%)
209-1272A-																											
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Orthopyroxene		55.41	0.00	2.39	0.90	1.39	4.02	NC	5.27	33.00	0.09	2.48	NA	0.02	0.01	NC	NC	NC	NA	NA	NA	99.73
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Orthopyroxene		55.43	0.02	2.28	0.71	1.81	3.40	NC	5.03	32.38	0.16	3.87	NA	0.01	0.01	NC	NC	NC	NA	NA	NA	100.08
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Orthopyroxene		56.48	0.01	2.56	0.98	NC	NC	NC	4.95	32.90	0.12	3.80	NA	0.02	0.03	NA	NA	NC	NA	0.110	NA	101.95
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Orthopyroxene		56.85	0.03	2.17	0.86	NC	NC	NC	5.30	34.71	0.13	1.47	NA	0.00	0.00	NA	NA	NC	NA	0.137	NA	101.65
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Orthopyroxene		57.00	0.00	2.25	0.93	NC	NC	NC	5.21	34.68	0.13	1.81	NA	0.01	0.00	NA	NA	NC	NA	0.116	NA	102.13
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Orthopyroxene		56.52	0.00	2.44	0.96	NC	NC	NC	5.46	34.32	0.12	1.58	NA	0.00	0.00	NA	NA	NC	NA	0.149	NA	101.54
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Orthopyroxene		56.87	0.03	2.10	0.77	NC	NC	NC	5.38	34.87	0.14	1.63	NA	0.00	0.00	NA	NA	NC	NA	0.114	NA	101.90
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Orthopyroxene		56.55	0.01	2.42	0.83	NC	NC	NC	5.35	33.99	0.10	1.93	NA	0.00	0.00	NA	NA	NC	NA	0.104	NA	101.28
26R-3, 59–68	125.82	AP-082_Bonn	Serpentinized harzburgite	Bonn	Orthopyroxene		55.75	0.01	1.52	0.67	1.46	3.86	NC	5.17	33.02	0.14	2.94	NA	0.01	0.00	NC	NC	NC	NA	NA	NA	99.38
19R-2, 40–48	91.20	AP-074_WHOI	Serpentinized harzburgite	Bonn	Olivine		41.30	0.00	0.01	0.03	NC	8.55	NC	8.55	50.41	0.15	0.12	NA	NC	NC	NC	NC	NC	NA	NA	NA	100.57
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Olivine		41.06	0.02	0.02	0.00	NC	8.41	NC	8.41	50.88	0.16	0.09	NA	NC	NC	NC	NC	NC	NA	NA	NA	100.63
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Olivine		40.60	0.00	0.00	0.00	NC	8.21	NC	8.21	49.92	0.08	0.07	NA	NC	NC	NC	NC	NC	NA	NA	NA	98.89
26R-1, 50–57	123.50	AP-081_WHOI	Serpentinized harzburgite	Bonn	Olivine		40.89	0.00	0.02	0.00	NC	8.31	NC	8.31	50.11	0.09	0.07	NA	NC	NC	NC	NC	NC	NA	NA	NA	99.51
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		41.01	0.00	0.00	0.01	NC	NC	NC	8.50	51.38	0.15	0.09	NA	NC	NC	NA	NA	NC	NA	0.378	NA	101.51
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		41.40	0.00	0.00	0.00	NC	NC	NC	8.39	51.58	0.14	0.08	NA	NC	NC	NA	NA	NC	NA	0.394	NA	101.97
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		41.27	0.00	0.00	0.01	NC	NC	NC	8.49	51.85	0.16	0.07	NA	NC	NC	NA	NA	NC	NA	0.388	NA	102.23
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		40.95	0.00	0.00	0.01	NC	NC	NC	8.35	51.49	0.14	0.07	NA	NC	NC	NA	NA	NC	NA	0.381	NA	101.40
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		41.78	0.00	0.00	0.02	NC	NC	NC	8.39	51.47	0.15	0.19	NA	NC	NC	NA	NA	NC	NA	0.360	NA	102.36
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		40.99	0.00	0.00	0.00	NC	NC	NC	8.30	51.70	0.11	0.08	NA	NC	NC	NA	NA	NC	NA	0.397	NA	101.58
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		41.07	0.00	0.00	0.00	NC	NC	NC	8.99	51.35	0.14	0.06	NA	NC	NC	NA	NA	NC	NA	0.382	NA	101.99
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		41.17	0.00	0.00	0.01	NC	NC	NC	8.34	51.64	0.13	0.08	NA	NC	NC	NA	NA	NC	NA	0.397	NA	101.76
26R-3, 59–86	125.82	AP-082_Bonn	Serpentinized harzburgite	Cologne	Olivine		41.19	0.00	0.00	0.00	NC	NC	NC	8.37	51.76	0.14	0.06	NA	NC	NC	NA	NA	NC	NA	0.376	NA	101.89
26R-3, 59–68	125.82	AP-082_Bonn	Serpentinized harzburgite	Bonn	Olivine		40.67	0.00	0.03	0.02	NC	8.20	NC	8.20	50.21	0.09	0.06	NA	NC	NC	NC	NC	NC	NA	NA	NA	99.29
27R-2, 12–20	128.62	AP-083_WHOI	Serpentinized harzburgite	Bonn	Olivine		40.65	0.01	0.03	0.01	NC	8.18	NC	8.18	50.47	0.16	0.10	NA	NC	NC	NC	NC	NC	NA	NA	NA	99.60
27R-2, 12–20	128.62	AP-083_WHOI	Serpentinized harzburgite	Bonn	Olivine		40.30	0.00	0.02	0.01	NC	8.29	NC	8.29	50.30	0.13	0.08	NA	NC	NC	NC	NC	NC	NA	NA	NA	99.13
27R-2, 12–20	128.62	AP-083_WHOI	Serpentinized harzburgite	Bonn	Olivine		40.81	0.01	0.04	0.01	NC	8.04	NC	8.04	50.57	0.14	0.08	NA	NC	NC	NC	NC	NC	NA	NA	NA	99.71
27R-2, 12–20	128.62	AP-083_WHOI	Serpentinized harzburgite	Bonn	Olivine		41.67	0.01	0.17	0.00	NC	7.36	NC	7.36	51.63	0.12	0.36	NA	NC	NC	NC	NC	NC	NA	NA	NA	101.32
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Iowaite		27.31	0.00	0.12	0.06	NC	0.96	NC	NC	25.95	0.02	0.01	NA	0.07	0.01	1.05	0.24	22.40	NA	NA	NA	77.73
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Iowaite		29.81	0.03	0.12	0.00	NC	1.23	NC	NC	28.82	0.00	0.03	NA	0.02	0.01	0.61	0.14	24.78	NA	NA	NA	85.33
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Iowaite		3.18	0.00	0.16	0.01	NC	24.46	NC	NC	44.34	0.01	0.33	NA	0.02	0.01	4.29	0.97	21.36	NA	NA	NA	99.20
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Iowaite		1.32	0.00	0.30	0.00	NC	19.68	NC	NC	37.74	0.14	0.08	NA	0.08	0.00	2.57	0.58	17.59	NA	NA	NA	78.79
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Iowaite		6.96	0.00	0.14	0.02	NC	14.61	NC	NC	31.44	0.05	0.17	NA	0.06	0.00	5.15	1.16	16.34	NA	NA	NA	73.78
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Iowaite		4.96	0.00	0.12	0.00	NC	16.60	NC	NC	32.50	0.12	0.09	NA	0.06	0.01	6.15	1.39	15.88	NA	NA	NA	75.11
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Iowaite		5.55	0.00	0.03	0.00	NC	22.41	NC	NC	37.94	0.14	0.03	NA	0.00	0.01	4.85	1.09	19.54	NA	NA	NA	89.42
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Iowaite		7.32	0.02	0.03	0.00	NC	20.02	NC	NC	46.32	0.16	0.18	NA	0.00	0.00	4.13	0.93	23.14	NA	NA	NA	100.38
27R-2, 12–20	128.62	AP-083_WHOI	Serpentinized harzburgite	Bonn	Iowaite		23.84	0.00	0.27	0.02	NC	3.99	NC	NC	30.50	0.06	0.04	NA	0.07	0.01	4.14	0.94	22.25	NA	NA	NA	84.26
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	30.96	0.03	0.09	0.01	NC	NC	10.31	9.28	36.89	NC	0.32	NA	NC	NC	0.95	NC	11.06	NA	NA	NA	90.61
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	38.44	0.01	0.06	0.04	NC	NC	3.58	3.22	36.81	NC	0.02	NA	NC	NC	0.27	NC	11.65	NA	NA	NA	90.87
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.31	0.00	0.04	0.00	NC	NC	3.58	3.22	37.03	NC	0.02	NA	NC	NC	0.17	NC	11.82	NA	NA	NA	91.97
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	29.03	0.03	0.03	0.00	NC	NC	9.37	8.43	41.53	NC	0.06	NA	NC	NC	0.79	NC	11.19	NA	NA	NA	92.02
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	38.46	0.00	0.56	0.00	NC	NC	6.14	5.53	34.80	NC	0.07	NA	NC	NC	0.37	NC	11.72	NA	NA	NA	92.12
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	23.31	0.00	0.03	0.00	NC	NC	14.84	13.36	40.39	NC	0.21	NA	NC	NC	2.99	NC	10.61	NA	NA	NA	92.39
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	36.96	0.00	0.03	0.04	NC	NC	4.71	4.24	38.95	NC	0.05	NA	NC	NC	0.33	NC	11.77	NA	NA	NA	92.83
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.23	0.00	0.15	0.02	NC	NC	4.23	3.81	36.96	NC	0.24	NA	NC	NC	0.39	NC	11.90	NA	NA	NA	93.11
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.98	0.00	0.01	0.02	NC	NC	3.12	2.81	37.92	NC	0.00	NA	NC	NC	0.15	NC	12.00	NA	NA	NA	93.22
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	37.69	0.01	0.63	0.04	NC	NC	6.64	5.98	36.08	NC	0.06	NA	NC	NC	0.31	NC	11.81	NA	NA	NA	93.28
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	38.88	0.02	0.14	0.03	NC	NC	4.19	3.77	37.43	NC	0.40	NA	NC	NC	0.34	NC	11.91	NA	NA	NA	93.33
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	38.03	0.02	0.18	0.04	NC	NC	5.03	4.53	37.59	NC	0.07	NA	NC	NC	0.61	NC	11.84	NA	NA	NA	93.41
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	38.51	0.00	0.66	0.02	NC	NC	5.81	5.23	36.62	NC	0.05	NA	NC	NC	0.20	NC	11.94	NA	NA	NA	93.81
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.85	0.00	0.14	0.01	NC	NC	5.14	4.63	37.30	NC	0.00	NA	NC	NC	0.53	NC	12.11	NA	NA	NA	95.10
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.83	0.00	0.03	0.01	NC	NC	5.14	4.63	37.70	NC	0.04	NA	NC	NC	0.27	NC	12.14	NA	NA	NA	95.16
13R-2, 14–21	62.34	AP-073_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.38	0.00	0.12	0.01	NC	NC	5.07	4.56	37.99	NC	0.24	NA	NC	NC	0.32	NC	12.13	NA	NA	NA	95.26
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.28	0.00	0.12	0.00	NC	NC	4.76	4.28	38.55	NC	0.05	NA	NC	NC	0.37	NC	12.14	NA	NA	NA	95.27
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	40.28	0.00	0.02	0.00	NC	NC	4.03	3.63	38.80	NC	0.02	NA	NC	NC	0.22	NC	12.25	NA	NA	NA	95.62
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.87	0.00	0.06	0.00	NC	NC	5.16	4.64	38.47	NC	0.05	NA	NC	NC	0.15	NC	12.26	NA	NA	NA	96.03
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	40.44	0.02	0.00	0.00	NC	NC	4.76	4.28	38.58	NC	0.05	NA	NC	NC	0.22	NC	12.32	NA	NA	NA	96.40
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.39	0.00	0.07	0.03	NC	NC	5.61	5.05	37.70	NC	0.01	NA	NC	NC	1.57	NC	12.12	NA	NA	NA	96.49
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	38.55	0.00	0.12	0.02	NC	NC	6.02	5.42	39.16	NC	0.11	NA	NC	NC	0.32	NC	12.22	NA	NA	NA	96.52
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	39.81	0.03	0.00	0.01	NC	NC	5.29	4.76	39.39	NC	0.06	NA	NC	NC	0.15	NC	12.37	NA	NA	NA	97.12
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	40.12	0.00	0.07	0.02	NC	NC	5.92	5.33	38.53	NC	0.08	NA	NC	NC	0.20	NC	12.39	NA	NA	NA	97.33
27R-2, 12–20	128.62	AP-083_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	35.29	0.00	0.08	0.04	NC	NC	8.85	7.97	39.54	NC	0.15	NA	NC	NC	1.43	NC	11.98	NA	NA	NA	97.36
27R-2, 12–20	128.62	AP-083_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.41	0.01	0.05	0.02	NC	NC	5.45	4.91	38.01	NC	0.04	NA	NC	NC	0.19	NC	12.49	NA	NA	NA	97.68
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.01	0.00	0.14	0.04	NC	NC	5.36	4.82	38.65	NC	0.07	NA	NC	NC	0.27	NC	12.51	NA	NA	NA	98.06
26R-3, 59–68	125.82	AP-082_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.14	0.02	0.08	0.02	NC	NC	5.78	5.20	38.25	NC	0.06	NA	NC	NC	0.20	NC	12.51	NA	NA	NA	98.07
26R-1, 50–57	123.50	AP-081_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	43.41	0.01	0.24	0.00	NC	NC	3.25	2.93	38.31	NC	0.02	NA	NC	NC	0.17	NC	12.69	NA	NA	NA	98.12
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.08	0.00	0.01	0.01	NC	NC	5.37	4.83	39.16	NC	0.10	NA	NC	NC	0.29	NC	12.57	NA	NA	NA	98.41
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	40.07	0.01	0.03	0.04	NC	NC	5.64	5.08	39.67	NC	0.04	NA	NC	NC	0.73	NC	12.49	NA	NA	NA	98.72
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.94	0.00	0.04	0.03	NC	NC	3.89	3.50	40.11	NC	0.01	NA	NC	NC	0.12	NC	12.69	NA	NA	NA	98.84
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.25	0.02	0.15	0.10	NC	NC	6.07	5.46	38.33	NC	0.30	NA	NC	NC	0.16	NC	12.61	NA	NA	NA	98.98
26R-1, 50–57	123.50	AP-081_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	40.87	0.00	0.20	0.00	NC	NC	6.06	5.45	39.46	NC	0.41	NA	NC	NC	0.33	NC	12.69	NA	NA	NA	100.02
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.78	0.00	0.03	0.03	NC	NC	4.81	4.33	40.63	NC	0.09	NA	NC	NC	0.23	NC	12.83	NA	NA	NA	100.43
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	41.81	0.00	0.44	0.00	NC	NC	8.76	7.88	36.83	NC	0.01	NA	NC	NC	0.20	NC	12.78	NA	NA	NA	100.84
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	44.09	0.00	0.12	0.00	NC	NC	4.42	3.98	39.57	NC	0.00	NA	NC	NC	0.12	NC	13.05	NA	NA	NA	101.38
26R-1, 50–57	123.50	AP-081_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Olivine	42.09	0.00	0.03	0.01	NC	NC	5.14	4.63	41.03	NC	0.05	NA	NC	NC	0.19	NC	12.96	NA	NA	NA	101.50
13R-2, 14–21	62.34	AP-073_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	35.36	0.02	1.65	0.74	NC	NC	4.52	4.07	36.69	NC	0.05	NA	NC	NC	0.67	NC	11.51	NA	NA	NA	91.23
13R-2, 14–21	62.34	AP-073_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	37.04	0.02	1.88	0.44	NC	NC	3.98	3.58	36.21	NC	0.05	NA	NC	NC	0.42	NC	11.69	NA	NA	NA	91.73
13R-2, 14–21	62.34	AP-073_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	39.52	0.01	0.19	0.00	NC	NC	4.95	4.46	37.28	NC	0.02	NA	NC	NC	0.48	NC	12.04	NA	NA	NA	94.49
13R-2, 14–21	62.34	AP-073_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	39.57	0.00	0.10	0.00	NC	NC	5.10	4.59	38.24	NC	0.05	NA	NC	NC	0.18	NC	12.18	NA	NA	NA	95.43
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	37.47	0.01	0.99	0.50	NC	NC	6.10	5.49	34.81	NC	0.07	NA	NC	NC	0.48	NC	11.66	NA	NA	NA	92.10
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	38.42	0.03	0.97	0.31	NC	NC	2.14	1.93	38.70	NC	0.01	NA	NC	NC	0.87	NC	11.92	NA	NA	NA	93.37
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	39.13	0.00	0.43	0.00	NC	NC	5.54	4.99	37.01	NC	0.05	NA	NC	NC	0.46	NC	12.04	NA	NA	NA	94.66
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	38.65	0.02	1.27	0.34	NC	NC	2.65	2.39	40.25	NC	0.04	NA	NC	NC	0.82	NC	12.25	NA	NA	NA	96.28
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	39.91	0.00	1.02	0.19	NC	NC	2.05	1.85	40.26	NC	0.07	NA	NC	NC	0.85	NC	12.36	NA	NA	NA	96.72
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	36.92	0.03	2.23	0.52	NC	NC	2.35	2.12	41.66	NC	0.30	NA	NC	NC	1.56	NC	12.29	NA	NA	NA	97.86
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	39.42	0.00	1.10	0.64	NC	NC	5.86	5.27	38.54	NC	0.04	NA	NC	NC	0.27	NC	12.48	NA	NA	NA	98.33
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	35.10	0.00	2.59	0.94	NC	NC	1.89	1.70	41.24	NC	0.01	NA	NC	NC	0.68	NC	11.95	NA	NA	NA	94.40
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	36.26	0.00	2.14	0.81	NC	NC	2.28	2.05	40.98	NC	0.14	NA	NC	NC	0.78	NC	12.08	NA	NA	NA	95.48
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	38.41	0.02	2.07	0.43	NC	NC	4.95	4.46	37.09	NC	0.05	NA	NC	NC	0.42	NC	12.16	NA	NA	NA	95.60
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	36.60	0.01	1.93	0.64	NC	NC	2.69	2.42	41.33	NC	0.02	NA	NC	NC	1.20	NC	12.17	NA	NA	NA	96.59
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	37.82	0.02	1.57	0.74	NC	NC	7.20	6.48	36.05	NC	0.04	NA	NC	NC	0.26	NC	12.10	NA	NA	NA	95.79
21R-1, 27–37	99.17	AP-077_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	38.76	0.03	1.37	0.37	NC	NC	1.43	1.29	41.11	NC	0.03	NA	NC	NC	0.53	NC	12.28	NA	NA	NA	95.91
24R-1, 104–112	114.54	AP-079_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	39.05	0.00	1.26	0.96	NC	NC	7.20	6.48	36.46	NC	0.05	NA	NC	NC	0.43	NC	12.34	NA	NA	NA	97.75
25R-1, 108–118	119.08	AP-080_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	40.02	0.03	1.95	0.74	NC	NC	6.96	6.26	35.86	NC	0.05	NA	NC	NC	0.23	NC	12.49	NA	NA	NA	98.32
26R-1, 50–57	123.50	AP-081_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	35.81	0.03	1.00	0.97	NC	NC	7.34	6.61	36.58	NC	0.03	NA	NC	NC	0.80	NC	11.77	NA	NA	NA	94.93
26R-3, 59–68	125.82	AP-082_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Orthopyroxene	40.80	0.00	0.68	0.79	NC	NC	8.78	7.90	36.15	NC	0.05	NA	NC	NC	0.31	NC	12.64	NA	NA	NA	100.21
13R-2, 14–21	62.34	AP-073_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Vein	38.77	0.03	1.83	0.77	NC	NC	5.07	4.56	36.57	NC	0.04	NA	NC	NC	0.24	NC	12.17	NA	NA	NA	95.49
13R-2, 14–21	62.34	AP-073_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Vein	38.52	0.02	1.72	0.50	NC	NC	4.61	4.15	37.85	NC	0.03	NA	NC	NC	0.24	NC	12.19	NA	NA	NA	95.68
16R-1, 82–89	75.82	AP-074_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Vein	38.03	0.03	0.71	0.19	NC	NC	5.36	4.82	34.44	NC	0.05	NA	NC	NC	0.66	NC	11.57	NA	NA	NA	91.05
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Vein	39.77	0.00	0.09	0.00	NC	NC	2.63	2.37	38.26	NC	0.04	NA	NC	NC	0.45	NC	11.97	NA	NA	NA	93.21
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Vein	39.20	0.00	1.39	0.58	NC	NC	5.41	4.87	35.76	NC	0.06	NA	NC	NC	0.78	NC	12.08	NA	NA	NA	95.26
19R-2, 40–48	91.20	AP-076_WHOI	Serpentinized harzburgite	Bonn	Serpentine	Vein	44.67	0.00	0.15	0.04	NC	NC	3.56	3.20	38.45	NC	0.00	NA	NC	NC	0.04	NC	12.93	NA	NA	NA	99.85
21R-1, 27–37