

INDEX TO VOLUME 101, INITIAL REPORT (PART A)

This index is in two parts: (1) a subject index and (2) a site and hole index. In addition to the printed version in this volume, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 BPI.

The index was prepared by Amanda R. Masterson and Edward Selig under subcontract to the Ocean Drilling Program. It is intended to follow the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. This cumulative index is based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The subject index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which appear in a separate paleontological index in DSDP volumes.

The site and hole index is structured to contain entries for the sites discussed in the volume. Site (S) and hole (H) entries are modified, where appropriate, by subject sub-entries.

The indexes cover text figures and tables but not Core Description Forms ("barrel sheets") or core photographs. Excluded are bibliographic references, names of individuals, and all routine front and back matter. Index entries in this volume are listed alphabetically letter by letter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77840.

SUBJECT INDEX

- Abaco Member (Bermuda Rise Formation), 77, 100
- Acoustic data, 21, 75–76; S628, 236; S631, 354–55; S632, 406; S633, 452–53
- Age determinations, 11, 14, 17–18, 158
- Albian, 80, 111, 130, 131; S626, 80; S627, 111, 125–133, 280; S634, 508; S635, 525
- Alkalinity, 19; S626, 64, 66; S627, 130, 135, 136, 137; S628, 225; S630, 280, 281; S631, 348, 350, 351; S632, 396, 398, 399; S633, 444, 446, 447; S634, 498; S635, 534
- Andros Island, 485
- Aptian, 50, 52
- Aragonite, 20–21; S626, 67; S627, 138–39, 278, 286; S628, 227, 228, 278, 286; S629 and S630, 276, 278, 283–86; S631, 341, 348, 352, 452; S632, 396, 400, 452; S633, 447, 452; S634, 498; S635, 535, 536
- Asphalt, 66–67, 80
- Atlantic Ocean, 50, 61, 77, 80
- Bahama Banks, 5, 80, 112, 115, 415
- Barrel sheets—*see* Core Description Forms
- Bathymetric data, 6, 25, 54
- Benthic foraminifers, S626, 63–64; S627, 129–130; S628, 222; S629 and S630, 277–78; S631, 348; S632, 396; S633, 444; S634, 496; S635, 533
- Bermuda Rise Formation, 77, 100
- Biogenic sediments, 16
- Biostratigraphy, 17–19; S626, 61–64; S627, 126–30; S628, 220–23; S629 and S630, 277–78; S631, 347–48; S632, 395–96; S633, 442–44; S634, 493–96; S635 and S636, 530–33
- Bitumen, S627, 142; S630, 289; S631, 355; S632, 398, 403; S633, 453
- Blake Basin (Sites 391, 534), 50, 152
- Blake Plateau, 54, 111–158, 236
- Blake Ridge Formation, 61, 235
- Borehole seismic data—*see* Seismic stratigraphy
- Bulk density—*see* Wet-bulk density
- Calcareous biogenic sediments—*see* Biogenic sediments
- Calcareous nannofossils—*see* Nannofossils
- Calcite, 20–21, 138; S626, 68; S627, 138, 139, 140; S628, 226, 227, 228; S630, 283, 284, 285; S631, 352; S632, 400, 401; S633, 444, 447, 448; S634, 496, 498; S635, 533, 535, 536
- Calcium, 19–20; S626, 64, 66, 278; S627, 278; S628, 270; S630, 278, 280, 282; S632, 398, 399; S633, 444, 448, 449; S634, 496, 499; S635, 533, 537
- Campanian, 483
- Carbonate-bomb data, 14, 20, 21; S626, 66, 68; S627, 140–41; S628, 225, 228; S630, 287; S631, 348, 353; S632, 396; S633, 444, 448, 449; S634, 496, 499; S635, 533, 537
- Carbonates: classification, 14; platform development, 5; slopes, 112, 341, 401
- Cenomanian, 7; S626, 52; S627, 130, 131, 278; S630, 278; S635, 533, 543
- Chlorinity, 19; S626, 64, 66; S628, 225; S630, 280; S631, 350, 351; S632, 396, 398, 399; S633, 446, 447; S634, 498; S635, 534
- CHN content, 19
- Clays, 16
- CNL—*see* Compensated Neutron Log
- Compensated Neutron Log (CNL), 21
- Compensated Neutron Tool (CNTG), 21, 71, 141
- Compressional wave velocity, 5; S627, 137; S628, 226–27; S630, 282–83; S631, 353; S632, 404–405; S633, 450, 458, 460; S634, 499–500, 502; S635, 535, 541, 542
- Core catchers, 10, 14; S626, 62; S632, 395; S635, 532
- Core Description Forms, 11–21
- Cores: archive half, 10–11; color evaluation, 14; deformation, 9; handling, 9–11; index properties, 21; metallic contamination, 33–45; numbering, 9, 10, 11; physical properties, 20–21; S626, 70–71; S627, 137–141; S628, 226–27, 232, 233–35; S629 and S630, 282–83, 291–94; S631, 353, 358–59; S632, 404–405, 409–411; working half, 10–11, 14
- Coring summaries, S626, 58; S627, 117; S628, 215; S629 and S630, 274; S631, 344; S632, 388; S633, 440; S634, 487; S635 and S636, 527
- Cretaceous, 5; S626, 54, 61; S627, 7; S635, 525, 543
- Cuba, 5, 50, 52, 54
- Diamagnetism—*see* Magnetic susceptibility
- Diatoms, 16
- Dolomite, 20–21; S626, 65–67; S627, 125, 138, 142; S628, 217, 227, 228; S630, 284, 285; S631, 352; S632, 401; S633, 447, 448; S634, 498; S635, 536
- Drilling disturbance, 11, 15
- Drilling summary (Leg 101), 7
- Dry water content—*see* Water content
- Eocene, 508
- Ethane, S627, 145; S632, 405; S633, 456
- Exuma Sound, 5–8, 25–31, 341–353, 387–415, 439–464
- Florida Current, 57, 60, 61
- Foraminifers—*see also* Benthic foraminifers, Planktonic foraminifers; abundances, 18; S626, 62–64; S628, 216, 222–23; S629 and S630, 277–78; S632, 396; S633, 444; S634, 496; S635 and S636, 533, 543
- Fred H. Moore*, 74, 113
- Gamma Ray Attenuation Porosity Evaluator (GRAPE), 10, 20; S626, 70, 72; S628, 227, 236; S632, 404; S634, 498–99; S635, 535
- Gamma-spectrometry tool (GST)—*see* Induced Gamma Spectrometry Tool (GST)
- Gas chromatography, 135, 350, 396, 406–407
- Geophysical data, 25–31
- Glomar Challenger*, 9, 21, 33
- GR—*see* Natural gamma ray log
- Graben hypothesis, 50–52, 54
- GRAPE—*see* Gamma Ray Attenuation Porosity Evaluator
- Great Abaco Member (Blake Ridge Formation), 61, 77, 80, 126, 235
- Great Bahama Bank, 50
- Great Isaac 1 well, 50, 80
- GST—*see* Induced Gamma Spectrometry Tool
- Gulf of Mexico, 5, 50, 112
- Gulf Stream, 5, 50, 54, 55, 77
- Gypsum, S627, 124–25, 138, 142
- Holocene, S634, 508
- Hydrocarbons, 19, 66, 114, 135, 142; S632, 392–93, 407; S633, 448, 455; S634, 496, 499; S635, 534
- Hydrophones, 9, 25
- Index properties—*see* Cores
- Induced Gamma Spectrometry Tool (GST), 21
- Inorganic geochemistry, 19–20; S626, 64–66, 278; S627, 130–31, 278; S628, 223–25, 278; S630, 278; S631, 348; S632, 396; S633, 444, 446–47; S634, 496; S635, 533
- Interstitial waters, 19–20; S626, 64–66; S627, 130, 135–37; S628, 223–25; S630, 281; S631, 348, 350–51; S632, 396, 398–99; S633, 444, 446–47; S634, 496, 498; S635, 533, 534
- JOIDES Resolution*, 5; equipment aboard, 25–26; magnetic field aboard, 33–45
- Jurassic, 508
- Kerogen, 19; S626, 66, 69; S627, 131, 143–45; S628, 225–26, 229–30; S630, 281, 288–89; S631, 349, 350, 354; S632, 401, 403–404; S633, 448, 453; S634, 496, 499; S635, 534–35, 537–39
- LDT—*see* Lithodensity Tool
- Leg 75, 33
- Leg 100, 55
- Leg 101, 5–43
- Limestones, 17, 122, 218, 220
- Lithodensity tool (LDT), 21–22, 142
- Lithologic descriptions, 7, 8, 13–17; S626, 70–71, S627, 126, 142; S628, 216, 221; S629 and S630, 276; S633, 443; S634, 488; S635 and S636, 526–530
- Little Bahama Bank, 5–8; S626, 57–61, 66, 112, 114, 115, 236; S629 and S630, 271–97, 341
- Logging tools, 21–22; S627, 113–15
- Magnesium, 19; S626, 65, 66; S627, 278; S628, 225, 278; S630, 278, 280, 282; S631, 350, 351; S632, 396, 398, 399; S633, 444, 446, 447; S634, 498; S635, 534
- Magnetic susceptibility, 19, 33–45; S626, 67–70; S627, 135–37, 145; S628, 226, 231; S630, 282, 290; S631, 351, 353; S632, 402–403, 408; S633, 449–50, 457; S634, 498; S635, 535, 540
- Magnetometers, 33–45
- MCU—*see* mid-Cretaceous unconformity
- Megabank (megaplatform) hypothesis, 50–52, 54, 80, 483
- Metallic contamination, 19, 33–45; S626, 67–70; S627, 136, 145; S628, 226, 231; S630, 282, 290; S631, 351, 353, 356; S632, 402–403, 408; S633, 449–450, 457; S634, 498; S635, 535, 540
- Methane, S627, 135, 145; S632, 405; S633, 455
- Mid-Cretaceous unconformity, 52, 80
- Miocene, S626, 49, 61, 75–77, 79; S627, 221; S628, 221; S630, 271; S631, 341; S632, 387; S633, 439, 443

SUBJECT INDEX

- Nannofossils: 18; S626, 61–62, 64; S627, 126–27; S628, 220–22; S629 and S630, 277; S631, 347; S632, 395–96; S633, 443; S634, 494; S635 and S636, 531–32, 543
- Natural gamma ray (GR) log, 21, 71
- Natural gamma ray spectrometry tool (NGT), 21, 141
- Natural remanent magnetization (NRM), S626, 67; S627, 135; S631, 350–51; S632, 402; S633, 449; S634, 497–98; S635, 535
- Navigation data, Leg 101, 26–29
- Neogene, 5; H626C, 61; S631, 347
- New Providence Island, 485, 486
- North Atlantic Ocean, 50, 61, 77, 80
- Northeast Providence Channel, 5, 50, 485, 525–543
- Northwest Providence Channel, 50, 54; 483–511
- Oligocene; S626, 77; S627, 221, 230; S628, 221, 230–31, 239; S629 and S630, 272–73; S631, 341–47; S633, 443; S634, 508
- Operations summaries, S626, 55–57; S627, 113–15; S628, 213; S629 and S630, 272–73; S631, 342–43; S632, 388; S633, 439; S634, 486–87; S635 and S636, 526
- Organic geochemistry, 19; S626, 66; S627, 130–35; S628, 225–29; S630, 280–81; S631, 349–350; S632, 396; S633, 448–49; S634, 496; S635, 533–36
- Paleocene, 213
- Paleomagnetism, 19, 33–45; S626, 67–70; S627, 135–37; S628, 226; S630, 281–82; S631, 350–53; S632, 402–403; S633, 449–450; S634, 497–98; S635, 535
- Pelagic clay, 16
- pH, 19; S626, 64, 66; S627, 130, 135, 136, 137; S628, 225; S630, 280, 281; S631, 348, 350, 351; S632, 396, 398, 399; S633, 444, 446, 447; S634, 498; S635, 534
- Physical properties—*see* Cores
- Planktonic foraminifers, S626, 62–64; S627, 127–29; S628, 222–23; S631, 348; S632, 396; S633, 443–44; S634, 494–96; S635, 532–33
- Pleistocene, S626, 49, 61, 79; H629A, 271; H630C, 272, 274; S631, 344, 347, 348; S632, 396, 402; S634, 488, 506; S635, 525, 543
- Pliocene, S626, 79; S627, 221; S628, 221; S630, 271, 278; S631, 344, 346, 347, 348; S632, 387; S633, 443; S634, 488, 506; S635, 543
- Porosity, 21; S626, 70, 74; S627, 137–38, 141, 146–49; S628, 227, 232–35; S629 and S630, 282, 291–94; S631, 353; S632, 405, 409–11; S633, 450–51, 458–61, 463; S634, 499–502, 510; S635, 535–36, 541–43
- Pyrolysis—*see* Rock-Eval pyrolysis
- Quartz, 20–21; S627, 138, 140; S628, 217, 227, 228; S630, 284, 285; S631, 348, 352, 447; S632, 400, 401, 447; S633, 447–48; S634, 498
- Quicklook program, 505, 507
- Radiolarians, 16, 18, 19; S627, 129; S628, 223
- Reflection profiling—*see* Seismic reflection profiling
- Rock-Eval pyrolysis, 19; S626, 66; S627, 131; S628, 225, 229–31; S631, 349, 350, 354–56; S632, 396, 398, 402, 407; S633, 448, 453–56; S634, 496, 499; S635, 533, 538, 539
- Rust—*see* Metallic contamination
- Salinity, 19; S626, 64, 66; S628, 225; S630, 280, 281; S631, 350, 351; S632, 398, 399; S633, 446, 447; S634, 498; S635, 534
- Sea level, 52, 54, 76–77, 112, 149–151, 236, 239
- Seawater (IAPSO standard), 20, 64
- Sediment-accumulation rates: S626, 64, 65, 130; S627, 130, 132–34; S628, 223; S630, 278–79; S631, 348–49; S632, 396–97, 415; S633, 444, 445, 464; S634, 496, 497; S635, 533, 534, 543
- Sediments: classification system, 14–19; color, 14; disturbance, 11; firmness, 14–15; fracturing, 11; structures, 11, 15; types, 15–17; S626, 57–60; S627, 115–53; S628, 213–20; S629 and S630, 273–77; S631, 343–47, 355–58; S632, 389–95; S633, 440–42; S634, 487–93; S635 and S636, 526–30
- Seismic lines, 25, 30–31, 52; S626, 56, 75; S627, 115–126; S628, 237; S630, 283, 285, 295–96; S631, 354, 362; S632, 406–407, 412–13; S633, 451–53, 462; S634, 484, 508; S635, 484; S636, 484
- Seismic reflection profiling, 9, 25, 30
- Seismic stratigraphy, 5; S626, 74–77; S627, 143–50, 153, 154; S628, 154, 229–31; S630, 283–85; S631, 354–55; S632, 406–7, 413; S633, 451–53; S634, 502–506, 508, 509; S635, 536
- Shear strength, 21; S626, 70–71; S627, 139, 146–49; S628, 227, 233–35; S630, 282, 283, 291–94; S631, 353, 361; S632, 405, 409–11; S633, 451, 458–61; S634, 500; S635, 541
- Siliceous biogenic sediments—*see* Biogenic sediments
- Site-survey lines, 115, 343, 362, 412–13
- Slope development, 112
- Smear slide data, 14, 18; S627, 116–24; S628, 216; S629 and S630, 275–76; S631, 345; S632, 389; S633, 441; S634, 488
- Sound velocity—*see* Velocity measurements
- Southern Blake Plateau—*see* Blake Plateau
- Straits of Florida, 5–8, 49–81
- Streamers, 9, 25
- Sulfate, 20; S626, 66, 67; S627, 36, 137; S628, 225; S630, 278, 282, 283; S631, 351; S632, 399; S633, 446, 447; S634, 498; S635, 534
- Terrigenous sediments, 17–18, 218
- Thermal conductivity, 20–21; S626, 70; S627, 139, 146–49; S628, 232–35; S630, 282, 291–94; S631, 353, 361; S632, 405, 409–11; S633, 451, 458–460; S634, 500; S635, 541
- Turbidites; S627, 117, 120; S632, 390–95, 409
- Vane shear—*see* Shear strength
- Velocity measurements, 21; S626, 74–77, 79; S627, 146–49; S628, 232–35; S630, 291–94; S631, 353–54, 357–59, 363; S632, 409–11, 413; S633, 450, 458–460; S634, 499, 500, 502; S634, 535, 541, 542, 543
- Vertical seismic profile—*see* Seismic reflection profiling
- Volcanic material, 17
- Water content, 21; S626, 70, 71; S627, 137–38; S628, 227, 232–35; S630, 282, 291–94; S631, 353; S632, 409–11; S633, 450–51, 461; S634, 499–501; S635, 535–36, 541, 542
- Waveforms, 109
- Wave velocity—*see* Velocity measurements
- Wet-bulk density, 22; S626, 70–71; S627, 137–138, 146–49; S628, 227, 232–35; S630, 282; S631, 353; S632, 405, 409–411; S633, 450, 458–461; S634, 499–510; S635, 535–36, 541, 542
- X-ray analysis, 20; S626, 66–68; S627, 130–31, 138, 140, 278–281; S628, 217, 227; S630, 278, 283–85; S631, 348, 352; S632, 396, 401; S633, 444, 447, 448; S634, 496, 498; S635, 533, 535, 536
- Zonation, 17–18

SITE AND HOLE INDEX

- DSDP Site 98, 7, 50, 483–87, 493, 508
DSDP Site 391, 50
DSDP Site 534, 50
- Site 626, 49–81; coring summary, 58; data summary, 49–50, 79; foraminifers, 62–64; Hole 626A, 39, 49, 63, 69; Hole 626B, 49, 53, 54, 63, 69; Hole 626C, 39, 41, 42, 49–50, 63–66, 69, 71; Hole 626D, 49–50, 67, 73; logs, 72, 73; maps, 6; nannofossils, 61–62; sedimentology, 57–61; seismic reflection profiles, 25–31; x-ray data, 66–68
- Site 627, 111–158; coring summary, 117; data summary, 113, 157, 238; geologic history, 158; Hole 627A, 111, 113; Hole 627B, 39–40, 43, 111, 113–15, 119, 135; lithology, 7, 8, 126; maps, 6, 112, 114; physical properties, 137; seismic reflection profiles, 25–31, 237; seismic stratigraphy, 153, 154; sulfate, 136; x-ray data, 130–31, 138, 140, 278–281
- Site 628, 213–239; coring summary, 215; data summary, 238; Hole 628A, 40; lithology, 7, 100; maps, 6; seismic stratigraphy, 154, 237, 238; x-ray data, 217, 227
- Sites 629 and 630, 271–297; coring summary, 274; data summary, 297; Hole 630A, 271; Hole 630B, 271; Hole 630C, 272; lithology, 7; maps, 6; physical properties, 294–97; seismic stratigraphy, 283, 285; x-ray data, 278, 283–85
- Site 631, 341–363; coring summary, 344; data summary, 363; Hole 631A, 41, 43, 341; lithology, 7; maps, 6; seismic reflection profiles, 25–31; seismic stratigraphy, 353, 361; x-ray data, 348, 352
- Site 632, 387–415; coring summary, 388; data summary, 414; foraminifers, 396; Hole 632A, 39–41; Hole 632B, 40; lithology, 7; magnetic susceptibility, 39; maps, 6; physical properties, 404–405, 409–411; seismic reflection profiles, 25–31; x-ray data, 396, 401
- Site 633, 439–464; coring summary, 440; data summary, 463; Hole 633A, 40, 439–464; lithology, 7; maps, 6; x-ray data, 444, 447, 448
- Site 634, 483–511; coring summary, 487; data summary, 511; Hole 634A, 483; magnetic field data, 33–36; maps, 6; x-ray data, 496, 498
- Sites 635 and 636, 525–543; coring summary, 527; data summary, 543; Hole 635A, 525; Hole 635B, 525; Hole 636A, 525; magnetic field data, 33–36; maps, 6; operations summaries, 526; x-ray data, 533, 535, 536