

INDEX TO VOLUME 105, INITIAL REPORT (PART A)

This index is in two parts: (1) a subject index and (2) a site and hole index. In addition to the printed version in this volume, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 BPI.

The index was prepared by Amanda R. Masterson and Edward Selig under subcontract to the Ocean Drilling Program. It is intended to follow the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. This cumulative index is based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The subject index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which appear in a separate paleontological index in DSDP volumes.

The site and hole index is structured to contain entries for the sites discussed in the volume. Site (S) and hole (H) entries are modified, where appropriate, by subject subentries.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Excluded are bibliographic references, names of individuals, and all routine front and back matter. Index entries in this volume are listed alphabetically letter by letter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77840.

SUBJECT INDEX

- Age data, 23–24, 30, 31–33; S645, 94, 95; S646, 449–450, 465, 492; S647, 704–705, 716, 726, 727, 731, 734
- Alkalinity: S645, 103, 104; S646, 457, 458; S647, 709, 713
- Arctic model, 5, 16–17
- Baffin Bay, 5–8, 11–18, 21–39, 61–124
- Barrel sheets—*see* Core-description forms
- Basement: S645, 67, 149, 150; S646, 422, 429; S647, 680, 696, 719, 732, 734
- Bathymetric data, 43; Baffin Bay, 6, 65, 477; Labrador Sea, 443, 677; S646, 421, 443; S647, 421, 677–678
- Benthic foraminifers, 17, 30, 32–34; S645, 93–96; S646, 446–447; S647, 698, 700–702, 704, 705
- Biogenic sediments, 26, 28, 29; S646, 432; S647, 688, 727, 731
- Biostratigraphy, 29–34; S645, 92–102; S646, 444–451, 454–456, 491; S647, 696–708
- Bulk density, 37; S645, 114–124, 390–418; S646, 465–466, 470, 472–474, 478, 488, 654–674; S647, 714, 716, 719–722, 724, 727, 886–905
- Calcareous nannofossils, 30, 32–34; S645, 92–95; S646, 441, 445, 447–448, 488; S647, 698, 701, 704, 705, 712
- Calcium carbonate, 36; S645, 103–104; S646, 457, 458, 460, 461, 493–494; S647, 709, 713–715, 727
- Carbonate-bomb technique, 36; S646, 441, 463, 727; S647, 715, 727
- Chlorinity: S645, 103, 104; S646, 457; S647, 709, 713
- Circulation, 5, 12–18; S645, 69, 148; S646, 495–496
- Climate—*see* Paleoclimate
- Compressional-wave velocity, 37; S645, 117–122, 124; S646, 467–469, 471–474, 478, 488; S647, 719–722, 724
- Core-description forms, 23–25; S645, 154–389; S646, 514–653; S647, 738–885
- Cores, 22–23, 25, 28–29
- Coring summaries: S645, 70–71; S646, 431; S647, 686
- Davis Strait, 5–6, 17, 63
- Diatoms, 31–34; S645, 94–97; S646, 441, 445, 448–451; S647, 698–699, 702–705, 712
- Dinocysts, 18, 31, 32, 34; S645, 94, 95, 98–99, 145; S646, 445, 452; S647, 698, 703–706, 712
- Downhole logging, 37–39; S645, 124–131; S646, 469, 476, 477; S647, 719–723
- Drilling data, 21–22; S645, 61–63
- Drilling disturbance, 25–27
- Eirik Ridge, 421, 423, 487, 677–678, 682
- Ethane: S645, 105; S646, 459
- Faulting, 139, 140, 731, 734
- Fracture zones, 10, 429
- Gamma ray attenuation porosity evaluation (GRAPE), 37; S645, 114, 117–124, 390–418; S646, 465–466, 654–674; S647, 714, 716, 719, 886–905
- Glaciation, 15–18; S645, 69, 144–145, 148; S646, 442, 492–495
- Glacia Drift, 421, 677, 678, 732–734
- Grain density, 37; S645, 114; S646, 472–474
- Graphic lithology, 25–26
- Gravity anomalies, 7–11; S646, 427–429
- Heat flow—*see* Thermal conductivity
- Hydrocarbon gases, 35; S645, 104, 105; S646, 456; S647, 709
- Hydrogen index: S645, 110, 111; S646, 457–458; S647, 709
- Icebergs, 74, 90, 144, 145, 427
- Ice rafting, 16, 89, 92, 126
- Index properties, 37; S645, 114–116; S646, 466; S647, 716
- Induration, 28–29
- Inorganic carbon: S645, 106; S646, 456–457, 461; S647, 709
- Inorganic geochemistry: S645, 103–104; S646, 454–456; S647, 708–709
- Interstitial water, 36; S645, 103–104; S646, 457; S647, 713
- Kerogen, 110
- Labrador Sea, 6, 7, 9, 10
- Lithology, 25–27; S645, 75, 124–126; S646, 432–444, 488; S647, 727–729
- Lithostratigraphy: S645, 74, 140–143; S646, 490–492; S647, 687–696
- Logs, 38–39; S645, 124–131; S646, 469–484; S647, 723–724, 726, 737
- Magnesium: S645, 103, 104; S646, 457, 458; S647, 709, 713
- Magnetic anomalies, 6, 13; S646, 427–429; S647, 678
- Magnetic susceptibility, 35; S645, 111–116; S646, 461, 462, 469; S647, 713–714, 717–719
- Magnetostratigraphy, 7; S645, 102, 110–111, 144; S646, 454, 459–462
- Methane: S645, 105; S646, 459
- Multichannel seismic lines: S645, 66, 67, 133–140, 147; S646, 426–428, 486, 489
- NAMOC—*see* North Atlantic Mid-Ocean Canyon
- Navigation data, 43–45
- North Atlantic Mid-Ocean Canyon (NAMOC), 12; S646, 426, 438–439; S647, 682, 694, 732
- North Atlantic Model, 5, 16–17
- Organic carbon, 35–36; S645, 106–110, 149; S646, 460, 461, 493; S647, 709, 714–715, 727
- Organic geochemistry, 35; S645, 104–110; S646, 456; S647, 709
- Oxygen index: S645, 110, 111; S646, 458; S647, 709
- Paleoceanography, 12–18; S647, 680
- Paleoclimate, 12–18; S645, 69, 144–148; S646, 423–424, 492; S647, 729–732
- Paleoenvironment, 12–18; S645, 93, 98, 100–101, 144; S646, 446, 447, 452, 454, 492–495; S647, 699–701, 707–708, 729
- Paleomagnetism, 25, 34–35; S645, 107, 111; S646, 459–461; S647, 709, 712–714, 716
- Palynology, 34; S645, 97–98, 145; S646, 452–453; S647, 703–706
- Pelagic clay, 28
- pH: S645, 103; S646, 457; S647, 709, 713
- Physical-properties data, 25, 37; S645, 114–124; S646, 462–469, 472–474, 480; S647, 714–716, 721–722
- Planktonic foraminifers, 17, 30, 32, 33; S645, 93–96; S646, 444–446; S647, 696–700, 704–705, 712
- Pollen: S645, 98, 99, 145; S646, 445, 448, 453; S647, 698, 706
- Porosity: S645, 117–122, 124–126; S646, 470, 472–474, 488; S647, 720–722, 727
- Pyroclastic sediments, 29
- Radiolarians, 31, 32, 34; S645, 94, 95, 97, 98; S646, 445, 452; S647, 698–699, 702–705
- R4 reflector, 15; S646, 424–426, 486, 495; S647, 681, 726, 728, 730
- Rock-Eval pyrolysis, 36; S645, 106, 110; S646, 457, 458, 487; S647, 709
- Rock magnetism, 35; S645, 111–112; S646, 460–462
- Salinity: S645, 103, 104; S646, 457; S647, 709, 713
- Seafloor spreading, 5–11; S645, 149, 150; S647, 678
- Sedimentology: S645, 73–92; S646, 430–444; S647, 684–709
- Sediments: accumulation rates, 37, 101–103; S645, 89, 143–144, 149; S646, 454, 491, 493; S647, 708, 710–712, 727, 729, 730; classification, 25–29
- Seismic lines: S645, 46–50, 64–68, 133–140, 147; S646, 51–55, 426–428; S647, 56, 57, 429, 485, 682, 683, 731–733
- Seismic-reflection profiles, 12, 43, 46–57, 141, 142, 733
- Seismic stratigraphy: S645, 131–140; S646, 484–490; S647, 724–728
- Shear strength, 37; S645, 116–123; S646, 466–467, 471–474; S647, 717–723
- Smear slide data, 24, 25, 34; S645, 93; S646, 441; S647, 690, 727
- Sonic logs—*see* Logs
- Sponge spicules, 441–442, 445, 698
- Spores: S645, 98, 99, 145; S646, 445, 453; S647, 698, 706
- Streamer hydrophones, 43, 426–427
- Subsidence, 148–150
- Sulfate: S645, 103–104; S646, 457, 458; S647, 709, 737
- Summary data: S645, 153; S646, 500–513; S647, 737
- Synthetic seismograms: S645, 129–131; S646, 482–484, 487; S647, 724, 725
- Tectonics, 64, 69, 148
- Terrigenous sediments, 25–27; S646, 432
- Thermal conductivity, 37; S645, 117–124; S646, 467, 471–475; S647, 719–722
- Total organic carbon—*see* Organic carbon
- Track charts, 45; S646, 423; S647, 679, 685
- Underway geophysics, 43–58
- Vane-shear strength—*see* Shear strength
- Velocity—*see* Compressional-wave velocity
- Water content, 37; S645, 117–123; S646, 470, 472–474, 488; S647, 720–722
- X-ray diffraction (XRD) data, 36–37, 78

SITE INDEX

Site 645, 61–418; age data, 94, 95; alkalinity, 103, 104; bathymetry, 65; biostratigraphy,

- phy, 92–102; bulk density, 114–124, 390–418; chlorinity, 103, 104; compressional-wave velocity, 117–122, 124; core-description forms, 154–389; coring summaries, 70–71; foraminifers, 93–96; GRAPE data, 114, 117–124, 390–418; hydrocarbon gases, 104, 105; index properties, 114–116; inorganic geochemistry, 103–104; interstitial waters, 103–104; lithology, 75, 124–126; lithostratigraphy, 74, 140–143; logs, 124–131; magnesium, 103, 104; magnetic data, 102, 107, 110–116, 144; nannofossils, 92–95; organic geochemistry, 104–110, 149; paleoenvironment, 69, 93, 98, 100–101, 144–148; palynology, 97, 98, 145; pH, 103; physical properties, 114–124; porosity, 117–122, 124–126; radiolarians, 94, 95, 97, 98; Rock-Eval data, 106, 110; salinity, 103, 104; sedimentology, 73–92; seismic data, 12, 43, 46–57, 64–68, 133–140, 147; shear strength, 116–123; summary data, 153; synthetic seismograms, 129–131; thermal conductivity, 117–124; water content, 117–123
- Site 646, 419–674; age data, 449–450, 465, 492; alkalinity, 457, 458; bathymetry, 421, 443; biostratigraphy, 444–451, 454–456, 491; bulk density, 465–466, 470, 472–474, 478, 488, 654–674; chlorinity, 457; compressional-wave velocity, 117–122, 124; core-description forms, 514–653; coring summaries, 431; foraminifers, 444–447; GRAPE data, 465–466, 654–674; hydrocarbon gases, 456; index properties, 466; inorganic geochemistry, 454–456; interstitial waters, 457; lithology, 432–444, 488; lithostratigraphy, 490–492; logs, 469–484; magnesium, 457, 458; magnetic data, 427–429, 454, 459–462; nannofossils, 441, 445, 447–448, 488; organic geochemistry, 456, 460, 461, 493; paleoenvironment, 423–424, 446, 447, 452, 454, 492–495; palynology, 452–453; pH, 457; physical properties, 462–469, 472–474, 480; porosity, 470, 472–474, 488; radiolarians, 445, 452; Rock-Eval data, 457, 458, 487; salinity, 457; sedimentology, 430–444; seismic data, 51–55, 426–428, 484–490; shear strength, 466–467, 471–474; summary data, 500–513; synthetic seismograms, 482–484, 487; thermal conductivity, 467, 471–475; water content, 470, 472–474, 488
- Site 647, 675–905; age data, 704–705, 716, 726, 727, 731, 734; alkalinity, 709, 713; bathymetry, 421, 677–678; biostratigraphy, 696–708; bulk density, 714, 716, 719–722, 724, 727, 886–905; chlorinity, 709, 713; compressional-wave velocity, 719–722, 724; core-description forms, 738–885; coring summaries, 686; foraminifers, 698, 700–702, 704, 705, 712; GRAPE data, 714, 716, 719, 886–905; hydrocarbon gases, 709; index properties, 716; inorganic geochemistry, 708–709; interstitial waters, 713; lithology, 727–729; lithostratigraphy, 687–696; logs, 723–724, 726, 737; magnesium, 709, 713; magnetic data, 678, 713–714, 716–719; nannofossils, 698, 701, 704, 705, 712; organic geochemistry, 709, 714–715, 727; paleoenvironment, 699–701, 707–708, 729–732; palynology, 703–706; pH, 709, 713; physical properties, 714–716, 721–722; porosity, 720–722, 727; radiolarians, 698–699, 702–705; Rock-Eval data, 709; salinity, 709, 713; sedimentology, 684–709; seismic data, 56, 57, 682, 683, 724–728, 731–733; shear strength, 717–723; summary data, 737; synthetic seismograms, 724, 725; thermal conductivity, 719–722; water content, 720–722