

REFERENCES*

This comprehensive reference list contains all the published references that have been cited throughout the chapters of this volume.

- Abbott, W.H., 1978. Correlation and zonation of Miocene strata along the Atlantic margin of North America using diatoms and silicoflagellates. *Mar. Micropaleontol.*, 3:15–34.
- , 1980. Diatom biostratigraphy of the Chesapeake Group, Virginia and Maryland. In Scott, T.M., and Upchurch, S.B. (Eds.), *Miocene of the Southeastern United States*. Spec. Publ.—Fla., Bur. Geol., 25:23–34.
- Amos, A.F., Gordon, A.L., and Schneider, E.D., 1971. Water masses and circulation patterns in the region of the Blake-Bahama Outer Ridge. *Deep-Sea Res. Part A*, 18:145–165.
- Andrews, G.W., 1976. Marine Miocene diatoms from the Choptank Formation, Calvert County, Maryland. *Geol. Surv. Prof. Pap. U.S.*, 910:1–26.
- , 1978. Marine diatom sequence in Miocene strata of the Chesapeake Bay region, Maryland. *Micropaleontology*, 24:371–406.
- , 1988. A revised marine diatom zonation for Miocene strata of the southeastern United States. *Geol. Surv. Prof. Pap. U.S.*, 1481:1–29.
- Archie, G.E., 1942. The electrical resistivity log as an aid in determining some reservoir characteristics. *J. Pet. Tech.*, 5:1–8.
- Aubry, M.-P., 1985. Northwestern Europe magnetostratigraphy, biostratigraphy and paleogeography: calcareous nannofossil evidence. *Geology*, 13:198–202.
- , 1991. Sequence stratigraphy: eustasy or tectonic imprint? *J. Geophys. Res.*, 96:6641–6679.
- Aubry, M.-P., Berggren, W.A., Kent, D.V., Flynn, J.J., Klitgord, K.D., and Prothero, D.R., 1988. Paleogene geochronology: an integrated approach. *Paleoceanography*, 3:707–742.
- Baker, P.A., and Kastner, M., 1981. Constraints on the formation of sedimentary dolomite. *Science*, 213:215–216.
- Baldauf, J.G., 1984. Cenozoic diatom biostratigraphy and paleoceanography of the Rockall Plateau region, North Atlantic, Deep Sea Drilling Project Leg 81. In Roberts, D.G., Schnitker, D., et al., *Init. Repts. DSDP*, 81: Washington (U.S. Govt. Printing Office), 439–478.
- , 1987. Diatom biostratigraphy of the middle- and high-latitude north Atlantic Ocean, Deep Sea Drilling Project Leg 94. In Ruddiman, W.F., Kidd, R.B., Thomas, E., et al., *Init. Repts. DSDP*, 94 (Pt. 2): Washington (U.S. Govt. Printing Office), 729–762.
- Beardsley, R.C., and Boicourt, W.C., 1981. On the estuarine and continental-shelf circulation in the Middle Atlantic Bight. In Warren, B.A., and Wunsch, C. (Eds.), *Evolution of Physical Oceanography*: Cambridge, MA (MIT Press), 198–233.
- Behrmann, J.H., Lewis, S.D., Musgrave, R.J., et al., 1992. *Proc. ODP, Init. Repts.*, 141: College Station, TX (Ocean Drilling Program).
- Belknap, W.B., Dewan, J.T., Kirkpatrick, C.V., Mott, W.E., Pearson, A.J., and Rabson, W.R., 1959. API calibration facility for nuclear logs. *Drill. and Prod. Pract.*
- Bell, J.S., and Gough, D.I., 1979. Northeast-southwest compressive stress in Alberta: evidence from oil wells. *Earth Planet. Sci. Lett.*, 45:475–482.
- Berggren, W.A., Kent, D.V., and Flynn, J.J., 1985. Jurassic to Paleogene: Part 2. Paleogene geochronology and chronostratigraphy. In Snelling, N.J. (Ed.), *The Chronology of the Geological Record*. Geol. Soc. London Mem., 10:141–195. [Cited as BKF85 throughout the volume.]
- Berggren, W.A., Kent, D.V., Flynn, J.J., and Van Couvering, J.A., 1985. Cenozoic geochronology. *Geol. Soc. Am. Bull.*, 96:1407–1418. [Cited as BKV85 throughout the volume.]
- Berggren, W.A., Kent, D.V., and Van Couvering, J.A., 1985. The Neogene: Part 2. Neogene geochronology and chronostratigraphy. In Snelling, N.J. (Ed.), *The Chronology of the Geologic Record*. Geol. Soc. London Mem., 10:211–260. [Cited as BKV85 throughout the volume.]
- Berggren, W.A., and Miller, K.G., 1988. Paleogene tropical planktonic foraminiferal biostratigraphy and magnetobiochronology. *Micropaleontology*, 34:362–380.
- Biffi, U., and Manum, S.B., 1988. Late Eocene-early Miocene dinoflagellate cyst stratigraphy from the Marche region (central Italy). *Boll. Soc. Paleontol. Ital.*, 27:163–212.
- Blatt, H., Middleton, G.V., and Murray, R., 1980. *Origin of Sedimentary Rocks* (2nd ed.): Englewood Cliffs, NJ (Prentice-Hall).
- Bloemendaal, J., King, J.W., Hunt, A., deMenocal, P.B., and Hayashida, A., 1993. Origin of the sedimentary magnetic record at Ocean Drilling Program sites on the Owen Ridge, western Arabian Sea. *J. Geophys. Res.*, 98:4199–4219.
- Blow, W.H., 1969. Late middle Eocene to Recent planktonic foraminiferal biostratigraphy. In Brönniman, P., and Renz, H.H. (Eds.), *Proc. First Int. Conf. Plankton Microfossils*, Geneva, 1967: Leiden (E.J. Brill), 1:199–422.
- , 1979. *The Cainozoic Globigerinida*: Leiden (E.J. Brill).
- Bolli, H.M., and Saunders, J.B., 1985. Oligocene to Holocene low latitude planktonic foraminifera. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 155–262.
- Bond, G.C., 1978. Speculations on real sea-level changes and vertical motions on continents at selected times in the Cretaceous and Tertiary Periods. *Geology*, 6:247–250.
- Borehole Research Group, 1990. *Ocean Drilling Program Logging Manual*: Palisades, NY (Lamont Doherty Geological Observatory).
- Boyce, R.E., 1976. Definitions and laboratory techniques of compressional sound velocity parameters and wet-water content, wet-bulk density, and porosity parameters by gravimetric and gamma ray attenuation techniques. In Schlanger, S.O., Jackson, E.D., et al., *Init. Repts. DSDP*, 33: Washington (U.S. Govt. Printing Office), 931–958.
- Bray, E.E., and Evans, E.D., 1961. Distribution of *n*-paraffins as a clue to recognition of source beds. *Geochim. Cosmochim. Acta*, 22:2–15.
- Brinkhuis, H., 1992. Late Eocene to early Oligocene dinoflagellate cysts from central and northern Italy [Ph.D. dissert.]. Univ. of Utrecht, Utrecht, The Netherlands.
- Brinkhuis, H., Powell, A.J., and Zevenboom, D., 1992. High-resolution dinoflagellate cyst stratigraphy of the Oligocene/Miocene transition interval in north-west and central Italy. In Head, M.J., and Wrenn, J.H. (Eds.), *Neogene and Quaternary Dinoflagellate Cysts and Acritharchs*. Am. Assoc. Stratigr. Palynol. Found., 219–258.
- Broecker, W.S., and Denton, G.H., 1989. The role of ocean-atmosphere reorganizations in glacial cycles. *Geochim. Cosmochim. Acta*, 53:2465–2501.
- Bujak, J.P., Downie, D., Eaton, G.L., and Williams, G.L., 1980. Dinoflagellate cysts and acritarchs from the Eocene of southern England. *Spec. Pap. Paleontol.*, 24:1–100.
- Bukry, D., 1973. Low-latitude coccolith biostratigraphic zonation. In Edgar, N.T., Saunders, J.B., et al., *Init. Repts. DSDP*, 15: Washington (U.S. Govt. Printing Office), 685–703.
- , 1975. Coccolith and silicoflagellate stratigraphy, northwestern Pacific Ocean, Deep Sea Drilling Project Leg 32. In Larson, R.L., Moberly, R., et al., *Init. Repts. DSDP*, 32: Washington (U.S. Govt. Printing Office), 677–701.
- Bullard, E.C., 1947. The time necessary for a borehole to attain temperature equilibrium. *Mon. Not. R. Astron. Soc., Geophys. Suppl.*, 5:127–130.
- Burckle, L.H., 1972. Late Cenozoic planktonic diatom zones from the eastern equatorial Pacific. In Simonsen, R. (Ed.), *First Symposium on Recent and Fossil Marine Diatoms*. Nova Hedwigia Beih., 39:217–246.
- Burckle, L.H., Keigwin, L.D., and Opdyke, N.D., 1982. Middle and late Miocene stable isotope stratigraphy: correlation to the paleomagnetic reversal record. *Micropaleontology*, 28:329–334.
- Cande, S.C., and Kent, D.V., 1992. A new geomagnetic polarity time scale for the Late Cretaceous and Cenozoic. *J. Geophys. Res.*, 97:13917–13951. [Cited as CK92 throughout the volume.]
- Chamley, H., 1989. *Clay Sedimentology*: Heidelberg (Springer-Verlag).
- Christensen, B.A., and Miller, K.G., 1991. Benthic foraminiferal distributions and Plio-Pleistocene to Recent sedimentation on the NJ slope and upper rise. *Eos*, 72:165.

* Abbreviations for names of organizations and publications in ODP reference lists follow the style given in *Chemical Abstracts Service Source Index* (published by American Chemical Society).

- Christie-Blick, N., Mountain, G.S., and Miller, K.G., 1990. Stratigraphic and seismic stratigraphic record of sea-level change. *Sea-level Change*: Washington (National Academy Press), 116–140.
- Claypool, G.E., and Kaplan, I.R., 1974. The origin and distribution of methane in marine sediments. In Kaplan, I.R. (Ed.), *Natural Gases in Marine Sediments*: New York (Plenum), 99–139.
- Claypool, G.E., and Kvendalen, K.A., 1983. Methane and other hydrocarbon gases in marine sediment. *Annu. Rev. Earth Planet. Sci.*, 11:299–327.
- Compton, J.S., 1988. Degree of supersaturation and precipitation of organogenic dolomite. *Geology*, 16:318–321.
- Curray, J.R., Moore, D.G., et al., 1982. *Init. Repts. DSDP*, 64 (Pts. 1 and 2): Washington (U.S. Govt. Printing Office).
- Damuth, J.E., 1980. Use of high-frequency (3.5–12 kHz) echograms in the study of near-bottom sedimentation processes in the deep-sea: a review. *Mar. Geol.*, 38:51–75.
- de Lange, G.J., 1992. Distribution of exchangeable, fixed, organic and total nitrogen in interbedded turbiditic/pelagic sediments of the Madeira abyssal plain, eastern North Atlantic. *Mar. Geol.*, 109:95–114.
- de Verteuil, L., and Norris, G., 1991. Neogene dinoflagellate cyst biostratigraphy of the Salisbury Embayment. *Geol. Soc. Am. Abstr. Prog.*, 23:144.
- , 1992. A new dinoflagellate cyst sequence biostratigraphic framework for the Miocene of the Baltimore Canyon Trough and adjacent Salisbury Embayment. In Lidgard, S., and Crane, P.R. (Eds.), *Fifth North American Paleontological Convention—Abstracts and Program*. Paleontol. Soc., 299.
- Dewan, J.T., 1983. *Essentials of Modern Open-Hole Log Interpretation*: Tulsa (PennWell).
- Doyle, L.J., Pilkey, O.H., and Woo, C.C., 1979. Sedimentation on the eastern United States continental slope. *Spec. Publ.—Soc. Econ. Paleontol. Miner.*, 27:119–130.
- Droser, M.L., and Bottjer, D.J., 1991. Trace fossils and ichnofabric in Leg 119 cores. In Barron, J., Larsen, B., et al., *Proc. ODP, Sci. Results*, 119: College Station, TX (Ocean Drilling Program), 635–644.
- Edwards, L.E., 1984. Miocene dinocysts from Deep Sea Drilling Project Leg 81, Rockall Plateau, Eastern North Atlantic Ocean. In Roberts, D.G., Schnitker, D., et al., *Init. Repts. DSDP*, 81: Washington (U.S. Govt. Printing Office), 581–594.
- Embley, R.W., 1976. New evidence for occurrence of debris flow deposits in the deep sea. *Geology*, 4:371–374.
- Embley, R.W., and Jacobi, R.D., 1977. Distribution of large sediment slides and slumps on Atlantic continental margins. *Mar. Geotechnol.*, 2:205–228.
- , 1986. Mass wasting in the western North Atlantic. In Vogt, P.R., and Tucholke, B.E. (Eds.), *The Geology of North America* (Vol. M): *The Western North Atlantic Region*. Geol. Soc. Am., 479–490.
- Emerson, S., and Hedges, J.I., 1988. Processes controlling the organic carbon content of open ocean sediments. *Paleoceanography*, 3:621–634.
- Emery, K.O., and Uchupi, E., 1972. Western North Atlantic: topography, rocks, structure, water, life, and sediments. *AAPG Mem.*, 17.
- Ericson, D.B., Ewing, M., Wollin, G., and Heezen, B.C., 1961. Atlantic deep-sea sediment cores. *Geol. Soc. Am. Bull.*, 72:193–286.
- Espitalié, J., Deroo, G., and Marquis, F., 1986. La pyrolyse Rock-Eval et ses applications. *Rev. Inst. Fr. Pet.*, 41:73–89.
- Espitalié, J., Laporte, J.L., Leplat, P., Madec, M., Marquis, F., Paulet, J., and Bouteuf, A., 1977. Méthode rapide de caractérisation des roches mères, de leur potentiel pétrolier et de leur degré d'évolution. *Rev. Inst. Fr. Pet.*, 32:23–42.
- Evans, H.B., and Lucia, J.A., 1970. Natural gamma radiation scanner. In Peterson, M.N.A., Edgar, N.T., et al., *Init. Repts. DSDP*, 2: Washington (U.S. Govt. Printing Office), 458–460.
- Fairbanks, R.G., 1989. A 17,000-year glacio-eustatic sea level record: influence of glacial melting rates on the Younger Dryas event and deep-ocean circulation. *Nature*, 342:637–642.
- Fairbanks, R.G., and Matthews, R.K., 1978. The marine oxygen isotope record in Pleistocene coral, Barbados, West Indies. *Quat. Res. (N.Y.)*, 10:181–196.
- Farre, J.A., McGregor, B.A., Ryan, W.B.F., and Robb, J.M., 1983. Breaching the shelfbreak: passage from youthful to mature phase in submarine canyon evolution. In Stanley, D.J., and Moore, G.T. (Eds.), *The Shelfbreak: Critical Interface on Continental Margins*. Spec. Publ.—Soc. Econ. Paleontol. Mineral., 33:25–39.
- Farre, J.A., and Ryan, W.B.F., 1987. Surficial geology of the continental margin offshore New Jersey in the vicinity of Deep Sea Drilling Project Sites 612 and 613. In Poag, C.W., Watts, A.B., et al., *Init. Repts. DSDP*, 95: Washington (U.S. Govt. Printing Office), 725–759.
- Fisher, A.T., and Becker, K., 1993. A guide to ODP tools for downhole measurements. *ODP Tech. Note*, 10.
- Fisher, R.A., 1953. Dispersion on a sphere. *Proc. R. Soc. London A*, 217:295–305.
- Gal'perin, E.I., 1974. *Vertical Seismic Profiling*. Soc. Explor. Geophys. Spec. Publ., 12.
- Gartner, S., 1977. Calcareous nannofossil biostratigraphy and revised zonation of the Pleistocene. *Mar. Micropaleontol.*, 2:1–25.
- , 1990. Neogene calcareous nannofossil biostratigraphy, Leg 116 (Central Indian Ocean). In Cochran, J.R., Stow, D.A.V., et al., *Proc. ODP, Sci. Results*, 116: College Station, TX (Ocean Drilling Program), 165–187.
- Gevirtz, J.L., Park, R.A., and Friedman, G.M., 1971. Paraecology of benthonic Foraminifera and associated micro-organisms of the continental shelf off Long Island, New York. *J. Paleontol.*, 45:153–177.
- Gieskes, J.M., 1981. Deep-sea drilling interstitial water studies: implications for chemical alteration of the oceanic crust, layers I and II. In Warmer, J.E., Douglas, R.G., and Winterer, E.L. (Eds.), *The Deep Sea Drilling Project: A Decade of Progress*. Spec. Publ.—Soc. Econ. Paleontol. Mineral., 32:149–167.
- Gieskes, J.M., Gamo, T., and Brumsack, H.J., 1991. Chemical methods for interstitial water analysis aboard JOIDES Resolution. *ODP Tech. Note*, 15.
- Grau, J.A., and Schweitzer, J.S., 1989. Elemental concentrations from thermal neutron capture gamma-ray spectra in geological formations. *Nucl. Geophys.*, 3:1–9.
- Grau, J.A., Schweitzer, J.S., and Hertzog, R.C., 1990. Statistical uncertainties of elemental concentrations extracted from neutron induced gamma-ray measurements. *IEEE Trans. Nucl. Sci.*, 37:2175–2178.
- Greenlee, S.M., Devlin, W.J., Miller, K.G., Mountain, G.S., and Flemings, P.B., 1992. Integrated sequence stratigraphy of Neogene deposits, New Jersey continental shelf and slope: comparison with the Exxon model. *Geol. Soc. Am. Bull.*, 104:1403–1411.
- Greenlee, S.M., and Moore, T.C., 1988. Recognition and interpretation of depositional sequences and calculation of sea level changes from stratigraphic data-offshore New Jersey and Alabama Tertiary. In Wilgus, C.K., Posamentier, H., Ross, C.A., and Kendall, C.G.St.C. (Eds.), *Sea Level Changes: an Integrated Approach*. Spec. Publ.—Soc. Econ. Paleontol. Mineral., 42:329–353.
- Greenlee, S.M., Schroeder, F.W., and Vail, P.R., 1988. Seismic stratigraphic and geohistory analysis of Tertiary strata from the continental shelf off New Jersey; calculation of eustatic fluctuations from stratigraphic data. In Sheridan, R.E., and Grow, J.A. (Eds.), *The Atlantic Continental Margin*. Geol. Soc. Am., Geol. of North Am. Ser., 437:444.
- Groot, J.J., Benson, R.N., and Weymiller, J.F., in press. Palynological, foraminiferal, and aminostratigraphic studies of upper Cenozoic sediments from the upper continental slope, continental shelf, and coastal plain of the U.S. Middle Atlantic region. *Quat. Sci. Rev.*
- Grow, J.A., Klitgord, K.D., and Schlee, J.S., 1988. Structure and evolution of Baltimore Canyon Trough. In Sheridan, R.E., and Grow, J.A. (Eds.), *The Atlantic Continental Margin*. Geol. Soc. Am., Geol. of North Am. Ser., 269–290.
- Grow, J.A., Mattick, R.E., and Schlee, J.S., 1979. Multi-channel seismic depth sections and interval velocities over continental shelf and upper continental slope between Cape Hatteras and Cape Cod. In Watkins, J.S., Montadert, L., and Dickerson, P.W. (Eds.), *Geological and Geophysical Investigations of Continental Margins*. AAPG Mem., 29:65–83.
- Grow, J.A., and Sheridan, R.E., 1988. U.S. Atlantic continental margin; a typical Atlantic-type or passive continental margin. In Sheridan, R.E., and Grow, J.A. (Eds.), *The Atlantic Continental Margin*. Geol. Soc. Am., Geol. of North Am. Ser., 1–7.
- Hancock, J.M., and Kauffman, E.G., 1979. The great transgressions of the Late Cretaceous. *J. Geol. Soc. London*, 136:175–186.
- Haq, B.U., Hardenbol, J., and Vail, P.R., 1987. Chronology of fluctuating sea levels since the Triassic. *Science*, 235:1156–1167.
- Harland, R., 1988. Quaternary dinoflagellate cyst biostratigraphy of the North Sea. *Palaeontology*, 31:877–903.
- , 1979. Dinoflagellate biostratigraphy of Neogene and Quaternary sediment at Holes 400/400A in the Bay of Biscay (Deep Sea Drilling Project Leg 48). In Montadert, L., Roberts, D.G., et al., *Init. Repts. DSDP*, 48: Washington (U.S. Govt. Printing Office), 531–545.

- Hathaway, J.C., Schlee, J., Poag, C.W., Valentine, P.C., Weed, E.G.A., Bothner, M.H., Kohout, F.A., Manheim, F.T., Schoen, R., Miller, R.E., and Schultz, D.M., 1976. Preliminary study of the 1976 Atlantic Margin Coring Project of the U.S. Geological Survey. *Open-File Rep.—U.S. Geol. Surv.*, 76-844.
- Head, M.J., and Norris, G., 1989. Palynology and dinocyst stratigraphy of the Eocene and Oligocene in ODP Leg 105, Hole 647A, Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 515-550.
- Head, M.J., Norris, G., and Mudie, P.J., 1989a. Palynology and dinocyst stratigraphy of the Miocene in ODP Leg 105, Hole 645E, Baffin Bay. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 467-514.
- , 1989b. Palynology and dinocyst stratigraphy of the upper Miocene and lowermost Pliocene, ODP Leg 105, Site 646, Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 423-451.
- Hearst, J.R., and Nelson, P.H., 1985. *Well Logging for Physical Properties*. New York (McGraw-Hill).
- Heezen, B.C., and Ewing, M., 1952. Turbidity currents and submarine slumps and the 1929 Grand Banks earthquake. *Am. J. Sci.*, 250:849-878.
- Heezen, B.C., Hollister, C.D., and Ruddiman, W.F., 1966. Shaping of the continental rise by deep geostrophic contour currents. *Science*, 152:502-508.
- Heezen, B.C., Tharp, M., and Ewing, M., 1959. The floors of the Ocean, I. The North Atlantic. *Spec. Pap.—Geol. Soc. Am.*, 65.
- Hertzog, R., Colson, L., Seeman, B., O'Brien, M., Scott, H., McKeon, D., Wraight, J., Grau, J., Ellis, D., Schweitzer, J., and Herron, M., 1989. Geochemical logging with spectrometry tools. *SPE Form. Eval.*, 4:153-162.
- Hitchon, B., 1974. Occurrence of natural gas hydrates in sedimentary basins. In Kaplan, I.R. (Ed.), *Natural Gases in Marine Sediments*. New York (Plenum), 195-226.
- Hollister, C.D., 1967. Sediment distribution and circulation in the Western North Atlantic [Ph.D. dissertation]. Columbia Univ., New York.
- , 1973. Atlantic continental shelf and slope of the United States: texture of surface sediments from New Jersey to southern Florida. *Geol. Surv. Prof. Pap. U.S.*, 529M.
- Hollister, C.D., Ewing, J.I., et al., 1972. *Init. Repts. DSDP*, 11: Washington (U.S. Govt. Printing Office).
- Horai, K., and Von Herzen, R.P., 1985. Measurement of heat flow on Leg 86 of the Deep Sea Drilling Project. In Heath, G.R., Burkle, L.H., et al., *Init. Repts. DSDP*, 86: Washington (U.S. Govt. Printing Office), 759-777.
- Houtz, R.E., 1980. Comparison of velocity depth characteristics in western North Atlantic and Norwegian Sea sediments. *J. Acoustic Soc. Am.*, 68(5).
- Hülsemann, J., and Emery, K.O., 1961. Stratification in recent sediments of Santa Barbara Basin as controlled by organisms and water character. *J. Geol.*, 69:279-290.
- Imbrie, J., et al., 1988. Scientific goals of an Ocean Drilling Program designed to investigate changes in the global environment. In Munsch, G.B. (Ed.), *Rep. Second Conf. Sci. Ocean Drilling*, 15-46.
- Imbrie, J., Hays, J.D., Martinson, D.G., McIntyre, A., Mix, A.C., Morley, J.J., Pisias, N.G., Prell, W.L., and Shackleton, N.J., 1984. The orbital theory of Pleistocene climate: support from a revised chronology of the marine $\delta^{18}\text{O}$ record. In Berger, A., Imbrie, J., Hays, J., Kukla, G., and Saltzman, B. (Eds.), *Milankovitch and Climate* (Pt. 1). Dordrecht (D. Reidel), 269-305.
- Jones, J.B., and Segnit, E.R., 1972. Genesis of cristobalite and tridymite at low temperatures. *J. Geol. Soc. Aust.*, 18:419-422.
- Kastner, M., 1981. Authigenic silicates in deep sea sediments: formation and diagenesis. In Emiliani, C. (Ed.), *The Sea* (Vol. 7): *The Oceanic Lithosphere*. New York (Wiley), 915-980.
- Kastner, M., Asaro, F., Michel, H.V., Alvarez, W., and Alvarez, L.W., 1984. The precursor of the Cretaceous-Tertiary boundary clays at Stevns Klint, Denmark, and DSDP Hole 465A. *Science*, 226:137-143.
- Kennett, J.P., and Srinivasan, M.S., 1983. *Neogene Planktonic Foraminifera: A Phylogenetic Atlas*. Stroudsburg, PA (Hutchinson Ross).
- Kidwell, S.M., 1984. Outcrop features and origin of basin margin unconformities in the Lower Chesapeake Group (Miocene), Atlantic coastal plain. *AAPG Mem.*, 37:37-57.
- Kolev, S., 1993. Pliocene dinoflagellate-acritarch biostratigraphy and paleoecology integrated with magnetostratigraphy: DSDP Leg 93, Hole 603C, western North Atlantic [Master of Sci. dissertation]. Univ. of Toronto, Toronto.
- Kvenvolden, K.A., and Kastner, M., 1990. Gas hydrates of the Peruvian outer continental margin. In Suess, E., von Huene, R., et al., *Proc. ODP, Sci. Results*, 112: College Station, TX (Ocean Drilling Program), 517-526.
- Kvenvolden, K.A., and McDonald, T.J., 1986. Organic geochemistry on the JOIDES Resolution—an assay. *ODP Tech. Note*, 6.
- Kvenvolden, K.A., and McMenamin, M.A., 1980. Hydrates of natural gas: a review of their geologic occurrence. *Geol. Surv. Circ. (U.S.)*, 825:1-9.
- Laine, E.P., Damuth, J.E., and Jacobi, R.D., 1986. Surficial sedimentary processes revealed by echo-character mapping in the western North Atlantic. In Vogt, P.R., and Tucholke, B.E. (Eds.), *The Geology of North America* (Vol. M): *The Western North Atlantic Region*. Geol. Soc. Am., Geol. of North Am. Ser., 427:427-436.
- Larson, R.L., and Pitman, W.C., 1972. World-wide correlation of Mesozoic magnetic anomalies and its implications. *Geol. Soc. Am. Bull.*, 83:3645-3662.
- Le Pichon, X., 1988. *Report of the Second Conference on Scientific Ocean Drilling (COSODII)*: Strasbourg, France (European Science Foundation).
- Libby-French, J., 1984. Stratigraphic framework and petroleum potential of northeastern Baltimore Canyon Trough, mid-Atlantic outer continental shelf. *AAPG Bull.*, 68:50-73.
- Lock, G.A., and Hoyer, W.A., 1971. Natural gamma-ray spectral logging. *Log Analyst*, 12:3-9.
- Lorenzo, J.M., and Vera, E.E., 1992. Correlation between diverse seismic and physical properties data sets: Site 763, Southern Exmouth Plateau. In von Rad, U., Haq, B.U., et al., *Proc. ODP, Sci. Results*, 122: College Station, TX (Ocean Drilling Program), 393-409.
- Lovell, M.A., 1984. Thermal conductivity and permeability assessment by electrical resistivity measurements in marine sediments. *Mar. Geotechnol.*, 6:205-240.
- Lynch, E.J., 1962. *Formation Evaluation*. New York (Harper and Row).
- Manum, S.B., 1976. Dinocysts in Tertiary Norwegian-Greenland Sea sediments (Deep Sea Drilling Project Leg 38), with observations on palynomorphs and palynodebris in relation to environment. In Talwani, M., Udintsev, G., et al., *Init. Repts. DSDP*, 38: Washington (U.S. Govt. Printing Office), 897-919.
- Manum, S.B., Boultre, M.C., Gunnarsdottir, H., Rangnes, K., and Scholze, A., 1989. Eocene to Miocene palynology of the Norwegian Sea (ODP Leg 104). In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 611-662.
- Markl, R.G., and Bryan, G.M., 1983. Stratigraphic evolution of Blake Outer Ridge. *AAPG Bull.*, 67:666-683.
- Martini, E., 1971. Standard Tertiary and Quaternary calcareous nannoplankton zonation. In Farinacci, A. (Ed.), *Proc. 2nd Int. Conf. Planktonic Microfossils Roma*: Rome (Ed. Tecnosci.), 2:739-785.
- May, J.A., Warne, J.E., and Slater, R.A., 1983. Role of submarine canyons on shelfbreak erosion and sedimentation: modern and ancient examples. In Stanley, D.J., and Moore, G.T. (Eds.), *The Shelfbreak: Critical Interface on Continental Margins*. Spec. Publ.—Soc. Econ. Paleontol. Mineral., 33:315-332.
- Mayer, L., Pisias, N., Janecek, T., et al., 1992. *Proc. ODP, Init. Repts.*, 138 (Pts. 1 and 2): College Station, TX (Ocean Drilling Program).
- Mazzullo, J.M., Meyer, A., and Kidd, R., 1988. New sediment classification scheme for the Ocean Drilling Program. In Mazzullo, J., and Graham, A.G. (Eds.), *Handbook for Shipboard Sedimentologists*. ODP Tech. Note, 8:44-63.
- McCave, I.N., and Tucholke, B.E., 1986. Deep current-controlled sedimentation in the western North Atlantic. In Vogt, P.R., and Tucholke, B.E. (Eds.), *The Geology of North America* (Vol. M): *The Western North Atlantic Region*. Geol. Soc. Am., Geol. of North Am. Ser., 451-468.
- McClane, W.F. (Ed.), 1983. *Mineral Powder Diffraction File, Group Data Book*. Swarthmore, PA (Int. Centre for Diffraction Data).
- McHugh, C.M., Ryan, W.B.F., and Schreiber, B.C., 1993. The role of diagenesis in exfoliation of submarine canyons. *AAPG Bull.*, 77:145-172.
- McIver, R., 1975. Hydrocarbon occurrence from JOIDES Deep Sea Drilling Project. *Proc. Ninth Petrol. Congr.*, 269-280.
- McMaster, R.L., and Locker, S.D., 1989. The early Neogene continental rise off the eastern United States. *Mar. Geol.*, 87:137-163.
- McMaster, R.L., Locker, S.D., and Laine, E.P., 1989. The early Neogene continental rise off the eastern United States. *Mar. Geol.*, 87:137-163.
- McRae, S.G., 1972. Glauconite. *Earth-Sci. Rev.*, 8:397-440.
- Miller, K.G., et al., 1994. *Proc. ODP, Init. Repts.*, 150X: College Station, TX (Ocean Drilling Program).

- Miller, K.G., Fairbanks, R.G., and Mountain, G.S., 1987. Tertiary oxygen isotope synthesis, sea-level history, and continental margin erosion. *Paleoceanography*, 2:1–19.
- Miller, K.G., Kent, D.V., Brower, A.N., Bybell, L.M., Feigenson, M.D., Olsson, R.K., and Poore, R.Z., 1990. Eocene-Oligocene sea-level changes on the New Jersey coastal plain linked to the deep-sea record. *Geol. Soc. Am. Bull.*, 102:331–339.
- Miller, K.G., and Lohmann, G.P., 1982. Environmental distribution of Recent benthic foraminifera on the northeast United States continental slope. *Geol. Soc. Am. Bull.*, 93:200–206.
- Miller, K.G., Melillo, A.J., Mountain, G.S., Farre, J.A., and Poag, C.W., 1987. Middle to late Miocene canyon cutting on the New Jersey continental slope: biostratigraphic and seismic stratigraphic evidence. *Geology*, 15:509–512.
- Miller, K.G., Mountain, G.S., and Tucholke, B.E., 1985. Oligocene glacio-eustacy and erosion on the margins of the North Atlantic. *Geology*, 13:10–13.
- Miller, K.G., Wright, J.D., and Brower, A.N., 1989. Oligocene to Miocene stable isotope stratigraphy and planktonic foraminifer biostratigraphy of the Sierra Leone Rise (DSDP Site 366 and ODP Site 667). In Ruddiman, W., Sarnthein, M., et al., *Proc. ODP, Sci. Results*, 108: College Station, TX (Ocean Drilling Program), 279–294.
- Miller, K.G., Wright, J.D., and Fairbanks, R.G., 1991c. Unlocking the Ice House: Oligocene-Miocene oxygen isotopes, eustasy, and margin erosion. *J. Geophys. Res.*, 96:6829–6848.
- Mitchum, R.M., Jr., Vail, P.R., and Thompson, S., III, 1977. Seismic stratigraphy and global changes of sea level, Part 2: the depositional sequence as a basic unit for stratigraphic analysis. In Payton, C.E. (Ed.), *Seismic Stratigraphy—Applications to Hydrocarbon Exploration*. AAPG Mem., 26:53–62.
- Morgenroth, P., 1966. Mikrofossilien und Konkretionen des nordwesteuropäischen Untereozäns. *Palaeontogr. Abt. B*, 119:1–53.
- Mountain, G.S., 1987. Cenozoic margin construction and destruction offshore New Jersey. In Ross, C., and Haman, D. (Eds.), *Spec. Publ. Cushman Found. Foraminiferal Res.*, 24:57–83.
- Mountain, G.S., and Miller, K.G., 1991. Cenozoic slope failure offshore New Jersey inferred from seismic, litho-, and bio-stratigraphy. *Eos*, 72:164.
- Mountain, G.S., and Tucholke, B.E., 1985. Mesozoic and Cenozoic geology of the U.S. Atlantic continental slope and rise. In Poag, C.W. (Ed.), *Geologic Evolution of the United States Atlantic Margin*: New York (Van Nostrand Reinhold), 293–341.
- Mudie, P.J., 1987. Palynology and dinoflagellate biostratigraphy of Deep Sea Drilling Project Leg 94, Sites 607 and 611, North Atlantic Ocean. In Ruddiman, W.F., Kidd, R.B., Thomas, E., et al., *Init. Repts. DSDP*, 94 (Pt. 2): Washington (U.S. Govt. Printing Office), 785–812.
- , 1989. Palynology and dinocyst biostratigraphy of the late Miocene to Pleistocene, Norwegian Sea: ODP Leg 104, Sites 642–644. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 587–610.
- Müller, P.J., 1977. C/N ratios in Pacific deep sea sediments: effect of inorganic ammonium and organic nitrogen compounds absorbed by clays. *Geochim. Cosmochim. Acta*, 41:765–776.
- Munsell Soil Color Charts, 1971. Baltimore, MD (Munsell Color).
- Nissenbaum, A., Presley, B.J., and Kaplan, I.R., 1972. Early diagenesis in a reducing fjord, Saanich Inlet, British Columbia. I. Chemical and isotopic changes in major components of interstitial water. *Geochim. Cosmochim. Acta*, 36:1007–1027.
- Okada, H., and Bukry, D., 1980. Supplementary modification and introduction of code numbers to the low-latitude coccolith biostratigraphic zonation (Bukry, 1973; 1975). *Mar. Micropaleontol.*, 5:321–325.
- Olsson, R.K., Melillo, A.J., and Schreiber, B.L., 1987. Miocene sea level events in the Maryland coastal plain and the offshore Baltimore Canyon trough. In Ross, C., and Haman, D. (Eds.), *Timing and Depositional History of Eustatic Sequences: Constraints on Seismic Stratigraphy*. Spec. Publ. Cushman Found. Foraminiferal Res., 24:85–97.
- Olsson, R.K., Miller, K.G., and Ungrady, T.E., 1980. Late Oligocene transgression of middle Atlantic coastal plain. *Geology*, 8:549–554.
- Olsson, R.K., and Wise, S.W., 1987. Upper Paleocene to middle Eocene depositional sequences and hiatuses in the New Jersey Atlantic Margin. In Ross, C., and Haman, D. (Eds.), *Timing and Depositional History of Eustatic Sequences: Constraints on Seismic Stratigraphy*. Spec. Publ. Cushman Found. Foraminiferal Res., 24:99–112.
- Owens, J.P., and Gohn, G.S., 1985. Depositional history of the Cretaceous series in the U.S. coastal plain: stratigraphy, paleoenvironments, and tectonic controls of sedimentation. In Poag, C.W. (Ed.), *Geologic Evolution of the United States Atlantic Margin*: New York (Van Nostrand Reinhold), 25–86.
- Owens, J.P., and Sohl, N.F., 1969. Shelf and deltaic paleoenvironments in the Cretaceous-Tertiary formations of the New Jersey Coastal Plain. In Subitzky, S. (Ed.), *Geology of Selected Areas in New Jersey and Eastern Pennsylvania and Guidebook of Excursions*: New Brunswick, NJ (Rutgers University Press), 235–278.
- Paull, C.K., and Dillon, W.P., 1980. Erosional origin of the Blake Escarpment: an alternative hypothesis. *Geology*, 8:538–542.
- Paulus, F.J., 1972. Leg 11 measurements of physical properties in sediments of the western North Atlantic and their relationship to sediment consolidation. In Hollister, C.D., Ewing, J.I., et al., *Init. Repts. DSDP*, 11: Washington (U.S. Govt. Printing Office), 667–722.
- Perch-Nielsen, K., 1985. Cenozoic calcareous nannofossils. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 427–554.
- Peters, K.E., 1986. Guidelines for evaluating petroleum source rocks using programmed pyrolysis. *AAPG Bull.*, 70:318–329.
- Piasecki, S., 1980. Dinoflagellate cyst stratigraphy of the Miocene Hodde and Gram Formations, Denmark. *Bull. Geol. Soc. Den.*, 29:53–76.
- Pilkey, O.H., and Clearay, W.J., 1986. Turbidite sedimentation in the northwestern Atlantic Ocean basin. In Vogt, P.R., and Tucholke, B.E. (Eds.), *The Geology of North America* (Vol. M): *The Western North Atlantic Region*. Geol. Soc. Am., Geol. of North Am. Ser., 437–450.
- Pisias, N.G., Shackleton, N.J., and Hall, M.A., 1985. Stable isotope and calcium carbonate records from hydraulic piston cored Hole 574A: high-resolution records from the middle Miocene. In Mayer, L., Theyer, F., Thomas, E., et al., *Init. Repts. DSDP*, 85: Washington (U.S. Govt. Printing Office), 735–748.
- Poag, C.W., 1978. Stratigraphy of the Atlantic continental shelf and slope of the United States. *Annu. Rev. Earth Planet. Sci.*, 6:251–280.
- , 1980. Foraminiferal stratigraphy, paleoenvironments, and depositional cycles in the outer Baltimore Canyon Trough. In Scholle, P.A. (Ed.), *Geological Studies of the COST No. B-3 Well, United States Mid-Atlantic Continental Slope Area*. Geol. Surv. Circ. (U.S.), 833:44–65.
- , 1985. Depositional history and stratigraphic reference section for central Baltimore Canyon trough. In Poag, C.W. (Ed.), *Geologic Evolution of the United States Atlantic Margin*: New York (Van Nostrand Reinhold), 217–263.
- Poag, C.W., Knebel, H.J., and Todd, R., 1980. Distribution of modern benthic foraminifers on the New Jersey Outer Continental Shelf. *Mar. Micropaleontol.*, 5:43–69.
- Poag, C.W., and Mountain, G.S., 1987. Late Cretaceous and Cenozoic evolution of the New Jersey continental slope and upper rise: an integration of borehole data with seismic reflection profiles. In Poag, C.W., Watts, A.B., et al., *Init. Repts. DSDP*, 95: Washington (U.S. Govt. Printing Office), 673–724.
- Poag, C.W., Powars, D.S., Poppe, L.J., Mixon, R.B., Edwards, L.E., Folger, D.W., and Bruce, S., 1992. Deep Sea Drilling Project Site 612 bolide event: new evidence of a late Eocene impact-wave deposit and a possible impact site, U.S. east coast. *Geology*, 20:771–774.
- Poag, C.W., and Sevon, W.D., 1989. A record of Appalachian denudation in postdrift Mesozoic and Cenozoic sedimentary deposits of the U.S. middle Atlantic margin. *Geomorphology*, 2:119–157.
- Poag, C.W., Watts, A.B., et al., 1987. *Init. Repts. DSDP*, 95: Washington (U.S. Govt. Printing Office).
- Poore, R.Z., and Bybell, L., 1988. Eocene to Miocene biostratigraphy of New Jersey core ACGS#4: implications for regional stratigraphy. *U.S. Geol. Surv. Bull.*, 1829:1–22.
- Posamentier, H.W., Jervey, M.T., and Vail, P.R., 1988. Eustatic controls on clastic deposition, I—Conceptual framework. *Spec. Publ.—Soc. Econ. Paleontol. Mineral.*, 42:109–124.
- Prahl, F.G., Muehlhausen, L.A., and Zahnle, D.L., 1988. Further evaluation of long-chain alkenones as indicators of paleoceanographic conditions. *Geochim. Cosmochim. Acta*, 52:2303–2310.
- Reynolds, D.J., Steckler, M.S., and Coakley, B.J., 1991. The role of the sediment load in sequence stratigraphy: the influence of flexural isostasy and compaction. *J. Geophys. Res.*, 96:6931–6949.
- Rider, M.H., 1986. *The Geologic Interpretation of Well Logs*: London (Blackie/Halsted Press).

- Robb, J.M., Hampson, J.C., Jr., and Twichell, D.C., 1981. Geomorphology and sediment stability of a segment of the U.S. continental slope off New Jersey. *Science*, 211:935–937.
- Romankevich, E.A., 1984. Nitrogen and phosphorus in the process of sedimentogenesis. In Romankevich, E.A. (Ed.), *Geochemistry of Organic Matter in the Ocean*: New York (Springer-Verlag), 161–186.
- Roth, P.H., 1983. Cretaceous nannoplankton biostratigraphy and oceanography of the western North Atlantic. In Sheridan, R.E., Gradstein, F.M., et al., *Init. Repts. DSDP*, 76: Washington (U.S. Govt. Printing Office), 587–621.
- Ruckebusch, G., 1983. A Kalman filtering approach to natural gamma ray spectroscopy in well logging. *IEEE Trans. Autom. Control*, AC-28:372–380.
- Ruddiman, W., Sarnthein, M., Baldauf, J., et al., 1988. *Proc. ODP, Init. Repts.*, 108: College Station, TX (Ocean Drilling Program).
- Schlee, J.S., 1981. Seismic stratigraphy of Baltimore Canyon Trough. *AAPG Bull.*, 65:26–53.
- Schlumberger, 1986. *Log Interpretation Charts*: New York (Schlumberger).
- , 1989. *Log Interpretation Principles/Applications*: Houston, TX (Schlumberger Educational Services).
- Scholle, P.A. (Ed.), 1980. Geological studies of the COST No. B-3 well, United States mid-Atlantic continental slope area. *Geol. Surv. Circ. (U.S.)*, 833.
- Schweitzer, J.S., Grau, J.A., and Hertzog, R.C., 1988. Precision and accuracy of short-lived activation measurements for in situ geological analyses. *J. Trace Microprobe Techniques*, 6:437–451.
- Scott, D.B., 1987. Quaternary benthic foraminifers from Deep Sea Drilling Project Sites 612 and 613, Leg 95, New Jersey transect. In Poag, C.W., Watts, A.B., et al., *Init. Repts. DSDP*, 95: Washington (U.S. Govt. Printing Office), 313–337.
- Scott, H.D., and Smith, M.P., 1973. The aluminum activation log. *Log Analyst*, 14:3–12.
- Sea Level Working Group, 1992. *JOIDES J.*, 18:28–36.
- Serra, O., 1984. *Fundamentals of Well Log Interpretation*: Amsterdam (Elsevier).
- , 1989. *Formation MicroScanner Image Interpretation*: Houston (Schlumberger Educ. Services), SMP-7028.
- Serra, O., Baldwin, J., and Quirein, J., 1980. Theory, interpretation and practical applications of natural gamma-ray spectroscopy. *Trans. SPWLA 21st Annu. Logging Symp.*, Q1–Q30.
- Shackleton, N.J., and Opdyke, N.D., 1973. Oxygen isotope and paleomagnetic stratigraphy of equatorial Pacific core V28-238: oxygen isotope temperatures and ice volumes on a 10^5 year and 10^6 year scale. *Quat. Res.*, 3:39–55.
- , 1976. Oxygen-isotope and paleomagnetic stratigraphy of Pacific Core V28-239: late Pliocene to latest Pleistocene. In Cline, R.M., and Hays, J.D. (Eds.), *Investigations of Late Quaternary Paleoceanography and Paleoclimatology*. Mem.—Geol. Soc. Am., 145:449–464.
- Shackleton, N.J., and Shipboard Scientific Party, 1992. Sedimentation rates: toward a GRAPE density stratigraphy for Leg 138 carbonate sections. In Mayer, L., Pisias, N., Janecek, T., et al., *Proc. ODP, Init. Repts.*, 138 (Pt. 1): College Station, TX (Ocean Drilling Program), 87–91.
- Shen, P.Y., and Beck, A.E., 1986. Stabilization of bottom-hole temperature with finite circulation time and fluid flow. *Geophys. J.R. Astron. Soc.*, 86:63–90.
- Shepard, F., 1954. Nomenclature based on sand-silt-clay ratios. *J. Sediment. Petrol.*, 24:151–158.
- Shepard, F.P., and Dill, R.F., 1966. *Submarine Canyons and Other Sea Valleys*: Chicago (Rand McNally).
- Sheridan, R.E., Gradstein, F.M., et al., 1983. *Init. Repts. DSDP*, 76: Washington (U.S. Govt. Printing Office).
- Shipboard Scientific Party, 1989. Site 722. In Prell, W.L., Niituma, N., et al., *Proc. ODP, Init. Repts.*, 117: College Station, TX (Ocean Drilling Program), 255–318.
- , 1992. Explanatory notes. In Davis, E.E., Mottl, M.J., Fisher, A.T., et al., *Proc. ODP, Init. Repts.*, 139: College Station, TX (Ocean Drilling Program), 55–97.
- Shipley, T.H., Buffler, R.T., and Watkins, J.S., 1978. Seismic stratigraphy and geologic history of the Blake Plateau and the adjacent western Atlantic margin. *AAPG Bull.*, 62:792–812.
- Stainforth, R.M., Lamb, J.L., Luterbacher, H., Beard, J.H., and Jeffords, R.M., 1975. Cenozoic planktonic foraminiferal zonation and characteristics of index forms. *Univ. Kans. Paleontol. Contrib., Article*, 62:1–425.
- Steckler, M.S., and Watts, A.B., 1982. Subsidence history and tectonic evolution of Atlantic-type continental margins. In Scruton, R.A. (Ed.), *Dynamics of Passive Margins*. AGU Geodyn. Ser., 6:184–196.
- Stover, L.E., 1977. Oligocene and early Miocene dinoflagellates from Atlantic Corehole 5/5B, Blake Plateau. In Elsik, W.C. (Ed.), *Contributions of Stratigraphic Palynology: Cenozoic Palynology*. Am. Assoc. Stratigr. Palynol., Contrib. Ser., 5A:66–89.
- Streeter, S.S., and Lavery, S.A., 1982. Holocene and latest glacial benthic foraminifera from the slope and rise off eastern North America. *Geol. Soc. Am. Bull.*, 93:190–199.
- Suess, E., von Huene, R., et al., 1988. *Proc. ODP, Init. Repts.*, 112: College Station, TX (Ocean Drilling Program).
- Sugarman, P.J., Miller, K.G., Owens, J.P., and Feigenson, M.D., 1993. Strontium isotope and sequence stratigraphy of the Miocene Kirkwood Formation, Southern New Jersey. *Geol. Soc. Am. Bull.*, 105:423–436.
- Summerhayes, C.P., 1981. Organic facies of Mid-Cretaceous black shales in the deep north Atlantic. *AAPG Bull.*, 65:3264–3280.
- , 1983. Distribution of organic matter in upwelling regime. In Suess, E., and Thiede, J. (Eds.), *Coastal Upwelling: Its Sedimentary Record (Part B)*: New York (Plenum), 29–72.
- Swift, D.J.P., Moir, R., and Freeland, G.L., 1980. Quaternary rivers on the New Jersey shelf: relation of seafloor to buried valleys. *Geology*, 8:176–280.
- Thein, J., 1987. A tektite layer in upper Eocene sediments of the New Jersey continental slope (Site 612, Leg 95). In Poag, C.W., Watts, A.B., et al., *Init. Repts. DSDP*, 95: Washington (U.S. Govt. Printing Office), 565–579.
- Thein, J., and von Rad, U., 1987. Silica diagenesis in continental rise and slope sediments off eastern North America (Sites 603 and 605, Leg 93; Sites 612 and 614, Leg 95). In Poag, C.W., Watts, A.B., et al., *Init. Repts. DSDP*, 95: Washington (U.S. Govt. Printing Office), 501–525.
- Tissot, B.P., and Welte, D.H., 1984. *Petroleum Formation and Occurrence* (2nd ed.): Heidelberg (Springer-Verlag).
- Tjalsma, R.C., and Lohmann, G.P., 1983. Paleocene-Eocene bathyal and abyssal benthic foraminifera from the Atlantic Ocean. *Micropaleontol. Spec. Publ.*, 4.
- Toumarkine, M., and Luterbacher, H., 1985. Paleocene and Eocene planktic foraminifera. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 87–154.
- Tucholke, B.E., 1981. Geological significance of seismic reflectors in the deep western North Atlantic basin. In Warne, J.E., Douglas, R.G., and Winterer, E.L. (Eds.), *The Deep Sea Drilling Project: A Decade of Progress*. Spec. Publ.—Soc. Econ. Paleontol. Mineral., 32:23–37.
- Tucholke, B.E., and Laine, E.P., 1982. Neogene and Quaternary development of the lower continental rise off the central U.S. East Coast. In Watkins, J.S., and Drake, C.L. (Eds.), *Studies in Continental Margin Geology*. AAPG Mem., 34:295–305.
- Tucholke, B.E., and Mountain, G.S., 1979. Seismic stratigraphy, lithostratigraphy, and paleosedimentation patterns in the North American basin. In Talwani, M., Hay, W., and Ryan, W. (Eds.), *Deep Drilling Results in the Atlantic Ocean: Continental Margins and Paleoenvironment*. Am. Geophys. Union, Maurice Ewing Ser., 3:58–86.
- Tucholke, B.E., and Vogt, P.R., 1979. Western North Atlantic: sedimentary evolution and aspects of tectonic history. In Tucholke, B.E., Vogt, P.R., et al., *Init. Repts. DSDP*, 43: Washington (U.S. Govt. Printing Office), 791–825.
- Tucholke, B.E., Vogt, P.R., et al., 1979. *Init. Repts. DSDP*, 43: Washington (U.S. Govt. Printing Office).
- Vail, P.R., 1987. Seismic stratigraphy interpretation using sequence stratigraphy. Part 1: Seismic stratigraphy interpretation procedure. In Bally, A.W. (Ed.), *Atlas of Seismic Stratigraphy* (Vol. 1). AAPG Stud. Geol., 27:1–10.
- Vail, P.R., Mitchum, R.M., Jr., Todd, R.G., Widmier, J.M., Thompson, S., III, Sangree, J.B., Bubb, J.N., and Hatlelid, W.G., 1977. Seismic stratigraphy and global changes in sea level. In Payton, C.E. (Ed.), *Seismic Stratigraphy—Applications to Hydrocarbon Exploration*. AAPG Mem., 26:49–221.
- van Andel, T.H., Heath, G.R., and Moore, T.C., Jr., 1975. Cenozoic tectonics, sedimentation, and paleoceanography of the central equatorial Pacific: a regional synthesis of Deep Sea Drilling Project data. *Mem.—Geol. Soc. Am.*, 143.
- van Hinte, J.A., Wise, S.W., Jr., et al., 1987. *Init. Repts. DSDP*, 93: Washington (U.S. Govt. Printing Office).
- van Morkhoven, F.P.C.M., Berggren, W.A., and Edwards, A.S., 1986. Cenozoic cosmopolitan deep-water benthic foraminifera. *Bull. Cent. Rech. Explor.-Prod. Elf-Aquitaine*, Mem. 11.

- van Wagoner, J.C., Mitchum, R.M., Jr., Posamentier, H.W., and Vail, P.R., 1987. Key definitions of sequence stratigraphy. In Bally, A.W. (Ed.), *Atlas of Seismic Stratigraphy*. AAPG Stud. Geol., 27:11–14.
- Volkman, J.K., Eglinton, G., Corner, E.D.S., and Sargent, J.R., 1980. Novel unsaturated straight-chain C₃₇–C₃₉ methyl and ethyl ketones in marine sediments and a coccolithophore *Emiliania huxleyi*. In Douglas, A.G., and Maxwell, J.R. (Eds.), *Advances in Organic Geochemistry 1979*. Oxford (Pergamon Press), 219–228.
- Von Herzen, R.P., and Maxwell, A.E., 1959. The measurement of thermal conductivity of deep-sea sediments by a needle-probe method. *J. Geophys. Res.*, 64:1557–1563.
- Wahl, J.S., 1983. Gamma ray logging. *Geophysics*, 48:1536–1550.
- Waldner, J.S., and Hall, D.W., 1991. A marine seismic survey to delineate Tertiary and Quaternary stratigraphy of coastal plain sediments offshore of Atlantic City, New Jersey. *New Jersey Geol. Surv. Rep.*, GSR 26.
- Waterman, L.S., 1973. Interstitial water studies on small core samples, Leg 20. In Heezen, B.C., MacGregor, I.D., et al., *Init. Repts. DSDP*, 20: Washington (U.S. Govt. Printing Office), 423–425.
- Watkins, J.S., and Mountain, G.S. (Eds.), 1990. *Role of ODP Drilling in the Investigation of Global Changes in Sea Level*. Rep. JOI/USSAC Workshop, El Paso, TX, Oct. 24–26, 1988.
- Watts, A.B., and Steckler, M.S., 1979. Subsidence and eustasy at the continental margin of eastern North America. In Talwani, M., Hay, W., and Ryan, W.B.F. (Eds.), *Deep Drilling Results in the Atlantic Ocean: Continental Margins and Paleoenvironment*. Am. Geophys. Union, Maurice Ewing Ser., 3:218–234.
- Weaver, F.M., and Wise, S.W., Jr., 1972. Ultramorphology of deep sea cristobalitic chert. *Nature, Phys. Sci.*, 237:56–57.
- Wentworth, C.K., 1922. A scale of grade and class terms of clastic sediments. *J. Geol.*, 30:377–392.
- Westbrook, G.K., Carson, B., Musgrave, R.J., Kennett, J.P., Baldauf, J.G., et al., 1994. *Proc. ODP, Init. Repts.*, 146 (Pts. 1 and 2): College Station, TX (Ocean Drilling Program).
- Whelan, J.K., and Sato, S., 1980. C₁–C₅ hydrocarbons from core gas pockets, Deep Sea Drilling Project Legs 56 and 57, Japan Trench Transect. In Langseth, M., Okada, H., et al., *Init. Repts. DSDP*, 56/57 (Pt. 2): Washington (U.S. Govt. Printing Office), 1335–1347.
- Wilkens, R.H., Schreiber, B.C., Caruso, L., and Simmons, G., 1987. The effects of diagenesis on the microstructure of Eocene sediments bordering the Baltimore Canyon Trough. In Poag, C.W., Watts, A.B., et al., *Init. Repts. DSDP*, 95: Washington (U.S. Govt. Printing Office), 527–547.
- Williams, G.L., Stover, L.E., and Kidson, E.J., 1993. *Morphology and Stratigraphic Ranges of Selected Mesozoic-Cenozoic Dinoflagellate Taxa in the Northern Hemisphere*. Pap.—Geol. Surv. Can., 92-10.
- Wright, J.D., and Miller, K.G., 1992. Miocene stable isotope stratigraphy, Site 747, Kerguelen Plateau. In Wise, S.W., Jr., Schlich, R., et al., *Proc. ODP, Sci. Results*, 120: College Station, TX (Ocean Drilling Program), 855–866.
- Zapecza, O.S., 1989. Hydrogeologic framework of the New Jersey coastal plain. *Geol. Surv. Prof. Pap. U.S.*, 1404-B.
- Zhang, J., Miller, K.G., and Berggren, W.A., 1993. Neogene planktonic Foraminiferal biostratigraphy of the northeastern Gulf of Mexico. *Micropaleontology*.
- Zoback, M.D., Zoback, M.L., Mount, V.S., Suppe, J., Eaton, J.P., Healy, J.H., Oppenheimer, D.H., Reasenberg, P.A., Jones, L.M., Raleigh, C.B., Wong, I.G., Scotti, O., and Wentworth, C.M., 1987. New evidence on the state of stress of the San Andreas Fault. *Science*, 238:1105–1111.