

Leg: 150		Site: 906																								
Sample	Hole, core, section, location (cm)	Depth	Lithology	Texture data				Mineral										Biogenic					Rock			
				Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Feldspar	Glauconite	Inorganic Calcite	Mica	Opalines	Pyrite	Quartz	Siderite	Diatoms	Fish Remains	Foraminifers	Nannofossils	Plant Debris	Radiolarians	Silicoflagellates	Sponge Spicules	Cement
19-05, 19	174.89	D		0	57	43	2	43			2	1	2	5	23	15	0	0	4	1		1				
20-01, 20	178.50	D		0	44	56	1	56			2	2	2	5	14	11	0	0	3	1		2				
20-03, 20	181.50	D		0	52	48	1	48			2	1	3	4	22	13	0	0	2	1		2				
20-05, 20	184.50	D		0	52	48	1	48			1	0	2	3	20	20	0	0	2	1		1				
21-01, 20	188.20	D		0	39	61	1	42			2	1	2	3	18	25	0	0	3	1		2				
21-03, 20	191.20	D		0	51	49	0	49			2	1	2	2	18	20	0	0	2	1		2				
21-05, 20	194.20	D		0	49	51	1	51			1	0	1	3	25	11	0	0	4	1		1				
22-01, 20	197.80	D		1	43	56	0	56			1	0	1	4	12	20	0	0	2	1		2				
22-03, 20	200.80	D		0	26	74	0	74			1	0	1	3	9	6	0	0	2	1		1				
22-05, 20	203.80	D		0	39	61	1	61			2	1	1	4	14	10	0	0	2	1		2				
23-01, 20	207.40	D		0	43	57	1	57			2	0	1	4	9	20	0	0	3	1		1				
23-03, 20	210.40	D		0	49	51	1	51			2	0	1	3	8	28	0	0	2	1		2				
23-05, 20	213.40	D		0	56	44	1	44			1	0	2	3	20	22	0	0	3	1		2				
24-01, 20	217.00	D		0	34	66	0	66			1	0	2	3	5	20	0	0	1	0		1				
24-03, 20	220.00	D		0	51	49	0	49			1	0	2	2	10	30	0	0	2	1		2				
24-05, 20	223.00	D		0	54	46	1	46			2	0	2	3	15	25	0	0	2	1		1				
25-01, 20	226.70	D		0	46	54	1	54			2	2	1	2	8	25	0	0	2	1		1				
25-03, 20	229.70	D		0	71	29	1	29			2	0	3	4	23	30	0	0	4	1		1				
25-05, 20	232.70	D		0	59	41	0	41			1	0	1	4	13	35	0	0	2	1		1				
26-01, 20	236.20	D		1	70	29	1	29			1	0	2	6	25	30	0	0	2	1		2				
26-03, 20	239.20	D		1	63	36	1	36			4	0	2	6	15	28	0	0	5	1		1				
26-05, 20	242.20	D		0	32	68	0	68			1	1	1	3	6	15	0	0	2	1		1				
27-01, 20	245.90	D		0	45	55	0	55			2	3	1	4	5	25	0	0	2	0		1				
27-03, 20	248.90	D		0	54	46	0	46			2	10	1	5	3	28	0	0	2	1		1				
27-04, 123	251.43	M		*	5	95		0	0	0	0	20	1	0	2	5	50	18	0	0	3				0	
27-05, 20	251.90	D		95	5	0	0	0			3	1	0	1	92	1	0	0	0	0		0				
28-01, 20	255.50	D		0	50	50	0	50			1	0	1	8	20	15	0	0	2	1		1				
28-03, 20	258.50	D		0	40	60	0	60			1	0	1	5	8	20	0	0	2	1		1				
28-05, 20	261.50	D		0	47	53	0	53			1	0	1	3	10	25	0	0	3	1		1				
29-01, 20	265.30	D		1	31	68	1	68			1	0	2	4	13	7	0	0	2	0		1				
29-03, 20	268.30	D		1	40	59	0	59			1	0	1	3	15	15	0	0	3	0		1				
29-05, 20	271.30	D		1	42	57	0	57			1	1	2	2	12	20	0	0	3	0		1				
30-01, 20	275.00	D		1	40	59	1	59			1	0	1	2	15	15	0	0	3	1		1				
30-03, 125	279.05	D		75	22	3	1	3			1	0	0	8	85	0	0	0	1	0		0				
30-05, 20	281.00	D		0	40	60	1	60			1	0	1	2	15	15	0	0	2	1		1				
31-01, 20	284.80	D		0	43	57	1	57			2	0	1	1	25	7	0	0	3	1		1				
31-03, 20	287.80	D		2	48	50	3	50			1	0	3	2	27	2	0	0	10	1		0				
31-05, 20	290.80	D		4	39	57	2	57			2	0	5	4	20	3	0	0	6	0		0				
32-01, 20	294.60	D		1	50	49	1	49			1	2	4	5	28	1	0	0	6	1		1				
32-03, 20	297.60	D		1	24	75	1	75			2	0	2	3	12	1	0	0	2	0		1				
32-05, 20	300.60	D		0	29	71	1	71			1	0	2	6	12	1	0	0	5	0		0				
33-01, 20	304.40	D		1	26	73	1	73			1	0	3	2	10	4	0	0	3	1		1				
33-03, 20	307.40	D		1	52	47	1	47			2	1	4	1	20	18	0	0	4	0		1				
33-05, 20	310.40	D		1	43	56	1	56			1	0	3	3	20	10	0	0	2	1		1				
34-01, 20	314.20	D		0	39	61	1	61			1	0	4	2	10	17	0	0	0	1		1				
34-03, 20	317.20	D		0	45	55	1	55			1	0	1	2	10	25	0	0	2	1		1				
34-05, 20	320.20	D		0	35	65	1	65			1	0	2	1	8	17	0	0	2	0		1				
35-01, 20	324.00	D		0	31	69	1	69			1	0	2	1	5	15	0	0	2	1		1				
35-03, 20	327.00	D		0	37	63	1	63			1	1	1	1	12	17	0	0	1	1		0				
35-05, 20	330.00	D		0	50	50	0	50			1	1	2	1	10	30	0	0	1	1		1				
36-01, 20	333.40	D		0	51	49	1	49			1	3	2	1	13	25	0	0	1	1		1				
36-02, 141	336.11	M		90	10	0		0	34	1	*	0	*	0	15	50	0	0	0	0					0	
36-03, 20	336.40	D		1	24	75	1	75			1	0	0	3	13	5	0	0	0	0		1				
36-05, 20	339.40	D		0	53	47	0	47			1	2	3	3	20	17	0	0	3	1		1				
37-01, 20	342.70	D		1	34	65	1	65			1	0	3	1	10	13	0	0	2	1		1				

Leg: 150		Site: 906																								
Sample	Hole, core, section, location (cm)	Depth	Lithology	Texture data			Mineral											Biogenic					Rock			
				Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Feldspar	Glauconite	Inorganic Calcite	Mica	Opauques	Pyrite	Quartz	Siderite	Diatoms	Fish Remains	Foraminifers	Nannofossils	Plant Debris	Radiolarians	Silicoflagellates	Sponge Spicules	Cement
37-03, 20		345.70	D	1	48	51	1	51			2	1	2	2		15	20	0	0	2	1	1	2			
37-05, 20		348.70	D	0	52	48	1	48			1	1	2	2		20	18	0	0	2	1	1	3			
38-01, 20		352.40	D	0	36	64	1	64			1	1	2	1		15	10	0	*	2	1	1	1			
38-03, 20		355.40	D	0	47	53	0	53			1	1	1	2		25	12	0	*	1	1	1	1			
38-05, 20		358.40	D	0	35	65	0	65			1	0	2	2		15	10	0	0	1	1	1	2			
39-01, 20		362.00	D	0	37	63	1	63			1	0	2	2		17	10	0	0	2	0	1	1			
39-03, 20		365.00	D	1	58	41	0	41			2	2	3	2		18	25	0	0	2	2	1	2			
39-05, 20		368.00	D	0	63	37	2	37			2	0	2	2		30	20	0	0	2	1	1	1			
40-01, 20		371.70	D	0	59	41	0	41			1	15	3	2		9	25	0	0	1	1	1	1			
40-03, 20		374.70	D	0	51	49	0	49			2	1	3	3		18	15	0	0	5	1	1	2			
40-05, 20		377.70	D	5	51	44	0	44			1	2	4	2		40	1	0	0	5	0	0	1			
41-01, 20		381.30	D	5	53	42	2	42			2	0	3	3	3	40	0	0	0	5	0	0	0			
41-03, 20		384.30	D	7	43	50	4	50			2	0	0	2	4	35	0	0	0	3	0	0	0			
42-01, 20		391.00	D	30	40	30	2	30			0	1	0	4		60	0	0	0	3	0	0				
42-02, 6		392.33	M	90	10	0	1	0	0	0	2	1	0	2	3	1	50	0	*	0	0	0		40	0	
43-CC, 10		400.40	D	60	34	6	3	6			4	1	2	3	5	70	0	0	0	6	0	0				
45-01, 20		419.50	D	20	16	64	1	63			0	2	0	1	3	28	0	0	0	2	0	0				
45-03, 20		422.50	D	0	18	82	1	82			1	0	1	2		5	2	1	1	1	1	1				
46-01, 20		429.00	D	0	47	53	0	53			2	0	3	5		10	18	1	2	3	1	1				
46-03, 20		432.00	D	1	54	45	0	45			3	1	0	4		20	20	0	1	2	2	1	1			
46-05, 20		435.00	D	0	55	45	1	45			2	0	1	4		8	30	1	2	1	2	1	2			
47-01, 20		438.80	D	0	57	43	2	43			0	3	1	5		15	22	0	2	1	2	1	1			
47-03, 20		441.80	D	2	70	28	1	28			2	5	2	7		20	25	0	2	3	2	1	2			
47-05, 20		444.80	D	1	73	26	1	26			2	10	2	6		20	24	0	2	2	2	1	2			
48-02, 20		449.90	D	0	41	59	1	59			4	3	2	3		8	10	0	3	2	2	1	2			
48-04, 20		452.90	D	3	50	47	1	47			15	0	1	3		9	15	0	2	2	2	1	1			
48-06, 20		455.90	D	0	47	53	1	53			3	3	1	3		7	20	1	3	3	1	0	1			
49-01, 20		458.10	D	0	30	70	1	70			1	0	1	3		10	7	0	1	2	1	1	2			
49-03, 20		461.10	D	0	28	72	0	72			1	0	1	2		15	3	0	0	1	1	1	3			
49-05, 20		464.10	D	1	27	72	1	72			2	3	1	3		5	7	0	0	2	1	1	2			
50-01, 20		467.70	D	30	51	19	0	19			18	2	2	6		40	8	0	0	2	1	1	1			
50-03, 20		470.70	D	18	48	34	1	34			20	3	1	4		25	5	0	1	2	2	1	1			
50-05, 20		473.70	D	0	32	68	1	68			4	1	2	3		6	10	0	1	1	1	1	1			
51-01, 20		477.40	D	0	34	66	1	56			2	3	2	4		12	12	1	2	2	1	1	1			
51-01, 105		478.25	D	80	20	0	1	0			35	0	1	5		45	0	1	4	2	2	0	2			
51-03, 20		480.40	D	8	62	30	1	30			5	10	0	6		20	0	3	25	0	0	0	0			
51-05, 20		483.40	D	3	55	42	2	41			10	7	0	0		25	2	1	10	0	1	0	1			
52-01, 40		487.20	D	1	49	50	0	50			4	3	0	2		8	5	1	20	2	3	1	1			
52-03, 20		490.00	D	7	72	21	1	21			5	8	1	2		15	20	2	20	1	3	0	1			
52-05, 20		493.00	D	25	52	23	0	23			8	5	1	3		18	15	1	20	1	3	0	2			
53-01, 20		496.70	D	15	68	17	0	17			10	5	2	3		12	18	2	25	2	2	0	2			
53-03, 20		499.70	D	6	59	35	1	35			5	4	1	3		15	16	1	15	0	2	0	2			
53-05, 20		502.70	D	30	59	11	2	11			10	5	1	4		23	10	1	30	0	1	0	2			
54-01, 20		506.40	D	18	61	21	0	21			1	16	4	1	6	16	15	0	15	1	2	1	1			
54-03, 20		509.40	D	17	54	29	1	29			0	17	3	1	6	18	10	1	10	1	1	0	2			
54-05, 20		512.40	D	20	61	19	0	19			1	16	3	1	2	18	20	0	15	0	2	1	2			
54-05, 49		512.69	M	35	10	55	0	0	45		1	*	0	1	0	0	36	0	0	2	0			0	5	5
55-01, 20		516.00	D	28	52	20	0	20			0	16	3	0	2	18	15	1	20	1	2	0	2			
55-03, 20		519.00	D	10	46	44	1	44			4	2	0	2		10	8	1	25	1	1	0	1			
55-05, 20		522.00	D	9	65	26	1	26			5	8	0	3		12	9	2	30	1	1	0	2			
56-01, 20		525.50	D	5	71	24	0	24			5	4	0	2		7	15	1	40	0	1	0	1			
56-03, 20		528.50	D	12	59	29	0	29			6	6	0	3		9	16	2	25	1	2	0	1			
56-05, 20		531.50	D	12	52	36	1	36			4	5	1	4		10	10	1	25	1	1	0	1			
57-01, 20		535.00	D	9	44	47	0	47			3	3	1	4		10	17	1	10	1	1	0	2			
57-03, 20		538.00	D	11	56	33	1	33			7	7	1	5		15	16	2	10	1	1	0	1			

Leg: 150		Site: 906																								
Sample	Hole, core, section, location (cm)	Depth	Lithology	Texture data			Mineral											Biogenic						Rock		
				Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Feldspar	Glauconite	Inorganic Calcite	Mica	Opauques	Pyrite	Quartz	Siderite	Diatoms	Fish Remains	Foraminifers	Nannofossils	Plant Debris	Radiolarians	Silicoflagellates	Sponge Spicules	Cement
57-05, 20	541.00	D	5	40	55	1	55			4	2	0	3		6	16		1	8	1	1	0	2			
58-01, 20	544.70	D	3	63	34	0	34			2	5	0	3		5	10		2	35	1	1	0	2			
58-03, 20	547.70	D	5	61	34	1	34			2	4	1	3		8	12		1	30	0	2	0	2			
58-05, 20	550.70	D	2	65	33	0	33			3	3	1	3		5	10		2	35	1	2	0	2			
59-01, 20	554.40	D	0	37	63	1	63			5	3	0	4		3	0		1	18	0	1	0	1			
60-01, 20	564.00	D	0	76	24	1	24			0	7	0	1		1	0		1	65	0	0	0	0			
61-CC, 20	565.70	D	0	75	25	1	25			1	3	0	3		1	0		1	65	0	0	0	0			
62-01, 20	567.70	D	0	78	22	0	22			1	8	0	1		2	0		1	65	0	0	0	0			
63-CC, 20	573.70	D	0	73	27	1	27			1	8	0	1		1	0		1	60	0	0	0	0			
64-01, 20	583.40	D	0	77	23	1	23			0	3	0	1		1	0		1	70	0	0	0	0			
65-01, 20	586.50	D	0	61	39	1	29			1	5	0	1		2	0		1	60	0	0	0	0			
66-01, 20	593.00	D	0	69	31	1	31			2	4	0	2		2	0		3	55	0	0	0	0			
67-CC, 20	594.60	D	0	75	25	1	25			1	0	0	2		3	0	1	2	60	0	0	0	0			
68-CC, 20	599.10	D	0	63	37	1	37			1	5	0	2		2			2	50							