

## REFERENCES\*

*This comprehensive reference list contains all the published references that have been cited throughout the chapters of this volume.*

- Aagaard, K., Swift, J.H., and Carmack, E.C., 1985. Thermohaline circulation in the Arctic Mediterranean Seas. *J. Geophys. Res.*, 90:4833–4846.
- Andrews, J.T., and Tedesco, K., 1992. Detrital carbonate-rich sediments, northwestern Labrador Sea: implications for ice-sheet dynamics and iceberg rafting (Heinrich) events in the North Atlantic. *Geology*, 20:1087–1090.
- Archie, G.E., 1942. The electrical resistivity log as an aid in determining some reservoir characteristics. *Trans. Am. Inst. Min. Metall. Pet. Eng.*, 146:54–62.
- Austegard, A., Baturin, D., Eiken, O., Faleide, J.I., Gudlaugsson, S.T., Midbøe, P.S., Nøttvedt, A., Riis, F., and Solheim, A., in press. A selection of regional seismic transects. In Eiken, O. (Ed.), *Seismic Atlas of Western Svalbard*: Oslo (Norwegian Polar Inst.).
- Baldauf, J.G., 1984. Cenozoic diatom biostratigraphy and paleoceanography of the Rockall Plateau region, North Atlantic, Deep Sea Drilling Project Leg 81. In Roberts, D.G., Schmitker, D., et al., *Init. Repts. DSDP*, 81: Washington (U.S. Govt. Printing Office), 439–478.
- , 1987. Diatom biostratigraphy of the middle- and high-latitude north Atlantic Ocean, Deep Sea Drilling Project Leg 94. In Ruddiman, W.F., Kidd, R.B., Thomas, E., et al., *Init. Repts. DSDP*, 94 (Pt. 2): Washington (U.S. Govt. Printing Office), 729–762.
- Baldauf, J.G., and Monjanel, A.L., 1989. An Oligocene diatom biostratigraphy for the Labrador Sea: DSDP Site 112 and ODP Hole 647A. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 323–347.
- Barron, J.A., and Washington, W.M., 1984. The role of geographical variables in explaining paleoclimates: results from Cretaceous climate model sensitivity studies. *J. Geophys. Res.*, 89:1267–1279.
- Barron, J., Larsen B., Baldauf, J.G., and Leg 119 Scientific Shipboard Party, 1988. Early glaciation of Antarctica. *Nature*, 333:303–304.
- Barron, J.A., 1980. Lower Miocene to Quaternary diatom biostratigraphy of Leg 57, off Northeastern Japan, Deep Sea Drilling Project. In von Huene, R., Nasu, N., et al., *Init. Repts. DSDP*, 56, 57 (Pt. 2): Washington (U.S. Govt. Printing Office), 641–686.
- , 1985. Miocene to Holocene planktic diatoms. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 763–809.
- Barry, R.G., 1989. The present climate of the Arctic Ocean and possible past and future states. In Herman, Y. (Ed.), *The Arctic Seas: Climatology, Oceanography, Geology, and Biology*: New York (Van Nostrand Reinhold), 1–46.
- Basaltic Volcanism Study Project (BVSP), 1981. *Basaltic Volcanism on the Terrestrial Planets*: New York (Pergamon Press).
- Bé, A.W.H., and Tolderlund, D.S., 1971. Distribution and ecology of living planktonic foraminifera in surface waters of the Atlantic and Indian Oceans. In Funnel, B.M., and Riedel, W.R. (Eds.), *The Micropaleontology of Oceans*: Cambridge (Cambridge Univ. Press), 105–149.
- Berggren, W.A., Kent, D.V., Flynn, J.J., and Van Couvering, J.A., 1985. Cenozoic geochronology. *Geol. Soc. Am. Bull.*, 96:1407–1418.
- Berggren, W.A., and Schmitker, D., 1983. Cenozoic marine environments in the North Atlantic and Norwegian-Greenland Sea. In Bott, M.H.P., Saxov, S., Talwani, M., and Thiede, J. (Eds.), *Structure and Development of the Greenland-Scotland Ridge*. NATO Conf. Ser. IV, New York (Plenum), 495–548.
- Bernero, C., 1982. Tertiary paleobathymetry of the Norwegian-Greenland Sea and Eurasia Basin of the Arctic Ocean [M.S. thesis]. Univ. Oklahoma, Tulsa, Oklahoma.
- Birkelund, T., and Perch-Nielsen, K., 1976. Late Paleozoic-Mesozoic evolution of central East Greenland. In: Escher, A., and Watt, W.S. (Eds.), *Geology of Greenland*. Andelsbogtrykkeriet, Odense, 305–339.
- Bischof, J., 1990. Dropstones in the Norwegian-Greenland Sea—indications of Late Quaternary circulation patterns? In Bleil, U., and Thiede, J. (Eds.), *Geological History of the Polar Oceans: Arctic versus Antarctic*. NATO ASI Ser. C308:499–518.
- Bischof, J., Koch, J., Kubisch, M., Spielhagen, R.F., and Thiede, J., 1990. Nordic Seas surface ice drift reconstructions: evidence from ice rafted coal fragments during oxygen isotope stage 6. In Dowdeswell, J.A., and Scourse, J.D. (Eds.), *Glacimarine Environments: Processes and Sediments*. Geol. Soc. Spec. Publ. London, 53:235–251.
- Bjørklund, K.R., 1976. Radiolaria from the Norwegian Sea, Leg 38 of the Deep Sea Drilling Project. In Talwani, M., Udintsev, G., et al., *Init. Repts. DSDP*, 38: Washington (U.S. Govt. Printing Office), 1101–1168.
- Blatt, H., Middleton, G.V., and Murray, R., 1980. *Origin of Sedimentary Rocks* (2nd ed.): Englewood Cliffs, NJ (Prentice-Hall).
- Bleil, U., 1989. Magnetostratigraphy of Neogene and Quaternary sediment series from the Norwegian Sea: Ocean Drilling Program, Leg 104. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 829–901.
- Blow, W.H., 1979. *The Cainozoic Globigerinida*: Leiden (E.J. Brill).
- Bodén, P., 1992. Quantitative biostratigraphy of Neogene diatoms from the Norwegian Sea, North Atlantic and North Pacific. *Stockholm Contrib. Geol.*, 42:124–120.
- Bøggild, O.B., 1906. On the bottom deposits of the North Polar Sea. In Nansen, F. (Ed.), *Norw. North Polar Exped. 1893–1896. Sci. Res.*, 5:1–62.
- Bohrmann, G., and Stein, R., 1989. Biogenic silica at ODP Site 647 in the southern Labrador Sea: occurrence, diagenesis, and paleoceanographic implications. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 155–170.
- Bordowskij, O.K., 1965. Sources of organic matter in marine basins. *Mar. Geol.*, 3:5–31.
- Bott, M.H.P., 1983. The crust beneath the Iceland-Faeroe Ridge. In Bott, M.H.P., Saxov, S., Talwani, M., and Thiede, J. (Eds.), *Structure and Development of the Greenland-Scotland Ridge*: NATO Conf. Ser. IV, New York (Plenum) 63–75.
- Bott, M.H.P., Saxov, S., Talwani, M., and Thiede, J. (Eds.), 1983. *Structure and Development of the Greenland-Scotland Ridge*. NATO Conf. Ser. IV, New York (Plenum), 685.
- Bourke, R.H., Newton, J.L., Paquette, R.G., and Tunicliffe, M.D., 1987. Circulation and water masses of the East Greenland shelf. *J. Geophys. Res.*, 92:6729–6740.
- Bourke, R.H., Weigel, A.M., and Paquette, R.G., 1988. The westward turning branch of the West Spitsbergen Current. *J. Geophys. Res.*, 93:14065–14077.
- Boyce, R.E., 1976. Definitions and laboratory techniques of compressional sound velocity parameters and wet-water content, wet-bulk density, and porosity parameters by gravimetric and gamma ray attenuation techniques. In Schlanger, S.O., Jackson, E.D., et al., *Init. Repts. DSDP*, 33: Washington (U.S. Govt. Printing Office), 931–958.
- Boyle, E.A., 1988. Late Quaternary atmospheric carbon dioxide: control by ocean circulation and vertical chemical fractionation. *J. Geophys. Res.*, 93:15701–15714.
- Brekke, H., and Riis, F., 1987. Tectonics and basin evolution of the Norwegian shelf between 62°N and 72°N. *Nor. Geol. Tidsskr.*, 67:295–321.
- Broecker, W.S., 1991. The great ocean conveyor. *Oceanography*, 4:79–89.
- Broecker, W.S., and Peng, T.-H., 1982. *Tracers in the Sea*: Palisades, NY (Elsevier Press).
- Broecker, W.S., Petet, D.M., and Rind, D., 1985. Does the ocean-atmosphere system have more than one stable mode of operation? *Nature*, 315:21–26.
- Bujak, J.P., and Matsuoka, K., 1986. Late Cenozoic dinoflagellate cyst zonation in the western and northern Pacific. In Wrenn, J.H., Duffield, S.L., and Stein, J.A. (Eds.), *Am. Assoc. Stratigr. Palynol. Contrib. Ser.*, 17:7–25.
- Bukry, D., 1976. Silicoflagellate and coccolith stratigraphy, Norwegian-Greenland Sea, Deep Sea Drilling Project Leg 38. In Talwani, M., Udintsev, G., et al., *Init. Repts. DSDP*, 38: Washington (U.S. Govt. Printing Office), 843–855.
- Cande, S.C., and Kent, D.V., 1992. A new geomagnetic polarity time scale for the Late Cretaceous and Cenozoic. *J. Geophys. Res.*, 97:13917–13951.

\*Abbreviations for names of organizations and publications in ODP reference lists follow the style given in *Chemical Abstracts Service Source Index* (published by American Chemical Society).

- Carsey, F.D. (Ed.), 1992. Microwave remote sensing of sea ice. *Am. Geophys. Union, Geophys. Monogr.*, 68.
- Carter, L.D., Brigham-Grette, J., Marinkovich, L., Pease, V.L., and Hillhouse, J.W., 1986. Late Cenozoic Arctic Ocean sea ice and terrestrial paleoclimate. *Geology*, 14:675–678.
- Cavaliere, D.J., Gloerson, P., and Campbell, W.J., 1984. Determination of sea ice parameters with the Nimbus 7 SMMR. *J. Geophys. Res.*, 89:5355–5369.
- CIA (Central Intelligence Agency), 1978. *Polar Regions Atlas*: Washington (CIA).
- Ciesielski, P.F., Hasson, P., and Turner, J.W., Jr., 1989. The stratigraphy of Neogene silicoflagellates from the Norwegian Sea, ODP Leg 104. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 497–525.
- Clark, D.L., 1982. Origin, nature and world climate effect of Arctic Ocean ice-cover. *Nature*, 300:321–325.
- Clark, D.L., and Hanson, A., 1983. Central Arctic Ocean sediment texture: a key to ice transport mechanisms. In Molnia, B. (Ed.), *Glacial Marine Sedimentation*: New York (Plenum), 301–330.
- Claypool, G.E., and Kaplan, I.R., 1974. The origin and distribution of methane in marine sediments. In Kaplan, I.R. (Ed.), *Natural Gases in Marine Sediments*: New York (Plenum), 99–139.
- CLIMAP Project Members, 1976. The surface of the ice-age Earth. *Science*, 191:1131–1137.
- Comiso, J.C., 1990. Arctic multiyear ice classification and summer ice cover using passive microwave satellite data. *J. Geophys. Res.*, 95:13411–13422.
- Courtney, R.C., and Mayer, L.A., 1993. Calculating acoustic parameter by a filter correlation method. *J. Acoust. Soc. Am.*, 93:1145–1154.
- Cox, K.G., Bell, J.D., and Pankhurst, R.J., 1979. *The Interpretation of Igneous Rocks*: London (Allen and Unwin).
- Crane, K., Eldholm, O., Myhre, A.M., and Sundvor, E., 1982. Thermal implications for the evolution of the Spitsbergen transform fault. *Tectonophysics*, 89:1–32.
- Crane, K., Sundvor, E., Foucher, J.P., Hobart, M., Myhre, A.M., and Le Douaran, S., 1988. Thermal evolution of the Western Svalbard Margin. *Mar. Geophys. Res.*, 9:165–194.
- Creager, J.S., Scholl, D.W., et al., 1973. *Init. Repts. DSDP*, 19: Washington (U.S. Govt. Printing Office).
- Dawes, P.R., 1990. The North Greenland continental margin. In Grantz, A., Johnson, G.L., and Sweeney, J.F. (Eds.), *The Arctic Ocean Region*. Geol. Soc. Am., Geol. of North Am. Ser., L:211–226.
- de Vernal, A., and Mudie, P.J., 1989a. Late Pliocene to Holocene palynostratigraphy at ODP Site 645, Baffin Bay. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 387–399.
- , 1989b. Pliocene and Pleistocene palynostratigraphy at ODP Sites 646 and 647, eastern and southern Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 401–422.
- Dewan, J.T., 1983. *Essentials of Modern Open-Hole Log Interpretation*: Tulsa (PennWell).
- Dickson, R.R., Meincke, J., Malmberg, S.A., and Lee, A.J., 1988. The “great salinity anomaly” in the northern North Atlantic 1968–1982. *Progr. Oceanogr.*, 20:103–151.
- Dietrich, G., 1969. *Atlas of the Hydrography of the Northern Atlantic Ocean Based on the Polar Front Survey of the International Geophysical Year, Winter and Summer 1958*: Copenhagen (Inter. Council. Explor. Sea, Hydrogr. Serv.).
- Donnelly, D.M., 1989. Calcareous nannofossils of the Norwegian-Greenland Sea: ODP Leg 104. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 459–486.
- Doré, A.G., 1991. The structural foundation and evolution of Mesozoic seaways between Europe and the Arctic. *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 87:441–492.
- Drewry, D.J., 1986. *Glacial Geological Processes*: London (Edward Arnold).
- Dzinoridze, R.N., Jousé, A.P., Koroleva-Golikova, G.S., Kozlova, G.E., Nagayeva, G.S., Petrushevskaya, M.G., and Strelnikova, N.I., 1978. Diatom and radiolarian Cenozoic stratigraphy, Norwegian Basin; DSDP Leg 38. In Talwani, M., Udintsev, G., et al., *Init. Repts. DSDP*, 38, 39, 40, 41 (Suppl.): Washington (U.S. Govt. Printing Office), 289–427.
- Eiken, O., 1993. An outline of the northwestern Svalbard continental margin: Arctic geology and petroleum potential. In Vorren, T.O., Bergsaker, E., Dahl-Stammes, Ø.A., Lie, E., and Lund, T.B. (Eds.), *Norw. Petrol. Soc. Spec. Publ.*, 2:615–625.
- Einarsson, T., and Albertsson, K.J., 1988. The glacial history of Iceland during the past three million years. In Shackleton, N.J., West, R.G., and Bowen, D.Q. (Eds.), *The Past Three Million Years: Evolution of Climatic Variability in the North Atlantic Region*: Cambridge (Cambridge Univ. Press), 227–234.
- Eldholm, O., 1990. Paleogene North Atlantic magmatic-tectonic events: environmental implications. *Mem. Soc. Geol. Ital.*, 44:13–28.
- , 1991. Magmatic-tectonic evolution of a volcanic rifted margin. *Mar. Geol.*, 102:43–61.
- Eldholm, O., Faleide, J.I., and Myhre, A.M., 1987a. Continent-ocean transition at the western Barents Sea-Svalbard margin. *Geology*, 15:1118–1122.
- Eldholm, O., Karasik, A.M., and Reksnes, P.A., 1990. The North American plate boundary. In Grantz, A., Johnson, G.L., and Sweeney, J.F. (Eds.), *The Arctic Ocean Region*. Geol. Soc. Am., Geol. of North Am. Ser., L:171–184.
- Eldholm, O., and Myhre, A.M., 1977. Hovgaard Fracture Zone. *Norsk. Polarinst. Arbok.*, 1976:195–208.
- Eldholm, O., Myhre, A.M., and Thiede, J., in press. Cenozoic tectonomagmatic events in the North Atlantic: potential paleoenvironmental implications. *NATO Arcto-Tertiary 1993 volume*: New York (Springer Verlag).
- Eldholm, O., Thiede, J., and Taylor, E., 1989a. Evolution of the Vøring volcanic margin. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 1033–1065.
- Eldholm, O., Thiede, J., Taylor, E., et al., 1987b. *Proc. ODP, Init. Repts.*, 104: College Station, TX (Ocean Drilling Program).
- , 1989b. *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program).
- Eldholm, O., and Thomas, E., 1993. Environmental impact of volcanic margin formation. *Earth Planet. Sci. Lett.*, 117:319–329.
- Eldholm, O., and Windisch, C.C., 1974. Sediment distribution in the Norwegian-Greenland Sea. *Geol. Soc. Am. Bull.*, 85:1661–1676.
- Ellis, D.V., 1987. *Well Logging for Earth Scientists*: Amsterdam (Elsevier).
- Emeis, K.-C., and Kvenvolden, K.A., 1986. Shipboard organic geochemistry on JOIDES Resolution. *ODP Tech. Note*, 7.
- Emerson, S., and Hedges, J.I., 1988. Processes controlling the organic carbon content of open ocean sediments. *Paleoceanography*, 3:621–634.
- Espitalié, J., Laporte, J.L., Leplat, P., Madec, M., Marquis, F., Paulet, J., and Boutefeu, A., 1977. Méthode rapide de caractérisation des roches mères, de leur potentiel pétrolier et de leur degré d'évolution. *Rev. Inst. Fr. Pet.*, 32:23–42.
- Faleide, J.I., Vågnes, E., and Gudlaugsson, S.T., 1992. Late Mesozoic-Cenozoic evolution of the southwestern Barents Sea in a regional rift-shear tectonic setting. *Mar. Pet. Geol.*, 10:186–214.
- Feden, R.H., Vogt, P.R., and Flemming, H.S., 1979. Magnetic and bathymetric evidence for the “Yermak” hot spot northwest of Svalbard in the Arctic Basin. *Earth Planet. Sci. Lett.*, 44:18–38.
- Fenner, J., 1985. Late Cretaceous to Oligocene planktonic diatoms. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 713–762.
- Fisher, R.V., and Schmincke, H.-U., 1984. *Pyroclastic Rocks*: New York (Springer-Verlag).
- Fitch, F.J., Grusty, R.L., and Miller, J.A., 1965. Potassium argon ages of rocks from Jan Mayen and an outline of its volcanic history. *Nature*, 207:1349–1351.
- Folger, D.W., 1970. Wind transport of land-derived mineral, biogenic, and industrial matter over the North Atlantic. *Deep-Sea Res. Part A*, 17:337–352.
- Frakes, L.A., 1979. *Climates Throughout Geologic Time*: Amsterdam (Elsevier), 310.
- Funder, S., Abrahamsen, N., Bennike, O., and Feyling-Hanssen, R.W., 1985. Forested Arctic: evidence from North Greenland. *Geology*, 13:542–546.
- Gal'perin, E.I., 1974. *Vertical Seismic Profiling*. Spec. Publ. Soc. Explor. Geophys., 12.
- Garrity, C., and Ramseier, R.O., 1992. *Ice Manual for Greenland Sea Project*: Bremerhaven (Alfred Wegner Institute).
- Gascard, J.-C., Kergomard, C., Jeannin, P.-F., and Fily, M., 1988. Diagnostic study of the Fram Strait marginal ice zone during summer from 1983 and 1984 Marginal Ice Zone Experiment Lagrangian Observations. *J. Geophys. Res.*, 93:3613–3641.
- Goll, R.M., 1989. A synthesis of Norwegian Sea biostratigraphies: ODP Leg 104 on the Vøring Plateau. In Eldholm, O., Thiede, J., Taylor, E., et al.,

- Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 777–826.
- Goll, R.M., and Björklund, K.R., 1989. A new radiolarian biostratigraphy for the Neogene of the Norwegian Sea: ODP Leg 104. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 697–737.
- Goody, A.J., 1990. Recent deep-sea agglutinated foraminifera: a brief review. In Hemleben, C., Kaminski, M., Kuhnt, W., and Scott, D. (Eds.), *Paleoecology, Biostratigraphy, Paleoceanography and Taxonomy of Agglutinated Foraminifera*: Dordrecht (Kluwer), 271–304.
- Goroch, A.K., and Fett, R.W., 1993. Observation of flooded ice in Arctic regions. *Int. J. Remote Sens.*, 14:1305–1324.
- Govindaraju, K., 1984. 1984 compilation of working values and sample description for 170 international reference samples of mainly silicate rocks and minerals. *Geostand. Newsl.*, 8:3.
- Grachev, A.G., and Naryshkin, G.D., 1978. The main features of sea-bottom topography of the Eurasia Basin, the Arctic Ocean. *Proc. Leningrad State Univ.*, 2:94–102. (in Russian)
- Grau, J.A., and Schweitzer, J.S., 1989. Elemental concentrations from thermal neutron capture gamma-ray spectra in geological formations. *Nucl. Geophys.*, 3:1–9.
- Grau J.A., Schweitzer, J.S., and Hertzog, R.C., 1990. Statistical uncertainties of elemental concentrations extracted from neutron-induced gamma-ray measurements. *IEEE Trans. Nuclear Sci.*, 37:2175–2178.
- Gronlie, G., and Talwani, M., 1982. The free-air gravity field of the Norwegian-Greenland Sea and adjacent areas. *Earth Evol. Ser.*, 2:79–103.
- Hamilton, E.L., 1971. Prediction of in-situ acoustic and elastic properties of marine sediments. *Geophysics*, 36:266–284.
- , 1976. Variations of density and porosity with depth in deep-sea sediments. *J. Sediment. Petrol.*, 46:280–300.
- Harland, W.B., 1969. Contribution of Spitsbergen to understanding of tectonic evolution of North Atlantic region. In Kay, M. (Ed.), *North Atlantic: Geology and Continental Drift*. AAPG Mem., 12:817–851.
- Harwood, D.M., and Maruyama, T., 1992. Middle Eocene to Pleistocene diatom biostratigraphy of Southern Ocean sediments from the Kerguelen Plateau, Leg 120. In Wise, S.W., Jr., Schlich, R., et al., *Proc. ODP, Sci. Results*, 120: College Station, TX (Ocean Drilling Program), 683–733.
- Hay, W.W., 1985. *Impact of Ocean Drilling on the Earth Sciences*. JOI pamphlet.
- Head, M.J., and Norris, G., 1989. Palynology and dinocyst stratigraphy of the Eocene and Oligocene in ODP Leg 105, Hole 647A, Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 515–550.
- Head, M.J., Norris, G., and Mudie, P.J., 1989a. New species of dinocysts and a new species of acritarch from the Upper Miocene and Lowermost Pliocene, ODP Leg 105, Site 646, Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 453–466.
- , 1989b. Palynology and dinocyst stratigraphy of the Miocene in ODP Leg 105, Hole 645E, Baffin Bay. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 467–514.
- , 1989c. Palynology and dinocyst stratigraphy of the upper Miocene and lowermost Pliocene, ODP Leg 105, Site 646, Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 423–451.
- Hebbeln, D., 1992. Weichselian glacial history of the Svalbard area: correlating the marine and terrestrial records. *Boreas*, 21:295–304.
- Hebbeln, D., and Wefer, G., 1991. Effects of ice coverage and ice-rafted material on sedimentation in the Fram Strait. *Nature*, 350:409–411.
- Helland-Hansen, B., and Nansen, F., 1909. The Norwegian Sea: its physical oceanography based upon the Norwegian researches 1900–1904. *Rep. Norw. Fish. Mar. Invest.*, 2:1–390.
- Henrich, R., 1989. Glacial/interglacial cycles in the Norwegian Sea: sedimentology, paleoceanography, and evolution of late Pliocene to Quaternary Northern Hemisphere climate. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 189–232.
- , 1992. *Beckenanalyse des Europäischen Nordmeeres: Pelagische und glaziomarine Sedimenteinflüsse im Zeitraum 2.6 Ma bis rezent*. Habilitation-thesis, Fac. Nat. Sci., Kiel Univ.
- Henrich, R., Kassens, H., Vogelsang, E., and Thiede, J., 1989a. Sedimentary facies of glacial-interglacial cycles in the Norwegian Sea during the last 350 ka. *Mar. Geol.*, 86:283–319.
- Henrich, R., Wolf, T., Bohrmann, G., and Thiede, J., 1989b. Cenozoic paleoclimatic and paleoceanographic changes in the Northern Hemisphere revealed by variability of coarse-fraction composition in sediments from the Vøring Plateau—ODP Leg 104 drill sites. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 75–188.
- Herman, Y., and Hopkins, D.M., 1980. Arctic Ocean climate in late Cenozoic times. *Science*, 209:557–562.
- Hertzog, R., Colson, L., Seeman, B., O'Brien, M., Scott, H., McKeon, D., Wraight, J., Grau, J., Ellis, D., Schweitzer, J., and Herron, M., 1989. Geochemical logging with spectrometry tools. *SPE Form. Eval.*, 4:153–162.
- Hinz, K., Eldholm, O., Block, M., and Skogseid, J., 1993. Evolution of North Atlantic volcanic continental margins. In Parker, J.R. (Ed.), *Petroleum Geology of Northwest Europe. Proceedings of the 4th Conference*. Geol. Soc. London, 901–913.
- Hinz, K., Meyer, H., and Miller, H., 1991. Northeast Greenland Shelf north of 79° N: results of a reflection seismic experiment in sea ice. *Mar. Pet. Geol.*, 8:461–467.
- Holtedahl, O., 1993. Marine geology of the Norwegian Continental Margin. *Nor. Geol. Unders. Spec. Publ.*, 6.
- Hülsemann, K., 1963. Radiolaria in plankton from the Arctic Drifting Station T-3, including the description of three new species. *Arct. Inst. N. Am. Tech. Pap. Arct.*, 13:1–52.
- Hurdle, B.G. (Ed.), 1986. *The Nordic Seas*: New York (Springer-Verlag).
- Imbrie, J., Hays, J.D., Martinson, D.G., McIntyre, A., Mix, A.C., Morley, J.J., Pisias, N.G., Prell, W.L., and Shackleton, N.J., 1984. The orbital theory of Pleistocene climate: support from a revised chronology of the marine delta  $\delta^{18}\text{O}$  record. In Berger, A., Imbrie, J., Hays, J., Kukla, G., and Saltzman, B. (Eds.), *Milankovitch and Climate* (Pt. 1): Dordrecht (D. Reidel), 269–305.
- Jackson, H.R., Faleide, J.I., and Eldholm, O., 1990. Crustal structure of the sheared southwestern Barents Sea continental margin. *Mar. Geol.*, 93:119–146.
- Jackson, H.R., Johnson, G.L., Sundvor, E., and Myhre, A.M., 1984. The Yermak Plateau: formed at a triple junction. *J. Geophys. Res.*, 89:3223–3232.
- Jaeger, J.C., 1961. The effect of the drilling fluid on temperatures measured in boreholes. *J. Geophys. Res.*, 66:563–569.
- Jansen, E., Bleil, U., Henrich, R., Kringstad, L., and Slettemark, B., 1988. Paleoenvironmental changes in the Norwegian Sea and Northeast Atlantic during the last 2.8 m.y.: Deep Sea Drilling Project/Ocean Drilling Program Sites 610, 642, 643, and 644. *Paleoceanography*, 3:563–581.
- Jansen, E., and Sjøholm, J., 1991. Reconstruction of glaciation over the past 6 million years from ice-borne deposits in the Norwegian Sea. *Nature*, 349:600–604.
- Jansen, E., and Veum, T., 1990. Evidence for two-step deglaciation and its impact on North Atlantic deep-water circulation. *Nature*, 343:612–616.
- Johannessen, J.A., Johannessen, O.M., Svendsen, E., Shuchman, R.A., Manley, T., Campbell, W.J., Josberger, E.G., Sandven, S., Gascard, J.C., Olausen, T., Davidson, K.L., and Van Leer, J., 1987. Mesoscale eddies in the Fram Strait marginal ice zone during the 1983 and 1984 Marginal Ice Zone Experiments. *J. Geophys. Res.*, 92C7:6754–6772.
- Johannessen, O.M., 1986. Brief overview of the physical oceanography. In Hurdle, B.G. (Ed.), *The Nordic Seas*: New York (Springer Verlag), 103–127.
- Johannessen, O.M., Johannessen, J.A., Svendsen, E., Shuchman, R.A., Campbell, W.J., and Josberger, E., 1987. Ice-edge eddies in the Fram Strait Marginal Ice Zone. *Science*, 236:427–429.
- Johnsen, S.J., Clausen, H.B., Dansgaard, W., Fuhrer, K., Gundestrup, N., Hammer, C.U., Iversen, P., Jouzel, J., Stauffer, B., and Steffensen, J.P., 1992. Irregular glacial interstadials recorded in a new Greenland ice core. *Nature*, 359:311–313.
- Johnson, G.L., and Eckhoff, O.B., 1966. Bathymetry of the North Greenland Sea. *Deep-Sea Res. Part A*, 13:1161–1173.
- Johnson, G.L., and Heezen, B.C., 1967. Morphology and evolution of the Norwegian-Greenland Sea. *Deep-Sea Res. Part A*, 14:755–771.
- Johnson, G.L., Southall, I.R., Young, D.W., and Vogt, P.R., 1972. Origin and structure of the Iceland Plateau and Kolbeinsey Ridge. *J. Geophys. Res.*, 77:5688–5696.
- JOIDES PPS, 1992. Ocean Drilling Program guidelines for pollution prevention and safety. *JOIDES J.*, 18.
- Jokat, W., Uenzelmann-Neben, G., Kristoffersen, Y., and Rasmussen, T.M., 1993. Lomonosov Ridge—a double-sided continental margin. *Geology*, 20:887–890.

- Kaiho, K., 1991. Global changes of Paleogene aerobic/anaerobic benthic foraminifera and deep-sea circulation. *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 83:65–85.
- Kaminski, M.A., Gradstein, F.M., and Berggren, W.A., 1989a. Paleogene benthic foraminifer biostratigraphy and paleoecology at Site 647, Southern Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 705–730.
- Kaminski, M.A., Gradstein, F.M., Goll, R.M., and Greig, D., 1990. Biostratigraphy and paleoecology of deep-water agglutinated foraminifera at ODP Site 643, Norwegian-Greenland Sea. In Hemleben, C., et al. (Eds.), *Paleoecology, Biostratigraphy, Paleoceanography and Taxonomy of Agglutinated Foraminifera*: Dordrecht (Kluwer Academic), 345–386.
- Kaminski, M.A., Gradstein, F.M., Scott, D.B., and Mackinnon, K.D., 1989b. Neogene benthic foraminifer biostratigraphy and deep-water history of Sites 645, 646, and 647, Baffin Bay and Labrador Sea. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 731–756.
- Kastner, M., 1979. Silica polymorphs. In Burns, R.G. (Ed.), *Marine Minerals*. Mineral. Soc. Am., Rev. Mineral., 6:99–111.
- Katz, B.J., 1983. Limitations of “Rock-Eval” pyrolysis for typing organic matter. *Org. Geochem.*, 4:195–199.
- Keller, G.V., 1982. Electrical properties of rocks. In Carmichael, R.S. (Ed.), *Handbook of Physical Properties of Rocks* (Vol. 1): Boca Raton, FL (CRC Press), 217–293.
- Kennett, D.M., and Kennett, J.P., 1990. *Bolboforma* Daniels and Spiegler, from Eocene and lower Oligocene sediments, Maud Rise, Antarctica. In Barker, P.F., Kennett, J.P., et al., *Proc. ODP, Sci. Results*, 113: College Station, TX (Ocean Drilling Program), 667–673.
- Kennett, J.P., 1977. Cenozoic evolution of Antarctic glaciation, the circum-Antarctic Ocean, and their impact on global paleoceanography. *J. Geophys. Res.*, 82:3843–3860.
- Kim, Y.S., Moore, R.K., and Onstott, R.G., 1984. Theoretical and experimental study of radar backscatter from sea ice. *Remote Sensing Lab., Univ. of Kansas*, Rep. 331-31:168.
- King, C., 1983. Cainozoic micropaleontological biostratigraphy of the North Sea. *Inst. Geol. Sci. Rep.*, 82.
- Klein, L.A., and Swift, C.T., 1977. An improved model for the dielectric constant of seawater at microwave frequencies. *IEEE J. Oceanic Eng.*, OE-2:104–111.
- Knudsen, K.L., and Asbjørnsdóttir, L., 1991. Plio-Pleistocene foraminiferal stratigraphy and correlation in the Central North Sea. *Mar. Geol.*, 101:113–124.
- Koizumi, I., 1973. The late Cenozoic diatoms of Sites 183–193, Leg 19 Deep Sea Drilling Project. In Creager, J.S., Scholl, D.W., et al., *Init. Repts. DSDP*, 19: Washington (U.S. Govt. Printing Office), 805–855.
- Kovacs, L.C., and Vogt, P.R., 1982. Depth-to-magnetic source analysis of the Arctic ocean region. *Tectonophysics*, 89:225–294.
- Krissek, L.A., 1989. Late Cenozoic records of ice-rafting at ODP Sites 642, 643, and 644, Norwegian Sea: onset, chronology, and characteristics of glacial/interglacial fluctuations. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 61–74.
- Kristoffersen, Y., 1990. On the tectonic evolution and paleoceanographic significance of the Fram Strait gateway. In Bleil, U., and Thiede, J. (Eds.), *Geological History of the Polar Oceans: Arctic versus Antarctic*. NATO ASI Ser. C308:63–76.
- Kristoffersen, Y., and Husebye, E.S., 1985. Multi-channel seismic reflection measurements in the Eurasian Basin, Arctic Ocean, from U.S. Ice Station Fram IV. *Tectonophysics*, 114:103–115.
- Kruglikova, S.B., 1989. Arctic Ocean radiolarians. In Herman, Y. (Ed.), *The Arctic Seas: Climatology, Oceanography, Geology, and Biology*: New York (Van Nostrand Reinhold), 461–481.
- Kulm, L.D., von Huene, R., et al., 1973. *Init. Repts. DSDP*, 18: Washington (U.S. Govt. Printing Office).
- Kutzbach, F.E., Prell, W.L., and Ruddiman, W.F., 1993. Sensitivity of Eurasian climate to surface uplift of the Tibetan Plateau. *T. Geol.*, 101:177–190.
- Kvenvolden, K.A., and Barnard, L.A., 1983. Gas hydrates of the Blake Outer Ridge, Site 533, Deep Sea Drilling Project Leg 76. In Sheridan, R.E., Gradstein, F.M., et al., *Init. Repts. DSDP*, 76: Washington (U.S. Govt. Printing Office), 353–365.
- Kvenvolden, K.A., and McDonald, T.J., 1986. Organic geochemistry on the *JOIDES Resolution*—an assay. *ODP Tech. Note*, 6.
- Lachenbruch, A.H., and Brewer, M.C., 1959. Dissipation of the temperature effect in drilling a well in Arctic Alaska. *U.S. Geol. Surv. Bull.*, 1083-C:73–109.
- Lamb, H.H., 1972. *Climate: Present, Past and Future* (Vol. 1): London (Methuen).
- Langseth, M.G., and Zielinski, G.W., 1974. Marine heat flow measurements in the Norwegian-Greenland Sea and in the vicinity of Iceland. In Kristjansson, K. (Ed.), *Geodynamics of Iceland and the North Atlantic Area*: Dordrecht (D. Reidel), 227–295.
- Larsen, B., 1983. Geology of the Greenland-Iceland Ridge in the Denmark Strait. In Bott, M.H.P., Saxov, S., Talwani, M., and Thiede, J. (Eds.), *Structure and Development of the Greenland-Scotland Ridge*. NATO Conf. Ser. IV, New York (Plenum), 425–444.
- Larsen, H.C., 1984. Geology of the East Greenland Shelf. In Spencer, A.M. (Ed.), *Petroleum Geology of the North European Margin*: London (Graham & Trotman), 329–339.
- , 1990. The East Greenland Shelf. In Grantz, A., Johnson, G.L., and Sweeney, J.F. (Eds.), *The Arctic Ocean Region*. Geol. Soc. Am., Geol. of North Am. Ser., L:185–210.
- Larsen, V.B., 1987. A synthesis of tectonically related stratigraphy in the North Atlantic region from Aalenian to Cenomanian time. *Nor. Geol. Tidsskr.*, 67:281–293.
- Lawver, L.A., Müller, R.D., Srivastava, S.P., and Roest, W., 1990. The opening of the Arctic Ocean. In Bleil, U., and Thiede, J. (Eds.), *Geological History of the Polar Oceans: Arctic versus Antarctic*. NATO ASI Ser. C308: Dordrecht (Kluwer Academic Publ.), 29–62.
- Lazarus, D., and Pallant, A., 1989. Oligocene and Neogene radiolarians from the Labrador Sea, ODP Leg 105. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 349–380.
- Lee, H.J., 1985. State of the art: laboratory determination of strength of marine soils. In Chaney, R.C., and Demars, K.R. (Eds.), *Strength Testing of Marine Sediments: Laboratory and In-Situ Measurements*: ASTM Spec. Tech. Publ., 883:181–250.
- Lock, G.A., and Hoyer, W.A., 1971. Natural gamma-ray spectral logging. *Log Analyst*, 12:3–9.
- Locker, S., and Martini, E., 1989. Cenozoic silicoflagellates, ebridians, and actiniscidians from the Vøring Plateau (ODP Leg 104). In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 543–585.
- Lovell, M.A., 1985. Thermal conductivity and permeability assessment by electrical resistivity measurements in marine sediments. *Mar. Geotechnol.*, 6:205–240.
- Macdonald, G.A., and Katsura, T., 1964. Chemical composition of Hawaiian lavas. *J. Petrol.*, 5:82–133.
- Mackensen, A., and Spiegler, D., 1992. Middle Eocene to early Pliocene *Bolboforma* (Algae?) from the Kerguelen Plateau, Southern Indian Ocean. In Wise, S.W., Jr., Schlich, R., et al., *Proc. ODP, Sci. Results*, 120: College Station, TX (Ocean Drilling Program), 675–682.
- Mankinen, E.A., and Dalrymple, G.B., 1979. Revised geomagnetic polarity time scale for the interval 0–5 m.y.B.P. *J. Geophys. Res.*, 84:615–626.
- Manley, T.O., Bourke, R.H., and Hunkins, K.L., 1992. Near-surface circulation over the Yermak Plateau in northern Fram Strait. *J. Mar. Sys.*, 3:107–125.
- Manum, S.B., 1976. Dinocysts in Tertiary Norwegian-Greenland Sea sediments (Deep Sea Drilling Project Leg 38), with observations on palynomorphs and palynodebris in relation to environment. In Talwani, M., Udintsev, G., et al., *Init. Repts. DSDP*, 38: Washington (U.S. Govt. Printing Office), 897–919.
- Manum, S.B., Boulter, M.C., Gunnarsdóttir, H., Rangnes, K., and Scholze, A., 1989. Eocene to Miocene palynology of the Norwegian Sea (ODP Leg 104). In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 611–662.
- Marcussen, C., Christiansen, F.G., Larsen, P.-H., Olsen, H., Piasecki, S., Stemmerik, L., Bojesen-Koefoed, J., Jepsen, H.F., and Nøhr-Hansen, H., 1987. Studies of the onshore hydrocarbon potential in East Greenland 1986–87: field work from 72° to 74°N. *Greenl. Geol. Surv.*, Rep., 135:72–81.
- Martini, E., 1971. Standard Tertiary and Quaternary calcareous nannoplankton zonation. In Farinacci, A. (Ed.), Proc. 2nd Int. Conf. Planktonic Microfossils Roma: Rome (Ed. Tecnosci.), 2:739–785.
- Martini, E., and Müller, C., 1976. Eocene to Pleistocene silicoflagellates from the Norwegian-Greenland Sea (DSDP Leg 38). In Talwani, M., Udintsev,

- G., et al., *Init. Repts. DSDP*, 38: Washington (U.S. Govt. Printing Office), 857–895.
- Martinson, D.G., Menke, W., and Stoffa, P.L., 1982. An inverse approach to signal correlation. *J. Geophys. Res.*, 87:4807–4818.
- Massom, R., 1991. *Satellite Remote Sensing of Polar Regions*: London (Belhaven Press).
- Mayer, L.A., Courtney, R.C., and Moran, K., 1987. Ultrasonic measurements of marine sediment properties. *Proc. Oceans '87*, 139.
- Mazzullo, J.M., Meyer, A., and Kidd, R., 1988. New sediment classification scheme for the Ocean Drilling Program. In Mazzullo, J., and Graham, A.G. (Eds.), *Handbook for Shipboard Sedimentologists*. ODP Tech. Note, 8:45–67.
- McNeil, D.H., 1989. Foraminiferal zonation and biofacies analysis of Cenozoic strata in the Beaufort-Mackenzie Basin of Arctic Canada. *Geol. Surv. Can. Pap.*, 89-1G:203–223.
- Meincke, J., 1983. The modern current regime across the Greenland-Scotland Ridge. In Bott, M.H.P., Saxov, S., Talwani, M., and Thiede, J. (Eds.), *Structure and Development of the Greenland Scotland Ridge: New Methods and Concepts*: New York (Plenum), 637–650.
- Meyers, P.A., and Brassell, S.C., 1985. Biogenic gases in sediments deposited since Miocene times on the Walvis Ridge, South Atlantic Ocean. In Caldwell, D.E., Brierly, J.A., and Caldwell, C.L. (Eds.), *Planetary Ecology*: New York (Van Nostrand Reinhold), 69–80.
- Miller, K.G., 1983. Eocene-Oligocene paleoceanography of the deep Bay of Biscay: benthic foraminiferal evidence. *Mar. Micropaleontol.*, 7:403–440.
- Miller, K.G., Gradstein, F.M., and Berggren, W.A., 1982. Late Cretaceous to early Tertiary agglutinated benthic foraminifera in the Labrador Sea. *Micropaleontology*, 28:1–30.
- Mix, A.C., and Pisias, N.G., 1988. Oxygen isotope analyses and deep-sea temperature changes: implications for rates of oceanic mixing. *Nature*, 331:249–251.
- Moore, J.G., 1970. Water content of basalt erupted on the ocean floor. *Contrib. Mineral. Petrol.*, 28:272–279.
- Moore, J.G., and Schilling, J.-G., 1973. Vesicles, water, and sulfur in Reykjanes Ridge basalts. *Contrib. Mineral. Petrol.*, 41:105–118.
- Morley, J.J., and Shackleton, N.J., 1978. Extension of the radiolarian *Stylactis univerris* as a biostratigraphic datum to the Atlantic Ocean. *Geology*, 6:309–311.
- Mudie, P.J., 1989. Palynology and dinocyst biostratigraphy of the late Miocene to Pleistocene, Norwegian Sea: ODP Leg 104, Sites 642–644. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 587–610.
- Mudie, P.J., and Helgason, J., 1983. Palynological evidence for Miocene climatic cooling in eastern Iceland about 9.8 Myr ago. *Nature*, 303:689–692.
- Müller, C., and Spiegler, D., 1993. Revision of late/middle Miocene boundary on the Vøring Plateau (ODP Leg 104). *Newsl. Stratigr.*, 28:171–178.
- Müller, P.J., 1977. C/N ratios in Pacific deep sea sediments: effect of inorganic ammonium and organic nitrogen compounds sorbed by clays. *Geochim. Cosmochim. Acta*, 41:765–776.
- Müller, P.J., and Suess, E., 1979. Productivity, sedimentation rate, and sedimentary organic matter in the oceans. I. Organic carbon preservation. *Deep-Sea Res. Part A*, 26:1347–1362.
- Munsell Soil Color Charts, 1971. Baltimore, MD (Munsell Color).
- Myhre, A., and Eldholm, O., 1988. The western Svalbard margin (74°–80°N). *Mar. Pet. Geol.*, 5:134–156.
- Myhre, A.M., and Eldholm, O., 1981. Sedimentary and crustal velocities in the Norwegian-Greenland Sea. *J. Geophys. Res.*, 86:5012–5022.
- Myhre, A.M., Eldholm, O., and Sundvor, E., 1982. The margin between Senja and Spitsbergen Fracture Zones; implication from plate tectonics. *Tectonophysics*, 89:33–50.
- Nam, S.-I., Stein, R., Grobe, H., and Hubberten, H., in press. Late Quaternary stable isotope records and glacial/interglacial changes in sediment composition at the East Greenland continental margin. *Mar. Geol.*
- Nansen, F., 1904. The bathymetrical features of the North Polar Seas, with a discussion of continental shelves and previous oscillations of the shoreline: Norwegian North Polar Expedition 1893–1896. *Sci. Res.*, 4:1–232.
- , 1928. The oceanographic problems of the still unknown Arctic Region. In Joerg, W.L.G. (Ed.), *Problems of Polar Research*. Spec. Publ., Am. Geographical Soc., 7:3–14.
- Nelson, R.E., and Carter, L.D., 1985. Pollen analysis of a late Pliocene and early Pleistocene section from the Gubik Formation of Arctic Alaska. *Quat. Res.*, 24:295–306.
- Nunns, A.G., and Peacock, J.H., 1983. Correlation, identification and inversion of magnetic anomalies in the Norway Basin. *Earth Evol. Sci.*, 2:130–138.
- Onstott, R.G., Grenfell, T.C., Matzler, C., Luther, C.A., and Svendsen, E.A., 1987. Evolution of microwave sea ice signatures during early summer and midsummer in the marginal ice zone. *J. Geophys. Res.*, 92:6825–6835.
- O'Reilly, W., 1984. *Rock and Mineral Magnetism*: New York (Blackie, Chapman and Hall).
- Osterman, L.E., 1992. Benthic foraminiferal zonation from the Vøring Plateau: glacial interglacial changes. *G.S.A. Abstracts*, 7.
- Osterman, L.E., and Qvale, G., 1989. Benthic foraminifers from the Vøring Plateau (ODP Leg 104). In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 745–768.
- Pallant, A., and Kaminski, M., 1989. *Bolboforma* from Leg 105, Labrador Sea and Baffin Bay, and the chronostratigraphy of *Bolboforma* in the North Atlantic. In Srivastava, S.P., Arthur, M.A., Clement, B., et al., *Proc. ODP, Sci. Results*, 105: College Station, TX (Ocean Drilling Program), 381–385.
- Perch-Nielsen, K., 1985a. Cenozoic calcareous nannofossils. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 427–554.
- , 1985b. Silicoflagellates. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 811–846.
- Perry, R.K., 1986. Bathymetry. In Hurdle B.G. (Ed.), *The Nordic Seas*: New York (Springer), 211–234.
- Perry, R.K., Fleming, H.S., Cherkis, N.Z., Feden, R.H., and Vogt, P.R., 1980. Bathymetry of the Norwegian-Greenland and Western Barents Sea. Naval Research Laboratory, Washington, D.C.
- Perry, R.K., Fleming, H.S., Weber, J.R., Kristoffersen, Y., Hall, J.K., Grantz, A., and Johnson, G.L., 1985. Bathymetry of the Arctic Ocean. Naval Research Laboratory, Washington D.C. (scale 1:6,000,000).
- Perry, R.K., Fleming, H.S., Weber, J.R., Kristoffersen, Y., Hall, J.K., Grantz, A., Johnson, G.L., Cherkis, N.Z., and Larsen, B., 1986. Bathymetry of the Arctic Ocean. Naval Research Laboratory, Washington D.C. (scale 1:6,000,000).
- Peters, K.E., 1986. Guidelines for evaluating petroleum source rock using programmed pyrolysis. *AAPG Bull.*, 70:318–329.
- Peterson, W.H., and Rooth, C.G.H., 1976. Formation and exchange of deep water in the Greenland and Norwegian seas. *Deep-Sea Res. Part A*, 23:273–283.
- Petrushevskaya, P., 1979. The history of the microplankton of the Norwegian Sea (on the Deep Sea Drilling materials). In *Explorations of the Fauna of the Seas*, XXIII (XXXI). Acad. Sci. USSR, Zool. Inst., 3–156.
- Powell, A.J., 1992. Dinoflagellate cysts of the Tertiary System. In Powell, A.J. (Ed.), *A Stratigraphic Index of Dinoflagellate Cysts*: London (Chapman and Hall), 155–251.
- Powell, C.McA., 1986. Continental underplating model for the rise of the Tibetan Plateau. *Earth Planet. Sci. Lett.*, 81:79–94.
- Pratson, E.L., Broglia, C., and Jarrard, R., 1993. Data report: geochemical well logs through Cenozoic and Quaternary sediments from Sites 815, 817, 820, 822, and 823. In McKenzie, J.A., Davies, P.J., Palmer-Julson, A., et al., *Proc. ODP, Sci. Results*, 133: College Station, TX (Ocean Drilling Program), 795–817.
- Quadfasel, D., Gascard, J.-C., and Koltermann, K.P., 1987. Large-scale oceanography in Fram Strait during the 1984 Marginal Ice Zone Experiment. *J. Geophys. Res.*, 92:6719–6728.
- Qvale, G., and Spiegler, D., 1989. The stratigraphic significance of *Bolboforma* (Algae, Chrysophyta) in Leg 104 samples from the Vøring Plateau. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 487–495.
- Raymo, M.E., Rind, D., and Ruddiman, W.F., 1990. Climatic effects of reduced Arctic sea ice limits in the GISS II General Circulation Model. *Paleoceanography*, 5:367–382.
- Rea, D.K., Basov, I.A., and Janecek, T., 1993a. North Pacific Transect. *JOIDES J.*, 19:21–28.
- Rea, D.K., Basov, I.A., Janecek, T.R., Palmer-Julson, A., et al., 1993b. *Proc. ODP, Init. Repts.*, 145: College Station, TX (Ocean Drilling Program).
- Repenning, C.A., Brouwers, E.M., Carter, L.D., Marincovitch, L., Jr., and Ager, T.A., 1987. The Beringian ancestry of *Phenacomys* (Rodentia: Cricetidae) and the beginning of the modern Arctic Ocean borderland biota. *U.S. Geol. Surv. Bull.*, 1687:1–28.

- Ruckebusch, G., 1983. A Kalman filtering approach to natural gamma ray spectroscopy in well logging. *IEEE Trans. Autom. Control*, AC-28:372–380.
- Ruddiman, W., and JOIDES NAAG-DPG, 1991. North Atlantic-Arctic Gateways. *JOIDES J.*, 17:38–50.
- Ruddiman, W.F., and Raymo, M.E., 1988. Northern Hemisphere climatic régimes during the past 3 Ma: possible tectonic connections. *Philos. Trans. R. Soc. London B*, 318:411–430.
- Ruddiman, W.F., Raymo, M., and McIntyre, A., 1986. Matuyama 41,000-year cycles: North Atlantic Ocean and northern hemisphere ice sheets. *Earth Planet. Sci. Lett.*, 80:117–129.
- Sancetta, C., 1979. Paleogene Pacific microfossils and paleoceanography. *Mar. Micropaleontol.*, 4:363–398.
- Sarnthein, M., Jansen, E., Arnold, M., et al., 1992.  $\delta^{18}\text{O}$ -time slice reconstruction of meltwater anomalies at Termination I in the North Atlantic between 50 and 80°N. In Bard, E., and Broecker, W.S. (Eds.), *The Last Deglaciation: Absolute and Radiocarbon Chronologies*: New York (Springer-Verlag).
- Sato, T., Kameo, K., and Takayama, T., 1991. Coccolith biostratigraphy of the Arabian Sea. In Prell, W.L., Niitsuma, N., et al., *Proc. ODP, Sci. Results*, 117: College Station, TX (Ocean Drilling Program), 37–54.
- Sato, T., and Takayama, T., 1992. A stratigraphically significant new species of the calcareous nannofossil *Reticulofenestra* Asanoi. In Ishizaki, K., and Saito, T. (Eds.), *Centenary of Japanese Micropaleontology*: Tokyo (Terra Sci. Publ.), 457–460.
- Sato, T., Takayama, T., Kato, M., Kudo, T., and Kameo, K., 1988. Calcareous microfossil biostratigraphy of the uppermost Cenozoic formations distributed in the coast of the Japan Sea—Part 4: Conclusion. *J. Jpn. Assoc. Petrol. Tech.*, 53:475–491.
- Saxov, S., 1983. Discussion, conclusions, and recommendations. In Bott, M.H.P., Saxov, S., Talwani, M., and Thiede, J. (Eds.), *Structure and Development of the Greenland-Scotland Ridge: New Methods and Concepts*: New York (Plenum), 653–660.
- Schaefer, R.G., and Leythaeuser, D., 1987. Low-molecular-weight hydrocarbons in sediments of Deep Sea Drilling Project Leg 93, Hole 603B, off the east coast of North America. In van Hinte, J.E., Wise, S.W., Jr., et al., *Init. Repts. DSDP*, 93 (Pt. 2): Washington (U.S. Govt. Printing Office), 1237–1244.
- Schilling, J.-G., Zajac, M., Evans, R., Johnson, T., White, W., Devine, J.D., and Kingsley, R., 1983. Petrologic and geochemical variations along the mid-Atlantic ridge from 29°N to 75°N. *Am. J. Sci.*, 283:510–586.
- Schlosser, P., Bönisch, G., Rhein, M., and Bayer, R., 1991. Reduction of deepwater formation in the Greenland sea during the 1980s: evidence from tracer data. *Science*, 251:1054–1056.
- Schlumberger, 1989. *Log Interpretation Principles/Applications*: Houston, TX (Schlumberger Educational Services).
- Schrader, H.-J., and Fenner, J., 1976. Norwegian Sea Cenozoic diatom biostratigraphy and taxonomy. In Talwani, M., Udintsev, G., et al., *Init. Repts. DSDP*, 38: Washington (U.S. Govt. Printing Office), 921–1099.
- Schweitzer, J.S., Grau, J.A., and Hertzog, R.C., 1988. Precision and accuracy of short-lived activation measurements for in situ geological analyses. *J. Trace Microprobe Techniques*, 6:437–451.
- Scott, D.B., Mudie, P.J., Baki, V., MacKinnon, K.D., and Cole, F.E., 1989. Biostratigraphy and late Cenozoic paleoceanography of the Arctic Ocean: Foraminifera lithostratigraphic and isotopic evidence. *Geol. Soc. Am. Bull.*, 101:260–277.
- Scott, H.D., and Smith, M.P., 1973. The aluminum activation log. *Log Analyst*, 14:3–12.
- Serra, O., 1984. *Fundamentals of Well Log Interpretation* (Vol. 1): *The Acquisition of Logging Data*: Amsterdam (Elsevier).
- Shackleton, N.J., 1987. The carbon isotope record of the Cenozoic: history of organic carbon burial and of oxygen in the ocean and atmosphere. In Brooks, J., and Fleet, A.J. (Eds.), *Marine Petroleum Source Rocks*. Geol. Soc. Spec. Publ. London, 26:423–434.
- Shackleton, N.J., Backman, J., Zimmerman, H., Kent, D.V., Hall, M.A., Roberts, D.G., Schnitker, D., Baldauf, J.G., Desprairies, A., Homrighausen, R., Huddlestun, P., Keene, J.B., Kaltenback, A.J., Krumsiek, K.A.O., Morton, A.C., Murray, J.W., and Westberg-Smith, J., 1984. Oxygen isotope calibration of the onset of ice-rafting and history of glaciation in the North Atlantic region. *Nature*, 307:620–623.
- Shackleton N.J., and Boersma, A., 1981. The climate of the Eocene ocean. *J. Geol. Soc. London*, 138:153–157.
- Shackleton, N.J., and Kennett, J.P., 1975. Late Cenozoic oxygen and carbon isotopic changes at DSDP Site 284: implications for glacial history of the Northern Hemisphere and Antarctica. In Kennett, J.P., Houtz, R.E., et al., *Init. Repts. DSDP*, 29: Washington (U.S. Govt. Printing Office), 801–807.
- Shaw, D.M., Watkins, N.D., and Huang, T.C., 1974. Atmospherically transported volcanic glass in deep-sea sediments: theoretical considerations. *J. Geophys. Res.*, 79:3087–3094.
- Shipboard Scientific Party, 1987. Explanatory notes: ODP Leg 105, Baffin Bay and Labrador Sea. In Srivastava, S.P., Arthur, M., et al., *Proc. ODP, Init. Repts.*, 105: College Station, TX (Ocean Drilling Program), 21–42.
- , 1990. Explanatory notes. In Rangin, C., Silver, E.A., von Breyer, M.T., et al., *Proc. ODP, Init. Repts.*, 124: College Station, TX (Ocean Drilling Program), 7–33.
- , 1992a. Explanatory notes. In Davis, E.E., Mottl, M.J., Fisher, A.T., et al., *Proc. ODP, Init. Repts.*, 139: College Station, TX (Ocean Drilling Program), 55–97.
- , 1992b. Site 504. In Dick, H.J.B., Erzinger, J., Stokking, L.B., et al., *Proc. ODP, Init. Repts.*, 140: College Station, TX (Ocean Drilling Program), 37–200.
- Shuchman, R.A., Burns, B.A., Johannessen, O.M., Josberger, E.G., Campbell, W.J., Manley, T.O., and Lannelongue, N., 1987. Remote sensing of the Fram Strait Marginal Ice Zone. *Science*, 236:429–432.
- Skogseid, J., in press. Dimensions of the Late Cretaceous-Paleocene North-east Atlantic rift derived from Cenozoic subsidence. *Tectonophysics*.
- Skogseid, J., and Eldholm, O., 1989. Vøring Plateau continental margin: seismic interpretation, stratigraphy, and vertical movements. In Eldholm, O., Thiede, J., Taylor, E., et al. (Eds.), *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 993–1030.
- Skogseid, J., Pedersen, T., Eldholm, O., and Larsen, B.T., 1992. Tectonism and magmatism during NE Atlantic continental break-up: the Vøring Margin. In Storey, B.C., Alabaster, T.C., and Pankhurst, R.J. (Eds.), *Magmatism and the Causes of Continental Break-up*. Geol. Soc. Spec. Publ. London, 68:303–318.
- Spiegler, D., 1991. Occurrence of *Bolboforma* (Algae, Chrysophyta) in the subantarctic (Atlantic) Paleogene. In Ciesielski, P.F., Kristoffersen, Y., et al., *Proc. ODP, Sci. Results*, 114: College Station, TX (Ocean Drilling Program), 325–334.
- Spiegler, D., and Jansen, E., 1989. Planktonic foraminifer biostratigraphy of Norwegian Sea sediments: ODP Leg 104. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 681–696.
- Spiegler, D., and Müller, C., 1992. Correlation of *Bolboforma* zonation and nannoplankton stratigraphy in the Neogene of the North Atlantic: DSDP Sites 12-116, 49-408, 81-555 and 94-608. *Mar. Micropaleontol.*, 20:45–58.
- Spiegler, D., and von Daniels, C.H., 1991. A stratigraphic and taxonomic atlas of *Bolboforma* (Protophytes, Incertae sedis, Tertiary). *J. Foraminiferal Res.*, 21:126–158.
- Spielhagen, R.F., 1991. Die Eisdrift in der Framstrasse während der letzten 200.000 Jahre. *GEOMAR Rep.*, 4.
- Stein, R., 1990. Organic carbon/sedimentation rate relationship and its paleoenvironmental significance for marine sediments. *Geo-Mar. Lett.*, 10:37–44.
- , 1991a. *Accumulation of Organic Carbon in Marine Sediments*: Berlin (Springer).
- , 1991b. Organic carbon accumulation in Baffin Bay and paleoenvironment in high-northern latitudes during the past 20 m.y. *Geology*, 19:356–359.
- Stein, R., Rullkötter, J., and Welte, D.H., 1986. Accumulation of organic-carbon-rich sediments in the late Jurassic and Cretaceous Atlantic Ocean—a synthesis. *Chem. Geol.*, 56:1–32.
- Stow, D.A.V., 1986. Deep clastic seas. In Reading, H.G. (Ed.), *Sedimentary Environments and Facies*: London (Blackwell Sci. Publ.), 399–446.
- Sundvor, E., 1986. Heat flow measurements on the western Svalbard margin. *Univ. Bergen Seismol. Obs., Sci. Rep.*, 11.
- Sundvor, E., and Austegard, A., 1990. The evolution of the Svalbard margins: synthesis and new results. In Bleil, U., and Thiede, J. (Eds.), *Geological History of the Polar Oceans: Arctic versus Antarctic*. NATO ASI Ser. C308: Dordrecht (Kluwer Academic), 77–94.
- Sundvor, E., and Eldholm, O., 1979. The western and northern margin off Svalbard. *Tectonophysics*, 59:239–250.
- Sundvor, E., Gidskehwag, A., Myhre, A.M., and Eldholm, O., 1978. Marine geophysical survey on the northern Svalbard margin. *Univ. Bergen Seismol. Obs., Sci. Rep.*, 5.

- Sundvor, E., Johnson, G.L., and Myhre, A.M., 1982a. Some aspects of morphology and structure of the Yermak Plateau, NW of Spitsbergen. *Univ. Bergen, Seismol. Obs., Sci. Rep.*, 8.
- Sundvor, E., Myhre, A.M., Austegard, A., Haugland, K., Eldholm, O., and Gidskehaug, A., 1982b. Marine geophysical survey on the Yermak Plateau. *Univ. Bergen Seismol. Obs., Sci. Rep.*, 7.
- Svensk Sjöfartsverket, 1992. Svensk Lots del A 1992. Allmänna upplysningar.
- Sverdrup, H.U., Johnson, M.W., and Fleming, R. (Eds.), 1942. *The Oceans: Their Physics, Chemistry and General Biology*: Englewood Cliffs, NJ (Prentice-Hall).
- Takayama, T., 1993. Notes on Neogene calcareous nannofossil biostratigraphy of the Ontong Java Plateau and size variations of *reticulofenestra* coccoliths. In Berger, W.H., Kroenke, L.W., Mayer, L.A., et al., *Proc. ODP, Sci. Results*, 130: College Station, TX (Ocean Drilling Program), 179–229.
- Takayama, T., and Sato, T., 1987. Coccolith biostratigraphy of the North Atlantic Ocean, Deep Sea Drilling Project Leg 94. In Ruddiman, W.F., Kidd, R.B., Thomas, E., et al., *Init. Repts. DSDP*, 94 (Pt. 2): Washington (U.S. Govt. Printing Office), 651–702.
- Talwani, M., and Eldholm, O., 1977. Evolution of the Norwegian-Greenland Sea. *Geol. Soc. Am. Bull.*, 88:969–999.
- Talwani, M., Udintsev, G., et al., 1976. *Init. Repts. DSDP*, 38: Washington (U.S. Govt. Printing Office).
- Thiede, J., 1983. Outstanding geological problems of the Greenland-Scotland Ridge: an introduction. In Bott, M.H.P., et al. (Eds.), *Structure and Development of the Greenland-Scotland Ridge*. NATO Conf. Ser. IV, New York (Plenum), 313–318.
- Thiede, J., Clark, D.L., and Herman, Y., 1990a. Late Mesozoic and Cenozoic paleoceanography of the northern polar oceans. In Grantz, A., Johnson, L., and Sweeney, J.F. (Eds.), *The Arctic Ocean Region*. Geol. Soc. Am., Geol. of North Am. Ser., L:427–458.
- Thiede, J., and Eldholm, O., 1983. Speculation about the paleo-depth of the Greenland-Scotland Ridge during late Mesozoic and Cenozoic times. In Bott, M.H.P., Saxov, S., Talwani, M., and Thiede, J. (Eds.), *Structure and Development of Greenland-Scotland Ridge*: New York (Plenum), 445–478.
- Thiede, J., Eldholm, O., and Taylor, E., 1989. Variability of Cenozoic Norwegian-Greenland Sea paleoceanography and Northern Hemisphere paleoclimate. In Eldholm, O., Thiede, J., Taylor, E., et al., *Proc. ODP, Sci. Results*, 104: College Station, TX (Ocean Drilling Program), 1067–1118.
- Thiede, J., and NAD Science Committee, 1992. The Arctic Ocean record: key to global change (initial science plan). *Polarforschung*, 61:1–102.
- Thiede, J., Pfirman, S., Schenke, H.-W., and Reil, W., 1990b. Bathymetry of Molloy Deep: Fram Strait between Svalbard and Greenland. *Mar. Geophys. Res.*, 12:197–214.
- Thierstein, H.R., and Berger, W.H., 1978. Injection events in ocean history. *Nature*, 276:461–466.
- Timur, A., and Toksöz, M.N., 1985. Fundamentals of well log interpretation. *Annu. Rev. Earth Planet. Sci.*, 13:315–344.
- Ulaby, F.W., Moore, R.K., and Fung, A.K., 1982. *Microwave Remote Sensing Active and Passive*: Reading, MA (Addison-Wesley), 457–1064.
- Vacquier, V., 1985. The measurement of thermal conductivity of solids with a transient linear heat source on the plane surface of a poorly conducting body. *Earth Planet. Sci. Lett.*, 74:275–279.
- van Andel, T.H., Heath, G.R., and Moore, T.C., Jr., 1975. Cenozoic history and paleoceanography of the central equatorial Pacific Ocean. *Mem.—Geol. Soc. Am.*, 143.
- Vinje, T., 1985. Drift, composition, morphology and distribution of the sea ice fields in the Barents Sea. *Nor. Polarinst. Skr.*, 179C:1–26.
- Vinje, T.E., 1976. Sea-ice conditions in the European sector of the marginal seas of the Arctic, 1966–75. *Aarb., Nor. Polarinst.*, 1975:163–174.
- Vogt, P.R., 1986a. Geophysical and geochemical signatures and plate tectonics. In Hurdle, B.G. (Ed.), *The Nordic Seas*: New York (Springer-Verlag), 413–662.
- , 1986b. Seafloor topography, sediments, and paleoenvironments. In Hurdle, B.G. (Ed.), *The Nordic Seas*: New York (Springer-Verlag), 237–410.
- Vogt, P.R., Bernero, C., Kovacs, L.C., and Taylor, P., 1981. Structure and plate tectonic evolution of the marine Arctic as revealed by aeromagnetics. *Oceanol. Acta*, SP:25–40.
- Vogt, P.R., Johnson, G.L., and Kristjansson, L., 1980. Morphology and magnetic anomalies north of Iceland. *Geophys. J.*, 47:61–66.
- Vogt, P.R., Kovacs, L.C., Bernero, C., and Srivastava, S.P., 1982. Asymmetric geophysical signatures on the Greenland-Norwegian and southern Labrador seas and the Eurasia Basin. In Johnson, G.L., and Sweeney, J.F. (Eds.), *Structure of the Arctic*. Tectonophysics, Spec. Iss., 89:95–160.
- Vogt, P.R., Taylor, P.T., Kovacs, L.C., and Johnson, G.L., 1979. Detailed aeromagnetic investigation of the arctic basin. *J. Geophys. Res.*, 84:1071–1089.
- von Herzen, R.P., and Maxwell, A.E., 1959. The measurement of thermal conductivity of deep-sea sediments by a needle-probe method. *J. Geophys. Res.*, 64:1557–1563.
- Wadhams, P., 1986a. The ice cover. In Hurdle, B.G. (Ed.), *The Nordic Seas*: New York (Springer-Verlag).
- , 1986b. The Seasonal Ice Zone. In Untersteiner, N. (Ed.), *Geophysics of Sea Ice*: New York (Plenum), 825–991.
- , 1991. The probability of ice-free conditions at eight proposed ODP drill sites in the Fram Strait region. *Cambridge Polar Cons. Rep.*
- Warnke, D.A., and Hansen, M.E., 1977. Sediments of glacial origins in the area of DSDP Leg 38 (Norwegian-Greenland seas): preliminary results from Sites 336 and 344. *Naturforsch. Ges. Freib. Breisgau Ber.*, 67:371–392.
- Warren, B.A., 1981. Deep circulation in the world ocean. In Warren, B.A., and Wunsch, C. (Eds.), *Evolution of Physical Oceanography*: Cambridge (MIT Press), 6–41.
- Wedepohl, K.H., 1969. *Handbook of Geochemistry*: Berlin (Springer Verlag).
- Westberg-Smith, M.J., and Riedel, W.R., 1984. Radiolarians from the western margin of the Rockall Plateau: Deep Sea Drilling Project Leg 81. In Roberts, D.G., Schnitker, D., et al., *Init. Repts. DSDP*, 81: Washington (U.S. Govt. Printing Office), 479–501.
- Whelan, J.K., and Hunt, J.M., 1981. C<sub>1</sub>–C<sub>8</sub> Hydrocarbons in IPOD Leg 63 sediments from outer California and Baja California borderlands. In Yeats, R.S., Haq, B.U., et al., *Init. Repts. DSDP*, 63: Washington (U.S. Govt. Printing Office), 775–784.
- White, R., and McKenzie, D., 1989. Magmatism at rift zones: the generation of volcanic continental margins and flood basalts. *J. Geophys. Res.*, 94:7685–7729.
- Williams, G.L., and Bujak, J.P., 1985. Mesozoic and Cenozoic dinoflagellates. In Bolli, H.M., Saunders, J.B., and Perch-Nielsen, K. (Eds.), *Plankton Stratigraphy*: Cambridge (Cambridge Univ. Press), 847–964.
- Williams, H., Turner, F.J., and Gilbert, C.M., 1982. *Petrography: An Introduction to the Study of Rocks in Thin Sections* (2nd ed.): New York (Freeman).
- Wold, C.N., 1992. Paleobathymetry and sediment accumulation in the northern North Atlantic and southern Greenland-Iceland-Norwegian Sea [Ph.D. thesis]. Fac. Nat. Sci. Kiel Univ.
- Wolf, T.C.W., and Thiede, J., 1991. History of terrigenous sedimentation during the past 10 m.y. in the North Atlantic (ODP Legs 104, 105, and DSDP 81). *Mar. Geol.*, 101:83–102.
- Wollenburg, I., 1993. Sediment transport by Arctic sea ice: the recent load of lithogenic and biogenic material. *Ber. Polarforsch.*, 127.
- World Meteorological Organization, 1970. Sea-ice nomenclature, terminology, codes, and illustrated glossary. WMO/OMM/BMO No. 259, TP 145. Secretariat of the WMO. Geneva, Switzerland.
- Wyllie, M.R.J., Gregory, A.R., and Gardner, L.W., 1956. Elastic wave velocities in heterogeneous and porous media. *Geophysics*, 21:41–70.
- Ziegler, P.A. (Ed.), 1988. Evolution of the Arctic-North Atlantic and the western Tethys. *AAPG Mem.*, 43.