Leg: 151 Site: 908

Sample			Texture data			Mineral													Biogenic						Rock		
Hole, core, section, location (cm)	Depth	Lithology	Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Fe Oxide	Feldspar	Glauconite	Inorganic Calcite	Mica	Opaques	Pyrite	Quartz	Volcanic Glass	Zeolite	Diatoms	Foraminifers	Nannofossils	Radiolarians	Silicoflagellates	Sponge Spicules	Carbonate Grains	Coal	Rock Fragment
A-1-01, 37	.37	M	20	40	40	1	40			8		1	1			36				12							
1-02, 10	1.60	D	15	55	30	2	30			10	*		2	1		50	5										
1-02, 40	1.90	D	8	32	60	1	60			8		1	1	1		27	1										
1-02, 63	2.13	M	8	27	65	1	50			5	*	1		1		14				25	2						
1-03, 30	3.30	M	5	29	66	2	66			10			1	1		15											
1-03, 97	3.97	M	5	50	45	1	45			8	*		2	*		44											
1-03, 98	3.98	M	5	20	75	1	75			6			1	1		12											4
1-04, 15	4.65	M	30	61	9	5	9			17	1	1	2	1		60	4										
1-04, 30	4.80	D	10	20	70		70			10			2	2		12											
1-04, 40	4.90	D	5	15	80	1	80			6			*	*		10											
1-CC, 9	5.26	D	10	20	70	1	70			10			1	1		15											
2-01, 55	5.95	M	12	40	48	10	48			15			4	3		20											
2-01, 120	6.60	D	8	50	42	12	37			20			2	6		18											
2-02, 28	7.18	M	10	45	45	2	45	3		18			3	6		15											8
2-02, 40	7.30	M	8	45	47	12	47	2		18			3	3		15											
2-02, 70	7.60	M	5	50	45	7	45			15		3	5	5		20											
2-02, 90	7.80	M	5	50	45																						
2-02, 91	7.81	M	5	50	45	6	45			20		3	5			20											
2-02, 120	8.10	M	5	60	35	9	35			20			3	8		25											
2-03, 138	9.78	M	15	55	30	7	30			5		3	3	7		20				20	5						
2-04, 21	10.11	M	5	55	40	6	40			20			3	8		20											
2-04, 120	11.10	D	15	45	40	3	40	6		12			1	5		20											13
2-04, 132	11.22	M	12	35	53		53			14		3	4	8		18											
2-05, 30	11.70	M	2	40	58	8	58			9			4	5		16											
2-05, 108	12.48	M	2	30	68	3	68			1						2										25	
2-06, 60	13.50	M	4	38	58	8	58			7		2	4	4		17											
2-06, 126	14.16	M	2	35	63		63			10			2	3		19											
2-07, 50	14.90	D	2	40	58	11	58			8		3	3	5		12											
3-01, 52	15.42	D	2	28	70	5	70			5				2		18											
3-02, 58	16.98	D	2	25	73	1	73			4			1	1		19	1										
3-03, 31	18.21	M	0	15	85	2	85			4				1		8											
3-03, 129	19.19	M	8	35	57		57			10	3		3	5		22											
3-04, 1	19.41	D	1	29	70	1	70			4			1	2		21	1										
3-05, 38	21.28	D	1	30	69	1	69			5			1	2		22											
4-01, 56	24.96	D	20	15	65	2	65			3			2	1		27											
4-01, 86	25.26	D	25	15	60	5	60							2		33											
4-01, 134	25.74	M	35	10	55	2	55			2				1		38											
4-02, 86	26.76	D	30	10	60	2	60			2				5		29											1
4-03, 10	27.50	M	15	5	80							80		3		17											
4-03, 61	28.01	D	20	10	70	2	70			2	1			1		24											
4-03, 62	28.02	D	20	15	65		65			2	1			4		28											
5-01, 13	34.03	M	15	5	80	3						80		1		16											
5-01, 119	35.09	D	10	35	55	2	55			5	1			2		35											
5-02, 36	35.76	D	25	25	50	1	50			3	*			1		45											
5-02, 80	36.20	D	20	10	70	6	70							1		23											
5-04, 47	38.87	D	5	45	50	*	50			5	1			2		42											
5-05, 114	41.04	D	5	45	50	2	50			5	*	*				41											
5-06, 87	42.27	D	35	20	45	2	45			10	1	*		2		40											
6-01, 41	43.81	M	5	20	75	10				5		70				10											
6-02, 95	45.85	M	40	40	20	20	20			25						35											
6-03, 41	46.81	D	10	60	30	10	30			25		*		5		30											
6-03, 95	47.35	M	5	15	80					5	5	80		5		5											
6-03, 122	47.62	D	10	40	50	5	55			10						30											
6-04, 56	48.46	M	50	45	5	30	5			25						40											
6-05, 45	49.85	M	5	5	90	5	80							10		5											

Leg: 151 Site: 908																												
Sample			Texture data			Mineral													Biogenic						Rock		
Hole, core, section, location (cm)	Depth	Lithology	Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Fe Oxide	Feldspar	Glauconite	Inorganic Calcite	Mica	Opaques	Pyrite	Quartz	Volcanic Glass	Zeolite	Diatoms	Foraminifers	Nannofossils	Radiolarians	Silicoflagellates	Sponge Spicules	Carbonate Grains	Coal	Rock Fragment
6-06, 42	51.32	D	0	40	60	10	60			15				5		10											
7-01, 110	54.00	D	17	45	38	1	43			20		*	*	1		35											
7-01, 134	54.24	D	3	60	37		37			27		2		1		30											
7-02, 51	54.91	D	1	45	54	1	55	1		5	*			2		35											
7-03, 21	56.11	M	11	30	59	5	59	5		4		10				15											
7-04, 69	58.09	D	5	40	55	1	40	*		18				1		40											
7-05, 28	59.18	M	25	70	5	5	5	1		33	2		1	3		48	1										
7-05, 125	60.15	M	2	10	88		45			2		50		1		2											
7-06, 37	60.77	D	5	55	40	4	50			18	*					28	*										
8-01, 59	62.99	D	2	20	78		58			2		20		2		18											
8-02, 32	64.22	M	2	30	68		68				1					31											
8-02, 39	64.29	M	5	5	90		90							1		9											
8-02, 98	64.88	M	0	25	75	2	75			8			2			13											
8-03, 57	65.97	D	2	25	73		73			2	1			1		23											
8-05, 64	69.04	D	5	25	70		70			10				1		19											
8-07, 25	71.65	M	0	20	80	2	80							3		15											
9-01, 2	71.92	D	5	30	65	1	65			5				2		27											
9-01, 29	72.19	D	8	50	42	3	42			2	1			2		50											
9-01, 114	73.04	D	15	45	40	5	40			3	1			2		49											
9-03, 38	75.28	D	8	40	52	5	52			5	2			2		34											
9-03, 91	75.81	D	15	45	40	6	40			12	2			2		38											
9-03, 137	76.27	M	30	20	50	2	50			5				2		41											
9-04, 43	76.72	D	5	40	55	5	55			5	1			2		32											
9-CC, 10	79.84	M	5	20	75	3	45			5	1	30		1		15											
10-01, 69	82.09	D	1	35	64	1	64			8	1	1		2		23											
10-04, 16	86.06	M	50	40	10		10			10				4		71	1										
10-06, 24	89.14	D	2	28	70		70			2				2		24	2										
11-02, 102	93.42	D	0	30	70	1	70			5			1	1		20	2										
11-02, 142	93.82	M	0	30	70		30			4		40	1	1		24											
11-03, 9	93.99	D	0	45	55	1	55			4			1	5		32	2										
11-CC, 21	95.26	M	15	50	35	3	35			12			1	1		46	2										
12-01, 25	100.85	D	2	43	55	10	55			12			1	2		20											
12-02, 2	102.12	D	25	45	30	8	30			23		1	3	5		30											
12-02, 88	102.98	M	25	45	30	8	30			23		1	3	5		30											
12-02, 90	103.00	M	25	35	40	3	40			20	8		2	2		25											
12-03, 25	103.85	D	1	20	79	1	79			5			1	2		12											
13-01, 110	111.50	D	4	40	56	6	56			8		2	2	6		20											
13-02, 143	113.33	D	3	40	57		57			1				37		5											
13-03, 3	113.43	M	0	40	60	13	60			4			3	10		10											
13-03, 39	113.79	M	25	30	45	10	45			5			2	8		30											
13-03, 42	113.82	D	8	50	42	6	42			10			4	10		28											
13-04, 117	116.07	M	3	48	49	7	49			3				3		8									30		
13-05, 56	116.96	M	5	50	45	*	45						1	*		3									51		
14-01, 44	120.44	D	2	18	80																						
14-01, 44	120.44	M	2	18	80		80			1		16				3											
14-01, 85	120.85	M	20	40	40	8	40			18		1	3	5		25											
14-02, 123	122.73	D	1	45	54	11	54			10		0	3	2		20											
14-03, 14	123.14	M	5	50	45	4	45			18		0	2	6		25											
14-03, 51	123.51	M	0	10	90	0	50			1		40	0	0		8	1										
14-03, 135	124.35	D	2	55	43	7	43			15			3	7		25											
14-04, 96	125.46	D	4	40	56	2	56			7		20	3			12											
14-05, 35	126.35	D	1	40	59	2	59			3		15	2	5		14											
15-01, 29	129.99	D	1	14	85	*	78			2			1	1		10				*	7				*		
15-02, 29	131.49	D	15	25	60	1	60			5			2	4		27									1		
16-01, 28	139.48	D	8	50	42	2	42			2	1			1		52											

Leg: 151 Site: 908

Sample			Texture data			Mineral													Biogenic						Rock		
Hole, core, section, location (cm)	Depth	Lithology	Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Fe Oxide	Feldspar	Glauconite	Inorganic Calcite	Mica	Opaques	Pyrite	Quartz	Volcanic Glass	Zeolite	Diatoms	Foraminifers	Nannofossils	Radiolarians	Silicoflagellates	Sponge Spicules	Carbonate Grains	Coal	Rock Fragment
16-01, 59	139.79	M	14	30	56	4	56			3	1			2		34											
16-02, 25	140.95	D	5	30	65	5	65			5	1			1		23											
16-04, 25	143.95	D	2	25	73	5	73			3	2			1		16											
17-01, 22	148.92	D	5	25	70	3	70			1				1		24			1								
17-01, 93	149.63	D	6	27	67		67			1				1		29			2								
17-03, 49	152.19	M	10	25	65		65			4				1		29			1								
17-04, 4	153.24	M	60	20	20		20									10	70										
17-04, 9	153.29	M	80	10	10		10									1	89										
18-01, 25	158.45	D	2	25	73		63					10		3		21			2				*	*			
18-03, 25	161.45	D	10	40	50		50				1			1		40			4			*		1			
18-03, 27	161.47	D	5	35	60		60			5	*			2		31	1		*					*			
18-03, 80	162.00	M	15	20	65		65			2	1			2		30			*								
18-04, 59	163.29	M	30	20	50		50				1			2		43	2										
18-05, 25	164.45	D	2	30	68	1	68				*			2		24			4					1			
18-06, 41	166.11	M	25	30	45	2	45			2	2			1		46	*		1					1			
19-02, 25	169.55	D	5	35	60	2	60			2	1			1		34											
19-02, 80	170.10	M	8	50	42	2	42				1			10		40											
19-05, 88	174.68	M	5	90	5		5							90		5											
20-02, 25	179.15	D	5	40	55		55			15						25											
20-04, 121	183.11	M	70	25	5		5			5	75					15											
20-04, 143	183.33	M	70	25	5		5			20	60					15											
20-05, 124	184.64	M	50	45	5	5	5			10	70					5											
20-05, 130	184.70	M	30	60	10		10		80	5						5											
20-05, 143	184.83	M	70	25	5	5	5			20	60					10											
20-06, 25	185.15	D	10	50	40	3	40			20				2		35											
21-01, 108	188.18	D	5	45	50	1	50			3				1		20			20					2			
21-02, 45	189.05	D	3	55	42	1	42				1			3		15	5		30					3			
21-03, 25	190.35	D	5	45	50	1	50							2		13	2		30					2			
21-04, 106	192.66	D	1	29	70		70			3				1		13	3		9					1			
21-06, 25	194.85	D	1	49	50		50			5	1					10	1		30					3			
22-01, 56	197.26	D	2	20	78	*	78			3	*			1		12	*		5					1			
22-02, 58	198.78	M	3	37	60	*	50			6	*	10		0	5	16	*		9					2			
22-03, 118	200.88	D	3	30	67	*	67			2	*	0		1	0	13	5		10					2			
22-04, 65	201.85	D	1	30	69	0	60			5	0	0		1	0	20	*		8					1			
22-05, 2	202.72	M	0	30	70	0	19			0	0	80		1	0	0	*		0					0			
22-05, 56	203.26	D	1	25	74	1	68			5	0	0		1	0	20	0		4					1			
22-CC, 25	204.73	M	1	4	95	1	20			0	0	70		0	0	4	0		0					0			
23-01, 25	206.55	D	2	25	73	1	73			1	*	*		1		16	*		7		0			1			
23-02, 25	208.05	D	3	30	67	1	67			2	0	0		3		19	1		5		0	*		2			
23-03, 25	209.55	D	5	25	70	1	70			0	*	0		1		15	3		8		0	*		2			
23-04, 25	211.05	D	5	30	65	1	65			1	0	0		2		10	*		16		0	0		5			
23-05, 25	212.55	D	3	30	67	1	67			0	*	*		2		13	1		12		0	1		3			
23-CC, 28	215.18	D	7	35	58	*	58			0	*	0		1		10	1		25		0	*		5			
24-01, 101	217.01	D	1	25	74	3	74			4	2			1		9			6					1			
24-02, 24	217.74	D	7	25	68	1	68			3	2		1	2		7	1		12			1		2			
24-04, 25	220.75	D	4	25	71	1	60			3			1	1		7			20			1		6			
24-05, 98	222.98	D	4	50	46	1	46			5		5	2	1		18			10				4	8			
25-01, 19	225.79	D	1	25	74	0	74			0			0	1		2			18				3	2			
25-01, 47	226.07	D	0	26	74	0	46			0			0	2		10	5		30		2		0	5			
25-01, 97	226.57	M	25	45	30	*	30			1		10	*	*	6	5	*		15	15	8		2	8			
25-01, 122	226.82	M	15	45	40	2	40			1						5			20	8	15		4	5			
25-05, 53	232.13	D	4	30	66	2	50			4		2		3		10			20			2		6			
26-01, 24	235.44	D	3	30	67	1	45			7	1			3		10			22			1		10			
26-02, 9	236.79	M	6	21	73	4	48			3	4	20	1	4		7			7					2			
26-02, 130	238.00	D	9	21	70	1	40			4	1	3	1	2		8	1		30		2	2		5			

Leg: 151 Site: 908

Sample			Texture data			Mineral													Biogenic						Rock		
Hole, core, section, location (cm)	Depth	Lithology	Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Fe Oxide	Feldspar	Glauconite	Inorganic Calcite	Mica	Opaques	Pyrite	Quartz	Volcanic Glass	Zeolite	Diatoms	Foraminifers	Nannofossils	Radiolarians	Silicoflagellates	Sponge Spicules	Carbonate Grains	Coal	Rock Fragment
26-04, 6	239.76	M	12	50	38	2	38			8	3	1	2	4		23	2		10		3	1		3			
26-06, 27	242.97	D	5	50	45	3	45			10	3	6	1	4		20	2		5					1			
27-01, 25	245.15	D	0	30	70	1	61			0	*	0		1		20	6		5		*	*	*	5			
27-02, 68	247.08	D	0	30	70	1	62			2	1	*		1		17	4		10		0	*	0	2			
27-05, 31	251.21	D	1	30	69	1	51			0	1	0		1		17	3		19		3	1	0	3			
28-01, 31	254.91	D	2	20	78	1	78					14		1		1			3					2			
28-01, 103	255.63	D	1	10	89		89					5							5					1			
28-02, 57	256.67	D	2	28	70	1	70					8		1		8			10					2			
28-03, 85	258.45	M	0	15	85							97		3													
28-04, 70	259.80	D	3	55	42	5	41			3		15	4	3		10			12		2			5			
28-05, 81	261.41	M	15	45	40		35			2		15			10	5			8	15	8			1			
28-06, 79	262.89	M	3	35	62	1	62			1						8	3		8		12		1	2			
29-01, 27	264.47	D	8	42	50	2	50			5				1		31			8				*	2			
29-02, 16	265.86	D	4	30	66	5	66			2				1		22			2					1			
29-04, 45	269.15	D	5	25	70	*	70			2	*			2		19			4				*	3			
29-04, 119	269.89	D	5	40	55	1	55			6	*			1		30			4			*	*	2			
29-05, 38	270.58	D	3	30	67	1	67				*			2		20			6			*	*	4			
29-06, 35	272.05	M	2	5	93		93							2		5											
29-06, 44	272.14	M	7	10	83	*	13				*	70		5		10											
30-01, 25	274.15	D	5	75	20	5	20			5						5	5		45					10			
30-02, 21	275.61	D	3	28	69		50			3				1		10	*		30				*	3			
30-03, 25	277.15	D	5	45	50	2	50			10	2			1		30			5					*			
30-04, 25	278.65	D	8	50	42	2	42				1			*		10			43		*	*	*	2			
30-05, 76	280.66	D	4	30	66	1	34				1			1		11	1		38		10	*	*	2			
30-05, 90	280.80	M	0	20	80	*	79				*	8		1		8			2					2			
30-05, 136	281.26	M	0	25	75	2	75				1			*		16			4		1			1			
30-06, 65	282.05	D	0	20	80		80									15			2					1			
30-06, 112	282.52	D	3	38	59		59									22			12		*	*		3			
30-06, 146	282.86	M	2	40	58	1	60			3	*			2		23	1		3					4			
31-01, 54	284.04	D		10	90	1	90							1		8											
31-03, 44	286.94	D		20	80		80									15					5						
31-04, 113	289.13	M	1	15	84		24			1		60		1		14											
31-05, 58	290.08	M		50	50		10									10					80						
31-06, 26	291.26	D	5	50	45		35			15	1			2		25			20					2			
31-06, 131	292.31	M	30	36	34	5	30			10	1			32		10			10					2			
32-01, 50	293.70	D	5	15	80	1	50				*			1		11			30		1			6			
32-02, 50	295.20	D	2	25	73	1	50			1				1		10			25		1	*		10			
32-03, 50	296.70	D	2	25	73	*	55							1		10			25		1	*		7			
32-04, 50	298.20	D	1	15	84	*	58							*		10			20		*			10			
32-05, 50	299.70	D	2	15	83	*	40							1		8			40					10			
32-06, 50	301.20	D	1	20	79	*	44							1		10			30		10			5			
33-01, 25	303.05	D	0	40	60	5	50			4	1			5		5			30		*			*			
33-02, 25	304.55	D	5	25	70		55			10	1			2		10	5		15		*			2			
33-03, 25	306.05	D	5	30	65		60			5	*			15		8			10		*			*			
33-04, 25	307.55	D	0	40	60	5	35				*			5		5	10		38		2			*			
33-05, 25	309.05	D	5	20	75	1	42				*			1		10	*		30		1	2	3	10			
33-06, 25	310.55	D	2	15	83	*	58				*	2		1		10	*		20			2	*	7			
33-06, 128	311.58	M	3	30	67	*	58			1	*			*		20	1		10		5	2		3			
33-06, 132	311.62	D	2	20	78	*	53							1		8			30		2	*	1	5			
34-01, 47	312.97	D	12	20	68		63			4		9				10			5	1	2			6			
34-01, 94	313.44	D	3	25	72		70							1		4			20		3			2			
34-02, 47	314.47	D	15	25	60		60			2		9				9			11		1			4			
34-03, 47	315.97	D	5	45	50		45									5			40		5	1		4			
34-04, 47	317.47	D	3	30	67		66			1	1			2		8			20					2			
34-04, 64	317.64	M	0	13	87		37					50				10	3										

Leg: 151 Site: 908

Sample			Texture data			Mineral													Biogenic						Rock		
Hole, core, section, location (cm)	Depth	Lithology	Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Fe Oxide	Feldspar	Glauconite	Inorganic Calcite	Mica	Opaques	Pyrite	Quartz	Volcanic Glass	Zeolite	Diatoms	Foraminifers	Nannofossils	Radiolarians	Silicoflagellates	Sponge Spicules	Carbonate Grains	Coal	Rock Fragment
34-04, 124	318.24	D	1	19	80		79			1						6			10		1			1			
34-05, 47	318.97	D	3	27	70	1	67			1		2	1	3		5			15		3			2			
34-05, 125	319.75	M	10	30	60	2	56			4	2			2		17		10			3			1			
34-05, 130	319.80	M	3	30	67		64			2	1	1	1		7	10	2		8		3			1			
35-01, 45	320.65	D	2	39	59	1	56				5	1	2	1		25	4		3					2			
35-02, 73	322.43	M	1	41	58	1	56			1	1	1	1	2		22	3		3		5			4			
35-04, 38	325.08	D	3	40	57	2	52			4	1	4		1		27			4					5			
35-CC, 7	328.35	M		20	80			40				40				17	3										
36-01, 19	330.29	D	3	35	62	1	62			4	1			1		29	2										
36-02, 29	331.89	D	0	25	75	3	70				1	5		1		15	5										
36-02, 29	331.89	M	25	35	40	3	40			3	10	1	2	2		33	5							1			
36-03, 15	333.25	D	4	44	52	3	52			2	3	2		6		22	10										
36-04, 25	334.85	M	0	20	80		80				1			1		16	2										
36-05, 7	336.17	D	0	30	70	1	70			2	1	1		2		19	4										
36-CC, 44	336.76	M	0	80	20	2	20				1	1		54		15	5				2						
37-01, 24	340.24	M	15	40	45	10	45			8	10		2	2	8	15			0	0	0		0	0			
37-01, 112	341.12	D	4	55	41	3	41			13	5	13	3	0	4	18			0	0	0		0	0			
37-02, 62	342.12	M	2	60	38	3	38			5	3	15	2	6	0	28			0	0	0		0	0			
37-02, 132	342.82	D	2	40	58	3	58			3	1	2	0	2	1	30			0	0	0		0	0			
37-CC, 34	343.22	M	2	45	53	8	53			1	2	25	0	7	0	3			0	0	0		0	0			
B-1-01, 110	1.10	D	28	42	30	10	40			16	1		2	5		26	0			0	0						
1-02, 26	1.76	D	10	30	60	5	60			8	0		3	0		17	7			0	0						
2-01, 33	3.83	D	30	40	30	12	30			20	0		2	5		30	1			0	0						
2-01, 66	4.16	D	10	50	40	5	40			8	1		2	4		35	5		0	0	0		0	0			
2-01, 69	4.19	D	30	40	30	8	30			8	1		0	4		47	2			0	0						
2-02, 68	5.68	D	15	35	50	5	50			6	1		0	3		32	3			0	0						
2-02, 136	6.36	D	5	50	45	4	45			6	0		1	1		35	8			0	0						
3-01, 18	13.18	D	10	25	65	0	65			3	1		2	1		10	0			18	0						
3-02, 93	15.43	D	8	45	47	10	47			18	0		5	5		15	0			0	0						
3-03, 67	16.67	D	2	50	48	6	48			15	0	0	3	3		25	0			0	0						
3-04, 104	18.54	D	7	40	53	7	53			5	0	0	3	4		20	0			8	0						
3-05, 85	19.85	M	1	35	64	0	64			3	0	17	0	0		15	0			0	0						
3-06, 32	20.72	D	8	40	52	2	52			8	0	20	0	5		13	0			0	0						
3-06, 114	21.54	D	12	30	58	4	58			12	2		3	3		18	0			0	0						
4-01, 5	22.55	M	30	30	40	5	40			20	5			5		25											
4-01, 100	23.50	D	1	24	75	2	75			5				3		15											
4-02, 119	25.19	M	15	45	40	5	40			15	10			5		20	5										
4-03, 41	25.91	D	8	25	67	2	67			4						27											
4-03, 98	26.48	D	5	25	70	5	70			10	1			2		10	2										
4-04, 30	27.30	D	1	20	79	2	79			1				1		17											
4-04, 119	28.19	D	0	20	80	1	20				1	60		3		10	5										
4-05, 52	29.02	D	10	30	60	2	60			5				1		32											
5-01, 90	32.90	D	5	40	55	2	55			15				3		25											
5-03, 7	35.07	M	2	8	90	*	10				*	80		2		8											
5-04, 36	36.86	M	25	35	40	5	40			20				5		30											
5-06, 60	40.10	D	5	40	55	2	55			15	1			1		25											
6-01, 81	42.31	D	20	35	45	2	45			5	1			3		44											
6-03, 27	44.77	M	10	35	55	1	55			5	1			2		36											
6-04, 13	46.13	M	20	35	45	2	45			10	1			2		38											
6-05, 46	47.96	M	1	7	92		32					60		1		7											
6-05, 85	48.35	M	15	40	45	1	45			5				1		48											
6-06, 119	50.19	D	2	30	68	1	68			2				2		27											
7-02, 25	52.75	D	20	40	40	3	40			5						52											
7-03, 60	54.60	M	8	37	55	4	55			5						36											
7-04, 74	56.24	M	25	30	45	5	45			5						45											

Leg: 151 Site: 908																												
Sample			Texture data			Mineral													Biogenic						Rock		
Hole, core, section, location (cm)	Depth	Lithology	Sand	Silt	Clay	Accessory Minerals	Clay	Dolomite	Fe Oxide	Feldspar	Glauconite	Inorganic Calcite	Mica	Opaques	Pyrite	Quartz	Volcanic Glass	Zeolite	Diatoms	Foraminifers	Nannofossils	Radiolarians	Silicoflagellates	Sponge Spicules	Carbonate Grains	Coal	Rock Fragment
7-04, 87	56.37	M	2	20	78	1	78			1						20											
7-06, 115	59.65	D	2	18	80	1	80			2						17											
8-03, 41	63.91	M	55	30	10	10	10			40				10		30											
8-04, 12	65.12	D	1	25	74	2	74			5				2		17											
8-04, 125	66.25	M	1	30	69	5	69			10				5		11											
8-05, 90	67.40	D	5	25	70	5	70			10						15											
9-01, 89	70.89	D	5	30	65	1	65			5				2		27											
9-02, 32	71.82	M	0	10	90		20					70		2		8											
9-02, 75	72.25	M	10	25	65	2	65			2		10		2		19											
9-03, 48	73.48	D	3	30	67	1	67			8				1		23											
9-CC, 25	75.41	M	1	5	94	1	20			1		70		1		3											
10-01, 79	76.19	D	2	30	68	5	68			10				2		15											
10-02, 32	77.22	M	20	25	55	10	55			15				10		10											
10-02, 35	77.25	D	1	39	60	5	60			15				2		13	5										
10-04, 85	80.75	D	5	30	65	3	65			15				1		15	1										
10-05, 86	82.26	D	30	30	40	5	40			20	1			1		33											