

## INDEX TO VOLUME 154

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 154 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, or thin-section descriptions and CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 925, for example, is given as “Site 925, A:55–152.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: [pub\\_production@ODP.TAMU.EDU](mailto:pub_production@ODP.TAMU.EDU).

## VOLUME 154 SUBJECT INDEX

- absolute age, planktonic foraminiferal datums, B:8–9
- absorption, phosphorus, B:479–481
- acoustic anisotropy  
vs. depth, A:121, 203, 260, 313, 396  
*See also* anisotropy
- acoustic units  
Ceara Rise, A:44–49  
Unit 1, A:44–45  
Unit 2, A:45–47  
Unit 3, A:47–48  
*See also* velocity
- advection, oxygen isotopes, B:203–205
- age vs. depth  
Ceara Rise, B:143, 193, 278, 353, 458  
Site 925, A:102  
Site 926, A:183  
Site 927, A:255  
Site 928, A:304  
Site 929, A:368  
*See also* sedimentation rates
- alkalinity  
interstitial waters, A:89, 91–92, 179, 181, 249, 355, 436–437  
vs. age, A:439  
vs. depth, A:103, 184, 256, 305, 381
- aluminum  
inorganic sediments, B:509–516  
vs. calcium, B:517  
vs. potassium, B:517  
vs. silicon, B:517  
vs. titanium, B:517  
*See also* barium/aluminum ratio;  
calcium/aluminum ratio;  
phosphorus/aluminum ratio;  
potassium/aluminum ratio;  
silicon/aluminum ratio;  
titanium/aluminum ratio
- aluminum oxide  
geochemical logs, A:217  
vs. calcium oxide, B:503–504  
vs. carbon isotopes, B:505  
vs. total organic carbon, B:503–504
- Amazon Fan  
carbonates, B:190, 195–196  
physiography, A:6  
sedimentation, A:421–422; B:300–301, 314, 356, 391, 469–470  
sediments, B:507–526  
seismic reflectors, A:52
- Amazon River, sediments, B:175
- ammonium  
interstitial waters, A:249, 304, 359  
vs. sulfate, A:103
- Andes, sedimentation, B:469–470
- anisotropy. *See also* acoustic anisotropy
- anisotropy, seismic, vs. carbonate content, B:164, 167–168
- Antarctic Bottom Water  
mass accumulation rates, B:139  
oceanography, A:6, 8; B:202, 205–206, 285, 294, 299–300, 313, 331, 375, 396, 404  
*See also* deep water
- API units, vs. depth, A:122
- arsenic/tin ratio, vs. cesium/sodium ratio, B:470
- astrophysical age models  
Site 925, B:6, 19  
*See also* geochronology; time scales
- astronomical calibration  
time scales, B:70–71, 302–304, 352  
*See also* obliquity; precession
- Atlantic Ocean W, equatorial  
calcite recrystallization, B:491–499  
carbon isotopes, B:501–505  
carbonate dissolution, B:229–237  
carbonates, B:189–199  
cyclostratigraphy, B:101–114  
oceanography, A:5–10  
organic carbon, B:501–505  
paleoceanography, B:207–228, 239–253, 269–297, 299–330, 375–388, 395–431, 437–438, 451–461  
sediment flux, B:69–82, 331–345  
sediments, B:135–149, 331–345, 507–526  
silica, B:483–490
- authigenesis  
celestite, B:495–498  
phosphorus, B:479  
*See also* diagenesis; dissolution
- barite, inorganic sediments, B:515–516
- barium, inorganic sediments, B:509–516
- barium/aluminum ratio  
inorganic sediments, B:509–516  
spectral analysis, B:522, 524, 526  
vs. depth, B:519–521, 523, 525
- basement, acoustic, seismic reflectors, A:48
- bathymetry, Ceara Rise, A:5–6, 39–41
- bedding, lithologic units, A:60–61
- benthic foraminiferal mass accumulation rate  
carbonate content, B:397, 400–401, 404, 412–430, bp  
*See also* foraminifers, benthic; mass accumulation rates
- beryllium 9, sediments, B:389–394
- beryllium 9 flux, vs. beryllium 10 flux, B:393
- beryllium 10  
sediments, B:389–394  
vs. age, B:393  
vs. depth, B:392
- beryllium 10 flux, vs. beryllium 9 flux, B:393
- beryllium 10 flux/beryllium 9 flux ratio, vs. beryllium 9 concentration, B:394
- beryllium isotopes, sediments, B:389–394
- biologic evolution, planktonic foraminifers, B:10–11
- biosiliceous fragments  
lithologic units, A:344–346  
sedimentation, A:424–426; B:487–488  
vs. age, A:427  
vs. depth, A:346  
*See also* siliciclastics
- biostratigraphic controls  
composite section, A:178  
lithologic units, A:64  
sedimentation rates, A:89, 183, 259, 302, 367
- biostratigraphic datums  
age estimates, A:435; B:5–10  
planktonic foraminifers, B:5–10, 32–42  
vs. time scales, B:72
- biostratigraphic events  
age, B:109  
calcareous nannoplankton, A:88–89, 182, 242, 290–291  
composite depth section, A:79–80, 87, 300
- biostratigraphy  
calcareous microfossils, A:438  
Ceara Rise, A:438
- diatoms, B:484  
nannofossils, B:85–93  
planktonic foraminifers, B:33–68  
repeated interval, A:249  
Site 925, A:66–78, 88–89; B:3–31  
Site 926, A:160–167, 182  
Site 927, A:238–244, 249, 258–259  
Site 928, A:285–293, 300–302  
Site 929, A:347–353, 366–367  
vs. magnetic susceptibility, A:252
- Blake–Bahama Outer Ridge, seismic reflectors, A:46, 50
- blebs, lithologic units, A:235–236
- “blue ocean” production, Miocene, B:386
- Brazilian shield, sedimentation, B:470
- burrows  
lithologic units, A:61, 157  
*See also* ichnofossils
- calcite  
burial, B:285–297, 331–345  
recrystallization, A:359; B:491–499  
sedimentation, A:355
- calcium  
inorganic sediments, B:509–516  
interstitial waters, A:87, 93, 181, 249, 304, 361–362  
vs. aluminum, B:517  
vs. depth, A:103, 184, 256, 305, 381  
*See also* magnesium/calcium ratio;  
strontium/calcium ratio
- calcium/aluminum ratio  
inorganic sediments, B:515–516  
vs. carbonate/noncarbonate ratio, B:518  
vs. depth, B:518–521, 523, 525
- calcium–yield logs, vs. depth, A:215
- calcium carbonate  
spectral analysis, B:522, 524, 526  
vs. reactive phosphorus, B:481
- calcium oxide  
geochemical logs, A:217  
vs. aluminum oxide, B:503–504  
vs. titanium oxide, B:503–504
- caliper logs  
vs. depth, A:129, 132–133, 211, 263, 266–267, 325, 327, 398, 400  
*See also* well-logging
- Cape Basin, ocean circulation, B:459–460
- carbon  
cyclicality, B:341–345  
sediments, A:93–98
- carbon, carbonate, sediments, A:94–98, 186–188, 261, 370–371
- carbon, organic  
carbon isotopes, B:501–505  
sediments, A:94–98, 186–188, 249, 251, 261, 304–308, 362–363, 370–371; B:233, 243, 307, 309–315  
vs. age, B:502  
vs. depth, A:105, 185, 257, 305, 390
- carbon, total, organic  
vs. aluminum oxide, B:503–504  
vs. titanium oxide, B:503–504
- carbon, total, sediments, A:94–98, 186–188, 261, 306–307, 370–371
- carbon/nitrogen ratio  
organic materials, B:502–504  
vs. age, B:502  
*See also* nitrogen

- carbon dioxide, vs. depth, B:321
- carbon isotopes
- carbonates, B:193–195, 239–253, 271, 288–297, 322–323, 368–371, 451–461
  - power spectra, B:437
  - secular variations, B:501–505
  - time scales, B:73, 304–305
  - vs. age, B:246, 248, 250, 259–260, 296, 308, 324–325, 328, 370, 436, 459, 503
  - vs. aluminum oxide, B:505
  - vs. depth, B:245, 288, 321, 435, 457–458
  - vs. oxygen isotopes, B:326, 443
  - vs. titanium oxide, B:505
- carbonate/noncarbonate ratio, vs. calcium/aluminum ratio, B:518
- carbonate compensation depth
- Cenozoic, A:9, 430
  - evolution, B:193–195, 332–338
  - high-resolution reconstruction, A:430
  - lithologic units, A:285
  - lithostratigraphy, A:421–422
  - mass accumulation rates, A:363
  - Miocene, B:375–388
  - sedimentation, A:327, 390, 395
  - sedimentation rates, B:75
  - See also* lysocline
- carbonate content
- grain size, B:81–82
  - high-resolution reconstruction, A:430
  - linear regression parameters, A:423; B:331–336
  - lithologic units, A:65–66, 235–236, 285, 341–342
  - low-resolution reconstruction, A:436–437
  - natural gamma rays, A:424
  - oxygen isotopes, B:195
  - phosphorus, B:476, 478–481
  - power spectra, B:290, 295, 305–306
  - proxies, A:422; B:332–336, 349–365
  - rock magnetism, B:185–186
  - sediments, A:93–98, 183, 185–188, 249, 251, 261, 304–308, 362–363, 370–371; B:273–276
  - vs. age, A:185, 436; B:145–146, 194–195, 198, 218, 233, 279, 289–290, 337, 359–363, 377–381, 502
  - vs. bulk density, A:120; B:159, 162–164
  - vs. coarse fraction, B:280, 287–289
  - vs. composite depth, B:191, 214
  - vs. compressional wave velocity, B:162–166
  - vs. density, A:189
  - vs. depth, A:62–66, 105, 118–119, 158–160, 185, 188, 236–237, 257, 286–288, 305, 342–345, 390; B:141–142, 158, 216, 230, 277, 287, 300, 350, 377, 518, 532
  - vs. dry density, B:380
  - vs. magnetic susceptibility, A:117–118, 189, 424
  - vs. reflectance percentage, A:71, 105, 118, 189, 424; B:378
  - vs. seismic anisotropy, B:164, 167–168
  - See also* sand/carbonate ratio
- carbonate mass accumulation rate
- power spectra, B:281, 309–311, 336–340, 363
  - variance density spectra, B:147–148, 195–196, 199, 235, 290
  - vs. age, A:119, 257, 309, 391, 437; B:296, 382–386
  - vs. depth, A:119, 194, 257, 309, 390; B:386
  - vs. time and depth, B:365
- carbonates
- cyclicality, B:138–140
  - dissolution, B:229–237
  - ice volume variations, B:190–191
- Miocene, B:367–373, 375–388
- paleoceanography, B:207–228
- preservation, B:299–300, 310–314
- production and dissolution, B:189–199, 349–365
- time–depth variations, B:190
- Ceara Abyssal Plain, physiography, A:6
- Ceara Rise
- beryllium isotopes, B:389–394
  - biostratigraphy, A:438; B:3–31, 33–68
  - calcite, B:491–499
  - carbon isotopes, B:501–505
  - carbonate dissolution, B:229–237
  - carbonate sedimentation, A:436–437
  - carbonates, B:189–199
  - composite section, A:427
  - cyclostratigraphy, B:101–114
  - elastic properties, B:151–155
  - gamma-ray logs, B:117–134
  - geochemistry, B:475–481
  - interstitial waters, A:437–439
  - Leg 154 synthesis, A:421–442
  - lithostratigraphy, A:421–427
  - oceanography, A:5–10
  - oxygen isotopes, B:201–206
  - paleoceanography, A:440–441; B:207–228, 239–253, 269–297, 299–330, 375–388, 451–461
  - paleoclimatology, B:433–439
  - physical properties, B:157–168
  - rock magnetism, B:169–179, 181–186
  - sedimentation, A:424–426, 430, 436; B:349–365, 465–473
  - sediments, B:135–149, 507–526
  - seismic surveys, A:39–52
  - silica, B:483–490
  - site-by-site correlation, A:427
  - stratigraphy, B:441–449
  - terrigenous sedimentation, A:436–437
  - time scale, A:438–440
  - well-logging, A:438–440
- celestite, authigenesis, B:495–498
- celestite saturation, vs. age, B:498
- cementation
- lithologic units, A:60
  - See also* diagenesis
- Cenozoic
- cyclicality, A:422, 424
  - lithostratigraphy, A:421–422; B:465–473
  - paleoceanography, A:440–441; B:491–505
  - time scale, A:438–440
- cerium/chromium ratio, vs. cobalt/hafnium ratio, B:470
- cesium/sodium ratio, vs. arsenic/tin ratio, B:470
- chalk
- sedimentation, A:393; B:436
  - seismic reflectors, A:46
  - See also* ooze/chalk transition
- chalk, nannofossil, lithologic units, A:61–62, 157, 257, 283–284, 344–346
- chlorine, vs. depth, A:103, 184, 256, 305, 381
- chlorinity, interstitial waters, A:89, 179, 249, 300, 302, 355
- Chondrites*
- lithologic units, A:61, 157
  - See also* ichnofossils
- chromium. *See* cerium/chromium ratio
- Chron C3An.n2, geochronology, B:92
- Circumpolar Deep Water
- paleoceanography, B:239–240, 249, 251
  - See also* deep water
- Circumpolar Deep Water, lower. *See* Lower Circumpolar Deep Water
- clay
- lithologic units, A:60, 235–236, 283, 342–343
  - vs. depth, A:72
- clay, nannofossil, lithologic units, A:60, 156, 283–284, 341
- clay, red, sedimentation, A:391
- clay minerals
- inorganic sediments, B:509–516
  - lithologic units, A:60–66
  - magnetization, B:175
  - See also* illite; kaolinite; kaolinite/illite ratio logs
- claystone
- lithologic units, A:342–343
  - sedimentation, A:393
- claystone, nannofossil, Unit III, A:344–346
- coarse fraction, vs. carbonate content, B:280, 287–289
- coarse-fraction mass accumulation rate
- power spectra, B:281, 296
  - See also* mass accumulation rates
- cobalt/hafnium ratio, vs. cerium/chromium ratio, B:470
- color banding, lithologic units, A:60
- color reflectance
- carbonate content proxy, A:422
  - composite section, A:354
  - cyclicality, A:422, 424
  - lithostratigraphy, A:421–422
  - sedimentation, A:391
  - See also* reflectance; reflectance percentage
- compaction, sediments, B:161
- composite section
- Ceara Rise, A:427; B:302–303
  - correlation, A:427; B:302–303, 338–339
  - cycle wavelengths, B:107–110
  - index properties, B:153–154
  - Site 925, A:79–86
  - Site 926, A:168–169, 171–178
  - Site 927, A:244–248
  - Site 928, A:293–296
  - Site 929, A:354, 356–359
- compression, composite section, A:79
- compression, unconfined, pocket penetrometer data, A:124–125, 204–206, 268–269, 320–321, 392–393
- compressional wave velocity
- power spectra, B:149
  - sediments, B:135–149
  - variance density spectra, B:147–148
  - vs. age, A:263
  - vs. carbonate content, B:162–166
  - vs. depth, A:121, 123, 133, 203, 216, 260, 263, 267, 313, 327, 396, 400; B:138, 140–142
  - vs. resistivity, A:133
- consolidation
- sediments, B:152–153
  - vs. depth, A:121
- copper, inorganic sediments, B:509–516
- core expansion, vs. depth, B:153
- core offset
- composite section, A:79, 169–171, 244–245, 296–297, 354
  - vs. depth, A:93, 123, 171, 252, 302, 363, 397
- core–log comparison
- gamma-ray logs, B:119
  - physical properties, A:119, 121, 206–207, 266–267, 325–326, 380–381
- cores
- high-quality methods, B:117–134
  - sediments, B:152
- coring, oceanography, A:8
- correlation

- biostratigraphy, B:34–42  
 composite section, A:427; B:120–134, 338  
 correlation, site-by-site, A:427, 431–436  
 cross-equatorial transport, upper-layer water, B:278  
 cross-spectral analysis  
 carbonates, B:289, 312, 372–373  
 dissolution index, B:344  
 vs. eccentricity, B:76, 78–79  
*See also* spectral analysis  
 Curie temperature, magnetite, B:173  
 currents  
 circulation, B:269–284  
*See also* North Brazilian Coastal Current; North Equatorial Counter Current; North Equatorial Current; ocean circulation; South Equatorial Current  
 cyclic bedding, lithologic units, A:60–66  
 cyclicity  
 calcareous microfossils, A:438  
 carbon, B:341–345  
 Cenozoic, A:129, 212, 422, 424; B:236  
 foraminifers, B:190–192, 236  
 lithologic units, A:157  
 lithostratigraphy, A:421–422  
 sedimentation rates, B:75–76, 312  
 spectral analysis, B:140–142  
*See also* Milankovitch cycles  
 cyclostratigraphy  
 nannofossil events, B:83–99  
 Oligocene, B:101–114  
 Pliocene, B:302–304  
*See also* Milankovitch cycles  
 deep water  
 Ceara Rise, A:6–8; B:285–297, 299–345, 451–461  
*See also* Antarctic Bottom Water; Circumpolar Deep Water; Lower Circumpolar Deep Water; North Atlantic Deep Water; Northern Component Deep Water; ocean circulation, deep-water; Pacific Deep Water; Southern Component Deep Water; Warm Saline Deep Water  
 demagnetization  
 discrete samples, A:168  
 sediments, A:78–79, 167–168, 244, 353; B:175–176  
 demagnetization, thermal, discrete samples, A:80  
 demodulation, complex, oxygen isotopes, B:73–74  
 density, vs. carbonate content, A:189  
 density, bulk  
 sediments, A:98–99, 101–104  
 vs. carbonate content, A:120; B:159, 162–164  
 vs. depth, A:62–66, 118, 120, 123, 133, 158–160, 188, 195, 203, 216, 236–237, 259, 261, 267, 309, 327, 342–345, 391, 396, 400; B:155, 158  
 vs. porosity, B:160–162  
 density, dry  
 vs. carbonate content, B:380  
 vs. depth, B:155, 197, 354, 380  
 density, grain, sediments, B:161  
 density, GRAPE  
 sediments, A:193  
 vs. age, B:145–146  
 vs. depth, B:141–142  
 density logs, vs. depth, A:129, 132–133, 211, 266, 325, 398  
 density–natural gamma ray logs  
 Site 925, A:141–145  
 Site 926, A:223–226  
 Site 927, A:277–279  
 Site 928, A:334–336  
 Site 929, A:408–411  
 density–porosity–natural gamma ray logs, Site 925, A:150–152  
 diachrony  
 geochronology, B:93  
*See also* synchrony  
 diagenesis  
 celestite, B:495–498  
 composite section, A:296–297; B:460  
 geochemistry, B:476, 478–481  
 inorganic sediments, B:515–516  
 rock magnetism, B:185  
*See also* authigenesis; cementation; compaction; consolidation; dissolution  
 diatoms  
 biostratigraphy, B:484  
 silica, B:483–490  
 dilution  
 carbonate content, B:192–193, 231–234, 290–291, 306  
*See also* dissolution  
 dispersal, biostratigraphic datums, B:32–42  
 dissimilarity coefficients, modern analogs, B:223  
 dissolution  
 calcite, B:289–292  
 carbonate content, B:192–193, 305–307, 312–315, 341–345, 448, 476–481  
 cyclostratigraphy, B:105  
 foraminifers, B:73–74, 210–212, 214–215  
 planktonic foraminifers, B:11, 14, 19  
 Pleistocene, B:229–237  
 sedimentation, A:391  
 silica, B:487–488  
 spectral analysis, B:140–142  
*See also* authigenesis; diagenesis; dilution  
 dissolution, carbonate, sedimentation, A:355  
 dissolution index, vs. age, B:344  
 downhole measurements  
 Site 925, A:117–123  
 Site 926, A:202–232  
 Site 927, A:255–260, 263–268  
 Site 928, A:319–336  
 Site 929, A:371, 380–417  
*See also* well-logging  
 Drake Passage, ocean circulation, B:460  
 East Antarctic ice sheet, paleoclimatology, B:438  
 Eastern Equatorial Pacific, calcite recrystallization, B:491–499  
 eccentricity  
 time scales, B:70–71, 243, 372  
*See also* obliquity; orbital calculations; precession  
 elastic properties, sediments, B:151–155  
 elastic rebound, sediments, A:111, 116, 313, 369  
 Eocene  
 benthic foraminifers, A:353  
 calcareous nannofossils, A:73  
 lithologic units, A:61–66, 344–346  
 ocean circulation, A:9  
 planktonic foraminifers, A:77, 351–353; B:48–49, 55  
 sedimentation, A:393  
*See also* Paleocene/Eocene boundary  
 Eocene/Oligocene boundary, ocean circulation, A:9  
 extinction  
 biostratigraphic datums, B:32–42  
 planktonic foraminifers, B:12  
*See also* pseudoextinction  
 faunal groups, glacial/interglacial cycles, B:262–266  
 feldspar, sedimentation, A:391  
 ferrimagnetic component  
 magnetic susceptibility, B:174  
 vs. magnetite, B:178  
 fold. *See also* layers, folded  
 fold, recumbent, photograph, A:239  
 foraminiferal fragmentation, vs. age, B:218  
 foraminifers  
 cyclicity, B:190–192, 381  
 diagenesis, B:498–499  
 dissolution, B:140–143  
 fragmentation, B:229–237  
 lithologic units, A:235–237, 283–284  
 vs. age, B:382–386  
 vs. composite depth, B:210–213  
 vs. depth, B:216–217  
 foraminifers, benthic  
 abundance, B:288–297, 319–330, 395–431  
 accumulation rates, B:422–430  
 biostratigraphy, A:77–78, 167, 243–244, 292–293, 353  
 census data, B:398–405, 408–411  
 oxygen isotopes, B:73–74, 236, 433–439, 451–461  
 relative abundances, B:412–421  
 stable isotopes, B:239–253, 367–373  
*See also* benthic foraminiferal mass accumulation rate  
 foraminifers, planktonic  
 biologic evolution, B:10–11  
 biostratigraphy, A:73–77, 164–167, 239–243, 288–289, 291–292, 349–353; B:3–31, 33–68, 441–449  
 carbonate content, B:192–193  
 datums, A:76, 166, 243, 291, 352; B:5–10, 35, 43–47, 50–54  
 depth distribution, B:217  
 oxygen isotopes, B:205–206  
 Pliocene, B:255–268  
 preservation, B:11, 14  
 speciation and extinction rates, B:12  
 species diversity, B:11  
 vs. age, B:220–222  
 foraminifers, resistant, vs. depth, B:216–217  
 formation factor  
 vs. depth, A:323  
 vs. porosity, A:206, 324  
 fractionation, isotopes, B:503–504  
 frequency-domain analysis, carbonates, B:289  
 gadolinium, geochemical logs, A:217  
 gamma ray logs  
 high quality methods, B:117–134, 351  
 vs. age, A:267, 327, 440; B:118  
 vs. depth, A:129, 132–133, 211–213, 215, 217, 261, 263, 266, 324–325, 398–399, 401, 439–440; B:179  
*See also* well-logging  
 gamma ray logs, natural  
 carbonate content proxy, A:422  
 composite section, A:296–297, 354  
 linear regression parameters, A:423; B:470–472  
 sediments, A:111, 313  
 vs. carbonate content, A:424  
 vs. depth, A:62–66, 122, 158–160, 236–237, 286–288, 298–299, 342–345, 360–361, 364–365, 398–399  
*See also* density–natural gamma ray logs; density–porosity–natural gamma ray logs; resistivity–velocity–natural gamma ray logs  
 gamma ray logs, processed, natural, Ceara Rise, A:412–414  
 general circulation models, paleoceanography,

- B:279  
 geochemical logs  
   vs. depth, A:217, 401  
   *See also* thorium logs; uranium logs;  
     well-logging  
 geochemical logs, processed  
   Site 926, A:230–232  
   Site 929, A:415–417  
 geochemistry  
   extracted sediment, B:470–471  
   Site 925, A:87, 89, 91–98  
   Site 926, A:178–179, 181, 183–189  
   Site 927, A:248–249, 251, 256–257, 261  
   Site 928, A:300, 302, 304–309  
   Site 929, A:355, 359, 361–363, 369–371  
   terrigenous sediments, B:467–469, 507–526  
 geochronology  
   carbonates, B:190, 271  
   cyclicality, B:83–99, 114  
   sediment flux, B:69–82  
   *See also* astrochronologic age models; time  
     scales  
 glacial/interglacial cycles  
   circulation, B:262–266, 278–282, 323–326,  
     341–345, 397, 400–401, 404  
   oxygen isotopes, B:203–205, 241, 243  
   stable isotopes, B:210–211  
 glaciation  
   oceanography, A:6, 8; B:196, 278–282,  
     311–315  
   Quaternary, B:201–206, 235  
   sedimentation, A:390, 395  
   *See also* Last Glacial Maximum  
 grain size  
   magnetite, B:173–174  
   rock magnetism, B:185  
   vs. age, B:145–146, 271  
   vs. depth, B:141–142  
  
 habitats. *See also* paleoecology  
 habitats, depth, planktonic foraminifers,  
   B:443–444  
 hafnium. *See* cobalt/hafnium ratio  
 heat flow, sediments, A:195, 202  
 hiatuses, composite section, A:245  
 high-resolution methods  
   compressional wave velocity, B:135–149  
   rock magnetism, B:181–186  
   terrigenous flux, B:471–472  
 Holocene  
   paleoceanography, B:239–253, 395–431  
   *See also* Quaternary  
 hydrocarbons  
   geochemistry, A:87, 178, 248–249, 300, 355  
   *See also* methane; organic materials  
 hysteresis  
   sediments, B:172–173, 183  
   vs. depth, B:184  
   *See also* remanent magnetization  
  
 ice volume, Milankovitch cycles, B:190–192  
 ichnofossils  
   lithologic units, A:157  
   *See also* burrows; *Chondrites*; *Planolites*;  
     *Skolithos*; trace fossils; *Zoophycos*  
 illite  
   sedimentation, A:328, 393  
   *See also* clay minerals; kaolinite/illite ratio  
     logs  
 illite/kaolinite ratio, lithostratigraphy, A:421–422  
 impedance, vs. two-way traveltime, A:396  
 impedance, acoustic  
   discrete measurements, A:123  
   vs. two-way traveltime, A:207  
  
 index properties  
   corrections, B:153–154  
   discrete samples, A:106–111, 190–193, 262,  
     310–312, 372–380  
   sediments, A:98–99, 101–104, 189–192, 251,  
     308, 363  
   *See also* physical properties  
 insolation  
   orbital eccentricity, B:73–74  
   time scales, B:307, 309, 314  
 interstitial waters  
   Ceara Rise, A:437–439; B:299–318, 492  
   geochemistry, A:87, 89, 91–93, 179, 181, 183,  
     183–184, 249, 259, 300, 302, 304, 355,  
     359, 361–362, 369  
   oxygen isotopes, B:201–206  
 Intertropical Convergence Zone, Neogene, B:266,  
   282–283, 301  
 iron oxide  
   geochemical logs, A:217  
   lithologic units, A:60, 235–236, 283, 341  
   vs. depth, A:67  
 iron oxyhydroxide, vs. depth, A:67  
 Isotope Stage MG2, carbon isotopes, B:328  
 isotopes  
   stratigraphy, B:451–461  
   *See also* beryllium isotopes; carbon isotopes;  
     oxygen isotopes; stable isotopes;  
     strontium isotopes  
  
 kaolinite  
   sedimentation, A:328, 393  
   *See also* clay minerals; illite/kaolinite ratio  
 kaolinite/illite ratio logs, vs. age, A:440  
  
 laminae, contorted, photograph, A:70  
 lanthanum, vs. thorium, B:471  
 lanthanum/samarium ratio, vs. scandium/thorium  
   ratio, B:470  
 Last Glacial Maximum  
   oxygen isotopes, B:203–205, 283  
   sediments, B:225–227, 249  
   *See also* glaciation  
 layers, folded  
   photograph, A:70  
   *See also* fold  
 limestone  
   lithologic units, A:61–62, 344–346  
   photograph, A:71  
   sedimentation, A:393  
 linear regression, sedimentation, B:351–352  
 lithium  
   interstitial waters, A:93, 181, 249, 304, 359,  
     361, 436–438  
   vs. age, A:439  
   vs. depth, A:103, 184, 256, 305, 381  
 lithologic units  
   Site 925, A:60–66  
   Site 926, A:156–160  
   Site 927, A:235–238  
   Site 928, A:283–285  
   Site 929, A:341–347  
   Unit I, A:60, 156, 235–236, 283, 341–342  
   Unit II, A:60, 156, 236–237, 83, 342–343  
   Unit III, A:61–62, 157, 237, 283–284,  
     344–346  
 lithology  
   vs. depth, A:62–66, 158–160, 236–237,  
     286–288, 342–345  
   well-logging, A:207, 210, 260, 263, 321,  
     324–325, 371, 380  
 lithostratigraphy  
   Ceara Rise, A:421–430; B:352–354  
   Site 925, A:60–66  
  
 Site 926, A:156–160  
 Site 927, A:235–238  
 Site 928, A:282–285  
 Site 929, A:341–347  
 Lower Circumpolar Deep Water  
   carbonates, B:189, 194  
   paleoceanography, B:239–240, 249, 251  
   *See also* deep water  
 lysocline  
   lithologic units, A:285  
   spectral analysis, B:140–143  
   *See also* carbonate compensation depth  
  
 maghemite, rock magnetism, B:185–186  
 magnesium, interstitial waters, A:87, 361–362  
 magnesium/calcium ratio  
   calcite, B:491–499  
   vs. age, B:495  
   vs. depth, B:495  
 magnetic declination  
   sediments, A:244, 293  
   vs. depth, A:79, 168, 245, 297, 354  
 magnetic domains  
   magnetite, B:183–184  
   sediments, B:172–173, 182–183  
 magnetic inclination  
   sediments, A:244, 293  
   vs. depth, A:79, 168–169, 245, 297, 354  
 magnetic intensity, vs. depth, A:79, 168, 245, 297,  
   354  
 magnetic polarity, time scales, B:74  
 magnetic susceptibility  
   carbonate content proxy, A:422; B:174–175,  
     379  
   composite section, A:79, 169–171, 244–245,  
     296–297, 354  
   correlation, B:304, 351, 471–472  
   correlation with accumulation rate of benthic  
     foraminifers, B:430  
   cyclostratigraphy, B:103–104, 303–304  
   frequency spectrum, B:305–307  
   high-field vs. low-field, B:174, 182  
   linear regression parameters, A:423  
   lithologic units, A:64, 157–160  
   Oligocene–Miocene, B:529–532  
   power spectra, B:149  
   sediments, B:169–179, 182  
   sources, B:174–175  
   splice tie points, A:431  
   time scales, B:70–71  
   variance density spectra, B:147–148  
   vs. age, A:432–434; B:73–75, 145–146, 242  
   vs. anhystreritic remanent magnetization,  
     B:183, 186  
   vs. biostratigraphy, A:252  
   vs. carbonate content, A:117–118, 189, 424  
   vs. depth, A:62–64, 72, 87, 90–91, 99–101,  
     118, 132–133; 158–160, 170–171,  
     180–181, 188, 212, 215, 236–237,  
     250–251, 254–255, 286–288, 298–299,  
     303, 342–345, 360–361, 364–365,  
     440; B:120, 141–142, 173, 530–532  
   vs. oxygen isotopes, B:183  
   vs. temperature, B:173, 185  
 magnetite  
   magnetic domains, B:183–184  
   remanent magnetization, B:173–174  
   vs. depth, B:178  
   vs. saturation remanence, B:178  
 major oxides, geochemical logs, A:401  
 manganese  
   interstitial waters, A:92–93, 359  
   vs. depth, A:103–104, 381  
 marine geology, Ceara Rise, A:42

- mass accumulation rates  
 carbonate content, B:192–193, 195–196, 234–235, 271, 287–289, 326, 352, 396–397  
 cyclicity, B:138–140  
 lithostratigraphy, A:421–422; B:467–469  
 low-resolution reconstruction, A:436  
 phosphorus, B:479–481  
 sediments, A:185, 188–189, 251, 308, 363 vs. age, B:280  
*See also* benthic foraminiferal mass accumulation rate; carbonate mass accumulation rate; coarse-fraction mass accumulation rate; noncarbonate mass accumulation rate; terrigenous mass accumulation rate
- Meteor Rise, ocean circulation, B:459–460
- methane  
 geochemistry, A:87, 178, 248–249, 300, 355  
*See also* hydrocarbons; organic materials
- Mid-Pleistocene Revolution  
 productivity, B:269–284  
*See also* Pleistocene; Quaternary
- Milankovitch cycles  
 foraminifers, B:190–192, 444–449  
 paleoclimatology, B:433–439  
 rock magnetism, B:185–186  
 spectral analysis, B:140–143, 276–280  
*See also* cyclicity; cyclostratigraphy; orbital calculations
- Miocene  
 benthic foraminifers, A:353  
 calcareous nannofossils, A:72–73, 163  
 carbon isotopes, B:501–505  
 carbonates, B:367–373  
 inorganic sediments, B:507–526  
 lithologic units, A:61–66, 156–157, 236–237, 283–284, 344–346  
 nannofossil events, B:83–99  
 ocean circulation, A:9  
 paleoceanography, B:395–431, 451–461  
 planktonic foraminifers, A:75–77, 165–167, 240–243, 289, 291–292, 349–351; B:3–31, 33–68  
 sedimentation, A:327, 395; B:349–365  
 time scales, B:69–82  
*See also* Oligocene/Miocene boundary
- Miocene, lower, magnetic susceptibility, B:529–532
- Miocene, middle, nannofossils, B:90–91
- Miocene, middle/late Miocene boundary, nannofossils, B:89–90
- Miocene, upper, upper water column, B:255–268
- Miocene/Pliocene boundary, nannofossils, B:85–89
- Modern Analog Technique, foraminifers, B:227
- multisensor track data  
 compressional wave velocity, B:137  
 sediments, B:160
- nannofossil biostratigraphy, vs. depth, A:293
- nannofossil events, cyclicity, B:83–99
- nannofossils  
 abundance, B:271–273, 276–279  
 abundance vs. age, B:84–90, 92–96, 98  
 biostratigraphy, A:351  
 diagenesis, B:498–499  
 lithologic units, A:235–237, 283–284  
 sedimentation, A:391
- nannofossils, calcareous  
 biostratigraphy, A:67–69, 71–73, 161–164, 239, 286–288, 347–349  
 datum levels vs. time scales, B:72  
 events, A:68–69, 162–163, 348–349
- natural gamma ray logs. *See* density–natural gamma ray logs;  
 density–porosity–natural gamma ray logs; gamma-ray logs
- Neogene  
 paleoceanography, B:239–253  
 paleoclimatology, B:341–345
- neutron activation analysis, terrigenous component, B:466
- nitrogen  
 sediments, A:94–98, 186–188, 261, 306–307  
*See also* carbon/nitrogen ratio
- nodules, lithologic units, A:235–236
- noncarbonate mass accumulation rate  
 vs. age, A:119, 257, 309, 391, 437  
 vs. depth, A:119, 194, 257, 309, 390  
*See also* mass accumulation rates
- North Atlantic Deep Water  
 carbonates, B:189, 194, 229, 231  
 mass accumulation rates, B:139  
 oceanography, A:6, 8; B:202, 205–206, 239–240, 243, 248–249, 251, 278, 285–297, 299–300, 311–314, 325, 396, 404  
 sedimentation, A:424–426; B:331, 343–345, 356, 375–388  
*See also* deep water
- North Brazilian Coastal Current  
 sedimentation, B:300–301  
*See also* currents
- North Equatorial Counter Current  
 changes, B:282–283, 300–301  
*See also* currents
- North Equatorial Current  
 changes, B:282–283  
*See also* currents
- Northern Component Deep Water  
 circulation, B:324, 328, 354–356, 460, 488  
*See also* deep water
- obliquity  
 cyclostratigraphy, B:102–103, 232, 302–304, 438  
 phase and amplitude, B:80  
 spectral analysis, B:140–143, 239–243, 277–278  
 time scales, B:73  
*See also* eccentricity; orbital calculations; precession
- ocean circulation  
 Ceara Rise, A:6–8; B:269–297, 299–318, 331–345, 397, 400–401, 404, 451–461  
 Pliocene, B:319–330  
*See also* currents; subtropical gyre
- ocean circulation, deep-water, paleoceanography, B:239–253
- Oligocene  
 benthic foraminifers, A:353  
 calcareous nannofossils, A:73, 163–164  
 carbon isotopes, B:501–505  
 cyclostratigraphy, B:101–114  
 inorganic sediments, B:507–526  
 lithologic units, A:157, 283–284, 344–346  
 magnetic susceptibility, B:529–532  
 mass accumulation rates, A:363  
 ocean circulation, A:9; B:451–461  
 planktonic foraminifers, A:77, 351; B:48–49, 51, 55  
 sedimentation, A:393  
*See also* Eocene/Oligocene boundary
- Oligocene, lower, silica, B:483–490
- Oligocene/Miocene boundary  
 carbon isotopes, B:501–505  
 geochemistry, B:515–516
- magnetic susceptibility, B:529–532  
 paleoclimatology, B:433–439  
 stratigraphy, B:441–449
- Ontong Java Plateau, calcite recrystallization, B:491–499
- ooze, seismic reflectors, A:45
- ooze, nannofossil, lithologic units, A:60, 156, 235–236, 283, 341
- ooze/chalk transition, seismic reflectors, A:46
- opal  
 density, B:158–159  
 organic materials, B:503  
 sedimentation, A:424–426  
*See also* silica
- orbital calculations  
 cyclostratigraphy, B:102–103, 241–243  
 Milankovitch cycles, B:190–192  
 nannofossil events, B:83–99  
 spectral analysis, B:140–142  
 time scales, B:69–74, 372  
*See also* eccentricity; Milankovitch cycles; obliquity; precession
- orbital forcing, precession cycle, A:272
- orbital response, carbonate deposition, B:235–236
- organic materials  
 carbon isotopes, B:501–505  
 phosphorus, B:479–481  
*See also* hydrocarbons; methane
- overburden stress. *See* shear strength/overburden stress ratio
- oxide, phosphorus, B:479–481
- oxygen, vs. depth, B:321
- oxygen isotopes  
 benthic foraminifers, B:434–438, 451–461  
 carbonate content, B:195, 239–253, 371–372  
 interstitial waters, B:201–206  
 marine geology, A:42; B:271, 321, 326–328  
 power spectra, B:281, 309–313, 437  
 time scales, B:74, 304–305  
 vs. age, B:215, 218, 224–226, 232, 246, 258, 260, 278–282, 286, 289–290, 296, 315–316, 321–324, 327, 343–344, 371, 436, 459  
 vs. carbon isotopes, B:326, 443  
 vs. composite depth, B:215  
 vs. depth, B:203–205, 244, 288, 435, 457–458  
 vs. magnetic susceptibility, B:183  
 vs. organic carbon, B:315
- Pacific Deep Water  
 paleoceanography, B:239, 249, 251  
*See also* deep water
- Pacific Ocean E, equatorial, calcite recrystallization, B:491–499
- paleoceanography  
 calcite, B:491–499  
 Ceara Rise, A:440–441; B:269–297, 299–318  
 Cenozoic, A:8–9, 440–441; B:395–431, 451–461  
 Neogene, B:239–253  
 Pleistocene, B:207–228  
 Pliocene, B:319–330  
 Quaternary, B:201–206  
 sedimentation, A:424–426
- Paleocene  
 benthic foraminifers, A:353  
 lithologic units, A:344–346  
 planktonic foraminifers, B:33–68
- Paleocene/Eocene boundary, sedimentation, A:355
- paleoclimatology  
 Cenozoic, A:125, 210, 212  
 Eocene/Oligocene boundary, A:9  
 Neogene, B:341–345

- Oligocene/Miocene boundary, B:433–439, 441–449
- Pleistocene, B:269–284
- Pliocene, B:255–256
- Quaternary, B:201–206
- sedimentation, A:424–426
- stable isotopes, B:210–211
- thorium/potassium ratio logs, A:438
- paleoecology
- planktonic foraminifers, B:259–262
- See also* habitats
- paleomagnetism
- Site 925, A:78–79, 90–91
- Site 926, A:167–168, 170–171, 180–181
- Site 927, A:244, 250–251, 254–255
- Site 928, A:293, 297–299, 303
- Site 929, A:353–354, 360–361, 364–365
- Panama Isthmus, paleoceanography, B:310–311
- paramagnetism, hysteresis loops, B:175
- pH
- interstitial waters, A:302, 355
- vs. depth, A:103, 184, 256, 305, 381
- phase relationships, carbonates, B:288, 314–316, 318
- phosphate, interstitial waters, A:93, 362
- phosphorus
- inorganic sediments, B:509–516
- sediments, B:475–481
- vs. age, B:480
- vs. depth, A:104
- phosphorus, authigenic, vs. age, B:481
- phosphorus, reactive
- vs. calcium carbonate, B:481
- vs. sedimentation rates, B:481
- phosphorus/aluminum ratio
- inorganic sediments, B:515–516
- spectral analysis, B:522, 524, 526
- vs. depth, B:519–521, 523, 525
- photoelectric effect logs
- vs. depth, A:129, 132
- See also* well-logging
- photosynthesis, sediments, B:505
- physical properties
- core-log comparison, A:266–267, 325–326, 380–381
- life cycles, B:157–168
- sediments, B:135–149
- Site 925, A:98–117, 124–128
- Site 926, A:189–206
- Site 927, A:251–255, 259
- Site 928, A:308–319
- Site 929, A:363–365, 367–369, 371–380
- spectral analysis, B:140–142
- vs. depth, A:65, 286–288; B:159
- See also* index properties
- physiography, Ceara Rise, A:5–6
- plankton, sediments, B:501–505
- Planolites*
- lithologic units, A:61, 157
- See also* ichnofossils
- Pleistocene
- benthic foraminifers, A:353
- calcareous nannofossils, A:69, 161–163
- lithologic units, A:60–66
- mass accumulation rates, A:363
- ocean circulation, A:8–9
- paleoceanography, B:239–253, 269–284, 285–297, 395–431
- planktonic foraminifers, A:73–74, 164–165, 240, 289, 349; B:3–31
- sedimentation, B:331–345
- sediments, B:135–149
- upper water column, B:255–268
- See also* Mid-Pleistocene Revolution;
- Quaternary
- Pleistocene, middle
- carbonate dissolution, B:229–237
- paleoceanography, B:207–228
- paleoproductivity, B:269–284
- Pliocene
- astronomical calibration, B:302–304
- benthic foraminifers, A:353
- calcareous nannofossils, A:69, 71–72, 161–163
- carbon isotopes, B:501–505
- lithologic units, A:60–66, 156, 235–237, 283
- mass accumulation rates, A:363
- ocean circulation, A:8–9
- paleoceanography, B:395–431
- planktonic foraminifers, A:74–75, 164–165, 240, 289, 349; B:3–31
- sedimentation, A:327; B:331–345
- terrigenous sediments, B:299–318
- upper water column, B:255–268
- See also* Miocene/Pliocene boundary
- Pliocene, lower, paleoceanography, B:319–330
- Pliocene, upper
- carbonate dissolution, B:229–237
- paleoceanography, B:239–253
- porosity
- sediments, A:98–99, 101–104
- vs. bulk density, B:160–162
- vs. depth, A:120, 122, 195, 206, 309
- vs. formation factor, A:206, 324
- See also* void ratio
- porosity logs. *See* density–porosity–natural gamma ray logs
- potassium
- inorganic sediments, B:509–516
- interstitial waters, A:93, 362
- vs. aluminum, B:517
- vs. depth, A:103, 184, 256, 305, 381
- potassium logs, vs. depth, A:213, 217, 401; B:126–128
- potassium oxide, geochemical logs, A:217
- potassium/aluminum ratio
- inorganic sediments, B:509–516
- vs. depth, B:519–521, 523, 525
- power spectra
- carbonate content, B:290, 295
- compressional wave velocity, B:149
- oxygen isotopes, B:232, 247
- power spectra, Fourier, cycles, A:71
- precession
- spectra, B:143, 241–243, 276–277, 438
- time scales, B:72, 302–304
- See also* eccentricity; obliquity; orbital calculations
- precession cycle, rhythmic sedimentation, A:272
- preservation
- calcareous microfossils, A:438
- carbonates, B:207–228, 299–300, 310–314, 375–388
- planktonic foraminifers, B:11, 442–443
- time series, B:218
- preservation index
- variance density spectra, B:147–148
- vs. age, B:145–146
- vs. composite depth, B:214
- productivity
- carbonate content, B:192–193, 231–234, 269–284, 289–295, 375–388, 446, 448
- geochemistry, B:515–516
- spectral analysis, B:140–142
- pseudoextinction
- biostratigraphic datums, B:32–42
- See also* extinction
- pseudospeciation
- biostratigraphic datums, B:32–42
- See also* speciation
- pyrite, lithologic units, A:236–237, 341
- pyrite, microcrystalline, photograph, A:67
- pyrrhotite, rock magnetism, B:185–186
- quartz, sedimentation, A:391
- quartz content, sediments, B:167
- Quaternary
- carbon isotopes, B:501–505
- carbonates, B:189–199
- interstitial waters, B:201–206
- lithologic units, A:156, 235–236, 283
- See also* Holocene; Mid-Pleistocene Revolution; Pleistocene
- radiolarians, silica, B:485
- rare earths, terrigenous sediments, B:470–471
- recrystallization, calcite, A:359; B:491–499
- redeposition
- lithologic units, A:62–64, 237–238
- sedimentation, A:426–427
- reflectance
- cyclostratigraphy, B:102, 104, 349–356
- vs. age, B:110, 113–114
- See also* color reflectance
- reflectance percentage
- composite section, A:79, 244–245, 296–297
- linear regression parameters, A:423; B:471–472
- lithologic units, A:157
- vs. age, A:425–426
- vs. carbonate content, A:71, 105, 118, 189, 424; B:378
- vs. depth, A:62–67, 72, 90–91, 100–101, 105, 118, 158–161, 170–171, 180–181, 185, 188, 215, 236–237, 240, 250–251, 254–255, 257, 286–288, 289, 298–299, 303, 305, 342–346, 360–361, 364–365, 390
- See also* color reflectance; reflectance
- reflectivity, vs. depth, A:440
- Reflector Blue, seismic reflectors, A:46
- Reflector Orange, seismic reflectors, A:47–48
- Reflector Purple, seismic reflectors, A:47
- Reflector Red, seismic reflectors, A:45
- Reflector Yellow, seismic reflectors, A:46
- regression analysis, terrigenous component, B:466–467, 469–470
- remanent magnetization
- sediments, A:167–168, 293, 353
- See also* hysteresis; saturation remanence
- remanent magnetization, anhysteretic discrete samples, A:80
- sediments, A:78–79; B:172–173, 182–183
- vs. magnetic susceptibility, B:183
- vs. temperature, B:185
- remanent magnetization, isothermal discrete samples, A:80
- sediments, A:78–79
- remanent magnetization, natural, vs. depth, A:87
- remanent magnetization, saturation isothermal sediments, B:170, 173–174
- vs. depth, B:178
- resistivity
- sediments, A:111, 195, 253, 255, 313, 369
- small probe data, A:270–271, 394–395
- vs. compressional wave velocity, A:133
- vs. depth, A:122, 203, 323, 397
- resistivity, electrical, discrete intervals, A:126–128, 208–210, 322–323
- resistivity logs
- Site 925, A:122
- vs. depth, A:132, 211, 215–216, 260–261, 266,

- 325, 398, 440  
*See also* well-logging
- resistivity–velocity–natural gamma ray logs  
 Site 925, A:136–140, 147–149  
 Site 927, A:274–276  
 Site 928, A:330–333  
 Site 929, A:403–407  
*See also* well-logging
- rises, oceanography, A:5–10
- rock magnetism  
 high-resolution methods, B:181–186  
 sediments, B:169–179
- Romanche Fracture Zone, oceanography, A:6, 8
- salinity  
 interstitial waters, A:355  
 vs. depth, A:184, 256, 305, 381; B:287, 312
- samarium. *See* lanthanum/samarium ratio
- sand  
 content, B:273–276, 307  
 power spectra, B:437  
 vs. age, B:279, 309–315, 327, 436  
 vs. depth, B:277, 435
- sand, foraminifer, photograph, A:71
- sand/carbonate ratio, oxygen isotopes, B:232, 272
- saturation remanence  
 vs. magnetite, B:178  
*See also* remanent magnetization
- scandium/thorium ratio, vs. lanthanum/samarium ratio, B:470
- sea level, Pliocene, South America, B:343–345
- sea surface temperature, foraminifers, B:219, 223
- secular variations, carbon isotopes, B:501–505
- sediment flux, carbonates, B:69–82, 354–356
- sedimentary controls, velocity, B:139
- sedimentation  
 carbonates, B:189–199, 272, 349–365  
 cyclicity, B:138–140, 331–345, 448  
 temperature, B:227  
 terrigenous sediments, B:299–318, 343–345  
*See also* sediment flux; transport
- sedimentation, biogenic, Miocene, B:375–388
- sedimentation, biosiliceous, A:424–426, 430, 436; B:483–490
- sedimentation, detrital, phosphorus, B:479–481
- sedimentation, rhythmic, precession cycle, A:272
- sedimentation rates  
 biostratigraphic control points, A:89, 183, 259, 302, 367  
 carbonates, B:190, 381, 478–481, 492  
 cycle wavelengths, B:106  
 cyclostratigraphy, B:102–107, 338–339  
 gamma-ray logs, B:119  
 lithologic units, A:64  
 nannofossils, B:93–94  
 sediment fluxes, B:74–75  
 Site 925, A:80, 87–89  
 Site 926, A:171, 178, 182–183  
 Site 927, A:245, 248, 256, 259  
 Site 928, A:297, 299–300, 302, 304  
 Site 929, A:355, 367–368  
 vs. age, A:102, 256, 304, 368; B:99, 340–341  
 vs. reactive phosphorus, B:481  
*See also* age vs. depth
- sediments  
 Cenozoic, A:9  
 elastic properties, B:151–155  
 inorganic composition, B:507–526  
 phosphorus, B:475–481  
 physical properties, B:157–168  
 Pleistocene, B:135–149  
 redeposition periods, A:427  
 rock magnetism, B:169–179, 181–186  
*See also* sediment flux
- sediments, deep-sea  
 beryllium isotopes, B:389–394  
 composition, B:395–431
- sediments, noncarbonate, X-ray diffraction data, A:326
- sediments, pelagic  
 cyclostratigraphy, B:101–102  
 lithologic units, A:235–237  
 lithostratigraphy, A:421–422  
 model of physical properties, B:158–159
- sediments, terrigenous  
 supply, B:299–318  
*See also* terrigenous content
- seismic profiles  
 Ceara Rise, A:42–50  
 Site 925, A:61  
 Site 926, A:157  
 Site 927, A:235  
 Site 928, A:285  
 Site 929, A:341
- seismic reflectors  
 Ceara Rise, A:44–49  
*See also* Reflector Blue; Reflector Orange; Reflector Purple; Reflector Red; Reflector Yellow
- seismic stratigraphy, Ceara Rise, A:44–49
- seismic surveys, Ceara Rise, A:39–52
- seismograms, synthetic  
 boreholes, A:122–123  
 density and velocity logs, A:134
- shear strength  
 sediments, A:253, 368–369  
 vane shear data, A:320–321  
 vs. depth, A:260–261, 323
- shear strength, undrained  
 sediments, A:104–105, 111, 195, 309, 313  
 vane shear data, A:124–125, 204–206, 268–269, 392–393  
 vs. depth, A:121, 396
- shear strength/overburden stress ratio, vs. depth, A:121, 203, 323, 396
- Sierra Leone Rise, oceanography, A:5
- silica  
 diatoms, B:483–490  
 geochemical logs, A:217  
 interstitial waters, A:249, 302, 304, 355, 359, 436  
 vs. age, A:439  
 vs. depth, A:103, 184, 256, 305, 381  
*See also* opal
- silica, pore-water, vs. age, A:185
- silica switch, sediments, B:460
- siliciclastics  
 cyclicity, B:138–140, 309–315, 508–509  
*See also* biosiliceous fragments
- silicon  
 inorganic sediments, B:509–516  
 vs. aluminum, B:517
- silicon/aluminum ratio  
 inorganic sediments, B:515–516  
 spectral analysis, B:522, 524, 526  
 vs. depth, B:519–521, 523, 525
- Site 526, carbon isotopes, B:503
- Site 607  
 glaciation, B:251  
 sedimentation, B:286
- Site 608, ocean circulation, B:459–460
- Site 677, glaciation, B:251
- Site 704, ocean circulation, B:459–460
- Site 806, carbonates, B:249
- Site 849, nannofossils, B:92
- Site 853, nannofossils, B:92
- Site 925, A:55–152  
 background and objectives, A:56
- beryllium isotopes, B:389–394  
 biostratigraphy, A:66–78, 88–89; B:3–31, 42–48  
 carbon isotopes, B:501–505  
 composite section, A:79–86  
 coring, A:58–59  
 downhole measurements, A:117–123, 131  
 geochemistry, A:87, 89, 91–98; B:475–481  
 lithostratigraphy, A:60–66  
 magnetic susceptibility, B:529–532  
 operations, A:56–59  
 oxygen isotopes, B:201–206  
 paleoceanography, B:239–253, 255–268, 269–297, 299–330, 375–388  
 paleomagnetism, A:78–79, 90–91  
 physical properties, A:98–117, 124–127  
 rock magnetism, B:181–186  
 sedimentation rates, A:80, 87, 89; B:465–473  
 site description, A:55–152  
 summary and conclusions, A:123, 125, 129
- Site 926, A:153–232  
 background and objectives, A:154  
 biostratigraphy, A:160–167, 182; B:49–50  
 composite section, A:168–169, 171–178  
 coring, A:155  
 cyclostratigraphy, B:101–114  
 downhole measurements, A:202–232  
 geochemistry, A:178–179, 181, 183–189; B:475–481, 507–526  
 lithostratigraphy, A:156–160  
 Miocene, B:367–373  
 nannofossil events, B:83–99  
 operations, A:154–156  
 paleoceanography, B:299–318, 395–431, 451–461  
 paleomagnetism, A:167–168, 170–171, 180–181  
 physical properties, A:189–206  
 sediment flux, B:69–82  
 sedimentation rates, A:171, 178, 183  
 site description, A:153–232  
 stratigraphy, B:441–449  
 summary and conclusions, A:210, 212
- Site 927, A:233–279  
 background and objectives, A:234  
 biostratigraphy, A:238–244, 249, 258–259; B:49, 51  
 carbonate dissolution, B:229–237  
 composite section, A:244–248  
 coring, A:238  
 downhole measurements, A:255–260, 263–268, 270–279  
 geochemistry, A:248–249, 251, 256–257, 259, 261  
 lithostratigraphy, A:235–238  
 operations, A:234–235  
 paleoceanography, B:207–228, 239–253, 299–318  
 paleomagnetism, A:244, 250–251, 254–255  
 physical properties, A:251–255, 259  
 sedimentation rates, A:245, 248, 256, 259  
 sediments, B:135–149  
 site description, A:233–279  
 summary and conclusions, A:269, 272
- Site 928, A:281–336  
 background and objectives, A:282  
 biostratigraphy, A:285–293, 300–302; B:51–52  
 composite section, A:293–296  
 coring, A:284  
 cyclostratigraphy, B:101–114  
 downhole measurements, A:319–336  
 geochemistry, A:300, 302, 304–309  
 lithostratigraphy, A:282–285



- operations, A:282  
paleoceanography, B:269–297, 299–318, 375–388, 395–431  
paleomagnetism, A:293, 297–299, 303  
physical properties, A:308–319  
sedimentation rates, A:297, 299–300, 302, 304  
sediments, B:135–149  
silica, B:483–490  
site description, A:281–336  
summary and conclusions, A:326–328
- Site 929, A:337–417  
background and objectives, A:338  
biostratigraphy, A:347–353, 366–367; B:51, 53–55  
carbonate dissolution, B:229–237  
composite section, A:354, 356–359  
coring, A:340  
downhole measurements, A:371, 380–417  
geochemistry, A:355, 359, 361–363, 369–371; B:475–481, 507–526  
lithostratigraphy, A:341–347  
operations, A:338–341  
paleoceanography, B:239–253, 285–297, 299–330, 375–388, 395–431, 451–461  
paleoclimatology, B:433–439  
paleomagnetism, A:353–354, 360–361, 364–365  
physical properties, A:363–365, 367–369, 371–380  
rock magnetism, B:169–179  
sedimentation rates, A:355, 367–368; B:465–473  
silica, B:483–490  
site description, A:337–417  
summary and conclusions, A:390–391, 393, 395
- Skolithos*  
lithologic units, A:61  
*See also* ichnofossils
- slump deposits  
lithologic units, A:157, 283, 285, 342–343  
lithostratigraphy, A:421–422  
location, A:428–430  
photograph, A:70, 239  
redeposition, A:426–427
- sodium  
vs. depth, A:103, 184, 256, 305, 381  
*See also* cesium/sodium ratio
- South America, paleoclimatology, B:343–345
- South Equatorial Current  
changes, B:282–283  
*See also* currents
- Southern Component Deep Water  
circulation, Ceara Rise, B:324, 328, 354–356, 460  
*See also* deep water
- speciation  
planktonic foraminifers, B:12  
*See also* pseudospeciation
- spectral analysis  
carbonates, B:289  
cyclostratigraphy, B:102, 274, 344  
Oligocene/Miocene boundary, B:522  
physical properties, B:140–142  
power spectra, B:138, 196  
*See also* cross-spectral analysis
- splice tie points  
based on graphic correlation of composite magnetic susceptibility records, A:431  
Site 925, A:86  
Site 926, A:179  
Site 927, A:253  
Site 928, A:300  
Site 929, A:362
- sponge spicules, silica, B:485
- stable isotopes  
benthic foraminifers, B:239–253, 288–297, 451–461  
carbonates, B:209–210, 367–373  
planktonic foraminifers, B:271, 441–449  
Pliocene, B:255–268, 304–305, 319–330  
*See also* carbon isotopes; oxygen isotopes
- stratigraphy  
carbonates, B:190  
stable isotopes, B:210–211, 441–449, 451–461
- stress, effective  
vs. void ratio, B:152  
*See also* shear strength/overburden stress ratio
- strontium  
interstitial waters, A:93, 181, 249, 304, 359  
vs. depth, A:103, 184, 256, 305, 381  
strontium isotopes, stratigraphy, B:451–461  
strontium, pore water, vs. age, B:498  
strontium-87/strontium-86 ratio/vs. depth, Ceara Rise, B:457–458
- strontium/calcium ratio  
calcite, B:491–499  
vs. age, B:494, 497–498  
vs. depth, B:494
- subtropical gyre  
circulation, B:278–282  
*See also* ocean circulation
- sulfate  
interstitial waters, A:92, 181, 249, 304, 359, 436  
vs. ammonium, A:103  
vs. depth, A:103, 184, 256, 305, 381, 438  
sulfate, pore water, vs. age, B:498
- sulfur  
sediments, A:94–98, 186–188, 261, 306–307  
vs. depth, A:105, 185, 257, 305
- surface water  
Ceara Rise, A:8  
Pleistocene, B:207–228
- synchrony  
nannofossils, B:93–94  
*See also* diachrony
- temperature  
boreholes, A:122  
hysteresis, B:183  
interstitial waters, B:201–206  
rock magnetism, B:181–182  
vs. depth, A:134, 207, 216, 272; B:287, 300  
vs. magnetic susceptibility, B:173  
vs. time, A:206
- temperature, borehole, well-logging, A:210, 267
- terrigenous content  
vs. age, A:436; B:198, 234, 271, 355–356, 467  
*See also* carbonate/noncarbonate ratio; sediments, terrigenous
- terrigenous flux  
beryllium 10, B:389–394  
Ceara Rise, A:436–437; B:289, 465–473  
high-resolution reconstruction, A:430  
low-resolution reconstruction, A:436  
sedimentation, A:327, 393, 395; B:272, 470–471
- terrigenous flux logs  
vs. age, A:440  
*See also* well-logging
- terrigenous index, vs. age, B:344
- terrigenous mass accumulation rate  
Neogene, B:342, 364, 382–386, 467–469  
variance density spectra, B:147–148, 309–315, 336–338, 340–341  
vs. age, B:468
- thermal conductivity  
sediments, A:195, 202  
vs. depth, A:211  
whole-round core sections, A:206
- thermocline  
sea water, B:227  
sedimentation, A:424–426; B:261–262, 282–283, 448  
topography, B:278
- thorium  
vs. lanthanum, B:471  
*See also* scandium/thorium ratio
- thorium logs  
vs. depth, A:213, 217, 401; B:126–128  
*See also* geochemical logs; well-logging
- thorium/potassium ratio logs  
paleoclimatology, A:438  
vs. age, A:267, 327, 440  
vs. depth, A:213, 266, 325, 398–399  
*See also* well-logging
- time scales  
calibration, A:438–440; B:302–304, 331–345, 352  
Ceara Rise, A:438–440  
cyclostratigraphy, B:101–114  
sediment flux, B:69–82  
*See also* astrochronologic age models; geochronology
- time scales, tuned, applied to magnetic susceptibility, B:70–71
- tin. *See* arsenic/tin ratio
- titanium  
inorganic sediments, B:509–516  
vs. aluminum, B:517
- titanium oxide  
geochemical logs, A:217  
vs. calcium oxide, B:503–504  
vs. carbon isotopes, B:505  
vs. total organic carbon, B:503–504
- titanium/aluminum ratio  
inorganic sediments, B:509–516  
vs. depth, B:519–521, 523, 525
- trace fossils  
lithologic units, A:60  
*See also* ichnofossils
- trade winds, intensity, B:278–280, 282–283
- transport  
sediments, B:476–481  
*See also* sedimentation
- traveltime, two-way  
vs. acoustic impedance, A:207  
vs. amplitude, A:134  
vs. depth, A:396  
vs. impedance, A:396
- turbidite  
lithologic units, A:61, 157, 341  
lithostratigraphy, A:421–422  
location, A:428–430  
photograph, A:70  
redeposition, A:426–427  
sedimentation, A:391
- unconformities. *See* hiatuses
- uranium logs  
vs. depth, A:217, 401  
*See also* geochemical logs; well-logging
- vanadium, inorganic sediments, B:509–516
- variance density spectra, frequency, B:147–148
- velocity. *See* acoustic units
- velocity, acoustic  
discrete samples, A:112–116, 196–202, 264–266, 314–319, 382–390  
sediments, A:104, 193–195, 251–253, 308–309, 363, 367–368

VOLUME 154 TAXONOMIC INDEX

- velocity, seismic, vs. carbonate content,  
B:162–166
- velocity logs  
Site 925, A:122  
vs. depth, A:129, 132, 211, 266, 325, 398  
*See also* resistivity–velocity–natural gamma ray logs; well-logging
- Vema Fracture Zone, oceanography, A:6, 8
- Verwey transition, demagnetization, B:176
- void ratio  
effective stress, B:152  
*See also* porosity
- Warm Saline Deep Water  
silica, B:488  
*See also* deep water
- water column, Pliocene, B:255–268, 341–345
- water content  
sediments, A:98–99, 101–104  
vs. depth, A:120, 195, 309
- well-logging  
Ceara Rise, A:438–440  
high quality methods, B:117–134  
lithology, A:260, 263, 321, 324–325, 371, 380  
log repeatability, A:118–119  
shore-based log processing, A:117–123,  
131–152, 210, 218, 267, 273, 329, 381,  
402  
Site 926, A:202–232  
Site 927, A:255–260, 263–268, 270–279  
Site 928, A:319–336  
Site 929, A:371, 380–417  
*See also* caliper logs; density logs;  
density–natural gamma ray logs;  
density–porosity–natural gamma ray  
logs; downhole measurements; gamma  
ray logs; geochemical logs;  
photoelectric effect logs; resistivity  
logs; resistivity–velocity–natural  
gamma ray logs; terrigenous flux logs;
- thorium logs; thorium/potassium ratio  
logs; uranium logs; velocity logs
- X-ray diffractograms, vs. age, A:440
- zoning  
calcareous nannoplankton and planktonic  
foraminifers, A:74–75, 164–165,  
350–351  
calcareous nannoplankton and planktonic  
foraminifers vs. depth, A:292  
planktonic foraminifers, B:35–42  
vs. depth, A:62–66, 158–160, 236–237,  
286–288, 342–345  
zoning, foraminifer, vs. depth, A:241  
zoning, nannoplankton, vs. depth, A:241
- Zoophycos*  
lithologic units, A:61, 157  
*See also* ichnofossils

VOLUME 154 TAXONOMIC INDEX

- Abysminina poagi*, Site 929, A:353
- Acarinina angulosa*, Ceara Rise, B:56
- Acarinina bullbrooki*, Ceara Rise, B:56
- Acarinina bullbrooki/spinuloinflata plexus*, Site  
925, B:49
- Acarinina coalingensis*, Ceara Rise, B:56
- Acarinina collactea*, Ceara Rise, B:56
- Acarinina cuneicamerata*, Ceara Rise, B:56
- Acarinina libyaensis*, Ceara Rise, B:56
- Acarinina matthewsae*, Ceara Rise, B:56
- Acarinina primitiva*, Ceara Rise, B:56
- Acarinina pseudotopilensis*, Site 929, B:57
- Acarinina rohri*  
Ceara Rise, B:57  
Site 925, B:48  
Site 929, A:352; B:55
- Acarinina soldadoensis*  
Ceara Rise, B:57  
Site 929, A:352–353; B:55
- Acarinina spinuloinflata*, Ceara Rise, B:57
- Acarinina topilensis*  
Ceara Rise, B:57  
Site 925, B:48–49  
Site 929, A:352
- Acarinina triplex*, Ceara Rise, B:57
- acostaensis*, *Neogloboquadrina*  
Ceara Rise, A:434  
Site 925, A:75; B:5, 9–10, 18, 255, 261  
Site 926, A:165  
Site 927, A:240–241
- acuta*, *Morozovella*  
Ceara Rise, B:61–62  
Site 929, B:55
- acutus*, *Ceratolithus*  
Ceara Rise, A:434  
Site 925, A:69, 71  
Site 926, A:163; B:85–86  
Site 928, A:297
- aequa*, *Morozovella*  
Ceara Rise, B:62  
Site 929, B:55
- aequilateralis*, *Globigerinella*  
Site 925, B:19  
Site 927, B:212, 218
- alabamensis*, *Hantkenina*  
Ceara Rise, B:35, 41, 61, 67
- Site 925, A:77, 87; B:48  
Site 929, A:351–352; B:55
- Alabaminella weddellensis*, Ceara Rise,  
B:396–431
- albeari*, *Igorina*, Ceara Rise, B:61
- altiaperturus*, *Globigerinoides*  
Ceara Rise, B:60  
Site 925, B:48
- altispira*, *Dentoglobigerina*  
Site 925, A:74; B:6, 9, 17, 42, 260–261  
Site 926, A:165, 169  
Site 927, A:240  
Site 928, A:289  
Site 929, A:349
- altispira* s. l., *Dentoglobigerina*, Ceara Rise, B:58
- Amaurolithus amplifitcus*  
Ceara Rise, A:434  
Site 925, A:69, 72, 87  
Site 926, A:178; B:87–88, 91–92, 98
- Amaurolithus delicatus*, Site 925, A:71
- Amaurolithus primus*  
Site 925, A:69, 71–72  
Site 926, A:163
- Amaurolithus* spp.  
Site 925, A:71  
Site 926, B:87–88, 92, 98
- Ammodiscus* spp.  
Site 925, A:78  
Site 929, A:353
- ammophila*, *Hanzawaia*  
Site 925, A:78  
Site 928, A:293  
Site 929, A:353
- Ammovertellina* spp., Site 925, A:78
- ampliapertura*, *Helicosphaera*  
Site 925, A:72, 87  
Site 926, A:163
- ampliapertura*, *Turborotalia*  
Ceara Rise, B:41, 64  
Site 925, A:77; B:48  
Site 928, A:292; B:51  
Site 929, B:55
- amplifitcus*, *Amaurolithus*  
Ceara Rise, A:434  
Site 925, A:69, 72, 87  
Site 926, A:178; B:87–88, 91–92, 98
- angiporoides*, *Subbotina*, Ceara Rise, B:64
- anguliofficialis*, “*Globigerina*”  
Ceara Rise, B:58  
Site 925, B:48
- angulisuturalis*, “*Globigerina*”  
Ceara Rise, B:40, 58  
Site 925, A:77; B:48  
Site 926, A:167; B:49  
Site 928, A:292; B:51  
Site 929, B:55
- angulosa*, *Acarinina*, Site 929, B:56
- angustiumbilitata*, *Tenuitellinata*  
Ceara Rise, B:64, 68  
Site 925, B:48  
Site 926, B:443–444
- Anomalinooides globolusos*  
Site 925, A:78  
Site 926, A:167
- Anomalinooides semicribratus*  
Site 927, A:244  
Site 928, A:293
- apertura*, *Globigerina*  
Ceara Rise, A:432  
Site 927, A:240
- apertura*, *Globoturborotalita*, Site 925, B:6, 10,  
12, 262
- aragonensis*, *Aragonia*, Site 929, A:353
- aragonensis*, *Morozovella*  
Ceara Rise, B:35, 41–42, 62, 68  
Site 929, A:352–353; B:55
- Aragonia aragonensis*, Site 929, A:353
- archeomenardii*, *Globorotalia*  
Ceara Rise, B:38–39, 61, 68  
Site 926, B:49  
Site 927, A:243
- armatus*, *Ceratolithus*  
Site 925, A:71  
Site 926, A:163
- asymmetricus*, *Discoaster*  
Site 925, A:69  
Site 926, A:163
- atlanticus*, *Ceratolithus*  
Site 925, A:72  
Site 926, A:163; B:85–86
- Aulacoseira* sp., Ceara Rise, B:484–485
- Azpeitia oligocenica*, Ceara Rise, B:485–486, 488

- barleeanus*, *Melonis*, Site 925, A:78  
*barnetti*, *Cibicoides*, Site 926, A:167  
*baroemoenensis*, *Dentoglobigerina*, Ceara Rise, B:58  
*baroemoenensis*, *Globoquadrina*, Site 925, B:9, 17, 31  
*barri*, *Globigerinatheka*, Ceara Rise, B:59  
*Bathysiphon* spp.  
 Site 925, A:78  
 Site 929, A:353  
*beccariformis*, *Stensioina*, Site 929, A:353  
*beckmanni*, *Orbulinoides*  
 Ceara Rise, B:41, 62, 68  
 Site 925, A:77, 87; B:49  
 Site 929, A:352; B:55  
*Beella digitata*, Site 925, B:19  
*Beella praedigitata*, Site 925, B:19  
*belemnus*, *Sphenolithus*  
 Site 925, A:73  
 Site 926, A:161, 163, 178  
*berggrenii*, *Discoaster*  
 Site 925, A:72  
 Site 926, A:169; B:88–89, 91–93, 99  
*bermudezi*, *Clavatorella*  
 Ceara Rise, B:35, 38–39, 57, 68  
 Site 925, B:42  
*bijugatus*, *Zygrhablithus*, Site 925, A:73  
*binaensis*, *Globoquadrina*  
 Ceara Rise, B:39, 60  
 Site 925, B:48  
 Site 926, B:49  
 Site 928, B:51  
 Site 929, B:55  
*birnageae*, *Fohsella*, Ceara Rise, B:58  
*bisphericus*, *Globigerinoides*, Ceara Rise, B:60  
*bolivariana*, *Subbotina*  
 Ceara Rise, B:64  
 Site 925, B:49  
*Bolivina inflata*, Site 927, A:243  
*bradyii*, *Cibicoides*  
 Ceara Rise, B:240  
 Site 925, A:78  
*bramlettei*, *Tribrachiatas*, Site 929, A:347  
*broedermanni*, *Igorina*  
 Ceara Rise, B:61  
 Site 929, B:55  
*brouweri*, *Discoaster*  
 Ceara Rise, A:432  
 Site 925, A:69  
 Site 926, A:163; B:89, 92  
 Site 928, A:288  
*Bulimina midwayensis*, Site 929, A:353  
*Bulimina semicostata*  
 Site 928, A:293  
 Site 929, A:353  
*Buliminella grata*  
 Site 927, A:244  
 Site 928, A:293  
*bullbrookii*, *Acarinina*, Site 929, B:56  
*bullbrookii/spinuloinflata plexus*, *Acarinina*, Site 925, B:49  
*bulloides*, *Globigerina*  
 Site 925, B:12–13  
 Site 927, B:213, 218  
*bulloides*, *Pullenia*  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:244  
*Calcidiscus protoannula*, Site 925, A:73  
*Calcidiscus* spp., Site 929, A:347  
*calida*, *Globigerinella*, Site 925, B:19  
*calyculus*, *Catinaster*  
 Site 925, A:72  
 Site 926, B:84, 89, 93–94  
*Campylosphaera eodela*, Site 929, A:349  
*Candeina nitida*, Site 925, A:75; B:10, 19  
*carcoselleensis*, *Globorotaloides*, Ceara Rise, B:61  
*carinatus*, *Triquetrorhabdulus*  
 Site 925, A:73  
 Site 926, A:161, 163  
 Site 929, A:347  
*Cassigerinella chipolensis*  
 Ceara Rise, B:57  
 Site 925, B:48  
*Catapsydrax dissimilis*  
 Ceara Rise, B:39, 57, 68  
 Site 925, A:77; B:48  
 Site 926, A:165; B:49, 442–447  
 Site 928, A:292; B:51  
 Site 929, A:350–351; B:51  
*Catapsydrax stainforthi*, Ceara Rise, B:57  
*Catapsydrax unicavus*  
 Ceara Rise, B:57  
 Site 925, B:48  
*catenata*, *Siphotextularia*, Site 925, A:78  
*Catinaster calyculus*  
 Site 925, A:72  
 Site 926, B:84, 89, 93–94  
*Catinaster coalitus*  
 Site 925, A:72  
 Site 926, B:89, 93–94  
 Site 927, A:239  
*Cavitatus miocenicus*, Ceara Rise, B:485–486, 488  
*Ceratolithus acutus*  
 Ceara Rise, A:434  
 Site 925, A:69, 71  
 Site 926, A:163; B:85–86  
 Site 928, A:297  
*Ceratolithus armatus*  
 Site 925, A:71  
 Site 926, A:163  
*Ceratolithus atlanticus*  
 Site 925, A:72  
 Site 926, A:163; B:85–86  
*Ceratolithus rugosus*, Site 926, B:85  
*Ceratolithus separatus*, Site 926, B:85  
*Ceratolithus* sp. 1, Site 926, B:85–86  
*cerroazulensis*, *Turborotalia*  
 Ceara Rise, B:41, 64  
 Site 925, A:77, 87; B:48  
 Site 929, A:351–352  
*Cestodiscus gemmifer*, Ceara Rise, B:484–485  
*Cestodiscus reticulatus*, Ceara Rise, B:484  
*chapmani*, *Globanomalina*, Ceara Rise, B:58  
*charoides*, *Repmanina*, Site 925, A:78  
*Chiasmolithus grandis*, Site 925, A:73, 87  
*Chiasmolithus solitus*, Site 925, A:73  
*Chiasmolithus* spp., Site 929, A:347  
*Chiloguembelina cubensis*  
 Ceara Rise, B:40, 110–111  
 Site 925, A:77  
 Site 926, A:166–167, 178; B:49  
 Site 928, A:292  
 Site 929, A:351  
*Chiloguembelina* spp., Ceara Rise, B:57, 68  
*Chilostomella oolina*, Site 926, A:167  
*chipolensis*, *Cassigerinella*  
 Ceara Rise, B:57  
 Site 925, B:48  
*cibaensis*, *Globorotalia*  
 Ceara Rise, A:434  
 Site 925, A:75; B:10  
*cibaensis*, *Hirsutella*, Site 925, B:8, 16, 31, 261  
*Cibicoides barnetti*, Site 926, A:167  
*Cibicoides bradyii*  
 Ceara Rise, B:240  
 Site 925, A:78  
*Cibicoides cicatricosus*, Ceara Rise, B:240  
*Cibicoides corpulentus*, Ceara Rise, B:319–321  
*Cibicoides crebbii*, Site 926, A:167  
*Cibicoides eocaenus*  
 Site 925, A:78  
 Site 929, A:353  
*Cibicoides grimsdalei*  
 Site 925, A:78  
 Site 929, A:353  
*Cibicoides havanensis*  
 Site 926, A:167  
 Site 929, A:353  
*Cibicoides hyphalus*, Site 929, A:353  
*Cibicoides incrassatus*  
 Site 928, A:293  
 Site 929, A:353  
*Cibicoides kullenbergi*, Ceara Rise, B:240, 301, 319–321, 367–373  
*Cibicoides laurissae*  
 Site 926, A:167  
 Site 928, A:293  
 Site 929, A:353  
*Cibicoides mexicanus*, Site 929, A:353  
*Cibicoides mundulus*  
 Ceara Rise, B:453, 458–460  
 Site 925, A:78  
 Site 929, B:434–438  
*Cibicoides perlucidus*, Site 926, A:167  
*Cibicoides praemundulus*  
 Site 926, A:167  
 Site 928, A:293  
 Site 929, A:353  
*Cibicoides* sp., Ceara Rise, B:231, 251, 286–295, 367–373  
*Cibicoides truncatus*, Site 925, A:78  
*Cibicoides wuellerstorfi*, Ceara Rise, B:231, 240, 243–251, 286–295, 301, 319–321, 367–373  
*cicatricosus*, *Cibicoides*, Ceara Rise, B:240  
*ciperoensis*, “*Globigerina*”  
 Ceara Rise, B:40, 58–59  
 Site 925, B:48  
*ciperoensis*, *Sphenolithus*  
 Ceara Rise, B:110  
 Site 925, A:73  
 Site 926, A:163–164  
 Site 928, A:288  
 Site 929, A:347  
*circularis*, *Praeorbulina*  
 Ceara Rise, B:39, 63  
 Site 925, B:42  
 Site 927, A:243  
*Clavatorella bermudezi*  
 Ceara Rise, B:35, 38–39, 57, 68  
 Site 925, B:42  
*Clavigerinella eocanica*  
 Ceara Rise, B:41, 57, 68  
 Site 929, B:55  
*Clavigerinella* spp., Site 929, B:56  
*clemenciae*, *Tenuitella*, Ceara Rise, B:64  
*coalingensis*, *Acarinina*, Site 929, B:56  
*coalitus*, *Catinaster*  
 Site 925, A:72  
 Site 926, B:89, 91, 93–94  
 Site 927, A:239  
*Coccolithus crassus*, Site 929, A:347  
*Coccolithus eopelagicus*, Site 925, A:73  
*Coccolithus formosus*, Site 925, A:73  
*Coccolithus miopelagicus*  
 Site 925, A:72  
 Site 926, B:89–90, 93–94  
*Coccolithus* spp., Site 929, A:347

- cocoaensis*, *Turborotalia*, Ceara Rise, B:64  
*collactea*, *Acarinina*, Site 929, B:56  
*conglobata*, *Thalmannammina*, Site 925, A:78  
*conglobatus*, *Globigerinoides*  
 Site 925, B:13  
 Site 927, B:213, 218  
*conicus*, *Sphenolithus*, Site 928, A:288  
*connecta*, *Zeaglobigerina*, Ceara Rise, B:65  
*continua*, *Neogloboquadrina*, Ceara Rise, B:10,  
 17  
*continua*, *Paragloborotalia*, Ceara Rise,  
 B:62–63  
*contortus*, *Tribrochiatius*, Site 929, A:347  
*convexa*, *Igorina*  
 Ceara Rise, B:61  
 Site 929, B:55  
*Coronocyclus nitescens*  
 Site 925, A:73  
 Site 926, A:163  
*corpulentus*, *Cibicidoides*, Ceara Rise, B:319–321  
*coryelli*, *Pullenia*, Site 929, A:353  
*Coscinodiscus excavatus*, Ceara Rise, B:484–490  
*Coscinodiscus excavatus* Zone, Ceara Rise,  
 B:484–490  
*crassaformis*, *Globorotalia*  
 Ceara Rise, A:434  
 Site 927, B:213, 218  
 Site 928, A:289  
*crassaformis*, *Truncorotalia*, Site 925, B:8, 16, 31,  
 256–268  
*crassata*, *Morozovella*, Site 929, A:352  
*crassula*, *Truncorotalia*, Site 925, B:16, 31  
*crassus*, *Coccolithus*, Site 929, A:347  
*crebbsi*, *Cibicidoides*, Site 926, A:167  
*Cribrocentrum reticulatum*, Site 925, A:73  
*Cribrorotalia inflata*  
 Ceara Rise, B:41, 57, 68  
 Site 925, A:77; B:48  
*Cribrorotalia lazarii*, Site 925, B:48, 58, 68  
*cubensis*, *Chiloguembelina*  
 Ceara Rise, B:40, 110–111  
 Site 925, A:77  
 Site 926, A:166–167, 178; B:49  
 Site 928, A:292  
 Site 929, A:351  
*cuneicamerata*, *Acarinina*, Site 929, B:56  
*cunialensis*, *Turborotalia*  
 Ceara Rise A:41, 64–65  
 Site 925, A:77; B:48  
*curva*, *Praeorbulina*  
 Ceara Rise, B:63  
 Site 927, A:243  
*cuspis*, *Rhombaster*, Site 929, A:349  
*Cyclammina* spp.  
 Site 925, A:78  
 Site 929, A:353  
*Cyclicargolithus floridanus*  
 Site 925, A:73  
 Site 926, A:163  
 Site 927, A:239  
*decoraperta*, *Globoturborotalia*  
 Ceara Rise, A:433; B:12  
 Site 929, A:350  
*deflandrei*, *Discoaster*  
 Site 925, A:73  
 Site 926, A:178  
*dehiscens*, *Globoquadrina*  
 Ceara Rise, B:40, 60  
 Site 925, B:9, 17  
*dehiscens*, *Sphaeroidinella*  
 Ceara Rise, A:434; B:5, 10, 18  
 Site 927, A:240  
 Site 929, A:349–350  
*delicatus*, *Amaurolithus*, Site 925, A:71  
*delphix*, *Sphenolithus*  
 Ceara Rise, B:107, 109–110  
 Site 925, A:69, 72–73  
 Site 926, A:163–164; B:441  
 Site 928, A:288  
 Site 929, A:347  
*densa*, *Morozovella*  
 Ceara Rise, B:62  
 Site 929, A:352; B:55  
*Dentoglobigerina altispira*  
 Site 925, A:74; B:6, 9, 17, 42, 260–261  
 Site 926, A:165, 169  
 Site 927, A:240  
 Site 928, A:289  
 Site 929, A:349  
*Dentoglobigerina altispira* s. l., Ceara Rise, B:58  
*Dentoglobigerina baroemoensis*, Ceara Rise,  
 B:58  
*Dentoglobigerina galavisi*, Ceara Rise, B:58  
*Dentoglobigerina globularis*  
 Ceara Rise, B:58  
 Site 926, B:443–444  
*Dentoglobigerina larmei*  
 Ceara Rise, B:58  
 Site 926, B:443–444  
*diastypus*, *Discoaster*, Site 929, A:347  
*Dictyococcites bisectus*–*Dictyococcites hesslandii*  
 lineage, Site 925, A:73  
*Dictyococcites hesslandii*, Site 926, A:163  
*digitata*, *Beella*, Site 925, B:19  
*Discoaster asymmetricus*  
 Site 925, A:69  
 Site 926, A:163  
*Discoaster berggrenii*  
 Site 925, A:72  
 Site 926, A:169; B:88–89, 91–93, 99  
*Discoaster brouweri*  
 Ceara Rise, A:432  
 Site 925, A:69  
 Site 926, A:163; B:89, 92  
 Site 928, A:288  
*Discoaster deflandrei*  
 Site 925, A:73  
 Site 926, A:178  
*Discoaster diastypus*, Site 929, A:347  
*Discoaster hamatus*  
 Site 925, A:72  
 Site 926, B:89, 91–92, 94  
 Site 927, A:239  
*Discoaster kugleri*  
 Site 925, A:73  
 Site 926, A:163, 178; B:90, 95  
*Discoaster lodoensis*, Site 929, A:347  
*Discoaster loeblichii*, Site 925, A:72  
*Discoaster multiradiatus*, Site 929, A:349  
*Discoaster neohamatus*, Site 926, B:89, 92, 94  
*Discoaster pentaradiatus*  
 Ceara Rise, A:433  
 Site 925, A:69  
 Site 926, A:161, 163  
 Site 928, A:288  
*Discoaster quinqueramus*  
 Ceara Rise, A:434  
 Site 925, A:69, 72  
 Site 928, A:297  
*Discoaster saipanensis*  
 Site 925, A:73, 87  
 Site 929, A:347  
*Discoaster sublodoensis*, Site 929, A:347  
*Discoaster surculus*  
 Ceara Rise, A:433  
 Site 926, A:161  
*Discoaster tamalis*  
 Ceara Rise, A:433  
 Site 925, A:69, 71  
 Site 926, A:161  
*Discoaster variabilis* group, Site 926, A:163  
*dissimilis*, *Catapsydrax*  
 Ceara Rise, B:39, 57, 68  
 Site 925, A:77; B:48  
 Site 926, A:165; B:49, 442–447  
 Site 928, A:292; B:51  
 Site 929, A:350–351; B:51  
*dissimilis*, *Sphenolithus*, Site 928, A:288  
*distentus*, *Sphenolithus*  
 Site 925, A:73  
 Site 926, A:161, 164, 178  
 Site 928, A:288  
 Site 929, A:347  
*Dorothia trochoides*, Site 929, A:353  
*druryi*, *Globigerina*, Site 926, A:165  
*dumblei*, *Hantkenina*, Ceara Rise, B:61  
*dutertrei*, *Neogloboquadrina*  
 Site 925, A:74; B:9, 18, 255–268  
 Site 927, B:210, 215, 218–220, 223–224, 227  
*Emiliania huxleyi*  
 Ceara Rise, A:42, 69  
 Site 926, A:161  
 Site 928, A:287  
*eminens*, *Toweius*, Site 929, A:349  
*eocaena*, *Subbotina*  
 Ceara Rise, B:64  
 Site 925, B:48  
*eocaenus*, *Cibicidoides*  
 Site 925, A:78  
 Site 929, A:353  
*eocanica*, *Clavigerinella*  
 Ceara Rise, B:41, 57, 68  
 Site 929, B:55  
*eodela*, *Campylosphaera*, Site 929, A:349  
*eopelagicus*, *Coccolithus*, Site 925, A:73  
*Epistominella exigua*  
 Ceara Rise, B:396–431  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243  
 Site 928, A:292–293  
 Site 929, A:353  
*Epistominella* sp., Ceara Rise, B:396–431  
*Ericsonia fenestrata*, Site 925, A:73  
*Ericsonia obruta*, Site 925, A:73  
*Ericsonia robusta*, Site 929, A:349  
*euaperta*, *Globoquadrina*, Site 926, B:443–444  
*excavatus*, *Coscinodiscus*, Ceara Rise, B:484–490  
*exigua*, *Epistominella*  
 Ceara Rise, B:396–431  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243  
 Site 928, A:292–293  
 Site 929, A:353  
*exilis*, *Globorotalia*  
 Ceara Rise, A:433  
 Site 925, A:74  
 Site 927, A:240  
 Site 929, A:349  
*exilis*, *Menardella*, Site 925, B:6–7, 15, 30  
*extremus*, *Globigerinoides*  
 Ceara Rise, A:432  
 Site 925, A:75; B:6, 10, 13  
 Site 927, A:240  
 Site 929, A:350  
*falconensis*, *Globigerina*  
 Site 925, B:13  
 Site 927, B:212, 218, 223

- fariasi*, "Globigerina," Ceara Rise, B:59  
*Fasciculithus schaubii*, Site 929, A:349  
*Fasciculithus tympaniformis*, Site 929, A:349  
*fenestrata*, *Ericsonia*, Site 925, A:73  
*finalis*, *Pulleniatina*  
 Ceara Rise, A:432  
 Site 925, A:74; B:9  
 Site 926, A:164, 178  
 Site 927, A:240  
*fistulosus*, *Globigerinoides*  
 Ceara Rise, A:432  
 Site 925, A:74; B:6, 14  
 Site 926, A:164  
 Site 927, A:240  
 Site 928, A:289  
 Site 929, A:349  
*fistulosus* s. l., *Globigerinoides*, Site 929, A:349  
*florealis*, *Nuttallides*, Site 929, A:353  
*floridanus*, *Cyclicargolithus*  
 Site 925, A:73  
 Site 926, A:163  
 Site 927, A:239  
*Florisphaera profunda*, Ceara Rise, B:139,  
 269–283  
*Fohsella birmageae*, Ceara Rise, B:58  
*Fohsella fohsi*  
 Ceara Rise, B:38, 58  
 Site 926, A:165  
 Site 927, A:241–242  
 Site 928, A:289; B:51  
*Fohsella fohsi* s. l.  
 Site 925, B:5  
 Site 926, A:165  
*Fohsella* lineage, Site 925, A:75, 77  
*Fohsella lobata*  
 Site 925, A:75  
 Site 926, A:165  
 Site 927, A:241  
*Fohsella peripheroacuta*  
 Ceara Rise, B:38, 58, 68  
 Site 925, A:77; B:42  
 Site 926, A:165  
 Site 927, A:242–243  
 Site 928, A:291; B:51  
 Site 929, B:51  
*Fohsella peripheroronda*  
 Ceara Rise, B:38, 58, 68  
 Site 925, A:87  
 Site 927, A:242  
 Site 928, A:291; B:51  
 Site 929, A:350  
*Fohsella "praefohsi"*  
 Ceara Rise, B:38, 58  
 Site 925, A:77, 87; B:42  
 Site 926, A:165  
 Site 927, A:242  
 Site 928, A:291; B:51  
*Fohsella robusta*  
 Site 925, A:75  
 Site 926, A:165  
 Site 927, A:241  
 Site 928, A:289  
*fohsi*, *Fohsella*  
 Ceara Rise, B:38, 58  
 Site 926, A:165  
 Site 927, A:241–242  
 Site 928, A:289; B:51  
*fohsi* s. l., *Fohsella*  
 Site 925, B:5  
 Site 926, A:165  
*formosa*, *Morozovella*  
 Ceara Rise, B:62  
 Site 929, B:55  
*formosus*, *Coccolithus*, Site 925, A:73  
*frontosa*, *Subbotina*, Ceara Rise, B:64  
*fusa*, *Ilselithina*, Site 928, A:288  
*galavisi*, *Dentoglobigerina*, Ceara Rise, B:58  
*Gaudryina* spp., Site 925, A:78  
*gemma*, *Tenuitella*, Ceara Rise, B:64  
*gemmifer*, *Cestodiscus*, Ceara Rise, B:484–485  
*Gephyrocapsa omega*, Site 928, A:288  
*Gephyrocapsa parallela*, Site 928, A:288  
*Gephyrocapsa* spp.  
 Ceara Rise, A:432  
 Site 925, A:69  
 Site 926, A:161  
 Site 928, A:287  
*Globanomalina chapmani*, Ceara Rise, B:58  
*Globanomalina pseudomenardii*  
 Ceara Rise, B:42, 58  
 Site 929, A:353, 355; B:55  
 "Globigerina" *anguliofficialis*  
 Ceara Rise, B:58  
 Site 925, B:48  
 "Globigerina" *angulisuturalis*  
 Ceara Rise, B:40, 58  
 Site 925, A:77; B:48  
 Site 926, A:167; B:49  
 Site 928, A:292; B:51  
 Site 929, B:55  
*Globigerina apertura*  
 Ceara Rise, A:432  
 Site 927, A:240  
*Globigerina bulloides*  
 Site 925, B:12–13  
 Site 927, B:213, 218  
 "Globigerina" *ciperoensis*  
 Ceara Rise, B:40, 58–59  
 Site 925, B:48  
*Globigerina druryi*, Site 926, A:165  
*Globigerina falconensis*  
 Site 925, B:13  
 Site 927, B:212, 218, 223  
 "Globigerina" *fariasi*, Ceara Rise, B:59  
*Globigerina praebulloides*  
 Ceara Rise, B:59, 68  
 Site 926, B:442–447  
*Globigerina rubescens*, Site 927, B:211, 215, 217,  
 221, 227  
*Globigerinatella insueta*  
 Ceara Rise, B:38–39, 58, 67  
 Site 926, A:165  
 Site 928, B:51  
*Globigerinatella insueta* s. str., Site 925, A:77  
*Globigerinatella* sp.  
 Ceara Rise, B:39–40, 59, 67  
 Site 928, A:291  
 Site 929, B:56  
*Globigerinatheka barri*, Ceara Rise, B:59  
*Globigerinatheka index*  
 Ceara Rise, B:59  
 Site 925, A:77  
*Globigerinatheka kugleri*  
 Ceara Rise, B:59  
 Site 929, A:352  
*Globigerinatheka semiinvoluta*  
 Ceara Rise, B:41, 59  
 Site 925, A:77, 87; B:48  
*Globigerinatheka senni*, Ceara Rise, B:59  
*Globigerinatheka subconglobata*, Ceara Rise,  
 B:59  
*Globigerinatheka tropicalis*, Ceara Rise, B:59  
*Globigerinella aequilateralis*  
 Site 925, B:19  
 Site 927, B:212, 218  
*Globigerinella calida*, Site 925, B:19  
*Globigerinella obesa*, Ceara Rise, B:59  
*Globigerinella praesiphonifera*, Ceara Rise, B:59  
*Globigerinita glutinata*  
 Ceara Rise, B:59–60, 67  
 Site 925, B:18–19, 42, 48, 260–262  
 Site 927, B:210, 215, 218–220, 223–224, 227  
*Globigerinita* spp., Site 929, B:56  
*Globigerinita uvula*, Ceara Rise, B:60  
*Globigerinoides altiapertura*  
 Ceara Rise, B:60  
 Site 925, B:48  
*Globigerinoides bisphericus*, Ceara Rise, B:60  
*Globigerinoides conglobatus*  
 Site 925, B:13  
 Site 927, B:213, 218  
*Globigerinoides extremus*  
 Ceara Rise, A:432  
 Site 925, B:210, 215, 218–220, 223–224, 227  
 Site 927, A:240  
 Site 929, A:350  
*Globigerinoides fistulosus*  
 Ceara Rise, A:432  
 Site 925, A:74; B:6, 14  
 Site 926, A:164  
 Site 927, A:240  
 Site 928, A:289  
 Site 929, A:349  
*Globigerinoides fistulosus* s. l., Site 929, A:349  
*Globigerinoides mitra*, Ceara Rise, B:60  
*Globigerinoides obliquus*  
 Ceara Rise, B:60  
 Site 925, B:6, 13, 260–261  
 "Globigerinoides" *primordius*  
 Ceara Rise, B:60  
 Site 926, B:443–444  
*Globigerinoides ruber*  
 Ceara Rise, B:269–283, 367–373  
 Site 925, B:10, 260–262, 264, 266  
 Site 927, B:210, 215, 220, 224, 227  
*Globigerinoides ruber* s. l., Ceara Rise, B:60  
*Globigerinoides sacculifer*  
 Ceara Rise, B:60, 190–191, 196, 367–373  
 Site 925, B:13–14, 256, 258–268  
 Site 927, B:208–210, 215, 220, 222, 224–226  
*Globigerinoides* spp., Site 925, B:42  
*Globigerinoides tenellus*, Site 927, B:212, 219,  
 222  
*Globigerinoides trilobus*, Site 925, B:48  
*Globigerinoides trilobus* s. l., Ceara Rise, B:40, 60  
*Globocassidulina subglobosa*  
 Ceara Rise, B:396–431  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243–244  
 Site 928, A:293  
 Site 929, A:353  
*Globoconella puncticulata*, Site 925, B:14, 31  
*Globoconella triangula*, Site 925, B:262  
*Globoconella triangula/inflata* group, Site 925,  
 B:14–15, 31  
*globolus*, *Anomalinoidea*  
 Site 925, A:78  
 Site 926, A:167  
*Globoquadrina baroemoensis*, Site 925, B:9, 17,  
 31  
*Globoquadrina binaensis*  
 Ceara Rise, B:39, 60  
 Site 925, B:48  
 Site 926, B:49  
 Site 928, B:51  
 Site 929, B:55  
*Globoquadrina dehiscens*  
 Ceara Rise, B:40, 60  
 Site 925, B:9, 17  
*Globoquadrina euaperta*, Site 926, B:443–444

- Globoquadrina praedeheiscens*  
Ceara Rise, B:60  
Site 926, B:443–444
- Globoquadrina pseudovenezuelana*, Ceara Rise, B:60
- Globoquadrina sellii*, Ceara Rise, B:60
- Globoquadrina tripartita*, Ceara Rise, B:60
- Globoquadrina venezuelana*  
Ceara Rise, B:60, 68  
Site 925, B:9, 17, 31, 42  
Site 926, B:442–447
- Globorotalia archeomenardii*  
Ceara Rise, B:38–39, 61, 68  
Site 926, B:49  
Site 927, A:243
- Globorotalia cibaoensis*  
Ceara Rise, A:434  
Site 925, A:75; B:10
- Globorotalia crassaformis*  
Ceara Rise, A:434  
Site 927, B:213, 218  
Site 928, A:289
- Globorotalia exilis*  
Ceara Rise, A:433  
Site 925, A:74  
Site 927, A:240  
Site 929, A:349
- Globorotalia inflata*, Site 926, A:165
- Globorotalia juanai*, Ceara Rise, B:10
- Globorotalia languaensis*  
Site 925, B:10, 16  
Site 929, A:350
- Globorotalia limbata*, Site 925, B:10
- Globorotalia margaritae*, Site 925, A:75
- Globorotalia menardii*  
Site 925, A:74  
Site 927, B:211, 215, 217, 224
- Globorotalia menardii neoflexuosa*, Site 927, B:215
- Globorotalia merotumida*, Ceara Rise, B:10, 16–17
- Globorotalia miocenica*  
Ceara Rise, A:433  
Site 925, A:74; B:5, 260–261  
Site 926, A:165  
Site 927, A:240  
Site 928, A:289  
Site 929, A:349
- Globorotalia multicamerata*  
Ceara Rise, A:433  
Site 926, A:165, 169  
Site 927, A:240  
Site 928, A:289  
Site 929, A:349
- Globorotalia paralanguaensis*, Site 925, B:10, 16
- Globorotalia pertenuis*  
Ceara Rise, A:433  
Site 925, A:74  
Site 927, A:240  
Site 928, A:289  
Site 929, A:349
- Globorotalia plesiotumida*  
Ceara Rise, A:434; B:17  
Site 925, A:75; B:5, 8–9, 17  
Site 926, A:165  
Site 927, A:241  
Site 928, A:289  
Site 929, A:350
- Globorotalia praemenardii*, Ceara Rise, B:38, 61, 68
- Globorotalia praescitula*, Ceara Rise, B:61
- Globorotalia pseudomiocenica*  
Site 925, B:15, 30  
Site 926, A:165
- Globorotalia tosaensis*  
Site 925, A:73–74  
Site 926, A:165
- Globorotalia triangula*, Site 929, A:349
- “*Globorotalia*” *triangula*  
Site 926, A:164–165  
Site 927, A:240  
Site 928, A:289
- Globorotalia truncatulimoides*  
Ceara Rise, A:432  
Site 925, A:73–74; B:5  
Site 926, A:165  
Site 927, A:240; B:212–213, 215, 217–218, 222, 225, 227  
Site 929, A:349
- Globorotalia tumida*  
Ceara Rise, A:434  
Site 925, A:74–75; B:5, 8–9, 17, 257  
Site 926, A:165  
Site 927, A:240; B:213, 215, 224, 227  
Site 928, A:289  
Site 929, A:350
- Globorotalia ungulata*  
Ceara Rise, B:17  
Site 925, B:261
- Globorotalia woodi*, Ceara Rise, A:433
- Globorotaloides carcoselleensis*, Ceara Rise, B:61
- Globorotaloides hexagonus*, Site 925, B:18
- Globorotaloides suteri*  
Ceara Rise, B:61  
Site 929, A:350
- Globorotaloides variabilis*  
Ceara Rise, B:61  
Site 925, B:10, 18
- globosa*, *Gyroidinoides*, Site 929, A:353
- Globoturborotalita apertura*, Site 925, B:6, 10, 12, 262
- Globoturborotalita decoraperta*  
Ceara Rise, A:433; B:12  
Site 929, A:350
- Globoturborotalita nepenthes*  
Ceara Rise, A:434  
Site 925, A:74–75; B:5, 11, 262  
Site 926, A:165  
Site 927, A:241  
Site 928, A:291  
Site 929, A:350
- Globoturborotalita rubescens*, Site 925, B:6, 12, 260–261
- Globoturborotalita tenella*, Site 925, B:12
- Globoturborotalita woodi*  
Ceara Rise, B:12  
Site 925, B:262
- globularis*, *Dentoglobigerina*  
Ceara Rise, B:58  
Site 926, B:443–444
- glomerosa*, *Praeorbulina*  
Ceara Rise, B:39, 63  
Site 925, B:42  
Site 926, B:49  
Site 927, A:243
- glutinata*, *Globigerinita*  
Ceara Rise, B:59–60, 67  
Site 925, B:18–19, 42, 48, 260–262  
Site 927, B:210, 215, 218–220, 223–224, 227
- gortanii*, *Subbotina*, Ceara Rise, B:64
- gracilis*, *Morozovella*, Ceara Rise, B:62
- grandis*, *Chiasmolithus*, Site 925, A:73, 87
- grata*, *Buliminella*  
Site 927, A:244  
Site 928, A:293
- grimsdalei*, *Cibicidoides*  
Site 925, A:78  
Site 929, A:353
- Guembelitra* spp., Ceara Rise, B:61
- Guembelitrioides higginsi*, Ceara Rise, B:61
- Guembelitrioides lozanoi*, Ceara Rise, B:61
- Gyroidinoides globosa*, Site 929, A:353
- Gyroidinoides neosoldanii*, Site 926, A:167
- Gyroidinoides orbicularis*, Site 926, A:167
- Gyroidinoides soldanii*  
Site 925, A:78  
Site 926, A:167
- hamatus*, *Discoaster*  
Site 925, A:72  
Site 926, B:89, 91–92, 94  
Site 927, A:239
- Hantkenina alabamensis*  
Ceara Rise, B:35, 41, 61, 67  
Site 925, A:77, 87; B:48  
Site 929, A:351–352; B:55
- Hantkenina dumblei*, Ceara Rise, B:61
- Hantkenina liebusi*  
Ceara Rise, B:61  
Site 929, A:352; B:55
- Hantkenina mexicana*, Ceara Rise, B:61
- Hantkenina nuttalli*, Site 929, A:352
- Hantkenina* spp., Site 929, A:351
- Hanzawaia ammphila*  
Site 925, A:78  
Site 928, A:293  
Site 929, A:353
- havanensis*, *Cibicidoides*  
Site 926, A:167  
Site 929, A:353
- havanensis*, *Tritaxia*, Site 929, A:353
- Helicosphaera ampliaperta*  
Site 925, A:72, 87  
Site 926, A:163
- Helicosphaera recta*, Site 928, A:288
- Helicosphaera sellii*, Site 925, A:69
- Helicosphaera truempyi*  
Site 926, A:163  
Site 928, A:288  
Site 929, A:347
- hesslandii*, *Dictyococcites*, Site 926, A:163
- heteromorphus*, *Sphenolithus*  
Site 925, A:87  
Site 926, A:161, 163, 178; B:90–91, 96  
Site 927, A:239
- hexagonus*, *Globorotaloides*, Site 925, B:18
- higginsi*, *Guembelitrioides*, Ceara Rise, B:61
- Hirsutella cibaoensis*, Site 925, B:8, 16, 31, 261
- Hirsutella juanai*, Site 925, B:8, 16
- Hirsutella margaritae*, Site 925, B:8, 16, 31, 261
- Hirsutella margaritae margaritae*, Site 925, B:8
- Hirsutella scitula*, Site 925, B:8, 16
- hispida*, *Uvigerina*  
Site 925, A:78  
Site 926, A:167
- hispidocostata*, *Uvigerina*  
Site 925, A:78  
Site 926, A:167  
Site 927, A:243
- hispidocostata* s. l., *Uvigerina*, Site 927, A:243
- humerosa*, *Neogloboquadrina*  
Ceara Rise, B:18  
Site 925, B:261
- humilis*, *Turborotalita*, Site 925, B:9, 17
- huxleyi*, *Emiliana*  
Ceara Rise, A:42, 69  
Site 926, A:161  
Site 928, A:287
- hyphalus*, *Cibicidoides*, Site 929, A:353
- Igorina albeari*, Ceara Rise, B:61
- Igorina broedermanni*

- Ceara Rise, B:61  
Site 929, B:55
- Igorina convexa*  
Ceara Rise, B:61  
Site 929, B:55
- Ilseolithina fusa*, Site 928, A:288
- inaequispira*, *Subbotina*, Ceara Rise, B:64
- incrassatus*, *Cibicoides*  
Site 928, A:293  
Site 929, A:353
- increbescens*, *Turborotalia*, Ceara Rise, B:65
- index*, *Globigerinatheka*  
Ceara Rise, B:59  
Site 925, A:77
- inflata*, *Bolivina*, Site 927, A:243
- inflata*, *Cribrohantkenina*  
Ceara Rise, B:41, 57, 68  
Site 925, A:77; B:48
- inflata*, *Globorotalia*, Site 926, A:165
- insueta*, *Globigerinatella*  
Ceara Rise, B:38–39, 59, 67  
Site 926, A:165  
Site 928, B:51
- insueta* s. str., *Globigerinatella*, Site 925, A:77
- intercalaris*, *Sphenolithus*, Site 925, A:73
- Ioanella pusilla*  
Site 927, A:243  
Site 928, A:292  
Site 929, A:353
- Ioanella pusillus*  
Site 925, A:78  
Site 926, A:167
- Ioanella tumidula*  
Ceara Rise, B:396–431  
Site 926, A:167  
Site 928, A:292  
Site 929, A:353
- Ioanella tumidulus*, Site 925, A:78
- Isthmolithus recurvus*, Site 925, A:73
- jarvisi*, *Neoflabellina*, Site 929, A:353
- juanai*, *Globorotalia*, Ceara Rise, B:10
- juanai*, *Hirsutella*, Site 925, B:8, 16
- junctus*, *Neochiastozygus*, Site 929, A:349
- Karrerella* spp., Site 925, A:78
- kochi*, *Sphaeroidinellopsis*, Ceara Rise, B:10, 18
- kugleri*, *Discoaster*  
Site 925, A:73  
Site 926, A:163, 178; B:90, 95
- kugleri*, *Globigerinatheka*  
Ceara Rise, B:59  
Site 929, A:352
- kugleri*, *Paragloborotalia*  
Ceara Rise, B:40, 63, 68, 107, 110  
Site 925, A:77; B:48  
Site 926, A:165–166; B:49, 441  
Site 928, A:292; B:51  
Site 929, A:351
- kullenbergi*, *Cibicoides*, Ceara Rise, B:240, 301, 319–321, 367–373
- lacunosa*, *Pseudoemiliana*  
Ceara Rise, A:42, 69, 432  
Site 926, A:161  
Site 928, A:287
- larneui*, *Dentoglobigerina*  
Ceara Rise, B:58  
Site 926, B:443–444
- Laticarinina pauperata*  
Site 925, A:78  
Site 926, A:167
- laurisae*, *Cibicoides*  
Site 926, A:167
- Site 928, A:293  
Site 929, A:353
- lazarii*, *Cribrohantkenina*, Site 925, B:48, 58, 68
- lehneri*, *Morozovella*, Ceara Rise, B:62
- lenguagensis*, *Globorotalia*  
Site 925, B:10, 16  
Site 929, A:350
- lensiformis*, *Morozovella*  
Ceara Rise, B:35, 62  
Site 929, A:353
- libyaensis*, *Acarinina*, Site 929, B:56
- liebusi*, *Hantkenina*  
Ceara Rise, B:61  
Site 929, A:352; B:55
- limbata*, *Globorotalia*, Site 925, B:10
- limbata*, *Menardella*, Site 925, B:7, 15, 30
- linaperta*, *Subbotina*, Ceara Rise, B:64
- lobata*, *Fohsella*  
Site 925, A:75  
Site 926, A:165  
Site 927, A:241
- lodoensis*, *Discoaster*, Site 929, A:347
- loeblichii*, *Discoaster*, Site 925, A:72
- lozanoi*, *Guembeltrioides*, Ceara Rise, B:61
- margaritae*, *Globorotalia*, Site 925, A:75
- margaritae*, *Hirsutella*, Site 925, B:8, 16, 31, 261
- margaritae margaritae*, *Hirsutella*, Site 925, B:8
- matthewsae*, *Acarinina*, Site 929, B:56
- mayeri*, *Paragloborotalia*  
Ceara Rise, B:63, 68  
Site 925, A:75; B:5, 9, 17, 42, 48  
Site 926, A:165; B:442–447  
Site 927, A:241  
Site 928, A:289  
Site 929, A:350
- Melonis barleeanus*, Site 925, A:78
- Melonis zaandamae*, Site 927, A:244
- Menardella exilis*, Site 925, B:6–7, 15, 30
- Menardella limbata*, Site 925, B:7, 15, 30
- Menardella menardii*, Site 925, B:7, 15, 30, 255
- Menardella miocenica*, Site 925, B:6, 15, 31
- Menardella multicamerata*, Site 925, B:6, 15, 30
- Menardella pertenuis*, Site 925, B:6, 15, 30
- menardii*, *Globorotalia*  
Site 925, A:74  
Site 927, B:211, 215, 217, 224
- menardii*, *Menardella*, Site 925, B:7, 15, 30, 255
- menardii neoflexuosa*, *Globorotalia*, Site 927, B:215
- mendacis*, *Paragloborotalia*  
Site 926, A:166; B:49  
Site 929, A:351
- merotumida*, *Globorotalia*, Ceara Rise, B:10, 16–17
- mexicana*, *Hantkenina*, Ceara Rise, B:61
- mexicanus*, *Cibicoides*, Site 929, A:353
- micra*, *Pseudohastigerina*, Ceara Rise, B:63
- midwayensis*, *Bulimina*, Site 929, A:353
- minuta*, *Reticulofenestra*  
Site 925, A:72  
Site 926, A:163
- miocenica*, *Globorotalia*  
Ceara Rise, A:433  
Site 925, A:74; B:5, 260–261  
Site 926, A:165  
Site 927, A:240  
Site 928, A:289  
Site 929, A:349
- miocenica*, *Menardella*, Site 925, B:6, 15, 31
- miocenica*, *Pullenia*, Site 926, A:167
- miocenicus*, *Cavitatus*, Ceara Rise, B:485–486, 488
- miopelagicus*, *Coccolithus*  
Site 925, A:72  
Site 926, B:89–90, 93–94
- mitra*, *Globigerinoides*, Ceara Rise, B:60
- Morozovella acuta*  
Ceara Rise, B:61–62  
Site 929, B:55
- Morozovella aequa*  
Ceara Rise, B:62  
Site 929, B:55
- Morozovella aragonensis*  
Ceara Rise, B:35, 41–42, 62, 68  
Site 929, A:352–353; B:55
- Morozovella crassata*, Site 929, A:352
- Morozovella densa*  
Ceara Rise, B:62  
Site 929, A:352; B:55
- Morozovella formosa*  
Ceara Rise, B:62  
Site 929, B:55
- Morozovella gracilis*, Ceara Rise, B:62
- Morozovella lehneri*, Ceara Rise, B:62
- Morozovella lensiformis*  
Ceara Rise, B:35, 62  
Site 929, A:353
- Morozovella oclusa*  
Ceara Rise, B:62  
Site 929, A:353; B:55
- Morozovella parva*, Site 929, A:353
- Morozovella spinulosa*  
Ceara Rise, B:41, 62  
Site 925, B:48  
Site 929, A:352; B:55
- Morozovella subbotinae*  
Ceara Rise, B:62  
Site 929, A:353; B:55
- Morozovella velascoensis*  
Ceara Rise, B:42, 62, 68  
Site 929, A:353, 355; B:55
- multicamerata*, *Globorotalia*  
Ceara Rise, A:433  
Site 926, A:165, 169  
Site 927, A:240  
Site 928, A:289  
Site 929, A:349
- multicamerata*, *Menardella*, Site 925, B:6, 15, 30
- multiradiatus*, *Discoaster*, Site 929, A:349
- munda*, *Tenuitella*, Ceara Rise, B:64
- mundulus*, *Cibicoides*  
Ceara Rise, B:453, 458–460  
Site 925, A:78  
Site 929, B:434–438
- murrhina*, *Pyrgo*  
Ceara Rise, B:301  
Site 925, A:78  
Site 926, A:167  
Site 927, A:243  
Site 928, A:293
- naguwichiensis*, *Pseudohastigerina*  
Ceara Rise, B:41, 63  
Site 925, A:77; B:48
- nana*, *Paragloborotalia*  
Ceara Rise, B:63  
Site 925, A:77  
Site 926, A:166
- Nannotetrina* spp., Site 929, A:347
- Neochiastozygus junctus*, Site 929, A:349
- Neoflabellina jarvisi*, Site 929, A:353
- Neogloboquadrina acostaensis*  
Ceara Rise, A:434  
Site 925, A:75; B:5, 9–10, 18, 31, 255, 261  
Site 926, A:165  
Site 927, A:240–241
- Neogloboquadrina continua*, Ceara Rise,

- B:10, 17  
*Neogloboquadrina dutertrei*  
 Site 925, A:74; B:9, 18, 255–268  
 Site 927, B:210, 215, 218–220, 223–224, 227  
*Neogloboquadrina humerosa*  
 Ceara Rise, B:18  
 Site 925, B:261  
*Neogloboquadrina pachyderma*  
 Ceara Rise, B:17–18  
 Site 927, B:211, 217–219, 221, 223, 227  
*neohamatus*, *Discoaster*, Site 926, B:89, 92, 94  
*neosoldanii*, *Gyroidinoides*, Site 926, A:167  
*nepenthes*, *Globoturborotalita*  
 Ceara Rise, A:434  
 Site 925, A:74–75; B:5, 11, 262  
 Site 926, A:165  
 Site 927, A:241  
 Site 928, A:291  
 Site 929, A:350  
*nitescens*, *Coronocylus*  
 Site 925, A:73  
 Site 926, A:163  
*nitida*, *Candeina*, Site 925, A:75; B:10, 19  
*nuttalli*, *Hantkenina*, Site 929, A:352  
*Nuttallides florealis*, Site 929, A:353  
*Nuttallides truempyi*  
 Site 925, A:78  
 Site 929, A:353  
*Nuttallides umbonifera*  
 Ceara Rise, B:240, 244–247, 286–287,  
 396–431  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243  
 Site 928, A:292–293  
 Site 929, A:353  
*obesa*, *Globigerinella*, Ceara Rise, B:59  
*obliquiloculata*, *Pulleniatina*  
 Ceara Rise, B:230, 233–234  
 Site 925, A:74; B:18, 262  
 Site 927, B:211, 215, 217–219, 221, 224, 227  
*obliquus*, *Globigerinoides*  
 Ceara Rise, B:60  
 Site 925, B:6, 13, 260–261  
*obruta*, *Ericsonia*, Site 925, A:73  
*occlusa*, *Morozovella*  
 Ceara Rise, B:62  
 Site 929, A:353; B:55  
*occultatus*, *Toweius*, Site 929, A:349  
*oligocenica*, *Azpeitia*, Ceara Rise, B:485–486, 488  
*omega*, *Gephyrocapsa*, Site 928, A:288  
*oolina*, *Chilostomella*, Site 926, A:167  
*opima*, *Paragloborotalia*  
 Ceara Rise, B:40, 63  
 Site 925, A:77; B:48  
 Site 926, A:166, 178; B:49  
 Site 928, A:292  
*orbicularis*, *Gyroidinoides*, Site 926, A:167  
*Orbulina suturalis*  
 Site 925, A:77  
 Site 926, A:165  
 Site 927, A:242–243  
*Orbulina universa*  
 Ceara Rise, B:38–39, 62, 68  
 Site 925, B:14, 42  
 Site 928, B:51  
*Orbulinoides beckmanni*  
 Ceara Rise, B:41, 62, 68  
 Site 925, A:77, 87; B:49  
 Site 929, A:352; B:55  
*Oridorsalis* sp., Site 926, B:368  
*Oridorsalis umbonatus*  
 Ceara Rise, B:301  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243–244  
 Site 928, A:293  
 Site 929, A:353  
*orthostylus*, *Tribrachiatulus*, Site 929, A:347  
*osloensis*, *Pullenia*  
 Site 925, A:78  
 Site 926, A:167  
 Site 929, A:353  
*pachyderma*, *Neogloboquadrina*  
 Ceara Rise, B:17–18  
 Site 927, B:211, 217–219, 221, 223, 227  
*paenedehiscens*, *Sphaeroidinellopsis*, Ceara Rise,  
 B:10, 18  
*palmerae*, *Planorotalites*, Site 929, A:352  
*Paragloborotalia continuosa*, Ceara Rise,  
 B:62–63  
*Paragloborotalia kugleri*  
 Ceara Rise, B:40, 63, 68, 107, 110  
 Site 925, A:77; B:48  
 Site 926, A:165–166; B:49, 441  
 Site 928, A:292; B:51  
 Site 929, A:351  
*Paragloborotalia mayeri*  
 Ceara Rise, B:63, 68  
 Site 925, A:75; B:5, 9, 17, 42, 48  
 Site 926, A:165; B:442–447  
 Site 927, A:241  
 Site 928, A:289  
 Site 929, A:350  
*Paragloborotalia mendacis*  
 Site 926, A:166; B:49  
 Site 929, A:351  
*Paragloborotalia nana*  
 Ceara Rise, B:63  
 Site 925, A:77  
 Site 926, A:166  
*Paragloborotalia opima*  
 Ceara Rise, B:40, 63  
 Site 925, A:77; B:48  
 Site 926, A:166, 178; B:49  
 Site 928, A:292  
*Paragloborotalia pseudokugleri*  
 Ceara Rise, B:35, 40, 63, 68, 107, 110  
 Site 925, B:48  
 Site 926, A:165–166; B:49, 442–447  
*Paragloborotalia siakensis*, Site 925, A:75  
*paralenguaensis*, *Globorotalia*, Site 925, B:10, 16  
*parallela*, *Gephyrocapsa*, Site 928, A:288  
*parva*, *Morozovella*, Site 929, A:353  
*pauperata*, *Laticarinina*  
 Site 925, A:78  
 Site 926, A:167  
*pentaradiatus*, *Discoaster*  
 Ceara Rise, A:433  
 Site 925, A:69  
 Site 926, A:161, 163  
 Site 928, A:288  
*peregrina*, *Uvigerina*  
 Site 925, A:77–78  
 Site 927, A:243  
*peripheroacuta*, *Fohsella*  
 Ceara Rise, B:38, 58, 68  
 Site 925, A:77; B:42  
 Site 926, A:165  
 Site 927, A:242–243  
 Site 928, A:291; B:51  
 Site 929, B:51  
*peripheroronda*, *Fohsella*  
 Ceara Rise, B:38, 58, 68  
 Site 925, A:87  
 Site 927, A:242  
 Site 928, A:291; B:51  
 Site 929, A:350  
*perlucidus*, *Cibicidoides*, Site 926, A:167  
*pertenuis*, *Globorotalia*  
 Ceara Rise, A:433  
 Site 925, A:74  
 Site 927, A:240  
 Site 928, A:289  
 Site 929, A:349  
*pertenuis*, *Menardella*, Site 925, B:6, 15, 30  
*Planorotalites palmerae*, Site 929, A:352  
*Planorotalites pseudoscutula*  
 Ceara Rise, B:63  
 Site 929, B:55  
*Planulina renzi*  
 Site 925, A:78  
 Site 926, A:167  
*plesiotumida*, *Globorotalia*  
 Ceara Rise, A:434; B:17  
 Site 925, A:75; B:5, 8–9, 17  
 Site 926, A:165  
 Site 927, A:241  
 Site 928, A:289  
 Site 929, A:350  
*Pleurostomella* spp., Site 926, A:167  
*poagi*, *Abyssamina*, Site 929, A:353  
*pomeroli*, *Turborotalia*, Ceara Rise, B:41, 65  
*praebulloides*, *Globigerina*  
 Ceara Rise, B:59, 68  
 Site 926, B:442–447  
*praecursor*, *Pulleniatina*, Site 925, A:74  
*praedehiscens*, *Globoquadrina*  
 Ceara Rise, B:60  
 Site 926, B:443–444  
*praedigitata*, *Beella*, Site 925, B:19  
*“praefohsi,” Fohsella*  
 Ceara Rise, B:38, 58  
 Site 925, A:77, 87; B:42  
 Site 926, A:165  
 Site 927, A:242  
 Site 928, A:291; B:51  
*praemenardii*, *Globorotalia*, Ceara Rise, B:38,  
 61, 68  
*praemundulus*, *Cibicidoides*  
 Site 926, A:167  
 Site 928, A:293  
 Site 929, A:353  
*Praeorbulina circularis*  
 Ceara Rise, B:39, 63  
 Site 925, B:42  
 Site 927, A:243  
*Praeorbulina curva*  
 Ceara Rise, B:63  
 Site 927, A:243  
*Praeorbulina glomerata*  
 Ceara Rise, B:39, 63  
 Site 925, B:42  
 Site 926, B:49  
 Site 927, A:243  
*Praeorbulina sicana*  
 Ceara Rise, B:38–39, 63  
 Site 925, A:77; B:42  
 Site 926, A:165; B:49  
 Site 927, A:243  
 Site 928, A:292; B:51  
 Site 929, A:350; B:51  
*Praeorbulina* spp., Site 928, A:291  
*praescitula*, *Globorotalia*, Ceara Rise, B:61  
*praesiphonifera*, *Globigerinella*, Ceara Rise, B:59  
*praeturritilina*, *Subbotina*, Ceara Rise, B:64  
*predistentus*, *Sphenolithus*  
 Site 926, A:161  
 Site 929, A:347  
*primalis*, *Pulleniatina*, Site 925, B:9, 18, 262



- primitiva*, *Acarinina*, Site 929, B:56  
*primordius*, “*Globigerinoides*”  
 Ceara Rise, B:60  
 Site 926, B:443–444  
*primus*, *Amaurolithus*  
 Site 925, A:69, 71–72  
 Site 926, A:163  
*proboscidea*, *Uvigerina*  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243  
*profunda*, *Florisphaera*, Ceara Rise, B:139,  
 269–283  
*Protentella* sp., Ceara Rise, B:63  
*protoannula*, *Calcidiscus*, Site 925, A:73  
*Pseudoemiliania lacunosa*  
 Ceara Rise, A:42, 69, 432  
 Site 926, A:161  
 Site 928, A:287  
*Pseudohastigerina micra*, Ceara Rise, B:63  
*Pseudohastigerina naguwichiensis*  
 Ceara Rise, B:41, 63  
 Site 925, A:77; B:48  
*Pseudohastigerina wilcoxensis*, Ceara Rise, B:63  
*pseudokugleri*, *Paragloborotalia*  
 Ceara Rise, B:35, 40, 63, 68, 107, 110  
 Site 925, B:48  
 Site 926, A:165–166; B:49, 442–447  
*pseudomenardi*, *Globanomalina*  
 Ceara Rise, B:42, 58  
 Site 929, A:353, 355; B:55  
*pseudomiocenica*, *Globorotalia*  
 Site 925, B:15, 30  
 Site 926, A:165  
*Pseudoparrella* sp.  
 Site 928, A:292–293  
 Site 929, A:353  
*pseudoscutula*, *Planorotalites*  
 Ceara Rise, B:63  
 Site 929, B:55  
*pseudotopilensis*, *Acarinina*, Site 929, B:57  
*pseudovenezuelana*, *Globoquadrina*, Ceara Rise,  
 B:60  
*psuedoubilicus*, *Reticulofenestra*  
 Site 926, A:163; B:88–90  
 Site 927, A:239  
*Pullenia bulloides*  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:244  
*Pullenia coryelli*, Site 929, A:353  
*Pullenia miocenica*, Site 926, A:167  
*Pullenia osloensis*  
 Site 925, A:78  
 Site 926, A:167  
 Site 929, A:353  
*Pullenia quinqueloba*, Site 925, A:78  
*Pullenia* spp., Site 926, A:167  
*Pullenia subcarinata*, Site 929, A:353  
*Pulleniatina finalis*  
 Ceara Rise, A:432  
 Site 925, A:74; B:9  
 Site 926, A:164, 178  
 Site 927, A:240  
*Pulleniatina* lineage  
 Ceara Rise, A:433  
 Site 925, A:74  
 Site 926, A:165  
 Site 928, A:289  
 Site 929, A:349  
*Pulleniatina obliquiloculata*  
 Ceara Rise, B:230, 233–234  
 Site 925, A:74; B:18, 262  
 Site 927, B:211, 215, 217–219, 221, 224, 227  
*Pulleniatina praecursor*, Site 925, A:74  
*Pulleniatina primalis*, Site 925, B:9, 18, 262  
*puncticulata*, *Globoconella*, Site 925, B:14, 31  
*pusilla*, *Ioanella*  
 Site 927, A:243  
 Site 928, A:292  
 Site 929, A:353  
*pusillus*, *Ioanella*  
 Site 925, A:78  
 Site 926, A:167  
*pygmaea*, *Uvigerina*, Site 925, B:286–287  
*Pyrgo murrhina*  
 Ceara Rise, B:301  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243  
 Site 928, A:293  
*quinqueloba*, *Pullenia*, Site 925, A:78  
*quiqueramus*, *Discoaster*  
 Ceara Rise, A:434  
 Site 925, A:69, 72  
 Site 928, A:297  
*radians*, *Sphenolithus*, Site 925, A:73  
*recta*, *Helicosphaera*, Site 928, A:288  
*recurvus*, *Isthmolithus*, Site 925, A:73  
*renzi*, *Planulina*  
 Site 925, A:78  
 Site 926, A:167  
*Repmanina charoides*, Site 925, A:78  
*reticulatum*, *Cribo centrum*, Site 925, A:73  
*reticulatus*, *Cestodiscus*, Ceara Rise, B:484  
*Reticulofenestra dictyoda*–*Reticulofenestra*  
*samodurovii*–*Reticulofenestra umbilicus*  
 lineage, Site 925, A:73  
*Reticulofenestra minuta*  
 Site 925, A:72  
 Site 926, A:163  
*Reticulofenestra psuedoubilicus*  
 Site 926, A:163; B:88–90  
 Site 927, A:239  
*Reticulofenestra psuedoubilicus* paracme  
 interval  
 Site 925, A:72  
 Site 926, B:88–89  
*Reticulofenestra* spp., Site 929, A:347  
*Reticulofenestra umbilicus*  
 Site 925, A:73, 87  
 Site 926, A:161  
 Site 929, A:347  
*Rhombaster cuspis*, Site 929, A:349  
*Rhombaster* spp., Site 929, A:349  
*robusta*, *Ericsonia*, Site 929, A:349  
*robusta*, *Fohsella*  
 Site 925, A:75  
 Site 926, A:165  
 Site 927, A:241  
 Site 928, A:289  
*rohri*, *Acarinina*  
 Ceara Rise, B:57  
 Site 925, B:48  
 Site 929, A:352; B:55  
*ruber*, *Globigerinoides*  
 Ceara Rise, B:269–283, 367–373  
 Site 925, B:10, 260–262, 264, 266  
 Site 927, B:210, 215, 220, 224, 227  
*ruber* s. l., *Globigerinoides*, Ceara Rise, B:60  
*rubescens*, *Globigerina*, Site 927, B:211, 215, 217,  
 221, 227  
*rubescens*, *Globoturborotalita*, Site 925, B:6, 12,  
 260–261  
*rugosus*, *Ceratolithus*, Site 926, B:85  
*rugosus*, *Triquetrorhabdulus*  
 Ceara Rise, A:434  
 Site 925, A:69, 71  
 Site 926, A:163; B:86–88, 91–92, 97–98  
*sacculifer*, *Globigerinoides*  
 Ceara Rise, B:60, 190–191, 196, 367–373  
 Site 925, B:13–14, 256, 258–268  
 Site 927, B:208–210, 215, 220, 222, 224–226  
*saipanensis*, *Discoaster*  
 Site 925, A:73, 87  
 Site 929, A:347  
*schaubii*, *Fasciculolithus*, Site 929, A:349  
*scitula*, *Hirsutella*, Site 925, B:8, 16  
*sellii*, *Globoquadrina*, Ceara Rise, B:60  
*sellii*, *Helicosphaera*, Site 925, A:69  
*semicostata*, *Bulimina*  
 Site 928, A:293  
 Site 929, A:353  
*semicribratus*, *Anomalinoidea*  
 Site 927, A:244  
 Site 928, A:293  
*semiinvoluta*, *Globigerinatheka*  
 Ceara Rise, B:41, 59  
 Site 925, A:77, 87; B:48  
*semimulina*, *Sphaeroidinellopsis*  
 Ceara Rise, A:433; B:10, 18, 63  
 Site 929, A:350  
*senni*, *Globigerinatheka*, Ceara Rise, B:59  
 “*senticosa*,” *Uvigerina*, Site 927, A:243  
*separatus*, *Ceratolithus*, Site 926, B:85  
*siakensis*, *Paragloborotalia*, Site 925, A:75  
*sicana*, *Praeorbulina*  
 Ceara Rise, B:38–39, 63  
 Site 925, A:77; B:42  
 Site 926, A:165; B:49  
 Site 927, A:243  
 Site 928, A:292; B:51  
 Site 929, A:350; B:51  
*Siphotextularia catenata*, Site 925, A:78  
*soldadoensis*, *Acarinina*  
 Ceara Rise, B:57  
 Site 929, A:352–353; B:55  
*soldanii*, *Gyroidinoides*  
 Site 925, A:78  
 Site 926, A:167  
*solitus*, *Chiasmolithus*, Site 925, A:73  
*spectabilis*, *Spiroplectammina*  
 Site 925, A:78  
 Site 929, A:353  
*Sphaeroidinella dehiscens*  
 Ceara Rise, A:434; B:5, 10, 18  
 Site 927, A:240  
 Site 929, A:349–350  
*Sphaeroidinella* spp.  
 Site 925, A:75  
 Site 926, A:165  
*Sphaeroidinellopsis kochi*, Ceara Rise, B:10, 18  
*Sphaeroidinellopsis paenedehiscens*, Ceara Rise,  
 B:10, 18  
*Sphaeroidinellopsis seminulina*  
 Ceara Rise, A:433; B:10, 18, 63  
 Site 929, A:350  
*Sphaeroidinellopsis* spp.  
 Site 925, A:75  
 Site 929, A:350  
*Sphenolithus abies*/*Sphenolithus neoabies* group,  
 Site 926, A:163  
*Sphenolithus belemnus*  
 Site 925, A:73  
 Site 926, A:161, 163, 178  
*Sphenolithus ciproensis*  
 Ceara Rise, B:110  
 Site 925, A:73  
 Site 926, A:163–164

- Site 928, A:288  
Site 929, A:347  
*Sphenolithus conicus*, Site 928, A:288  
*Sphenolithus delphix*  
Ceara Rise, B:107, 109–110  
Site 925, A:69, 72–73  
Site 926, A:163–164; B:441  
Site 928, A:288  
Site 929, A:347  
*Sphenolithus dissimilis*, Site 928, A:288  
*Sphenolithus distentus*  
Site 925, A:73  
Site 926, A:161, 164, 178  
Site 928, A:288  
Site 929, A:347  
*Sphenolithus heteromorphus*  
Site 925, A:87  
Site 926, A:161, 163, 178; B:90–91, 96  
Site 927, A:239  
*Sphenolithus intercalaris*, Site 925, A:73  
*Sphenolithus predistentus*  
Site 926, A:161  
Site 929, A:347  
*Sphenolithus radians*, Site 925, A:73  
*Sphenolithus* spp., Site 925, A:72  
"spincostata," *Uvigerina*, Site 927, A:243  
*spinuloinflata*, *Acarinina*, Ceara Rise, B:57  
*spinulosa*, *Morozovella*  
Ceara Rise, B:41, 62  
Site 925, B:48  
Site 929, A:352; B:55  
*Spiroplectammina spectabilis*  
Site 925, A:78  
Site 929, A:353  
*stainforthi*, *Catapsydrax*, Ceara Rise, B:57  
*Stensioina beccariformis*, Site 929, A:353  
*Stilostomella* spp.  
Site 925, A:78  
Site 926, A:167  
*Streptochilus* spp.  
Ceara Rise, B:64  
Site 925, B:11  
*Subbotina angiporoides*, Ceara Rise, B:64  
*Subbotina bolivariana*  
Ceara Rise, B:64  
Site 925, B:49  
*Subbotina eocaena*  
Ceara Rise, B:64  
Site 925, B:48  
*Subbotina frontosa*, Ceara Rise, B:64  
*Subbotina gortanii*, Ceara Rise, B:64  
*Subbotina inaequispira*, Ceara Rise, B:64  
*Subbotina linaperta*, Ceara Rise, B:64  
*Subbotina praeturritilina*, Ceara Rise, B:64  
*Subbotina velascoensis*, Ceara Rise, B:64  
*subbotinae*, *Morozovella*  
Ceara Rise, B:62  
Site 929, A:353; B:55  
*subcarinata*, *Pullenia*, Site 929, A:353  
*subconglobata*, *Globigerinatheka*, Ceara Rise, B:59  
*subglobosa*, *Globocassidulina*  
Ceara Rise, B:396–431  
Site 925, A:78  
Site 926, A:167  
Site 927, A:243–244  
Site 928, A:293  
Site 929, A:353  
*sublodoensis*, *Discoaster*, Site 929, A:347  
*surculus*, *Discoaster*  
Ceara Rise, A:433  
Site 926, A:161  
*suteri*, *Globorotaloides*  
Ceara Rise, B:61  
Site 929, A:350  
*suturalis*, *Orbulina*  
Site 925, A:77  
Site 926, A:165  
Site 927, A:242–243  
*tamalis*, *Discoaster*  
Ceara Rise, A:433  
Site 925, A:69, 71  
Site 926, A:161  
*tenella*, *Globoturborotalita*, Site 925, B:12  
*tenellus*, *Globigerinoides*, Site 927, B:212, 219, 222  
*Tenuitella clemenciae*, Ceara Rise, B:64  
*Tenuitella gemma*, Ceara Rise, B:64  
*Tenuitella munda*, Ceara Rise, B:64  
*Tenuitellinata angustiumbilicata*  
Ceara Rise, B:64, 68  
Site 925, B:48  
Site 926, B:443–444  
*Thalmannammina conglobata*, Site 925, A:78  
*topilensis*, *Acarinina*  
Ceara Rise, B:57  
Site 925, B:48–49  
Site 929, A:352  
*tosaensis*, *Globorotalia*  
Site 925, A:73–74  
Site 926, A:165  
*tosaensis*, *Truncorotalia*, Site 925, B:8, 16, 261  
*Toweius eminens*, Site 929, A:349  
*Toweius occultatus*, Site 929, A:349  
*triangula*, *Globoconella*, Site 925, B:262  
*triangula*, *Globorotalia*, Site 929, A:349  
*triangula*, "Glorotalia"  
Site 926, A:164–165  
Site 927, A:240  
Site 928, A:289  
*triangula/inflata*, *Globoconella*, Site 925, B:14–15, 31  
*Tribrachiatus bramlettei*, Site 929, A:347  
*Tribrachiatus contortus*, Site 929, A:347  
*Tribrachiatus orthostylus*, Site 929, A:347  
*Tribrachiatus* spp., Site 929, A:347  
*trilobus*, *Globigerinoides*, Site 925, B:48  
*trilobus* s. l., *Globigerinoides*, Ceara Rise, B:40, 60  
*tripartita*, *Globoquadrina*, Ceara Rise, B:60  
*triplex*, *Acarinina*, Ceara Rise, B:57  
*Triquetrorhabdulus carinatus*  
Site 925, A:73  
Site 926, A:161, 163  
Site 929, A:347  
*Triquetrorhabdulus rugosus*  
Ceara Rise, A:434  
Site 925, A:69, 71  
Site 926, A:163; B:86–88, 91–92, 97–98  
*Tritaxia havanensis*, Site 929, A:353  
*trochoides*, *Dorothia*, Site 929, A:353  
*tropicalis*, *Globigerinatheka*, Ceara Rise, B:59  
*truempyi*, *Helicosphaera*  
Site 926, A:163  
Site 928, A:288  
Site 929, A:347  
*truempyi*, *Nuttallides*  
Site 925, A:78  
Site 929, A:353  
*truncanus*, *Cibicidoides*, Site 925, A:78  
*truncatulinoides*, *Globorotalia*  
Ceara Rise, A:432  
Site 925, A:73–74; B:5  
Site 926, A:165  
Site 927, A:240; B:212–213, 215, 217–218, 222, 225, 227  
Site 929, A:349  
*truncatulinoides*, *Truncorotalia*, Site 925, B:7–8, 16, 261  
*Truncorotalia crassaformis*, Site 925, B:8, 16, 31, 256–268  
*Truncorotalia crassula*, Site 925, B:16, 31  
*Truncorotalia tosaensis*, Site 925, B:8, 16, 261  
*Truncorotalia truncatulinoides*, Site 925, B:7–8, 16, 261  
*tumida*, *Globorotalia*  
Ceara Rise, A:434  
Site 925, A:74–75; B:5, 8–9, 17, 257  
Site 926, A:165  
Site 927, A:240; B:213, 215, 224, 227  
Site 928, A:289  
Site 929, A:350  
*tumidula*, *Ioanella*  
Ceara Rise, B:396–431  
Site 926, A:167  
Site 928, A:292  
Site 929, A:353  
*tumidulus*, *Ioanella*, Site 925, A:78  
*Turborotalia ampliapertura*  
Ceara Rise, B:41, 64  
Site 925, A:77; B:48  
Site 928, A:292; B:51  
Site 929, B:55  
*Turborotalia cerroazulensis*  
Ceara Rise, B:41, 64  
Site 925, A:77, 87; B:48  
Site 929, A:351–352  
*Turborotalia cocoaensis*, Ceara Rise, B:64  
*Turborotalia cumialensis*  
Ceara Rise, B:41, 64–65  
Site 925, A:77; B:48  
*Turborotalia increbescens*, Ceara Rise, B:65  
*Turborotalia pomeroli*, Ceara Rise, B:41, 65  
*Turborotalita humilis*, Site 925, B:9, 17  
*tympaniformis*, *Fasciculithus*, Site 929, A:349  
*umbilicus*, *Reticulofenestra*  
Site 925, A:73, 87  
Site 926, A:161  
Site 929, A:347  
*umbonatus*, *Oridorisalis*  
Ceara Rise, B:301  
Site 925, A:78  
Site 926, A:167  
Site 927, A:243–244  
Site 928, A:293  
Site 929, A:353  
*umbonifera*, *Nuttallides*  
Ceara Rise, B:240, 244–247, 286–287, 396–431  
Site 925, A:78  
Site 926, A:167  
Site 927, A:243  
Site 928, A:292–293  
Site 929, A:353  
*ungulata*, *Globorotalia*  
Ceara Rise, B:17  
Site 925, B:261  
*unicavus*, *Catapsydrax*  
Ceara Rise, B:57  
Site 925, B:48  
*universa*, *Orbulina*  
Ceara Rise, B:38–39, 62, 68  
Site 925, B:14, 42  
Site 928, B:51  
*Uvigerina hispida*  
Site 925, A:78  
Site 926, A:167  
*Uvigerina hispidocostata*  
Site 925, A:78  
Site 926, A:167  
Site 927, A:243

*Uvigerina hispidocostata* s. l., Site 927, A:243  
*Uvigerina peregrina*  
 Site 925, A:77–78  
 Site 927, A:243  
*Uvigerina proboscidea*  
 Site 925, A:78  
 Site 926, A:167  
 Site 927, A:243  
*Uvigerina pygmaea*, Site 925, B:286–287  
*Uvigerina “senticosa,”* Site 927, A:243  
*Uvigerina “spincostata,”* Site 927, A:243  
*Uvigerina* spp., Ceara Rise, B:247, 301  
*wula, Globigerinita*, Ceara Rise, B:60

*variabilis, Globorotaloides*  
 Ceara Rise, B:61  
 Site 925, B:10, 18

*velascoensis, Morozovella*  
 Ceara Rise, B:42, 62, 68  
 Site 929, A:353, 355; B:55

*velascoensis, Subbotina*, Ceara Rise, B:64

*venezuelana, Globoquadrina*  
 Ceara Rise, B:60, 68  
 Site 925, B:9, 17, 31, 42  
 Site 926, B:442–447

*weddellensis, Alabaminella*, Ceara Rise,  
 B:396–431

*wilcoxensis, Pseudohastigerina*, Ceara Rise, B:63

*woodi, Globorotalia*, Ceara Rise, A:433

*woodi, Globoturborotalita*  
 Ceara Rise, B:12  
 Site 925, B:262

*woodi, Zeaglobigerina*  
 Ceara Rise, B:65  
 Site 926, B:443–444

*wuellerstorfi, Cibicidoides*, Ceara Rise, B:231,  
 240, 243–251, 286–295, 301, 319–321,  
 367–373

*zaandamae, Melonis*, Site 927, A:244

*Zeaglobigerina connecta*, Ceara Rise, B:65

*Zeaglobigerina woodi*  
 Ceara Rise, B:65  
 Site 926, B:443–444

zones (with letter prefixes)  
 CN1, A:161; B:107, 110, 435  
 CN1c, Site 929, A:347  
 CN2/CN3 boundary, Site 926, A:161  
 CN3b, Site 927, A:239  
 CN4, Site 929, A:347  
 CN5, Site 929, A:347  
 CN5b, Site 927, A:239  
 CN6, A:239, 347  
 CN7, A:72, 239, 287, 347  
 CN8, A:72, 347  
 CN9, Site 929, A:347  
 CN9a, Site 925, A:72  
 CN12a, Site 928, A:287  
 CN13b, Site 929, A:347  
 CN14a, Site 928, A:287  
 CN14b, A:161, 287  
 CN15, A:67, 161, 239, 347  
 CP8, Site 929, A:347  
 CP10/CP11, Site 929, A:347  
 CP11/CP12, Site 929, A:347  
 CP13/CP14 boundary, Site 925, A:67, 73  
 CP15, A:286, 347  
 CP16, A:73, 286, 347  
 CP17, A:73, 286, 288; B:107, 110  
 CP18, A:161; B:107, 110  
 CP19, Ceara Rise, B:107, 110–111  
 N4, A:165, 292, 351; B:40, 48, 107  
 N5, A:77, 165  
 N5/N6, A:165, 292; B:40, 48, 51, 55  
 N6, A:77, 165  
 N7, A:77, 165, 292, 350–351; B:39, 48, 51  
 N8, A:77, 165, 243, 292, 350; B:38–39, 42, 49,  
 51, 55  
 N9, A:77, 243, 292, 350; B:38, 51  
 N10, A:77, 165, 242, 291, 350; B:38, 42, 49,  
 51

N11, A:77, 165, 242, 291; B:38, 42  
 N12, A:165, 241–242, 291; B:38, 49  
 N13, A:75, 241, 291; B:3, 5, 11  
 N14, A:75, 165, 241, 350; B:5, 7, 11  
 N15, A:75, 165, 241; B:5, 9  
 N15/N16, A:241, 350  
 N16, A:75, 165, 241; B:5, 8, 10  
 N17, A:75, 241, 350; B:5, 8–9  
 N18, A:75, 165, 240; B:5–9  
 N19, A:75, 165, 240; B:5, 8, 10  
 N19/N20 boundary, Site 925, A:75; B:8–10  
 N20, A:74, 165  
 N20/N21, A:165, 240; B:5  
 N21, A:74, 165; B:7–10  
 N21/N22 boundary, Site 925, B:6  
 N21a, Site 929, A:351  
 N22, A:73, 240; B:5, 7, 9  
 N22/N23, Site 929, A:349  
 P4c, A:353; B:42, 51, 55  
 P5, A:353; B:42  
 P6, A:353; B:42  
 P7, A:352–353; B:42, 55  
 P8, Site 929, A:352  
 P9, Site 929, A:352; B:55  
 P10, Site 929, A:352; B:55  
 P11, A:352; B:41, 55  
 P12, A:352; B:41, 49  
 P13, A:73, 77–78, 352; B:41, 49, 55  
 P14, A:77–78, 352; B:41, 49, 51, 55  
 P15, A:78; B:41, 48  
 P16, A:78; B:41, 48  
 P16/P17, Site 929, A:352; B:55  
 P17, A:352; B:41, 48  
 P18, A:351; B:41, 48, 55, 110  
 P19, A:77, 292, 351; B:41–42, 48, 51, 55, 110  
 P20, A:77, 351; B:41  
 P21, B:48–49, 107, 110–111  
 P21a, A:77, 166, 292; B:40, 49  
 P21b, A:77, 166, 292; B:40  
 P22, A:77, 166, 292; B:40, 48–49, 435

*Zygrhablithus bijugatus*, Site 925, A:73