

INDEX TO VOLUME 155

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 155 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide descriptions, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 930, for example, is given as “Site 930, A:87–122.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU.

VOLUME 155 SUBJECT INDEX

- accessory minerals
 lithologic units, A:130–131, 180–181, 183, 207–209, 248–249, 281
 sediments, A:391, 393–394
 silty clay, A:415–417
See also individual minerals
- acoustic stratigraphy
 vs. depth, A:408, 461
See also seismic stratigraphy
- acoustic units, grain size, B:41, 47–50
- age
 fans, B:353–365
 foraminifers, B:138
 vs. *D*-alloisoleucine/*L*-isoleucine ratio, B:377
 vs. sea-level curve, B:146
See also chronostratigraphy; geochronology
- age vs. depth, Amazon Fan, B:308–309, 590–591
- aggradation, channels, A:25
- alcohols
 sediments, B:543–545
See also *n*-alcohols
- alcohols, triterpenoid, sediments, B:548
- alcohols, wax
 chromatograms, B:546–549
 vs. depth, B:550, 553
- aldose
 hydrolysis, B:533–538
 vs. depth, B:536
- alkalinity
 interstitial waters, A:105–106, 140, 190, 217, 260, 295, 348, 398, 424, 449, 476, 520, 557, 583, 610, 650, 674–675
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501
- alkanes. *See n*-alkanes
- alloisoleucine. *See D*-alloisoleucine/*L*-isoleucine ratio
- alteration
 photograph, A:342
See also authigenesis; diagenesis
- aluminum logs, vs. depth, A:160, 364
- aluminum oxide
 sediments, A:141, 193, 218, 261, 297
 vs. calcium oxide+sodium oxide, B:171
 vs. depth, A:193
See also potassium oxide/aluminum oxide ratio; sodium oxide/aluminum oxide ratio
- Amachron, hardpan, B:245
- Amazon Basin
 sedimentation, B:153–154, 156
 vegetation, B:411–418
- Amazon Channel
 continental margin, A:5–8
 deposition, A:645–646
 lithologic units, A:445
 morphology and structure, A:23–45
 sediments, A:338
 turbidity currents, B:53–78
- Amazon Channel down-fan, lithologic units, A:488–489
- Amazon Channel fill, lithologic units, A:587–588
- Amazon Channel-levee System
 geochemistry, A:478
 lithofacies, B:621, 627, 630, 633–635, 639, 644–646
 lithologic units, A:117, 683
 microstructure, B:427–432
- sedimentation, A:471–472
See also Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee flanks; levees
- Amazon Fan
 bacteria, B:565–571
 biostratigraphy, B:577–594
 clay mineralogy, B:177–192
 compressional wave velocity, B:477–493
 continental margin, A:5–16
 diagenesis, B:497–504
 diatoms, B:367–373
 fabric, B:447–464
 geochronology, B:375–378
 geology, A:6–8
 grain size, B:217–228
 hydrocarbons, B:555–564
 iron sulfides, B:573
 isotope stratigraphy, B:281–303
 lithofacies, A:79–108; B:7–33, 611–651
 magnetic hysteresis, B:245–249
 mass transport deposits, B:335–351, 353–365, 465–475
 mud provenance, B:169–176
 organic carbon, B:531–538
 organic matter, B:505–517, 519–530, 539–553
 paleoceanography, A:17–21; B:319–333
 paleomagnetism, B:231–243
 palynomorphs, B:397–409
 physical properties, B:421–446
 rock magnetism, B:251–278
 sedimentation, B:653–675
 sediments, B:147–168
 seismic stratigraphy, A:13–14
 shipboard vs. shore-based spectral data, B:193–215
 stratigraphy, B:595–609
 vegetation, B:381–396
- Amazon River
 continental margin, A:5–16
 discharge, B:312, 316
 sedimentation, B:153–154, 156, 170
- Amazon Submarine Canyon, continental margin, A:5–8
- Amazon/Aqua/Purple/Blue Channel-levee Systems, lithologic units, A:403
- Amazon/Blue Channel-levee Systems, lithologic units, A:230
- Amazon/Brown Channel-levee Systems
 lithologic units, A:362, 455, 457, 588, 622
 seismic facies, A:621
- Amazon/Brown/Aqua Channel-levee Systems, lithologic units, A:117, 487–488
- Amazon/Brown/Aqua/Purple Channel-levee Systems, lithologic units, A:433
- Amazonian lowlands, Cold-Adapted Vegetation Index, B:385–388
- amino acids
 correlation, B:596–597
 racemization, B:375–378
See also racemization
- aminostratigraphy, correlation, B:596–597
- ammonium
 interstitial waters, A:1, 106, 141, 190–191, 217, 260, 295, 349, 398, 424, 450, 476, 520, 584, 610, 650
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- amphiboles
 chemical composition, B:155–156
See also hornblende
- amyryns
 sediments, B:564
 vs. depth, B:561–562
See also hydrocarbons, polycyclic, aromatic
- Andean Cordillera
 continental margin, A:5–16
 erosion, B:191
 provenance, B:175
 sedimentation, B:153–154, 156
 vegetation, B:381–383
- anoxic reactions, remineralization, B:503
- Aqua Channel Down-fan, lithologic units, A:489; B:627–628
- Aqua Channel-levee System
 channels, A:33–34
 core-seismic integration, A:117
 demagnetization, A:474
 geochemistry, A:478
 lithologic units, A:308
 sediments, A:296–297, 308
See also Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Brown/Aqua Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee flanks; levees
- aragonite, lithologic units, A:507
- arc-volcanic rocks, provenance, B:156
- Atlantic Ocean S, equatorial, paleoclimatology, A:12–13
- Atlantic Ocean W, paleoceanography, B:319–333
- Atlantic Ocean W, equatorial, paleoclimatology, B:666–670
- augite
 peak intensities, A:212, 255
 sediments, A:104, 137, 185
 vs. depth, A:343
See also pyroxenes
- authigenesis
 carbon:nitrogen:phosphorus ratios, B:515
 iron-rich crusts, B:245–247
 remanent magnetization, B:252
See also alteration; diagenesis
- authigenic minerals, biostratigraphy, A:132
- avulsion, deposits, sand, A:653
- backscattering images, sediments, B:427–432, 451
- bacteria
 sediments, B:565–571
 vs. depth, B:567–569
See also deep bacterial biosphere
- bacterial degradation, aromatic hydrocarbons, B:559, 561–562
- Barbados, vegetation, B:381–383
- basal scour, photograph, A:545
- bathymetry, A:8–9
 channels, A:26–27, 32, 35
 turbidity currents, B:58–59
- bed thickness
 columns, A:94–95, 129–131, 180, 206–207, 245, 282–283, 326–327, 389, 414–415, 468, 543, 572, 596–597, 639, 660; B:55
 log–log plots, B:28

- statistics, B:27, 29–31
 turbidite, B:82, 88
 bedding, lithologic units, A:508–509
 bedding, contorted, photograph, A:134, 211, 469, 598–599, 601–603
 bedding, convoluted, lithologic units, A:178–180
 bedding, dipping, photograph, A:602, 644
 bedding, folded, photograph, A:601
 bedding, graded
 lithofacies, A:80, 82–84
 photograph, A:328–329, 544, 641–644, 661–662
 Benguela Current, ocean circulation, B:373
 bifurcations, channels, A:29–41
 biogeochemical markers, sediments, B:557, 559, 561–562
 See also biomarkers
 biomarkers
 hemipelagic environment, B:551
 organic matter, B:551
 pelagic environment, B:551
 See also biogeochemical markers
 biostratigraphy
 Quaternary, B:577–594
 Site 930, A:96, 98–100
 Site 931, A:131–132, 136–138
 Site 932, A:183, 185–188
 Site 933, A:209–213
 Site 934, A:249–250, 254–255
 Site 935, A:281, 286–291
 Site 936, A:339–343
 Site 937, A:394–395
 Site 938, A:419–422
 Site 939, A:445–447
 Site 940, A:472–474
 Site 941, A:512–513, 517–519
 Site 942, A:549–550
 Site 943, A:578–579
 Site 944, A:605–606
 Site 945, A:646–648
 Site 946, A:666–670
 bioturbation
 lithologic units, A:433, 466–467, 470, 507, 601, 637
 photograph, A:279, 391; B:89
 biounits, foraminiferal correlation, B:588
 bitumen
 lithofacies, B:551
 sediments, A:294–295, 346–347, 423–424
 black staining, sediments, B:573
 Blake Event
 correlation, B:604–606
 geomagnetic events, B:235, 238
 lithologic units, A:685
 blebs
 abundance, A:332
 lithologic units, A:92
 photograph, A:286
 Blue Channel-levee System
 core-seismic integration, A:117
 lithofacies, B:627, 662
 lithologic units, A:433
 remanent magnetization, A:422, 702
 sediments, A:230, 424
 See also Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Blue Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee crests; Purple/Blue/Yellow Channel-levee Systems
 boreholes, vs. depth, A:161
 Bottom Levee Complex
 clay mineralogy, B:189
 correlation, B:605
 fabric, B:449–450
 lithofacies, B:27
 lithologic units, A:165, 232
 See also Lower Levee Complex; Middle Levee Complex; Upper Levee Complex
 Bouma sequence, lithologic units, B:614
 Bouma Tbcde sequence, lithologic units, A:599
 Bouma Tcd sequence, photograph, A:416
 Bouma Tcde sequence, photograph, A:417, 666
 Brazilian Shield
 continental margin, A:5–16
 sedimentation, B:153–154, 156
 Brown Channel down-fan
 lithologic units, A:489
 seismic profiles, B:24
 Brown Channel-levee System
 channel-levee systems, B:20
 channels, A:34
 correlation, B:606
 deposition, A:603
 geochemistry, A:478
 lithofacies, B:621, 630, 640
 See also Amazon/Brown Channel-levee Systems; Amazon/Brown/Aqua Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; levee flanks; levee sections; levees
 Brown/Purple/Orange HARPs, lithologic units, A:622–623
 burial. *See* compaction
 buried deposits, mass flow, B:115–118
 burrows
 fan deposits, A:394
 lithologic units, A:178–180, 388, 412–415, 442, 541–542, 544, 574–576, 637–638, 641, 643, 645
 photograph, A:417, 443, 546, 667
 calcite
 peak intensities, A:212, 255
 sediments, A:137, 185
 vs. depth, B:202–213
 calcium
 interstitial waters, A:141, 190, 217, 260, 295, 348, 424, 449, 476, 520, 557, 583, 610, 650, 675
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501
 vs. magnesium, A:457
 calcium carbonate, vs. depth, A:111, 148, 191, 218, 260, 295, 352, 401, 425, 455, 480, 527, 557, 584, 613, 650, 676; B:202–213
 calcium logs, vs. depth, A:160, 364
 calcium oxide, sediments, A:218, 297
 calcium oxide+sodium oxide
 vs. aluminum oxide, B:171
 vs. potassium oxide, B:171
 calcium oxide/sodium oxide ratio, sediments, B:172
 caliper logs, vs. depth, A:159, 226–228, 305, 307, 363, 368, 490, 492, 622, 624, 683–684
 carbohydrates, vs. depth, B:536
 carbon
 organic matter, B:505–517
 pyrolysis, A:148
 remineralization, B:503
 sediments, A:103–104, 140, 189–190, 215–217, 259–260, 293–294, 345–346, 351, 398, 401, 423, 425, 448, 455, 475, 480, 519–520, 527, 555–557, 582–584, 608, 610, 613, 649–650, 671, 673, 676
 See also nitrogen/carbon ratio (atomic)
 carbon, organic
 preservation, B:531–538
 provenance, B:312
 sediments, A:147–148, 191, 218, 260, 294; B:541
 stable isotopes, B:320–325, 328–332
 vs. depth, B:329–330, 534, 567, 670–672
 carbon, organic/organic phosphorus ratio, vs. depth, B:509, 511
 carbon, organic/surface area ratio, vs. depth, B:534–537
 carbon, organic/total nitrogen ratio, vs. depth, B:509, 511
 carbon, terrigenous, organic, vs. depth, B:530
 carbon, total, organic, vs. depth, A:111, 148, 191, 218, 260, 295, 352, 401, 425, 455, 480, 527, 557, 584, 613, 650, 676; B:542–543
 carbon/nitrogen ratio, sediments, A:165, 217, 259–260, 475, 519–520, 557, 610, 665, 673
 carbon:nitrogen:phosphorus ratios
 carbon isotopes, B:514
 oxygen isotopes, B:513–515
 sediments, B:510, 513
 carbon 14, age, B:308
 carbon dioxide, sediments, A:293
 carbon isotopes
 carbon:nitrogen:phosphorus ratios, B:514
 foraminifers, B:311
 isotope stratigraphy, B:287–290
 organic matter, B:521
 sediments, B:320–325, 328–332
 siderite, B:500
 vs. depth, B:315, 329–330
 vs. lignin phenols, B:529
 See also deglacial negative carbon isotopic event; stable isotopes
 carbonate content
 reflectance, A:699
 stable isotopes, B:320–325, 328, 332
 vs. depth, B:329–330
 carbonates. *See* interglacial deposits
 channel fills, lithologic units, A:265–266, 588; B:632
 channel fills, abandoned, lithologic units, A:433
 Channel-levee System 5
 clay mineralogy, B:187
 lithologic units, A:163, 232; B:14–15, 630
 turbidite, B:659–660
 See also levee crests
 Channel-levee System 6
 lithologic units, A:197, 232, 433
 sediments, A:424
 See also levee crests
 channel-levee systems
 aggradation, A:25
 Amazon Channel, A:10–12
 biomarkers, B:551
 clay mineralogy, B:187–189
 core-seismic integration, A:195–196
 correlation, B:596–597, 603, 605
 development, B:37–38, 665
 evolution, A:471–472
 grain size, B:41, 47–48
 lithofacies, B:7–33
 reflectance, A:699–700
 sedimentation, A:265–266
 sediments, A:163, 165, 228–230, 232–234, 308, 310–314
 seismic profiles, B:113–117
 timing, B:656–659
 charcoal, vs. age, B:414–415
 charcoal, microscopic, vegetation, B:411–418

- chemical reactions, early diagenesis, B:501–503
chloride
 interstitial waters, A:105, 140, 190, 217, 295, 348, 398, 424, 475, 520, 557, 583, 610, 650, 674
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- chlorine/hydrogen ratio logs, vs. depth, A:160
chlorite
 modal composition, B:150
 sediments, B:179–191
 vs. depth, B:202–213
chlorite–smectite, sediments, B:191
chloritoid
 chemical composition, B:152, 165
 modal composition, B:151
- chronostratigraphy
 sediments, B:384
 See also age; geochronology
chrysene, sediments, B:562
- clasts
 abundance, A:332
 deposition, A:645–646
 facies, B:13
 grain size, B:125–128
 lithofacies, B:613
 lithologic units, A:281, 388, 508–509, 600, 662–663
 photograph, A:518, 573, 602–603; B:123
 See also mud clasts; rock clasts; sand clasts; sandstone clasts
- clasts, clay, photograph, A:668
clay
 index properties, B:477–493
 lithofacies, B:620
 lithologic units, A:93, 387–388, 391, 443–444, 574–576, 637–638, 641, 643, 645, 661
 photograph, A:134, 136, 335, 640
 porosity and velocity, B:491–492
 reflectance, A:697–700
 See also sand–silt–clay content
- clay, black
 lithologic units, A:246, 277
 sediments, A:234
- clay, calcareous
 fabric, B:458
 lithologic units, A:91–92, 127, 178, 324, 506–507, 571–572, 637, 661
 photograph, A:96, 392
 See also highstands; interglacial deposits
- clay, calcareous, surficial, lithologic units, A:308
clay, foraminifer
 lithofacies, B:642
 lithologic units, A:506–507, 573
 photograph, A:573
- clay, foraminifer–nannofossil, lithologic units, A:165, 204, 245, 277, 386–387, 412, 442, 466, 541, 545, 571–572, 594; B:569
- clay, foraminifer–nannofossil, surficial, lithologic units, A:265, 362, 433, 487, 622
- clay, nannofossil, lithologic units, A:163, 230, 386–387, 455
- clay, nannofossil–foraminifer, lithologic units, A:116, 196, 403, 526, 564, 587
- clay, sandy, lithologic units, A:328–330
clay, silty
 facies, B:11
 Formation MicroScanner imagery, B:14–20
 lithofacies, B:641
 lithologic units, A:127–128, 178–180, 204–207, 246–248, 277–278, 280–281, 330, 332, 334–335, 387–388, 391, 412–415, 443–444, 466–467, 470, 507–512, 541–545, 574–576, 595, 599–603, 637–638, 641, 643, 645, 661–663
- mineral composition, A:415–417
photograph, A:101, 136, 209–211, 250, 253, 279, 331, 391–392, 416, 511–516, 666–667, 669
- photomicrograph, A:280
- clay, terrigenous, lithologic units, A:127–128, 245–246, 277, 466–467, 470, 507, 541–542, 595, 637
- Clay Mineral Zone I, composition, B:189, 191
Clay Mineral Zone II, composition, B:189, 191
Clay Mineral Zone III, composition, B:189, 191
Clay Mineral Zone IV, composition, B:189–191
Clay Mineral Zone V, composition, B:189–190
- clay minerals
 lithologic units, A:93–95
 peak intensities, A:138, 287
 sediments, B:177–192, 391, 393–394, 444, 670
 silty clay, A:415–417
 vs. core number, A:212
 vs. depth, A:287, 343; B:202–213
 See also illite; montmorillonite; smectite
- climate
 South America, B:169
 See also paleoclimatology
- coccoliths
 distribution, B:88
 See also nannofossils
- coercivity, iron sulfides, B:249
Colombia, vegetation, B:381–383
color, reflectance, A:697–700
color bands
 lithofacies, B:620, 636–638
 lithologic units, A:92–93, 127–130, 246, 249, 445, 466–467, 470, 508–509, 571–572, 595, 599–600, 661–663
- mud, B:11
photograph, A:97, 101, 181, 209, 246, 279, 331, 390, 446, 510–511, 513, 515, 600, 639–640, 664–665; B:12–13, 123
- photomicrograph, A:280
turbidite, B:74
- compaction
 burial, B:443
 fabric, B:447–464
 sediments, B:457–459
 velocity, B:491–492
compaction, burial, fabric, B:447–464
- composite sections
 Site 930, A:92
 Site 931, A:128
 Site 932, A:179
 Site 933, A:205
 Site 934, A:244
 Site 935, A:277
 Site 936, A:325
 Site 937, A:388
 Site 938, A:413
 Site 939, A:441
 Site 940, A:467
 Site 941, A:507; B:468
 Site 942, A:542
 Site 943, A:572
 Site 944, A:595
 Site 945, A:638
 Site 946, A:659; B:423–424
- compressional wave velocity, sediments, A:108, 145, 195, 220, 262, 300, 352, 400, 427, 454, 459, 479, 481, 485, 559, 561, 612–613, 652, 676; B:477–493
- vs. density porosity, B:446
- vs. depth, A:679; B:446, 483–489
See also velocity
- consolidation, velocity, B:491–492
consolidation tests, sediments, B:139
continental margin, A:5–8
 Brazil, A:5–16
 geometry, B:48–49
 ocean circulation, A:17–21
 sedimentology, A:117–120
 seismic stratigraphy, A:14
 South America, B:153–154, 156
 turbidite, B:85–88
- continental shelf, sedimentation, B:384–388
core–log comparison
 sediments, A:227–228, 264, 302, 304
 Site 934, A:269
- core–seismic integration
 Site 930, A:110, 112, 114–115
 Site 931, A:160–163
 Site 932, A:195–196
 Site 933, A:228–230
 Site 935, A:305–307
 Site 936, A:360, 362
 Site 938, A:429–431
 Site 940, A:486–487
 Site 941, A:524–525
 Site 942, A:561–563
 Site 943, A:586–587
 Site 944, A:620–621
 Site 946, A:682
- cores
 shipboard vs. shore-based spectral data, B:193–215
 tomography, B:465–475
- correlation
 biostratigraphy, B:583–587, 589
 fans, A:19
 foraminifers, A:522
 interglacial carbonate units, B:357
 paleomorph zonation, B:409
 stratigraphy, B:129–130, 595–609
- correlation, between-hole, rock magnetism, B:271–278
Coulter Counter, grain size, B:218–219
Coulter laser particle sizer, grain size, B:219
crenulations, photograph, A:510–511
cross laminations
 facies, B:11
 lithofacies, B:625
 lithologic units, A:248, 387–388, 391, 466–467, 470, 573
 photograph, A:134, 183, 209, 334, 391, 416, 470, 519, 544–547, 573, 601, 665–666
- cross stratification, lithofacies, B:613–615
CT-value
 vs. water content, B:471
 vs. wet-bulk density, B:471
- D*-alloisoleucine/*L*-isoleucine ratio
 enantiomeric ratio, B:376–378
 racemization, B:376–378
 vs. age, B:377
- debris flows
 clay mineralogy, B:187, 189, 191
 core–seismic integration, A:117
 deposition, A:528–529
 fan deposits, A:394
 foraminifers, A:522
 lithologic units, A:117, 364–366
 photograph, A:182, 602–603
 See also mass flows; mass transport deposits; Unit R Debris Flow
- deformation
 line drawing, A:211

- lithofacies, B:613
 lithologic units, A:331–332, 508–509
 mass transport deposits, B:120, 122, 125
 photograph, A:182, 285, 510–511, 575–576
 deglacial negative carbon isotopic event
 foraminifers, B:312, 316
 See also carbon isotopes
 demagnetization, sediments, A:138, 474, 550,
 552–553
 density, bulk
 fluidized sediments, B:467–469
 vs. depth, A:115
 density, grain, vs. depth, A:115, 153, 430, 485,
 586, 618, 653, 679; B:439
 density, wet-bulk
 lithologic units, A:457
 vs. CT-value, B:471
 vs. depth, A:115, 153, 195, 222, 264, 300, 358,
 405, 430, 459, 485, 532, 561, 586, 618,
 653, 679
 density (bulk) logs, vs. depth, A:165
 density logs, vs. depth, A:159, 226, 305, 363, 490,
 622, 683; B:423–424
 denudation, continental, sedimentation,
 B:653–675
 See also weathering
 deposition
 channel-levee systems, B:659–660
 channels, A:44
 debris flows, A:528–529
 fabric, B:447–464
 levees, A:489–490
 lithofacies, B:611–651
 depositional cycles, well-logging, A:484–485
 depth, stratigraphically equivalent, reflections,
 A:440–441
 depth, sub-bottom
 calculation, B:1–2
 expansion-corrected mbsf, B:1–2
 diagenesis
 carbohydrates, B:536–537
 iron sulfides, B:252
 iron-rich crusts, B:245–247
 lithologic units, A:178–180, 412, 442, 507,
 541, 637
 phosphorus, B:505–517
 photograph, A:96
 polycyclic aromatic hydrocarbons, B:555–564
 sediments, A:521
 See also alteration; authigenesis; sideritization
 diagenesis, early, sediments, B:497–504, 672
 diagenetic crusts
 lithologic units, A:204, 277
 See also iron-rich crusts
 diagenetic fronts, lithofacies, A:80–81
 diatoms
 abundance, B:370
 upper Quaternary, B:367–373
 vs. depth, B:372
 dilution ratio, terrigenous, organic matter,
 B:550–551, 553
 dip–azimuth plots
 map, B:138
 mass transport deposits, B:134–137
 dipping contacts, photograph, A:331
 dips, laminations, B:59
 dividing cells, bacteria, B:569
 downhole logging
 Site 931, A:148, 150, 153, 155–160
 Site 933, A:222–228
 Site 934, A:262–264
 Site 935, A:302, 304–305
 Site 936, A:354–355, 358, 360
 Site 940, A:482, 484–485
 Site 944, A:614–615, 617–619
 Site 946, A:679–682
 See also well-logging
 drainage basins, palynomorphs, B:399, 406
 drape deposits
 pelagic/hemipelagic, lithofacies, B:636
 See also mud draping
 echinoderms, photograph, A:517
 echofacies, turbidity currents, B:58–59
 Ecuador, vegetation, B:381–383, 417
 effective stress, overburden. *See* shear
 strength/overburden effective stress ratio
 elastic moduli, velocity, B:491–492
 electrical facies, lithofacies, B:11
 electron microprobe data, sediments, B:147–168
 electron microscopy, scanning
 microstructure, B:425–426
 sediments, B:452
 enantiomeric ratio
 D-alloisoleucine/*L*-isoleucine ratio,
 B:376–378
 See also *D*-alloisoleucine/*L*-isoleucine ratio
 enstatite, photograph, A:342
 environmental magnetism
 iron oxides, B:252
 vs. depth, B:254–270
 epidotes
 chemical composition, B:152, 164
 modal composition, B:150
 erosion
 mass flow, B:118
 provenance, B:191
 fabric
 photograph, A:278, 598–599, 604
 sediments, B:447–464
 See also microfabric
 Facies 1
 lithofacies, B:613–614
 photograph, B:93
 Facies 2
 lithofacies, B:613, 615
 photograph, B:94
 Facies 3, lithofacies, B:613–614, 621–625
 Facies 3B, photograph, B:95–96
 Facies 4, lithofacies, B:614, 626–627
 Facies 4B, photograph, B:97–98
 Facies 4C, photograph, B:99–100
 Facies 5
 lithofacies, B:614–615, 628–629
 photograph, B:101
 Facies 6
 lithofacies, B:615, 630
 photograph, B:101
 Facies 7
 lithofacies, B:615, 632–633
 photograph, B:102
 Facies 8, lithofacies, B:620, 634–635
 Facies 9
 lithofacies, B:620, 636–638
 photograph, B:103–105
 Facies 10, lithofacies, B:620, 639
 Facies 11, lithofacies, B:620, 640–641
 Facies 12, lithofacies, B:620, 625, 627, 630,
 642–647
 Facies 13, lithofacies, B:630–631, 649
 Facies 14, lithofacies, B:631, 650
 Facies 15, lithofacies, B:631
 factor scores, vs. depth, B:202–213
 factor-pattern curves, sediments, B:197, 199–201
 fan channels, continental margin, A:5–8
 fans
 correlation, B:583–587, 589
 deposition, B:408
 growth, B:654–662
 interglacial deposits, B:353–365
 sedimentation, A:18, 20; B:331–332, 384–388,
 653–675
 fans, deep-sea
 growth, A:8–12
 stratigraphy, B:30–32, 591, 594
 fans, last-glacial, lower, lithologic units, A:654,
 683–684
 fans, submarine
 grain size, B:35–52
 lithofacies, B:7–33
 profiles, B:119
 fatty acids, sediments, B:545–549
 fatty acids, marine, vs. depth, B:550, 553
 faults
 lithologic units, A:508–509
 photograph, A:210, 511–516, 600
 See also microfaults
 feldspar
 chemical composition, B:151, 153–154
 lithologic units, A:207–209, 248–249, 281
 modal composition, B:150
 peak intensities, A:287
 sediments, A:141, 335–338, 391, 393–394
 silty clay, A:415–417
 vs. depth, A:343
 feldspar, twinned, photograph, A:342
 fires, history, B:411–418
 flocculation, turbidite, B:73
 fluidized structures
 density, B:473
 tomography scan, B:469–473
 flute casts, photograph, A:545
 folds
 lithologic units, A:508–509, 600
 photograph, A:98, 515–516
 folds, isoclinal, photograph, A:514
 foraminiferal assemblages, vs. depth, B:130
 foraminifers
 abundance, A:107, 142–143, 187, 214,
 257–258, 290, 312, 346–347, 396, 420,
 451, 477, 523, 551, 580, 609, 647, 672
 age, B:138, 308
 biostratigraphy, B:354, 359–360
 correlation, A:522; B:596–597
 D-alloisoleucine/*L*-isoleucine ratio,
 B:376–378
 lithologic units, A:457
 oxygen isotopes, B:358–361
 photograph, A:667
 stable isotopes, B:320, 325–328, 335–351
 vs. depth, A:256
 foraminifers, benthic
 abundance, B:346
 biostratigraphy, A:136, 183, 186, 212, 254,
 289, 291, 342–343, 395, 419, 421, 446,
 473, 517, 550, 578, 605, 648, 669
 depth habitats, B:348
 stable isotopes, B:336–337, 341–347
 foraminifers, planktonic
 abundance, A:108, 145
 biostratigraphy, A:132, 183, 210–212, 254,
 287, 289, 340–342, 394–395, 419,
 445–446, 473, 515, 517, 550, 578, 605,
 646–648, 669; B:580–581, 668
 carbon:nitrogen:phosphorus ratios, B:515
 isotope stratigraphy, B:281–303
 stable isotopes, B:337–341
 forests
 fires, B:414–415
 fragmentation, B:391–392
 Formation MicroScanner logs

- boreholes, A:485
 core-log comparison, A:304
 lithofacies, B:7–33
 mass transport deposits, B:124–129
 sediments, A:358
 vs. depth, A:368
 fractures, photograph, A:278
- gamma ray–density–porosity logs
 Site 931, A:174
 Site 933, A:236–237
 Site 935, A:317–318
 Site 936, A:377–378
 Site 940, A:498–499
 Site 944, A:632–633
 Site 946, A:692–693
- gamma ray–resistivity logs, A:319
- gamma ray–resistivity–sonic logs, A:172–173
- gamma ray–resistivity–velocity logs
 Site 933, A:238–239
 Site 935, A:271
 Site 936, A:379–380
 Site 940, A:500–501
 Site 944, A:630–631
 Site 946, A:690–691
- gamma-ray logs
 Site 931, A:171
 Site 936, A:381–382
 vs. depth, A:159, 226–227, 267, 305–306, 363, 365–366, 490, 492, 622–623, 683–684; B:423–424
 vs. photoelectric effect logs, A:227
- garnets
 chemical composition, B:152, 162–163
 modal composition, B:150
- gas disruption, photograph, A:645
- gas expansion
 lithologic units, A:328
 sub-bottom depth, B:1–2
- gas hydrates
 density, B:473
 evidence, B:128
 interstitial waters, A:674
 lithofacies, B:616
 mass transport deposits, B:142–143, 362–365
 photograph, A:278, 645
 porosity and velocity, B:491–492
- gases, sediments, A:110, 146, 190, 217, 259, 293, 350, 400, 424, 479, 526, 556, 583, 612, 649, 675
- geochemical logs
 Site 931, A:170
 Site 936, A:375–376
 vs. depth, A:160, 227, 267, 364, 366
- geochemistry
 interstitial waters, B:469
 sediments, A:111, 141, 147–148, 191
- geochemistry, inorganic
 Site 930, A:104–106, 108
 Site 931, A:140–141
 Site 932, A:190–193
 Site 933, A:217–219
 Site 934, A:260–261
 Site 935, A:295–297
 Site 936, A:347–350
 Site 937, A:398–400
 Site 938, A:424
 Site 939, A:449–453
 Site 940, A:475–476, 478
 Site 941, A:520–521
 Site 942, A:557–558
 Site 943, A:583–584
 Site 944, A:610–612
 Site 945, A:650–651
- Site 946, A:674–675
- geochemistry, organic
 Site 930, A:103–104
 Site 931, A:138–140
 Site 932, A:189–190
 Site 933, A:215–217
 Site 934, A:256, 259–260
 Site 935, A:293–295
 Site 936, A:345–347
 Site 937, A:398
 Site 938, A:423–424
 Site 939, A:448–449
 Site 940, A:475
 Site 941, A:519–520
 Site 942, A:555–557
 Site 943, A:579, 582–583
 Site 944, A:608, 610
 Site 945, A:649–650
 Site 946, A:671, 673
- geochronology
 age, B:581
 interglacial deposits, B:361–365
 paleoceanography, A:17–18
 phytoliths, B:413
 racemization, B:375–378
See also age; aminostratigraphy; chronostratigraphy
- geomagnetic events, record, B:231–243
- geomagnetic excursions, record, B:231–243
- geomorphology, A:23–45
- geothermal gradient
 Amazon Basin, A:21
 vs. *D*-alloisoleucine/*L*-isoleucine ratio, B:377–378
- glacial periods, sedimentation rates, B:303
- glacial positive oxygen isotopic events
 foraminifers, B:316
See also oxygen isotopes
- glacial/interglacial cycles
 clay mineralogy, B:179–184
 palynomorphs, B:397–409
 vegetation, B:414–415
- glaciation
 clay mineralogy, B:189–191
 Quaternary, A:12–13
 sedimentation, B:384–388
- goethite, vs. depth, B:202–213
- Gold Channel-levee System
 lithologic units, A:364–366
 sediments, A:338
- grading, lithofacies, B:613–615
- grain size
 average modal silt sizes, B:106
 columns, A:94–95, 129–131, 180, 206–207, 245, 282–283, 326–327, 389, 414–415, 468, 543, 572, 596–597, 639, 660; B:55
 interlaboratory comparison of techniques, B:217–228
 lithofacies, B:29–30
 sediments, B:35–52
 turbidite, B:84–88
 turbidity currents, B:57, 59–61
 vs. depth, A:94–95, 129–131, 180, 206–207, 245, 282–283; B:39–40
- granules
 lithologic units, A:331–332
See also rock granules
- granules, quartz, photograph, A:329
- gravel
 facies, B:13
 lithofacies, B:613
 sediments, A:338
- gravel, sandy, lithofacies, B:613
- Green Channel-levee System
 lithologic units, A:312, 605, 624
 seismic facies, A:621
See also levee flanks
- greigite
 environmental magnetism, B:252
 hardpan, B:246–247
 sediments, B:573, 672
- Guatemala, paleoclimatology, B:416
- Guiana Shield
 continental margin, A:5–16
 sedimentation, B:153–154, 156
- hardpan, Amachron, B:245
- heavy minerals, provenance, B:154, 156
- Heinrich events, oxygen isotopes, B:316
- hematite
 chemical composition, B:152
 vs. depth, B:202–213
- hemipelagic environment
 biomarkers, B:551
 stratigraphy, B:591, 594
See also highstands; interglacial hemipelagic interval; paleoenvironment
- hentriacontane. *See n*-hentriacontane
- hexane. *See n*-hexane
- high-amplitude reflection packets
 channel-levee systems, B:14–15
 correlation, B:631, 664
 grain size, B:50–51
 lithofacies, B:29–30
 lithologic units, A:308, 310, 362–363
 stratigraphy, B:30–32
- high-amplitude reflectors
 grain size, B:50–51
 models, B:664
- highstands
 calcareous clay, A:366
 hemipelagic deposits, A:364–366
See also hemipelagic environment
- Holocene
 biostratigraphy, A:343
 clay mineralogy, B:179–180, 191
 correlation, B:605
 lithologic units, A:91–93, 127–128, 178–180, 204–205, 245–246, 277–278, 324–325, 328, 386–387, 442–444, 466, 506–507, 541–542, 571–572, 574–575, 594, 637, 661
 sedimentation rates, B:289–290
- Holocene/Pleistocene boundary, isotope stratigraphy, B:287–289
- hopanes
 sediments, B:564
See also hydrocarbons
- hornblende
 chemical composition, B:151–152
 modal composition, B:151
 peak intensities, A:212, 255
 photograph, A:342
 sediments, A:104, 137, 185
 vs. depth, A:343
See also amphiboles
- hydrocarbons
 tri-aromatics, B:557
See also fatty acids; hopanes; lignin; methane
- hydrocarbons, polycyclic, aromatic
 sediments, B:555–564
See also amyryns; chrysene; hopanes; lupeol; methylphenanthrenes; perylene; phenanthrene compounds
- hydrocarbons, volatile, sediments, A:103, 138, 189, 215, 256, 259, 293, 345, 398, 423, 448, 475, 519, 555, 579, 582, 608, 649,

- 671
hydrogen index, sediments, A:140, 192
hydrotroilite
 lithofacies, B:636–637
 lithologic units, A:93, 178–180, 204, 207,
 245–246, 277, 325, 387–388, 391, 412,
 443–445, 466, 507, 601, 637–638, 662
 photograph, A:135, 208, 279, 444–445, 469,
 546
 remineralization, B:502–503
 sediments, B:573, 672
- ikaite
 lithologic units, A:507
 photograph, A:509
 sediments, A:521
- illite
 lithologic units, A:433
 peak intensities, A:212, 255, 287
 sediments, A:104, 137, 185; B:179–191
 vs. depth, A:343; B:202–213
 See also clay minerals; (mica+illite)/kaolinite
 ratio logs
- ilmenite, chemical composition, B:152
- index properties, sediments, A:108–110, 113, 141,
 144–145, 151–153, 193–195, 219–222,
 261–263, 297–300, 350–352, 356–358,
 400, 404–405, 426, 428–429, 453–454,
 458, 479, 483–484, 521–522, 530–531,
 559–561, 584–586, 612, 616–617,
 651–652, 675–676, 678–679;
 B:427–436, 477–493
- induction logs, vs. depth, A:162
- interglacial deposits
 carbonate, B:357
 carbonate-rich clay, A:624
 clay mineralogy, B:187
 mass transport deposits, B:355
 stable isotopes, B:353–365
 stratigraphy, A:165, 685; B:564, 594
- interglacial deposits, carbonate-rich, correlation,
 B:596–597
- interglacial hemipelagic interval, lithologic units,
 A:312
- interstitial waters
 geochemistry A:104–106, 108, 112, 149,
 190–192, 217–219, 295–296, 354, 402,
 426, 449–450, 452, 457, 475–476, 478,
 481, 520–521, 527, 557–558, 583–584,
 610–612, 614, 650–651, 674–675, 677;
 B:469
 sediments, A:140–141, 347–350, 398–399,
 424
 See also pore fluid
- Intertropical Convergence Zone, glaciation, B:316
- iron
 interstitial waters, A:106, 141, 192, 217, 296,
 349, 399, 424, 452, 478, 521, 558, 584,
 612, 651, 675
 reflectance, A:700
 vs. depth, A:112, 149–150, 192, 219, 261, 296,
 354, 402, 426, 456, 481, 528, 558, 585,
 615, 651, 677
- iron indicator ratio logs vs. depth, A:160
- iron logs, vs. depth, A:160, 364
- iron oxides
 chemical composition, B:167
 lithologic units, A:248–249
 modal composition, B:151
 reduction, B:252
 sediments, A:193
- iron oxyhydroxides, lithologic units, A:541
- iron sulfides
 diagenesis, B:252
 early diagenesis, B:498–501, 672
 lithofacies, A:80–81
 magnetic hysteresis, B:245–249
 nodules, B:245–249
 sediments, B:573
- iron-rich crusts
 lithologic units, A:386–387, 412, 442, 466,
 507, 541, 572, 594, 637, 661
 magnetic properties, B:245–249
 photograph, A:96
 See also diagenetic crusts
- isoleucine. *See* D-alloisoleucine/L-isoleucine ratio
- isotope stratigraphy
 correlation, B:596–597, 606
 Quaternary, B:281–303
- kaolinite
 peak intensities, A:212, 255, 287
 sediments, A:104, 137, 185, 391, 393–394;
 B:179–191
 vs. depth, A:343
 See also (mica+illite)/kaolinite ratio logs
- kinks, grain-size profiles, B:65, 72–73
- kyanite, chemical composition, B:152–166
- L-isoleucine. *See* D-alloisoleucine/L-isoleucine
 ratio
- Lake Mungo Excursion
 age, B:308, 606, 668
 geomagnetic events, B:232, 234, 238
 lithologic units, A:457, 685
 magnetostratigraphy, A:18, 100, 102
 remanent magnetization, A:165, 701
 sediments, A:232–233
 stratigraphic control, A:197
- Lake Mungo paleomagnetic marker, correlation,
 B:601–603
- lakes, vegetation, B:417
- laminae
 lithofacies, B:615
 photograph, A:83
 silt, B:11, 88, 90
 See also ripple laminations
- laminations
 lithologic units, A:92–93, 127–130, 178–180,
 204–207, 278, 280–281, 328, 388,
 412–415, 443–444, 466–467, 470,
 509–510
 photograph, A:98–100, 132, 136, 181,
 209–210, 252–253, 279, 285–286, 331,
 333, 392, 416, 444, 446, 546–547
- Laschamp Excursion, geomagnetic events, B:232,
 234, 238
- Last Glacial Maximum
 lithologic units, A:564
 organic matter, B:526–527
 paleomorphs, B:388–392
 vegetation, B:414–415
- late glacial, clay mineralogy, B:184
- lead isotopes, mud provenance, B:169–176
- lead-206/lead-204 ratio
 vs. lead-207/lead-204 ratio, B:174
 vs. lead-208/lead-204 ratio, B:174
- lead-207/lead-204 ratio, vs. lead-206/lead-204
 ratio, B:174
- lead-208/lead-204 ratio, vs. lead-206/lead-204
 ratio, B:174
- levee crests, lithologic units, A:117, 163, 197, 433
- levee flanks, lithologic units, A:117, 232, 528
- levee sections, lithologic units, A:488–489
- levee sediments, lithologic units, A:364–366
- levee sediments, distal, physical properties, B:450,
 452, 455–457
- levee sediments, proximal, fabric, B:449–454
- levees
 channels, A:27–29; B:631–632
 core–seismic integration, A:117
 correlation, B:603, 664
 deposition, A:489–490
 lithologic units, A:308, 312, 445, 565, 588,
 624, 683
 paleoflow, B:64
 porosity and velocity, B:491–492
 seismic stratigraphy, A:13–14
 See also Bottom Levee Complex; Lower
 Levee Complex; Middle Levee
 Complex; Upper Levee Complex
- levees, distal, lithologic units, A:588, 622–623,
 685
- lignin
 composition, B:524
 See also phenols, lignin
- lipids
 molecular structure, B:541–549
 sediments, B:539–553
- lipids, polar, lithofacies, B:551
- lithic fragments, vs. age, B:317
- lithofacies
 core–seismic integration, A:116–117
 depositional elements, B:611–651, 663
 fine-grained turbidite, A:79–108
 turbidite, B:7–33
- lithologic units
 core–seismic integration, A:117
 Site 930, A:91–93
 Site 931, A:127–130
 Site 932, A:178–180
 Site 933, A:204–207
 Site 934, A:245–248
 Site 935, A:277–281
 Site 936, A:324–325, 328–335
 Site 937, A:386–388, 391
 Site 938, A:412–415
 Site 939, A:442–444
 Site 940, A:466–467, 470
 Site 941, A:506–510
 Site 942, A:541–545
 Site 943, A:571–576
 Site 944, A:594–595, 599–603
 Site 945, A:637–645
 Site 946, A:661–663
 Unit I, A:91–92, 127, 178, 204, 245, 277, 324,
 386–387, 412, 442, 466, 506–507, 541,
 571–572, 594, 637, 661
 Unit II, A:92–93, 127–128, 178–180,
 204–205, 245–246, 277–278, 325, 328,
 387–388, 391, 412–415, 443–444,
 466–467, 470, 507, 541–542, 572,
 574–575, 595, 599, 637, 661
 Unit III, A:93, 128–129, 205, 246–247, 278,
 280, 328–330, 507–509, 542, 544, 575,
 599–600, 637–638, 641, 643, 645,
 661–662
 Unit IV, A:129–130, 206–207, 247–248, 280,
 330–332, 509–510, 544–545, 600–601,
 662–663
 Unit V, A:130, 248, 280, 332, 334, 545, 602,
 663
 Unit VI, A:280–281, 335, 545, 575–576, 603,
 663
 Unit VII, A:663
- lithology, mass transport deposits, B:120, 122, 125
- lithology indicator ratio logs, vs. depth, A:160
- lithostratigraphy
 paleoceanography, A:17–21
 Site 930, A:91–96
 Site 931, A:125–131
 Site 932, A:178–183

- Site 933, A:204–209
 Site 934, A:244–249
 Site 935, A:276–281
 Site 936, A:324–339
 Site 937, A:386–394
 Site 938, A:411–419
 Site 939, A:440–445
 Site 940, A:466–472
 Site 941, A:506–512
 Site 942, A:541–549
 Site 943, A:571–578
 Site 944, A:594–605
 Site 945, A:637–646
 Site 946, A:659–666
- log processing, shore-based, A:169
- log units
 vs. depth, A:159, 226
See also well-logging
- Lower Levee Complex
 correlation, B:599–600
 electron microprobe data, B:148–150
 fabric, B:449–450
 lithofacies, B:27
 trace elements, A:350
See also Bottom Levee Complex; Middle Levee Complex; Upper Levee Complex
- lupeol, sediments, B:564
- mackinawite, sediments, B:573
- magnesium
 interstitial waters, A:105–106, 141, 190, 217, 260, 295, 348, 398, 424, 449, 476, 520, 557, 583, 610, 650, 675
 vs. calcium, A:457
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501
- magnesium oxide, sediments, A:193
- magnetic declination
 abundance, A:292
 vs. depth, A:109, 145, 188–189, 216, 258, 349, 398, 422, 452, 478, 525, 553–554, 582, 610–611, 674; B:236–237, 240
- magnetic hysteresis, iron sulfides, B:245–249
- magnetic inclination
 abundance, A:292
 correlation, B:602–603
 vs. depth, A:109–110, 145, 188–189, 216, 258, 349, 399, 422, 452, 478, 525, 553–554, 582, 610–611, 674; B:236–237, 240, 603, 605, 607–608
- magnetic induction logs, vs. depth, A:229–230
- magnetic intensity
 abundance, A:292
 vs. depth, A:109–110, 189, 216, 259, 349, 399, 423, 452, 478, 525, 554–555, 582–583, 611, 649, 674; B:233–234, 236–237, 240, 608–609
 vs. magnetic susceptibility, B:237, 239, 242
- magnetic poles, virtual path, B:234–243
- magnetic susceptibility
 abundance, A:293
 depth–depth plots for tie points, B:278
 sediments, A:103, 138, 189, 213, 256, 293, 345, 397–398, 423, 448, 474–475, 519, 553–555, 579, 607–608, 649, 670–671; B:252, 271–278
 vs. depth, A:110, 146, 190, 216, 259, 350, 400, 423, 453, 479, 526, 555, 583, 611, 649, 675; B:247, 274–277, 604, 606
 vs. magnetic intensity, B:237, 239, 242
- magnetic susceptibility anisotropy, turbidity currents, B:53–78
- magnetic susceptibility logs, vs. depth, A:162, 226, 229
- magnetite, chemical composition, B:152
- magnetite, bacterial, environmental magnetism, B:252, 672
- magnetostratigraphy, paleoceanography, A:18
- major elements, sediments, A:150, 193, 220, 262, 297, 355, 403, 427, 457, 482, 529, 559
- manganese
 interstitial waters, A:108, 192, 218, 260, 296, 350, 399, 424, 452, 478, 521, 558, 584, 612, 651, 675
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- marcasite, sediments, B:573
- mass accumulation rates
 sediments, A:104
See also sedimentation rates
- mass flows
 lithologic units, A:163, 165, 232, 573
 photograph, A:573
 sediments, A:227–228, 265
- mass transport deposits
 age, B:134–135
 correlation, B:603
 fabric, B:452, 460–464
 grain size, B:7–52
 interglacial deposits, B:355
 lithologic units, A:310–312, 526, 528, 601; B:635
 photograph, A:136, 184, 601–603
 physical properties, B:130, 132
 porosity and velocity, B:491–492
 sedimentation, B:663, 665
 sediments, A:310, 313
 seismic stratigraphy, B:109–146
 stable isotopes, B:335–351, 353–365
 stratigraphy, B:591, 594
 tomography, B:465–475
See also debris flows; mass flows
- meander loops, abandoned, lithologic units, A:265; B:631–632
- metamorphic rocks, provenance, B:156
- methane
 interstitial waters, B:567–569
 sediments, A:138, 215, 256, 259, 293, 345, 398, 423, 475, 519, 555, 579, 582, 608, 649, 671
 vs. depth, A:110, 146, 190, 217, 293, 350, 400, 424, 454, 479, 526, 556, 583, 612, 649, 675
- methanogenesis, early diagenesis, B:498–501
- methylphenanthrenes
 sediments, B:557, 559
 vs. depth, B:559
See also phenanthrene compounds
- mica
 lithologic units, A:207–209, 248–249, 281
 modal composition, B:150
 peak intensities, A:212, 255, 287
 sediments, A:104, 137, 185, 391, 393–394
 silty clay, A:415–417
 vs. depth, A:343
- (mica+illite)/kaolinite ratio logs, vs. depth, A:366
- microfabric
 image processing, B:427–432
 vs. depth, B:432–435
See also fabric
- microfaults
 photograph, A:513
See also faults
- Micromeritics SediGraph, grain size, B:218
- micronodules
 lithologic units, A:92, 178–180, 246, 387–388, 391, 443–444, 541–542, 574–576
 photograph, A:444–445
See also nodules
- microripples, photomicrograph, A:280
- microstructure, sediments, B:421–446
- Middle Levee Complex
 correlation, B:599
 electron microprobe data, B:149
 lithofacies, B:27
 lithologic units, A:364, 564
 seismic facies, A:621
 trace elements, A:350
See also Bottom Levee Complex; Lower Levee Complex; Upper Levee Complex
- mineral assemblages, sediments, A:137, 185, 335–338, 391, 393–394, 415–417; B:168
- minerals, chemical composition, B:151–152
- Monte Oscuro, vegetation, B:416
- montmorillonite
 vs. depth, B:202–213
See also clay minerals
- mottling
 lithofacies, B:620, 636
 lithologic units, A:127–128, 204–207, 249, 324, 387–388, 391, 412–415, 466–467, 470, 507, 571–574, 576, 637, 661–663
 photograph, A:97, 208, 279, 285–286, 390–391, 573, 640, 662; B:89
- mud
 geochemistry, A:350, 478, 520–521, 527, 558
 isotopes, B:173
 lithofacies, A:80, 82–84; B:615, 620
 lithologic units, A:117, 163, 230, 266, 308, 334, 433, 564
 photograph, A:99, 181, 447; B:12–13, 83–84, 86–87, 89–90, 92–107
 physical properties, B:435–436
 provenance, B:169–176
 reflectance, A:697–700
 sedimentation, A:265–266
 trace elements, A:399
 turbidity currents, B:57, 59–61
- mud, biogenic, lithofacies, B:630–631
- mud, bioturbated
 lithologic units, A:197, 403, 433, 587
 physical properties, B:450, 452, 455
- mud, calcareous, bioturbated, lithologic units, A:685
- mud, chaotic, lithofacies, B:620, 625, 627, 630
- mud, deformed, lithofacies, B:620, 625, 627, 630
- mud, gravelly, lithofacies, B:620
- mud, sandy
 lithofacies, B:620
 photograph, A:329, 337, 341
- mud clasts
 lithofacies, B:620, 625, 627, 630
 lithologic units, A:93, 130, 328–335, 509, 575, 637–638, 641, 643, 645
 photograph, A:103, 136, 254, 284–285, 330, 332–333, 337, 339–341, 513, 515–516, 574, 576, 639, 641–642, 662, 664
See also clasts
- mud clasts, folded, lithofacies, B:643
- mud draping
 photograph, A:338
See also drape deposits
- mudstone, physical properties, B:435–436
- n*-alcohols, chromatograms, B:546–547
- n*-alkanes, sediments, A:294–295, 346–347, 423–424
- n*-hentriacontane, sediments, A:346–347

- n-hexane
 chromatograms, A:295, 353
 sediments, A:294–295, 346–347
- n-nonacosane, sediments, A:346–347
- nannofossil acme zones, vs. age, B:356, 580
- nannofossils
 vs. depth, A:256
See also coccoliths
- nannofossils, calcareous
 abundance, A:106, 139–140, 186, 213, 256, 288, 312, 344–345, 395, 419, 449, 475, 521, 549, 579, 607, 646, 671
 biostratigraphy, A:96, 98, 131–132, 183, 209–210, 249–250, 254, 281, 286–287, 339–340, 394, 419, 445, 472–473, 512–513, 515, 549–550, 578, 605, 646, 666–669; B:354, 356, 358–359, 579–580
 correlation, B:596–599
 distribution, A:81–82
 neodymium isotopes, mud provenance, B:169–176
 neodymium-143/neodymium-144 ratio, vs. samarium-147/neodymium-144 ratio, B:173
- nitrogen
 organic matter, B:505–517
 sediments, A:103–104, 140, 189–190, 215–217, 259–260, 293–294, 345–346, 398, 423, 448, 475, 519–520, 555–557, 582–583, 649–650, 671, 673
 vs. depth, A:111, 148, 191, 218, 260, 295, 352, 401, 425, 455, 480, 527, 557, 584, 613, 650, 676
See also carbon:nitrogen:phosphorus ratios; carbon/nitrogen ratio
- nitrogen, total/organic phosphorus ratio, vs. depth, B:509, 511
- nitrogen/carbon ratio (atomic), vs. depth, B:534
- nodules
 iron sulfides, B:245–249
 lithologic units, A:391
 sediments, A:424
See also micronodules
- nodules, authigenic, biostratigraphy, A:99–100
- nonacosane. *See* n-nonacosane
- North American Coastal Current, ocean circulation, B:306
- North Brazil Coastal Current
 circulation, B:408
 currents, A:5
 paleoceanography, A:12–13; B:306
 transport, B:383–384
- North Equatorial Countercurrent
 ocean circulation, B:373
 paleoceanography, A:12–13; B:306
- North Equatorial Current, paleoceanography, B:306
- North Subtropical Gyre, ocean circulation, B:373
- ocean circulation
 currents, B:373
 fans, A:20
 North Brazil Coastal Current, A:5–6
 Quaternary, A:12–13
 sea-level changes, B:331–332
 stable isotopes, B:306
- olivine, photomicrograph, A:255
- Orange Channel-levee System
 core–seismic integration, A:112, 114, 117
 lithologic units, A:117
See also Brown/Purple/Orange HARPs, levee crests
- Orange-1, channel development, channel-levee systems, B:18, 20
- Orange-1 fan growth, seismic profiles, B:24
- organic detritus
 lithofacies, B:623
 photograph, A:643, 661–662
 vs. depth, B:202–213, 408
- organic matter
 chromatographs, B:523
 sediments, B:539–553, 669
 source and burial history, B:505–517
 stable isotopes, B:319–333
- organic matter, terrigenous, composition, B:519–530
- overbank sediments, lithologic units, A:265; B:631–632
- overconsolidation, velocity, B:491–492
- overpressure, sediments, A:234
- overspill
 turbidite, B:76–77
 turbidity currents, B:56
See also spillover
- oxidation, sediments, B:195–196
- oxygen isotopes
 carbon:nitrogen:phosphorus ratios, B:513–515
 correlation, B:596–597, 601–605
 foraminifers, B:310, 317, 321, 358–361, 667
 isotope stratigraphy, B:287–290
 siderite, B:500
 vs. age, B:364
 vs. depth, B:143, 285–290, 292–302, 313–314, 317, 339–345, 517
 vs. palynomorphs, B:390
See also glacial positive oxygen isotopic events; stable isotopes
- paleoceanography
 Amazon Fan, A:17–21
 Quaternary, A:12–13
 sedimentation rates, B:289–290
 stable isotopes, B:305–318
 upper Quaternary, B:319–333
- paleoclimatology
 clay mineralogy, B:189–191
 fans, A:20
 land record, B:668–670
 models, B:666–670
 ocean record, B:666–668
 Pleistocene, B:169
 Quaternary, A:12–13; B:525–526
 sedimentation, B:653–675
 upper Quaternary, B:411–418
 vegetation, B:381–396
See also climate
- paleoecology
 palynomorphs, B:399, 406
 vegetation, B:384–388
- paleoenvironment
 clay mineralogy, B:189–191
 vegetation, B:384–388
See also hemipelagic environment; shelf environment
- paleoflow
 levees, B:64
 turbidity currents, B:53–78
- paleointensity, record, B:231–243
- paleomagnetism
 correlation, B:596–597
 paleointensity, B:231–243
 Site 930, A:100, 102–103
 Site 931, A:138
 Site 932, A:188–189
 Site 933, A:213
 Site 934, A:255–256
 Site 935, A:291–293
- Site 936, A:343, 345
 Site 937, A:395, 397–398
 Site 939, A:447–448
 Site 940, A:474–475
 Site 941, A:519
 Site 942, A:550, 552–555
 Site 943, A:579
 Site 944, A:606–608
 Site 945, A:648–649
 Site 946, A:670–671
- paleovegetation
 Quaternary, B:525–526
See also vegetation; vegetation index, cold-adapted
- palynomorphs
 abundance, A:188, 258, 291, 349, 397, 422, 478, 524, 552, 581, 610, 673; B:383, 668–669
 biostratigraphy, A:100, 137, 186, 212–213, 254–255, 291, 343, 395, 421, 447, 473, 518–519, 550, 579, 606, 648, 669
 paleoclimatology, B:411–418
 Pleistocene, B:397–409
 Quaternary, B:381–396
 transport, B:383–384
 vs. depth, A:188; B:400–407
See also pollen; spores
- Panama
 paleoclimatology, B:416
 vegetation, B:381–383
- pebbles
 lithofacies, B:641
 lithologic units, A:331–332
 photograph, A:210, 336, 517
- pebbles, quartz, photograph, A:102
- perylene, sediments, B:556–557
- pH
 geochemistry, A:105
 interstitial waters, A:140, 260, 295, 348, 398, 424, 449, 476, 520, 557, 583, 610, 650, 674
 vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- phenanthrene compounds
 sediments, B:557
See also methylphenanthrenes
- phenols, lignin
 cinnamyl/vanillyl ratio vs. syringyl/vanillyl ratio, B:526
 composition, B:520–522, 524
 syringyl phenol/vanillyl phenol ratio vs. vanillic acid/vanillin ratio, B:529
 vanillyl acid/aldehyde vs. syringyl acid/aldehyde ratios, B:527
 vs. carbon isotopes, B:529
 vs. depth, B:525
See also lignin
- phosphate
 interstitial waters, A:105–106, 141, 191, 217, 260, 295, 349, 398, 424, 450, 476, 520, 558, 584, 611, 675
 vs. depth, A:112, 149–150, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677; B:498–501, 512
- phosphorus
 organic matter, B:505–517
See also carbon:nitrogen:phosphorus ratios
- phosphorus, organic. *See* carbon, organic/organic phosphorus ratio; nitrogen, total/organic phosphorus ratio
- phosphorus, solid-phase, vs. depth, B:510
- phosphorus, total, vs. depth, B:508
- photoelectric effect logs

- vs. depth, A:227, 366
vs. gamma-ray logs, A:227
- physical properties
mass transport deposits, B:130–133
sediments, B:449
Site 930, A:108–110
Site 931, A:141, 144–146, 148
Site 932, A:193–195
Site 933, A:219–222
Site 934, A:261–262
Site 935, A:297–302
Site 936, A:350–352, 354
Site 937, A:400–402
Site 938, A:426–429
Site 939, A:453–454
Site 940, A:479, 481–482
Site 941, A:521–522, 524; B:468
Site 942, A:559–561
Site 943, A:584–586
Site 944, A:612, 614
Site 945, A:651–653
Site 946, A:675–679
well-logging, B:421–446
- phytoliths
vegetation, B:411–418, 668–669
vs. age, B:414–415
- plagioclase
lithologic units, A:93–95, 130–131, 180–181, 183
peak intensities, A:212, 255
sediments, A:104, 137, 185
- Pleistocene
biostratigraphy, A:343
clay mineralogy, B:190–191
lithologic units, A:93, 127–130, 178–180, 205–207, 246–248, 278–281, 325, 328–335, 387–388, 391, 412–415, 443–444, 661–663
paleoclimatology, B:169
palynomorphs, B:397–409
See also Holocene/Pleistocene boundary
- Pleistocene, middle, lithologic units, A:165, 600–603, 685
- Pleistocene, upper
correlation, B:601–605
lithologic units, A:466–467, 470, 507–510, 541–545, 572, 574–576, 595, 599–600, 637–638, 641, 643, 645
- pollen
abundance, A:108, 145
marine vs. terrestrial records, B:381–396
See also palynomorphs
- pore fluid
mud, B:435–436
See also interstitial waters
- porosity
mass transport deposits, B:452
matrix, B:426–427
relation to clay and velocity, B:480–481
vs. depth, A:153, 195, 222, 264, 300, 358, 405, 430, 459, 485, 532, 561, 586, 618, 653, 679; B:450, 483–489
vs. longitudinal resistivity, A:157
vs. thermal conductivity, A:119, 157, 305
vs. velocity, B:481
See also void ratio
- porosity, density
sediments, B:427–432
vs. compressional wave velocity, B:446
vs. depth, B:445
- porosity, in situ, sediments, B:427–432
- porosity, matrix, sediments, B:427–432
- porosity, visible
fabric, B:458–459
- sediments, B:427–432
vs. depth, B:439
- porosity logs, vs. depth, A:159, 226, 305, 363, 490, 622, 683, 423–424
- postglacial deposits, Cold-Adapted Vegetation Index, B:385–388
- potassium
interstitial waters, A:106, 141, 191, 217, 260, 296, 349, 399, 424, 450, 452, 478, 520, 558, 584, 612, 675
vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
See also thorium/potassium ratio logs; uranium/potassium ratio logs
- potassium feldspar
peak intensities, A:212, 255
photograph, A:342
photomicrograph, A:255
sediments, A:104, 137, 185
- potassium logs, vs. depth, A:160, 227, 267, 364
- potassium oxide
sediments, A:297
vs. calcium oxide+sodium oxide, B:171
- potassium oxide/aluminum oxide ratio
mud, A:350
sediments, A:141, 478
vs. depth, A:150
- preferred orientation, sediments, B:457–458
- preservation
diatoms, B:370–371
organic carbon, B:531–538
- pressure, overburden, mudstone, B:435–436
- productivity, diatoms, B:370–371
- profiles, channels, A:28
- provenance
mud, B:169–176
organic matter, B:513, 515, 522
sediments, B:152–154, 156
- pteropods
lithologic units, A:391, 506–507
photograph, A:508, 512
- Purple Channel-levee System
core–seismic integration, A:112, 117
lithologic units, A:588
remanent magnetization, A:702
See also Amazon/Aqua/Purple/Blue Channel-levee Systems; Amazon/Brown/Aqua/Purple Channel-levee Systems; Brown/Purple/Orange HARPs; levee flanks
- ?Purple Channel-levee System, lithologic units, A:528
- Purple/Aqua(?) fan growth, seismic profiles, B:24
- Purple/Blue/Yellow Channel-levee Systems, lithologic units, A:117
- Purple Valley, channels, A:31–33
- pyrite, modal composition, B:151
- pyrolysis, Rock-Eval, sediments, A:140
- pyroxenes
chemical composition, B:152, 157, 159–161
modal composition, B:151
See also augite
- quartz
lithologic units, A:93–95, 130–131, 180–181, 183, 207–209, 248–249, 281
modal composition, B:150
peak intensities, A:212, 255, 287
photomicrograph, A:255
sediments, A:104, 137, 185, 335–338, 391, 393–394
silty clay, A:415–417
- Quaternary
biostratigraphy, B:577–594
clay mineralogy, B:177–192
geomagnetic events, B:231–243
isotope stratigraphy, B:281–303
paleoclimatology, A:12–13
paleovegetation, B:525–526
provenance, B:156
sedimentation, B:653–675
- Quaternary, upper
diatoms, B:367–373
lithofacies, B:7–33
paleoceanography, B:319–333
paleoclimatology, B:411–418
pollen, B:381–396
racemization, B:375–378
- racemization
geochronology, B:375–378
See also amino acids; aminostratigraphy
- radiolarians, upper Quaternary, B:369
- Red Channel-levee System
high-amplitude reflection packets, A:624
lithofacies, B:614
lithologic units, A:364, 624
seismic facies, A:621
See also levee flanks
- red/blue ratio, reflectance, A:700
- redeposition
lithologic units, A:508–509
photograph, A:508
- reduction
iron oxides, B:252
remineralization, B:503
See also sulfate reduction
- reflectance
lithologic units, A:94–95, 131, 183, 207–208, 249, 281, 336–338, 393–394, 417, 444–445, 471, 512, 603, 645, 663–664
sediments, A:697–700
shipboard vs. shore-based spectral data, B:193–215
vs. depth, A:699
- refugia
Cold-Adapted Vegetation Index, B:385–388
paleoclimatology, B:416
- remanent magnetization
magnetostratigraphy, A:100, 102
sediments, A:701–702, 138, 188–189, 213, 255–256, 291–292, 343, 345, 395, 397, 422, 447–448, 474, 519, 550, 552–553, 579, 606–607, 648–649, 670
- remanent magnetization, anhysteretic
magnetic susceptibility, B:234–243
sediments, B:251–252
- remanent magnetization, isothermal, sediments, B:252
- remanent magnetization, natural, correlation, B:602–605
- remineralization
early diagenesis, B:498–501, 503
organic matter, B:515
- resistivity
sediments, A:109, 146, 148, 156–157, 195, 198, 220, 222, 224–225, 262, 265, 300, 303, 352, 354, 361, 401–402, 407, 427, 429, 432, 454, 482, 488, 522, 524, 534, 559, 561, 563, 585–587, 614, 620, 652–654, 677, 679, 681
vs. depth, A:118, 358, 362, 407, 433, 461, 489
- resistivity anisotropy, vs. depth, A:157, 199, 225, 266, 304, 362, 407, 433, 461, 489, 535, 564, 588, 621, 654, 682
- resistivity logs, vs. depth, A:159, 226, 230,

- 267–268, 305–306, 363, 365, 490, 492, 622–623, 683–684; B:423–424
- resistivity, longitudinal
vs. depth, A:157, 199, 225, 266, 304, 535, 564, 588, 621, 654, 682
vs. porosity, A:157
- reworking, correlation, B:598–599
- ripple laminations
photograph, A:547
sedimentation, A:548
See also laminae; laminations
- rock clasts
photograph, A:334
See also clasts
- rock fragments, modal composition, B:151
- rock granules
photograph, A:329
See also granules
- rock magnetism
between-hole correlations, B:271–278
sediments, B:251–270
- roughness, samples, B:195
- rutile, modal composition, B:151
- salinity
interstitial waters, A:104, 140, 190, 217, 260, 295, 348, 398, 424, 449, 475, 520, 557, 583, 610, 650, 674
vs. depth, A:112, 149, 192, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- samarium-147/neodymium-144 ratio, vs. neodymium-143/neodymium-144 ratio, B:173
- sand
deposition, A:645–646
electron microprobe data, B:149
high-amplitude reflection packets, A:163
lithofacies, B:7–33
lithologic units, A:127–128, 204–207, 246–248, 277–278, 280–281, 328, 332, 412–415, 466–467, 470, 541–542, 574, 595, 599–600, 637–638, 641, 643, 645, 661–663
photograph, A:134, 247–248, 252, 254, 279, 335, 338, 416, 545–547, 574, 576–577, 639–645, 661–662, 664–665, 668
reflectance, A:697–700
See also avulsion deposits; silt/sand load
- sand, biogenic, lithofacies, B:631
- sand, disorganized, lithofacies, B:613
- sand, foraminiferal, photograph, A:508
- sand, graded, photograph, A:328–329
- sand, organized, lithofacies, B:613–614
- sand, silty
lithologic units, A:92–93
photograph, A:100
- sand–silt–clay content, triangular plots, B:41
- sand clasts
photograph, A:334
See also clasts
- sand types, photomicrograph, A:255
- sandstone, photograph, A:336
- sandstone clasts
photograph, A:284–285
See also clasts
- savanna, palynomorphs, B:391
- sea-level changes
continental margin, A:5–8
correlation, B:600, 609
fans, B:331–332, 654–662
Pleistocene, A:12
sedimentation, B:653–675
sedimentation rates, B:364–365
vs. age, timing, B:657
sea-level curve, vs. age, B:146
seafloor, depth beneath calculation, B:1–2
seafloor morphology, turbidite, B:107
secular variations, remanent magnetization, A:702
sediment load, channels, A:44
sediment waves, lithologic units, A:95
sedimentary structures
columns, A:94–95, 129–131, 180, 206–207, 245, 282–283, 326–327, 389, 414–415, 468, 543, 572, 596–597, 639, 660; B:55
turbidity currents, B:57, 59–61
- sedimentation
Amazon channel-levee system, A:471–472
channel-levee systems, B:13, 16–17, 24, 27
fans, A:18, 20; B:331–332
lipids, B:539–553
lithofacies, B:611–651
mass transport deposits, B:362–365
organic matter, B:526–527
Quaternary, B:331–332
sea-level changes, B:653–675
source, B:170
transport, B:383–384
- sedimentation, deep-sea, sedimentation rates, B:289–290
- sedimentation, terrigenous, stable isotopes, B:319–333
- sedimentation rates
biostratigraphy, A:473–474; B:577–594
carbonate content, A:548
correlation, B:601–603
isotope stratigraphy, B:303
lithologic units, A:434
minimum rates, B:594
Quaternary, A:18
remanent magnetization, A:701–702
sea-level changes, B:364–365
vs. age, B:593
vs. depth, B:47
See also mass accumulation rates
- sedimentology
channels, A:117–120
columns, A:94–95, 326–327, 389, 468, 543, 572, 596–597, 639, 660; B:55
- sediments
bacteria, B:565–571
clay mineralogy, B:177–192
composition, A:104, 335–338; B:198–201, 214
compressional wave velocity, B:477–493
early diagenesis, B:497–504
electron microprobe data, B:147–168
fabric, B:447–464
geochemistry, A:111, 141, 191, 521, 558; B:506, 669–670
grain size, B:35–52, 217–228
iron sulfides, B:573
magnetic susceptibility, B:271–278
mineral assemblages, B:168
modal composition, B:150–151
organic matter, B:539–553
physical properties, B:421–446
polycyclic aromatic hydrocarbons, B:555–564
reflectance, A:697–700
remanent magnetization, A:701–702
rock magnetism, B:251–270
shipboard vs. shore-based spectral data, B:193–215
source, B:145
sediments, bioturbated, lithologic units, A:653, 683
sediments, chemogenic, lithofacies, B:631
- sediments, fan-levee, mass transport deposits, B:142–143
- sediments, fluidized, density, B:467–469
- sediments, folded, photograph, B:122–123
- sediments, terrigenous, porosity, B:426–427
- seismic facies
core–seismic integration, A:535–536, 566–567, 588, 625, 628, 687–688
correlation with lithostratigraphy, A:119, 121–122, 167–168, 199, 232, 234, 310, 313, 371, 373, 436, 496
lithologic units, A:565
Seismic Facies Unit 1, core–seismic integration, A:486–487, 562–563, 586, 621, 682
Seismic Facies Unit 2, core–seismic integration, A:486–487, 563, 586, 621, 682
Seismic Facies Unit 3, core–seismic integration, A:486–487, 562, 586, 621, 682
Seismic Facies Unit 4, core–seismic integration, A:486–487, 562–563, 586–587, 621, 682
Seismic Facies Unit 5, core–seismic integration, A:486–487, 621
Seismic Facies Unit 6, core–seismic integration, A:486–487
- seismic facies units, grain size, B:35–52
- seismic profiles
acoustic facies, A:10
Amazon Fan, B:21–23, 25–26, 113–117, 475
channels, A:36–41
Site 930, A:89–90
Site 931, A:125–126, 164
Site 932, A:177–178
Site 933, A:202–203, 231
Site 934, A:242–243
Site 935, A:275–276, 309
Site 936, A:323–324, 370
Site 937, A:385–386
Site 938, A:410–411, 435
Site 939, A:439
Site 940, A:465, 496
Site 941, A:504–505
Site 942, A:539, 565
Site 944, A:626
Site 945, A:637–638
Site 946, A:686
- seismic reflection, lithologic units, A:686
- seismic reflectors, sedimentation rates, B:47
- seismic stratigraphy
Amazon Fan, A:13–14
channel-levee systems, B:13, 15–16, 20, 24
correlation, B:596–601
mass transport deposits, B:109–146
See also acoustic stratigraphy
- seismograms, synthetic
boreholes, A:360, 362
sediments, A:307
seismic facies, A:621
Site 931, A:161, 163
Site 944, A:627
vs. depth, A:166
vs. travelttime, A:233, 311, 372
- sequence stratigraphy, channel-levee systems, B:660–662
- shear strength, sediments, A:108–109, 145–146, 154–155, 195, 220, 223, 352, 400–401, 427, 454, 459, 481–482, 486, 559, 562, 585, 587, 614, 618–619, 652–653, 676–677, 680
- shear strength, residual/peak ratio, vs. depth, A:265, 406, 487, 535, 562
- shear strength, undrained
sediments, A:116, 195–197, 262, 264, 300–301, 359–360, 406, 430–431, 522, 533

- vs. depth, A:117, 155, 197, 224, 265, 302, 360, 406, 431, 460, 487, 535, 562, 587, 619, 653, 681
- shear strength/overburden effective stress ratio, vs. depth, B:140
- shells
- lithologic units, A:508–509
 - photograph, A:511
- shore-based log processing
- Site 933, A:235
 - Site 934, A:270
 - Site 935, A:315
 - Site 936, A:374
 - Site 940, A:497
 - Site 944, A:629
 - Site 946, A:689
- siderite
- early diagenesis, B:498–501, 672
 - lithologic units, A:391
 - sediments, A:424
- sideritization
- early diagenesis, B:498–501
 - See also* diagenesis
- silica
- interstitial waters, A:141, 191, 193, 217, 261, 295, 349, 398, 450, 478, 520, 558, 611
 - mud, A:218, 296–297, 521
 - vs. depth, A:112, 149, 192–193, 219, 261, 296, 354, 402, 426, 456, 481, 528, 558, 585, 615, 651, 677
- silica, biogenic, diatoms, B:370–371
- silicates, vs. depth, A:343, 393, 418, 448, 474, 520, 548, 578, 606, 670
- siliceous microfossils
- abundance, A:106, 139–140, 186, 213, 256, 288, 344–345, 395, 419, 449, 475, 521, 549, 579, 607, 646, 671
 - biostratigraphy, A:98–99, 137, 186, 212, 254, 291, 343, 395, 421, 447, 473, 517–518, 550, 579, 606, 648, 669
 - Quaternary, B:369–370
- siliciclastics, lithologic units, A:542–545
- silicon logs, vs. depth, A:160, 364
- silt
- compaction, B:453
 - electron microprobe data, B:149
 - lithofacies, A:80, 82–84; B:615, 620
 - lithologic units, A:92–93, 127–130, 163, 204–207, 246–248, 266, 277–278, 280–281, 330, 332, 412–415, 443–445, 466–467, 470, 541, 544–545, 564, 595, 599–603, 637–638, 641, 643, 645, 661–663
 - photograph, A:83–84, 98–100, 133–134, 181, 209–210, 250, 253, 279, 331, 338, 390–392, 416–417, 444, 446, 469–473, 544, 577, 601, 643
 - reflectance, A:697–700
 - sedimentation, A:265–266
 - turbidity currents, B:57, 59–61
 - See also* Purple/Blue/Yellow Channel-levee Systems
- silt, clayey, photograph, A:102
- silt, disorganized, lithofacies, B:614
- silt, graded, photograph, A:328
- silt, organized, lithofacies, B:614–615
- silt/sand load, textures, B:53–78
- siltstone
- lithofacies, B:641
 - lithologic units, A:508–509
 - photograph, A:336, 517
- sinuosity, channels, A:25–26
- Site 930, A:87–122
- biostratigraphy, A:96, 98–100; B:581
 - core–seismic integration, A:110, 112, 114–115
 - coring, A:91
 - grain size, B:37
 - in situ temperature measurements, A:115–116
 - inorganic geochemistry, A:104–106, 108
 - isotope stratigraphy, B:283
 - lithostratigraphy, A:91–96
 - operations, A:90–91
 - organic geochemistry, A:103–104
 - paleomagnetism, A:100, 102–103
 - physical properties, A:108–110
 - setting and objectives, A:88, 90
 - site description, A:87–122
 - synthesis and significance, A:116–120
- Site 931, A:123–174
- biostratigraphy, A:131–132, 136–138; B:581–582
 - clay mineralogy, B:187–189
 - core–seismic integration, A:160–163
 - coring, A:126
 - downhole logging, A:148, 150, 153, 155–160
 - electron microprobe data, B:148–149
 - grain size, B:37
 - in situ temperature measurements, A:163
 - inorganic geochemistry, A:140–141
 - isotope stratigraphy, B:283
 - lithofacies, B:13–15
 - lithostratigraphy, A:125–131
 - operations, A:125
 - organic geochemistry, A:138, 140
 - paleomagnetism, A:138
 - physical properties, A:141, 144–146, 148
 - setting and objectives, A:124–125
 - site description, A:123–174
 - synthesis and significance, A:163–166
- Site 932, A:175–199
- biostratigraphy, A:183, 185–188; B:582
 - core–seismic integration, A:195–196
 - coring, A:177
 - in situ temperature measurements, A:196
 - inorganic geochemistry, A:190–193
 - isotope stratigraphy, B:283–284
 - lithostratigraphy, A:178–183
 - magnetic intensity, B:238
 - operations, A:176–177
 - organic carbon, B:532–533
 - organic geochemistry, A:189–190; B:507–511
 - oxygen isotopes, B:317
 - paleomagnetism, A:188–189
 - phenols, B:526
 - setting and objectives, A:176
 - site description, A:175–199
 - stable isotopes, B:305–318
 - synthesis and significance, A:196–197
- Site 933, A:201–239
- biostratigraphy, A:209–213; B:582
 - core–seismic integration, A:228–230
 - coring, A:204
 - downhole logging, A:222–228
 - grain size, B:37–38
 - in situ temperature measurements, A:230
 - inorganic geochemistry, A:217–219
 - isotope stratigraphy, B:284–285
 - lithostratigraphy, A:204–209
 - operations, A:202, 204
 - organic geochemistry, A:215–217
 - oxygen isotopes, B:358–359
 - paleomagnetism, A:213
 - physical properties, A:219–222
 - setting and objectives, A:202
 - shore-based log processing, A:235
 - site description, A:201–239
 - stable isotopes, B:305–318, B:335–351
 - synthesis and significance, A:230, 232–234
- well-logging, A:222–228
- Site 934, A:241–271
- bacteria, B:565–571
 - biostratigraphy, A:249–250, 254–255; B:582
 - clay mineralogy, B:184–187
 - coring, A:244
 - downhole logging, A:262–264
 - in situ temperature measurements, A:264–265
 - inorganic geochemistry, A:260–261
 - isotope stratigraphy, B:285
 - lithostratigraphy, A:244–249
 - operations, A:243–244
 - organic geochemistry, A:256, 259–260
 - paleomagnetism, A:255–256
 - physical properties, A:261–262
 - setting and objectives, A:242–243
 - shore-based log processing, A:270
 - site description, A:241–271
 - synthesis and significance, A:265–266
- Site 935, A:273–319
- biostratigraphy, A:281, 286–291; B:582–583
 - core–seismic integration, A:305–307
 - coring, A:276
 - downhole logging, A:302, 304–305
 - grain size, B:38
 - in situ temperature measurements, A:307–308
 - inorganic geochemistry, A:295–297
 - isotope stratigraphy, B:285
 - lithofacies, B:15–16
 - lithostratigraphy, A:276–281
 - operations, A:275–276
 - organic geochemistry, A:293–295
 - paleomagnetism, A:291–293
 - physical properties, A:297–302
 - setting and objectives, A:274–275
 - shore-based log processing, A:315
 - site description, A:273–319
 - synthesis and significance, A:308–314
 - well-logging, A:302, 304–305
- Site 936, A:321–382
- biostratigraphy, A:339–343; B:583–584
 - core–seismic integration, A:360, 362
 - coring, A:324
 - downhole logging, A:354–355, 358, 360
 - electron microprobe data, B:149
 - grain size, B:38–39
 - in situ temperature, A:362
 - inorganic geochemistry, A:347–350
 - isotope stratigraphy, B:285
 - lithofacies, B:16–20
 - lithostratigraphy, A:324–339
 - operations, A:323–324
 - organic geochemistry, A:345–347
 - paleomagnetism, A:343, 345
 - physical properties, A:350–352, 354
 - setting and objectives, A:322–323
 - site description, A:321–382
 - stable isotopes, B:335–351
 - synthesis and significance, A:362–367
- Site 937, A:383–408
- biostratigraphy, A:394–395; B:584–585
 - coring, A:387
 - correlation, B:272
 - in situ temperature measurements, A:402–403
 - inorganic geochemistry, A:398–400
 - isotope stratigraphy, B:285–286
 - lithostratigraphy, A:386–394
 - operations, A:385–386
 - organic geochemistry, A:398
 - paleomagnetism, A:395, 397–398
 - physical properties, A:400–402
 - setting and objectives, A:384–385
 - site description, A:383–408
 - synthesis and significance, A:403, 405

- Site 938, A:409–436
 biostratigraphy, A:419–422; B:585
 core–seismic integration, A:429–431
 coring, A:412
 correlation, B:272
 in situ temperature measurements, A:431–432
 inorganic geochemistry, A:424
 isotope stratigraphy, B:286
 lithostratigraphy, A:411–419
 operations, A:411
 organic geochemistry, A:423–424
 paleomagnetism, A:422–423
 physical properties, A:426–429
 setting and objectives, A:410–411
 site description, A:409–436
 synthesis and significance, A:433–434
- Site 939, A:437–461
 biostratigraphy, A:445–447; B:585
 coring, A:440
 correlation, B:272
 grain size, B:39
 in situ temperature measurements, A:454
 inorganic geochemistry, A:449–453
 iron sulfides, B:573
 isotope stratigraphy, B:286
 lithostratigraphy, A:440–445
 operations, A:440
 organic geochemistry, A:448–449
 paleomagnetism, A:447–448
 physical properties, A:453–454
 setting and objectives, A:438–440
 site description, A:437–461
 synthesis and significance, A:455, 457–458
- Site 940, A:463–501
 bacteria, B:565–571
 biostratigraphy, A:472–474; B:585
 core–seismic integration, A:486–487
 coring, A:466
 downhole logging, A:482, 484–485
 grain size, B:39
 in situ temperature measurements, A:487
 inorganic geochemistry, A:475–476, 478
 isotope stratigraphy, B:286
 lithostratigraphy, A:466–472
 operations, A:464–466
 organic geochemistry, A:475
 paleomagnetism, A:474–475
 palynomorphs, B:397–409
 physical properties, A:479, 481–482;
 B:427–430
 setting and objectives, A:464
 site description, A:463–501
 synthesis and significance, A:487–491
- Site 941, A:503–536
 biostratigraphy, A:512–513, 517–519; B:585
 core–seismic integration, A:524–525
 coring, A:506
 grain size, B:39–40
 in situ temperature measurements, A:525–526
 inorganic geochemistry, A:520–521
 isotope stratigraphy, B:286–287
 lithostratigraphy, A:506–512
 mass transport deposits, B:465–475
 operations, A:505–506
 organic geochemistry, A:519–520
 paleomagnetism, A:519
 physical properties, A:521–522, 524; B:468
 setting and objectives, A:504–505
 site description, A:503–536
 synthesis and significance, A:526, 528–529
- Site 942, A:537–567
 biostratigraphy, A:549–550; B:585–586
 channel-levee systems, B:659–660
 core–seismic integration, A:561–563
 coring, A:541
 correlation, B:272
 in situ temperature measurements, A:563–564
 inorganic geochemistry, A:557–558
 isotope stratigraphy, B:287
 lithostratigraphy, A:541–549
 operations, A:539–541
 organic carbon, B:532–533
 organic geochemistry, A:555–557; B:508–509,
 511–513, 515
 paleomagnetism, A:550, 552–555
 physical properties, A:559–561
 setting and objectives, A:538–539
 site description, A:537–567
 synthesis and significance, A:564–566
- Site 943, A:569–589
 biostratigraphy, A:578–579; B:586
 core–seismic integration, A:586–587
 coring, A:571
 grain size, B:40
 inorganic geochemistry, A:583–584
 isotope stratigraphy, B:287
 lithostratigraphy, A:571–578
 operations, A:570–571
 organic geochemistry, A:579, 582–583
 paleomagnetism, A:579
 physical properties, A:584–586
 setting and objectives, A:569–570
 site description, A:569–589
 synthesis and significance, A:587–589
- Site 944, A:591–633
 biostratigraphy, A:605–606; B:586–587
 core–seismic integration, A:620–621
 coring, A:594
 downhole logging, A:614–615, 617–619
 electron microprobe data, B:149–150
 grain size, B:40
 in situ temperature measurements, A:621–622
 inorganic geochemistry, A:610–612
 iron sulfides, B:573
 isotope stratigraphy, B:287
 lithofacies, B:20, 24
 lithostratigraphy, A:594–605
 operations, A:593–594
 organic geochemistry, A:608, 610
 paleomagnetism, A:606–608
 palynomorphs, B:397–409
 physical properties, A:612, 614
 setting and objectives, A:592–593
 site description, A:591–633
 synthesis and significance, A:622–627
- Site 945, A:635–655
 biostratigraphy, A:646–648; B:587
 coring, A:638
 grain size, B:40
 inorganic geochemistry, A:650–651
 isotope stratigraphy, B:287
 lithostratigraphy, A:637–646
 operations, A:636–637
 organic geochemistry, A:649–650
 paleomagnetism, A:648–649
 physical properties, A:651–653
 setting and objectives, A:635–636
 site description, A:635–655
 synthesis and significance, A:653–654
- Site 946, A:657–693
 biostratigraphy, A:666–670; B:587
 core–seismic integration, A:682
 coring, A:659
 downhole logging, A:679–682
 grain size, B:41
 in situ temperature measurements, A:682–683
 inorganic geochemistry, A:674–675
 isotope stratigraphy, B:287
 lithofacies, B:24, 27
 lithostratigraphy, A:659–666
 operations, A:658–659
 organic geochemistry, A:671, 673
 paleomagnetism, A:670–671
 palynomorphs, B:397–409
 physical properties, A:675–679; B:430–432
 setting and objectives, A:658
 site description, A:657–693
 synthesis and significance, A:682–683
- slumps
 lithologic units, A:249, 281, 599
 photograph, A:469, 600
- smectite
 peak intensities, A:212, 255, 287
 sediments, A:104, 137, 185; B:179–191
See also chlorite–smectite; clay minerals
- sodium
 interstitial waters, A:106, 141, 192, 217, 260,
 296, 349, 399, 424, 452, 478, 521, 558,
 584, 612, 675
 vs. depth, A:149, 192, 219, 261, 296, 354, 402,
 426, 456, 481, 528, 558, 585, 615, 651,
 677
- sodium oxide
 sediments, A:297
See also calcium oxide+sodium oxide; calcium
 oxide/sodium oxide ratio
- sodium oxide/aluminum oxide ratio
 mud, A:350
 sediments, A:141, 478
 vs. depth, A:150
- soft sediment deformation
 lithologic units, A:247, 508–509, 599
 photograph, A:98, 250–251
- sonar, side-scan, A:540
- South America
 climate, B:169
 continental margin, B:153–154, 156
 South America, equatorial, continental margin,
 A:5–16
- South Equatorial Current, ocean circulation, B:373
- South Subtropical Gyre, ocean circulation, B:373
- sphene. *See* titanite
- spillover
 turbidite, B:60, 245
See also overspill
- spinel, chromian, chemical composition, B:152,
 166
- sponge spicules, upper Quaternary, B:369
- spores
 abundance, A:108, 145
See also palynomorphs
- Spreiten*
 lithologic units, A:388, 544
 photograph, A:417, 443, 546
- stable isotopes
 isotope stratigraphy, B:281–303
 mass-transport deposits, B:335–351
 remineralization, B:502–503
 sedimentation, B:305–333
See also carbon isotopes; oxygen isotopes
- staurolite
 chemical composition, B:152, 166
 modal composition, B:151
- steroids, sediments, B:543–545, 548
- sterols
 chromatograms, B:546–547, 549
 lithofacies, B:551
- stratification
 lithofacies, B:613–615
 photograph, A:248
- stratigraphy
 correlation, B:595–609

- turbidite facies, B:108
strength, sediments, B:473
stress, porosity and velocity, B:491–492
structure profiles, channels, A:42–43
submarine canyons, continental margin, A:5–8
submarine failures, mass transport deposits,
B:465–475
- sulfate
interstitial waters, A:105–106, 141, 190, 217,
260, 295, 348, 398, 424, 449–450, 476,
519–520, 557–558, 583, 610, 675;
B:567–569
vs. depth, A:112, 149–150, 192, 219, 261, 296,
354, 402, 426, 456, 481, 528, 558, 585,
615, 651, 677; B:498–502
- sulfate reduction
early diagenesis, B:502–503
See also reduction
- sulfur
sediments, A:103–104, 140, 189–190,
215–217, 259–260, 293–294, 313,
345–346, 398, 423, 448, 475, 519–520,
555–557, 582–583, 608, 610, 649–650,
673
vs. depth, A:111, 148, 191, 218, 260, 295, 352,
401, 425, 455, 480, 527, 557, 584, 613,
650, 676
- sulfur logs, vs. depth, A:160, 364
- surface area
minerals, B:531–538
See also carbon, organic/surface area ratio
- talweg, turbidite, B:76–77
- temperature
boreholes, A:305, 360, 485, 619, 682
vs. depth, A:121, 162, 167, 199, 229, 233, 269,
308, 312, 369, 373, 408, 436, 461, 494,
496, 535, 566, 625, 627, 685, 687
- temperature measurements, in situ
Site 930, A:115–116
Site 931, A:163
Site 932, A:196
Site 933, A:230
Site 934, A:264–265
Site 935, A:307–308
Site 936, A:362
Site 937, A:402–403
Site 938, A:431–432
Site 939, A:454
Site 940, A:487
Site 941, A:525–526
Site 942, A:563–564
Site 944, A:621–622
Site 946, A:682–683
- terrane, source, B:170
- textures, silt/sand load, B:53–78
- thermal conductivity
sediments, A:109–110, 148, 158, 300, 302,
304
vs. depth, A:119
vs. porosity, A:119, 157, 305
- thorium. *See* uranium/thorium ratio logs
- thorium logs, vs. depth, A:227, 267, 366
- thorium/potassium ratio logs, vs. depth, A:227
- titanite, chemical composition, B:152
- tomography, mass transport deposits, B:465–475
- topography
continental margin, A:5–8
fans, B:473
- tourmaline, modal composition, B:151
- trace elements
mud, A:350, A:399
sediments, A:150, 193, 220, 262, 297, 355,
403, 427, 457, 482, 529, 559
- transgressions, sedimentation, A:548–549
- transport, palynomorphs, B:383–384
- traveltime, vs. depth, A:165; B:482, 490
- triterpinoid. *See* alcohols, triterpinoid
- turbidite
bed characteristics, B:82
bed thickness, B:88
channel-levee systems, B:659–660
clay mineralogy, B:191
grain size, B:69–76
lithofacies, B:7–33
lithologic units, A:95–96, 163, 209, 278,
280–281, 334, 418, 445, 565, 599
photograph, A:247, 417, 661–662; B:83–84,
86–87, 89–90, 92–105
sedimentation, A:548
spillover, B:60, 245
See also Channel-levee System 5
- turbidite, bioclastic, lithofacies, B:636
- turbidite, fine-grained
grain size, B:217–228
lithofacies, A:79–108
- turbidite, graded, muddy, photograph, A:390
- turbidite, overbank, sediments, A:338
- turbidite, sandy, vs. depth, B:550
- turbidity currents
deposition, A:603, 605; B:663
lithologic units, A:183
overspill, B:53–78
physical properties, B:435–436
- underway geophysics, Amazon Fan, A:83
- Unit R Debris Flow
age, B:136–137
lithologic units, A:363–364, 623
trace elements, A:350
- Upper Levee Complex
electron microprobe data, B:149–150
fabric, B:449–450
geochemistry, A:478
grain size, B:217–228
lithofacies, B:27, 29
trace elements, A:350
See also Bottom Levee Complex; Lower
Levee Complex; Middle Levee
Complex
- uranium logs, vs. depth, A:227, 267, 366
- uranium/potassium ratio logs, vs. depth, A:227
- uranium/thorium ratio logs, vs. depth, A:227
- valleys, channels, A:31–41
- vegetation
paleoclimatology, B:381–396
phytoliths, B:411–418
- vegetation, alpine, palynomorphs, B:391
- vegetation index, cold-adapted
sedimentation, B:385–388
See also paleovegetation; vegetation
- velocity
comparison between calculated and log results,
B:480–482
relation to porosity and clay, B:480–481
vs. depth, A:485, 561
vs. porosity, B:481
See also compressional wave velocity
- velocity logs, vs. depth, A:159, 165, 226, 305,
363, 490, 496, 622, 683; B:423–424
- vivianite
abundance, A:108, 145, 332
carbon:nitrogen:phosphorus ratios, B:515
early diagenesis, B:498–501, 672
lithologic units, A:207–209, 443
photograph, A:445
sediments, A:448–449
- vivianite crystals, photograph, A:336
- void ratio
sub-bottom depth, B:1–2
vs. depth, B:141
See also porosity
- volcanic rocks, microlitic, photomicrograph,
A:255
- water content
fluidized sediments, B:467–469
vs. CT-value, B:471
vs. depth, A:115, 153, 195, 222, 264, 300, 358,
405, 430, 459, 485, 532, 561, 586, 618,
653, 679; B:130, 141–142
- waxes
lithofacies, B:551
See also alcohols, wax
- weathering
sediments, A:141; B:171–172
- well-logging
channel-levee systems, B:13, 16–17, 24, 27
comparison with lithology, A:160
mass transport deposits, B:131–133
physical properties, B:421–446
Site 931, A:148, 150, 153, 155–160
Site 933, A:222–228
Site 934, A:262–264
Site 935, A:302, 304–305
Site 936, A:354–355, 358, 360
Site 940, A:482, 484–485
Site 944, A:614–615, 617–619
Site 946, A:679–682
velocity, B:482
See also log processing; log units
- wetness, samples, B:195
- wireline logs
clay-porosity-velocity, B:493
physical properties, B:421–446
- wood fragments
deposition, A:645–646
lithologic units, A:331–332, 661
photograph, A:247, 642
- X-ray computed tomography. *See* CT-value;
tomography
- X-ray diffraction data
clay mineralogy, B:183, 185–186
iron sulfides, B:248
peak intensities, A:93–94, 104, 130–131, 137,
180–181, 183, 185, 207, 212, 248–249,
255, 281, 287, 335–336, 342, 391, 393,
415–418, 444, 448, 470, 474, 510–512,
520, 545, 548, 576, 578, 603, 606,
645–646, 663, 670
- Yellow Channel-levee System
core-seismic integration, A:117
fan deposits, A:394
lithofacies, B:626–627, 629, 637–639
lithologic units, A:232, 403, 433
lithology, A:394
remanent magnetization, A:701
sediments, A:229, 232
See also levee flanks; Purple/Blue/Yellow
Channel-levee Systems
- zircon, modal composition, B:151
- Zone X, sediments, A:673
- Zone Z, clay mineralogy, B:179–180
- Zone Z/Y boundary, clay mineralogy, B:179–180
- zoning
biostratigraphy, B:579–580, 669
clay mineralogy, B:189–191

VOLUME 155 TAXONOMIC INDEX

Acalypha, Amazon Fan, B:385
Actinocyclus curvatulus
 Site 931, A:137
 Site 933, A:212
 Site 939, A:447
Actinocyclus ellipticus, Site 940, A:473
Actinocyclus sp., Site 932, A:186
aculeata, *Bulimina*, Amazon Fan, B:344–345,
 347–350
 Adiantaceae, Amazon Fan, B:399
aenariensis, *Bolivina*, Amazon Fan, B:345–347,
 350
Aeschynomene, Amazon Fan, B:400–405
africanus, *Coscinodiscus*
 Site 931, A:137
 Site 933, A:212
Alchornea, Amazon Fan, B:384–385, 399
Alnipollenites verus, Amazon Fan, B:384
Alnus
 Amazon Fan, B:382, 384–385, 388, 398, 406,
 669
 Site 931, A:137
 Site 935, A:291
Ammonia beccarri, Amazon Fan, B:345
Amphistegina lessonii, Amazon Fan, B:345
andreevi, *Buttinia*, Amazon Fan, B:399
 Annonaceae, Amazon Fan, B:413–415
Anthoceros, Amazon Fan, B:399
 Aspleniaceae, Amazon Fan, B:399
atlanticum, *Pseudononton*, Amazon Fan,
 B:345–346, 351
Aulacosira granulata, Amazon Fan, B:368
Azpeitia nodulifera, Amazon Fan, B:368

Bambusoideae, Amazon Fan, B:386
Bathysiphon spp., Amazon Fan, B:347
beccarri, *Ammonia*, Amazon Fan, B:345
bermudezi, *Globorotalia*, Amazon Fan, B:581
bicostata, *Bulimina*, Site 936, B:351
bicostata, *Quinqueloculina*, Amazon Fan, B:345
Bolivina aenariensis, Amazon Fan, B:345–347,
 350
Bolivina spp.
 Site 934, A:254
 Site 941, A:517
Bolivina striatula
 Site 931, A:136
 Site 933, A:212
 Site 935, A:289
 Site 936, A:342
 Bombacaceae, Amazon Fan, B:384
Borreria, Amazon Fan, B:387
Brizalina semicarinata, Amazon Fan, B:345–346
Bulimina aculeata, Amazon Fan, B:344–345,
 347–350
Bulimina bicostata, Site 936, B:351
Bulimina cf. *gibba*, Amazon Fan, B:344–345,
 347–350
Bulimina costata, Amazon Fan, B:344–345,
 347–350
Bulimina exilis, Site 936, A:342
Bulimina marginata
 Amazon Fan, B:344–345, 347–350
 Site 931, A:136
 Site 933, A:212
 Site 934, A:254
 Site 935, A:289
 Site 936, A:342
Bulimina spp., Site 941, A:517

Burseraceae, Amazon Fan, B:413–414
Buttinia andreevi, Amazon Fan, B:399
Byrsonima
 Amazon Fan, B:384, 387, 391, 399, 406
 Site 940, A:473, 489
 Site 943, A:579
Byttneria, Amazon Fan, B:400–405

calida calida, *Globigerina*
 Site 931, A:132
 Site 933, A:212
 Site 935, A:287
calida calida, *Globorotalia*, Amazon Fan, B:581
caribbeanica, *Gephyrocapsa*
 Amazon Fan, B:356, 358, 596–600
 Site 931, B:582
 Site 935, B:582
 Site 936, B:584
 Site 944, B:587
 Site 946, B:587
 Caryophyllaceae, Site 936, A:343
Cassia, Site 943, A:579
Cassidulina laevigata, Amazon Fan, B:345, 350
Cassidulina spp., Amazon Fan, B:344–345,
 347–350
Cecropia
 Amazon Fan, B:383–385
 Site 931, A:137
 Site 946, A:669
Ceratolithus cristatus, Site 932, A:183
Ceratolithus sp., Site 930, A:96
 Chrysobalanaceae, Amazon Fan, B:413–415
Cibicides refulgens, Amazon Fan, B:345
Cibicides wuellerstorfi, Amazon Fan, B:338, 341,
 343, 345, 347, 349, 354, 359, 361, 599
Coccolithus pelagicus
 Site 934, A:250
 Site 935, A:283, 310
 Site 939, B:585
 Site 940, A:473
 Combretaceae, Amazon Fan, B:384–385, 399
complanata, *Stainforthia*, Amazon Fan,
 B:345–347, 350
 Compositae
 Amazon Fan, B:391, 399
 Site 935, A:291
 Site 937, A:395
 Site 939, A:447
 Site 940, A:473, 489
Cordia, Amazon Fan, B:384
Coscinodiscus africanus
 Site 931, A:137
 Site 933, A:212
Coscinodiscus eccentricus
 Site 931, A:137
 Site 933, A:212
Coscinodiscus nodulifer
 Site 938, A:421
 Site 941, A:517
Coscinodiscus spp., Site 932, A:186
costata, *Bulimina*, Amazon Fan, B:344–345,
 347–350
crassaformis hessi, *Globorotalia*
 Amazon Fan, B:581
 Site 931, A:132
crassaformis viola, *Globorotalia*, Amazon Fan,
 B:581
Crassoretiriletes vanraadshoovenii, Amazon Fan,
 B:399

cristatus, *Ceratolithus*, Site 932, A:183
Croton, Amazon Fan, B:384, 387
 Cucurbitaceae, Amazon Fan, B:414–415
Curatella, Amazon Fan, B:399, 406
curvatulus, *Actinocyclus*
 Site 931, A:137
 Site 933, A:212
 Site 939, A:447
cuspidata, *Cyathea*, Amazon Fan, B:399
Cyathea cuspidata, Amazon Fan, B:399
Cyathea horrida, Amazon Fan, B:399
 Cyatheaaceae
 Amazon Fan, B:399, 406
 Site 930, A:100
 Site 931, A:137
 Site 932, A:186
 Site 935, A:291
 Site 936, A:343
 Site 937, A:395
 Site 938, A:421
 Site 940, A:473
 Site 941, A:517
 Site 942, A:550
 Site 943, A:579
 Site 944, A:606
 Site 946, A:669
Cyclococcolithus leptoporus
 Site 937, A:394
 Site 938, A:419
 Site 939, A:445
 Site 942, A:550
Cyclotella striata, Amazon Fan, B:368
 Cyperaceae
 Amazon Fan, B:387
 Site 930, A:100
 Site 931, A:137
 Site 932, A:186
 Site 938, A:421
 Site 940, A:473
 Site 941, A:517
 Site 942, A:550
 Site 943, A:579

Dalechampia, Amazon Fan, B:400–405
deflandrei, *Discoaster*, Site 936, A:339
Dictyocha sp., Site 941, A:517
Didymopanax, Amazon Fan, B:384–385
 Dilleniaceae, Amazon Fan, B:414–415
Discoaster deflandrei, Site 936, A:339
Discoaster spp.
 Site 930, A:96
 Site 941, A:515
Dodonea, Amazon Fan, B:400–405
doliolus, *Pseudoeuonotia*, Site 930, A:97
dutertrei, *Neogloboquadrina*, Amazon Fan,
 B:307–315, 337, 339–342, 344, 349,
 354, 358, 360–361, 377, 517, 581

eccentricus, *Coscinodiscus*
 Site 931, A:137
 Site 933, A:212
Echinocardium, Site 942, A:548
 ?*Echinocardium*
 lithologic units, A:542, 544, 548
 photograph, A:443
Echitriporites trianguliformis, Amazon Fan,
 B:399
ellipticus, *Actinocyclus*, Site 940, A:473
Emiliania huxleyi

- Amazon Fan, B:354, 356, 580, 595–600, 605
 Site 932, A:183
 Site 935, A:281, 286
 Site 936, A:339–340
 Site 937, A:394
 Site 938, A:419
 Site 939, A:445
 Site 941, A:513
 Site 942, A:549–550; B:586
 Site 944, A:605
 Site 946, A:668
- Emiliania huxleyi* acme assemblage
 Site 931, A:132
 Site 932, A:210
- Ericaceae
 Site 931, A:137
 Site 942, A:550
- Eriosema*, Amazon Fan, B:400–405
- Euphorbiaceae, Amazon Fan, B:413–414
 Site 930, A:100
 Site 932, A:186
 Site 939, A:447
 Site 941, A:517
 Site 944, A:606
- exilis*, *Bulimina*, Site 936, A:342
- fimbriata*, *Globorotalia*
 Amazon Fan, B:581, 605
 Site 934, A:254–256, 258, 266
- flexuosa*, *Mauritia*, Site 934, A:254
- Fursenkoina pontoni*, Amazon Fan, B:345–346
- Fuschia*, Amazon Fan, B:400–405
- Gephyrocapsa caribbeana*
 Amazon Fan, B:356, 358, 596–600
 Site 931, B:582
 Site 935, B:582
 Site 936, B:584
 Site 944, B:587
 Site 946, B:587
- Gephyrocapsa oceanica*
 Site 935, B:582
 Site 937, A:394
 Site 938, A:419
 Site 939, A:445
 Site 940, A:473
- Gephyrocapsa oceanica/mullerae*, Site 946, B:587
- Gephyrocapsa* spp.
 Site 931, A:138
 Site 933, A:210
 Site 935, A:286–287
 Site 936, A:339
 Site 942, A:549
 Site 944, A:605–606, 625
 Site 946, A:668–669
- gibba*, *Bulimina* cf., Amazon Fan, B:344–345, 347–350
- Globigerina calida calida*
 Site 931, A:132
 Site 933, A:212
 Site 935, A:287
- Globigerinoides ruber*
 Amazon Fan, B:129–130, 140, 282, 287–288, 294, 296, 307, 309–315, 320, 327–328, 337, 339–342, 344, 354, 358, 360–361, 377–378, 581, 601, 668
 Site 931, A:138
 Site 932, B:284
 Site 933, A:212–213
 Site 936, A:340, 343, 364
- Globigerinoides sacculifer*, Amazon Fan, B:143, 282, 285–286, 289–290, 292–293, 295, 297–302, 307, 309–315, 320, 327–328, 337, 339–342, 344, 349, 354, 358, 360–361, 668, 601, 668
 Site 931, A:138
 Site 932, B:284
 Site 933, A:212–213
 Site 936, A:340, 343, 364
- Globorotalia tumida*
 Amazon Fan, B:283, 377, 580–581, 588, 605
 Site 930, A:96, 100
 Site 931, A:132, 138
 Site 932, A:183, 186
 Site 933, A:211–213, 232
 Site 934, A:254–256, 258, 266
 Site 935, A:287, 289, 291, 310–312
 Site 936, A:340, 342–343, 365
 Site 937, A:394–395
 Site 938, A:419, 421–422, 433
 Site 939, A:445, 447
 Site 940, A:473–474
 Site 941, A:517, 519, 526
 Site 942, A:550, 564
 Site 943, A:578
 Site 944, A:605–606
 Site 945, A:646, 648
 Site 946, A:669–670, 685
- Globorotalia tumida flexuosa*
 Amazon Fan, B:359, 581, 588
 Site 931, A:132, 138
 Site 933, A:212–213
- Globorotalia tumida truncatulinoides truncatulinoides*
 Zone, Amazon Fan, B:581
- Globorotalia tumida*
 Amazon Fan, B:283, 377, 580–581, 588, 605
 Site 930, A:96, 100
 Site 931, A:132, 138
 Site 932, A:183, 186
 Site 933, A:211–213, 232
 Site 934, A:254–256, 258, 266
 Site 935, A:287, 289, 291, 310–312
 Site 936, A:340, 342–343, 365
 Site 937, A:394–395
 Site 938, A:419, 421–422, 433
 Site 939, A:445, 447
 Site 940, A:473–474
 Site 941, A:517, 519, 526
 Site 942, A:550, 564
 Site 943, A:578
 Site 944, A:605–606, 625
 Site 945, A:646, 648
 Site 946, A:669–670, 685
- Globorotalia tumida*
 Amazon Fan, B:359, 581, 588
 Site 931, A:132, 138
 Site 933, A:212–213
- Globigerinoides trilobus*
 Amazon Fan, B:282, 287, 307–315, 337, 339–342, 344, 349, 354, 358, 360–361, 377, 517, 581
 Site 932, B:284
- Globocassidulina subglobosa*, Amazon Fan, B:345, 351
- Globorotalia bermudezi*, Amazon Fan, B:581
- Globorotalia calida calida*, Amazon Fan, B:581
- Globorotalia crassaformis hessi*
 Amazon Fan, B:581
 Site 931, A:132
- Globorotalia crassaformis viola*, Amazon Fan, B:581
- Globorotalia fimbriata*
 Amazon Fan, B:581, 605
 Site 934, A:254–256, 258, 266
- Globorotalia hexagonus*
 Amazon Fan, B:359, 581
 Site 936, A:366
 Site 946, A:685
- Globorotalia inflata*, Amazon Fan, B:377
- Globorotalia menardii*
 Amazon Fan, B:354, 356, 359–360, 362–363, 580–581, 588, 605
 Site 930, A:96, 100
 Site 931, A:132, 138
 Site 932, A:186
 Site 933, A:211–212, 232
 Site 934, A:254–256, 258, 266
 Site 935, A:287, 289, 291, 310–312
 Site 936, A:340, 342–343, 365
 Site 937, A:394–395
 Site 938, A:419, 421–422, 433
 Site 939, A:447
 Site 940, A:473–474
 Site 941, A:517, 519, 526
 Site 942, A:550, 564
 Site 943, A:578
 Site 944, A:605–606
 Site 945, A:646, 648
 Site 946, A:669–670, 685
- Globorotalia* spp., Amazon Fan, B:376
- Globorotalia tosaensis*, Amazon Fan, B:354, 356
- Globorotalia truncatulinoides*
 Amazon Fan, B:307–315, 337, 339–342, 344, 349, 354, 358, 360, 377, 581
 Site 933, A:212
- Globorotalia truncatulinoides truncatulinoides*
 Zone, Amazon Fan, B:581
- Globorotalia tumida*
 Amazon Fan, B:283, 377, 580–581, 588, 605
 Site 930, A:96, 100
 Site 931, A:132, 138
 Site 932, A:183, 186
 Site 933, A:211–213, 232
 Site 934, A:254–256, 258, 266
 Site 935, A:287, 289, 291, 310–312
 Site 936, A:340, 342–343, 365
 Site 937, A:394–395
 Site 938, A:419, 421–422, 433
 Site 939, A:445, 447
 Site 940, A:473–474
 Site 941, A:517, 519, 526
 Site 942, A:550, 564
 Site 943, A:578
 Site 944, A:605–606, 625
 Site 945, A:646, 648
 Site 946, A:669–670, 685
- Globorotalia tumida flexuosa*
 Amazon Fan, B:359, 581, 588
 Site 931, A:132, 138
 Site 933, A:212–213
- Site 935, A:287, 289, 291, 310–312
 Site 936, A:340, 342–343, 365
 Site 941, A:517, 519, 526
 Site 942, A:550, 564
 Site 944, A:605–606, 625
 Site 946, A:685
- Globorotalia tumida/truncatulinoides*, Amazon Fan, B:377
- Gramineae
 Amazon Fan, B:384, 386, 391, 399, 669
 Site 930, A:100
 Site 931, A:137
 Site 932, A:186
 Site 935, A:291
 Site 936, A:343
 Site 940, A:473, 489
 Site 942, A:550
 Site 943, A:579
 Site 946, A:669
- Grammatidaceae, Site 946, A:669
- granulata*, *Aulacosira*, Amazon Fan, B:368
- granulata*, *Melosira*
 Site 932, A:186
 Site 937, A:395
 Site 939, A:447
 Site 941, A:517
- Grimsdalea magnaclavata*, Amazon Fan, B:384, 399
- Hedyosmum*, Amazon Fan, B:382, 384–385, 388, 398, 406, 411, 669
- Helicosphaera inversa*
 Site 935, A:286
 Site 936, A:340
- Helicosphaera kemptneri*, Site 932, A:183
- Helicosphaera* spp., Site 946, A:667
- hexagonus*, *Globorotalia*
 Amazon Fan, B:359, 581
 Site 936, A:366
 Site 946, A:685
- horrida*, *Cyathia*, Amazon Fan, B:399
- Humiria*, Amazon Fan, B:400–405
- huxleyi*, *Emiliania*
 Amazon Fan, B:354, 356, 580, 595–600, 605
 Site 932, A:183
 Site 935, A:281, 286
 Site 936, A:339–340
 Site 937, A:394
 Site 938, A:419
 Site 939, A:445
 Site 941, A:513
 Site 942, A:549–550; B:586
 Site 944, A:605
 Site 946, A:668
- Hybiscus*, Amazon Fan, B:400–405
- Hymenophyllum*, Site 936, A:343
- Ilex*, Amazon Fan, B:399, 411
- inflata*, *Globorotalia*, Amazon Fan, B:377
- inversa*, *Helicosphaera*
 Site 935, A:286
 Site 936, A:340
- Iriarteia*, Amazon Fan, B:384
- Juglans*, Amazon Fan, B:400–405
- kemptneri*, *Helicosphaera*, Site 932, A:183
- lacunosa*, *Pseudoemiliania*
 Amazon Fan, B:354, 356, 580, 595–600, 605
 Site 931, A:132
 Site 933, A:210
 Site 935, A:286–287
 Site 936, A:340

- Site 944, A:605
laevigata, *Cassidulina*, Amazon Fan, B:345, 350
lamarckiana, *Quinqueloculina*, Amazon Fan, B:345, 351
Laticarinina pauperata, Amazon Fan, B:347
Lepidium, Amazon Fan, B:400–405
leptoporus, *Cyclococcolithus*
 Site 937, A:394
 Site 938, A:419
 Site 939, A:445
 Site 942, A:550
lessonii, *Amphistegina*, Amazon Fan, B:345
Lophosoria, Amazon Fan, B:399
 Lycopodiidae
 Site 930, A:100
 Site 932, A:186

Mabea, Site 937, A:395
magnaclavata, *Grimsdalea*, Amazon Fan, B:384, 399
 Malpighiaceae, Amazon Fan, B:399
 Marantaceae, Amazon Fan, B:415
marginata, *Bulimina*
 Amazon Fan, B:344–345, 347–350
 Site 931, A:136
 Site 933, A:212
 Site 934, A:254
 Site 935, A:289
 Site 936, A:342
marina, *Nitzschia*, Site 938, A:421
Mauritia
 Amazon Fan, B:384, 387, 399
 Site 936, A:343
Mauritia flexuosa
 Site 934, A:254
 Melastomataceae, Amazon Fan, B:384–385, 399, 406
Melosira granulata
 Site 932, A:186
 Site 937, A:395
 Site 939, A:447
 Site 941, A:517
menardii, *Globorotalia*
 Amazon Fan, B:354, 356, 359–360, 362–363, 580–581, 588, 605
 Site 930, A:96, 100
 Site 931, A:132, 138
 Site 932, A:186
 Site 933, A:211–212, 232
 Site 934, A:254–256, 258, 266
 Site 935, A:287, 289, 291, 310–312
 Site 936, A:340, 342–343, 365
 Site 937, A:394–395
 Site 938, A:419, 421–422, 433
 Site 939, A:447
 Site 940, A:473–474
 Site 941, A:517, 519, 526
 Site 942, A:550, 564
 Site 943, A:578
 Site 944, A:605–606
 Site 945, A:646, 648
 Site 946, A:669–670, 685
Miliolinella spp., Site 941, A:517
minuta, *Stetsonia*, Amazon Fan, B:345
 monolete spores
 Site 930, A:100
 Site 931, A:137
 Site 932, A:186
 Site 935, A:291
 Site 936, A:343
 Site 937, A:395
 Site 938, A:421
 Site 940, A:473
 Site 941, A:517

 Site 942, A:550
 Site 943, A:579
 Site 944, A:606
 Site 946, A:669
 monosulcus pollen
 Site 935, A:291
 Site 936, A:343
 Site 937, A:395
 Site 938, A:421
 Site 939, A:447
 Moraceae, Amazon Fan, B:384–385, 413–415
 Myrtaceae, Amazon Fan, B:385, 399

Navicula sp., Site 931, A:137
Neogloboquadrina dutertrei, Amazon Fan, B:307–315, 337, 339–342, 344, 349, 354, 358, 360–361, 377, 517, 581
Nitzschia marina, Site 938, A:421
Nitzschia spp., Site 932, A:186
nodulifer, *Coscinodiscus*
 Site 938, A:421
 Site 941, A:517
nodulifera, *Azpeitia*, Amazon Fan, B:368
Notofagus, Amazon Fan, B:399

obliquiloculata, *Pulleniatina*
 Amazon Fan, B:111, 121, 129–130, 137–138, 140, 307–313, 315, 326–327, 337, 339–342, 344, 349, 354, 358, 360–362, 377, 581, 588, 596
 Site 930, A:97, 117; B:581
 Site 931, A:165; B:582
 Site 932, A:183, 189, 197; B:582
 Site 933, A:232; B:582
 Site 935, A:287, 291, 310–312; B:583
 Site 936, A:340–343, 366; B:584
 Site 937, A:394–395, 403
 Site 938, A:419, 433; B:585
 Site 939, A:445, 447, 457
 Site 940, A:473–474, 489
 Site 942, A:550, 564; B:586
 Site 943, A:578–579, 588
 Site 945, A:646, 648, 654
 Site 946, A:685
oceanica, *Gephyrocapsa*
 Site 935, B:582
 Site 937, A:394
 Site 938, A:419
 Site 939, A:445
 Site 940, A:473
oceanica/mullerae, *Gephyrocapsa*, Site 946, B:587
oestruppi, *Thalassiosira*, Amazon Fan, B:368
Orbulina spp., Amazon Fan, B:376
Orbulina universa, Amazon Fan, B:377
Oxandra, Amazon Fan, B:415

 Palmae
 Amazon Fan, B:384, 399
 Site 935, A:291
 Site 936, A:343
 Site 937, A:395
 Site 938, A:421
 Site 939, A:447
pauperata, *Laticarinina*, Amazon Fan, B:347
pelagicus, *Coccolithus*
 Site 934, A:250
 Site 935, A:283, 310
 Site 939, B:585
 Site 940, A:473
peregrina, *Uvigerina*, Site 936, B:350
 phytoliths, Amazon Fan, B:411–417
Pinus, Amazon Fan, B:399
Podocarpus, Amazon Fan, B:382–386, 388, 391–392, 398, 406, 411, 669
 Polypodiaceae, Amazon Fan, B:399
pontoni, *Fursenkoina*, Amazon Fan, B:345–346
Pontosphaera spp.
 Site 938, A:419
 Site 939, A:445
 Site 946, A:668
 Proteaceae
 Site 931, A:137
 Site 946, A:669
Pseudoemiliana lacunosa
 Amazon Fan, B:354, 356, 580, 595–600, 605
 Site 931, A:132
 Site 933, A:210
 Site 935, A:286–287
 Site 936, A:340
 Site 944, A:605
Pseudoenotia doliolus, Site 930, A:97
Pseudononion atlanticum, Amazon Fan, B:345–346, 351
Pulleniatina obliquiloculata
 Amazon Fan, B:111, 121, 129–130, 137–138, 140, 307–313, 315, 326–327, 337, 339–342, 344, 349, 354, 358, 360–362, 377, 581, 588, 596
 Site 930, A:97, 117; B:581
 Site 931, A:165; B:582
 Site 932, A:183, 189, 197; B:582
 Site 933, A:232; B:582
 Site 935, A:287, 291, 310–312; B:583
 Site 936, A:340–343, 366; B:584
 Site 937, A:394–395, 403
 Site 938, A:419, 433; B:585
 Site 939, A:445, 447, 457
 Site 940, A:473–474, 489
 Site 942, A:550, 564; B:586
 Site 943, A:578–579, 588
 Site 945, A:646, 648, 654
 Site 946, A:685
Pyrgo spp.
 Site 931, A:136
 Site 932, A:186
 Site 933, A:212
 Site 935, A:289
 Site 936, A:343
 Site 941, A:517

Quercus, Amazon Fan, B:400–406
Quinqueloculina bicostata, Amazon Fan, B:345
Quinqueloculina lamarckiana, Amazon Fan, B:345, 351
Quinqueloculina sp.
 Amazon Fan, B:344–345, 347–350
 Site 931, A:136
 Site 933, A:212
 Site 935, A:289
 Site 936, A:342
Quinqueloculina sp. A, Amazon Fan, B:345, 347, 350

refulgens, *Cibicides*, Amazon Fan, B:345
Reticulofenestra spp.
 Site 930, A:96
 Site 946, A:668
Rhizophora, Amazon Fan, B:399
 Rhizophoraceae
 Site 931, A:137
 Site 932, A:186
 Site 938, A:421
Rhizolenia sp., Site 931, A:137
Rhus, Amazon Fan, B:400–405
rotundiporus, *Verrucicarpites*, Amazon Fan, B:399
ruber, *Globigerinoides*

- Amazon Fan, B:129–130, 140, 282, 287–288, 294, 296, 307, 309–315, 320, 327–328, 337, 339–342, 344, 354, 358, 360–361, 377–378, 581, 601, 668
- Site 931, A:138
Site 932, B:284
Site 933, A:212–213
Site 936, A:340, 343, 364
- sacculifer*, *Globigerinoides*, Amazon Fan, B:143, 282, 285–286, 289–290, 292–293, 295, 297–302, 307, 309–315, 320, 327–328, 337, 339–342, 344, 349, 354, 358, 360–361, 596, 601, 668
- Sagittaria*, Amazon Fan, B:388
- Salix*, Site 940, A:473
- Sapium*, Amazon Fan, B:400–405
- Sapotaceae, Amazon Fan, B:399
- Scyphosphaera* spp.
Site 932, A:183
Site 938, A:419
Site 939, A:445
- semicarinata*, *Brizalina*, Amazon Fan, B:345–346
- Serjania*, Amazon Fan, B:385
- Spatiphyllum*, Amazon Fan, B:400–405
- Sphenolithus* sp., Site 930, A:96
- Spinozonolpites*, Amazon Fan, B:399
- Stainforthia complanata*, Amazon Fan, B:345–347, 350
- stephanocolpate pollen, Site 941, A:517
- stephanoporate pollen
Site 931, A:137
Site 932, A:186
Site 936, A:343
- Stetsonia minuta*, Amazon Fan, B:345
- striata*, *Cyclotella*, Amazon Fan, B:368
- striatula*, *Bolivina*
Site 931, A:136
Site 933, A:212
Site 935, A:289
Site 936, A:342
- subglobosa*, *Globocassidulina*, Amazon Fan, B:345, 351
- Symmeria*, Amazon Fan, B:384–385, 388
- Symplocos*, Amazon Fan, B:382, 385
- Thalassiosira oestruppi*, Amazon Fan, B:368
- Thelypteridaceae, Amazon Fan, B:399
- Thoracosphaera* spp.
Site 942, A:549
Site 946, A:667–668
- tosaensis*, *Globorotalia*, Amazon Fan, B:354, 356
- Tournefortia*, Amazon Fan, B:400–405
- Trema*, Amazon Fan, B:384–385
- trianguliformis*, *Echitriporites*, Amazon Fan, B:399
- tricolpate pollen
Site 931, A:137
Site 932, A:186
Site 936, A:343
Site 940, A:473
- Site 941, A:517
Site 942, A:550
Site 944, A:606
Site 946, A:669
- tricolporate pollen
Site 930, A:100
Site 931, A:137
Site 932, A:186
Site 935, A:291
Site 936, A:343
Site 937, A:395
Site 939, A:447
Site 940, A:473
Site 946, A:669
- trilete spores
Site 941, A:517
Site 942, A:550
Site 946, A:669
- trilobus*, *Globigerinoides*
Amazon Fan, B:282, 287, 307–315, 337, 339–342, 344, 349, 354, 358, 360–361, 377, 517, 581
Site 932, B:284
- triporate pollen
Site 931, A:137
Site 937, A:395
Site 939, A:447
- truncatulinoides*, *Globorotalia*
Amazon Fan, B:307–315, 337, 339–342, 344, 349, 354, 358, 360, 377, 581
Site 933, A:212
- tumida*, *Globorotalia*
Amazon Fan, B:283, 377, 580–581, 588, 605
Site 930, A:96, 100
Site 931, A:132, 138
Site 932, A:183, 186
Site 933, A:211–213, 232
Site 934, A:254–256, 258, 266
Site 935, A:287, 289, 291, 310–312
Site 936, A:340, 342–343, 365
Site 937, A:394–395
Site 938, A:419, 421–422, 433
Site 939, A:445, 447
Site 940, A:473–474
Site 941, A:515, 517, 519, 526
Site 942, A:550, 564
Site 943, A:578
Site 944, A:605–606, 625
Site 945, A:646, 648
Site 946, A:669–670, 685
- tumida flexuosa*, *Globorotalia*
Amazon Fan, B:359, 581, 588
Site 931, A:132, 138
Site 933, A:212–213
Site 935, A:287, 289, 291, 310–312
Site 936, A:340, 342–343, 365
Site 941, A:517, 519, 526
Site 942, A:550, 564
Site 944, A:605–606, 625
Site 946, A:685
- tumida/truncatulinoides*, *Globorotalia*, Amazon Fan, B:377
- universa*, *Orbulina*, Amazon Fan, B:377
- Unonopsis*, Amazon Fan, B:415
- Urticaceae, Amazon Fan, B:384–385
- Uvigerina peregrina*, Site 936, B:350
- Uvigerina* sp., Amazon Fan, B:338, 343, 349–351, 354, 359, 361
- Uvigerina* spp., Amazon Fan, B:599
Site 931, A:136
Site 932, A:186
Site 933, A:212
Site 935, A:289
Site 936, A:343
- vanraadshoovenii*, *Crassoretitriletes*, Amazon Fan, B:399
- Verrutricolporites rotundiporus*, Amazon Fan, B:399
- verus*, *Ahnpollenites*, Amazon Fan, B:384
- Virola*, Amazon Fan, B:400–405
- Weinmannia*, Amazon Fan, B:382, 400–406
- wuellerstorfi*, *Cibicides*, Amazon Fan, B:338, 341, 343, 345, 347, 349, 354, 359, 361, 599
- zones (with letter prefix)
A, Amazon Fan, B:399
B, Amazon Fan, B:399
C, Amazon Fan, B:399
CN14b, A:131–132, 209–210, 213, 281, 283, 286, 339–340, 550, 606, 669–670, 685–686; B:111, 137, 356, 358, 362, 364, 582, 587, 596–597
CN14b/CN15a boundary, Amazon Fan, B:356, 580, 582
CN15, A:281, 283, 286, 513
CN15a, A:132, 339, 364, 549, 668–670, 685–686; B:111, 137, 356, 358, 362, 364, 580, 581–582, 584, 587, 600
CN15b, A:131–132, 183, 209–210, 250, 281, 283, 286, 339, 394–395, 419, 421, 445, 447, 472–474, 579–580, 605–606, 646, 648; B:111, 586
D, Amazon Fan, B:399
E, Amazon Fan, B:399
F, Amazon Fan, B:399
G, Amazon Fan, B:399
W, A:550, 669
X, A:291, 342, 550
Y, A:211–213, 254, 291, 312, 340, 343, 394, 419, 421–422, 445, 515, 517, 519, 550, 579–580, 646, 648, 654, 669; B:581
Z, A:100, 138, 211–212, 254, 291, 340, 343, 394–395, 419, 421–422, 445, 447, 515, 517, 519, 550, 579–580, 646, 648, 654, 669
Z/Y boundary, A:97, 100, 117, 138, 183, 186, 340, 343, 395, 419, 421–422, 445, 447, 670; B:580–587