

## INDEX TO VOLUME 158

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 158 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, thin-section data, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub\_production@ODP.TAMU.EDU.

## VOLUME 158 SUBJECT INDEX

absorption, vs. velocity, B:348  
 accretion  
 neovolcanic zones, A:18–21  
 spreading centers, A:5–14  
 active zones, geology, A:18–19  
 age  
 sulfides, B:111–117  
 vs. uranium content, B:113–114  
 alteration fronts  
 geochemistry, B:265, 269–270, 289–293  
 photograph, A:200  
*See also* alteration halos; hydrothermal alteration  
 alteration halos  
 hydrothermal alteration, petrology, A:197  
 photograph, A:86, 91, 105, 121, 132, 162, 198;  
 B:246–249  
 rare earths, B:266  
 relation to veins, A:113–114  
*See also* alteration fronts; hydrothermal alteration  
 aluminum  
 hydrothermal mounds, B:370–380  
 phyllosilicates, B:242  
 sulfides and sediments, B:45  
 vs. calcium+sodium+potassium, B:242  
 aluminum oxide  
 basalts, B:217  
 hydrothermal clays, B:217  
 metabasaltic clasts, B:217  
 mineral separates, B:28–29, 94, 370–373  
 sulfides and sediments, B:43  
 vs. barium, B:263  
 vs. potassium oxide, B:263  
 vs. sodium oxide, B:263  
 vs. titanium oxide, B:263  
 vs. water content, B:264  
 Alvin hydrothermal zone  
 heat flow, A:23–29  
 hydrothermal fields, A:7–8, 16; B:391  
 amorphous deposits  
 hydrothermal fields, A:8  
*See also* silica, amorphous  
 anemones, hydrothermal fields, A:9  
 anhydrite  
 active zones, A:19  
 breccia, A:71, 73–79  
 fluid inclusions, B:178–190  
 geochemical section, B:366–367  
 geochemistry, B:46–70  
 hydrothermal fields, A:7–13; B:9–11, 13–17,  
 22, 42–46, 368–369  
 microthermometry, B:166–170  
 petrology, A:216, 219  
 photograph, A:78, 80, 86–87, 91, 95, 98, 100,  
 102–109, 147, 153, 156, 161, 215–217;  
 B:134, 147–149, 249  
 porosity vs. seismic velocity, B:313–327  
 precipitation, B:119–127, 307–308  
 rare earths, B:143–159  
 role in growth rate of mineralization, B:411  
 stable isotopes, B:85–90  
 stratigraphy, A:67–68  
 strontium and oxygen isotopes, B:129–141,  
 306–308  
 sulfur isotopes, B:19–20, 74–79  
 thermal properties, B:329–335  
 veins, A:68, 81–83, 86–87, 91, 95, 98,  
 100–109, 144, 211

*See also* breccia; clasts; veins  
 anhydrite, colloform, photograph, A:152  
 anhydrite, granular, photograph, A:74  
 anhydrite percentage, vs. compressional wave velocity, B:325  
 antimony  
 mineral separates, B:33  
 sulfides, B:37, 39  
 sulfides and sediments, B:45  
 vs. depth, B:54–55, 58, 60, 62  
 Argo-II, hydrothermal fields, A:16, 18–20  
 arsenic  
 element correlations, B:378–381, 384  
 mineral separates, B:33, 37, 39, 349, 370–376,  
 395  
 sulfides and sediments, B:44  
 vs. depth, B:54–55, 58, 60, 62, 374–376  
 atacamite, hydrothermal fields, A:8  
 Atlantis Fracture Zone, basalts, B:106  
 bacterial cells, nucleotides, B:358–359  
 banding, photograph, A:98–103; B:197  
 barium  
 mineral separates, B:30  
 sulfides and sediments, B:43, 45  
 vs. aluminum oxide, B:263  
 basalts  
 geochemistry, B:213–229, 269–270  
 hydrothermal alteration, A:160–163, 193,  
 194–199, 219  
 hydrothermal fields, A:7; B:231–254  
 lithology, A:202–205  
 magnetic susceptibility, B:347  
 osmium and rhenium, B:95–100  
 photograph, A:196  
 porosity vs. seismic velocity, B:313–327  
 silification and paragonitization, B:257,  
 263–264  
 thermal conductivity, B:332  
*See also* glasses; igneous rocks; olivine  
 basalts; pillow basalts  
 basalts, altered  
 geochemistry, B:281  
 petrology, A:150; B:301  
 photograph, A:116–117, 162, 197–199,  
 217–218; B:246–248  
 strontium and oxygen isotopes, B:302  
 basalts, aphyric, petrology, A:163–164  
 basalts, chloritized  
 geochemistry, B:267, 270–271, 290–291  
 photograph, B:246–248  
 rare earths, B:266  
 strontium and oxygen isotopes, B:302–308  
 trace elements, B:53–56, 264–266  
 vertical distribution, B:14–17, 237–238  
 basalts, mid-ocean ridge  
 geochemistry, B:307  
 lead isotopes, B:104–107  
 basalts, paragonitized  
 geochemistry, B:291–292  
 trace elements, B:53–56  
 basalts, paragonitized–silicified, geochemistry,  
 B:267  
 basalts, silicified  
 clasts, A:104–105, 107  
 geochemical section, B:367  
 photograph, A:126, 130  
 strontium and oxygen isotopes, B:302  
 vertical distribution, B:14–17, 22

base metals  
 hydrothermal mounds, B:370–380  
 stratigraphy, A:11–13  
*See also* metals; precious metals  
 basement  
 clasts, B:243–244  
 hydrothermal alteration, B:255–276, 289–293  
 bathymetry  
 hydrothermal fields, A:6–7, 16–18; B:6, 131  
 lead isotopes, B:105  
 benthic fauna, hydrothermal fields, A:8–9  
 beryllium  
 mineral separates, B:30  
 sulfides and sediments, B:45  
 biosphere, subsurface, slow-spreading ridges,  
 B:355–360  
 Black Smoker Complex  
 geochemical section, B:365–366  
 hydrothermal fields, A:7–8, 9–13, 18–19  
 lead isotopes, B:104–109  
 lithostratigraphy, B:232–236  
 petrology, A:199–200  
 sulfur isotopes, B:76  
 black smokers  
 age, B:113  
 fluid inclusions, B:395  
 geochemical section, B:365–366  
 geochemistry, B:51–52, 307  
 heat flow, A:25–27  
 hydrothermal fields, A:7, 9–10, 19; B:5–26  
 major and trace elements, B:51–56  
 rare earths in anhydrite, B:152, 157–158  
 relation to veins, A:113–114  
 seawater mixing, B:135–136  
 strontium and oxygen isotopes, B:129–141  
 sulfur isotopes, B:76  
*See also* Black Smoker Complex; Kremlin  
 white smoker field; white smokers  
 bornite, petrology, B:9–11, 14  
 breccia  
 clasts, A:73; B:243–244  
 hydrothermal fields, A:9–10, 12; B:11, 22–23,  
 42–46  
 mineralization, A:144  
 ores, B:411–412  
 osmium, B:99  
 photograph, A:70–71, 73–81, 152  
 rare earths in anhydrite, B:155–159  
 silica, A:79–81  
 stratigraphy, A:67–68  
 sulfides, A:103–104  
 sulfur isotopes, B:19–20, 74–79  
 thermal conductivity, B:332  
*See also* anhydrite; clasts; veins  
 breccia, anhydrite, composition, A:71, 73–79  
 breccia, basaltic, photograph, A:116–117, 131;  
 B:248  
 breccia, chert–sulfide  
 deposits, A:145  
 photograph, A:149  
 breccia, chloritized basalt  
 geochemistry, B:52  
 hydrothermal alteration, A:107–109, 113  
 photograph, A:116–120, 131–132; B:84  
 strontium and oxygen isotopes, B:302  
 breccia, massive pyrite, petrology, A:151–154  
 breccia, nodular  
 photograph, A:73, 75–77, 79–83, 91–92,  
 127–128

- pyrite, A:70–71, 73–74  
 breccia, nodular pyrite  
   petrology, A:158, 217, 219  
   photograph, A:125, 215  
 breccia, nodular pyrite-anhydrite  
   photograph, A:216; B:147, 177  
   tomography, B:204–205  
 breccia, nodular pyrite-silica  
   petrology, A:155, 158  
   photograph, A:156; B:177  
 breccia, paragonitized basalt, strontium and oxygen isotopes, B:302–308  
 breccia, pillow  
   geochemistry, B:269–270  
   photograph, B:246  
   rare earths, B:266  
 breccia, porous, photograph, A:73, 125  
 breccia, porous nodular pyrite, photograph, A:153  
 breccia, pyrite  
   geochemistry, B:52  
   magnetic susceptibility, B:347  
   mineralization, A:144  
   petrology, A:70–71, 212; B:394  
   photograph, A:73  
 breccia, pyrite-anhydrite  
   geochemistry, B:52  
   petrology, A:71, 73–75, 79, 212–213, 219; B:394  
   photograph, A:73–86, 127–128, 215, 217; B:26, 84  
   sulfides, B:194–195, 394  
   trace elements, B:53–58, 61–62  
 breccia, pyrite-anhydrite-silica, geochemistry, B:52  
 breccia, pyrite-quartz, photograph, B:26  
 breccia, pyrite-quartz-anhydrite, photograph, B:26  
 breccia, pyrite-silica  
   geochemistry, B:52  
   mineralization, A:144  
   petrology, A:79–81, 154, 183, 188–191, 214, 216; B:394  
   photograph, A:88–91, 115, 154–155, 185, 190–194, 215; B:84, 177, 251  
   tomography, B:205  
   trace elements, B:53–62  
 breccia, pyrite-silica-anhydrite  
   petrology, A:79, 155  
   photograph, A:87–88, 159  
   sulfides, B:194–195  
   tomography, B:205  
 breccia, silicified wallrock  
   geochemistry, B:52  
   hydrothermal alteration, A:105, 107  
   petrology, A:81, 154–155, 189, 216  
   photograph, A:92–97, 116, 130, 157–158, 161, 193, 195, 197, 218; B:84, 249, 252  
   strontium and oxygen isotopes, B:302–308  
   trace elements, B:53–56, 58–62  
 brecciation, photograph, A:109  
 bromine, mineral separates, B:33, 37, 39  
 cadmium  
   element correlations, B:379–381, 384  
   hydrothermal fields, A:10; B:370–373, 395  
   mineral separates, B:31  
   sulfides, A:93–94, 97–98, 156, 158–160, 172, 189–191  
   sulfides and sediments, B:44  
   vs. depth, A:195; B:53, 57, 59, 61, 374–376  
 calcium  
   element correlations, B:378–382  
   enrichment, B:377  
   fluid geochemistry, A:126, 140  
   hydrothermal mounds, B:370–380  
   mineral separates, B:94  
   sulfides, B:37, 39  
   sulfides and sediments, B:45  
   vs. depth, B:53, 57, 59, 61, 374–376  
   *See also* magnesium/calcium ratio;  
     strontium/calcium ratio  
 calcium+sodium+potassium, vs. aluminum, B:242  
 calcium oxide  
   basalts, B:217  
   hydrothermal clays, B:217  
   metabasaltic clasts, B:217  
   mineral separates, B:29  
   sulfides and sediments, B:43  
   vs. water content, B:264  
 calcium oxide/aluminum oxide ratio  
   vs. latitude, B:220  
   vs. magnesium oxide, B:224  
 cauliflower textures, photograph, A:182  
 cesium, mineral separates, B:32  
 chalcedony, photograph, A:147–148, 155, 180, 184–185  
 chalcopyrite  
   copper–iron–sulfur system, B:13  
   hydrothermal fields, A:7, 9–13; B:9–13, 194, 368–369, 395  
   lead isotopes, B:105–108  
   major and trace elements, B:36–39  
   mineralization, A:144, 211  
   paragenesis, B:194–195  
   photograph, A:79, 102–103, 114, 117, 123, 147, 151, 153, 155–156, 191–192, 194, 214–215, 217; B:147  
   stratigraphy, A:67–68  
   sulfur isotopes, B:17–21, 74–79  
   trace elements, B:36–39, 55–56  
 chalcopyrite, colloform, photograph, B:197  
 chalcopyrite, interstitial, photograph, A:74  
 chalcopyrite, massive, photograph, A:124  
 chalcopyrite percentage, vs. compressional wave velocity, B:325  
 chalcopyritization, breccia, B:177  
 chemoautotrophs, hydrothermal fields, A:9  
 chemosynthetic activity, hydrothermal fields, A:8–9  
 chert  
   geochemistry, B:52  
   hydrothermal alteration, A:162  
   hydrothermal fields, A:9–11; B:7–11  
   photograph, A:81, 149–150, 158  
   stratigraphy, A:142–144  
   vertical distribution, B:14–17  
 chert, red, Cyprus-type deposits, B:409  
 chert, red and gray deposits  
   lithology, A:145, 147–148, 150–151, 155  
   petrology, A:171–172, 179–180, 184–186, 188  
   photograph, A:179–183, 187  
 chimneys  
   active zones, A:18–19  
   hydrothermal fields, A:7; B:379–381  
 chloride, fluid geochemistry, A:126, 173  
 chlorite  
   hydrothermal alteration, A:161, 197  
   hydrothermal fields, A:9–10; B:14, 236–241, 368–369  
   photograph, A:132, 198–199, 201; B:246–249, 254  
   strontium isotopes, B:306–308  
 chlorite-smectite mixture  
   petrology, B:240–241  
   photograph, B:247  
   *See also* clay minerals; mixed-layer minerals  
 chlorite volume percent, vs. oxygen isotopes, B:290  
 chloritization  
   geochemistry, B:271–273, 290–291  
   hydrothermal alteration, A:162–163  
   hydrothermal fields, A:10, 12; B:264–267, 269–270  
   oxygen isotopes, B:293  
   photograph, A:132, 200; B:248, 254  
 chromium  
   basalts, B:218  
   hydrothermal clays, B:218  
   metabasaltic clasts, B:218  
   mineral separates, B:30  
 clasts  
   breccia, A:70–71, 73–74; B:74–79  
   hydrothermal alteration petrology, A:193, 194–199, 220  
   hydrothermal fields, A:9–10  
   origin, B:243–244  
   petrology, A:79–81  
   photograph, A:73, 76–77, 81–83, 88–89, 91–92, 115–116, 123, 126, 130–132, 154–157, 181, 185, 187–188, 190–192, 195–197, 215–217; B:147, 248  
   silicification and paragonitization, B:257, 263–264  
   silicified basalt, A:104–105, 107  
   stratigraphy, A:67–68, 142–144  
   sulfides, A:103–104  
   *See also* anhydrite; breccia; veins  
 clasts, basaltic, photograph, A:92, 116, 118, 130; B:200, 249–253  
 clasts, chert, vertical distribution, B:14–17  
 clasts, metabasaltic, geochemistry, B:217–218, 221  
 clasts, silicified  
   hydrothermal alteration, A:160–163  
   strontium and oxygen isotopes, B:302–308  
 clay minerals  
   hydrothermal alteration, A:108; B:239–241, 277–284, 368–369  
   mineralogy and chemical composition, B:277–284  
   photograph, A:131  
   *See also* phyllosilicates and individual clay minerals  
 clays, hydrothermal, geochemistry, B:215, 217–220  
 clinopyroxene  
   fractional crystallization, B:220–225  
   *See also* olivine-clinopyroxene-quartz system  
 cobalt  
   distribution in massive sulfides, B:405  
   element correlations, B:378–381, 384–385  
   mineral separates, B:30, 33, 37, 39, 370–376  
   pyrite, B:12  
   sulfides, B:19  
   sulfides and sediments, B:44  
   vs. copper, B:398  
   vs. depth, B:54, 56, 58, 60, 62, 374–376  
   vs. selenium, B:398  
   vs. water content, B:265  
 colloform textures  
   hydrothermal fields, A:12  
   photograph, A:107, 114, 124, 182; B:197  
 compressional wave velocity  
   breccia, A:117, 136, 164, 167, 221  
   mineralization, B:319–325  
   vs. anhydrite percentage, B:325  
   vs. bulk density, B:322  
   vs. depth, A:137; B:321  
   vs. porosity, A:137  
   vs. shear wave velocity, B:324  
   vs. sulfides (pyrite+chalcopyrite) percentage, B:325

- vs. total porosity, B:323  
*See also* seismic velocity; ultrasonic data
- compressional wave velocity, ultrasonic, vs. depth, B:321–322
- conduction  
 heat flow, A:23–29  
*See also* thermal conductivity
- convection, hydrothermal fields, A:8
- copper  
 distribution in massive sulfides, B:405  
 element correlations, B:65, 378–381, 384  
 enrichment, B:377  
 hydrothermal fields, A:9–10; B:370–380, 395, 397  
 mineral separates, B:30, 94  
 pyrite, B:12  
 sphalerite, B:13  
 sulfides, A:93–94, 97–98, 156, 158–160, 172  
 sulfides and sediments, B:44  
 vs. cobalt, B:398  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376  
 vs. water content, B:265  
 vs. zinc, B:398  
 zonation, B:397  
*See also* zinc/copper ratio
- copper–iron sulfides, hydrothermal fields, A:8
- copper–iron–sulfur system, chalcopyrite, B:13
- copper/iron ratio  
 sulfides, A:97–98, 158  
 vs. depth, A:129
- core barrels, motor-driven, A:31–35
- coring, systems, A:31–35
- correlation coefficients  
 hydrothermal mounds, B:52, 63–65  
*See also* element correlations; partition coefficient; principal component analysis; statistical analysis
- covellite, petrology, B:9–11, 14
- crusts  
 hydrothermal fields, A:7, 10  
 sulfides, A:101–103
- crystal chemistry  
 anhydrite, B:122–124  
 phyllosilicates, B:241
- crystal growth, photograph, A:99–101
- Curie temperature  
 magnetism, B:345  
*See also* magnetic properties
- Cyprus  
 comparison of massive sulfides with, B:390, 398–404  
 massive sulfides, B:78
- Cyprus-type deposits, comparison of massive sulfides with Trans-Atlantic Geotraverse, A:12; B:195, 389–415
- demagnetization  
 discrete samples, B:340–344  
*See also* Koenigsberger ratio
- demagnetization, alternating-field  
 equal-area projection, A:223  
 sulfides, A:121–122, 139–140, 166–167  
 vectors, A:168, 207, 222
- demagnetization, thermal, sulfides, A:121–122, 139
- density, tomography, B:203–204
- density, bulk  
 breccia, B:208  
 vs. compressional wave velocity, B:322  
 vs. depth, A:135, 138, 166, 206, 220  
 vs. porosity, A:135, 166, 206, 221
- density, grain  
 breccia, B:208
- vs. depth, A:135, 138, 166, 206, 220  
 density, wet-bulk, vs. depth, A:136, 138, 165, 172, 222
- digenite, petrology, B:9–11, 14
- dip, vs. depth, A:113
- dissolution  
 clasts, B:243–244  
 textures, B:195
- dissolution cavities, photograph, A:92, 115
- DNA extraction, subsurface biosphere, B:356
- East Pacific Rise, geochemical comparison with Trans-Atlantic Geotraverse, B:380–381
- electron microscopy, subsurface biosphere, B:356–359
- element correlations  
 hydrothermal mounds, B:52, 63–65  
*See also* correlation coefficients; partition coefficient; principal component analysis; statistical analysis
- enrichment, subsurface biosphere, B:356–359
- erosion, gossan, B:409–410
- eupropium  
 anhydrite, B:150–159  
 vs. depth, B:156  
 vs. gadolinium, B:158  
 vs. lanthanum/ytterbium ratio, B:158
- extension, active mounds, A:19–20
- fault systems  
 hydrothermal fields, A:6, 12–13  
 neovolcanic zones, A:18–21
- faults, listric, active mounds, A:19–20
- fluid–rock interactions, hydrothermal systems, B:97–99, 195
- fluid evolution  
 anhydrite precipitation, B:123–124  
 oxygen isotopes, B:292–293
- fluid flow  
 geochemistry, B:88–89  
 hydrothermal mounds, B:124  
 porosity, B:324, 326  
 spreading centers, A:5–14  
*See also* Kuster–Tokoz theory; permeability; porosity
- fluid inclusions  
 anhydrite, B:123  
 geochemistry, B:88–89  
 photograph, B:178, 182, 252  
 temperature, B:163–190, 395  
*See also* microthermometry; temperature
- fluid mixing  
 anhydrite, B:119–127, 187–189  
 chlorite and smectite, B:283  
 oxygen isotopes, B:137–138, 306–308
- fluids, geochemistry, A:123–124, 126–127, 168–169, 173–174
- formation factor, breccia, A:136
- fractional crystallization, basalts, B:220–225, 228–229
- fractures  
 photograph, A:85, 93, 183, 185; B:197  
 textures, B:195
- fracturing  
 clasts, B:243–244  
*See also* hydrofracturing
- frost heave, clasts, B:243–244
- gadolinium, vs. europium, B:158
- gallium  
 mineral separates, B:32  
 vs. depth, B:54, 58, 60, 62
- gamma rays, vs. depth, A:136, 138, 165, 172, 222
- geochemical section, Trans-Atlantic Geotraverse, B:363–387
- geochemistry  
 basalts, B:213–229  
 basement, B:255–276  
 fluids, A:123–124, 126–127, 168–169, 173–174  
 hydrothermal clays, B:215, 217–220  
 hydrothermal mounds, B:47–70  
 igneous rocks, A:163, 199–200  
 massive sulfides and sediments, B:41–46  
 shipboard samples, B:27–39  
 statistical analysis, B:376–381  
 sulfides, A:93–94, 97–98, 155–159, 172, 189–191, 216–219; B:19–20
- geochemistry, bulk, hydrothermal mounds, B:367, 370–376, 395–397
- geochronology  
 hydrothermal fields, A:8  
 sulfides, B:111–117  
*See also* time scales
- geology  
 hydrothermal fields, A:16–18  
 Trans-Atlantic Geotraverse, A:6–8
- geomagnetic excursions, magnetism, B:349
- germanium, mineral separates, B:370–373
- glass shards, photograph, A:132
- glasses  
 petrology, A:199–200  
 photograph, A:196, 201; B:248
- glasses, banded, photograph, A:150
- glasses, chloritized, strontium and oxygen isotopes, B:302
- goethite  
 hydrothermal fields, A:8  
 nucleotides, B:357, 359
- gold  
 element correlations, B:65, 395  
 mineral separates, B:33, 36, 39  
 sulfides, A:158–159  
 sulfides and sediments, B:46  
 vs. depth, B:54–55, 58, 60, 62  
 zonation, B:397
- gold, native, hydrothermal fields, B:14
- gossan  
 development, B:409–410  
 hydrothermal fields, A:7
- grabens. *See* rift valleys
- grabens, axial, active zones, B:380–381
- grade  
 zonation, B:397–398, 409  
*See also* tonnage
- growth bands, photograph, B:197–199
- growth models, hydrothermal mounds, B:405–406, 408
- growth rate, mineralization, B:411
- hafnium, mineral separates, B:32
- heat flow  
 active mounds, A:19–20, 23–29; B:307  
 conduction, A:23–29  
*See also* thermal conductivity
- heat transfer, massive sulfides, B:332–334
- hematite  
 hydrothermal alteration, A:161  
 hydrothermal fields, A:8; B:9–11, 14, 368–369  
 photograph, A:101, 156, B:246
- holohyaline textures  
 petrology, A:199–200  
 photograph, A:200
- haloclastite  
 hydrothermal alteration, A:161  
 photograph, A:132, 161, 193
- hybridization, subsurface biosphere, B:356–359
- hydrofracturing

- clasts, B:243–244  
*See also* fracturing
- hydrogeology, active mounds, A:19–21
- hydrothermal alteration
- basement, B:255–276
  - distribution, B:407–409
  - sequence, B:241–243, 266, 268, 307
  - sulfides, A:103–109, 113–114
  - TAG-2 area, A:160–163
  - TAG-4 area, A:193–199
  - TAG-5 area, A:219–220
- See also* alteration fronts; alteration halos; basalts, altered; breccia, silicified wallrock; chalcopyritization, breccia; chloritization; pyritization; silicification; wallrock alteration
- hydrothermal circulation, spreading centers, A:5–14
- hydrothermal fields
- lead isotopes, B:105–108
  - tectonics, A:6–8
- hydrothermal fluids
- fluid inclusions, B:187–188
  - geochemistry, B:88–89
  - osmium isotopes, B:97–98
  - rare earths in anhydrite, B:152–155
- hydrothermal mound–stockwork complexes, development, B:404–410
- hydrothermal mounds
- active zones, A:18–19; B:231–254
  - anhydrite precipitation, B:119–127
  - comparison of massive sulfides of Cyprus-type and Trans-Atlantic Geotraverse, B:389–415
- geochemical section, B:363–387
- geochemistry, B:47–70
- growth and evolution, B:21–23, 405–408
- heat flow, A:23–29
- hydrothermal fields, A:7–8
- oxygen isotopes, B:129–141
- petrology, B:5–26
- stratigraphy, A:11–13, 67–68; B:14–17
- strontium and oxygen isotopes, B:297–309
- structure and morphology, A:15–21; B:392–394
- sulfur isotopes, B:71–84
- hydrothermal systems
- comparison of sulfur isotopes, B:77–79
  - redox, B:98–99
  - spreading centers, A:5–14
- hydrothermal vents, subsurface biosphere, B:356–359
- hysteresis
- breccia, B:341, 343–344
  - See also* magnetic properties; remanent magnetization
- iddingsite, photograph, A:162
- igneous rocks
- geochemistry, A:163, 199–200
  - petrology, A:163, 199–200
  - See also* basalts; glasses; olivine basalts; pillow basalts
- illite(?), hydrothermal alteration, A:108
- inclusions
- photograph, A:74, 115, 131, 153, 183–184, 190
  - pyrite, B:195
- index properties
- breccia, A:163–165, 205, 220–221
  - mineralization, B:313–315
  - silicified iron oxides, A:173
  - sulfides, A:115–120, 135, 220
- indium
- mineral separates, B:31, 370–373
- vs. depth, B:54, 58, 60, 62
- interstitial waters, geochemistry, A:173
- ions, fluids, A:124, 126–127, 140, 169, 173–174
- iridium, mineral separates, B:33
- iron
- basalts, B:217
  - clay minerals, B:281–282
  - element correlations, B:378–381
  - hydrothermal clays, B:217
  - mineral separates, B:33, 36, 38, 94, 370–376
  - sphalerite, B:13
  - sulfides, A:93–94, 97–98, 156, 158–160, 172
  - sulfides and sediments, B:44
  - vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
  - vs. silica, B:263
- See also* copper–iron–sulfur system; copper/iron ratio; zinc/iron ratio
- iron/(iron+magnesium) ratio, vs. silicon, B:242
- iron oxides
- clay minerals, B:280–282
  - deposits, A:145, 156, 158
  - geochemistry, B:52
  - hydrothermal fields, A:7
  - metabasaltic clasts, B:217
  - mineral separates, B:29
  - osmium and rhenium, B:95–100
  - petrology, A:184, 190
  - photograph, A:147–151, 157, 180, 186–187, 195
  - sulfides and sediments, B:43
  - vs. magnesium oxide, B:283
  - vs. water content, B:264
- See also* hematite; magnetite
- iron oxides, silicified, petrology, A:172
- iron oxyhydroxides
- geochemical section, B:366–367
  - hydrothermal fields, A:7; B:7–11, 14, 236–239, 368–369
  - photograph, A:157; B:246
- iron sulfides
- hydrothermal fields, A:8; B:9
  - See also* copper–iron sulfides
- isotope equilibrium, geochemistry, B:88–89
- isotopes. *See* stable isotopes
- Juan de Fuca Ridge, thermal properties
- comparison with Trans-Atlantic Geotraverse, B:329–335
- Kane Fracture Zone, basalts, B:106
- Koenigsberger ratio
- breccia, A:221–222; B:342
  - sulfides, A:167
  - See also* demagnetization; magnetic properties
- Kremlin white smoker field
- geochemical section, B:366
  - geochemistry, B:52
  - hydrothermal fields, A:8
  - lead isotopes, B:104–109
  - major and trace elements, B:52, 57–59
  - stratigraphy, A:142–144; B:232–236
  - sulfur isotopes, B:76–77
  - See also* white smokers
- Kuster–Tokoz theory
- fluid flow, B:324, 326
  - See also* fluid flow
- lanthanum, sulfides and sediments, B:45
- lanthanum/samarium ratio
- basalts, B:218
  - hydrothermal clays, B:218
  - metabasaltic clasts, B:218
- vs. latitude, B:221
- lanthanum/ytterbium ratio
- anhydrite, B:154
  - vs. europium, B:158
- lead
- element correlations, B:378–381, 384
  - mineral separates, B:31, 370–376
  - sulfides, petrology, A:93–94, 97–98, 156, 158–160, 189–191; B:106–107
  - sulfides and sediments, B:44
  - vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
- lead isotopes
- comparison of Trans-Atlantic Geotraverse with North Atlantic MORB, B:104–107
  - mineralization, B:101–109
- lead–210, sulfides, B:111–117
- lepidocrocite, photograph, B:246
- lherzolite. *See* spinel lherzolite
- lithology
- stratigraphy, A:67–68, 142–144, 177–178; B:232–236, 286–288, 298–301
  - sulfides, A:210–211
  - vs. depth, A:70–71
- loss on ignition
- basalts, B:215, 217–218
  - hydrothermal clays, B:217–218
  - metabasaltic clasts, B:217–218
  - mineral separates, B:29
  - sulfides and sediments, B:43
- magnesium
- anhydrite, B:121–124, 133–135
  - clay minerals, B:281–283
  - fluid geochemistry, A:126, 140, 173
  - See also* iron/(iron+magnesium) ratio
- magnesium/calcium ratio
- anhydrite, B:121–124, 133–135
  - vs. depth, B:125, 135
- magnesium number, basalts, B:215
- magnesium oxide
- clay minerals, B:280–282
  - mineral separates, B:29, 94
  - sulfides and sediments, B:43
  - vs. calcium oxide/aluminum oxide ratio, B:224
  - vs. iron oxide, B:283
  - vs. sodium oxide, B:224
  - vs. water content, B:264
- magnetic anisotropy, minerals, B:349
- magnetic inclination, vs. depth, A:139, 167; B:342
- magnetic intensity
- sulfides, A:121–122
  - vs. depth, A:139, 167; B:342
- magnetic properties
- cores, A:207
  - TAG-5 area, A:223; B:337–351
  - See also* Curie temperature; hysteresis; Koenigsberger ratio; remanent magnetization
- magnetic susceptibility
- breccia, B:340
  - silicified iron oxides, A:173
  - sulfides, A:122, 167–168
  - vs. temperature, B:347
- magnetic susceptibility, anisotropy, sulfides, A:168
- magnetic susceptibility, low-field, breccia, B:342–343
- magnetic susceptibility, volume vs. depth, A:136, 138, 140, 165, 169, 172, 222
- magnetic, magnetic properties, B:349–350
- major elements
- basalts, B:215–216, 218, 222, 224

- basalts and clasts, B:259  
 clay minerals, B:279–284  
 hydrothermal alteration, B:27–39, 49–63,  
 94–96  
 hydrothermal mounds, B:367, 370–376
- manganese  
 hydrothermal mounds, B:370–373  
 sulfides and sediments, B:44  
*See also* nodules, manganese
- manganese oxide  
 hydrothermal fields, A:7  
 mineral separates, B:29  
 sulfides and sediments, B:43
- mantle, geochemistry, B:225
- marcasite  
 hydrothermal fields, A:10; B:9–11, 13, 194,  
 368–369  
 photograph, A:149, 181–183, 189, 217; B:198  
 sulfur isotopes, B:17–19
- marcasite, colloform, photograph, A:152, 184,  
 187–188
- marcasite, massive, colloform, photograph, A:181
- mass wasting  
 hydrothermal fields, A:8  
 neovolcanic zones, A:18–21
- massive deposits  
 stratigraphy, A:67–68  
*See also* sulfides, massive
- melting  
 mantle, B:225  
*See also* partial melting
- mercury, mineral separates, B:33
- metabasalts, geochemistry, B:217–218, 221
- metals  
 hydrothermal fields, A:93–94, 97–98; B:395,  
 397, 412  
*See also* base metals; precious metals, and  
 individual metals
- microbial cells, nucleotides, B:357–359
- microlites  
 petrology, A:163, 200; B:236  
 photograph, A:132, 162; B:246
- microorganisms, subsurface biosphere, B:356–359
- microphenocrysts  
 photograph, B:246  
*See also* phenocrysts
- microthermometry  
 anhydrite precipitation, B:122–123  
 fluid inclusions, B:166–170, 182–183  
*See also* fluid inclusions; temperature
- Mid-Atlantic Ridge  
 basalts, B:104–107, 213–229  
 hydrothermal systems, A:5–14  
 sulfides, B:193–210
- mid-ocean ridges, hydrothermal fields, A:5–14
- mid-ocean ridges, slow-spreading, subsurface  
 biosphere, B:355–360
- mineral abundance, tomography, B:201–210
- mineral separates, major elements, B:27–39
- mineralization  
 hydrothermal fields, A:9–10; B:6–7, 21–22,  
 195, 201–210  
 lead isotopes, B:101–109  
 pyrite, A:178, 211  
 remanent magnetization, B:337–351  
 stratigraphy, A:68  
 sulfides, A:144  
*See also* ores; precious metals; sulfides
- mineralization, hydrothermal  
 lateral variations, B:17  
 petrology, B:5–26, 307
- mineralogy  
 geochemical section, B:366–367, 394–395  
 sulfides, A:72
- Mir hydrothermal zone, hydrothermal fields,  
 A:7–8; B:391
- mixed-layer minerals  
 petrology, B:240–241  
*See also* chlorite-smectite mixture; clay  
 minerals
- molybdenum  
 element correlations, B:384  
 mineral separates, B:31, 33, 37, 39, 370–376  
 sulfides and sediments, B:44  
 vs. depth, B:54, 56, 58, 60, 62, 374–376
- morphology, neovolcanic zones, A:18–21
- Mossbauer spectra  
 magnetism, B:345  
 velocity vs. absorption, B:348
- mud  
 hydrothermal fields, A:9–10  
 stratigraphy, A:142–144
- neodymium, anhydrite, B:150–152
- neodymium/ytterbium ratio  
 anhydrite, B:153  
 vs. depth, B:156
- neovolcanic zones  
 hydrothermal fields, A:16–18  
*See also* numbered zones
- Newfoundland, massive sulfides, B:79
- nickel  
 distribution in massive sulfides, B:405  
 mineral separates, B:30, 37, 39  
 sulfides and sediments, B:44  
 vs. water content, B:265
- niobium  
 mineral separates, B:32  
 sulfides and sediments, B:45
- nodules, manganese, lead isotopes, B:105
- nontronite, hydrothermal fields, A:7
- Northern Hemisphere Reference Line, sulfides,  
 B:105
- Notre Dame Bay, massive sulfides, B:79
- nucleotides  
 goethite, B:357, 359  
*See also* polynucleotides
- olivine  
 basalts, B:214–215  
 fractional crystallization, B:220–225  
 petrology, A:200  
 photograph, A:120, 130, 162, 199; B:246
- olivine basalts, lithology, A:202–205
- olivine-clinopyroxene-quartz system,  
 pseudoternary projections, B:221
- Oman  
 comparison of massive sulfides with  
 Trans-Atlantic Geotraverse, B:390,  
 404, 407  
 massive sulfides, B:79
- ooze, hydrothermal fields, A:7
- opal  
 chimneys, B:381–382  
*See also* quartz; silica
- ophiolite, comparison of Cyprus-type massive  
 sulfides with Trans-Atlantic Geotraverse,  
 B:399–404
- ores  
 distribution, B:400–403  
 tonnage, B:397–398  
*See also* mineralization
- osmium isotopes, hydrothermal mounds,  
 B:91–100
- oxidation. *See* redox
- oxides, magnetism, B:345
- oxygen isotopes  
 anhydrite and sulfides, B:85–90
- buffering by hydrothermal circulation,  
 B:138–139
- chloritization, B:293
- fluid mixing, B:137–138, 306–308
- hydrothermal mounds, B:129–141, 285–295,  
 297–309
- paragonitization, B:292
- vs. chlorite volume percent, B:290
- vs. depth, B:86, 135
- vs. strontium-87/strontium-86 ratio, B:138,  
 305
- vs. sulfur isotopes, B:87
- oxygen isotopes, quartz, vs. depth, B:291
- paleomagnetism  
 hydrothermal fields, A:10–11; B:337–351
- TAG-1 area, A:120–123
- TAG-2 area, A:166–168
- TAG-4 area, A:201–203
- TAG-5 area, A:221–223
- See also* remanent magnetization
- palladium, sulfides and sediments, B:46
- paragenesis  
 hydrothermal alteration, B:241–243, 266, 268  
 pyrite-chalcopyrite, B:194–195
- paragonite  
 composition, B:237–241, 291–293  
 photograph, B:248–253  
 vertical distribution, B:14–17, 237–241
- paragonitization  
 basalts and clasts, B:257, 263–264  
 geochemistry, B:270–273, 291–293  
 oxygen isotopes, B:292  
 photograph, B:249–254
- partial melting  
 basalts, B:220–225, 228–229  
*See also* melting
- partition coefficient  
 anhydrite, B:122–124  
 strontium/calcium ratio, B:136–137  
 vs. precipitation temperature, B:139  
 vs. strontium-87/strontium-86 ratio, B:139  
*See also* correlation coefficients; element  
 correlations
- partition coefficient, magnesium, vs. depth, B:126
- partition coefficient, strontium, vs. depth, B:126
- partitioning, strontium, B:122–123
- permeability  
 fluid flow, B:324, 326  
*See also* fluid flow; porosity
- petrography  
 breccia, A:68–93  
 hydrothermal alteration, B:9–10, 42, 236–239  
 magnetism, B:345  
 tomography, B:203–204
- petrology  
 hydrothermal mineralization, B:5–26  
 igneous rocks, A:163, 199–200  
 sulfides, A:68–93, 95–96, 98–114, 144–155,  
 157, 159–160, 171–172, 178–189,  
 191–193, 212–216, 219
- phase relationships  
 textures, B:195  
 vs. pressure, B:174
- phenocrysts  
 petrology, A:200  
 photograph, A:120, 199  
*See also* microphenocrysts
- phosphate, fluid geochemistry, A:168–169
- phosphorus oxide  
 mineral separates, B:29, 94  
 sulfides and sediments, B:43
- phylosilicates  
 hydrothermal alteration, A:193; B:239–241

- photograph, A:196, 200–201  
*See also* clay minerals; illite; smectite
- phylosilicates, sodium-rich, hydrothermal alteration, B:14
- physical properties
- hydrothermal fields, A:10–11
  - Site 957, A:114–120
  - sulfides, B:205, 208–209
  - TAG-1 area, A:114–120
  - TAG-2 area, A:163–166
  - TAG-3 area, A:172–173
  - TAG-4 area, A:200–201
  - TAG-5 area, A:220–221
  - vs. thermal conductivity, B:332
- See also* index properties
- pillow basalts
- hydrothermal fields, A:7, 12; B:237, 265–267
  - petrology, A:163, 199–200
  - photograph, B:246–249
- See also* basalts; glasses; olivine basalts
- pillow rim
- chemical composition, B:281
  - hydrothermal alteration, A:198–199
  - photograph, A:200–201
- plagioclase
- basalts, B:214–215
  - fractional crystallization, B:220–225
  - petrology, A:163
  - photograph, A:132, 162, 254
- platinum, sulfides and sediments, B:46
- polychaetes, hydrothermal fields, A:9
- polynucleotides
- goethite, B:357, 359
  - See also* nucleotides
- pore geometry, aspect ratio, B:326
- porosity
- mineralization, B:316
  - models, B:318, 321–324
  - tomography, B:203–204
  - vs. bulk density, A:135, 166, 206, 221
  - vs. compressional wave velocity, A:137
  - vs. seismic velocity, B:313–327
  - vs. thermal conductivity, B:333
  - See also* fluid flow; permeability
- porosity, total, vs. compressional wave velocity, B:323
- potassium, fluid geochemistry, A:126
- potassium oxide
- mineral separates, B:29, 94
  - sulfides and sediments, B:43
  - vs. aluminum oxide, B:263
- precious metals
- sulfides and sediments, B:46
  - See also* base metals; gold; metals; palladium; platinum
- precipitates, thermal properties, B:329–335
- pressure, confining, vs. seismic velocity, B:323–325
- principal component analysis
- geochemistry, B:376–381
  - See also* correlation coefficients; element correlations; statistical analysis
- propylitization, clasts, B:243–244
- pseudomorphs, photograph, A:162; B:248
- pyrite
- breccia, A:70–71, 73–81
  - clasts, B:243–244
  - geochemistry, B:12, 42–46
  - hydrothermal fields, A:7, 9–13; B:9–12, 14–17, 21–23, 237–239, 366–367, 392–393
  - lead isotopes, B:105–108
  - magnetic properties, B:349–350
  - major and trace elements, B:36–39
  - mineralization, A:144, 178, 211
  - osmium and rhenium, B:95–100
  - paragenesis, B:194–195
  - petrology, A:216, 219
  - photograph, A:147, 156–157, 197; B:148–149, 247–249
  - stratigraphy, A:67–68, 142–144
  - sulfur isotopes, B:17–21, 74–79
  - thermal conductivity, B:332–334
  - trace elements, B:36–39, 55–56
  - pyrite, anhedral, photograph, B:198
  - pyrite, brecciated, photograph, A:84–87
  - pyrite, colloform
    - lithology, A:178
    - photograph, A:152, 184, 188; B:197  - pyrite, disseminated, photograph, A:90, 94, 97, 123, 131–132, 157, 179–180, 183, 185, 187, 217–218
  - pyrite, euhedral, photograph, A:148, 153, 181–185, 187, 189, 194, 214–215, 197–200, 251
  - pyrite, fine-grained, photograph, A:152, 158
  - pyrite, granular, photograph, A:74, 184
  - pyrite, massive
    - geochemistry, B:52
    - petrology, A:180, 182–183, 188, 190, 212
    - photograph, A:73, 114, 116, 121, 123–124, 126, 151, 155, 185, 190
    - trace elements, B:53–60
    - See also* sulfides, massive  - pyrite, massive, colloform, photograph, A:181
  - pyrite, massive, granular
    - petrology, A:69–70
    - photograph, A:184, 190–191, 215  - pyrite, nodular, photograph, A:92, 125
  - pyrite percentage, vs. compressional wave velocity, B:325
  - pyrite, polycrystalline, photograph, A:184
  - pyrite, porous
    - lithology, A:178
    - photograph, A:124–125  - pyrite, porous, massive
    - petrology, A:172
    - photograph, A:149, 152, 181–183, 187, 189, 214  - pyrite, recrystallized, photograph, A:74
  - pyrite, siliceous, photograph, A:116
  - pyrite, spheroidal, photograph, A:149
  - pyritization
    - hydrothermal fields, A:10
    - photograph, A:86, 91, 98, 103, 105, 109, 121, 218, 249–253  - pyrrhotite
    - magnetic properties, B:349–350
    - petrology, B:9–11, 14
    - photograph, A:117

quartz

    - breccia, A:74, 79–81
    - chimneys, B:381–382
    - fluid inclusions, B:178
    - geochemical section, B:366–367
    - hydrothermal alteration, A:199
    - hydrothermal fields, A:8; B:9–11, 13–17, 22–23, 195, 237–239, 368–369
    - microthermometry, B:166–170
    - oxygen isotopes, B:291, 304–306
    - petrology, A:216
    - photograph, A:96–97, 115, 130–131, 154, 156–157, 180, 185, 191, 194, 197, 218; B:200, 251–253
    - stratigraphy, A:67–68
    - veins, A:68, 144
    - See also* olivine–clinopyroxene–quartz

system; opal; silica

quartz bands, photograph, A:196

quartz, colloform-banded, photograph, A:97

quartz, euhedral, photograph, A:88, 90, 93, 97, 117

quartz, interstitial, photograph, A:74

radium-226/uranium-234, age, B:115

rare earths

    - alteration halos, B:266
    - altered basaltic clasts, B:264
    - anhydrite, B:143–159
    - basalts, B:215–216, 219–220, 222–223, 225
    - basalts and clasts, B:261–262
    - chloritized basalts, B:266
    - hydrothermal clays, B:219
    - mantle, B:225
    - mineral separates, B:34–35
    - pillow breccias, B:266
    - standard reference materials, B:276
    - variation diagrams, B:219

recrystallization

    - photograph, A:74, 123; B:198, 200
    - textures, B:194–195

redox

    - hydrothermal systems, B:98–99
    - relic zones, hydrothermal fields, A:7

remagnetization, chemical, minerals, B:349–350

remanent magnetization

    - sulfides, A:121–122; B:337–351
    - vs. temperature, B:346
    - See also* hysteresis; magnetic properties; paleomagnetism

remanent magnetization, anhysteretic, breccia, B:343

remanent magnetization, natural, breccia, B:340–342

replacement textures, sulfides, A:103–104

resistivity, breccia, A:117, 136, 164, 167, 221

rhodium, hydrothermal mounds, B:91–100

rift valleys

    - neovolcanic zones, A:16–18
    - See also* grabens

*Rimicaris exoculata*, hydrothermal fields, A:9

rock magnetics

    - breccia, A:201–201; B:343–345
    - sulfides, A:167–168

rubidium, mineral separates, B:32, 37, 39

salinity

    - fluid geochemistry, A:124, 168–169
    - fluid inclusions, B:179–190
    - vs. depth, B:173, 186

samarium. *See* lanthanum/samarium ratio

sand

    - hydrothermal fields, A:9–10
    - stratigraphy, A:142–144

scandium

    - mineral separates, B:30
    - sulfides and sediments, B:45

seafloor spreading, neovolcanic zones, A:18

seawater, osmium isotopes, B:97–98

seawater mixing, black smokers, B:135–136

sediments

    - geochemistry, B:41–46
    - lead isotopes, B:105

sediments, metalliferous

    - Cyprus-type deposits, B:409
    - hydrothermal fields, A:7–8

seismic velocity

    - vs. confining pressure, B:323–325
    - vs. porosity, B:313–327
    - See also* compressional wave velocity; shear wave velocity; ultrasonic data

- selenium  
 element correlations, B:378–381, 384–385  
 mineral separates, B:33, 37, 39, 370–376  
 sulfides, B:19–20, 22  
 vs. cobalt, B:398  
 vs. depth, B:54, 56, 58, 60, 62, 374–376
- selvage  
 photograph, A:86, 103, 105, 108, 120, 130, 156, 217–218; B:198–200, 248  
 textures, B:194–195
- Semail Massif, comparison of massive sulfides with Trans-Atlantic Geotraverse, B:390, 404, 407
- shear wave velocity  
 orthogonal in massive sulfides, B:325  
 vs. compressional wave velocity, B:324
- shrimps, hydrothermal fields, A:9
- sidescan imagery, backscatter, neovolcanic zones, A:16–18
- silica  
 basalts, B:217  
 breccia, A:79–81  
 clay minerals, B:280–282  
 element correlations, B:378–382  
 fluid geochemistry, A:124, 168–169, 173  
 geochemistry, B:46–70  
 hydrothermal clays, B:217  
 hydrothermal fields, A:8–10; B:7, 11, 21–22, 42–46, 370–380  
 metabasaltic clasts, B:217  
 mineral separates, B:28–29, 94  
 photograph, A:80–81, 191  
 stratigraphy, A:67–68  
 vs. depth, B:53, 57, 59, 61, 374–376  
 vs. iron, B:263  
 vs. water content, B:264  
 zonation, B:397  
*See also* opal; quartz
- silica, amorphous  
 hydrothermal mounds, B:368–369  
 petrology, B:9–11, 14  
 photograph, A:150, 180
- silica, gray  
 deposits, A:145  
 photograph, A:148
- silicification  
 basalts and clasts, B:257, 263–264  
 geochemistry, B:270–273  
 hydrothermal alteration, A:219  
 hydrothermal fields, A:10, 12  
 petrology, A:193, 194–199  
 photograph, A:218, 131; B:249–253
- silicon  
 enrichment, geochemistry, B:377  
 phyllosilicates, B:242  
 vs. iron/(iron+magnesium) ratio, B:242
- silver  
 element correlations, B:384  
 hydrothermal fields, A:9–10; B:370–373, 395  
 mineral separates, B:31, 33, 36, 39  
 sphalerite, B:13  
 sulfides  
 petrology, A:93–94, 97–98, 156, 158–160, 172, 189–191  
 sulfides and sediments, B:44  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61
- Site 957, A:65–223  
 clay minerals, B:277–278  
 coring, A:32–33  
 fluid geochemistry, A:123–124, 126–127, 168–169, 173–174
- geochemistry of shipboard samples, B:27–39
- hydrothermal alteration, A:104–109, 113–114, 160–163, 193–199, 219–220; B:6–7, 256–257
- hydrothermal fields, A:9  
 igneous geochemistry, A:163, 200  
 igneous petrology, A:163, 199–200  
 operations, A:55–62  
 paleomagnetism, A:120–123, 166–168, 201–202, 221–223  
 physical properties, A:114–120, 163–166, 172–173, 200–201, 220–221  
 site description, A:65–223  
 stratigraphy, A:67–68, 142–144, 177–178, 210–212; B:232–236  
 structural data, A:110–112  
 sulfide geochemistry, A:93–94, 97–98, 155–156, 158, 172, 189–191, 216–219  
 sulfide petrology, A:68–93, 95–96, 98–114, 144–155, 157, 159–160, 171–172, 178–189, 191–193, 212–216, 219
- smectite  
 geochemistry, B:280–281  
 petrology, B:240–241  
 photograph, A:162, 199  
*See also* chlorite-smectite mixture  
 snails, buccinid, hydrothermal fields, A:9
- Snakepit, geochemical comparison with Trans-Atlantic Geotraverse, B:379–380
- sodium  
 mantle, B:225  
 sulfides, B:37, 39  
 sulfides and sediments, B:45
- sodium oxide  
 mineral separates, B:29, 94  
 sulfides and sediments, B:43  
 vs. aluminum oxide, B:263  
 vs. latitude, B:220  
 vs. magnesium oxide, B:224  
 vs. water content, B:264
- soils, clasts, B:243–244
- spectrometry, magnetism, B:345
- sphalerite  
 composition, B:395  
 geochemistry, B:13  
 hydrothermal fields, A:7; B:9–13, 21, 194, 368–369, 394–395  
 lead isotopes, B:105–108  
 mineralization, A:144  
 photograph, A:74, 115, 123, 147, 149–151, 181, 189, 214; B:197–199  
 stratigraphy, A:142–144
- spinel lherzolite, partial melting, B:220–225, 228–229
- spreading centers, hydrothermal circulation, A:5–14
- stable isotopes  
 anhydrite and sulfides, B:85–90  
*See also* oxygen isotopes
- standard reference materials, geochemistry, B:275
- statistical analysis  
 geochemistry, B:376–381  
*See also* correlation coefficients; element correlations; principal component analysis
- stockwork zones  
 basement, B:255–276  
 comparison of Cyprus-type massive sulfides with Trans-Atlantic Geotraverse, B:389–415  
 hydrothermal alteration, B:130–132, 232–254, 269–270, 285–295, 298–301  
 mineralization, A:178  
 petrology, A:163  
 stratigraphy, A:11–13, 68  
 structure, B:393  
 sulfides, A:103–104
- sulfur isotopes, B:71–84
- stockwork zones, subseafloor, development, B:406–407, 412
- stratigraphy  
 hydrothermal fields, A:11–13; B:14–17  
 Site 957, A:67–68  
 TAG-2 area, A:142–144  
 TAG-4 area, A:177–178  
 TAG-5 area, A:210–212
- strontium  
 anhydrite, B:121–124, 133–137, 139–140  
 basalts, B:218  
 element correlations, B:378–382  
 hydrothermal clays, B:218  
 mantle, B:225  
 metabasaltic clasts, B:218  
 mineral separates, B:30, 37, 39, 370–376  
 sulfides and sediments, B:43, 45  
 vs. depth, B:374–376  
 vs. strontium-87/strontium-86 ratio, B:304  
 vs. water content, B:265
- strontium/calcium ratio  
 anhydrite, B:121–124, 133–137, 139  
 partition coefficients, B:136–137  
 vs. depth, B:125, 135  
 vs. strontium-87/strontium-86, B:136
- strontium-87/strontium-86 ratio  
 vs. anhydrite partition coefficients, B:139  
 vs. depth, B:124, 135  
 vs. oxygen isotopes, B:138, 305  
 vs. strontium, B:304  
 vs. strontium/calcium ratio, B:136
- strontium isotopes  
 anhydrite, B:121–124  
 anhydrite and sulfides, B:88–90  
 hydrothermal mounds, B:129–141, 297–309  
 vs. depth, B:303
- subvariolitic textures  
 photograph, B:251–253  
*See also* variolitic textures
- sulfate reduction, geochemistry, B:20, 89
- sulfates  
 fluid geochemistry, A:126, 140  
 hydrothermal circulation, B:138–139  
 porosity vs. seismic velocity, B:313–327  
 stable isotopes, B:85–90  
 sulfur isotopes, B:74–79  
 thermal properties, B:329–335
- sulfide percentage, vs. compressional wave velocity, B:325
- sulfides  
 age, B:111–117  
 composition, A:218  
 geochemistry, A:93–94, 97–98, 155–159, 172, 189–191, 216–219; B:19–20  
 heat flow, A:25–27; B:333–334  
 hydrothermal alteration, petrology, A:199  
 hydrothermal fields, A:7, 9–13, 19; B:9–11, 14–17  
 index properties, A:115–120  
 lead isotopes, B:101–109  
 mineralogy, A:72  
 petrology, A:68–93, 95–96, 98–114, 144–155, 157, 159–160, 171–172, 178–189, 191–193, 212–216, 219  
 photograph, A:117  
 porosity vs. seismic velocity, B:317–326  
 stable isotopes, B:85–90  
 sulfur isotopes, B:17–21, 74–79  
 textures, B:193–210  
 thermal properties, B:329–335  
*See also* bornite; chalcopyrite; copper–iron sulfides; covellite; digenite; marcasite; mineralization; pyrite; pyrrhotite;

sphalerite; zinc sulfides  
 sulfides, massive  
 comparison between Cyprus-type and Trans-Atlantic Geotraverse deposits, A:145–146, 148–149, 151  
 geochemical section, B:366–367, 379–385  
 geochemistry, B:41–46  
 hydrothermal fields, A:12; B:9, 11  
 osmium and rhenium, B:95–100  
 photograph, B:84  
 stratigraphy, A:142–144  
 tomography, B:206–207  
*See also* massive deposits; pyrite, massive  
 sulfides, porous, geochemical section, B:366–367  
 sulfides, seafloor, comparison of sulfur isotopes, B:77–79  
 sulfur  
 element correlations, B:378–381  
 mineral separates, B:29, 94, 370–376  
 sources in sulfides, B:86–87  
 sphalerite, B:13  
 sulfides, A:93–94, 97–98, 158–159, 172  
 sulfides and sediments, B:43  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376  
*See also* copper–iron–sulfur system  
 sulfur isotopes  
 anhydrite and sulfides, B:85–90  
 histograms in sulfides and sulfates, B:75  
 hydrothermal mounds, B:71–84, 404, 406  
 models, B:79–82  
 spatial distributions, B:76–77  
 sulfides, B:17–21, 47–70  
 vs. depth, B:69, 86  
 vs. oxygen isotopes, B:87  
 vs. textures, B:76, 81

TAG. *See* Trans-Atlantic Geotraverse

TAG-1 area  
 altered basalt clasts, B:264–265  
 fluid geochemistry, A:123–124, 126–127  
 geochemical section, B:365–374  
 hydrothermal fields, A:9  
 major and trace elements, B:51–56  
 paleomagnetism, A:120–123  
 physical properties, A:114–120  
 rare earths in anhydrite, B:145–150, 153, 157–158  
 site description, A:65–140  
 stratigraphy, A:67–68  
 sulfide geochemistry, A:93–94, 97–98  
 sulfide petrology, A:68–93, 95–96, 98–114  
 sulfur isotopes, B:76

TAG-2 area  
 altered basalt clasts, B:265  
 fluid geochemistry, A:168–169  
 geochemical section, B:366, 370–375  
 hydrothermal alteration, A:160–163  
 hydrothermal fields, A:9–10  
 igneous petrology and geochemistry, A:163  
 major and trace elements, B:52, 57–59  
 paleomagnetism, A:166–168  
 physical properties, A:163–166  
 rare earths in anhydrite, B:145–150, 153–154, 158  
 site description, A:141–169  
 stratigraphy, A:142–144  
 sulfide geochemistry, A:155–159  
 sulfide petrology, A:144–155, 157, 159–160  
 sulfur isotopes, B:76–77

TAG-3 area  
 fluid geochemistry, A:173–174  
 geochemical section, B:366  
 hydrothermal fields, A:10

physical properties, A:172–173  
 site description, A:171–174  
 sulfide geochemistry, A:172  
 sulfide petrology, A:171–172

TAG-4 area  
 altered basalt clasts, B:265–266  
 geochemical section, B:366, 370–376  
 hydrothermal alteration, A:193–199  
 hydrothermal fields, A:10  
 igneous petrology and geochemistry, A:199–200  
 major and trace elements, B:52, 59–60  
 paleomagnetism, A:201–203  
 physical properties, A:200–201  
 site description, A:175–207  
 stratigraphy, A:177–178  
 sulfide geochemistry, A:189–191  
 sulfide petrology, A:178–189, 191–193  
 sulfur isotopes, B:77

TAG-5 area  
 geochemical section, B:366, 370–374, 376  
 hydrothermal alteration, A:219–220  
 hydrothermal fields, A:10  
 major and trace elements, B:52, 61–62  
 paleomagnetism, A:221–223  
 physical properties, A:220–221  
 rare earths in anhydrite, B:145–150, 154  
 site description, A:209–223  
 stratigraphy, A:210–212  
 sulfide geochemistry, A:216–219  
 sulfide petrology, A:212–216, 219  
 sulfur isotopes, B:77  
 talc, hydrothermal alteration, B:241  
 tantalum, mineral separates, B:32  
 tectonic dips, lava extrusion, B:348  
 tectonics  
 hydrothermal mounds, A:15–21  
 Trans-Atlantic Geotraverse, A:6–8

temperature  
 anhydrite precipitation, B:122–123  
 fluid inclusions, B:163–190  
 mineralization, B:307–308  
 sulfides, B:116  
 vs. depth, A:28; B:185, 291  
 vs. salinity, B:185  
 vs. time, A:28  
*See also* fluid inclusions; microthermometry

temperature, homogenization, vs. depth, B:172, 184

temperature, precipitation, vs. partition coefficients for anhydrite, B:139–140

temperature, trapping  
 black smokers, B:395  
 vs. depth, B:171–172, 185  
*See also* fluid inclusions; microthermometry

terraces, neovolcanic zones, A:18–21

textures  
 sulfides, B:193–210  
 X-ray computed tomography, B:201–210  
*See also* cauliflower textures; colloform textures; holohyaline textures; subvariolitic textures; variolitic textures

thallium  
 mineral separates, B:31  
 vs. depth, B:54, 58, 60, 62

thermal conductivity  
 breccia, A:117, 137, 164–167, 221; B:208–209  
 massive sulfides, tomography, B:205, 208–209  
 precipitates, B:329–334  
 vs. depth, A:138  
 vs. physical properties, B:332  
 vs. porosity, B:333  
*See also* conduction; convection; heat flow

thermal properties, precipitates, B:329–335  
 thin sections, sulfides, B:203–204

thorium  
 mineral separates, B:32  
 sulfides and sediments, B:44

thorium-230/uranium-234, sulfides, B:111–117

thorium-232, sulfides, B:112

time scales  
 hydrothermal mounds, B:124  
*See also* geochronology

tin  
 mineral separates, B:33, 370–373  
 sulfides and sediments, B:45

titanium  
 hydrothermal mounds, B:370–380  
 mantle, B:225  
 sulfides and sediments, B:43, 45

titanium oxide  
 mineral separates, B:28–29, 94  
 sulfides and sediments, B:43  
 vs. aluminum oxide, B:263

titano-magnetite, petrology, A:200

tomography, textures, B:201–210

tonnage  
 ores, B:397–398, 410  
*See also* grade

trace elements  
 anhydrite, B:121–124, 143–159  
 basalts, B:215–216, 219–220, 222–223, 225  
 basalts and clasts, B:260  
 clay minerals, B:280–284  
 element correlations, B:65  
 hydrothermal alteration, B:27–39, 49–63  
 sulfides, B:21–22, 46–70, 396

Trans-Atlantic Geotraverse  
 age of sulfides, B:111–117  
 basalts, B:213–229  
 biosphere, B:355–360  
 clay minerals, B:277–284  
 comparison with Cyprus-type massive sulfides, B:389–415  
 fluid inclusions, B:163–190  
 fluid mixing, B:119–127  
 geochemical section, B:363–387  
 geochemistry, B:41–70, 255–276  
 geology, A:6–8  
 heat flow, A:23–29  
 hydrothermal mounds, A:15–21; B:231–254  
 hydrothermal systems, A:5–14  
 lead isotopes, B:101–109  
 magnetic properties of cores, B:337–351  
 osmium isotopes, B:91–100  
 oxygen isotopes, B:285–295  
 petrology, B:5–26  
 rare earths, B:143–159  
 seismic velocity–porosity relationship, B:313–327  
 stable isotopes, B:85–90  
 strontium and oxygen isotopes, B:129–141, 297–309  
 sulfides, B:193–210  
 sulfur isotopes, B:71–84

tectonics, A:6–8

thermal properties comparison with middle valley of Juan de Fuca Ridge, B:329–335

thermal properties of precipitates, B:329–335  
*See also* Black Smoker Complex; black smokers; Kremlin white smoker field; TAG-1 area; TAG-2 area; TAG-3 area; TAG-4 area; TAG-5 area

Troodos Massif, comparison of massive sulfides with Trans-Atlantic Geotraverse, B:390, 398–404

- tungsten, mineral separates, B:33
- ultrasonic data  
mineralization, B:314–315  
*See also* seismic velocity
- upflow, hydrothermal, localization, A:19–20
- uranium  
mineral separates, B:32–33, 37, 39  
sulfides and sediments, B:44  
*See also* radium-226/uranium-234; thorium-230/uranium-234
- uranium-238, sulfides, B:112
- vanadium  
mineral separates, B:30  
sulfides and sediments, B:45  
vs. water content, B:265
- variolites, photograph, B:247
- variolitic textures  
photograph, A:200–201  
*See also* subvariolitic textures
- veinlets, photograph, A:181
- veins  
hydrothermal alteration, A:196–199, 108–109, 161  
petrology, B:11–12, 14–17  
photograph, A:148, 157–158, 161, 181, 185, 197, 217–218; B:247–251
- quartz, A:144  
rare earths in anhydrite, B:155–159
- sulfides, A:211  
sulfur isotopes, B:19–21, 76  
textures, B:195  
thermal conductivity, B:332  
variations with depth, A:81–83, 89  
*See also* breccia; clasts
- veins, anhydrite  
petrology, A:68, 81–83, 211; B:22, 392  
photograph, A:75–76, 86, 91, 98–109, 120; B:84, 147–149
- veins, chlorite, photograph, A:118
- veins, crustiform–banded, photograph, A:98–103
- veins, pyrite–anhydrite, photograph, A:93
- veins, pyrite–quartz  
lithology, A:178  
photograph, A:118–120, 122, 130
- velocity  
vs. absorption, B:348  
*See also* compressional wave velocity; seismic velocity; shear wave velocity
- vents, hydrothermal fields, A:8
- vesicles, photograph, A:116, 200
- volcanic domes, hydrothermal fields, A:7
- vugs  
hydrothermal alteration, A:108  
photograph, A:92, 100, 121, 158, 192
- wallrock alteration  
hydrothermal fields, A:9–10, 12  
stratigraphy, A:67–68
- water content  
vs. major oxides, B:264  
vs. trace elements, B:265
- weathering, gossan, B:409–410
- white smokers  
geochemical section, B:366  
hydrothermal fields, A:8–10; B:307  
lead isotopes, B:104–109  
major and trace elements, B:52, 57–59  
rare earths in anhydrite, B:152, 158  
sulfur isotopes, B:76–77  
*See also* black smokers; Kremlin white smoker field
- X-ray computed tomography, textures, B:201–210
- X-ray diffraction data, hydrothermal alteration, A:133–134
- X-ray fluorescence data  
basalts, A:204  
mud, A:163–164
- ytterbium. *See* lanthanum/ytterbium ratio; neodymium/ytterbium ratio
- yttrium, vs. zirconium, B:263
- zinc
- basalts, B:215, 217  
clay minerals, B:280, 283  
distribution in massive sulfides, B:405
- element correlations, B:65, 382–384
- enrichment, geochemistry, B:377
- hydrothermal clays, B:217
- hydrothermal fields, A:9–13; B:367, 370–379, 395, 397
- metabasaltic clasts, B:217
- mineral separates, B:30, 33, 36–37, 39, 94
- pyrite, B:12
- sphalerite, B:13
- sulfides, A:93–94, 97–98, 156, 158–160, 189–191
- sulfides and sediments, B:44
- vs. copper, B:398
- vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
- vs. water content, B:265
- zonation, B:397
- zinc/copper ratio  
sulfides, A:97–98, 158  
vs. depth, A:129
- zinc/iron ratio  
sulfides, A:97–98, 158
- zinc sulfides, hydrothermal fields, A:8
- zirconium  
basalts, B:218  
hydrothermal clays, B:218  
mantle, B:225  
metabasaltic clasts, B:218  
mineral separates, B:32  
sulfides and sediments, B:43  
vs. yttrium, B:263
- zonation, hydrothermal alteration, B:11, 395, 397, 412
- Zone 1, neovolcanic zones, A:16–18
- Zone 2, neovolcanic zones, A:16–18
- Zone 3, neovolcanic zones, A:16–18
- Zone 4, neovolcanic zones, A:16–18