

## INDEX TO VOLUME 158

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 158 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, thin-section data, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: [pub\\_production@ODP.TAMU.EDU](mailto:pub_production@ODP.TAMU.EDU).

## VOLUME 158 SUBJECT INDEX

- absorption, vs. velocity, B:348
- accretion  
 neovolcanic zones, A:18–21  
 spreading centers, A:5–14
- active zones, geology, A:18–19
- age  
 sulfides, B:111–117  
 vs. uranium content, B:113–114
- alteration fronts  
 geochemistry, B:265, 269–270, 289–293  
 photograph, A:200  
*See also* alteration halos; hydrothermal alteration
- alteration halos  
 hydrothermal alteration, petrology, A:197  
 photograph, A:86, 91, 105, 121, 132, 162, 198;  
 B:246–249  
 rare earths, B:266  
 relation to veins, A:113–114  
*See also* alteration fronts; hydrothermal alteration
- aluminum  
 hydrothermal mounds, B:370–380  
 phyllosilicates, B:242  
 sulfides and sediments, B:45  
 vs. calcium+sodium+potassium, B:242
- aluminum oxide  
 basalts, B:217  
 hydrothermal clays, B:217  
 metabasaltic clasts, B:217  
 mineral separates, B:28–29, 94, 370–373  
 sulfides and sediments, B:43  
 vs. barium, B:263  
 vs. potassium oxide, B:263  
 vs. sodium oxide, B:263  
 vs. titanium oxide, B:263  
 vs. water content, B:264
- Alvin hydrothermal zone  
 heat flow, A:23–29  
 hydrothermal fields, A:7–8, 16; B:391
- amorphous deposits  
 hydrothermal fields, A:8  
*See also* silica, amorphous
- anemones, hydrothermal fields, A:9
- anhydrite  
 active zones, A:19  
 breccia, A:71, 73–79  
 fluid inclusions, B:178–190  
 geochemical section, B:366–367  
 geochemistry, B:46–70  
 hydrothermal fields, A:7–13; B:9–11, 13–17,  
 22, 42–46, 368–369  
 microthermometry, B:166–170  
 petrology, A:216, 219  
 photograph, A:78, 80, 86–87, 91, 95, 98, 100,  
 102–109, 147, 153, 156, 161, 215–217;  
 B:134, 147–149, 249  
 porosity vs. seismic velocity, B:313–327  
 precipitation, B:119–127, 307–308  
 rare earths, B:143–159  
 role in growth rate of mineralization, B:411  
 stable isotopes, B:85–90  
 stratigraphy, A:67–68  
 strontium and oxygen isotopes, B:129–141,  
 306–308  
 sulfur isotopes, B:19–20, 74–79  
 thermal properties, B:329–335  
 veins, A:68, 81–83, 86–87, 91, 95, 98,  
 100–109, 144, 211
- See also* breccia; clasts; veins
- anhydrite, colloform, photograph, A:152
- anhydrite, granular, photograph, A:74
- anhydrite percentage, vs. compressional wave  
 velocity, B:325
- antimony  
 mineral separates, B:33  
 sulfides, B:37, 39  
 sulfides and sediments, B:45  
 vs. depth, B:54–55, 58, 60, 62
- Argo-II, hydrothermal fields, A:16, 18–20
- arsenic  
 element correlations, B:378–381, 384  
 mineral separates, B:33, 37, 39, 349, 370–376,  
 395  
 sulfides and sediments, B:44  
 vs. depth, B:54–55, 58, 60, 62, 374–376
- atacamite, hydrothermal fields, A:8
- Atlantis Fracture Zone, basalts, B:106
- bacterial cells, nucleotides, B:358–359
- banding, photograph, A:98–103; B:197
- barium  
 mineral separates, B:30  
 sulfides and sediments, B:43, 45  
 vs. aluminum oxide, B:263
- basalts  
 geochemistry, B:213–229, 269–270  
 hydrothermal alteration, A:160–163, 193,  
 194–199, 219  
 hydrothermal fields, A:7; B:231–254  
 lithology, A:202–205  
 magnetic susceptibility, B:347  
 osmium and rhenium, B:95–100  
 photograph, A:196  
 porosity vs. seismic velocity, B:313–327  
 silicification and paragonitization, B:257,  
 263–264  
 thermal conductivity, B:332  
*See also* glasses; igneous rocks; olivine  
 basalts; pillow basalts
- basalts, altered  
 geochemistry, B:281  
 petrology, A:150; B:301  
 photograph, A:116–117, 162, 197–199,  
 217–218; B:246–248  
 strontium and oxygen isotopes, B:302
- basalts, aphyric, petrology, A:163–164
- basalts, chloritized  
 geochemistry, B:267, 270–271, 290–291  
 photograph, B:246–248  
 rare earths, B:266  
 strontium and oxygen isotopes, B:302–308  
 trace elements, B:53–56, 264–266  
 vertical distribution, B:14–17, 237–238
- basalts, mid-ocean ridge  
 geochemistry, B:307  
 lead isotopes, B:104–107
- basalts, paragonitized  
 geochemistry, B:291–292  
 trace elements, B:53–56
- basalts, paragonitized–silicified, geochemistry,  
 B:267
- basalts, silicified  
 clasts, A:104–105, 107  
 geochemical section, B:367  
 photograph, A:126, 130  
 strontium and oxygen isotopes, B:302  
 vertical distribution, B:14–17, 22
- base metals  
 hydrothermal mounds, B:370–380  
 stratigraphy, A:11–13  
*See also* metals; precious metals
- basement  
 clasts, B:243–244  
 hydrothermal alteration, B:255–276, 289–293
- bathymetry  
 hydrothermal fields, A:6–7, 16–18; B:6, 131  
 lead isotopes, B:105
- benthic fauna, hydrothermal fields, A:8–9
- beryllium  
 mineral separates, B:30  
 sulfides and sediments, B:45
- biosphere, subsurface, slow-spreading ridges,  
 B:355–360
- Black Smoker Complex  
 geochemical section, B:365–366  
 hydrothermal fields, A:7–8, 9–13, 18–19  
 lead isotopes, B:104–109  
 lithostratigraphy, B:232–236  
 petrology, A:199–200  
 sulfur isotopes, B:76
- black smokers  
 age, B:113  
 fluid inclusions, B:395  
 geochemical section, B:365–366  
 geochemistry, B:51–52, 307  
 heat flow, A:25–27  
 hydrothermal fields, A:7, 9–10, 19; B:5–26  
 major and trace elements, B:51–56  
 rare earths in anhydrite, B:152, 157–158  
 relation to veins, A:113–114  
 seawater mixing, B:135–136  
 strontium and oxygen isotopes, B:129–141  
 sulfur isotopes, B:76  
*See also* Black Smoker Complex; Kremlin  
 white smoker field; white smokers
- bornite, petrology, B:9–11, 14
- breccia  
 clasts, A:73; B:243–244  
 hydrothermal fields, A:9–10, 12; B:11, 22–23,  
 42–46  
 mineralization, A:144  
 ores, B:411–412  
 osmium, B:99  
 photograph, A:70–71, 73–81, 152  
 rare earths in anhydrite, B:155–159  
 silica, A:79–81  
 stratigraphy, A:67–68  
 sulfides, A:103–104  
 sulfur isotopes, B:19–20, 74–79  
 thermal conductivity, B:332  
*See also* anhydrite; clasts; veins
- breccia, anhydrite, composition, A:71, 73–79
- breccia, basaltic, photograph, A:116–117, 131;  
 B:248
- breccia, chert–sulfide  
 deposits, A:145  
 photograph, A:149
- breccia, chloritized basalt  
 geochemistry, B:52  
 hydrothermal alteration, A:107–109, 113  
 photograph, A:116–120, 131–132; B:84  
 strontium and oxygen isotopes, B:302
- breccia, massive pyrite, petrology, A:151–154
- breccia, nodular  
 photograph, A:73, 75–77, 79–83, 91–92,  
 127–128

- pyrite, A:70–71, 73–74
- breccia, nodular pyrite  
petrology, A:158, 217, 219  
photograph, A:125, 215
- breccia, nodular pyrite–anhydrite  
photograph, A:216; B:147, 177  
tomography, B:204–205
- breccia, nodular pyrite–silica  
petrology, A:155, 158  
photograph, A:156; B:177
- breccia, paragonitized basalt, strontium and oxygen isotopes, B:302–308
- breccia, pillow  
geochemistry, B:269–270  
photograph, B:246  
rare earths, B:266
- breccia, porous, photograph, A:73, 125
- breccia, porous nodular pyrite, photograph, A:153
- breccia, pyrite  
geochemistry, B:52  
magnetic susceptibility, B:347  
mineralization, A:144  
petrology, A:70–71, 212; B:394  
photograph, A:73
- breccia, pyrite–anhydrite  
geochemistry, B:52  
petrology, A:71, 73–75, 79, 212–213, 219; B:394  
photograph, A:73–86, 127–128, 215, 217; B:26, 84  
sulfides, B:194–195, 394  
trace elements, B:53–58, 61–62
- breccia, pyrite–anhydrite–silica, geochemistry, B:52
- breccia, pyrite–quartz, photograph, B:26
- breccia, pyrite–quartz–anhydrite, photograph, B:26
- breccia, pyrite–silica  
geochemistry, B:52  
mineralization, A:144  
petrology, A:79–81, 154, 183, 188–191, 214, 216; B:394  
photograph, A:88–91, 115, 154–155, 185, 190–194, 215; B:84, 177, 251  
tomography, B:205  
trace elements, B:53–62
- breccia, pyrite–silica–anhydrite  
petrology, A:79, 155  
photograph, A:87–88, 159  
sulfides, B:194–195  
tomography, B:205
- breccia, silicified wallrock  
geochemistry, B:52  
hydrothermal alteration, A:105, 107  
petrology, A:81, 154–155, 189, 216  
photograph, A:92–97, 116, 130, 157–158, 161, 193, 195, 197, 218; B:84, 249, 252  
strontium and oxygen isotopes, B:302–308  
trace elements, B:53–56, 58–62
- brecciation, photograph, A:109
- bromine, mineral separates, B:33, 37, 39
- cadmium  
element correlations, B:379–381, 384  
hydrothermal fields, A:10; B:370–373, 395  
mineral separates, B:31  
sulfides, A:93–94, 97–98, 156, 158–160, 172, 189–191  
sulfides and sediments, B:44  
vs. depth, A:195; B:53, 57, 59, 61, 374–376
- calcium  
element correlations, B:378–382  
enrichment, B:377  
fluid geochemistry, A:126, 140
- hydrothermal mounds, B:370–380
- mineral separates, B:94
- sulfides, B:37, 39
- sulfides and sediments, B:45  
vs. depth, B:53, 57, 59, 61, 374–376  
*See also* magnesium/calcium ratio;  
strontium/calcium ratio
- calcium+sodium+potassium, vs. aluminum, B:242
- calcium oxide  
basalts, B:217  
hydrothermal clays, B:217  
metabasaltic clasts, B:217  
mineral separates, B:29  
sulfides and sediments, B:43  
vs. water content, B:264
- calcium oxide/aluminum oxide ratio  
vs. latitude, B:220  
vs. magnesium oxide, B:224
- cauliflower textures, photograph, A:182
- cesium, mineral separates, B:32
- chalcedony, photograph, A:147–148, 155, 180, 184–185
- chalcopyrite  
copper–iron–sulfur system, B:13  
hydrothermal fields, A:7, 9–13; B:9–13, 194, 368–369, 395  
lead isotopes, B:105–108  
major and trace elements, B:36–39  
mineralization, A:144, 211  
paragenesis, B:194–195  
photograph, A:79, 102–103, 114, 117, 123, 147, 151, 153, 155–156, 191–192, 194, 214–215, 217; B:147  
stratigraphy, A:67–68  
sulfur isotopes, B:17–21, 74–79  
trace elements, B:36–39, 55–56
- chalcopyrite, colloform, photograph, B:197
- chalcopyrite, interstitial, photograph, A:74
- chalcopyrite, massive, photograph, A:124
- chalcopyrite percentage, vs. compressional wave velocity, B:325
- chalcopyritization, breccia, B:177
- chemoautotrophs, hydrothermal fields, A:9
- chemosynthetic activity, hydrothermal fields, A:8–9
- chert  
geochemistry, B:52  
hydrothermal alteration, A:162  
hydrothermal fields, A:9–11; B:7–11  
photograph, A:81, 149–150, 158  
stratigraphy, A:142–144  
vertical distribution, B:14–17
- chert, red, Cyprus-type deposits, B:409
- chert, red and gray deposits  
lithology, A:145, 147–148, 150–151, 155  
petrology, A:171–172, 179–180, 184–186, 188  
photograph, A:179–183, 187
- chimneys  
active zones, A:18–19  
hydrothermal fields, A:7; B:379–381
- chloride, fluid geochemistry, A:126, 173
- chlorite  
hydrothermal alteration, A:161, 197  
hydrothermal fields, A:9–10; B:14, 236–241, 368–369  
photograph, A:132, 198–199, 201; B:246–249, 254  
strontium isotopes, B:306–308
- chlorite–smectite mixture  
petrology, B:240–241  
photograph, B:247  
*See also* clay minerals; mixed-layer minerals
- chlorite volume percent, vs. oxygen isotopes, B:290
- chloritization  
geochemistry, B:271–273, 290–291  
hydrothermal alteration, A:162–163  
hydrothermal fields, A:10, 12; B:264–267, 269–270  
oxygen isotopes, B:293  
photograph, A:132, 200; B:248, 254
- chromium  
basalts, B:218  
hydrothermal clays, B:218  
metabasaltic clasts, B:218  
mineral separates, B:30
- clasts  
breccia, A:70–71, 73–74; B:74–79  
hydrothermal alteration petrology, A:193, 194–199, 220  
hydrothermal fields, A:9–10  
origin, B:243–244  
petrology, A:79–81  
photograph, A:73, 76–77, 81–83, 88–89, 91–92, 115–116, 123, 126, 130–132, 154–157, 181, 185, 187–188, 190–192, 195–197, 215–217; B:147, 248  
silicification and paragonitization, B:257, 263–264  
silicified basalt, A:104–105, 107  
stratigraphy, A:67–68, 142–144  
sulfides, A:103–104  
*See also* anhydrite; breccia; veins
- clasts, basaltic, photograph, A:92, 116, 118, 130; B:200, 249–253
- clasts, chert, vertical distribution, B:14–17
- clasts, metabasaltic, geochemistry, B:217–218, 221
- clasts, silicified  
hydrothermal alteration, A:160–163  
strontium and oxygen isotopes, B:302–308
- clay minerals  
hydrothermal alteration, A:108; B:239–241, 277–284, 368–369  
mineralogy and chemical composition, B:277–284  
photograph, A:131  
*See also* phyllosilicates and individual clay minerals
- clays, hydrothermal, geochemistry, B:215, 217–220
- clinopyroxene  
fractional crystallization, B:220–225  
*See also* olivine–clinopyroxene–quartz system
- cobalt  
distribution in massive sulfides, B:405  
element correlations, B:378–381, 384–385  
mineral separates, B:30, 33, 37, 39, 370–376  
pyrite, B:12  
sulfides, B:19  
sulfides and sediments, B:44  
vs. copper, B:398  
vs. depth, B:54, 56, 58, 60, 62, 374–376  
vs. selenium, B:398  
vs. water content, B:265
- colloform textures  
hydrothermal fields, A:12  
photograph, A:107, 114, 124, 182; B:197
- compressional wave velocity  
breccia, A:117, 136, 164, 167, 221  
mineralization, B:319–325  
vs. anhydrite percentage, B:325  
vs. bulk density, B:322  
vs. depth, A:137; B:321  
vs. porosity, A:137  
vs. shear wave velocity, B:324  
vs. sulfides (pyrite+chalcopyrite) percentage, B:325

- vs. total porosity, B:323  
*See also* seismic velocity; ultrasonic data  
 compressional wave velocity, ultrasonic, vs. depth, B:321–322
- conduction  
 heat flow, A:23–29  
*See also* thermal conductivity
- convection, hydrothermal fields, A:8
- copper  
 distribution in massive sulfides, B:405  
 element correlations, B:65, 378–381, 384  
 enrichment, B:377  
 hydrothermal fields, A:9–10; B:370–380, 395, 397  
 mineral separates, B:30, 94  
 pyrite, B:12  
 sphalerite, B:13  
 sulfides, A:93–94, 97–98, 156, 158–160, 172  
 sulfides and sediments, B:44  
 vs. cobalt, B:398  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376  
 vs. water content, B:265  
 vs. zinc, B:398  
 zonation, B:397  
*See also* zinc/copper ratio
- copper–iron sulfides, hydrothermal fields, A:8  
 copper–iron–sulfur system, chalcopyrite, B:13  
 copper/iron ratio  
 sulfides, A:97–98, 158  
 vs. depth, A:129
- core barrels, motor-driven, A:31–35
- coring, systems, A:31–35
- correlation coefficients  
 hydrothermal mounds, B:52, 63–65  
*See also* element correlations; partition coefficient; principal component analysis; statistical analysis
- covellite, petrology, B:9–11, 14
- crusts  
 hydrothermal fields, A:7, 10  
 sulfides, A:101–103
- crystal chemistry  
 anhydrite, B:122–124  
 phyllosilicates, B:241
- crystal growth, photograph, A:99–101
- Curie temperature  
 magnetism, B:345  
*See also* magnetic properties
- Cyprus  
 comparison of massive sulfides with, B:390, 398–404  
 massive sulfides, B:78
- Cyprus-type deposits, comparison of massive sulfides with Trans-Atlantic Geotraverse, A:12; B:195, 389–415
- demagnetization  
 discrete samples, B:340–344  
*See also* Koenigsberger ratio
- demagnetization, alternating-field  
 equal-area projection, A:223  
 sulfides, A:121–122, 139–140, 166–167  
 vectors, A:168, 207, 222
- demagnetization, thermal, sulfides, A:121–122, 139
- density, tomography, B:203–204
- density, bulk  
 breccia, B:208  
 vs. compressional wave velocity, B:322  
 vs. depth, A:135, 138, 166, 206, 220  
 vs. porosity, A:135, 166, 206, 221
- density, grain  
 breccia, B:208  
 vs. depth, A:135, 138, 166, 206, 220  
 density, wet-bulk, vs. depth, A:136, 138, 165, 172, 222
- digenite, petrology, B:9–11, 14
- dip, vs. depth, A:113
- dissolution  
 clasts, B:243–244  
 textures, B:195
- dissolution cavities, photograph, A:92, 115
- DNA extraction, subsurface biosphere, B:356
- East Pacific Rise, geochemical comparison with Trans-Atlantic Geotraverse, B:380–381
- electron microscopy, subsurface biosphere, B:356–359
- element correlations  
 hydrothermal mounds, B:52, 63–65  
*See also* correlation coefficients; partition coefficient; principal component analysis; statistical analysis
- enrichment, subsurface biosphere, B:356–359
- erosion, gossan, B:409–410
- europium  
 anhydrite, B:150–159  
 vs. depth, B:156  
 vs. gadolinium, B:158  
 vs. lanthanum/ytterbium ratio, B:158
- extension, active mounds, A:19–20
- fault systems  
 hydrothermal fields, A:6, 12–13  
 neovolcanic zones, A:18–21
- faults, listric, active mounds, A:19–20
- fluid–rock interactions, hydrothermal systems, B:97–99, 195
- fluid evolution  
 anhydrite precipitation, B:123–124  
 oxygen isotopes, B:292–293
- fluid flow  
 geochemistry, B:88–89  
 hydrothermal mounds, B:124  
 porosity, B:324, 326  
 spreading centers, A:5–14  
*See also* Kuster–Tokoz theory; permeability; porosity
- fluid inclusions  
 anhydrite, B:123  
 geochemistry, B:88–89  
 photograph, B:178, 182, 252  
 temperature, B:163–190, 395  
*See also* microthermometry; temperature
- fluid mixing  
 anhydrite, B:119–127, 187–189  
 chlorite and smectite, B:283  
 oxygen isotopes, B:137–138, 306–308
- fluids, geochemistry, A:123–124, 126–127, 168–169, 173–174
- formation factor, breccia, A:136
- fractional crystallization, basalts, B:220–225, 228–229
- fractures  
 photograph, A:85, 93, 183, 185; B:197  
 textures, B:195
- fracturing  
 clasts, B:243–244  
*See also* hydrofracturing
- frost heave, clasts, B:243–244
- gadolinium, vs. europium, B:158
- gallium  
 mineral separates, B:32  
 vs. depth, B:54, 58, 60, 62
- gamma rays, vs. depth, A:136, 138, 165, 172, 222
- geochemical section, Trans-Atlantic Geotraverse, B:363–387
- geochemistry  
 basalts, B:213–229  
 basement, B:255–276  
 fluids, A:123–124, 126–127, 168–169, 173–174  
 hydrothermal clays, B:215, 217–220  
 hydrothermal mounds, B:47–70  
 igneous rocks, A:163, 199–200  
 massive sulfides and sediments, B:41–46  
 shipboard samples, B:27–39  
 statistical analysis, B:376–381  
 sulfides, A:93–94, 97–98, 155–159, 172, 189–191, 216–219; B:19–20
- geochemistry, bulk, hydrothermal mounds, B:367, 370–376, 395–397
- geochronology  
 hydrothermal fields, A:8  
 sulfides, B:111–117  
*See also* time scales
- geology  
 hydrothermal fields, A:16–18  
 Trans-Atlantic Geotraverse, A:6–8
- geomagnetic excursions, magnetism, B:349
- germanium, mineral separates, B:370–373
- glass shards, photograph, A:132
- glasses  
 petrology, A:199–200  
 photograph, A:196, 201; B:248
- glasses, banded, photograph, A:150
- glasses, chloritized, strontium and oxygen isotopes, B:302
- goethite  
 hydrothermal fields, A:8  
 nucleotides, B:357, 359
- gold  
 element correlations, B:65, 395  
 mineral separates, B:33, 36, 39  
 sulfides, A:158–159  
 sulfides and sediments, B:46  
 vs. depth, B:54–55, 58, 60, 62  
 zonation, B:397
- gold, native, hydrothermal fields, B:14
- gossan  
 development, B:409–410  
 hydrothermal fields, A:7
- grabens. *See* rift valleys
- grabens, axial, active zones, B:380–381
- grade  
 zonation, B:397–398, 409  
*See also* tonnage
- growth bands, photograph, B:197–199
- growth models, hydrothermal mounds, B:405–406, 408
- growth rate, mineralization, B:411
- hafnium, mineral separates, B:32
- heat flow  
 active mounds, A:19–20, 23–29; B:307  
 conduction, A:23–29  
*See also* thermal conductivity
- heat transfer, massive sulfides, B:332–334
- hematite  
 hydrothermal alteration, A:161  
 hydrothermal fields, A:8; B:9–11, 14, 368–369  
 photograph, A:101, 156; B:246
- holohyaline textures  
 petrology, A:199–200  
 photograph, A:200
- hyaloclastite  
 hydrothermal alteration, A:161  
 hydrothermal fields, A:132, 161, 193  
 photograph, A:132, 161, 193
- hybridization, subsurface biosphere, B:356–359
- hydrofracturing

- clasts, B:243–244  
*See also* fracturing
- hydrogeology, active mounds, A:19–21
- hydrothermal alteration  
 basement, B:255–276  
 distribution, B:407–409  
 sequence, B:241–243, 266, 268, 307  
 sulfides, A:103–109, 113–114  
 TAG-2 area, A:160–163  
 TAG-4 area, A:193–199  
 TAG-5 area, A:219–220  
*See also* alteration fronts; alteration halos;  
 basalts, altered; breccia, silicified  
 wallrock; chalcopyritization, breccia;  
 chloritization; pyritization;  
 silicification; wallrock alteration
- hydrothermal circulation, spreading centers,  
 A:5–14
- hydrothermal fields  
 lead isotopes, B:105–108  
 tectonics, A:6–8
- hydrothermal fluids  
 fluid inclusions, B:187–188  
 geochemistry, B:88–89  
 osmium isotopes, B:97–98  
 rare earths in anhydrite, B:152–155
- hydrothermal mound–stockwork complexes,  
 development, B:404–410
- hydrothermal mounds  
 active zones, A:18–19; B:231–254  
 anhydrite precipitation, B:119–127  
 comparison of massive sulfides of Cyprus-type  
 and Trans-Atlantic Geotraverse,  
 B:389–415  
 geochemical section, B:363–387  
 geochemistry, B:47–70  
 growth and evolution, B:21–23, 405–408  
 heat flow, A:23–29  
 hydrothermal fields, A:7–8  
 oxygen isotopes, B:129–141  
 petrology, B:5–26  
 stratigraphy, A:11–13, 67–68; B:14–17  
 strontium and oxygen isotopes, B:297–309  
 structure and morphology, A:15–21;  
 B:392–394  
 sulfur isotopes, B:71–84
- hydrothermal systems  
 comparison of sulfur isotopes, B:77–79  
 redox, B:98–99  
 spreading centers, A:5–14
- hydrothermal vents, subsurface biosphere,  
 B:356–359
- hysteresis  
 breccia, B:341, 343–344  
*See also* magnetic properties; remanent  
 magnetization
- iddingsite, photograph, A:162
- igneous rocks  
 geochemistry, A:163, 199–200  
 petrology, A:163, 199–200  
*See also* basalts; glasses; olivine basalts;  
 pillow basalts
- illite(?), hydrothermal alteration, A:108
- inclusions  
 photograph, A:74, 115, 131, 153, 183–184,  
 190  
 pyrite, B:195
- index properties  
 breccia, A:163–165, 205, 220–221  
 mineralization, B:313–315  
 silicified iron oxides, A:173  
 sulfides, A:115–120, 135, 220
- indium  
 mineral separates, B:31, 370–373  
 vs. depth, B:54, 58, 60, 62
- interstitial waters, geochemistry, A:173
- ions, fluids, A:124, 126–127, 140, 169, 173–174
- iridium, mineral separates, B:33
- iron  
 basalts, B:217  
 clay minerals, B:281–282  
 element correlations, B:378–381  
 hydrothermal clays, B:217  
 mineral separates, B:33, 36, 38, 94, 370–376  
 sphalerite, B:13  
 sulfides, A:93–94, 97–98, 156, 158–160, 172  
 sulfides and sediments, B:44  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61,  
 374–376  
 vs. silica, B:263  
*See also* copper–iron–sulfur system;  
 copper/iron ratio; zinc/iron ratio
- iron/(iron+magnesium) ratio, vs. silicon, B:242
- iron oxides  
 clay minerals, B:280–282  
 deposits, A:145, 156, 158  
 geochemistry, B:52  
 hydrothermal fields, A:7  
 metabasaltic clasts, B:217  
 mineral separates, B:29  
 osmium and rhenium, B:95–100  
 petrology, A:184, 190  
 photograph, A:147–151, 157, 180, 186–187,  
 195  
 sulfides and sediments, B:43  
 vs. magnesium oxide, B:283  
 vs. water content, B:264  
*See also* hematite; magnetite
- iron oxides, silicified, petrology, A:172
- iron oxyhydroxides  
 geochemical section, B:366–367  
 hydrothermal fields, A:7; B:7–11, 14,  
 236–239, 368–369  
 photograph, A:157; B:246
- iron sulfides  
 hydrothermal fields, A:8; B:9  
*See also* copper–iron sulfides
- isotope equilibrium, geochemistry, B:88–89
- isotopes. *See* stable isotopes
- Juan de Fuca Ridge, thermal properties  
 comparison with Trans-Atlantic  
 Geotraverse, B:329–335
- Kane Fracture Zone, basalts, B:106
- Koenigsberger ratio  
 breccia, A:221–222; B:342  
 sulfides, A:167  
*See also* demagnetization; magnetic properties
- Kremlin white smoker field  
 geochemical section, B:366  
 geochemistry, B:52  
 hydrothermal fields, A:8  
 lead isotopes, B:104–109  
 major and trace elements, B:52, 57–59  
 stratigraphy, A:142–144; B:232–236  
 sulfur isotopes, B:76–77  
*See also* white smokers
- Kuster–Tokoz theory  
 fluid flow, B:324, 326  
*See also* fluid flow
- lanthanum, sulfides and sediments, B:45
- lanthanum/samarium ratio  
 basalts, B:218  
 hydrothermal clays, B:218  
 metabasaltic clasts, B:218  
 vs. latitude, B:221
- lanthanum/ytterbium ratio  
 anhydrite, B:154  
 vs. europium, B:158
- lead  
 element correlations, B:378–381, 384  
 mineral separates, B:31, 370–376  
 sulfides, petrology, A:93–94, 97–98, 156,  
 158–160, 189–191; B:106–107  
 sulfides and sediments, B:44  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61,  
 374–376
- lead isotopes  
 comparison of Trans-Atlantic Geotraverse  
 with North Atlantic MORB,  
 B:104–107  
 mineralization, B:101–109
- lead-210, sulfides, B:111–117
- lepidocrocite, photograph, B:246
- lherzolite. *See* spinel lherzolite
- lithology  
 stratigraphy, A:67–68, 142–144, 177–178;  
 B:232–236, 286–288, 298–301  
 sulfides, A:210–211  
 vs. depth, A:70–71
- loss on ignition  
 basalts, B:215, 217–218  
 hydrothermal clays, B:217–218  
 metabasaltic clasts, B:217–218  
 mineral separates, B:29  
 sulfides and sediments, B:43
- magnesium  
 anhydrite, B:121–124, 133–135  
 clay minerals, B:281–283  
 fluid geochemistry, A:126, 140, 173  
*See also* iron/(iron+magnesium) ratio
- magnesium/calcium ratio  
 anhydrite, B:121–124, 133–135  
 vs. depth, B:125, 135
- magnesium number, basalts, B:215
- magnesium oxide  
 clay minerals, B:280–282  
 mineral separates, B:29, 94  
 sulfides and sediments, B:43  
 vs. calcium oxide/aluminum oxide ratio, B:224  
 vs. iron oxide, B:283  
 vs. sodium oxide, B:224  
 vs. water content, B:264
- magnetic anisotropy, minerals, B:349
- magnetic inclination, vs. depth, A:139, 167; B:342
- magnetic intensity  
 sulfides, A:121–122  
 vs. depth, A:139, 167; B:342
- magnetic properties  
 cores, A:207  
 TAG-5 area, A:223; B:337–351  
*See also* Curie temperature; hysteresis;  
 Koenigsberger ratio; remanent  
 magnetization
- magnetic susceptibility  
 breccia, B:340  
 silicified iron oxides, A:173  
 sulfides, A:122, 167–168  
 vs. temperature, B:347
- magnetic susceptibility, anisotropy, sulfides,  
 A:168
- magnetic susceptibility, low-field, breccia,  
 B:342–343
- magnetic susceptibility, volume vs. depth, A:136,  
 138, 140, 165, 169, 172, 222
- magnetite, magnetic properties, B:349–350
- major elements  
 basalts, B:215–216, 218, 222, 224

- basalts and clasts, B:259  
 clay minerals, B:279–284  
 hydrothermal alteration, B:27–39, 49–63, 94–96  
 hydrothermal mounds, B:367, 370–376
- manganese  
 hydrothermal mounds, B:370–373  
 sulfides and sediments, B:44  
*See also* nodules, manganese
- manganese oxide  
 hydrothermal fields, A:7  
 mineral separates, B:29  
 sulfides and sediments, B:43
- mantle, geochemistry, B:225
- marcasite  
 hydrothermal fields, A:10; B:9–11, 13, 194, 368–369  
 photograph, A:149, 181–183, 189, 217; B:198  
 sulfur isotopes, B:17–19
- marcasite, colloform, photograph, A:152, 184, 187–188
- marcasite, massive, colloform, photograph, A:181
- mass wasting  
 hydrothermal fields, A:8  
 neovolcanic zones, A:18–21
- massive deposits  
 stratigraphy, A:67–68  
*See also* sulfides, massive
- melting  
 mantle, B:225  
*See also* partial melting
- mercury, mineral separates, B:33
- metabasalts, geochemistry, B:217–218, 221
- metals  
 hydrothermal fields, A:93–94, 97–98; B:395, 397, 412  
*See also* base metals; precious metals, and individual metals
- microbial cells, nucleotides, B:357–359
- microlites  
 petrology, A:163, 200; B:236  
 photograph, A:132, 162; B:246
- microorganisms, subsurface biosphere, B:356–359
- microphenocrysts  
 photograph, B:246  
*See also* phenocrysts
- microthermometry  
 anhydrite precipitation, B:122–123  
 fluid inclusions, B:166–170, 182–183  
*See also* fluid inclusions; temperature
- Mid-Atlantic Ridge  
 basalts, B:104–107, 213–229  
 hydrothermal systems, A:5–14  
 sulfides, B:193–210
- mid-ocean ridges, hydrothermal fields, A:5–14
- mid-ocean ridges, slow-spreading, subsurface biosphere, B:355–360
- mineral abundance, tomography, B:201–210
- mineral separates, major elements, B:27–39
- mineralization  
 hydrothermal fields, A:9–10; B:6–7, 21–22, 195, 201–210  
 lead isotopes, B:101–109  
 pyrite, A:178, 211  
 remanent magnetization, B:337–351  
 stratigraphy, A:68  
 sulfides, A:144  
*See also* ores; precious metals; sulfides
- mineralization, hydrothermal  
 lateral variations, B:17  
 petrology, B:5–26, 307
- mineralogy  
 geochemical section, B:366–367, 394–395  
 sulfides, A:72
- Mir hydrothermal zone, hydrothermal fields, A:7–8; B:391
- mixed-layer minerals  
 petrology, B:240–241  
*See also* chlorite–smectite mixture; clay minerals
- molybdenum  
 element correlations, B:384  
 mineral separates, B:31, 33, 37, 39, 370–376  
 sulfides and sediments, B:44  
 vs. depth, B:54, 56, 58, 60, 62, 374–376
- morphology, neovolcanic zones, A:18–21
- Mossbauer spectra  
 magnetism, B:345  
 velocity vs. absorption, B:348
- mucl  
 hydrothermal fields, A:9–10  
 stratigraphy, A:142–144
- neodymium, anhydrite, B:150–152
- neodymium/ytterbium ratio  
 anhydrite, B:153  
 vs. depth, B:156
- neovolcanic zones  
 hydrothermal fields, A:16–18  
*See also* numbered zones
- Newfoundland, massive sulfides, B:79
- nickel  
 distribution in massive sulfides, B:405  
 mineral separates, B:30, 37, 39  
 sulfides and sediments, B:44  
 vs. water content, B:265
- niobium  
 mineral separates, B:32  
 sulfides and sediments, B:45
- nodules, manganese, lead isotopes, B:105
- nontronite, hydrothermal fields, A:7
- Northern Hemisphere Reference Line, sulfides, B:105
- Notre Dame Bay, massive sulfides, B:79
- nucleotides  
 goethite, B:357, 359  
*See also* polynucleotides
- olivine  
 basalts, B:214–215  
 fractional crystallization, B:220–225  
 petrology, A:200  
 photograph, A:120, 130, 162, 199; B:246
- olivine basalts, lithology, A:202–205
- olivine–clinopyroxene–quartz system, pseudoternary projections, B:221
- Oman  
 comparison of massive sulfides with Trans-Atlantic Geotraverse, B:390, 404, 407  
 massive sulfides, B:79
- ooze, hydrothermal fields, A:7
- opal  
 chimneys, B:381–382  
*See also* quartz; silica
- ophiolite, comparison of Cyprus-type massive sulfides with Trans-Atlantic Geotraverse, B:399–404
- ores  
 distribution, B:400–403  
 tonnage, B:397–398  
*See also* mineralization
- osmium isotopes, hydrothermal mounds, B:91–100
- oxidation. *See* redox
- oxides, magnetism, B:345
- oxygen isotopes  
 anhydrite and sulfides, B:85–90  
 buffering by hydrothermal circulation, B:138–139  
 chloritization, B:293  
 fluid mixing, B:137–138, 306–308  
 hydrothermal mounds, B:129–141, 285–295, 297–309  
 paragonitization, B:292  
 vs. chlorite volume percent, B:290  
 vs. depth, B:86, 135  
 vs. strontium-87/strontium-86 ratio, B:138, 305  
 vs. sulfur isotopes, B:87  
 oxygen isotopes, quartz, vs. depth, B:291
- paleomagnetism  
 hydrothermal fields, A:10–11; B:337–351  
 TAG-1 area, A:120–123  
 TAG-2 area, A:166–168  
 TAG-4 area, A:201–203  
 TAG-5 area, A:221–223  
*See also* remanent magnetization
- palladium, sulfides and sediments, B:46
- paragenesis  
 hydrothermal alteration, B:241–243, 266, 268  
 pyrite–chalcopyrite, B:194–195
- paragonite  
 composition, B:237–241, 291–293  
 photograph, B:248–253  
 vertical distribution, B:14–17, 237–241
- paragonitization  
 basalts and clasts, B:257, 263–264  
 geochemistry, B:270–273, 291–293  
 oxygen isotopes, B:292  
 photograph, B:249–254
- partial melting  
 basalts, B:220–225, 228–229  
*See also* melting
- partition coefficient  
 anhydrite, B:122–124  
 strontium/calcium ratio, B:136–137  
 vs. precipitation temperature, B:139  
 vs. strontium-87/strontium-86 ratio, B:139  
*See also* correlation coefficients; element correlations
- partition coefficient, magnesium, vs. depth, B:126
- partition coefficient, strontium, vs. depth, B:126
- partitioning, strontium, B:122–123
- permeability  
 fluid flow, B:324, 326  
*See also* fluid flow; porosity
- petrography  
 breccia, A:68–93  
 hydrothermal alteration, B:9–10, 42, 236–239  
 magnetism, B:345  
 tomography, B:203–204
- petrology  
 hydrothermal mineralization, B:5–26  
 igneous rocks, A:163, 199–200  
 sulfides, A:68–93, 95–96, 98–114, 144–155, 157, 159–160, 171–172, 178–189, 191–193, 212–216, 219
- phase relationships  
 textures, B:195  
 vs. pressure, B:174
- phenocrysts  
 petrology, A:200  
 photograph, A:120, 199  
*See also* microphenocrysts
- phosphate, fluid geochemistry, A:168–169
- phosphorus oxide  
 mineral separates, B:29, 94  
 sulfides and sediments, B:43
- phyllosilicates  
 hydrothermal alteration, A:193; B:239–241

photograph, A:196, 200–201  
*See also* clay minerals; illite; smectite  
 phyllosilicates, sodium-rich, hydrothermal alteration, B:14  
 physical properties  
   hydrothermal fields, A:10–11  
   Site 957, A:114–120  
   sulfides, B:205, 208–209  
   TAG-1 area, A:114–120  
   TAG-2 area, A:163–166  
   TAG-3 area, A:172–173  
   TAG-4 area, A:200–201  
   TAG-5 area, A:220–221  
   vs. thermal conductivity, B:332  
   *See also* index properties  
 pillow basalts  
   hydrothermal fields, A:7, 12; B:237, 265–267  
   petrology, A:163, 199–200  
   photograph, B:246–249  
   *See also* basalts; glasses; olivine basalts  
 pillow rim  
   chemical composition, B:281  
   hydrothermal alteration, A:198–199  
   photograph, A:200–201  
 plagioclase  
   basalts, B:214–215  
   fractional crystallization, B:220–225  
   petrology, A:163  
   photograph, A:132, 162, 254  
 platinum, sulfides and sediments, B:46  
 polychaetes, hydrothermal fields, A:9  
 polynucleotides  
   goethite, B:357, 359  
   *See also* nucleotides  
 pore geometry, aspect ratio, B:326  
 porosity  
   mineralization, B:316  
   models, B:318, 321–324  
   tomography, B:203–204  
   vs. bulk density, A:135, 166, 206, 221  
   vs. compressional wave velocity, A:137  
   vs. seismic velocity, B:313–327  
   vs. thermal conductivity, B:333  
   *See also* fluid flow; permeability  
 porosity, total, vs. compressional wave velocity, B:323  
 potassium, fluid geochemistry, A:126  
 potassium oxide  
   mineral separates, B:29, 94  
   sulfides and sediments, B:43  
   vs. aluminum oxide, B:263  
 precious metals  
   sulfides and sediments, B:46  
   *See also* base metals; gold; metals; palladium; platinum  
 precipitates, thermal properties, B:329–335  
 pressure, confining, vs. seismic velocity, B:323–325  
 principal component analysis  
   geochemistry, B:376–381  
   *See also* correlation coefficients; element correlations; statistical analysis  
 propylitization, clasts, B:243–244  
 pseudomorphs, photograph, A:162; B:248  
 pyrite  
   breccia, A:70–71, 73–81  
   clasts, B:243–244  
   geochemistry, B:12, 42–46  
   hydrothermal fields, A:7, 9–13; B:9–12, 14–17, 21–23, 237–239, 366–367, 392–393  
   lead isotopes, B:105–108  
   magnetic properties, B:349–350  
   major and trace elements, B:36–39

mineralization, A:144, 178, 211  
 osmium and rhenium, B:95–100  
 paragenesis, B:194–195  
 petrology, A:216, 219  
 photograph, A:147, 156–157, 197; B:148–149, 247–249  
 stratigraphy, A:67–68, 142–144  
 sulfur isotopes, B:17–21, 74–79  
 thermal conductivity, B:332–334  
 trace elements, B:36–39, 55–56  
 pyrite, anhedral, photograph, B:198  
 pyrite, brecciated, photograph, A:84–87  
 pyrite, colloform  
   lithology, A:178  
   photograph, A:152, 184, 188; B:197  
 pyrite, disseminated, photograph, A:90, 94, 97, 123, 131–132, 157, 179–180, 183, 185, 187, 217–218  
 pyrite, euhedral, photograph, A:148, 153, 181–185, 187, 189, 194, 214–215, 197–200, 251  
 pyrite, fine-grained, photograph, A:152, 158  
 pyrite, granular, photograph, A:74, 184  
 pyrite, massive  
   geochemistry, B:52  
   petrology, A:180, 182–183, 188, 190, 212  
   photograph, A:73, 114, 116, 121, 123–124, 126, 151, 155, 185, 190  
   trace elements, B:53–60  
   *See also* sulfides, massive  
 pyrite, massive, colloform, photograph, A:181  
 pyrite, massive, granular  
   petrology, A:69–70  
   photograph, A:184, 190–191, 215  
 pyrite, nodular, photograph, A:92, 125  
 pyrite percentage, vs. compressional wave velocity, B:325  
 pyrite, polycrystalline, photograph, A:184  
 pyrite, porous  
   lithology, A:178  
   photograph, A:124–125  
 pyrite, porous, massive  
   petrology, A:172  
   photograph, A:149, 152, 181–183, 187, 189, 214  
 pyrite, recrystallized, photograph, A:74  
 pyrite, siliceous, photograph, A:116  
 pyrite, spheroidal, photograph, A:149  
 pyritization  
   hydrothermal fields, A:10  
   photograph, A:86, 91, 98, 103, 105, 109, 121, 218, 249–253  
 pyrrhotite  
   magnetic properties, B:349–350  
   petrology, B:9–11, 14  
   photograph, A:117  
 quartz  
   breccia, A:74, 79–81  
   chimneys, B:381–382  
   fluid inclusions, B:178  
   geochemical section, B:366–367  
   hydrothermal alteration, A:199  
   hydrothermal fields, A:8; B:9–11, 13–17, 22–23, 195, 237–239, 368–369  
   microthermometry, B:166–170  
   oxygen isotopes, B:291, 304–306  
   petrology, A:216  
   photograph, A:96–97, 115, 130–131, 154, 156–157, 180, 185, 191, 194, 197, 218; B:200, 251–253  
   stratigraphy, A:67–68  
   veins, A:68, 144  
   *See also* olivine–clinopyroxene–quartz

  system; opal; silica  
 quartz bands, photograph, A:196  
 quartz, colloform-banded, photograph, A:97  
 quartz, euhedral, photograph, A:88, 90, 93, 97, 117  
 quartz, interstitial, photograph, A:74  
 radium-226/uranium-234, age, B:115  
 rare earths  
   alteration halos, B:266  
   altered basaltic clasts, B:264  
   anhydrite, B:143–159  
   basalts, B:215–216, 219–220, 222–223, 225  
   basalts and clasts, B:261–262  
   chloritized basalts, B:266  
   hydrothermal clays, B:219  
   mantle, B:225  
   mineral separates, B:34–35  
   pillow breccias, B:266  
   standard reference materials, B:276  
   variation diagrams, B:219  
 recrystallization  
   photograph, A:74, 123; B:198, 200  
   textures, B:194–195  
 redox  
   hydrothermal systems, B:98–99  
 relict zones, hydrothermal fields, A:7  
 remagnetization, chemical, minerals, B:349–350  
 remanent magnetization  
   sulfides, A:121–122; B:337–351  
   vs. temperature, B:346  
   *See also* hysteresis; magnetic properties; paleomagnetism  
 remanent magnetization, anhysteretic, breccia, B:343  
 remanent magnetization, natural, breccia, B:340–342  
 replacement textures, sulfides, A:103–104  
 resistivity, breccia, A:117, 136, 164, 167, 221  
 rhenium, hydrothermal mounds, B:91–100  
 rift valleys  
   neovolcanic zones, A:16–18  
   *See also* grabens  
*Rimicaris exoculata*, hydrothermal fields, A:9  
 rock magnetism  
   breccia, A:201–201; B:343–345  
   sulfides, A:167–168  
 rubidium, mineral separates, B:32, 37, 39  
 salinity  
   fluid geochemistry, A:124, 168–169  
   fluid inclusions, B:179–190  
   vs. depth, B:173, 186  
 samarium. *See* lanthanum/samarium ratio  
 sand  
   hydrothermal fields, A:9–10  
   stratigraphy, A:142–144  
 scandium  
   mineral separates, B:30  
   sulfides and sediments, B:45  
 seafloor spreading, neovolcanic zones, A:18  
 seawater, osmium isotopes, B:97–98  
 seawater mixing, black smokers, B:135–136  
 sediments  
   geochemistry, B:41–46  
   lead isotopes, B:105  
 sediments, metalliferous  
   Cyprus-type deposits, B:409  
   hydrothermal fields, A:7–8  
 seismic velocity  
   vs. confining pressure, B:323–325  
   vs. porosity, B:313–327  
   *See also* compressional wave velocity; shear wave velocity; ultrasonic data

- selenium  
 element correlations, B:378–381, 384–385  
 mineral separates, B:33, 37, 39, 370–376  
 sulfides, B:19–20, 22  
 vs. cobalt, B:398  
 vs. depth, B:54, 56, 58, 60, 62, 374–376
- selvage  
 photograph, A:86, 103, 105, 108, 120, 130, 156, 217–218; B:198–200, 248  
 textures, B:194–195
- Semail Massif, comparison of massive sulfides with Trans-Atlantic Geotraverse, B:390, 404, 407
- shear wave velocity  
 orthogonal in massive sulfides, B:325  
 vs. compressional wave velocity, B:324
- shrimps, hydrothermal fields, A:9
- sidescan imagery, backscatter, neovolcanic zones, A:16–18
- silica  
 basalts, B:217  
 breccia, A:79–81  
 clay minerals, B:280–282  
 element correlations, B:378–382  
 fluid geochemistry, A:124, 168–169, 173  
 geochemistry, B:46–70  
 hydrothermal clays, B:217  
 hydrothermal fields, A:8–10; B:7, 11, 21–22, 42–46, 370–380  
 metabasaltic clasts, B:217  
 mineral separates, B:28–29, 94  
 photograph, A:80–81, 191  
 stratigraphy, A:67–68  
 vs. depth, B:53, 57, 59, 61, 374–376  
 vs. iron, B:263  
 vs. water content, B:264  
 zonation, B:397  
*See also* opal; quartz
- silica, amorphous  
 hydrothermal mounds, B:368–369  
 petrology, B:9–11, 14  
 photograph, A:150, 180
- silica, gray  
 deposits, A:145  
 photograph, A:148
- silicification  
 basalts and clasts, B:257, 263–264  
 geochemistry, B:270–273  
 hydrothermal alteration, A:219  
 hydrothermal fields, A:10, 12  
 petrology, A:193, 194–199  
 photograph, A:218, 131; B:249–253
- silicon  
 enrichment, geochemistry, B:377  
 phyllosilicates, B:242  
 vs. iron/(iron+magnesium) ratio, B:242
- silver  
 element correlations, B:384  
 hydrothermal fields, A:9–10; B:370–373, 395  
 mineral separates, B:31, 33, 36, 39  
 sphalerite, B:13  
 sulfides  
 petrology, A:93–94, 97–98, 156, 158–160, 172, 189–191  
 sulfides and sediments, B:44  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61
- Site 957, A:65–223  
 clay minerals, B:277–278  
 coring, A:32–33  
 fluid geochemistry, A:123–124, 126–127, 168–169, 173–174  
 geochemistry of shipboard samples, B:27–39  
 hydrothermal alteration, A:104–109, 113–114, 160–163, 193–199, 219–220; B:6–7, 256–257
- hydrothermal fields, A:9  
 igneous geochemistry, A:163, 200  
 igneous petrology, A:163, 199–200  
 operations, A:55–62  
 paleomagnetism, A:120–123, 166–168, 201–202, 221–223  
 physical properties, A:114–120, 163–166, 172–173, 200–201, 220–221  
 site description, A:65–223  
 stratigraphy, A:67–68, 142–144, 177–178, 210–212; B:232–236  
 structural data, A:110–112  
 sulfide geochemistry, A:93–94, 97–98, 155–156, 158, 172, 189–191, 216–219  
 sulfide petrology, A:68–93, 95–96, 98–114, 144–155, 157, 159–160, 171–172, 178–189, 191–193, 212–216, 219
- smectite  
 geochemistry, B:280–281  
 petrology, B:240–241  
 photograph, A:162, 199  
*See also* chlorite–smectite mixture
- snails, buccinid, hydrothermal fields, A:9
- Snakepit, geochemical comparison with Trans-Atlantic Geotraverse, B:379–380
- sodium  
 mantle, B:225  
 sulfides, B:37, 39  
 sulfides and sediments, B:45
- sodium oxide  
 mineral separates, B:29, 94  
 sulfides and sediments, B:43  
 vs. aluminum oxide, B:263  
 vs. latitude, B:220  
 vs. magnesium oxide, B:224  
 vs. water content, B:264
- soils, clasts, B:243–244
- spectrometry, magnetism, B:345
- sphalerite  
 composition, B:395  
 geochemistry, B:13  
 hydrothermal fields, A:7; B:9–13, 21, 194, 368–369, 394–395  
 lead isotopes, B:105–108  
 mineralization, A:144  
 photograph, A:74, 115, 123, 147, 149–151, 181, 189, 214; B:197–199  
 stratigraphy, A:142–144
- spinel lherzolite, partial melting, B:220–225, 228–229
- spreading centers, hydrothermal circulation, A:5–14
- stable isotopes  
 anhydrite and sulfides, B:85–90  
*See also* oxygen isotopes
- standard reference materials, geochemistry, B:275
- statistical analysis  
 geochemistry, B:376–381  
*See also* correlation coefficients; element correlations; principal component analysis
- stockwork zones  
 basement, B:255–276  
 comparison of Cyprus-type massive sulfides with Trans-Atlantic Geotraverse, B:389–415  
 hydrothermal alteration, B:130–132, 232–254, 269–270, 285–295, 298–301  
 mineralization, A:178  
 petrology, A:163  
 stratigraphy, A:11–13, 68  
 structure, B:393  
 sulfides, A:103–104
- sulfur isotopes, B:71–84
- stockwork zones, seafloor, development, B:406–407, 412
- stratigraphy  
 hydrothermal fields, A:11–13; B:14–17  
 Site 957, A:67–68  
 TAG-2 area, A:142–144  
 TAG-4 area, A:177–178  
 TAG-5 area, A:210–212
- strontium  
 anhydrite, B:121–124, 133–137, 139–140  
 basalts, B:218  
 element correlations, B:378–382  
 hydrothermal clays, B:218  
 mantle, B:225  
 metabasaltic clasts, B:218  
 mineral separates, B:30, 37, 39, 370–376  
 sulfides and sediments, B:43, 45  
 vs. depth, B:374–376  
 vs. strontium-87/strontium-86 ratio, B:304  
 vs. water content, B:265
- strontium/calcium ratio  
 anhydrite, B:121–124, 133–137, 139  
 partition coefficients, B:136–137  
 vs. depth, B:125, 135  
 vs. strontium-87/strontium-86, B:136
- strontium-87/strontium-86 ratio  
 vs. anhydrite partition coefficients, B:139  
 vs. depth, B:124, 135  
 vs. oxygen isotopes, B:138, 305  
 vs. strontium, B:304  
 vs. strontium/calcium ratio, B:136
- strontium isotopes  
 anhydrite, B:121–124  
 anhydrite and sulfides, B:88–90  
 hydrothermal mounds, B:129–141, 297–309  
 vs. depth, B:303
- subvolcanic textures  
 photograph, B:251–253  
*See also* variolitic textures
- sulfate reduction, geochemistry, B:20, 89
- sulfates  
 fluid geochemistry, A:126, 140  
 hydrothermal circulation, B:138–139  
 porosity vs. seismic velocity, B:313–327  
 stable isotopes, B:85–90  
 sulfur isotopes, B:74–79  
 thermal properties, B:329–335
- sulfide percentage, vs. compressional wave velocity, B:325
- sulfides  
 age, B:111–117  
 composition, A:218  
 geochemistry, A:93–94, 97–98, 155–159, 172, 189–191, 216–219; B:19–20  
 heat flow, A:25–27; B:333–334  
 hydrothermal alteration, petrology, A:199  
 hydrothermal fields, A:7, 9–13, 19; B:9–11, 14–17  
 index properties, A:115–120  
 lead isotopes, B:101–109  
 mineralogy, A:72  
 petrology, A:68–93, 95–96, 98–114, 144–155, 157, 159–160, 171–172, 178–189, 191–193, 212–216, 219  
 photograph, A:117  
 porosity vs. seismic velocity, B:317–326  
 stable isotopes, B:85–90  
 sulfur isotopes, B:17–21, 74–79  
 textures, B:193–210  
 thermal properties, B:329–335  
*See also* bornite; chalcopyrite; copper–iron sulfides; covellite; digenite; marcasite; mineralization; pyrite; pyrrhotite;



- sphalerite; zinc sulfides
- sulfides, massive
- comparison between Cyprus-type and Trans-Atlantic Geotraverse deposits, A:145–146, 148–149, 151
  - geochemical section, B:366–367, 379–385
  - geochemistry, B:41–46
  - hydrothermal fields, A:12; B:9, 11
  - osmium and rhenium, B:95–100
  - photograph, B:84
  - stratigraphy, A:142–144
  - tomography, B:206–207
  - See also* massive deposits; pyrite, massive
- sulfides, porous, geochemical section, B:366–367
- sulfides, seafloor, comparison of sulfur isotopes, B:77–79
- sulfur
- element correlations, B:378–381
  - mineral separates, B:29, 94, 370–376
  - sources in sulfides, B:86–87
  - sphalerite, B:13
  - sulfides, A:93–94, 97–98, 158–159, 172
  - sulfides and sediments, B:43
  - vs. depth, A:129, 160, 195; B:53, 57, 59, 61, 374–376
  - See also* copper–iron–sulfur system
- sulfur isotopes
- anhydrite and sulfides, B:85–90
  - histograms in sulfides and sulfates, B:75
  - hydrothermal mounds, B:71–84, 404, 406
  - models, B:79–82
  - spatial distributions, B:76–77
  - sulfides, B:17–21, 47–70
  - vs. depth, B:69, 86
  - vs. oxygen isotopes, B:87
  - vs. textures, B:76, 81
- TAG. *See* Trans-Atlantic Geotraverse
- TAG-1 area
- altered basalt clasts, B:264–265
  - fluid geochemistry, A:123–124, 126–127
  - geochemical section, B:365–374
  - hydrothermal fields, A:9
  - major and trace elements, B:51–56
  - paleomagnetism, A:120–123
  - physical properties, A:114–120
  - rare earths in anhydrite, B:145–150, 153, 157–158
  - site description, A:65–140
  - stratigraphy, A:67–68
  - sulfide geochemistry, A:93–94, 97–98
  - sulfide petrology, A:68–93, 95–96, 98–114
  - sulfur isotopes, B:76
- TAG-2 area
- altered basalt clasts, B:265
  - fluid geochemistry, A:168–169
  - geochemical section, B:366, 370–375
  - hydrothermal alteration, A:160–163
  - hydrothermal fields, A:9–10
  - igneous petrology and geochemistry, A:163
  - major and trace elements, B:52, 57–59
  - paleomagnetism, A:166–168
  - physical properties, A:163–166
  - rare earths in anhydrite, B:145–150, 153–154, 158
  - site description, A:141–169
  - stratigraphy, A:142–144
  - sulfide geochemistry, A:155–159
  - sulfide petrology, A:144–155, 157, 159–160
  - sulfur isotopes, B:76–77
- TAG-3 area
- fluid geochemistry, A:173–174
  - geochemical section, B:366
  - hydrothermal fields, A:10
  - physical properties, A:172–173
  - site description, A:171–174
  - sulfide geochemistry, A:172
  - sulfide petrology, A:171–172
- TAG-4 area
- altered basalt clasts, B:265–266
  - geochemical section, B:366, 370–376
  - hydrothermal alteration, A:193–199
  - hydrothermal fields, A:10
  - igneous petrology and geochemistry, A:199–200
  - major and trace elements, B:52, 59–60
  - paleomagnetism, A:201–203
  - physical properties, A:200–201
  - site description, A:175–207
  - stratigraphy, A:177–178
  - sulfide geochemistry, A:189–191
  - sulfide petrology, A:178–189, 191–193
  - sulfur isotopes, B:77
- TAG-5 area
- geochemical section, B:366, 370–374, 376
  - hydrothermal alteration, A:219–220
  - hydrothermal fields, A:10
  - major and trace elements, B:52, 61–62
  - paleomagnetism, A:221–223
  - physical properties, A:220–221
  - rare earths in anhydrite, B:145–150, 154
  - site description, A:209–223
  - stratigraphy, A:210–212
  - sulfide geochemistry, A:216–219
  - sulfide petrology, A:212–216, 219
  - sulfur isotopes, B:77
- talc, hydrothermal alteration, B:241
- tantalum, mineral separates, B:32
- tectonic dips, lava extrusion, B:348
- tectonics
- hydrothermal mounds, A:15–21
  - Trans-Atlantic Geotraverse, A:6–8
- temperature
- anhydrite precipitation, B:122–123
  - fluid inclusions, B:163–190
  - mineralization, B:307–308
  - sulfides, B:116
  - vs. depth, A:28; B:185, 291
  - vs. salinity, B:185
  - vs. time, A:28
  - See also* fluid inclusions; microthermometry
- temperature, homogenization, vs. depth, B:172, 184
- temperature, precipitation, vs. partition coefficients for anhydrite, B:139–140
- temperature, trapping
- black smokers, B:395
  - vs. depth, B:171–172, 185
  - See also* fluid inclusions; microthermometry
- terraces, neovolcanic zones, A:18–21
- textures
- sulfides, B:193–210
  - X-ray computed tomography, B:201–210
  - See also* cauliflower textures; colloform textures; holohyaline textures; subvariolic textures; variolitic textures
- thallium
- mineral separates, B:31
  - vs. depth, B:54, 58, 60, 62
- thermal conductivity
- breccia, A:117, 137, 164–167, 221; B:208–209
  - massive sulfides, tomography, B:205, 208–209
  - precipitates, B:329–334
  - vs. depth, A:138
  - vs. physical properties, B:332
  - vs. porosity, B:333
  - See also* conduction; convection; heat flow
- thermal properties, precipitates, B:329–335
- thin sections, sulfides, B:203–204
- thorium
- mineral separates, B:32
  - sulfides and sediments, B:44
- thorium-230/uranium-234, sulfides, B:111–117
- thorium-232, sulfides, B:112
- time scales
- hydrothermal mounds, B:124
  - See also* geochronology
- tin
- mineral separates, B:33, 370–373
  - sulfides and sediments, B:45
- titanium
- hydrothermal mounds, B:370–380
  - mantle, B:225
  - sulfides and sediments, B:43, 45
- titanium oxide
- mineral separates, B:28–29, 94
  - sulfides and sediments, B:43
  - vs. aluminum oxide, B:263
- titanomagnetite, petrology, A:200
- tomography, textures, B:201–210
- tonnage
- ores, B:397–398, 410
  - See also* grade
- trace elements
- anhydrite, B:121–124, 143–159
  - basalts, B:215–216, 219–220, 222–223, 225
  - basalts and clasts, B:260
  - clay minerals, B:280–284
  - element correlations, B:65
  - hydrothermal alteration, B:27–39, 49–63
  - sulfides, B:21–22, 46–70, 396
- Trans-Atlantic Geotraverse
- age of sulfides, B:111–117
  - basalts, B:213–229
  - biosphere, B:355–360
  - clay minerals, B:277–284
  - comparison with Cyprus-type massive sulfides, B:389–415
  - fluid inclusions, B:163–190
  - fluid mixing, B:119–127
  - geochemical section, B:363–387
  - geochemistry, B:41–70, 255–276
  - geology, A:6–8
  - heat flow, A:23–29
  - hydrothermal mounds, A:15–21; B:231–254
  - hydrothermal systems, A:5–14
  - lead isotopes, B:101–109
  - magnetic properties of cores, B:337–351
  - osmium isotopes, B:91–100
  - oxygen isotopes, B:285–295
  - petrology, B:5–26
  - rare earths, B:143–159
  - seismic velocity–porosity relationship, B:313–327
  - stable isotopes, B:85–90
  - strontium and oxygen isotopes, B:129–141, 297–309
  - sulfides, B:193–210
  - sulfur isotopes, B:71–84
  - tectonics, A:6–8
  - thermal properties comparison with middle valley of Juan de Fuca Ridge, B:329–335
  - thermal properties of precipitates, B:329–335
  - See also* Black Smoker Complex; black smokers; Kremlin white smoker field; TAG-1 area; TAG-2 area; TAG-3 area; TAG-4 area; TAG-5 area
- Troodos Massif, comparison of massive sulfides with Trans-Atlantic Geotraverse, B:390, 398–404

- tungsten, mineral separates, B:33
- ultrasonic data  
 mineralization, B:314–315  
*See also* seismic velocity
- upflow, hydrothermal, localization, A:19–20
- uranium  
 mineral separates, B:32–33, 37, 39  
 sulfides and sediments, B:44  
*See also* radium-226/uranium-234;  
 thorium-230/uranium-234
- uranium-238, sulfides, B:112
- vanadium  
 mineral separates, B:30  
 sulfides and sediments, B:45  
 vs. water content, B:265
- variolites, photograph, B:247
- variolitic textures  
 photograph, A:200–201  
*See also* subvariolitic textures
- veinlets, photograph, A:181
- veins  
 hydrothermal alteration, A:196–199, 108–109,  
 161  
 petrology, B:11–12, 14–17  
 photograph, A:148, 157–158, 161, 181, 185,  
 197, 217–218; B:247–251  
 quartz, A:144  
 rare earths in anhydrite, B:155–159  
 sulfides, A:211  
 sulfur isotopes, B:19–21, 76  
 textures, B:195  
 thermal conductivity, B:332  
 variations with depth, A:81–83, 89  
*See also* breccia; clasts
- veins, anhydrite  
 petrology, A:68, 81–83, 211; B:22, 392  
 photograph, A:75–76, 86, 91, 98–109, 120;  
 B:84, 147–149
- veins, chlorite, photograph, A:118
- veins, crustiform–banded, photograph, A:98–103
- veins, pyrite–anhydrite, photograph, A:93
- veins, pyrite–quartz  
 lithology, A:178  
 photograph, A:118–120, 122, 130
- velocity  
 vs. absorption, B:348  
*See also* compressional wave velocity; seismic  
 velocity; shear wave velocity
- vents, hydrothermal fields, A:8
- vesicles, photograph, A:116, 200
- volcanic domes, hydrothermal fields, A:7
- vugs  
 hydrothermal alteration, A:108  
 photograph, A:92, 100, 121, 158, 192
- wallrock alteration  
 hydrothermal fields, A:9–10, 12  
 stratigraphy, A:67–68
- water content  
 vs. major oxides, B:264  
 vs. trace elements, B:265
- weathering, gossan, B:409–410
- white smokers  
 geochemical section, B:366  
 hydrothermal fields, A:8–10; B:307  
 lead isotopes, B:104–109  
 major and trace elements, B:52, 57–59  
 rare earths in anhydrite, B:152, 158  
 sulfur isotopes, B:76–77  
*See also* black smokers; Kremlin white smoker  
 field
- X-ray computed tomography, textures, B:201–210
- X-ray diffraction data, hydrothermal alteration,  
 A:133–134
- X-ray fluorescence data  
 basalts, A:204  
 mud, A:163–164
- ytterbium. *See* lanthanum/ytterbium ratio;  
 neodymium/ytterbium ratio
- yttrium, vs. zirconium, B:263
- zinc  
 basalts, B:215, 217  
 clay minerals, B:280, 283  
 distribution in massive sulfides, B:405  
 element correlations, B:65, 382–384  
 enrichment, geochemistry, B:377  
 hydrothermal clays, B:217  
 hydrothermal fields, A:9–13; B:367, 370–379,  
 395, 397  
 metabasaltic clasts, B:217  
 mineral separates, B:30, 33, 36–37, 39, 94  
 pyrite, B:12  
 sphalerite, B:13  
 sulfides, A:93–94, 97–98, 156, 158–160,  
 189–191  
 sulfides and sediments, B:44  
 vs. copper, B:398  
 vs. depth, A:129, 160, 195; B:53, 57, 59, 61,  
 374–376  
 vs. water content, B:265  
 zonation, B:397
- zinc/copper ratio  
 sulfides, A:97–98, 158  
 vs. depth, A:129
- zinc/iron ratio  
 sulfides, A:97–98, 158  
 vs. depth, A:129
- zinc sulfides, hydrothermal fields, A:8
- zirconium  
 basalts, B:218  
 hydrothermal clays, B:218  
 mantle, B:225  
 metabasaltic clasts, B:218  
 mineral separates, B:32  
 sulfides and sediments, B:43  
 vs. yttrium, B:263  
 zonation, hydrothermal alteration, B:11, 395, 397,  
 412  
 Zone 1, neovolcanic zones, A:16–18  
 Zone 2, neovolcanic zones, A:16–18  
 Zone 3, neovolcanic zones, A:16–18  
 Zone 4, neovolcanic zones, A:16–18