

INDEX TO VOLUME 163

This index covers both the *Initial Reports* and *Scientific Results* portions of Volume 163 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:) and to those in the *Scientific Results* (this book) by “B” with a colon (B:).

The index was prepared by Earth Systems, under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index covers volume text, figures, and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, thin-section descriptions, or CD-only tables. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The index follows a standard format. Geographical, geologic, and other terms are referenced only if they are subjects of discussion. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 988, for example, is given as “Site 988, A:23–30.”

For further information, including available electronic formats, contact the Senior Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A., e-mail: pub_production@ODP.TAMU.EDU

VOLUME 163 SUBJECT INDEX

- aa-flows
 - cracks, B:31–32
 - diagnostic features, B:49
 - groundmass, A:57
 - physical and magnetic properties, B:41–49
- age spectra, lava flows, B:57
- albite, phase equilibria, B:103
- alteration
 - basalts, A:27–28, 60, 62–64; B:32–34, 79–93
 - flood basalts, B:17–28
 - lava flows, A:38, 41–42; B:44–46
 - logs, B:149–153
 - veins, B:149–150
 - See also* chabazite; clinoptilolite; heulandite; hydration; laterization; mesostasis; oxidation; recrystallization; saponite; secondary minerals; veins
- aluminum oxide
 - basalts, B:99–112
 - Middle Series Magmas, B:107–110
 - vs. magnesium oxide, B:102, 106
- Ammassalik, partial melting, B:110
- amphibolites, mafic, partial melting, B:108–110
- andesites, basaltic, melts, B:95–112
- anorthite
 - phase equilibria, B:103
 - vs. forsterite, B:104
- argon isotopes, volcanic history, B:53–62
- aspect ratio spectra, vs. concentration, B:33
- aspect ratios
 - aa-flows, B:31–32
 - vs. porosity, B:32
- Atlantic Ocean NE
 - basalts, B:135–148
 - melt composition, B:119–134
 - volcanic stratigraphy, B:3–16
- augite
 - phase equilibria, B:103
 - phenocrysts, A:27–28, 57
 - zoning, A:38
 - See also* clinopyroxene
- barium
 - basalts, A:40–41, 59–60
 - See also* rubidium/barium ratio
- barium/tantalum ratio, vs. lead-206/lead-204 ratio, B:89
- barium/zirconium ratio, vs. relative stratigraphic height, B:71
- basalts
 - continental margin, A:9, 11
 - geochemistry, B:63–93
 - geochronology, B:55–60
 - melts, B:95–112
 - mineral composition, B:113–117
 - seismic velocity, B:29–35
 - Tertiary, B:135–148
 - thin sections, A:253–276
- basalts, altered
 - lithologic units, A:52
 - photograph, A:52–53
- basalts, aphyric, lithologic units, A:26, 35, 37–38
- basalts, aphyric olivine, petrology, B:20–24
- basalts, flood, alteration, B:17–28
- basalts, glomeroporphyritic, lithology, A:27
- basalts, ice-rafted debris, mass accumulation rates, B:159
- basalts, oceanic, continental margin, B:71–72
- basalts, phyrlic, photomicrograph, A:60
- basalts, plagioclase-olivine phyrlic, petrology, B:20–24
- bathymetry, continental margin, A:8
- bedding, lava, A:26–27
- biostratigraphy, A:54
- breccia
 - petrology, B:20–24
 - photograph, A:52–53
 - vs. depth, B:152–153
- breccia, clayey volcanoclastic, lithologic units, A:52–53
- brecciation, volcanic rocks, A:56
- calcite cement, lithologic units, A:52
- calcium. *See* sodium/calcium ratio
- calcium carbonate, alteration, A:41–42
- calcium oxide
 - basalts, B:99–112
 - volcanic rocks, B:67–74
 - vs. magnesium oxide, B:102, 106
- carbonates, alteration, A:60, 62
- cerium, vs. magnesium oxide, B:68
- chabazite, veins, A:28
- chromium
 - basalts, B:70
 - lava, A:39–40, 59–60, 64
 - volcanic rocks, B:67
- chromium number
 - spinel in olivine, B:124–134
 - vs. magnesium number, B:127–128
- Chron C22r, volcanic history, B:56
- Chron C24n.3n, volcanic history, B:57
- Chron C24r, volcanic history, B:57–58
- Chron C25n
 - lava flows, A:54
 - volcanic history, B:56–57
- Chron C25r, lava flows, A:54; B:58
- Chron C26n, volcanic history, B:56–57
- Chron C27n, lava, A:35
- Chron C28n, lava, A:35
- clasts
 - geochemistry, A:59; B:68
 - lithologic units, A:26, 35, 52–53
 - photograph, A:52–53
- clasts, basaltic, composition, B:73–74
- clays
 - alteration, A:27, 38, 62–64
 - flood basalts, B:25–26
 - igneous rocks, A:36
 - lava flows, A:55
 - lithologic units, A:52
 - photograph, A:36
 - See also* illite; sand/clay ratio; smectite
- clays, total, vs. compressional wave velocity, B:26
- clinoptilolite, alteration, A:42
- clinopyroxene
 - relict crystals, A:27
 - See also* augite
- cobbles, lithologic units, A:52; B:68
- coercivity, sediments, A:26
- color, vs. depth, B:152–153
- compressional wave velocity
 - basalts, A:29–30, 65–66, 68; B:31–35
 - spectral analysis, A:44
 - volcanic rocks, A:43–45
 - vs. compressional wave velocity/shear wave velocity ratio, B:24
 - vs. confining pressure, B:33
 - vs. density, A:66
- vs. depth, A:30, 43, 66; B:30, 43
- vs. grain density, B:32
- vs. loss on ignition, B:24
- vs. porosity, B:32
- vs. potassium oxide, B:24
- vs. total clay, B:26
- zonation, B:27
- compressional wave velocity modulus, vs. porosity, A:46
- conglomerate, mixed-cobble, lithologic units, A:52; B:68
- conjugate margins, seismic profiles, B:7, 13–15
- contamination
 - crust, B:71, 85, 87
 - Middle Series Magmas, B:105–110
- continental breakup
 - magnetochrons, B:60–61
 - See also* extrusive breakup complexes
- continental margin
 - oceanic basalts, B:71–72
 - seismic reflectors, A:5–13
- cooling history, lava, B:135–148
- copper, native, lava flows, A:55, 62–63
- correlation, volcanism, B:59–60
- cracks
 - flood basalts, B:25–26
 - seismic velocity, B:29–35
 - See also* faults; microfissures
- crust
 - contamination, B:71, 85–87
 - structure, B:72
 - thickness, B:73, 131
 - volcanism, B:59–61
 - zonation, B:25
- crust, oceanic, formation, B:72–73
- cryptochrons, volcanic history, B:57–58
- crystallization
 - controls, B:141–144
 - kinetic controls, B:135–148
 - lava, B:138
 - See also* dendrite; fractionation; nucleation
- crystallization, dendritic, backscattered electron image, B:139
- crystallization, fractional, magmas, B:105
- Curie temperature, flood basalts, B:26
- dacites
 - lithologic units, A:35, 52
 - origin, B:95–112
- debris, ice-rafted, mass accumulation rates, B:157–166
- deformation
 - basalts, B:37–38
 - igneous rocks, A:36
 - lava, A:26–27
 - lava flows, A:54–55
 - See also* cracks; faults; fractures; microfissures; structural data
- demagnetization
 - basalts, B:37–38
 - lava flows, A:54
 - lithologic units, A:35
 - sediments, A:26
 - Zijderveld plots, A:55
- dendrite, plagioclase, B:140–141
- density
 - basalts, B:24
 - vs. compressional wave velocity, A:66
 - vs. depth, A:66–67; B:23, 43, 45, 48

density, bulk, basalts, A:30, 65–66, 68; B:31–35
 density, grain
 basalts, A:44; B:31–35
 vs. compressional wave velocity, B:32
 vs. grain moduli, B:34
 vs. porosity, B:34
 differentiation, magmas, B:104–110
 dike swarms, partial melting, B:110
 dikes
 geochemistry, B:69, 84–85
 injection, B:74
 diopside, phase equilibria, B:103–105
 dip, flow banding, vs. depth, A:37
 dip, magmatic features, vs. depth, A:56
 dip, structural features, vs. depth, A:56
 dip, veins, vs. depth, A:37
 dolerites. *See* dacites

 East Greenland Tertiary Igneous Province, volcanism, B:59–60
 Edoras Bank Margin, seismic profiles, B:7
 EG63 Transect
 flood basalts, B:17–26
 geochemistry, B:63–75
 volcanostratigraphy, B:5–6, 8–10
 EG66 Transect, volcanostratigraphy, B:6–7, 11–12
 elastic moduli, vs. grain density, B:34
 elastic properties, flood basalts, B:25–26
 elements. *See* immobile element ratios
 emplacement
 flood basalts, B:25
 lava, B:135–148
 magmas, B:71–72, 88–90
 Eocene
 mass accumulation rates, B:163–166
 volcanic rocks, B:67
 Eocene, lower?, lithologic units, A:52–53
 erratics, lithologic units, A:26, 35
 extrusive breakup complexes, volcanic stratigraphy, B:3–16

 fabric, basalts, B:37–38
 Faeroe-Shetland Escarpment, seismic facies, B:13–14
 faults
 basalts, B:37–38
 lava flows, A:55
 See also strike-slip faults
 flow bands, lava flows, A:54–55
 flow morphology, volcanic rocks, A:56
 forsterite
 phase equilibria, B:103–105
 vs. anorthite, B:104
 fractionation
 magmas, B:70–74, 104–110, 131
 trace elements, A:40, 64
 See also crystallization
 fractures
 basalts, B:37–38
 igneous rocks, A:36
 lava, A:27
 lava flows, A:55
 See also cracks; microfissures
 fractures, en echelon, photograph, A:57

 gabbros
 cumulates, B:74
 lithologic units, A:26, 52
 geochemistry
 basalts, B:63–93
 volcanic rocks, B:63–75
See also immobile element ratios; incompatible element ratios
 geochronology, volcanic history, B:53–62

geologic maps, continental margin, A:6
 glaciomarine deposits, lithologic units, A:26, 35
 glasses, basalts, B:98
 glomerocrysts
 augite and plagioclase, A:27
 photomicrograph, A:28, 60
 plagioclase, A:38
 gneiss, lithologic units, A:26, 35
 goethite, veins, A:28
 granite, lithologic units, A:26
 granitic rocks, ice-rafted debris, mass accumulation rates, B:160, 165
 gravity flows, lithologic units, A:53–54
 Greenland. *See* East Greenland Tertiary Igneous Province
 Greenland Margin SE
 drilling, A:5–13
 flood basalts, B:17–35
 geochemistry, B:63–93, 113–117
 geochronology, B:53–62
 lavas, B:135–148
 melt composition, B:121–122
 melts, B:95–112
 seismic profiles, B:8–13
 volcanic rocks, A:29; B:63–75
 volcanostratigraphy, B:5–7
 groundmass
 re-equilibration of spinel, B:123–124
 vs. depth, B:152–153
 groundmass textures, lava flows, B:44
 gypsum
 lava flows, A:55, 62
 veins, A:28

 Hatton Bank Transect, seismic profiles, B:7, 14
 hematite, flood basalts, B:26
 heulandite, alteration, A:42
 hydration, flood basalts, B:25–26

 ice rafting
 lithologic units, A:26, 35
 mass accumulation rates, B:157–166
 Iceland, plumes, A:11; B:88–90
 Iceland E, volcanic rocks, A:29
 igneous petrology
 Site 988, A:27–28
 Site 989, A:37–43
 Site 990, A:56–64
 igneous rocks, lithology, A:27, 37–38
 Igneous Unit 1
 origin, B:145–146
 petrology, B:56, 67–68, 136
 Igneous Unit 2, petrology, B:20–24, 56
 Igneous Unit 3A, petrology, B:20–24
 Igneous Unit 9, petrology, B:20–24
 igneous units
 lithology, A:56
 location and thickness, A:57
 petrography, A:58
 illite, veins, A:28
 immobile element ratios, lava, A:28
 incompatible element ratios
 basalts, A:39, 42
 lava, A:28
 index properties
 basalt, A:29–30, 66
 volcanic rocks, A:44–45
 intersertal texture
 lava flows, A:38
 photomicrograph, A:40
 Irminger Basin
 mass accumulation rates, B:157–162
 volcanic rocks, A:29
 iron

basalts, B:82–85
 lava, A:59
 iron number
 spinel in olivine, B:124–134
 vs. magnesium number, B:127–128
 iron oxide
 lithologic units, A:52
 Middle Series Magmas, B:105–110
 vs. magnesium oxide, B:102, 106
 iron oxide/magnesium oxide ratio, olivines and pyroxenes, B:103
 iron oxyhydroxide, veins, A:28
 isochrons, plagioclase, B:58
 isotopes
 basalts, B:77–93, 113–117
 See also argon isotopes; lead isotopes; neodymium isotopes; oxygen isotopes; strontium isotopes

 Jan Mayen Ridge-Møre Transect, seismic facies, B:14
 joints
 igneous rocks, A:36
 lava, A:26–27

 Kangerlussuaq, volcanism, B:59–60
 kinetic controls, crystallization, B:135–148
 Koenigsberger ratio
 lava, A:35–36
 vs. depth, A:36
 Kuster-Toksöz model, cracks, B:31–32

 Landward Flows, volcanostratigraphy, B:4
 laterization
 geochemistry, A:28
 See also weathering
 lava
 deformation, A:26–27
 magnetic polarity, A:35
 stratigraphy, B:58–59
 Tertiary, B:135–148
 lava flows
 geochemistry, B:68–73
 geochronology, B:55–60
 lithology, A:37–38, 42
 photograph, A:39
 photomicrograph, A:40
 physical and magnetic properties, B:41–49
 spinel, B:130–131
 structural data, B:20
 temperature-time-transformation, B:147
 thickness, A:39
 thickness vs. depth, A:40; B:138
 thickness vs. frequency, B:147
 volcanostratigraphy, B:4
 zonation, B:24–25
 See also aa-flows; flow bands; flow morphology; pahoehoe-flows
 lava ponding, lava flows, B:6
 lead isotopes
 basalts, B:77–93
 oceanic basalts, B:71
 lead-206/lead-204 ratio
 vs. barium/tantalum ratio, B:89
 vs. lead-207/lead-204 ratio, B:84
 vs. lead-208/lead-204 ratio, B:85
 lead-207/lead-204 ratio, vs. lead-206/lead-204 ratio, B:84
 lead-208/lead-204 ratio, vs. lead-206/lead-204 ratio, B:85
 lithologic units
 Site 990, A:52–54
 Unit I, A:26, 35, 52
 Unit II, A:52–53

- lithostratigraphy
 Site 988, A:26
 Site 989, A:35
 Site 990, A:52–54
 loss on ignition, vs. compressional wave velocity, B:24

 mafic rocks, ice-rafted debris, mass accumulation rates, B:160, 165
 maghemite, flood basalts, B:26
 magmas
 evolution, B:104–110
 fractionation, B:70–74, 104–110, 131
 oceanic vs. continental, B:69
 magmatism, composition, B:87–90
 magnesium, volcanic rocks, A:28
 magnesium number
 basalts, A:39
 lava, A:59
 volcanic rocks, B:67–74
 vs. chromium number, B:127–128
 vs. iron number, B:127–128
 vs. relative stratigraphic height, B:69
 vs. titanium oxide, B:69
 magnesium oxide
 basalts, B:99–112
 volcanic rocks, A:64; B:67–74
 vs. cerium, B:68
 vs. major oxides, B:102, 106
 vs. strontium, A:41
 See also iron oxide/magnesium oxide ratio
 magnetic anomalies, volcanic stratigraphy, B:4
 magnetic declination, basalts, B:37–38
 magnetic inclination
 basalts, B:37–38
 vs. depth, A:26, 35, 54
 magnetic intensity, vs. depth, A:26, 35, 54
 magnetic polarity
 lava flows, A:54
 lithologic units, A:35
 sediments, A:26
 magnetic properties
 flood basalts, B:26
 lava flows, B:41–49
 vs. depth, B:43
 magnetic susceptibility
 basalts, B:24
 flood basalts, B:26
 volcanic rocks, A:66–67
 vs. depth, A:46, 67–68; B:23, 43, 45, 48
 magnetic susceptibility, bulk, lava, A:35–36, 44
 magnetite
 flood basalts, B:26
 groundmass, A:57
 lava flows, A:38
 magnetite, skeletal, photomicrograph, A:40
 magnetochrons, volcanic history, B:57
 magnetostratigraphy, sediments, A:26
 major elements, volcanic rocks, B:63–75, 81, 113–117
 major oxides, volcanic rocks, A:28–29, 38–41, 57, 59–61
 mantle
 composition, B:87–90
 volcanism, B:59–60
 mass accumulation rates, ice-rafted debris, B:157–166
 mass spectra, basalts, B:113–117
 melts
 basalts, B:95–112
 composition, B:119–134
 geochemistry, B:84–85
 low-pressure crystal fractionation, B:110, 139
 magnesium number, B:127–128

 See also partial melting
 melts, sublithospheric, composition, B:87–90
 mesostasis
 alteration, A:60, 62–64
 groundmass, A:27, 57
 lava flows, A:38, 42
 photograph, A:59
 photomicrograph, A:60
 metabasalt, lithologic units, A:35
 microfissures, flood basalts, B:25–26
 Middle Series Magmas, origin, B:105–110
 minor elements, transects, A:11, 13
 Miocene, upper, mass accumulation rates, B:163–166
 Møre Margin, seismic facies, B:14

 neodymium isotopes
 basalts, B:77–93, 113–117
 vs. strontium isotopes, B:83, 87, 110
 Neogene, mass accumulation rates, B:157–162, 163–166
 neutron activation data, spinel, B:134
 nickel
 basalts, B:70
 lava, A:28, 39–40, 59–60, 64
 vs. strontium, A:62
 vs. zirconium, A:62
 niobium
 basalts, B:82–85
 lava, A:39, 59–60
 volcanic rocks, B:67–74
 niobium/yttrium ratio, vs. zirconium/yttrium ratio, B:91
 niobium (delta), vs. relative depth, B:93
 nucleation, plagioclase, B:144

 olivine
 basalts, B:99–112
 cumulates, B:74
 lava flows, A:38, 42
 phase equilibria, B:103–105
 phenocrysts, A:27–28, 57, 64
 photomicrograph, A:60
 See also diopside; forsterite
 ophitic texture
 plagioclase enclosed by augite, A:28
 See also subophitic texture
 oxidation
 flood basalts, B:25–26
 lava flows, A:63
 oxygen isotopes, basalts, B:113–117

 pahoehoe-flows
 diagnostic features, B:49
 groundmass, A:57
 lithology, A:37–38
 melts, B:145
 physical and magnetic properties, B:41–49
 paleomagnetism
 Site 988, A:26
 Site 989, A:35–36
 Site 990, A:54; B:37–40
 partial melting, Middle Series Magmas, B:107–110
 petrography, basalts, petrology, B:22
 phase equilibria
 dacites, B:97–112
 lava flows, B:139
 vs. cooling rate, B:139
 phenocrysts
 Middle Series Magmas, B:105–110
 olivine, A:27
 plagioclase, A:38, 57
 spinel in olivine, B:124

 phosphorus, basalts, A:40
 phosphorus oxide, vs. magnesium oxide, B:102, 106
 physical properties
 basalts, B:20–24, 29–35
 lava flows, B:41–49
 Site 988, A:28–30
 Site 989, A:43–44
 Site 990, A:64–68
 volcanic stratigraphy, B:19
 vs. depth, B:43
 plagioclase
 backscattered electron images of dendrite, B:146
 backscattered electron images of experimental charges, B:142–144
 basalts, B:99–112
 isochrons, B:58
 lava flows, A:38
 morphology, B:140–141
 phase equilibria, B:103
 phenocrysts, A:27–28, 57
 photomicrograph, A:60
 zoning, A:38
 See also albite; anorthite
 plagioclase width
 vs. cooling rate, B:146
 vs. quench temperature, B:145
 plate tectonics, magnetochrons, B:60
 Pleistocene, mass accumulation rates, B:163–166
 pleochroism, augite, A:27
 Pliocene, mass accumulation rates, B:163–166
 plumes
 composition, B:87–90
 Iceland, A:11
 volcanism, B:60
 plumose structures, plagioclase, B:144
 porosity
 basalts, A:30, 44; B:24, 31–35
 flood basalts, B:25–26
 vs. aspect ratios, B:32
 vs. compressional wave velocity, B:32
 vs. compressional wave velocity modulus, A:46
 vs. grain density, B:34
 See also aspect ratio spectra
 potassium, basalts, A:40
 potassium oxide
 volcanic rocks, B:67–74
 vs. compressional wave velocity, B:24
 vs. magnesium oxide, B:102, 106
 pressure, confining, vs. velocity, B:33
 pseudomorphs
 clay, A:27
 olivine, A:57
 photomicrograph, A:60
 pyrite, alteration, A:42
 pyroxenes
 backscattered electron images of experimental charges, B:142–143
 basalts, B:99–112
 phase equilibria, B:102
 See also augite; clinopyroxene

 quartz, ice-rafted debris, mass accumulation rates, B:159, 165
 quartzite, lithologic units, A:35, 52
 quenched zones, lava, B:136

 rare earths
 crust, B:71
 Middle Series Magmas, B:107–110
 volcanic rocks, B:67–74, 82–90
 recrystallization, alteration, A:60, 62–64

reflectors, landward-dipping, volcanostratigraphy, B:13–14

reflectors, seaward-dipping
 melt composition, B:95–134
 volcanostratigraphy, B:5–7, 14

remanent magnetization
 basalts, B:37–38
 flood basalts, B:26

remanent magnetization, anhysteretic, sediments, A:35–36

remanent magnetization, natural
 lava flows, A:54
 sediments, A:26, 35–36

rifting
 magmas, B:104–110
 oceanic basalts, B:71–72
 volcanism, B:59–61

Rockall Margin, well-ties, B:5

Rockall Plateau, melt composition, B:121

rubidium
 basalts, A:40, 60; B:85
 volcanic rocks, B:67–74

rubidium/barium ratio, basalts, B:87

sand/clay ratio, flood-basalt alteration, B:27

sand size, ice-rafted debris, mass accumulation rates, B:159–160, 164–166

saponite, veins, A:28

scandium
 vs. silica, B:68
 vs. strontium, B:68
 vs. zirconium, B:70

Scoresby Sund, volcanic rocks, A:29

secondary minerals
 alteration, A:41–42
 distribution and abundance, A:42, 63

sector zoning, augite phenocrysts, A:28

sedimentary rocks, ice-rafted debris, mass accumulation rates, B:160, 165

sediments
 lithologic units, A:26, 35
 thin sections, A:279

segregation blobs, photograph, A:59–60

seismic facies, B:13–15

seismic facies analysis, volcanostratigraphy, B:5

seismic profiles
 EG63 Transect, B:7–13
 Site 988, A:25
 Site 989, A:33
 Site 990, A:48
 transects, A:10, 12

seismic reflection, volcanic stratigraphy, B:3–16

seismic reflectors, A:5–13

seismic sequence analysis, volcanostratigraphy, B:5

seismic velocity, basalts, B:29–35

seismic volcanostratigraphy, Greenland Margin NE, B:3–16

shear wave velocity
 basalt, B:31–35
 vs. confining pressure, B:33

Shetland. *See* Faeroe–Shetland Escarpment

silica
 basalts, B:70
 vs. magnesium oxide, B:102, 106
 vs. scandium, B:68
 vs. strontium, B:68

sills, lava, A:28

siltstone, lithologic units, A:52

Site 338, spinel, B:121, 128–129

Site 407, volcanic rocks, A:29

Site 642
 seismic profiles, B:7
 volcanostratigraphy, B:5

Site 915
 lava stratigraphy, B:58–59
 seismic stratigraphy, B:6

Site 916, seismic stratigraphy, B:6

Site 917
 alteration and veins, B:149–153
 basalt trace elements, A:41
 lava flows, A:42
 lava stratigraphy, B:58–59
 melt composition, B:130–131
 melts, B:95–112
 spinel, B:123–124
 structural data, B:37–40
 trace elements, A:40
 volcanostratigraphy, B:6

Site 918
 alteration and veins, B:149–153
 basalt trace elements, A:41
 lava stratigraphy, B:58–59
 mass accumulation rates, B:163–166
 melts, B:95–112

Site 919, mass accumulation rates, B:157–162

Site 988, A:23–30
 background and objectives, A:23–24
 coring, A:26
 geochemistry, B:79–80, 82–83, 113–117
 geochronology, B:56
 igneous petrology, A:27–28
 lithostratigraphy, A:26
 operations, A:24–26
 paleomagnetism, A:26
 physical properties, A:28–30
 site description, A:23–30
 structural geology, A:26–27
 thin sections, A:253–255

Site 989, A:31–46
 background and objectives, A:32–34
 coring, A:34
 geochemistry, B:80, 83–84, 113–117
 geochronology, B:56
 igneous petrology, A:37–43
 lava flows, B:135–148
 lithostratigraphy, A:35
 melts, B:95–112
 operations, A:34–35
 paleomagnetism, A:35–36
 physical properties, A:43–44
 seismic stratigraphy, B:6
 site description, A:31–46
 structural geology, A:36–37
 thin sections, A:257–263
 volcanic rocks, B:67

Site 990, A:47–68
 background and objectives, A:48–49
 biostratigraphy, A:54
 coring, A:50
 geochemistry, B:80–82, 84–85, 113–117
 geochronology, B:56–58
 igneous petrology, A:56–64; B:17–28
 lava flows, B:41–49
 lithostratigraphy, A:52–54
 operations, A:49–52
 paleomagnetism, A:54
 physical properties, A:64–68
 seismic stratigraphy, B:6
 seismic velocity, B:29–35
 site description, A:47–68
 structural data, B:37–40
 structural geology, A:54–55
 thin sections, A:265–276, 279
 volcanic rocks, B:67–69

Sites 552–554, seismic profiles, B:7

Sites 552–555, volcanostratigraphy, B:5

slickensides

basalts, B:37–38

lava flows, A:55

smectite
 alteration, A:41–42
 flood basalts, B:25–26
 veins, A:28

sodium/calcium ratio, plagioclase, B:103

sodium oxide, vs. magnesium oxide, B:102, 106

spinel
 composition in olivine, B:130
 composition in plagioclase, B:129

spinel, chromium-rich
 backscattered electron images, B:121, 123–124
 composition, B:119–134

stilbite, alteration, A:42

stratigraphic height, relative
 vs. barium/zirconium ratio, B:71
 vs. magnesium number, B:69

strike-slip faults, basalts, B:37–38

strontium
 basalts, A:39–41, 59–60
 vs. magnesium oxide, A:41
 vs. nickel, A:62
 vs. scandium, B:68
 vs. silica, B:68

strontium isotopes
 basalts, B:77–93, 113–117
 vs. neodymium isotopes, B:83, 87, 110

structural analysis, basalts, B:37–38

structural data
 lava flows, B:20
 Site 990, B:37–40
See also deformation

structural geology
 Site 988, A:26–27
 Site 989, A:36–37
 Site 990, A:54–55

structural logs, vs. depth, A:56

subophitic texture
 lava flows, A:38
See also ophitic texture

tantalum
 basalts, B:82–85
See also barium/tantalum ratio

Tertiary
 basalts, B:135–148
 volcanism, B:59–60

Tertiary, lower, volcanic stratigraphy, B:3–16

textures
 lava flows, B:44, 138
 vs. cooling rate, B:139–141
See also glomerocrysts; intersertal texture; ophitic texture; subphitic texture; variolitic texture

thermal conductivity, basalts, A:44, 46, 67

thin sections
 basalts, A:253–276
 sediments, A:279

tholeiite
 geochemistry, B:82–85
 magnetochrons, B:60–61

titanium, basalts, A:40

titanium oxide
 basalts, A:39
 Middle Series Magmas, B:105–110
 volcanic rocks, B:67–74
 vs. magnesium number, B:69
 vs. magnesium oxide, B:102, 106

titanomagnetite, flood basalts, B:26

trace elements
 altered basalts, A:64
 basalt spidergram, A:41

- basalts, B:77–93
 transects, A:11, 13
 volcanic rocks, A:28–29, 38–42, 57, 59–61, 63; B:63–75, 113–117
See also immobile element ratios; incompatible element ratios; minor elements
- ultramafic rocks, ice-rafted debris, mass accumulation rates, B:165
- variolitic texture, photomicrograph, A:40
- vein density, vs. depth, B:40
- vein sets, conjugate, photograph, A:36
- veins
 alteration, A:62–64; B:149–153
 basalts, B:37–38
 contour plots, B:39
 igneous rocks, A:36
 lava flows, A:27–28, 55
 logs, B:149–153
 vs. depth, B:152–153
See also chabazite; illite; iron oxyhydroxide; saponite
- velocity
 basalts, B:20–21, 23–24
 vs. depth, B:23
See also compressional wave velocity; shear wave velocity
- velocity, acoustic, basalt, A:29, 43–44, 65–66
- vesicles
 alteration, A:41–42, 62–64
 basalt, A:27–28
 igneous rocks, A:36–37
 lava flows, A:54–55
 photograph, A:36, 39, 59, 63
 vs. depth, B:152–153
- vesicles, vertical pipe, photograph, A:38
- vesicularity, lava flows, A:38, 44
- Vøring Margin
 seismic profiles, B:7
 well-ties, B:5
- Vøring Plateau, melt composition, B:120–121, 128–129
- volcanic complexes, volcanic stratigraphy, B:3–16
- volcanic history, geochronology, B:53–62
- volcanic rocks
 flow morphology, A:56
 geochemistry, B:63–75
- volcanic stratigraphy
 physical properties, B:19
 seismic reflection, B:3–16
- volcaniclastics, lithologic units, A:52–54
- volcanism
 continental margin, A:9, 11
 crust, B:59–61
- water content, basalt, A:44
- weathering
 geochemistry, A:28
 lithologic units, A:52–54
See also laterization
- well-logging, compressional wave velocity, B:26–27
- X-ray diffraction data
 basalts, petrology, B:20–21
 secondary minerals, A:43, 64
 volcanic rocks, A:29
 vs. depth, B:23
- X-ray fluorescence data
 altered basalts, A:62
 basalts, B:113–117
 petrology, B:20–21
- yttrium
 lava, A:39–40, 59–60
See also niobium/yttrium ratio; zirconium/yttrium ratio
- zeolites
 alteration, A:41–42
 igneous rocks, A:36
 lava flows, A:55, 63
 photograph, A:36, 39, 63
 veins, A:28
See also clinoptilolite; heulandite
- Zijderveld plots, demagnetization, B:37
- zirconium
 basalts, A:39–40; B:70
 lava, A:59–60, 64
 volcanic rocks, B:67–74
 vs. nickel, A:62
 vs. scandium, B:70
See also barium/zirconium ratio
- zirconium/yttrium ratio, vs. niobium/yttrium ratio, B:91
- zonation
 augite, A:38
 compressional wave velocity, B:27
 lava flows, B:24–25
- zonation, oscillatory, plagioclase, A:27
- zonation, sector, photomicrograph, A:28