

				Texture			Minerals													Biogenic						TOT																									
Site	H	Core	T	Sec	Int. (cm)	Depth (mbsf)	Observer	Lithology	Sand	Silt	Clay	Quartz	Feldspar	Plagioclase	Mica	Biotite	Muscovite	Amphibole	Rock Fragments	Glass volcanic glass	Opauques	Fe-Oxide	Pyrite	Zeolite	Glauconite	Phosphate	Carbonate	Dolomite	Micrite	Carbonate Grains	Clay	Foraminifers	Pellets	Bioclasts	Echinoids	Diatoms	Radiolarians	Sitocoflagelates	Fine Siliceous Fragments	Sponge Spicules	Fish Remains	Nannos	Discoaster	Coccolith	Organic Debris or Matter	Plant Debris	Amorphous Organic Aggregates	Others	Total Percentage		
1010 E	16 H	3	100	146.00	PIK	D																								10					61	5	2		2		5	15					100				
1010 E	16 H	6	25	149.75	PIK	D																								5					30	1	2		2		10	50					100				
1010 E	16 H	7	24	151.24	PIK	M																												87	1	1		1			10					100					
1010 E	17 X	1	21	151.71	PIK	M							T																	2				70	5	1		2			20					100					
1010 E	17 X	3	50	155.00	PIK	D																												20	10					5	65					100					
1010 E	17 X	4	38	156.38	PIK	M																												30	15			1			54					100					
1010 E	17 X	4	103	157.03	PIK	D																																	1		2	50					100				
1010 E	17 X	7	30	160.80	PIK	M	80	19	1				3							80		15																		1			2				100				
1010 E	18 X	2	92	162.92	PIK	D																																										100			
1010 E	18 X	6	47	168.97	PIK	D																																										100			
1010 E	19 X	3	40	174.00	PIK	D						1		T						T										10					60	15	1								13			100			
1010 E	19 X	4	60	175.70	PIK	D																								5																		60			100
1010 E	19 X	7	20	179.80	PIK	D															1									5													1		72				100		

Previous Chapter

Table of Contents

Next Chapter