									Texture				Minerals																				Biogenic																					TOT
Site	H	Core	T	Sec	Int.	Depth (mbsf)	OBSERVER	Lithology	Sand	Silt	Clay	Quartz	Feldspar	Plagioclase	Mica	Biotite	Muscovite	Amphibole	Rock Fragments	Glass volcanic glass	Opaques	Fe-Oxide	Pyrite	Zeolite	Glauconite	Phosphate	Carbonate	Dolomite	Micrite	Carbonate grains	Clay	Foraminifers	Pellets	Bioclasts	Echinoids	Diatoms	Radiolarians	Silicoflagelates	Fine Siliceous Fragments	Sponge Spicules	Fish Remains	Nannos	Discoaster	Coccolith	Organic Debris or Matter	Plant Debris	Amorphous Organic Aggregates	Others	Total Percentage
1016	A	1	H	1	5	0.05	PIK	D		5	95	1	5								T										30	1				61	2							T	T				100
1016	A	1	H	4	120	4.30	PIK	D		10	90	1	4								T										59					35		1		T				T					100
1016	A	2	H	2	76	9.86	PIK	D				2	5						1		T							T			15	1				74	1							T	1				100
1016	A	2	H	3	68	11.28	PIK	M		17	83	4	10							2	T										84	T				T								T					100
1016	A	2	H	5	11	13.71	PIK	M																																						100			100
1016	A	2	H	7	35	16.95	PIK	M		27	73	10	15		3															1	48	T				20	2							T	1	T			100
1016	A	3	H	3	20	20.30	PIK	D		5	95	3	2								1										23	15				15	5	T		1				35	T	T			100
1016	A	3	H	3	94	21.04	PIK	D		20	80	1	2								1										11	15				10				T				60	T				100
1016	A	3	H	3	127	21.37	PIK	D				1	1								1							T			11	15				10								60	1				100
1016	A	3	H	6	67	25.27	PIK	M		60	40	18	35								1		2					1			20	8				8				2				5					100
1016	A	4	H	4	109	32.19	MD	D	5	28	67	15	10								2									3	67	3				T				T									100
1016	A	4	H	4	120	32.30	MD	D		15	85	4	3		1			T		3	2									1	85									1									100
1016	A	4	H	7	49	36.09	MD	D		90	10	T								T			1							1	10					88														100
1016	A	5	H	3	80	39.90	MD	D	1	30	69	5	1		1					1	2									1	69					20														100
1016	A	5	H	5	4	42.14	MD	D	1	35	64	6	4							1			4							2	64					15	1	1		2										100
1016	A	5	H	5	100	43.10	MD	D	10	85	5										2									3	5	10				8	1			2				69					100
1016	A	5	H	6	120	44.80	MD	D	2	20	78	4	3		1			1		2	1									2	78	3				4	T	1						T						100
1016	A	6	H	1	100	46.60	MD	D	2	63	35	4	3		1					2			1								35	4				49	T	1												100
1016	A	6	H	3	110	49.70	MD	D	10	65	25	1								1	2										25	20								1				50					100
1016	A	6	H	7	30	54.90	MD	D	2	18	80	4	2		T			T		1										2	80	1				10	T	T												100
1016	A	7	H	3	120	59.30	MD	D		90	10	1								T	1									3	10	2				25	T							58					100
1016	A	7	H	5	80	61.90	MD	D	4	50	46	2								1										2	46	4				15								30					100
1016	A	7	H	7	20	64.30	MD	D	2	40	58	1								1	2									2	58	3				32	T	T		1										100
1016	A	8	H	5	27	70.87	MD	D	30	65	5										1										5					90	1	1							2					100
1016	A	8	H	6	115	73.25	MD	D	15	60	25									1										2	25	3				59								10					100
1016	A	8	H	6	129	73.39	MD	M	99	1		54	20		1			5			5											15																		100
1016	A	9	H	1	70	74.80	MD	D	30	70		T																		3		5				30	T							62					100
1016	A	9	H	4	146	80.06	MD	D	10	82	8	T									2										8	25				55	T							10					100
1016	A	9	H	7	10	83.20	MD	D	15	24	61	2											4							1	61	2				30													100
1016	A	10	H	1	94	84.54	MD	D				1									1									4		28				10				T				56					100
1016	A	10	H	3	70	87.30	MD	D	20	40	40												3							5	40	2				40								10					100
1016	A	10	H	3	110	87.70	MD	D	16	80	4												2								4	8				30								56					100
1016	A	10	H	5	64	90.24	MD	D	30	66	4										1										4	2				88								5					100
1016	A	11	X	1	110	94.20	MD	D	30	55	15	2									1									4	15					78	T	T												100
1016	A	11	X	2	100	95.60	MD	D	30	70											T									3						67								30					100
1016	A	12	X	3	122	100.52	MD	D	30	70		3	1								1									4	2					59	T	T						30					100
1016	A	12	X	4	80	101.60	MD	D	15	45	40	5	1		1						3									3	40					47														100
1016	A	12	X	5	66	102.96	MD	D	15	80	5	1	1								1										5	4				53	T	T						35					100
1016	A	13	X	1	90	106.90	MD	D	5	20	75	3									1									1	75					20														100
1016	A	13	X	4	90	111.40	MD	D													1									4	8	5				12	T			4				66					100
1016	A	13	X	6	90	114.40	MD	D	5	95											T									1		4				15								80					100
1016	A	14	X	1	18	115.78	PIK	D																							5	2				20	5			2			1	65					100
1016	A	14	X	1	94	116.54	PIK	M												10			2									1				30	3	1		3				50					100
1016	A	14	X	3	128	119.88	MOSS	D												1			1													35				1			2	60					100
1016	A	14	X	6	50	123.60	MOSS	D												1			1									15				35							1	46			1		100
1016	A	15	X	1	17	125.37	PIK	D					1							1	1		1								5	1				51	2	1		5			1	30					100

Site	H	Core	T	Sec	Int.	Depth (mbsf)	OBSERVER	Lithology	Texture: Sand	Texture: Silt	Texture: Clay	Minerals: Quartz	Feldspar	Plagioclase	Mica	Biotite	Muscovite	Amphibole	Rock Fragments	Glass volcanic glass	Opaques	Fe-Oxide	Pyrite	Zeolite	Glauconite	Phosphate	Carbonate	Dolomite	Micrite	Carbonate grains	Biogenic: Clay	Foraminifers	Pellets	Bioclasts	Echinoids	Diatoms	Radiolarians	Silicoflagelates	Fine Siliceous Fragments	Sponge Spicules	Fish Remains	Nannos	Discoaster	Coccolith	Organic Debris or Matter	Plant Debris	Amorphous Organic Aggregates	Others	TOT: Total Percentage
1016	A	15	X	3	85	129.05	PIK	M	5	90	5									93	2										3												2						100
1016	A	15	X	3	127	129.47	PIK	D												T	T		1								5	7				20	1		2			1	63						100
1016	A	15	X	6	47	133.17	PIK	D													T										5	T				60	5	1	2				27						100
1016	A	16	X	1	60	135.40	PIK	D												T	1										5	2				58	1		7			1	25	T					100
1016	A	16	X	2	60	136.90	PIK	D				1								T	1		1								3	2				44	3		3			2	40						100
1016	A	16	X	4	103	140.33	PIK	D													1											2				7	1						89						100
1016	A	16	X	5	89	141.69	PIK	D													1										3	5				7			2				82	T	T				100
1016	A	17	2	2	144	147.34	PIK	D													2							T			10	7				58			3				20						100
1016	A	17	X	3	54	147.94	PIK	D													1										15	3				54	3		3			1	20	T					100
1016	A	17	X	5	108	151.48	PIK	D								T					1										10	10				69	2	1	2				5	T					100
1016	A	17	X	6	23	152.13	PIK	M				1	1								1										30	10				46	5					1	5	T					100
1016	A	17	X	7	32	153.72	PIK	D				4	6								3										10	3				62	2	T	6			T	3	1					100
1016	A	18	X	3	7	157.07	PIK	D													1										25	7				25	T		1			1	40	T					100
1016	A	18	X	4	9	158.59	PIK	D																							20	15				20			3			1	40	1	T				100
1016	A	18	X	6	8	161.58	PIK	D				4	5								4										60	2				21	2		2					T					100
1016	A	19	X	2	47	165.57	PIK	D													T										20	2				10	T	T	2			1	65						100
1016	A	19	X	3	47	167.07	PIK	D				2	2										1								30	5				55			3				2	T					100
1016	A	19	X	6	20	171.30	PIK	D					1								1										30	2				60	2	1	3				100						
1016	A	20	X	3	28	176.48	PIK	D					1								2										5	1				75	10	3	3										100
1016	A	20	X	5	121	180.41	PIK	D				1									2										10	1				70	10	3	3										100
1016	A	20	X	6	92	181.62	PIK	D													T										10	1				20	5	2	T			1	61						100
1016	A	21	X	2	121	185.51	MD	D				2	1								2									3	35	1			45			1				10						100
1016	A	21	X	4	93	188.23	MD	D													T									3	5				7		T					85						100
1016	A	22	X	1	90	193.40	MD	D				T									T									T	10				40	T	T					50						100
1016	A	22	X	4	55	197.55	MD	D													1										15					83	T	1											100
1016	A	23	X	2	35	203.95	MD	D																							5					95													100
1016	A	23	X	2	140	205.00	MD	D													T									2						35							63						100
1016	A	23	X	5	134	206.44	MD	M				5								85			10																											100
1016	A	23	X	6	103	210.63	MD	D													1									T						99														100
1016	A	24	X	2	80	214.00	MD	D													1									3		1				65						5	25						100
1016	A	24	X	3	40	215.10	MD	D																						1	12					87														100
1016	A	24	X	7	15	220.85	MD	D													T										60					40														100
1016	A	25	X	1	40	221.70	MD	D				T									1									1	38					60														100
1016	A	25	X	3	100	225.30	MD	D				T									2									4	5					30							59							100
1016	A	25	X	4	50	226.30	MD	D				1	1								1										15					82														100
1016	A	26	X	1	40	231.30	MD	D																							5					95														100
1016	A	26	X	2	66	233.06	MD	D																							35					65														100
1016	A	26	X	5	50	237.40	MD	D													3									1	4					92														100
1016	A	27	X	3	20	243.80	MD	D				1																		2	5					92														100
1016	A	27	X	5	110	247.70	MD	D													1									1	2					96														100
1016	A	27	X	6	70	248.80	MD	D																						1						30							69							100
1016	A	28	X	1	130	251.50	MD	D													T									2						30							68							100
1016	A	28	X	2	100	252.70	MD	D													T										5					95														100
1016	A	28	X	3	80	254.00	MD	D													1										30					69														100
1016	A	29	X	1	120	261.00	TAD	D	1	4	95	1	T						1				2							5	15	1				10	1					3	60	1					100
1016	A	29	X	3	60	263.40	TAD	D		5	95	3	1							1			3							2	5					80		1					2	2					100

Site	H	Core	T	Sec	Int.	Depth (mbsf)	OBSERVER	Lithology	Texture: Sand	Silt	Clay	Minerals: Quartz	Feldspar	Plagioclase	Mica	Biotite	Muscovite	Amphibole	Rock Fragments	Glass volcanic glass	Opaques	Fe-Oxide	Pyrite	Zeolite	Glauconite	Phosphate	Carbonate	Dolomite	Micrite	Carbonate grains	Clay	Biogenic: Foraminifers	Pellets	Bioclasts	Echinoids	Diatoms	Radiolarians	Silicoflagelates	Fine Siliceous Fragments	Sponge Spicules	Fish Remains	Nannos	Discoaster	Coccolith	Organic Debris or Matter	Plant Debris	Amorphous Organic Aggregates	Others	TOT: Total Percentage
1016	A	29	X	4	60	264.90	TAD	D	2	8	90	5	2										4		T					3	30					50	1	1		2					2				100
1016	A	30	X	1	118	270.68	PIK	D														T	T								10	1				73	T			1			T	15					100
1016	A	30	X	2	73	271.73	PIK	M												4			1								5					83		5		2										100
1016	A	30	X	4	80	274.80	PIK	D													1										5	T				86	1	5		2										100
1016	A	30	X	5	126	276.76	PIK	D													1										8	1				71	T	2		2				15					100
1016	A	31	X	1	80	280.00	PIK	M																																					100				100
1016	A	31	X	2	80	281.50	PIK	D													1							5			15	7				55	5	1	1				10					100
1016	A	31	X	2	134	282.04	PIK	M												100																													100
1016	A	31	X	6	20	286.90	PIK	D													1										6	T				85	1	5		2									100
1016	A	31	X	6	79	287.49	PIK	M															1								15	T				78	1	2		2				1	T				100
1016	A	32	X	1	145	290.25	PIK	M												89	5										5					1													100
1016	A	32	X	2	60	290.90	PIK	D													1										5					87	2	5												100
1016	A	32	X	3	26	292.06	PIK	D													T										5					85	5	5												100
1016	A	32	X	5	19	294.99	PIK	D															1								10					78	5	5		1										100
1016	A	32	X	6	60	296.90	PIK	D													T							30			48	2				8	1			1			T	10					100
1016	A	33	X	CC	16	298.56	PIK	D													T							60			40																			100
1016	B	1	H	2	55	1.55	PIK	D		22	78	2	4		T				2		1										78	T				10	1			2					T				100
1016	B	2	H	2	64	3.94	PIK	D				1	3			T							2							2	20	T				58	5	5		2				2	T	T			100
1016	B	2	H	2	86	4.16	PIK	M	70	30		35	60					T		3					T							T				1	T			1										100
1016	B	2	H	4	123	7.53	PIK	D				1	2								2										55	2				25	2	2		2				7					100
1016	B	2	H	6	50	9.80	PIK	M		10	90	1	2			T				6	2										83					5									T	1			100
1016	B	3	H	5	20	17.50	PIK	D		25	75	5	6			1			2		1									T	77					5	1			1				T	1				100
1016	B	3	H	6	57	19.57	PIK	D													1							T			30	7				10	1			1				50	T				100
1016	B	4	H	2	130	23.60	PIK	M		50	50	10	15								2										35	8				20	2	1		2				5					100
1016	B	4	H	2	148	23.78	PIK	M	90	10		41	50		1			T			5				1							2																	100
1016	B	4	H	3	120	25.00	PIK	M		20	80	1									2										70	8				8	2	T		2				7					100
1016	B	4	H	5	22	27.02	PIK	M															25																						75				100
1016	B	4	H	5	35	27.05	PIK	D		30	70	3	6			3					1										67	5				10	2	1		2				T					100
1016	B	4	H	7	20	30.00	PIK	D		35	65	3	6			2					1										63	5				15	2	1		1				1					100
1016	B	5	H	3	110	34.40	PIK	D		70	30	6	10								2		1								47	3				25	2	1		3				T					100
1016	B	5	H	4	27	35.07	PIK	D													2										20	T				68	5	2		3									100
1016	B	5	H	6	90	38.70	PIK	D				2	5			1					1										60					25	2	1		3					T				100
1016	B	6	H	1	50	40.30	PIK	D				1	1			1															20	2				62	5	5		2					1				100
1016	B	6	H	3	50	43.30	PIK	D		30	70	6	10			1					T							T			56	5				12	1	1		2				5		1	T		100
1016	B	6	H	3	88	43.68	PIK	D				1									1										10	10				58	5	1		3				10	1				100
1016	B	7	H	2	60	51.40	PIK	D				1	3								2										15	2				65	3	1		3				5					100
1016	B	7	H	3	56	52.86	PIK	D													1										14	20				8	2	1		3				50	1				100
1016	B	7	H	5	77	56.07	PIK	M				4	5								2		1								10	T				64	2	1		3				5	3				100
1016	B	7	H	5	81	56.11	PIK	M	90	10		40	50			2					3				T							5																	100
1016	B	7	H	5	139	56.69	PIK	D													2		1								15	10				46	2	1		3				20					100
1016	B	8	H	2	110	61.40	TAD	D	3	20	77	18	7						2	3			5							10	40					10	1	1		1					2				100
1016	B	8	H	4	110	64.40	TAD	D	8	30	62	10	5						15	6			3							8	45					5				2						1			100
1016	B	8	H	6	90	67.20	TAD	D	8	50	42	7	3						4	1			3							3	30					40	1	2		3					3				100
1016	B	9	H	3	130	72.50	MD	D																							2	25				10								63					100
1016	B	9	H	6	82	76.62	MD	D													2										43	20				35													100
1016	B	10	H	2	15	79.45	MD	D				1									T									2	68	4				10								15					100

									Texture			Minerals																				Biogenic																	TOT
Site	H	Core	T	Sec	Int.	Depth (mbsf)	OBSERVER	Lithology	Sand	Silt	Clay	Quartz	Feldspar	Plagioclase	Mica	Biotite	Muscovite	Amphibole	Rock Fragments	Glass volcanic glass	Opaques	Fe-Oxide	Pyrite	Zeolite	Glauconite	Phosphate	Carbonate	Dolomite	Micrite	Carbonate grains	Clay	Foraminifers	Pellets	Bioclasts	Echinoids	Diatoms	Radiolarians	Silicoflagelates	Fine Siliceous Fragments	Sponge Spicules	Fish Remains	Nannos	Discoaster	Coccolith	Organic Debris or Matter	Plant Debris	Amorphous Organic Aggregates	Others	Total Percentage
1016	B	10	H	2	77	80.37	MD	M	80	5	15									79			2								15	4																	100
1016	B	10	H	2	110	80.40	MD	D				3	2							1	1										55	8				25													95
1016	B	10	H	4	90	83.20	MD	D				T									T		1								40	20				30								9					100
1016	B	11	H	3	120	91.50	MD	D				T									1									1		20				48								30					100
1016	B	11	H	5	140	94.70	MD	D				1									T									1	25					73													100
1016	B	11	H	6	30	95.10	MD	D				1	1								T									2	35					61													100
1016	B	12	H	4	80	102.10	MD	D				2									1										42					55													100
1016	B	12	H	6	120	105.50	MD	D				T									1									3		12				25								59					100
1016	B	13	H	2	60	108.40	MD	D				3	1							T	T									2	60	3				29								2					96
1016	B	13	H	5	50	112.80	MD	D				T									1									1	T	8				15								75					100
1016	B	14	H	1	122	117.02	PIK	M	30	70										94	5																							1					100
1016	B	14	H	5	70	122.50	PIK	D													T										5	8				23	1			1			2	60					100
1016	B	14	H	6	30	123.60	BEH	D	50	20	75	T	2	1						2	2										10	5				25	1	T		2			2	48					100
1016	B	14	H	6	80	124.10	BEH	M	20	50	30									3	15									5	10	20				15	T	T		5			2	25					100
1016	B	15	H	3	16	128.46	PIK	M												5	1										7	10				24	1			2				50					100
1016	B	15	H	3	130	129.60	PIK	D													T										5	10				26	1	T		2			1	55					100
1016	B	15	H	5	125	132.55	PIK	M	5	95										97	3																												100
1016	B	15	H	6	23	133.03	PIK	D													1										7	7				76	2	1		3			T	3					100
1016	B	16	H	2	100	137.30	PIK	D													1											10				10				2			1	76					100
1016	B	16	H	3	60	138.40	PIK	D													1		1									10				5	T			1			1	80	1				100
1016	B	16	H	4	85	140.15	PIK	M	40	60										90	10																												100
1016	B	16	H	5	70	141.50	PIK	D													1											15				8				2			1	73					100
1016	B	17	H	1	61	144.91	PIK	D													T										7	5				15	T			1			2	70					100
1016	B	17	H	3	30	147.60	PIK	D					1			T					1										44	20				12	2			1			2	17	T				100
1016	B	17	H	5	13	150.43	PIK	D					2								2										34	8				17	1			1			2	30	1		2		100
1016	B	17	H	5	117	151.47	PIK	D				3	3		T						1		2								40	5				40				1				2	2		1		100
1016	B	18	H	1	63	154.43	PIK	D													T										5	20				5	T			1			3	66					100
1016	B	18	H	1	75	154.55	PIK	M				1	1			T					2										30	5				30	1		1	2			15	12	T				100
1016	B	18	H	3	73	157.53	PIK	D					T								2										20	2				65	6	1		3					1				100
1016	B	18	H	7	32	163.12	PIK	D													1										25	5								2			4	63	T				100
1016	B	19	H	5	65	169.95	PIK	D													1										5	5				10				1			2	76					100
1016	B	19	H	5	98	170.28	PIK	D					2								1										15	5				72	1			2			T	2					100
1016	B	19	H	6	50	171.30	PIK	D				1	2								1										15	4				69	3	1		2			T	2					100
1016	B	20	H	3	60	176.40	PIK	D				1									2										5	2				80	5	2		2				T	1				100
1016	B	20	H	4	117	178.47	PIK	D					1								1										15	1				73	5	1		3				T					100
1016	B	20	H	7	25	182.05	PIK	D															1								25	2				60	6	3		3				T					100
1016	B	21	H	3	111	186.41	PIK	D													1										20	2				33	2	3		4			5	30					100
1016	B	21	H	6	77	190.57	PIK	D													1										20	1				70	2	3		3					T				100
1016	B	21	H	7	60	191.90	PIK	D													2										10					77	3	6		2									100
1016	B	22	H	1	30	192.10	PIK	D															1								5	T				82	T	10		2					T				100
1016	B	22	H	4	5	196.35	PIK	D													1										8					82	2	5		2			T		T				100
1016	B	22	H	7	50	201.30	PIK	D													2										20	5				21	2	2		2			1	45					100
1016	B	23	H	1	120	202.50	MD	D				1									1										1	2				17								78					100
1016	B	23	H	4	12	205.92	PIK	M												90	10																												100
1016	B	23	H	4	90	206.70	MD	D				T									2										8					90													100
1016	B	23	H	6	13	208.93	MD	D				1									2										75	T				20				2									100

Previous Chapter
Table of Contents
Next Chapter