

| LEG | SUB | SITE | HOLE | CORE | TYPE | SEC |
|-----|-----|-------|------|------|------|-----|
| 169 | | 10J8A | | 12 | RC | CS |

ODP
VISUAL CORE DESCRIPTION

SEDIMENTS / SEDIMENTARY ROCKS

SECTION DESCRIPTION

OBSERVER
PAB

| PIECE # | GRAPHIC REPRESENTATION | DRILLING DISTURB. | STRUCTURES | SAMPLES | COLOR |
|---------|------------------------|-------------------|------------|------------------|-------|
| 0 | | | 12 | | |
| 10 | | / | | SBG SS S/i | |
| 20 | | / | PALED | | |
| 30 | | | | | |
| 40 | | | | | |
| 50 | | | | | |
| 60 | | | | | |
| 70 | | | | | |
| 80 | | | | | |
| 90 | | | | | |
| 100 | | | | | |
| 110 | | | | | |
| 120 | | | | | |
| 130 | | | | | |
| 140 | | | | | |
| 150 | | | | | |

greenish gray (SBG S/i)
medium sandstone
 fairly laminated
 weakly to moderately indurated
 weakly to moderately calcareous

(green color of 11K and 12K is probably due to green mica)

100% sandstone