

Table T1 (continued).

Calcareous nannofossil zone(s)	Core, section, interval (cm)	Depth (mbsf)	<i>Discoaster hamatus</i> <i>Dictyococcites</i> sp. <i>Discoaster ballii</i> <i>Catinaster mexicanus</i> <i>Coccolithus miopelagicus</i>	<i>Discoaster musicus</i> <i>Discoaster deflandrei</i> <i>Discoaster kugleri</i> <i>Discoaster signus</i> <i>Helicosphaera</i> sp. (small vertical bar)	<i>Helicosphaera wilcoximi</i> <i>Coronocyclus nitescens</i> <i>Helicosphaera rhomba</i> <i>Cyclicargolithus floridanus</i> <i>Hayaster perplexus</i>	<i>Discoaster aulakos</i> <i>Discoaster druggi</i> <i>Discoaster moorei</i> <i>Sphenolithus heteromorphus</i> <i>Helicosphaera ampliapertura</i>	Unidentifiable 6-rayed discoasters Unidentifiable placoliths
NN21	170-1039A-						
	1H-1, 0-5	0.05					
	1H-1, 44-46	0.44					
	1H-2, 48-50	1.98					
	1H-4, 45-47	4.95					
	1H-6, 46-48	7.96					
	2H-2, 45-47	10.95					
	2H-4, 46-48	13.96					r
	2H-6, 46-48	16.96					
	170-1039B-						
	1H-1	0					
	1H-CC	1.9					
	2H-3, 117-119	6.17					
	2H-5, 19-21	8.19					
	2H-5, 119-121	9.19					
	2H-7, 45-47	11.45					
3H-CC	20.43						
4H-1, 50-52	21.5					F	
4H-3, 50-52	24.5					F	
4H-5, 50-52	27.5					C	
4H-7, 46-48	30.46						
4H-CC	31.03						
NN20	5H-2, 50-53	32.52					
	5H-4, 50-53	35.52					
	5H-6, 50-53	38.54					
	5H-CC	40.38					
	6H-2, 50-53	42					
	6H-4, 50-53	45					
6H-6, 50-53	48						
6H-6, 125-128	48.75						
NN19	6H-CC	49.78					
	7H-2, 50-53	51.5					
	7H-4, 50-53	54.5					
	7H-6, 50-53	57.5					
	7H-CC	59.48					
8H-2, 50-53	61						
							F

Table T1 (continued).

Calcareous nannofossil zone(s)	Core, section, interval (cm)	Depth (mbsf)	<i>Discoaster hamatus</i> <i>Dictyococcites</i> sp. <i>Discoaster ballii</i> <i>Catinaster mexicanus</i> <i>Coccolithus miopelagicus</i> <i>Discoaster musicus</i> <i>Discoaster deflandrei</i> <i>Discoaster kugleri</i> <i>Discoaster signus</i> <i>Helicosphaera</i> sp. (small vertical bar) <i>Helicosphaera wilcoximi</i> <i>Coronocyclus nitescens</i> <i>Helicosphaera rhomba</i> <i>Cyclicargolithus floridanus</i> <i>Hayaster perplexus</i> <i>Discoaster aulakos</i> <i>Discoaster druggi</i> <i>Discoaster moorei</i> <i>Sphenolithus heteromorphus</i> <i>Helicosphaera ampliapertura</i> Unidentifiable 6-rayed discoasters Unidentifiable placoliths
NN19	8H-4, 50-53	64	
	8H-6, 50-53	67	
	8H-CC	68.88	
	9H-2, 50-53	70.53	
	9H-4, 50-53	73.53	
	9H-6, 50-52	76.53	
	9H-CC	78.37	
	10H-2, 50-53	80	
	10H-4, 50-53	83.03	
	10H-CC	87.98	
	11H-2, 50-53	89.5	
	11H-4, 50-53	92.5	
	11H-6, 50-53	95.5	
	11H-CC	97.37	
12X-2, 52-54	99.02		
12X-4, 53-55	102.03		
12X-6, 50-52	105		
12X-CC	106.71		
NN18	13X-2, 50-53	105.5	
	13X-4, 122-124	109.22	
	13X-6, 68-70	111.68	
	13X-CC	113.09	
	14X-2, 51-53	115.11	
NN17-NN16	14X-4, 52-54	118.12	
	14X-5, 127-129	120.37	
	14X-6, 51-53	121.11	
	14X-CC	122.7	
	15X-2, 51-53	124.71	
NN15-NN13	15X-4, 51-53	127.72	
	15X-6, 51-53	130.72	
	15X-CC	132.42	
	16X-2, 51-53	134.21	
	16X-4, 50-53	137.2	F
NN12	16X-6, 51-54	140.21	F
	17X-2, 50-53	143.8	
	17X-4, 50-53	146.8	
	17X-6, 50-53	149.8	

Table T1 (continued).

Calcareous nannofossil zone(s)	Core, section, interval (cm)	Depth (mbsf)	<i>Discoaster hamatus</i>	<i>Dictyococcites</i> sp.	<i>Discoaster ballii</i>	<i>Catinaster mexicanus</i>	<i>Coccolithus miopelagicus</i>	<i>Discoaster musicus</i>	<i>Discoaster deflandrei</i>	<i>Discoaster kugleri</i>	<i>Discoaster signus</i>	<i>Helicosphaera</i> sp. (small vertical bar)	<i>Helicosphaera wilcoximi</i>	<i>Coronocyclus nitescens</i>	<i>Helicosphaera rhomba</i>	<i>Cyclicargolithus floridanus</i>	<i>Hayaster perplexus</i>	<i>Discoaster aulakos</i>	<i>Discoaster druggi</i>	<i>Discoaster moorei</i>	<i>Sphenolithus heteromorphus</i>	<i>Helicosphaera ampliapertura</i>	Unidentifiable 6-rayed discoasters	Unidentifiable placoliths	
NN12	17X-CC	151.19																							
NN11	18X-1, 50-53	151.9																							
	18X-2, 50-53	153.4																							
	18X-4, 50-53	156.4																							
	18X-6, 50-53	159.4																							
	18X-CC	160.97																							
	19X-2, 46-48	163.06																							
	19X-4, 51-53	166.11																							
	19X-5, 125-128	168.35																							
	19X-6, 50-53	169.1																							
	19X-CC	170.73	F	C	F																				
NN10–NN9	20X-2, 52-54	172.62		C																					
	20X-4, 53-55	175.63	C	C		F																			
	20X-6, 50-53	178.6	F	C																			C	C	
	20X-CC	180.37	F	C	F																			C	
	21X-2, 51-53	182.21	A				C																		
NN8–NN7	21X-4, 50-53	185.2	A			A	R																		
	21X-6, 50-53	188.2	A			A																			
	21X-CC	189.87	A	F		A		C	C																
	22X-2, 50-52	191.8	A	F		A		C	C	F															
	22X-4, 51-53	194.81	A	F		A		A	C	F	A										r				
	22X-6, 51-53	197.81	C	C		A		F	F		A	F													
	22X-CC	198.65	C	C		A		F	F	F	F			C	C									A	
	23X-2, 51-53	201.51	C	C		A		F						C		C	R							C	
	23X-4, 51-53	204.51	C	F		A		F			F			C		A		R						F	
	23X-6, 51-53	207.51	C	F		C		F			F			C		C								F	
NN6	23X-CC	208.76	A			C		C			C			F		F								F	
	24X-2, 50-52	211.1	A			C					F			C										C	
	24X-4, 125-127	214.85	A			C					F			C										C	
	24X-6, 50-52	217.1	A			C		F						C										F	
	24X-CC	218.43	A			C		F						F		C	R							F	
	25X-2, 52-54	220.72	A			A		F						C										F	
	25X-4, 51-53	223.71	A			C		C																F	
	25X-6, 43-45	226.63	A			C		F																F	
	25X-CC	228.27	A			C		F						C			R							F	
	26X-2, 50-53	230.4	A			C		F											R					F	
	26X-4, 50-53	233.4	A			C		F						C					F					F	
	26X-6, 50-53	236.4	A			C		F						C			R		F	F	F			C	

Table T1 (continued).

Calcareous nannofossil zone(s)	Core, section, interval (cm)	Depth (mbsf)	<i>Discoaster hamatus</i>	<i>Dictyococcites</i> sp.	<i>Discoaster ballii</i>	<i>Catinaster mexicanus</i>	<i>Coccolithus miopelagicus</i>	<i>Discoaster musicus</i>	<i>Discoaster deflandrei</i>	<i>Discoaster kugleri</i>	<i>Discoaster signus</i>	<i>Helicosphaera</i> sp. (small vertical bar)	<i>Helicosphaera wilcoximi</i>	<i>Coronocyclus nitescens</i>	<i>Helicosphaera rhomba</i>	<i>Cyclicargolithus floridanus</i>	<i>Hayaster perplexus</i>	<i>Discoaster aulakos</i>	<i>Discoaster druggi</i>	<i>Discoaster moorei</i>	<i>Sphenolithus heteromorphus</i>	<i>Helicosphaera ampliapertura</i>	Unidentifiable 6-rayed discoasters	Unidentifiable placoliths	
NN6	26X-CC	238	A	C														F	C	F			F		
	27X-2, 48-50	239.98	A	C														C	F				F		
	27X-4, 50-52	243	A	C														R	F				F		
	27X-6, 51-53	246.01	A	C															F	F				F	
	27X-CC	247.56	A	C									F	C				R	F	F			F		
	28X-2, 50-53	249.7	A	C															F	C				F	
	28X-4, 50-53	252.7	A	C															F					F	
	28X-6, 51-53	255.71	A	C															C					F	
	28X-CC	257.27	A	C															F	F				F	
	29X-2, 50-53	259.4	A	C															F	F		F		F	
	29X-4, 50-53	262.4	A	C															F	F		F		R	
	29X-6, 50-53	265.4	A	C															F			A		F	
NN5	29X-CC	266.84	A	C										C	C						A		F		
	30X-1, 125-128	268.35	A	C										C	A						A		F		
	30X-3, 125-128	271.35	A	C										C	A						C		F		
	30X-5, 50-53	273.6	A	C										C	A					R	A		F		
	30X-CC	274.15	A	C										F	C					F	C		F		
	31X-2, 50-53	278.7	A	C																F	C		F		
	31X-4, 50-53	281.7	A	C											F	A				F	A		C		
	31X-6, 50-53	284.7	A	A											F	A				F	C		C		
	31X-CC	286.25	A	C											F	C				F	A		C		
	32X-2, 51-53	288.41	A	C												A				C	C		C		
	32X-4, 51-53	291.41	A	C											C	C				F	C		C		
	32X-6, 50-52	294.4	F	C												C				F	C		F		
	32X-CC	296.14	A	C												C				F	C		F		
	33X-2, 52-54	298.02	A	C												A				C	C		F		
	33X-4, 51-53	301.01	V	C												C					C		F		
	33X-6, 50-53	304	A	C												C				F	C		F		
	33X-CC	305.67	A	C												C				F	C		F		
	34X-2, 50-52	307.6	A	C												C				F	A		F		
	34X-4, 53-55	310.63	V	C		R										C				F	A		F		
	34X-6, 52-54	313.62	V	C												C				R	A		F		
	34X-CC	315.36	A	C											C					F	A		F		
	35X-2, 51-53	317.21	A	C												C				F	A		F		
	35X-4, 51-53	320.21	A	C												C					A		F		
	35X-6, 55-56	323.25	A	C												R				C	A		F		
35X-CC	324.86	A	C											C					F	A		F			
NN4	36X-2, 53-55	326.83	A	C											A				F	A	F		F		

Table T1 (continued).

Calcareous nannofossil zone(s)	Core, section, interval (cm)	Depth (mbsf)	<i>Discoaster hamatus</i>	<i>Dictyococcites</i> sp.	<i>Discoaster ballii</i>	<i>Catinaster mexicanus</i>	<i>Coccolithus miopelagicus</i>	<i>Discoaster musicus</i>	<i>Discoaster deflandrei</i>	<i>Discoaster kugleri</i>	<i>Discoaster signus</i>	<i>Helicosphaera</i> sp. (small vertical bar)	<i>Helicosphaera wilcoximi</i>	<i>Coronocyclus nitescens</i>	<i>Helicosphaera rhomba</i>	<i>Cyclicargolithus floridanus</i>	<i>Hayaster perplexus</i>	<i>Discoaster aulakos</i>	<i>Discoaster druggi</i>	<i>Discoaster moorei</i>	<i>Sphenolithus heteromorphus</i>	<i>Helicosphaera ampliapertura</i>	Unidentifiable 6-rayed discoasters	Unidentifiable placoliths	
NN4	36X-4, 53-55	329.83	A	C				C							A			F	A	F	F				
	36X-6, 53-55	332.83	A	C				F							C			F	A	F	F				
	36X-CC	334.62	A	C				F					F		C			F	A		F				
	37X-2, 53-55	336.43	A	C	A			C							C			F	C	F	F				
	37X-4, 51-53	339.41	A	C	C			C							C				F	C	C	F			
	37X-6, 52-54	342.42	A	C	C			C		F					C			F	C	C					
	37X-CC	344.23	A	C	C			C					C		F					C		F			
	38X-2, 50-53	346	A	C	C			C							F				F	A	C	F			
	38X-4, 53-56	349.03	A	C	A			F							C			F	A	C	F				
	38X-6, 50-53	352	C	C	A										C			F	A		C				
	38X-CC	353.85	A	C	F										C				C						
	39X-2, 49-52	355.59	A	C	F		F								C			R	F	F	F				
	39X-4, 49-52	358.59	A	C	F										C			F	A		F				
	39X-6, 50-53	361.6	A	C	C		F								C			F	C	F	F				
	39X-CC	363.32		C	F		F						C		C				F			F			
	40X-2, 58-60	365.28	A	C	F		F								C			F	C		F				
	40X-4, 50-53	368.2	C	C	C		F								C			F	A	F	F				
	40X-6, 45-47	371.15	C	F	C		C						C		C				A						
	40X-CC	372.89	C	C	C		C								F				C	R					
	41X-1, 115-128	373.95	A	A	C		C								F			F	C						
	41X-3, 114-116	376.94	A	A	C		F								C				A	F					
	170-1039C-																								
	1R-1, 49-51	363.59	A	C	C		F						C		C			R	A	C					
	1R-3, 48-50	366.45	A	C	C		F						C		C				C	C					
	2R-1, 48-50	373.18	A	C	F								F		C				F	A					
	2R-3, 50-52	375.43	C	C	F								F		C			R		C					
	3R-1, 50-52	382.8	C	F	F								F		C			F	A	C					
	3R-3, 50-53	385.63	C	C	C								F		C				A	C					
	4R-1, 120-122	393.1	C	C	F								C		C				A	C					
	5R-1, 51-52	402.01	C	F	F								F		C			F	A	C					
	6R-2, 50-52	413.2	A	C	F								F		C				A	F					
	6R-4, 50-52	416.2	C		C										C			F	A	F			F		
	7R-2, 25-28	422.05			C										C				A				F		