

SITE 1082 SMEAR SLIDES

Sample								Grain Size			Mineral											Biogenic (D = dominant, A = abundant, C = common, F = frequent, R = rare, T = trace)																Sediment Name	
Leg	Site	Hole	Core	Type	Section	Interval (cm)	Depth (mbsf)	Sand	Silt	Clay	Opaque Minerals	Pyrite	Mn Oxides	Quartz	Feldspar	Mica	Chlorite	Phosphorite	Glauconite	Dolomite	Carbonate	Bioclast	Phytoliths	Diatoms	Fecal pellets	Foraminifers	Nannofossils	Organic debris	Radiolarians	Siliceous spicules	Silicoflagellates	Sponge spicules							
175	1082	A	1	H	1	55	0.83			A		F													T		A	A		R				T	FORAMINIFER- AND NANNOFOSSIL-RICH CLAY				
175	1082	A	1	H	4	30	4.95			A		F							C								C	A		T				T	FORAMINIFER- AND NANNOFOSSIL-RICH CLAY				
175	1082	A	1	H	5	40	6.6			A		R															C	A		T				T	FORAMINIFER- AND NANNOFOSSIL-RICH CLAY				
175	1082	A	2	H	2	80	10.5			A														T			F	F						T	FORAMINIFER- AND NANNOFOSSIL-BEARING CLAY				
175	1082	A	2	H	5	80	14.8			A																	F	C						T	FORAMINIFER-BEARING, NANNOFOSSIL-RICH CLAY				
175	1082	A	2	H	7	70	17.45			A																	F	F							T	NANNOFOSSIL- AND FORMANIFER-BEARING			
175	1082	A	3	H	1	60	18.2			A		R									F				R		F	A		T					T	FORAMINIFER-NANNOFOSSIL CLAY			
175	1082	A	3	H	3	115	21.83			A		R		R					R		F			R		R	R	R		R	T				R	FORAMINIFER-BEARING CLAY			
175	1082	A	3	H	6	70	25.35			A		T		R						R	F			R		F	A		T						T	FORAMINIFER-NANNOFOSSIL CLAY			
175	1082	A	4	H	1	117	28.55			A		T		T					R	T					T		F	A							T	FORAMINIFER- AND NANNOFOSSIL-RICH CLAY			
175	1082	A	4	H	2	40	28.8			A		T		T							F						F	R									NANNOFOSSIL-BEARING, FORAMINIFER-RICH		
175	1082	A	4	H	6	70	34.85			A		T		T					R		F						F	R									NANNOFOSSIL-BEARING, FORAMINIFER-RICH		
175	1082	A	5	H	1	70	37.35			A		R		T										R		F	D								T	DIATOM- AND FORAMINIFER-BEARING, NANNOFOSSIL CLAY			
175	1082	A	5	H	3	70	40.15			A		R															F	A									NANNOFOSSIL-RICH CLAY		
175	1082	A	5	H	6	70	44.35			A		R															F	A									NANNOFOSSIL-RICH CLAY		
175	1082	A	6	H	3	70	49.65			A		R															F	D							T	NANNOFOSSIL OOOZE			
175	1082	A	6	H	5	30	51.95			A		R															F	A								T	NANNOFOSSIL CLAY		
175	1082	A	6	H	5	110	53.15					R															F	A									T	NANNOFOSSIL CLAY	
175	1082	A	6	H	7	70	55.35					R															F	A									T	NANNOFOSSIL CLAY	
175	1082	A	7	H	1	43	55.95			A		F							T	T				T		C	C						T	T		NANNOFOSSIL AND FORAMINIFER CLAY			
175	1082	A	7	H	3	70	59.35			A		F							T		R			F		C	C			T			T			DIATOM-BEARING, NANNOFOSSIL- AND FORAMINIFER-RICH CLAY			
175	1082	A	7	H	4	40	60.4			A				F																						T	CLAY		
175	1082	A	7	H	5	130	63.25			A		R		T											F		F	C										DIATOM-BEARING, NANNOFOSSIL AND FORAMINIFER CLAY	
175	1082	A	7	H	6	70	63.85			C		T													T		C	C										NANNOFOSSIL AND FORAMINIFER-RICH CLAY	
175	1082	A	8	H	2	90	66.36			A		T													C		F	A	T							T	DIATOM-RICH, NANNOFOSSIL CLAY		
175	1082	A	8	H	4	90	69.36			A		T		T											C		F	A	F							T	DIATOM-RICH, NANNOFOSSIL CLAY		
175	1082	A	8	H	5	90	70.86			A		T													C		T	A	T									DIATOM-RICH, NANNOFOSSIL CLAY	
175	1082	A	8	H	7	90	73.86			A		F													C		F	A	F							T	DIATOM-RICH, NANNOFOSSIL CLAY		
175	1082	A	9	H	2	90	77.15			A		T													F		F	A	F	T								DIATOM- AND FORAMINIFER-BEARING, NANNOFOSSIL CLAY	
175	1082	A	9	H	4	90	79.85			A		T													C		T	C	F							T	DIATOM- AND NANNOFOSSIL-RICH CLAY		
175	1082	A	9	H	6	90	82.85			A		T		T					T						C			A	F	T	T							DIATOM-RICH, NANNOFOSSIL CLAY	
175	1082	A	10	H	4	90	88.59			A		F													C		F	A		T								DIATOM-RICH, NANNOFOSSIL CLAY	
175	1082	A	10	H	5	90	89.89			A		T													F		T	D	F									DIATOM-BEARING, NANNOFOSSIL OOOZE	
175	1082	A	10	H	7	145	93.72			A		T		T	T				T		T				T			F	T									NANNOFOSSIL-BEARING CLAY	
175	1082	A	10	H	8	65	94.02			C		F													T		T	D										CLAYEY NANNOFOSSIL OOOZE	
175	1082	A	11	H	1	30	93.75			C		T									T				T			A										CLAYEY NANNOFOSSIL OOOZE	
175	1082	A	11	H	1	100	94.8			A		T																C	C							T	NANNOFOSSIL-RICH CLAY		
175	1082	A	11	H	2	70	95.85			A		T													F			C	F									DIATOM-BEARING, NANNOFOSSIL CLAY	
175	1082	A	11	H	4	120	99.45			A		T													R			R	F										NANNOFOSSIL-BEARING CLAY
175	1082	A	11	H	5	80	100.35			A		R													F			C											DIATOM-BEARING, NANNOFOSSIL-RICH CLAY
175	1082	A	11	H	CC	27	103.39			A															R			C	F										NANNOFOSSIL-RICH CLAY
175	1082	A	12	H	2	70	104.19			A		T									R				A		F	A	T	R	F	R							DIATOM- AND NANNOFOSSIL-RICH CLAY
175	1082	A	12	H	5	70	108.24			A		T													A		F	A	T			F	R						DIATOM- AND NANNOFOSSIL-RICH CLAY
175	1082	A	12	H	7	133	112.19			A															F			A	F			T	T	T					DIATOM-BEARING, NANNOFOSSIL-RICH CLAY
175	1082	A	13	H	1	70	113.35			A		T		T											R		A	F	A	T							R		FORAMINIFER-BEARING, DIATOM-AND NANNOFOSSIL-RICH CLAY
175	1082	A	13	H	5	70	118.18			A		T													R		A	F	A	T			T	R	R				FORAMINIFER-BEARING, DIATOM-AND NANNOFOSSIL-RICH CLAY
175	1082	A	14	H	1	80	123			A		T													R		C	F	A										

SITE 1082 SMEAR SLIDES

Sample								Grain Size			Mineral											Biogenic (D = dominant, A = abundant, C = common, F = frequent, R = rare, T = trace)												Sediment Name		
Leg	Site	Hole	Core	Type	Section	Interval (cm)	Depth (mbsf)	Sand	Silt	Clay	Opaque Minerals	Pyrite	Mn Oxides	Quartz	Feldspar	Mica	Chlorite	Phosphorite	Glauconite	Dolomite	Carbonate	Bioclast	Phytoliths	Diatoms	Fecal pellets	Foraminifers	Nannofossils	Organic debris	Radiolarians	Siliceous spicules	Silicoflagellates	Sponge spicules				
175	1082	A	18	X	3	132	162.23			A												R			C									DIATOM-RICH CLAY		
175	1082	A	19	X	2	70	168.56			C		T								T		F			A		F	A			R			FORAMINIFER-BEARING, DIATOM- AND NANNOFOSSIL-RICH CLAY		
175	1082	A	19	X	4	74	170.96			A		T										T		A		R			F	T	R			NANNOFOSSIL-BEARING, DIATOM-RICH CLAY		
175	1082	A	20	X	2	70	178.54			A		T								T				C			T					T	T	NANNOFOSSIL-BEARING, DIATOM-RICH CLAY		
175	1082	A	20	X	2	74	178.6			A		T												F		R	C						T	DIATOM-BEARING, NANNOFOSSIL-RICH CLAY		
175	1082	A	20	X	5	80	182.94			A														F		R	R		F			T	T	DIATOM-BEARING CLAY		
175	1082	A	21	X	2	80	188.12			A											T			C		R	F					T	T	NANNOFOSSIL-BEARING, DIATOM-RICH CLAY		
175	1082	A	21	X	5	80	192.17			A		R												F		F	F							DIATOM- AND FORAMINIFER-BEARING CLAY		
175	1082	A	22	X	1	90	197.55			A		R										R		A		F	A							FORAMINIFER-BEARING, NANNOFOSSIL- AND DIATOM-RICH CLAY		
175	1082	A	22	X	4	42	200.95			A		R		T								R		A		F	A					T	T	FORAMINIFER-BEARING, NANNOFOSSIL- AND DIATOM-RICH CLAY		
175	1082	A	23	X	1	90	207.25			A		R		T										D		F	A		T			T	T	NANNOFOSSIL- AND DIATOM-RICH CLAY		
175	1082	A	23	X	3	100	209.56			D		R		T										D		F	C							NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	23	X	6	90	212.56			A		R		T										D		F	A		T			T		NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	24	X	2	60	217.91			A		R							T			R		D		F	A		T		T	T		FORAMINIFER-BEARING, NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	24	X	5	90	222.64			A		R							T			R		D		F	A		T		T	T		FORAMINIFER-BEARING, NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	24	X	5	120	223.09			D		R							T			R		D		F	A		T		T	T		FORAMINIFER-BEARING, NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	25	X	1	42	225.83			D		R										R		A		F	A		T			T	T	DIATOM- AND NANNOFOSSIL-RICH CLAY		
175	1082	A	25	X	1	70	226.25			A		R										R		D		F	A		T			T	T	NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	25	X	1	130	227.15			A		R										R		D		F	A		T			T	T	NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	25	X	2	120	228.48			A		R										R		D		F	D		T			T	T	NANNOFOSSIL DIATOMACEOUS CLAY		
175	1082	A	25	X	4	120	231.48			A		R										R		D		F	A		T			T	T	NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	26	X	2	80	237.5			A		R												A		F	A		T			T	T	FORAMINIFER-BEARING, NANNOFOSSIL- AND DIATOM-RICH CLAY		
175	1082	A	26	X	4	80	240.5			A		R										R		D		F	A		T			T	T	FORAMINIFER-BEARING, NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	26	X	6	80	243.5			A		R										F		D		F	A		T			T	T	FORAMINIFER-BEARING, NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	27	X	1	30	244.85			A		R												A		F	A		T			T	T	FORAMINIFER-BEARING, DIATOMACEOUS NANNOFOSSIL CLAY		
175	1082	A	27	X	2	70	246.95			A		R												A		R	T		T			T	T	DIATOMACEOUS CLAY		
175	1082	A	27	X	4	26	249.29			A		R												A		R	T		T			T	T	DIATOMACEOUS CLAY		
175	1082	A	28	X	1	110	255.65			A		R												A		T	C		T			T	T	NANNOFOSSIL-RICH DIATOMACEOUS CLAY		
175	1082	A	28	X	2	20	255.8			A		R												F		T	A		T					DIATOM-BEARING, NANNOFOSSIL CLAY		
175	1082	A	28	X	2	140	257.6			A		R												A		T	C		T			T	T	NANNOFOSSIL-BEARING, DIATOM-RICH CLAY		
175	1082	A	28	X	4	80	259.7			A		R												D		T	A		T			R	R	NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	28	X	5	100	261.4			A		R												A		R	A		T			T	T	FORAMINIFER-BEARING, DIATOM-RICH, NANNOFOSSIL CLAY		
175	1082	A	29	X	1	90	264.95			A		R												C			R		T			T		NANNOFOSSIL-BEARING, DIATOM-RICH CLAY		
175	1082	A	29	X	2	80	266.3			A		R												C		A			T					DIATOM-RICH, NANNOFOSSIL CLAY		
175	1082	A	29	X	4	120	269.9			A		R												C		F			T			T		NANNOFOSSIL-BEARING, DIATOM-RICH CLAY		
175	1082	A	29	X	6	70	272.15			A		R												A		A			T			T		DIATOMACEOUS NANNOFOSSIL-RICH CLAY		
175	1082	A	30	X	1	70	274.35			A		R												A		C			T			T	T	NANNOFOSSIL-RICH DIATOMACEOUS CLAY		
175	1082	A	30	X	3	80	277.5			A		R												A		C			T			T	T	NANNOFOSSIL-RICH DIATOMACEOUS CLAY		
175	1082	A	30	X	5	55	280.12			A		R												A		C			T			T	T	NANNOFOSSIL-RICH DIATOMACEOUS CLAY		
175	1082	A	31	X	1	40	283.5			A		R										F		A		C			T			T	T	NANNOFOSSIL-RICH DIATOMACEOUS CLAY		
175	1082	A	31	X	2	50	284.55			A		R										F		A		C			T			T	T	NANNOFOSSIL-RICH DIATOMACEOUS CLAY		
175	1082	A	31	X	5	110	289.21			A		F												C		F			T			T	T	NANNOFOSSIL-BEARING, DIATOM-RICH CLAY		
175	1082	A	32	X	1	20	292.8			A		F												F		T			T			T	T	DIATOM-RICH CLAY		
175	1082	A	32	X	3	70	296.55			A		R												A		D			T			T		DIATOM-RICH, NANNOFOSSIL CLAY		
175	1082	A	32	X	5	70	299.55			A		R												A										NANNOFOSSIL DIATOMACEOUS CLAY		
175	1082	A	33	X	1	60	303			A		R												A										NANNOFOSSIL DIATOMACEOUS CLAY		
175	1082	A	33	X	3	50	305.85			A		R												C		C								NANNOFOSSIL DIATOMACEOUS CLAY		
175	1082	A	33	X	4	120	308.44			A		R												C		C								NANNOFOSSIL-BEARING DIATOMACEOUS CLAY		
175	1082	A	33	X	5	110	309.79			A		R												D		C								NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	34	X	1	40	312.3			A		R												A		A								NANNOFOSSIL DIATOMACEOUS CLAY		
175	1082	A	34	X	2	100	314.7			A		R												A		C								NANNOFOSSIL-RICH, DIATOMACEOUS CLAY		
175	1082	A	34	X	3	60	315.62			A		R												C		A								DIATOM-RICH, NANNOFOSSIL CLAY		
175	1082	A	35	X	1	80	322.6			C		T																								

SITE 1082 SMEAR SLIDES

Sample								Grain Size			Mineral										Biogenic (D = dominant, A = abundant, C = common, F = frequent, R = rare, T = trace)												Sediment Name
Leg	Site	Hole	Core	Type	Section	Interval (cm)	Depth (mbsf)	Sand	Silt	Clay	Opaque Minerals	Pyrite	Mn Oxides	Quartz	Feldspar	Mica	Chlorite	Phosphorite	Glauconite	Dolomite	Carbonate	Bioclast	Phytoliths	Diatoms	Fecal pellets	Foraminifers	Nannofossils	Organic debris	Radiolarians	Siliceous spicules	Silicoflagellates	Sponge spicules	
175	1082	A	37	X	2	130	333.14			C		T												C		C		T					DIATOM- AND NANNOFOSSIL-RICH CLAY
175	1082	A	37	X	4	80	335.39			A		T												C		T		T					DIATOM- AND NANNOFOSSIL-RICH CLAY
175	1082	A	38	X	2	80	343.3			A														C		C		T					DIATOM- AND NANNOFOSSIL-RICH CLAY
175	1082	A	38	X	4	80	346.3			A														F		C							DIATOM-BEARING NANNOFOSSIL-RICH CLAY
175	1082	A	38	X	6	80	349.3			A		T												F		T							DIATOM-BEARING NANNOFOSSIL-RICH CLAY
175	1082	A	39	X	2	40	352.4			A		T		R				R						C		R	C	R		T			DIATOM- AND NANNOFOSSIL-BEARING CLAY
175	1082	A	39	X	4	70	354.67			A		T		T							C			A		R	A			R			DIATOM- AND NANNOFOSSIL-RICH CLAY
175	1082	A	40	X	2	78	361.49			A		T									R			F		F	C						DIATOM- AND FORAMINIFER-BEARING NANNOFOSSIL-RICH
175	1082	A	40	X	4	140	364.29			A		T									C			F		F							DIATOM- AND FORAMINIFER-BEARING NANNOFOSSIL-RICH
175	1082	A	40	X	6	40	365.79			A		T									F			F									DIATOM-BEARING FORAMINIFER- AND NANNOFOSSIL-RICH CLAY
175	1082	A	41	X	1	66	370.49			A		R									R												NANNOFOSSIL-RICH CLAY
175	1082	A	41	X	3	133	374.5		F	A		R		F														C					NANNOFOSSIL-BEARING CLAY
175	1082	A	41	X	4	45	374.68			A		F																C					NANNOFOSSIL-RICH CLAY
175	1082	A	41	X	4	120	375.8		T	A		T		T							F			R									NANNOFOSSIL-RICH CLAY
175	1082	A	41	X	6	80	378.2			A		T									R												NANNOFOSSIL-RICH CLAY
175	1082	A	42	X	2	80	381.9			A		T									R												NANNOFOSSIL-RICH CLAY
175	1082	A	42	X	4	60	384.6			C		R									C						A	R					NANNOFOSSIL CLAY
175	1082	A	42	X	5	40	385.8			A		T									R							C	F				NANNOFOSSIL-RICH CLAY
175	1082	A	43	X	1	40	389.4			C											C						R	A					NANNOFOSSIL-RICH CLAY
175	1082	A	43	X	3	120	392.79			C											R						R	C	F		R		NANNOFOSSIL-BEARING CLAY
175	1082	A	43	X	6	60	396.39			C											C						R	A					CLAY
175	1082	A	44	X	2	70	400.95			C		T		T						R	C						R	C					FORAMINIFER-BEARING NANNOFOSSIL-RICH CLAY
175	1082	A	44	X	4	60	403.8			C		R		R							C							C	R				NANNOFOSSIL-RICH CLAY
175	1082	A	45	X	2	30	410.05			C		T									F						R	A	R				NANNOFOSSIL CLAY
175	1082	A	45	X	4	80	413.8			C											C						A						NANNOFOSSIL CLAY
175	1082	A	46	X	1	80	418.9			A		T		T							R					R	F	R					NANNOFOSSIL-BEARING CLAY
175	1082	A	46	X	5	60	423.54			A		T									R					R	C						NANNOFOSSIL-RICH CLAY
175	1082	A	47	X	2	53	429.6			A											R					R	C	R					NANNOFOSSIL-RICH CLAY
175	1082	A	47	X	4	47	432.5			A		T		T							T						R	A	R				NANNOFOSSIL CLAY
175	1082	A	48	X	1	140	439.1			A		R									R						T	A	R				NANNOFOSSIL CLAY
175	1082	A	48	X	3	70	441.05			A		R									R						F	A					NANNOFOSSIL CLAY
175	1082	A	49	X	2	72	449.32			A		T									T						A	A	T				NANNOFOSSIL CLAY
175	1082	A	49	X	5	80	454.04			A		T									T						A						NANNOFOSSIL CLAY
175	1082	A	50	X	3	90	460.11			A		T									R						R	A					NANNOFOSSIL CLAY
175	1082	A	50	X	5	5	461.83			A		T								T							R	A	C				NANNOFOSSIL-RICH CLAY
175	1082	A	51	X	1	90	467.25			A		T															R	A	R				NANNOFOSSIL-RICH CLAY
175	1082	A	51	X	3	110	470.55			A		T															R	A	F				NANNOFOSSIL-RICH CLAY
175	1082	A	51	X	4	90	471.75			A		T															R	A	R				NANNOFOSSIL-RICH CLAY
175	1082	A	52	X	2	90	477.54			C		T															T	D					NANNOFOSSIL OOZE
175	1082	A	52	X	4	59	480.07			C		T									F						R	D					NANNOFOSSIL OOZE
175	1082	A	52	X	5	108	482.31			C		T									F						T	D					NANNOFOSSIL OOZE
175	1082	A	53	X	1	80	485.9			F		T						T									T	R	D				NANNOFOSSIL OOZE
175	1082	A	53	X	3	82	488.93			A																	F	R	A				NANNOFOSSIL OOZE
175	1082	A	53	X	5	60	491.6			F																	T	R	D				NANNOFOSSIL OOZE
175	1082	A	54	X	1	40	495			F		T									F						T	R	D	T			NANNOFOSSIL OOZE
175	1082	A	54	X	2	39	495.66			A		T																R	D				NANNOFOSSIL OOZE
175	1082	A	54	X	4	80	499.28			F		T																R	D				NANNOFOSSIL OOZE
175	1082	A	54	X	6	60	501.98			F		T													R		R	D	T				NANNOFOSSIL OOZE
175	1082	A	55	X	3	100	508.25			F		T												R		R	D					T	NANNOFOSSIL OOZE
175	1082	A	55	X	5	110	511.4			F		T															R	D	T				NANNOFOSSIL OOZE
175	1082	A	55	X	7	45	513.42			F		T									C						R	D					NANNOFOSSIL OOZE
175	1082	A	56	X	2	55	515.25			F		T									C						R	D	T				NANNOFOSSIL OOZE
175	1082	A	56	X	4	13	517.62			D		R															R	T					NANNOFOSSIL-BEARING CLAY
175	1082	A	56	X	4	82	518.66			F		T															R	D					NANNOFOSSIL OOZE
175	1082	A	56	X	6	60	521.33			F		T															T	R	D				NANNOFOSSIL OOZE
175	1082	A	57	X	1	18	523.67			F		T															T	R	D				NANNOFOSSIL OOZE
175	1082	A	57	X	2	95	525.95			F		T															T	R	D				NANNOFOSSIL OOZE
175	1082	A	57	X	3	34	526.54			F		T															T	R	D				NANNOFOSSIL OOZE

SITE 1082 SMEAR SLIDES

Sample								Grain Size			Mineral											Biogenic (D = dominant, A = abundant, C = common, F = frequent, R = rare, T = trace)													
Leg	Site	Hole	Core	Type	Section	Interval (cm)	Depth (mbsf)	Sand	Silt	Clay	Opaque Minerals	Pyrite	Mn Oxides	Quartz	Feldspar	Mica	Chlorite	Phosphorite	Glauconite	Dolomite	Carbonate	Bioclast	Phytoliths	Diatoms	Fecal pellets	Foraminifers	Nannofossils	Organic debris	Radiolarians	Siliceous spicules	Silicoflagellates	Sponge spicules	Sediment Name		
175	1082	A	57	X	5	92	530.41			C		R												T		R	D							NANNOFOSSIL OOZE	
175	1082	A	57	X	6	90	531.88			F		T												T		R	D						NANNOFOSSIL OOZE		
175	1082	A	58	X	2	134	536.61			F		T												T		R	D	T					NANNOFOSSIL OOZE		
175	1082	A	58	X	5	140	541.2			C		R												T		R	D	T					CLAYEY NANNOFOSSIL OOZE		
175	1082	A	59	X	4	60	548.16			C		T												T		R	D	T					NANNOFOSSIL OOZE		
175	1082	A	59	X	5	50	549.51			C		R												T		R	D						NANNOFOSSIL OOZE		
175	1082	A	60	X	5	40	558.34			C		R												T		R	D						NANNOFOSSIL OOZE		
175	1082	A	61	X	2	80	564.7			C		T												R		R	D		T		T		NANNOFOSSIL OOZE		
175	1082	A	61	X	5	80	569.07			C		T									T			T			D		T		T		NANNOFOSSIL OOZE		
175	1082	A	62	X	2	80	574.4			F		T									T					T	D						NANNOFOSSIL OOZE		
175	1082	A	62	X	5	80	578.9			F		T												T		F	D				T		NANNOFOSSIL OOZE		
175	1082	A	63	X	4	72	585.88			F		T														F	D						NANNOFOSSIL OOZE		
175	1082	A	64	X	2	80	593.6			F		T		R							F					T	A						NANNOFOSSIL OOZE		
175	1082	A	64	X	4	80	596.6			F		T														R	A						NANNOFOSSIL OOZE		