

**Table T1.** Major element oxide and trace element analyses. (See table notes. Continued on next three pages.)

Core, section, interval (cm)	Depth (mbsf)	Thin section number	Rock type	Major element oxides (wt%)													LOI	Total
				SiO <sub>2</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	MnO	MgO	CaO	Na <sub>2</sub> O	K <sub>2</sub> O	TiO <sub>2</sub>	P <sub>2</sub> O <sub>5</sub>	Cr <sub>2</sub> O <sub>3</sub>	NiO			
176-735B-																		
1R-1, 35-37	0.4	227	Olivine basalt	49.12	15.84	9.76	0.16	8.19	10.97	3.08	0.22	1.5	0.15	0.0471	0.0153	1.56	100.61	
16R-2, 5-10	63.1	219	Olivine gabbro	50.57	17.63	5.98	0.11	9.49	12.82	2.9	0.03	0.31	0.01	0.0306	0.0146	1.2	101.09	
16R-5, 38-40	66.8	220	Olivine microgabbro	47.71	16.12	6.22	0.1	12.04	12.58	2.46	0.12	0.24	0.03	0.1732	0.034	1.79	99.61	
23R-5, 3-5	104.9	232	Diabase	50.67	17.4	7.09	0.12	10.13	11.59	3.14	0.03	0.33	0.01	0.0555	0.0215	1.09	101.68	
25R-2, 104-107	113.3	234	Olivine gabbro	50.58	16.7	5.56	0.1	10.13	13.38	2.74	0.06	0.35	0.01	0.058	0.0215	0.94	100.62	
38R-2, 24-26	182.5	257	Troctolitic microgabbro	49.4	17.52	10.09	0.16	9.34	11.59	3.16	0.09	1.11	0.02	0.0542	0.269	0.05	102.6	
41R-4, 22-27	199.7	260	Olivine gabbro	52.83	15.58	8.26	0.15	7.97	11.07	3.75	0.06	0.52	0.01	0.0027	0.0049	0.26	100.47	
50R-1, 82-90	238.8	272	Oxide gabbro	38.87	9.87	22.2	0.28	6.15	8.4	2.78	0.05	11.39	0.01	0.005	0.0039	-0.51	99.48	
51R-2, 16-25	244.5	274	Oxide gabbro	39.45	11.99	24.08	0.25	4.86	7.53	3.29	0.08	8.32	0.01	0.0064	0.005	-0.3	99.55	
74R-6, 115-119	382.9	200	Olivine microgabbro	50.61	14.48	12.23	0.21	6.35	10.06	3.85	0.08	1.67	0.08	0.0253	0.0076	-0.13	99.51	
83R-7, 115-120	461.1	213	Troctolite	42.82	9.38	11.05	0.16	29.08	5.84	1.01	0.05	0.1	0.01	0.0778	0.1245	0.89	100.58	
90R-1, 126-137	509.1	126	Troctolitic gabbro	47.44	20.53	5.74	0.08	12.18	11.12	2.3	0.02	0.15	0.01	0.0308	0.0413	0.33	99.97	
90R-6, 28-38	514.8	28	Troctolitic gabbro	46.92	17.08	6.25	0.1	15.51	10.78	2	0.11	0.2	0.01	0.096	0.0561	1.09	100.21	
90R-8, 47-52	517.3	47	Olivine gabbro	45.93	17.86	7.02	0.1	16.39	9.01	2.07	0.05	0.13	0.01	0.0089	0.0545	0.54	99.19	
91R-1, 43-53	517.8	43	Troctolitic gabbro	46.04	17.51	6.47	0.1	15.27	11.73	1.78	0.03	0.33	0.02	0.1441	0.0537	0.73	100.22	
91R-2, 26-32	519.0	26	Troctolitic gabbro	52.52	16.22	7.41	0.14	7.83	11.92	3.79	0.08	0.43	0.01	0.003	0.0043	-0.01	100.33	
91R-2, 101-110	519.8	101	Troctolitic gabbro	45.81	18.72	8.2	0.12	13.81	9.11	2.28	0.2	0.17	0.01	0.0067	0.0474	1.22	99.69	
95R-2, 93-97	546.9	R2	Troctolitic gabbro	52.55	16.34	8.23	0.16	7.59	10.91	3.77	0.05	0.45	0	0.0026	0.0043	0	100.05	
96R-1, 25-33	548.9	R1a	Microgabbro	52.44	16.41	7.63	0.14	7.81	11.43	3.77	0.06	0.42	0.01	0.0027	0.0051	0.31	100.45	
96R-1, 82-84	549.1	R1b	Microgabbro	50.7	7.69	11.14	0.24	12.16	15.16	1.75	0.06	0.79	0.06	0.0803	0.0228	0.74	100.59	
121R-1, 14-19	719.8	R1c	Olivine gabbro	51.53	16.88	5.17	0.1	9.62	13.83	2.66	0.02	0.29	0	0.0289	0.013	0.21	100.36	
121R-3, 65-75	723.3	65a	Microgabbro	51.39	15.89	6.78	0.01	8.94	12.18	3.34	0.05	0.53	0.04	0.0261	0.0132	0.93	100.23	
123R-4, 83-89	744.0	R4a	Troctolitic gabbro	49.72	18.05	6.87	0.11	10.41	11.49	2.89	0.03	0.25	0.02	0.0343	0.0175	0.22	100.11	
128R-3, 6-12	777.5	6	Microgabbro	50.23	16.4	6.48	0.12	9.85	13.07	2.63	0.03	0.29	0	0.0447	0.0142	0.75	99.91	
130R-5, 10-14	799.7	R5	Microgabbro	51.79	16.14	8.16	0.15	8.04	11.41	3.54	0.06	0.57	0.06	0.0037	0.0064	0	99.94	
131R-1, 11-16	803.6	11	Ferrogabbro	43.1	13.11	21.36	0.24	5.75	7.86	3.75	0.13	5.34	0.02	0.0079	0.0064	-0.48	100.2	
137R-6, 112-119	859.4	R6	Microgabbro	48.88	16.01	12.24	0.20	8.75	9.49	3.43	0.07	1.07	0.17	0.0512	0.0245	-0.26	100.13	
139R-1, 65-74	871.8	65	Olivine gabbro	50.5	20.95	5.62	0.09	8.35	11.19	3.42	0.04	0.23	0.01	0.0112	0.0143	-0.12	100.31	
140R-1, 1-8	880.3	1	Olivine gabbro	51.01	13.61	8.53	0.16	10.27	13.45	2.56	0.04	0.6	0.01	0.0158	0.0133	-0.07	100.2	
149R-2, 61-65	962.4	61	Microgabbro	51.92	18.28	4.61	0.09	7.93	13.85	3.11	0.03	0.32	0.01	0.0229	0.0102	-0.15	100.03	
165R-3, 96-102	96.0	96	Olivine gabbro	51.68	17.44	6.37	0.11	8.84	12.57	3.2	0.04	0.36	0.01	0.008	0.0097	0.12	100.76	
165R-3, 96-102	96.0	R3a	Olivine gabbro	51.23	16.94	5.64	0.11	9.28	13.51	2.82	0.02	0.28	0	0.0316	0.011	0.1	99.96	
165R-4, 71-75	1109.3	71	Olivine gabbro	51.35	15.47	6.08	0.12	9.74	13.89	2.65	0.02	0.34	0	0.0194	0.0107	0.33	100.01	
165R-4, 71-75	1109.3	71	Olivine gabbro	51.41	15.12	6.68	0.13	10.03	13.61	2.67	0.03	0.38	0.01	0.0155	0.0106	0.2	100.29	
166R-2, 61-71	1112.7	61a	Olivine gabbro	52.58	22.76	3.46	0.06	4.82	11.94	4.17	0.04	0.2	0.01	0.0101	0.0056	0.03	100.08	
169R-3, 108-118	1143.4	108	Olivine gabbro	52.04	16.68	6.62	0.12	8.93	12.36	3.26	0.04	0.42	0.01	0.006	0.0086	0.09	100.6	
170R-7, 50-55	1158.0	R7	Microgabbro	49.96	17.55	7.01	0.12	10.06	11.52	3.05	0.04	0.3	0.03	0.0422	0.0142	0.9	100.59	
178R-6, 132-138	1219.4	R6a	Microgabbro	49.67	15.09	10.5	0.18	7.83	11	2.98	0.07	1.63	0.17	0.0342	0.0129	0.05	99.23	
183R-4, 13-17	1264.0	R4	Microgabbro	51.69	17.34	7.08	0.09	8.9	10.45	3.76	0.11	0.24	0	0.0056	0.0127	0.32	100.02	
185R-1, 26-36	1279.1	26a	Olivine gabbro	49.26	15.06	8.17	0.14	12.86	11.71	2.38	0.02	0.26	0.01	0.0198	0.0207	0.21	100.11	
188R-1, 31-35	1307.2	31	Olivine gabbro	51.79	16.1	7.37	0.14	9.03	12.14	3.33	0.04	0.35	0.01	0.0031	0.0076	0.23	100.52	
191R-3, 61-67	1339.2	R3	Microgabbro	49.6	16.68	10	0.15	9.51	10.23	3.13	0.06	0.46	0.01	0.0589	0.0262	0.7	100.61	
192R-1, 49-57	1345.8	49a	Olivine gabbro	48.58	17.63	9.48	0.15	10	10.85	2.92	0.05	0.41	0.01	0.0562	0.0277	0.12	100.27	
198R-1, 25-30	1386.7	R1	Microgabbro	50.86	16.99	5.97	0.11	9.87	13.07	2.78	0.03	0.28	0.01	0.0385	0.0151	0.32	100.33	
197R-3, 42-47	1386.7	R3b	Microgabbro	51.02	16.22	5.97	0.11	9.55	13.5	2.67	0.02	0.32	0	0.0212	0.0134	0.43	99.85	
199R-6, 49-55	1400.1	49	Troctolitic gabbro	48.99	16.97	7.78	0.12	12.66	10.44	2.78	0.03	0.24	0.01	0.0126	0.0219	0.34	100.4	
200R-1, 16-21	1402.2	16	Troctolitic gabbro	47	11.97	11.68	0.18	17.64	9.39	1.95	0.02	0.29	0.01	0.0159	0.0308	-0.2	99.98	
202R-8, 7-16	1430.6	R8	Microgabbro	51.81	14.77	6.46	0.13	9.46	14.17	2.68	0.05	0.61	0.02	0.0272	0.0129	0	100.19	

Table T1 (continued).

Core, section, interval (cm)	Depth (mbsf)	Thin section number	Rock type	Trace elements (ppm)															
				Mg#	Ca#	Sc	V	Cr	Co	Ni	Cu	Zn	Ga	Rb	Sr	Y	Zr	Nb	Ba
176-735B-																			
1R-1, 35-37	0.4	227	Olivine basalt	0.662	0.663	35	234	332	48	119	57	68	18	6	171	31	112	3	ND
16R-2, 5-10	63.1	219	Olivine gabbro	0.787	0.710	29	118	45	50	94	4	25	17	1	178	8	13	2	9
16R-5, 38-40	66.8	220	Olivine microgabbro	0.819	0.739	32	115	1354	35	249	5	48	11	1	149	9	16	1	10
23R-5, 3-5	104.9	232	Diabase	0.769	0.671	35	263	246	45	100	50	83	19	2	152	36	131	4	ND
25R-2, 104-107	113.3	234	Olivine gabbro	0.809	0.730	37	136	414	34	159	40	29	13	1	143	10	17	2	10
38R-2, 24-26	182.5	257	Troctolitic microgabbro	0.683	0.670	29	160	356	48	173	31	63	16	1	182	18	44	2	7
41R-4, 22-27	199.7	260	Olivine gabbro	0.692	0.620	42	195	9	37	39	30	41	16	2	163	14	20	2	6
50R-1, 82-90	238.8	272	Oxide gabbro	0.392	0.625	56	896	ND	77	34	82	109	18	2	123	21	83	5	ND
51R-2, 16-25	244.5	274	Oxide gabbro	0.320	0.558	44	1383	ND	75	29	84	145	25	3	148	17	58	4	ND
74R-6, 115-119	382.9	200	Olivine microgabbro	0.548	0.591	37	302	181	41	58	41	87	21	2	161	35	90	2	ND
83R-7, 115-120	461.1	213	Troctolite	0.860	0.762	10	44	621	118	938	69	62	7	2	73	3	7	1	5
90R-1, 126-137	509.1	126	Troctolitic gabbro	0.832	0.728	13	42	211	45	271	65	34	13	1	165	4	11	2	1
90R-6, 28-38	514.8	28	Troctolitic gabbro	0.853	0.749	19	68	667	58	393	84	41	10	1	133	7	16	2	11
90R-8, 47-52	517.3	47	Olivine gabbro	0.845	0.706	9	34	69	68	409	37	42	12	1	148	4	11	2	10
91R-1, 43-53	517.8	43	Troctolitic gabbro	0.846	0.785	22	90	1012	54	393	47	35	11	1	145	8	23	2	8
91R-2, 26-32	519.0	26	Troctolitic gabbro	0.711	0.635	71	243	610	46	170	93	85	14	2	70	92	210	3	5
91R-2, 101-110	519.8	101	Troctolitic gabbro	0.797	0.688	8	37	43	58	313	47	53	13	2	150	6	16	1	10
95R-2, 93-97	546.9	R2	Troctolitic gabbro	0.683	0.615	37	182	14	38	33	21	47	19	1	175	13	16	2	10
96R-1, 25-33	548.9	R1a	Microgabbro	0.705	0.626	42	177	12	39	32	21	48	15	2	168	13	26	2	14
96R-1, 82-84	549.1	R1b	Microgabbro	0.718	0.827	40	167	14	42	36	25	42	17	2	170	13	16	1	11
121R-1, 14-19	719.8	R1c	Olivine gabbro	0.813	0.742	43	161	223	34	102	95	36	14	0	154	11	17	1	6
121R-3, 65-75	723.3	65a	Microgabbro	0.755	0.668	38	156	172	36	91	8	34	16	1	160	19	41	2	1
123R-4, 83-89	744.0	R4a	Troctolitic gabbro	0.779	0.687	28	94	251	46	130	70	40	15	1	174	8	23	1	11
128R-3, 6-12	777.5	6	Microgabbro	0.78	0.733	38	148	322	39	104	95	38	14	1	148	10	12	2	8
130R-5, 10-14	799.7	R5	Microgabbro	0.697	0.640	38	171	15	41	40	21	48	17	0	172	19	45	2	10
131R-1, 11-16	803.6	11	Ferrogabbro	0.386	0.537	32	844	10	54	52	60	156	26	2	160	24	76	3	ND
137R-6, 112-119	859.4	R6	Microgabbro	0.625	0.605	28	148	367	48	173	37	85	18	1	154	36	147	2	0
139R-1, 65-74	871.8	65	Olivine gabbro	0.776	0.644	29	103	70	49	87	73	44	15	1	165	9	16	2	12
140R-1, 1-8	880.3	1	Olivine gabbro	0.737	0.744	50	221	101	41	86	70	50	14	2	134	16	26	2	11
149R-2, 61-65	962.4	61	Microgabbro	0.800	0.711	41	165	19	39	56	72	40	15	1	167	11	14	1	11
165R-3, 96-102	96.0	96	Olivine gabbro	0.764	0.685	17	59	65	18	36	36	21	18	1	215	5	10	1	9
165R-3, 96-102	96.0	R3a	Olivine gabbro	0.793	0.726	40	145	209	35	78	98	30	13	1	155	9	13	2	9
165R-4, 71-75	1109.3	71	Olivine gabbro	0.789	0.743	38	146	106	34	68	58	32	14	2	143	11	13	1	7
165R-4, 71-75	1109.3	71	Olivine gabbro	0.778	0.738														
166R-2, 61-71	1112.7	61a	Olivine gabbro	0.765	0.613	35	128	51	35	63	62	35	17	1	168	10	16	1	4
169R-3, 108-118	1143.4	108	Olivine gabbro	0.759	0.677	31	140	34	31	61	58	37	15	1	181	12	18	1	13
170R-7, 50-55	1158.0	R7	Microgabbro	0.770	0.676														
178R-6, 132-138	1219.4	R6a	Microgabbro	0.635	0.671	28	124	375	46	147	91	40	16	1	171	9	13	2	8
183R-4, 13-17	1264.0	R4	Microgabbro	0.746	0.606	34	124	216	39	103	49	34	13	1	163	8	15	1	4
185R-1, 26-36	1279.1	26a	Olivine gabbro	0.786	0.731	34	114	130	54	143	72	43	13	1	146	7	12	2	11
188R-1, 31-35	1307.2	31	Olivine gabbro	0.741	0.668	38	135	168	28	75	56	27	15	1	174	9	13	2	8
191R-3, 61-67	1339.2	R3	Microgabbro	0.689	0.644	25	151	383	56	181	60	60	18	1	181	15	27	2	9
192R-1, 49-57	1345.8	49a	Olivine gabbro	0.711	0.672	50	203	182	36	90	92	38	15	1	145	20	45	2	7
198R-1, 25-30	1386.7	R1	Microgabbro	0.794	0.722	37	137	274	41	104	79	31	14	1	169	9	12	1	10
197R-3, 42-47	1386.7	R3b	Microgabbro	0.789	0.736	39	159	148	37	92	77	33	14	1	164	10	12	2	8
199R-6, 49-55	1400.1	49	Troctolitic gabbro	0.791	0.675	22	88	94	58	158	101	46	13	1	161	6	13	2	3
200R-1, 16-21	1402.2	16	Troctolitic gabbro	0.779	0.727	30	111	114	82	230	116	71	11	1	116	8	14	1	16
202R-8, 7-16	1430.6	R8	Microgabbro	0.774	0.745	31	124	356	50	181	12	53	18	1	162	15	23	2	6

Table T1 (continued).

Core, section, interval (cm)	Depth (mbsf)	Thin section number	Rock type	Major element oxides (wt%)													LOI	Total
				SiO <sub>2</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	MnO	MgO	CaO	Na <sub>2</sub> O	K <sub>2</sub> O	TiO <sub>2</sub>	P <sub>2</sub> O <sub>5</sub>	Cr <sub>2</sub> O <sub>3</sub>	NiO			
203R-1, 5–17	1430.9	5	Melanogabbro	46.34	19.63	7.84	0.11	12.93	9.71	2.29	0.1	0.22	0.01	0.0062	0.0472	1.01	100.26	
203R-3, 17–26	1433.3	17	Olivine gabbro	48.66	16.04	8.15	0.13	12.98	10.92	2.42	0.02	0.25	0.01	0.0185	0.0217	0.44	100.06	
203R-5, 22–31	1436.1	22	Olivine gabbro	51.29	17.06	5.2	0.1	9.65	13.6	2.66	0.02	0.27	0.01	0.0267	0.0126	0.7	100.6	
204R-1, 55–64	1441.1	55	Troctolitic gabbro	50.3	16.87	7.69	0.13	10.33	11.5	3.11	0.04	0.31	0.01	0.0104	0.0128	0.32	100.64	
205R-1, 38–46	1450.6	38	Troctolitic gabbro	50.76	19.15	5.69	0.09	9.15	11.89	3.15	0.03	0.25	0.01	0.0117	0.0139	0.48	100.68	
206R-2, 46–52	1461.4	46	Olivine gabbro	50.78	17.86	5.63	0.1	9.01	12.96	2.8	0.03	0.34	0.01	0.0242	0.0125	0.11	99.66	
206R-6, 142–146	1467.8	142	Olivine gabbro	48.95	17	7.7	0.12	12.27	10.86	2.55	0.03	0.2	0.01	0.0186	0.025	0.23	99.95	
207R-3, 32–41	1472.0	32	Olivine gabbro	51.03	16.78	5.63	0.1	9.67	13.53	2.64	0.03	0.34	0.01	0.0214	0.0126	1.2	101.01	
207R-3, 88–98	1472.8	88	Melanogabbro	49.3	14.57	8.08	0.13	12.85	11.99	2.35	0.03	0.36	0.01	0.0163	0.0228	0.21	99.92	
207R-4, 20–29	1473.3	20	Olivine gabbro	50.05	18.8	6.33	0.1	9.82	11.51	3.05	0.04	0.25	0.01	0.0157	0.0159	0.35	100.34	
207R-4, 64–70	1473.7	R4b	Olivine gabbro	50.94	17.21	5.59	0.1	9.74	13.39	2.81	0.03	0.32	0.01	0.0282	0.0132	0.39	100.56	
209R-2, 66–71	1490.4	R2A	Olivine gabbro	51.11	16.05	6.35	0.12	9.72	13.33	2.74	0.03	0.35	0.01	0.0314	0.0149	0.2	100.06	
209R-3, 24–32	1491.4	24	Troctolitic gabbro	46.82	13.88	10.42	0.15	16.78	8.82	2.22	0.02	0.18	0.01	0.0092	0.027	0.72	100.05	
Muds:																		
2, 9–140				50.26	16.35	8	0.13	8.4	11.73	3.32	0.09	0.65	0.09	0.02	0.0195	1.23	100.31	
3, 4–170				51.06	15.8	7.79	0.14	9.48	12.28	3.05	0.05	0.56	0.03	0.0123	0.0136	0.15	100.41	
4, 0–208				50.6	16.75	6.33	0.11	9.45	12.86	2.92	0.05	0.39	0.03	0.0224	0.0192	0.72	100.26	
BCR-1:																		
Point samples:																		
Average				49.51	16.29	8.18	0.13	10.4	11.56	2.87	0.05	0.81	0.02	0.03	0.02	0.38	100.25	
Standard deviation				2.92	2.52	3.81	0.04	3.61	1.81	0.59	0.04	1.84	0.04	0.03	0.02	0.48	0.53	
Maximum				52.83	22.76	24.08	0.28	29.08	15.16	4.17	0.22	11.39	0.17	0.1732	0.1245	1.79	102.6	
Minimum				38.87	7.69	3.46	0.06	4.82	5.84	1.01	0.02	0.1	0	0.0026	0.0039	-0.51	99.19	

Notes: LOI = loss on ignition. ND = not detected. Mg# = Mg<sup>2+</sup>/(Mg<sup>2+</sup> + Fe<sup>2+</sup>).

Table T1 (continued).

Core, section, interval (cm)	Depth (mbsf)	Thin section number	Rock type	Trace elements (ppm)																
				Mg#	Ca#	Sc	V	Cr	Co	Ni	Cu	Zn	Ga	Rb	Sr	Y	Zr	Nb	Ba	
203R-1, 5-17	1430.9	5	Melanogabbro	0.794	0.701	11	52	46	53	336	53	55	14	1	153	6	15	2	9	
203R-3, 17-26	1433.3	17	Olivine gabbro	0.788	0.714	28	98	129	59	149	56	47	13	2	147	7	14	2	9	
203R-5, 22-31	1436.1	22	Olivine gabbro	0.812	0.739	35	127	186	34	90	50	32	14	1	164	9	16	1	9	
204R-1, 55-64	1441.1	55	Troctolitic gabbro	0.758	0.671	17	60	75	41	104	58	36	15	2	202	5	11	2	9	
205R-1, 38-46	1450.6	38	Troctolitic gabbro	0.789	0.676	24	88	107	45	117	84	39	15	1	181	7	12	2	3	
206R-2, 46-52	1461.4	46	Olivine gabbro	0.789	0.719	32	122	170	36	90	53	36	15	0	172	10	18	1	11	
206R-6, 142-146	1467.8	142	Olivine gabbro	0.788	0.702	24	84	132	58	175	201	46	13	0	161	7	10	1	9	
207R-3, 32-41	1472.0	32	Olivine gabbro	0.800	0.739	37	137	143	33	89	57	31	15	0	162	11	16	1	6	
207R-3, 88-98	1472.8	88	Melanogabbro	0.788	0.738	34	126	102	48	147	97	45	13	2	138	10	18	2	6	
207R-4, 20-29	1473.3	20	Olivine gabbro	0.783	0.676	25	81	74	36	96	63	33	15	1	185	7	12	2	8	
207R-4, 64-70	1473.7	R4b	Olivine gabbro	0.803	0.725	39	141	191	34	97	99	26	13	1	157	9	12	2	9	
209R-2, 66-71	1490.4	R2A	Olivine gabbro	0.781	0.729	40	144	200	32	91	88	29	13	2	155	9	13	2	6	
209R-3, 24-32	1491.4	24	Troctolitic gabbro	0.790	0.687	19	70	65	75	196	37	59	12	1	137	6	9	1	12	
Muds:																				
2, 9-140				0.710	0.661	40	169	144	79	144	89	135	16	1	171	23	85	2	488	
3, 4-170				0.739	0.690	39	171	87	136	93	54	63	15	1	160	17	56	2	63	
4, 0-208				0.777	0.709	39	152	160	161	144	87	79	14	1	165	13	31	2	159	
BCR-1:						29	386	2	37	12	28	128	23	50	334	37	194	13	690	
Point samples:																				
Average				0.744	0.690	32	178	216	47	145	62	49	15	1	157	13	30	2	8	
Standard deviation				0.104	0.055	11	216	243	16	139	32	26	3	1	24	13	38	1	3	
Maximum				0.860	0.827	71	1383	1354	118	938	201	156	26	6	215	92	210	5	16	
Minimum						8	34	9	18	29	4	21	7	0	70	3	7	1	0	