

Table T6. Diatom abundance data, Hole 1096B. [N1]

[illegible]

Notes: Abundance: A = abundant, C = common, F = few, R = rare, X = scarce, B = barren. Preservation: G = good, M = moderate, P = poor. Diatoms: A = abundant, C = common, F = few, R = rare, X = scarce, ? = uncertain.

[illegible]

Table T6 (continued).

<i>Thalassiosira vulnifica</i>	<i>Thalassiothrix antarctica</i>	<i>Thalassiothrix/nema</i>	<i>Trinacria</i> spp.	Freshwater spp.
	R			
	R			
	R			
	R			
	R			
	X			
X	R			
	A			
X	A			
	X			
X	F	X		
	F			
	R			
	R			
	F			
	F			
X	F			
	R			
	R	X		
	F	X	X	
X	F	X		
X?	C			
	R			
	R			
	R			
	R			
	R			
	X			
	X			
	X			
	R			
X	R			
	R	X		
	C			
	C			
	R			
	R			

[illegible]

Table T6 (continued).

	R
	R
	R X
	X
X	C
X	F
	X
	R
	R
	F
	X
	X
	R
	R
	R
	R
	X
	R
	F
	F
	R
	R
	R
	R
	R
	R
	R
	R
	X
R	R
R	R
X	F
R	F
R	C
R	F
X	C
R	F
R	C
R	C
R	C
X	F

Table T6 (continued).

31X-1, 89	248.89	F	P	X	R					X		R	
31X-CC	250.16	F	P	X	R	X	X			X	X	X	
32X-3, 76	254.76	F	P		R		X	X	X	X	X	X	X
32X-CC	257.07	F	P		R	X	X	X		R	X	X	

Notes: Abundance: A = abundant, C = common, F = few, R = rare, X = scarce, B = barren. Preservation: G = good, M = moderate, P = poor. Diatoms: A = abundant, C = common, F = few, R = rare, X = scarce, ? = uncertain.

Table T6 (continued).

X	R	X	X		R	R		R		F	X	X		R	R
X	X				X	F	X	X	R	F	X	X		X	F
X	R			X	X	F	X	X	R	R			X	X	R
X	R		X	X	X	F		X	R	F	X	X	X	X	F

Table T6 (continued).

X	C
X	C
X	F
X	F