

Notes: Preservation: G = good, M = moderate, P = poor. Abundance: A = abundant, C = common, F = few, R = rare. Size: F = fine, C = coarse. Dissolution: H = high, L = low. Radio. = radiolarians. # ben = number of benthic foraminifers. Numbers after species names are catalog numbers from the ODP Janus database. Percentage data are given in the second half of the table.

Table AT3. Counts of planktonic foraminifers, Hole 1128B. (See table notes. Continued on next 20 pages.)

	182-1128B-									
Core, section, interval (cm):	3H-1, 75–77	3H-3, 76–78	3H-4, 75–77	3H-5, 76–78	4H-1, 75–77	4H-2, 75–77	4H-3, 75–77	4H-4, 75–77	4H-5, 76–78	5H-1, 76–78
Depth (mbsf):	15.95	20.45	21.96	25.45	26.95	28.45	29.95	31.46	34.96	36.45
Preservation:	P	G	G	G	G	G	G	G	G	G
Group abundance:	C	A	A	A	A	A	A	A	A	A
Size:		C	C	C	F					
Benthic abundance (%):	5	10	5	5	5	5	5	5	5	5
Bryozoans:		Coarse								
Quartz:										C
Glauconite:		C	C			C				C
Sponge spicules:										
Dissolution:	L				L					
Broken tests (%):	20				20				10	
Comment:										Yellow
<i>Acarinina aculeata</i> (5260)										
<i>Acarinina collactea</i> (11651)										
<i>Acarinina primitiva</i> (11691)										
<i>Cassigerinella chipolensis</i>										
<i>Catapsydrax dissimilis</i> (10701)										
<i>Catapsydrax parvulus</i> (10706)										
<i>Catapsydrax unicavus</i> (11806)										
<i>Chiloguembelina cubensis</i> (11816)										
<i>Dentoglobigerina altispira</i> (10731)										
<i>Dentoglobigerina baroemoenensis</i>										
<i>Dentoglobigerina galavisi</i> (11901)										
<i>Dentoglobigerina globularis</i>										
<i>Dentoglobigerina larmeu</i> i (11916)										
<i>Fohsella peripheroronda</i> (5315)										
<i>Globigerina bulloides</i> (10806)										
<i>Globigerina ciperoensis</i> (12016)										
<i>Globigerina cryptomphala</i> (1865)										
<i>Globigerina euapertura</i> (12026)										
<i>Globigerina falconensis</i> (10831)										
<i>Globigerina gortanii</i>										
<i>Globigerina officinalis</i> (12036)										
<i>Globigerina ouachitaensis</i> (12046)										
<i>Globigerina praebulloides</i> (12056)										
<i>Globigerina quinqueloba</i> (10841)										
<i>Globigerinatheka index</i> (12081)										
<i>Globigerinatheka subconglobata</i> (785)										
<i>Globigerinella obesa</i> (12106)										
<i>Globigerinella siphonifera</i> (10876)										
<i>Globigerinita glutinata</i> (10881)										
<i>Globigerinita juvenilis</i> (12131)										
<i>Globigerinita parkerae</i> (10886)										
<i>Globigerinita uvula</i> (10891)										
<i>Globigerinoides bollii</i>										
<i>Globigerinoides conglobatus</i> (10916)										
<i>Globigerinoides obliquus</i> (10951)										
<i>Globigerinoides extremus</i>										
<i>Globigerinoides kennetti</i>										
<i>Globigerinoides parawoodi</i> (10956)										
<i>Globigerinoides primordius</i> (10961)										
<i>Globigerinoides quadrilobatus</i> (10966)										
<i>Globigerinoides ruber</i> (10971)										
<i>Globigerinoides sacculifer</i> (10976)										
<i>Globigerinoides seigliei</i> (10981)										
<i>Globigerinoides tenellus</i> (10996)										
<i>Globigerinoides trilobus</i> (11001)										
<i>Globoconella conoidea</i> (11006) + <i>miotumida</i>										
<i>Globoconella conomiozea</i> (11011)										
<i>Globoconella incognita</i> (11016)										
<i>Globoconella inflata</i> (11021)										
<i>Globoconella miozea</i> (11026)										
<i>Globoconella panda</i> (11036)										
<i>Globoconella praescitula</i> (11041)										
<i>Globoconella sphericomiozea</i> (11051)										

	182-1128B-									
Core, section, interval (cm):	5H-2, 75–77	5H-3, 75–77	5H-4, 75–77	5H-5, 75–77	5H-6, 75–77	6H-1, 70–72	6H-2, 74–76	6H-3, 70–72	6H-4, 74–76	6H-5, 78–80
Depth (mbsf):	37.95	39.45	40.95	42.45	44.4	45.94	47.4	48.94	50.48	53.95
Preservation:	G	G	M	G	M	P	P	P	P	M
Group abundance:	A	A	R	A	R	F	F	F	R	A
Size:			F							
Benthic abundance (%):	5	5	5	5	20	80	50	70	5	5
Bryozoans:										
Quartz:			C		C	C				
Glauconite:			C	R	C	C				C
Sponge spicules:								C		
Dissolution:							L	H	H	
Broken tests (%):						10	10	30	50	
Comment:			Yellow		Yellow	Yellow				Yellow
<i>Acarinina aculeata</i> (5260)										
<i>Acarinina collactea</i> (11651)										
<i>Acarinina primitiva</i> (11691)										
<i>Cassigerinella chipolensis</i>										
<i>Catapsydrax dissimilis</i> (10701)										
<i>Catapsydrax parvulus</i> (10706)	2	3	1	5	2	2	1	5		2
<i>Catapsydrax unicus</i> (11806)										
<i>Chiloguembelina cubensis</i> (11816)										
<i>Dentoglobigerina altispira</i> (10731)										
<i>Dentoglobigerina baroemoenensis</i>										
<i>Dentoglobigerina galavisi</i> (11901)										
<i>Dentoglobigerina globularis</i>										
<i>Dentoglobigerina larmei</i> (11916)										
<i>Fohsella peripheroronda</i> (5315)										
<i>Globigerina bulloides</i> (10806)	58	78	20	23	8	1	2	15		32
<i>Globigerina ciperoensis</i> (12016)										
<i>Globigerina cryptomphala</i> (1865)										
<i>Globigerina euapertura</i> (12026)										
<i>Globigerina falconensis</i> (10831)	66	24	28	19	3			5		25
<i>Globigerina gortanii</i>										
<i>Globigerina officinalis</i> (12036)										
<i>Globigerina ouachitaensis</i> (12046)										
<i>Globigerina praebulloides</i> (12056)										
<i>Globigerina quinqueloba</i> (10841)	26	31	23	28	10				3	10
<i>Globigerinatheka index</i> (12081)										
<i>Globigerinatheka subconglobata</i> (785)										
<i>Globigerinella obesa</i> (12106)										

Table AT3 (continued).

[illegible]

	182-1128B-			182-1128B-						
Core, section, interval (cm):	9H-4, 75-77	9H-6, 75-77	10H-2, 75-77	3H-1, 75-77	3H-3, 76-78	3H-4, 75-77	3H-5, 76-78	4H-1, 75-77	4H-2, 75-77	4H-3, 75-77
Depth (mbsf):	77.45	80.45	83.95	15.95	20.45	21.96	25.45	26.95	28.45	29.95
Preservation:	M	M	P							
Group abundance:	F	F	F							
Size:										
Benthic abundance (%):	90	99	70							
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Acarinina aculeata</i> (5260)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina collactea</i> (11651)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina primitiva</i> (11691)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Cassigerinella chipolensis</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Catapsydrax dissimilis</i> (10701)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Catapsydrax parvulus</i> (10706)			1	0.00	0.00	0.00	0.48	0.00	0.00	0.00
<i>Catapsydrax unicavus</i> (11806)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Chiloguembelina cubensis</i> (11816)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina altispira</i> (10731)				0.00	0.00	0.00	0.00	0.00	0.50	0.83
<i>Dentoglobigerina baroemoenensis</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina galavisi</i> (11901)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina globularis</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina larmei</i> (11916)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Fohsella peripheroronda</i> (5315)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina bulloides</i> (10806)				11.80	6.79	10.65	8.85	3.52	7.18	13.96
<i>Globigerina ciperoensis</i> (12016)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina cryptomphala</i> (1865)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina euapertura</i> (12026)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina falconensis</i> (10831)		2		6.23	7.72	8.33	9.57	4.93	5.69	7.08
<i>Globigerina gortanii</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina officinalis</i> (12036)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina ouachitaensis</i> (12046)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina praebulloides</i> (12056)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina quinqueloba</i> (10841)				6.56	3.40	9.95	5.26	9.16	4.70	4.58
<i>Globigerinatheka index</i> (12081)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinatheka subconglobata</i> (785)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinella obesa</i> (12106)				0.00	0.62	2.78	2.39	0.00	2.23	2.71
<i>Globigerinella siphonifera</i> (10876)				0.00	0.00	1.16	0.96	0.00	2.97	2.50
<i>Globigerinita glutinata</i> (10881)				2.95	1.54	1.62	2.15	0.00	0.74	1.46
<i>Globigerinita juvenilis</i> (12131)				0.98	1.24	2.				

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	4H-4, 75-77	4H-5, 76-78	5H-1, 76-78	5H-2, 75-77	5H-3, 75-77	5H-4, 75-77	5H-5, 75-77	5H-6, 75-77	6H-1, 70-72	6H-2, 74-76
Depth (mbsf):	31.46	34.96	36.45	37.95	39.45	40.95	42.45	44.4	45.94	47.4
Preservation:										
Group abundance:										
Size:										
Benthic abundance (%):										
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Acarinina aculeata</i> (5260)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina collactea</i> (11651)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina primitiva</i> (11691)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Cassigerinella chipolensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Catapsydrax dissimilis</i> (10701)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Catapsydrax parvulus</i> (10706)	0.00	0.00	0.51	0.63	0.88	0.36	1.47	0.91	3.64	2.08
<i>Catapsydrax unicavus</i> (11806)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Chiloguembelina cubensis</i> (11816)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina altispira</i> (10731)	1.58	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00
<i>Dentoglobigerina baroemoenensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina galavisi</i> (11901)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina globularis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina larmei</i> (11916)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Fohsella peripheroronda</i> (5315)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina bulloides</i> (10806)	12.63	12.00	15.48	18.24	22.74	7.09	6.75	3.64	1.82	4.17
<i>Globigerina ciperoensis</i> (12016)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina cryptomphala</i> (1865)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina euapertura</i> (12026)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina falconensis</i> (10831)	9.74	5.60	9.14	20.76	7.00	9.93	5.57	1.36	0.00	0.00
<i>Globigerina gortanii</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina officinalis</i> (12036)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina ouachitaensis</i> (12046)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina praebulloides</i> (12056)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina quinqueloba</i> (10841)	3.95	9.07	4.57	8.18	9.04	8.16	8.21	4.55	0.00	0.00
<i>Globigerinatheka index</i> (12081)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinatheka subconglobata</i> (785)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinella obesa</i> (12106)	3.68	1.60	2.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinella siphonifera</i> (10876)	1.58	0.53	1.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita glutinata</i> (10881)	1.32	3.47	2.03	1.57	2.33	0.71	2.93	5.00	20.00	0.00
<i>Globigerinita juvenilis</i> (12131)	1.84	2.40	1.78	1.57	1.75	1.42	4.99	4.55	5.46	0.00
<i>Globigerinita parkerae</i> (10886)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita uvula</i> (10891)	0.00	0.53	0.00	0.63	0.00	0.00	0.00	0.00	0.00	2.08
<i>Globigerinoides bollii</i>	0.00	0.00	0.00	0.63	0.00	1.77	0.00	0.00	0.00	0.00
<i>Globigerinoides conglobatus</i> (10916)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides obliquus</i> (10951)	0.00	0.27	0.00	0.00	0.58	1.77	2.05	0.91	0.00	0.00
<i>Globigerinoides extremus</i>	0.79	0.00	2.28	2.20	0.88	6.38	2.64	1.82	0.00	0.00
<i>Globigerinoides kennetti</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides parawoodi</i> (10956)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides primordius</i> (10961)	0.00	0.00	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides quadrilobatus</i> (10966)	0.00	1.07	0.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides ruber</i> (10971)	7.11	4.27	1.27	0.63	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides sacculifer</i> (10976)	0.00	0.80	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides seigliei</i> (10981)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides tenellus</i> (10996)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides trilobus</i> (11001)	1.05	1.33	0.51	0.94	0.58	0.71	1.47	0.00	0.00	0.00
<i>Globoconella conoidea</i> (11006) + <i>miotumida</i>	0.00	0.00	0.00	0.00	0.00	0.00	2.35	3.18	9.09	0.00
<i>Globoconella conomiozea</i> (11011)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella incognita</i> (11016)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella inflata</i> (11021)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella miozea</i> (11026)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella panda</i> (11036)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella praescitula</i> (11041)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella sphericomiozea</i> (11051)	0.00	1.87	1.27	0.00	1.17	0.36	0.88	0.46	1.82	47.92

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	6H-3 70-72	6H-4, 74-76	6H-5, 78-80	7H-1, 75-77	7H-3, 75-77	7H-5, 75-77	8H-1, 75-77	8H-2, 75-77	8H-3, 75-77	8H-4, 75-77
Depth (mbsf):	48.94	50.48	53.95	56.25	59.25	63.45	64.95	66.45	67.95	69.45
Preservation:										
Group abundance:										
Size:										
Benthic abundance (%):										
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Acarinina aculeata</i> (5260)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina collactea</i> (11651)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina primitiva</i> (11691)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Cassigerinella chipolensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Catapsydrax dissimilis</i> (10701)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.88	0.00	0.00
<i>Catapsydrax parvulus</i> (10706)	5.10	0.00	0.76	0.00	0.00	0.00	1.09	5.88	12.50	0.00
<i>Catapsydrax unicavus</i> (11806)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Chiloguembelina cubensis</i> (11816)	0.00	0.00	0.00	0.00	0.00	15.25	0.00	0.00	0.00	0.00
<i>Dentoglobigerina altispira</i> (10731)	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.00	0.00	8.33
<i>Dentoglobigerina baroemoenensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina galavisi</i> (11901)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina globularis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina larmeu</i> (11916)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Fohsella peripheroronda</i> (5315)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina bulloides</i> (10806)	15.31	0.00	12.08	16.20	9.62	0.00	5.44	5.88	25.00	0.00
<i>Globigerina ciperoensis</i> (12016)	0.00	0.00	0.00	0.00	4.18	0.00	1.81	0.00	0.00	0.00
<i>Globigerina cryptomphala</i> (1865)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina evapertura</i> (12026)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.88	0.00	0.00
<i>Globigerina falconensis</i> (10831)	5.10	0.00	9.43	11.73	0.00	3.14	2.54	0.00	0.00	16.67
<i>Globigerina gortanii</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina officinalis</i> (12036)	0.00	0.00	0.00	0.00	2.93	0.00	0.00	0.00	0.00	0.00
<i>Globigerina ouachitaensis</i> (12046)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina praebulloides</i> (12056)	0.00	0.00	0.00	0.00	0.00	4.93	0.00	0.00	0.00	0.00
<i>Globigerina quinqueloba</i> (10841)	0.00	1.36	3.77	3.35	0.00	0.00	2.90	0.00	0.00	0.00
<i>Globigerinatheka index</i> (12081)	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.00
<i>Globigerinatheka subconglobata</i> (785)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinella obesa</i> (12106)	0.00	0.45	1.89	1.12	0.84	0.00	1.09	0.00	0.00	0.00
<i>Globigerinella siphonifera</i> (10876)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita glutinata</i> (10881)	4.08	0.00	2.64	2.51	3.77	0.00	3.62	11.77	12.50	0.00
<i>Globigerinita juvenilis</i> (12131)	0.00	0.00	1.89	3.07	2.09	1.35	2.54	0.00	0.00	0.00
<i>Globigerinita parkerae</i> (10886)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita uvula</i> (10891)	0.00	0.00	0.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides bollii</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides conglobatus</i> (10916)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides obliquus</i> (10951)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.88	0.00	0.00
<i>Globigerinoides extremus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides kennetti</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides parawoodi</i> (10956)	0.00	0.00	0.00	0.00	0.00	0.00	3.62	0.00	0.00	0.00
<i>Globigerinoides primordius</i> (10961)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides quadrilobatus</i> (10966)	0.00	0.00	4.91	1.12	0.00	0.00	5.44	0.00	0.00	0.00
<i>Globigerinoides ruber</i> (10971)	0.00	0.91	0.00	0.28	0.00	0.00	1.09	0.00	0.00	0.00
<i>Globigerinoides sacculifer</i> (10976)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides seigliei</i> (10981)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides tenellus</i> (10996)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides trilobus</i> (11001)	0.00	0.00	1.89	0.84	0.00	0.00	2.90	5.88	0.00	8.33
<i>Globoconella conoidea</i> (11006) + <i>miotumida</i>	2.04	0.00	3.77	6.43	0.00	0.00	8.33	0.00	0.00	0.00
<i>Globoconella conomiozea</i> (11011)	0.00	0.00	0.76	2.24	0.00	0.00	1.09	0.00	0.00	0.00
<i>Globoconella incognita</i> (11016)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella inflata</i> (11021)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella miozea</i> (11026)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella panda</i> (11036)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella praescitula</i> (11041)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella sphericomiozea</i> (11051)	5.10	76.02	1.89	1.12	0.00	0.00	0.73	0.00	0.00	0.00

Table AT3 (continued).

	182-1128B-					
Core, section, interval (cm):	8H-5, 75-77	9H-1, 75-77	9H-3, 75-77	9H-4, 75-77	9H-6, 75-77	10H-2, 75-77
Depth (mbsf):	72.95	74.45	75.95	77.45	80.45	83.95
Preservation:						
Group abundance:						
Size:						
Benthic abundance (%):						
Bryozoans:						
Quartz:						
Glauconite:						
Sponge spicules:						
Dissolution:						
Broken tests (%):						
Comment:						
<i>Acarinina aculeata</i> (5260)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina collactea</i> (11651)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Acarinina primitiva</i> (11691)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Cassigerinella chipolensis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Catapsydrax dissimilis</i> (10701)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Catapsydrax parvulus</i> (10706)	0.00	0.00	0.00	0.00	0.00	16.67
<i>Catapsydrax unicavus</i> (11806)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Chiloguembelina cubensis</i> (11816)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina altispira</i> (10731)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina baroemoenensis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina galavisi</i> (11901)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina globularis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Dentoglobigerina larmeu</i> (11916)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Fohsella peripheroronda</i> (5315)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina bulloides</i> (10806)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina ciperoensis</i> (12016)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina cryptomphala</i> (1865)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina euapertura</i> (12026)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina falconensis</i> (10831)	0.00	0.00	0.00	0.00	100.00	0.00
<i>Globigerina gortanii</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina officinalis</i> (12036)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina ouachitaensis</i> (12046)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina praebulloides</i> (12056)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerina quinqueloba</i> (10841)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinatheka index</i> (12081)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinatheka subconglobata</i> (785)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinella obesa</i> (12106)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinella siphonifera</i> (10876)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita glutinata</i> (10881)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita juvenilis</i> (12131)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita parkerae</i> (10886)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinita uvula</i> (10891)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides bollii</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides conglobatus</i> (10916)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides obliquus</i> (10951)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides extremus</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides kennetti</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides parawoodi</i> (10956)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides primordius</i> (10961)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides quadrilobatus</i> (10966)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides ruber</i> (10971)	25.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides sacculifer</i> (10976)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides seigliei</i> (10981)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides tenellus</i> (10996)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globigerinoides trilobus</i> (11001)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella conoidea</i> (11006) + <i>miotumida</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella conomiozea</i> (11011)	0.00	0.00	0.00	33.33	0.00	0.00
<i>Globoconella incognita</i> (11016)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella inflata</i> (11021)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella miozea</i> (11026)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella panda</i> (11036)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella praescitula</i> (11041)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoconella sphericomiozea</i> (11051)	0.00	0.00	0.00	0.00	0.00	0.00

Table AT3 (continued).

[illegible]

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	5H-2, 75–77	5H-3, 75–77	5H-4, 75–77	5H-5, 75–77	5H-6, 75–77	6H-1, 70–72	6H-2, 74–76	6H-3, 70–72	6H-4, 74–76	6H-5, 78–80
Depth (mbsf):	37.95	39.45	40.95	42.45	44.4	45.94	47.4	48.94	50.48	53.95
Preservation:	G	G	M	G	M	P	P	P	P	M
Group abundance:	A	A	R	A	R	F	F	F	R	A
Size:			F							
Benthic abundance (%):	5	5	5	5	20	80	50	70	5	5
Bryozoans:										
Quartz:			C		C	C				
Glauconite:			C	R	C	C				C
Sponge spicules:								C		
Dissolution:							L	H	H	
Broken tests (%):						10	10	30	50	
Comment:			Yellow		Yellow	Yellow				Yellow
<i>Globoconella zealandica</i> (11056)										
										1
<i>Globoquadrina dehiscentis</i> (12156)										
										7
<i>Globoquadrina praedehiscentis</i> (11086)										
<i>Globoquadrina sellii</i>										
<i>Globoquadrina tapuriensis</i>										
<i>Globoquadrina tripartita</i> (12176)										
<i>Globoquadrina venezuelana</i> (11096)										
<i>Globorotalia juanai</i>										
				12	1					2
<i>Globorotalia crassaconica</i> (5290)										
<i>Globorotalia crassaformis</i> (11136)	20	31	25	1	4					
<i>Globorotalia crassula</i> (11146)		1	4	2						
<i>Globorotalia exilis</i> (11151)										
<i>Globorotalia hirsuta</i> (11171)										
<i>Globorotalia inflata</i> (11181)						4				
<i>Globorotalia linguaensis</i>										13
<i>Globorotalia paralangaensis</i>										
<i>Globorotalia margaritae</i> (11206)	17	2	1	18						
<i>Globorotalia menardii</i> (11211)	1			1						
<i>Globorotalia mesotumida</i>										
										2
<i>Globorotalia peripheroronda</i>										
<i>Globorotalia plesiotumida</i>	2	1	1				1			
<i>Globorotalia pliozea</i> (11276)	2	5	3	4						
<i>Globorotalia cibaoensis</i>										
<i>Globorotalia praemenardii</i> (11281)										
<i>Globorotalia pseudomiocenic</i> (5370)										
<i>Globorotalia puncticulata</i> (11291)	8	26	43	5	6	2	2			
<i>Globorotalia scitula</i> (11296)	15	6	4	7	3					
<i>Globorotalia</i> spp.		1								
<i>Globorotalia theyeri</i> cf.										
<i>Globorotalia tosaensis</i> (11321)										
<i>Globorotalia truncatulinoidea</i> (11326)										
<i>Globorotalia tumida</i> (11336)										
<i>Globorotalia unguata</i>										
<i>Globorotaloides suteri</i> (12211)									1	
<i>Globorotaloides testarugosa</i> (12216)										
<i>Globorotaloides variabilis</i> (12226)										
<i>Hastigerina pelagica</i> (11371)										
<i>Neogloboquadrina acostaensis</i>		10	2	30	14					
<i>Neogloboquadrina continua</i> (11416)	1		2	11				1		
<i>Neogloboquadrina dutertrei</i> (11421)										
<i>Neogloboquadrina humerosa</i>						2				
<i>Neogloboquadrina pachyderma</i> (11441)	24	30	16	27	6					
<i>Orbulina bilobata</i> (11446)										
<i>Orbulina suturalis</i> (11451)										
<i>Orbulina universa</i> (11456)	2	3	4	10	3				1	7
<i>Paragloborotalia bella</i> (11386)										
<i>Paragloborotalia birnageae</i>										
<i>Paragloborotalia mayeri</i> (11391)									1	
<i>Paragloborotalia opima nana</i> (12466)										
<i>Paragloborotalia opima opima</i> (12471)										
<i>Paragloborotalia semivera</i> (12486)										
<i>Praeorbulina glomerosa</i> (11471)										
<i>Praeorbulina sicana</i> (10986)										
										5

Table AT3 (continued).

[illegible]

Table AT3 (continued).

	182-1128B-			182-1128B-						
Core, section, interval (cm):	9H-4, 75-77	9H-6, 75-77	10H-2, 75-77	3H-1, 75-77	3H-3, 76-78	3H-4, 75-77	3H-5, 76-78	4H-1, 75-77	4H-2, 75-77	4H-3, 75-77
Depth (mbsf):	77.45	80.45	83.95	15.95	20.45	21.96	25.45	26.95	28.45	29.95
Preservation:	M	M	P							
Group abundance:	F	F	F							
Size:										
Benthic abundance (%):	90	99	70							
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Globoconella zealandica</i> (11056)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina dehiscentis</i> (12156)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina praeadehiscentis</i> (11086)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina sellii</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tapuriensis</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tripartita</i> (12176)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina venezuelana</i> (11096)				0.00	0.00	0.00	0.00	0.00	0.25	0.42
<i>Globorotalia juanai</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia crassaconica</i> (5290)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia crassaformis</i> (11136)				8.20	8.33	14.82	11.96	4.23	24.26	16.46
<i>Globorotalia crassula</i> (11146)				0.66	4.32	2.32	5.50	0.00	0.00	0.42
<i>Globorotalia exilis</i> (11151)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia hirsuta</i> (11171)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia inflata</i> (11181)			1	32.13	31.79	11.11	9.57	21.13	2.97	3.13
<i>Globorotalia linguaensis</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia paralanguageensis</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia margaritae</i> (11206)				0.00	0.62	0.00	0.00	0.00	0.00	1.04
<i>Globorotalia menardii</i> (11211)			1	0.00	0.00	0.00	0.00	0.00	0.00	0.21
<i>Globorotalia mesotumida</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia peripheroronda</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia plesiotumida</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia pliozea</i> (11276)				0.00	0.93	0.23	2.15	0.00	8.91	0.63
<i>Globorotalia cibaoensis</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia praemenardii</i> (11281)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia pseudomiocenica</i> (5370)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia puncticulata</i> (11291)				2.62	3.70	9.03	15.55	49.30	8.42	9.38
<i>Globorotalia scitula</i> (11296)				1.64	0.93	1.85	2.39	0.00	0.99	2.50
<i>Globorotalia</i> spp.				0.00	0.31	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia theyeri</i> cf.				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tosaensis</i> (11321)				0.00	0.00	1.16	0.24	0.00	0.00	0.00
<i>Globorotalia truncatulinoides</i> (11326)				0.00	0.62	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tumida</i> (11336)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia ungulata</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides suteri</i> (12211)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides testarugosa</i> (12216)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides variabilis</i> (12226)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Hastigerina pelagica</i> (11371)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina acostaensis</i>				0.00	0.00	0.23	0.00	0.00	0.00	0.83
<i>Neogloboquadrina continuosa</i> (11416)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina dutertrei</i> (11421)				0.00	0.00	0.46	0.00	0.00	0.99	3.13
<i>Neogloboquadrina humerosa</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina pachyderma</i> (11441)				4.59	3.09	1.16	0.00	0.00	0.00	0.00
<i>Orbulina bilobata</i> (11446)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina suturalis</i> (11451)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina universa</i> (11456)				4.92	2.16	8.10	2.39	0.00	5.20	3.75
<i>Paragloborotalia bella</i> (11386)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia birnageae</i>				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia mayeri</i> (11391)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima nana</i> (12466)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima opima</i> (12471)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia semivera</i> (12486)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Praeorbulina glomerosa</i> (11471)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Praeorbulina sicana</i> (10986)				0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	4H-4, 75–77	4H-5, 76–78	5H-1, 76–78	5H-2, 75–77	5H-3, 75–77	5H-4, 75–77	5H-5, 75–77	5H-6, 75–77	6H-1, 70–72	6H-2, 74–76
Depth (mbsf):	31.46	34.96	36.45	37.95	39.45	40.95	42.45	44.4	45.94	47.4
Preservation:										
Group abundance:										
Size:										
Benthic abundance (%):										
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Globoconella zealandica</i> (11056)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina dehisces</i> (12156)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina praedehisces</i> (11086)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina sellii</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tapuriensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tripartita</i> (12176)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina venezuelana</i> (11096)	0.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia juanai</i>	0.00	0.00	0.00	0.00	0.00	0.00	3.52	0.46	0.00	0.00
<i>Globorotalia crassaconica</i> (5290)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia crassaformis</i> (11136)	15.79	17.87	9.65	6.29	9.04	8.87	0.29	1.82	0.00	0.00
<i>Globorotalia crassula</i> (11146)	0.79	0.53	0.00	0.00	0.29	1.42	0.59	0.00	0.00	0.00
<i>Globorotalia exilis</i> (11151)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia hirsuta</i> (11171)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia inflata</i> (11181)	2.63	1.33	1.27	0.00	0.00	0.00	0.00	0.00	7.27	0.00
<i>Globorotalia lenguaensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia paralenguaensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia margaritae</i> (11206)	3.68	2.13	4.06	5.35	0.58	0.36	5.28	0.00	0.00	0.00
<i>Globorotalia menardii</i> (11211)	0.53	0.00	0.00	0.31	0.00	0.36	0.00	0.00	0.00	0.00
<i>Globorotalia mesotumida</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia peripheroronda</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia plesiotumida</i>	0.00	0.00	0.00	0.63	0.29	0.36	0.00	0.46	0.00	0.00
<i>Globorotalia pliozea</i> (11276)	4.47	2.93	2.28	0.63	1.46	1.06	1.17	0.00	0.00	0.00
<i>Globorotalia cibaoensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia praemenardii</i> (11281)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia pseudomiocenica</i> (5370)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia puncticulata</i> (11291)	5.79	4.53	3.81	2.52	7.58	15.25	1.47	2.73	3.64	4.17
<i>Globorotalia scitula</i> (11296)	2.63	3.47	1.78	4.72	1.75	1.42	2.05	1.36	0.00	0.00
<i>Globorotalia</i> spp.	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia theyeri</i> cf.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tosaensis</i> (11321)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia truncatulinoides</i> (11326)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tumida</i> (11336)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia unguolata</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides suteri</i> (12211)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides testarugosa</i> (12216)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides variabilis</i> (12226)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Hastigerina pelagica</i> (11371)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina acostaensis</i>	0.00	0.53	2.79	0.00	2.92	0.71	8.80	6.36	0.00	0.00
<i>Neogloboquadrina continua</i> (11416)	0.00	0.80	0.00	0.31	0.00	0.71	3.23	0.00	1.82	0.00
<i>Neogloboquadrina dutertrei</i> (11421)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina humerosa</i>	0.00	0.27	0.00	0.00	0.00	0.00	0.00	0.91	0.00	0.00
<i>Neogloboquadrina pachyderma</i> (11441)	0.53	0.53	0.25	7.55	8.75	5.67	7.92	2.73	0.00	0.00
<i>Orbulina bilobata</i> (11446)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina suturalis</i> (11451)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina universa</i> (11456)	5.26	2.67	1.27	0.63	0.88	1.42	2.93	1.36	0.00	10.42
<i>Paragloborotalia bella</i> (11386)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia birnagaeae</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia mayeri</i> (11391)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima nana</i> (12466)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima opima</i> (12471)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia semivera</i> (12486)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Praeorbulina glomerosa</i> (11471)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Praeorbulina sicana</i> (10986)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	6H-3 70–72	6H-4, 74–76	6H-5, 78–80	7H-1, 75–77	7H-3, 75–77	7H-5, 75–77	8H-1, 75–77	8H-2, 75–77	8H-3, 75–77	8H-4, 75–77
Depth (mbsf):	48.94	50.48	53.95	56.25	59.25	63.45	64.95	66.45	67.95	69.45
Preservation:										
Group abundance:										
Size:										
Benthic abundance (%):										
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Globoconella zealandica</i> (11056)	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina dehisces</i> (12156)	0.00	0.00	2.64	7.82	0.00	0.00	7.25	5.88	12.50	0.00
<i>Globoquadrina praedehisces</i> (11086)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina sellii</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tapuriensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tripartita</i> (12176)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina venezuelana</i> (11096)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia juanai</i>	0.00	0.00	0.76	0.00	0.00	0.00	1.09	0.00	0.00	0.00
<i>Globorotalia crassaconica</i> (5290)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia crassaformis</i> (11136)	0.00	0.00	0.00	0.00	0.00	0.00	0.36	5.88	0.00	16.67
<i>Globorotalia crassula</i> (11146)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia exilis</i> (11151)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia hirsuta</i> (11171)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia inflata</i> (11181)	0.00	1.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia lenguaensis</i>	0.00	0.00	4.91	5.03	0.00	0.00	3.62	0.00	0.00	0.00
<i>Globorotalia paralenguaensis</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia margaritae</i> (11206)	0.00	0.00	0.00	0.00	0.00	0.00	1.45	0.00	0.00	0.00
<i>Globorotalia menardii</i> (11211)	0.00	0.00	2.26	0.56	0.00	0.00	1.09	0.00	0.00	0.00
<i>Globorotalia cibaoensis</i>	0.00	0.00	0.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia peripheroronda</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia plesiotumida</i>	0.00	0.00	1.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia pliozea</i> (11276)	0.00	0.00	0.76	0.84	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia cibaoensis</i>	0.00	0.00	1.13	0.56	0.00	0.00	1.45	0.00	0.00	0.00
<i>Globorotalia praemenardii</i> (11281)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia pseudomiocenica</i> (5370)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia punctulata</i> (11291)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.88	0.00	0.00
<i>Globorotalia scitula</i> (11296)	0.00	0.00	1.89	0.56	0.00	0.00	1.09	0.00	0.00	0.00
<i>Globorotalia</i> spp.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia theyeri</i> cf.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tosaensis</i> (11321)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia truncatulinoidea</i> (11326)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tumida</i> (11336)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia unguolata</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides suteri</i> (12211)	0.00	0.45	0.00	0.28	1.67	10.31	2.54	0.00	0.00	0.00
<i>Globorotaloides testarugosa</i> (12216)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides variabilis</i> (12226)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Hastigerina pelagica</i> (11371)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina acostaensis</i>	0.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina continua</i> (11416)	0.00	0.00	0.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina dutertrei</i> (11421)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina humerosa</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina pachyderma</i> (11441)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina bilobata</i> (11446)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina suturalis</i> (11451)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.77	0.00	8.33
<i>Orbulina universa</i> (11456)	1.02	3.17	1.51	1.96	0.00	0.45	2.90	0.00	0.00	0.00
<i>Paragloborotalia bella</i> (11386)	0.00	0.00	0.00	0.00	0.00	0.00	1.09	0.00	0.00	0.00
<i>Paragloborotalia birnageae</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia mayeri</i> (11391)	1.02	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima nana</i> (12466)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima opima</i> (12471)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia semivera</i> (12486)	0.00	0.00	0.00	0.00	1.26	0.00	0.00	0.00	0.00	0.00
<i>Praeorbulina glomerosa</i> (11471)	0.00	0.00	1.89	0.84	0.00	0.00	0.73	5.88	0.00	0.00
<i>Praeorbulina sicana</i> (10986)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table AT3 (continued).

Core, section, interval (cm):	182-1128B-					
	8H-5, 75-77	9H-1, 75-77	9H-3, 75-77	9H-4, 75-77	9H-6, 75-77	10H-2, 75-77
Depth (mbsf):	72.95	74.45	75.95	77.45	80.45	83.95
Preservation:						
Group abundance:						
Size:						
Benthic abundance (%):						
Bryozoans:						
Quartz:						
Glauconite:						
Sponge spicules:						
Dissolution:						
Broken tests (%):						
Comment:						
<i>Globoconella zealandica</i> (11056)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina dehiscens</i> (12156)	25.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina praedeheiscens</i> (11086)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina sellii</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tapuriensis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina tripartita</i> (12176)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globoquadrina venezuelana</i> (11096)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia juanai</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia crassaconica</i> (5290)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia crassaformis</i> (11136)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia crassula</i> (11146)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia exilis</i> (11151)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia hirsuta</i> (11171)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia inflata</i> (11181)	25.00	0.00	0.00	0.00	0.00	16.67
<i>Globorotalia linguaensis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia paralangaensis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia margaritae</i> (11206)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia menardii</i> (11211)	0.00	0.00	0.00	0.00	0.00	16.67
<i>Globorotalia mesotumida</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia peripheroronda</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia plesiotumida</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia pliozea</i> (11276)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia cibaoensis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia praemenardii</i> (11281)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia pseudomiocenica</i> (5370)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia punctulata</i> (11291)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia scitula</i> (11296)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia</i> spp.	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia theyeri</i> cf.	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tosaensis</i> (11321)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia truncatulinoides</i> (11326)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia tumida</i> (11336)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotalia unguolata</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides suteri</i> (12211)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides testarugosa</i> (12216)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Globorotaloides variabilis</i> (12226)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Hastigerina pelagica</i> (11371)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina acostaensis</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina continuosa</i> (11416)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina dutertrei</i> (11421)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina humerosa</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Neogloboquadrina pachyderma</i> (11441)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina bilobata</i> (11446)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina suturalis</i> (11451)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Orbulina universa</i> (11456)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia bella</i> (11386)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia birnageae</i>	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia mayeri</i> (11391)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima nana</i> (12466)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia opima opima</i> (12471)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Paragloborotalia semivera</i> (12486)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Praeorbulina glomerata</i> (11471)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Praeorbulina sicana</i> (10986)	0.00	0.00	0.00	0.00	0.00	0.00

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	3H-1, 75-77	3H-3, 76-78	3H-4, 75-77	3H-5, 76-78	4H-1, 75-77	4H-2, 75-77	4H-3, 75-77	4H-4, 75-77	4H-5, 76-78	5H-1, 76-78
Depth (mbsf):	15.95	20.45	21.96	25.45	26.95	28.45	29.95	31.46	34.96	36.45
Preservation:	P	G	G	G	G	G	G	G	G	G
Group abundance:	C	A	A	A	A	A	A	A	A	A
Size:		C	C	C	F					
Benthic abundance (%):	5	10	5	5	5	5	5	5	5	5
Bryozoans:		Coarse								
Quartz:										C
Glauconite:		C	C			C				C
Sponge spicules:										
Dissolution:	L				L					
Broken tests (%):	20				20				10	
Comment:										Yellow
<i>Praeorbulina transitoria</i> (11481)										
<i>Pseudohastigerina micra</i> (12601)										
<i>Pulleniatina obliquiloculata</i> (11496)										
<i>Sphaeroidinella dehiscens</i> (11516)	5									
<i>Sphaeroidinellopsis disjuncta</i> (12626)										
<i>Sphaeroidinellopsis kochi</i> (11526)						1				
<i>Sphaeroidinellopsis seminulina</i> (11536)	1					1			2	
<i>Subbotina angiporoides</i> (12636)										
<i>Subbotina eocaena</i> (12646)										
<i>Subbotina linaperta</i> (12671)										
<i>Tenuitella gemma</i> (12716)										
<i>Tenuitella munda</i> (12726)										
<i>Tenuitella</i> spp.										
<i>Tenuitellinata angustiumbilocata</i> (12736)										
<i>Tenuitellinata juvenilis</i> (12741)										
<i>Tenuitellinata prestainforthi</i> (12746)										
<i>Turborotalia ampliapertura</i> (12756)										
<i>Turborotalia cerroazulensis</i> (12761)										
<i>Turborotalia cunialensis</i> (12771)										
<i>Turborotalia increbescens</i> (12776)										
<i>Turborotalia humilis</i> (11581)										
<i>Zeaglobigerina apertura</i> (11586)										
<i>Zeaglobigerina brazieri</i> (12811)										
<i>Zeaglobigerina brevis</i> (5255)										
<i>Zeaglobigerina connecta</i> (12816)										
<i>Zeaglobigerina decoraperta</i> (11601)										
<i>Zeaglobigerina druryi</i>							5			
<i>Zeaglobigerina labiacrassata</i> (12821)										
<i>Zeaglobigerina nepenthes</i> (11611)						2				
<i>Zeaglobigerina rubescens</i> (11616)										
<i>Zeaglobigerina woodi</i> (11621)			2	5		10	15	18	23	59
<i>Zeaglobigerina</i> spp.		10	3	10			10	5	10	15
Other globigerinids	35	40	23	25	5	32	20	25	30	40
Comments:		Mixed	Mixed		Few residue					
Total:	305	324	432	418	142	404	480	380	375	394

Notes: Preservation: G = good, M = moderate, P = poor. Abundance: A = abundant, C = common, F = few, R = rare. Size: F = fine, C = coarse. Dissolution: H = high, L = low. Radio. = radiolarians. # ben = number of benthic foraminifers. Numbers after species names are catalog numbers from the ODP Janus database. Percentage data are given in the second half of the table.

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	5H-2, 75–77	5H-3, 75–77	5H-4, 75–77	5H-5, 75–77	5H-6, 75–77	6H-1, 70–72	6H-2, 74–76	6H-3, 70–72	6H-4, 74–76	6H-5, 78–80
Depth (mbsf):	37.95	39.45	40.95	42.45	44.4	45.94	47.4	48.94	50.48	53.95
Preservation:	G	G	M	G	M	P	P	P	P	M
Group abundance:	A	A	R	A	R	F	F	F	R	A
Size:			F							
Benthic abundance (%):	5	5	5	5	20	80	50	70	5	5
Bryozoans:										
Quartz:			C		C	C				
Glauconite:			C	R	C	C				C
Sponge spicules:								C		
Dissolution:							L	H	H	
Broken tests (%):						10	10	30	50	
Comment:			Yellow		Yellow	Yellow				Yellow
<i>Praeorbulina transitoria</i> (11481) <i>Pseudohastigerina micra</i> (12601) <i>Pulleniatina obliquiloculata</i> (11496) <i>Sphaeroidinella dehiscens</i> (11516) <i>Sphaeroidinellopsis disjuncta</i> (12626) <i>Sphaeroidinellopsis kochi</i> (11526) <i>Sphaeroidinellopsis seminulina</i> (11536) <i>Subbotina angiporoides</i> (12636) <i>Subbotina eocaena</i> (12646) <i>Subbotina linaperta</i> (12671) <i>Tenuitella gemma</i> (12716) <i>Tenuitella munda</i> (12726) <i>Tenuitella</i> spp. <i>Tenuitellinata angustiumbilocata</i> (12736) <i>Tenuitellinata juvenilis</i> (12741) <i>Tenuitellinata prestainforthi</i> (12746) <i>Turborotalia ampliapertura</i> (12756) <i>Turborotalia cerroazulensis</i> (12761) <i>Turborotalia cunialensis</i> (12771) <i>Turborotalia increbescens</i> (12776) <i>Turborotalita humulis</i> (11581) <i>Zeaglobigerina apertura</i> (11586) <i>Zeaglobigerina brazieri</i> (12811) <i>Zeaglobigerina brevis</i> (5255) <i>Zeaglobigerina connecta</i> (12816) <i>Zeaglobigerina decoraperta</i> (11601) <i>Zeaglobigerina druryi</i> <i>Zeaglobigerina labiacrassata</i> (12821) <i>Zeaglobigerina nepenthes</i> (11611) <i>Zeaglobigerina rubescens</i> (11616) <i>Zeaglobigerina woodi</i> (11621) <i>Zeaglobigerina</i> spp. Other globigerinids Comments:										
	3		6	5				1		5
	2	6	5	12	15 11		1	4	2	4
		1								
	6	21	30	22	44	5	2	15	2	48
	2	8	4	10	12					10
	35	30	22	30	40	20	10	40	28	20
	Carapitana Carapitana				Few residue	Few residue	Few residue	Few residue	Mixed	
Total:	318	343	282	341	220	55	48	98	221	265

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	7H-1, 75-77	7H-3, 75-77	7H-5, 75-77	8H-1, 75-77	8H-2, 75-77	8H-3, 75-77	8H-4, 75-77	8H-5, 75-77	9H-1, 75-77	9H-3, 75-77
Depth (mbsf):	56.25	59.25	63.45	64.95	66.45	67.95	69.45	72.95	74.45	75.95
Preservation:	M	G	G	G	P	P	P			M
Group abundance:	A	R	A	A	F	F	F	AB	AB	F
Size:		F	F				F			
Benthic abundance (%):	5	5	10	5	20	80	40	100	100	60
Bryozoans:										
Quartz:										
Glauconite:	C		C	C						
Sponge spicules:		A	C	R		C				
Dissolution:										
Broken tests (%):										
Comment:	Fe-yellow									
<i>Praeorbulina transitoria</i> (11481)										
<i>Pseudohastigerina micra</i> (12601)										
<i>Pulleniatina obliquiloculata</i> (11496)										
<i>Sphaeroidinella dehiscens</i> (11516)										
<i>Sphaeroidinellopsis disjuncta</i> (12626)										
<i>Sphaeroidinellopsis kochi</i> (11526)	1			2						
<i>Sphaeroidinellopsis seminulina</i> (11536)	1			3						
<i>Subbotina angiporoides</i> (12636)			123	2						
<i>Subbotina eocaena</i> (12646)										
<i>Subbotina linaperta</i> (12671)										
<i>Tenuitella gemma</i> (12716)										
<i>Tenuitella munda</i> (12726)										
<i>Tenuitella</i> spp.		12	5	15						
<i>Tenuitellinata angustiumbilocata</i> (12736)										
<i>Tenuitellinata juvenilis</i> (12741)										
<i>Tenuitellinata prestainforthi</i> (12746)										
<i>Turborotalia ampliapertura</i> (12756)										
<i>Turborotalia cerroazulensis</i> (12761)										
<i>Turborotalia cunialensis</i> (12771)										
<i>Turborotalia increbescens</i> (12776)			1							
<i>Turborotalita humilis</i> (11581)										
<i>Zeaglobigerina apertura</i> (11586)										
<i>Zeaglobigerina brazieri</i> (12811)		31								
<i>Zeaglobigerina brevis</i> (5255)										
<i>Zeaglobigerina connecta</i> (12816)		20								
<i>Zeaglobigerina decoraperta</i> (11601)	2			7						
<i>Zeaglobigerina druryi</i>	3					1		1		
<i>Zeaglobigerina labiacrassata</i> (12821)										
<i>Zeaglobigerina nepenthes</i> (11611)	2			3						
<i>Zeaglobigerina rubescens</i> (11616)										
<i>Zeaglobigerina woodi</i> (11621)	55	78		20	1		2			
<i>Zeaglobigerina</i> spp.	18	10	4	12						
Other globigerinids	30	25	10	20						
Comments:					Mixed	2	3			
					Radio.	Few	Few	Few	Few	Few
					17	residue	residue	residue	residue	residue
						Radio.		2ben	3ben	
						8	12	4		
Total:	358	239	223	276						

Table AT3 (continued).

Core, section, interval (cm):	182-1128B-			182-1128B-						
	9H-4, 75-77	9H-6, 75-77	10H-2, 75-77	3H-1, 75-77	3H-3, 76-78	3H-4, 75-77	3H-5, 76-78	4H-1, 75-77	4H-2, 75-77	4H-3, 75-77
Depth (mbsf):	77.45	80.45	83.95	15.95	20.45	21.96	25.45	26.95	28.45	29.95
Preservation:	M	M	P							
Group abundance:	F	F	F							
Size:										
Benthic abundance (%):	90	99	70							
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Praeorbulina transitoria</i> (11481)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pseudohastigerina micra</i> (12601)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pulleniatina obliquiloculata</i> (11496)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinella dehiscens</i> (11516)				1.64	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis disjuncta</i> (12626)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis kochi</i> (11526)				0.00	0.00	0.00	0.00	0.00	0.25	0.00
<i>Sphaeroidinellopsis seminulina</i> (11536)				0.33	0.00	0.00	0.00	0.00	0.25	0.00
<i>Subbotina angiporoides</i> (12636)	1			0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Subbotina eocaena</i> (12646)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Subbotina linaperta</i> (12671)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella gemma</i> (12716)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella munda</i> (12726)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella</i> spp.	1			0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata angustiumbilocata</i> (12736)			1	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata juvenilis</i> (12741)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata prestainforthi</i> (12746)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia ampliapertura</i> (12756)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cerroazulensis</i> (12761)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cunialensis</i> (12771)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia increbescens</i> (12776)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalita humilis</i> (11581)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina apertura</i> (11586)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina brazieri</i> (12811)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina brevis</i> (5255)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina connecta</i> (12816)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina decoraperta</i> (11601)			1	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina druryi</i>				0.00	0.00	0.00	0.00	0.00	0.00	1.04
<i>Zeaglobigerina labiacrassata</i> (12821)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina nepenthes</i> (11611)				0.00	0.00	0.00	0.00	0.00	0.50	0.00
<i>Zeaglobigerina rubescens</i> (11616)				0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina woodi</i> (11621)			1	0.00	0.00	0.46	1.20	0.00	2.48	3.13
<i>Zeaglobigerina</i> spp.				0.00	3.09	0.69	2.39	0.00	0.00	2.08
Other globigerinids				11.48	12.35	5.32	5.98	3.52	7.92	4.17
Comments:										
	Few residue	Few residue	Few residue							
		10ben	13ben							
Total:	3	2	6							

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	4H-4, 75-77	4H-5, 76-78	5H-1, 76-78	5H-2, 75-77	5H-3, 75-77	5H-4, 75-77	5H-5, 75-77	5H-6, 75-77	6H-1, 70-72	6H-2, 74-76
Depth (mbsf):	31.46	34.96	36.45	37.95	39.45	40.95	42.45	44.4	45.94	47.4
Preservation:										
Group abundance:										
Size:										
Benthic abundance (%):										
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Praeorbulina transitoria</i> (11481)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pseudohastigerina micra</i> (12601)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pulleniatina obliquiloculata</i> (11496)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinella dehiscens</i> (11516)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis disjuncta</i> (12626)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis kochi</i> (11526)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis seminulina</i> (11536)	0.00	0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.08
<i>Subbotina angiporoides</i> (12636)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Subbotina eocaena</i> (12646)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Subbotina linaperta</i> (12671)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella gemma</i> (12716)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella munda</i> (12726)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella</i> spp.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata angustumbilicata</i> (12736)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata juvenilis</i> (12741)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata prestainforthi</i> (12746)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia ampliapertura</i> (12756)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cerroazulensis</i> (12761)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cunialensis</i> (12771)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia increbescens</i> (12776)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalita humilis</i> (11581)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina apertura</i> (11586)	0.00	0.00	0.00	0.94	0.00	2.13	1.47	0.00	0.00	0.00
<i>Zeaglobigerina brazieri</i> (12811)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina brevis</i> (5255)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina connecta</i> (12816)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina decoraperta</i> (11601)	0.00	0.00	0.00	0.63	1.75	1.77	3.52	6.82	0.00	2.08
<i>Zeaglobigerina druryi</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	0.00	0.00
<i>Zeaglobigerina labiacrassata</i> (12821)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina nepenthes</i> (11611)	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina rubescens</i> (11616)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina woodi</i> (11621)	4.74	6.13	14.98	1.89	6.12	10.64	6.45	20.00	9.09	4.17
<i>Zeaglobigerina</i> spp.	1.35	2.67	3.81	0.63	2.33	1.42	2.93	5.46	0.00	0.00
Other globigerinids	6.58	8.00	10.15	11.01	8.75	7.80	8.80	18.18	36.36	20.83
Comments:										
Total:										

Table AT3 (continued).

	182-1128B-									
Core, section, interval (cm):	6H-3 70–72	6H-4, 74–76	6H-5, 78–80	7H-1, 75–77	7H-3, 75–77	7H-5, 75–77	8H-1, 75–77	8H-2, 75–77	8H-3, 75–77	8H-4, 75–77
Depth (mbsf):	48.94	50.48	53.95	56.25	59.25	63.45	64.95	66.45	67.95	69.45
Preservation:										
Group abundance:										
Size:										
Benthic abundance (%):										
Bryozoans:										
Quartz:										
Glauconite:										
Sponge spicules:										
Dissolution:										
Broken tests (%):										
Comment:										
<i>Praeorbulina transitoria</i> (11481)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pseudohastigerina micra</i> (12601)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pulleniatina obliquiloculata</i> (11496)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinella dehiscens</i> (11516)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis disjuncta</i> (12626)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis kochi</i> (11526)	0.00	1.36	0.00	0.28	0.00	0.00	0.73	0.00	0.00	0.00
<i>Sphaeroidinellopsis seminulina</i> (11536)	0.00	0.00	0.00	0.28	0.00	0.00	1.09	0.00	0.00	0.00
<i>Subbotina angiporoides</i> (12636)	0.00	0.00	0.00	0.00	0.00	55.16	0.73	0.00	0.00	0.00
<i>Subbotina eocaena</i> (12646)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Subbotina linaperta</i> (12671)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella gemma</i> (12716)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella munda</i> (12726)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella</i> spp.	0.00	0.00	0.00	0.00	5.02	2.24	5.44	0.00	0.00	0.00
<i>Tenuitellinata angustumbilicata</i> (12736)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata juvenilis</i> (12741)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata prestainforthi</i> (12746)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia ampliapertura</i> (12756)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cerroazulensis</i> (12761)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cunialensis</i> (12771)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia increbescens</i> (12776)	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.00
<i>Turborotalita humulis</i> (11581)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina apertura</i> (11586)	1.02	0.00	1.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina brazieri</i> (12811)	0.00	0.00	0.00	0.00	12.97	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina brevis</i> (5255)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina connecta</i> (12816)	0.00	0.00	0.00	0.00	8.37	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina decoraperta</i> (11601)	0.00	0.91	1.51	0.56	0.00	0.00	2.54	0.00	0.00	0.00
<i>Zeaglobigerina druryi</i>	4.08	0.00	0.00	0.84	0.00	0.00	0.00	0.00	12.50	0.00
<i>Zeaglobigerina labiacrassata</i> (12821)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina nepenthes</i> (11611)	0.00	0.00	0.00	0.56	0.00	0.00	1.09	0.00	0.00	0.00
<i>Zeaglobigerina rubescens</i> (11616)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina woodi</i> (11621)	15.31	0.91	18.11	15.36	32.64	0.00	7.25	5.88	0.00	16.67
<i>Zeaglobigerina</i> spp.	0.00	0.00	3.77	5.03	4.18	1.79	4.35	0.00	0.00	0.00
Other globigerinids	40.82	12.67	7.55	8.38	10.46	4.48	7.25	11.77	25.00	25.00
Comments:										
Total:										

Table AT3 (continued).

Core, section, interval (cm):	182-1128B-					
	8H-5, 75-77	9H-1, 75-77	9H-3, 75-77	9H-4, 75-77	9H-6, 75-77	10H-2, 75-77
Depth (mbsf):	72.95	74.45	75.95	77.45	80.45	83.95
Preservation:						
Group abundance:						
Size:						
Benthic abundance (%):						
Bryozoans:						
Quartz:						
Glauconite:						
Sponge spicules:						
Dissolution:						
Broken tests (%):						
Comment:						
<i>Praeorbulina transitoria</i> (11481)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pseudohastigerina micra</i> (12601)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Pulleniatina obliquiloculata</i> (11496)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinella dehiscens</i> (11516)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis disjuncta</i> (12626)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis kochi</i> (11526)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Sphaeroidinellopsis seminulina</i> (11536)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Subbotina angiporoides</i> (12636)	0.00	0.00	0.00	33.33	0.00	0.00
<i>Subbotina eocaena</i> (12646)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Subbotina linaperta</i> (12671)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella gemma</i> (12716)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella munda</i> (12726)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitella</i> spp.	0.00	0.00	0.00	33.33	0.00	0.00
<i>Tenuitellinata angustiumbilocata</i> (12736)	0.00	0.00	0.00	0.00	0.00	16.67
<i>Tenuitellinata juvenilis</i> (12741)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Tenuitellinata prestainforthi</i> (12746)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia ampliapertura</i> (12756)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cerroazulensis</i> (12761)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia cunialensis</i> (12771)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalia increbescens</i> (12776)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Turborotalita humilis</i> (11581)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina apertura</i> (11586)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina brazieri</i> (12811)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina brevis</i> (5255)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina connecta</i> (12816)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina decoraperta</i> (11601)	0.00	0.00	0.00	0.00	0.00	16.67
<i>Zeaglobigerina druryi</i>	25.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina labiacrassata</i> (12821)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina nepenthes</i> (11611)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina rubescens</i> (11616)	0.00	0.00	0.00	0.00	0.00	0.00
<i>Zeaglobigerina woodi</i> (11621)	0.00	0.00	0.00	0.00	0.00	16.67
<i>Zeaglobigerina</i> spp.	0.00	0.00	0.00	0.00	0.00	0.00
Other globigerinids	0.00	0.00	0.00	0.00	0.00	0.00
Comments:						
Total:						