

Table AT2. Counts of planktonic foraminifers, Hole 1126C. (See table notes. Continued on next three pages.)

	182-1126C-							182-1126C-						
	12X-1, 76-78	12X-3, 75-77	13X-1, 75-77	13X-3, 75-77	13X-5, 75-77	14X-1, 75-77	14X-3, 75-77	12X-1, 76-78	12X-3, 75-77	13X-1, 75-77	13X-3, 75-77	13X-5, 75-77	14X-1, 75-77	14X-3, 75-77
Core, section, interval (cm):														
Depth (mbsf):	100.66	103.65	110.25	113.25	116.25	119.85	122.85	100.66	103.65	110.25	113.25	116.25	119.85	122.85
Preservation:	G	G	G	G		G	G							
Group abundance:	A	A	A	A		A	A							
Benthic abundance (%):	5	5	5	5		5	5							
Sponge spicules:	F	A	No	C		C	A							
<i>Cassigerinella chipolensis</i>		3						0.00	0.85	0.00	0.00		0.00	0.00
<i>Catapsydrax dissimilis</i> (10701)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Catapsydrax dissimilis</i> (no bulla)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Catapsydrax parvulus</i> (10706)	3		1	2		4		0.86	0.00	0.28	0.54		1.17	0.00
<i>Catapsydrax unicavus</i> (11806)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Chiloguembelina cubensis</i> (11816)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Dentoglobigerina altispira</i> (10731)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Dentoglobigerina baroemouensis</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Dentoglobigerina galavisi</i> (11901)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Dentoglobigerina globularis</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Dentoglobigerina larmoui</i> (11916)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Fohsella peripheroronda</i> (5315)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerina bulloides</i> (10806)	40	35	42	12		37	28	11.53	9.97	11.73	3.24		10.85	8.43
<i>Globigerina ciperoensis</i> (12016)	5	2	7	18		10	11	1.44	0.57	1.96	4.86		2.93	3.31
<i>Globigerina cryptomphala</i> (1865)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerina euapertura</i> (12026)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerina falconensis</i> (10831)	35	18	33	58		49	40	10.09	5.13	9.22	15.68		14.37	12.05
<i>Globigerina gortanii</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerina officinalis</i> (12036)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerina ouachitaensis</i> (12046)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerina praebulloides</i> (12056)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerina quinqueloba</i> (10841)		4	2	7		10	15	0.00	1.14	0.56	1.89		2.93	4.52
<i>Globigerinatheka index</i> (12081)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinatheka subconglobata</i> (785)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinella obesa</i> (12106)	3	2	10	12		6		0.86	0.57	2.79	3.24		1.76	0.00
<i>Globigerinella siphonifera</i> (10876)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinita glutinata</i> (10881)	7	5	8	13		12	7	2.02	1.42	2.23	3.51		3.52	2.11
<i>Globigerinita juvenilis</i> (12131)	5	5	11	10		8	5	1.44	1.42	3.07	2.70		2.35	1.51
<i>Globigerinita parkerae/boweni</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinita uvula</i> (10891)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides bollii</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides bulloideus</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides conglobatus</i> (10916)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides obliquus</i> (10951)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides extremus</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides kennetti</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides parawoodi</i> (10956)			5					0.00	0.00	1.40	0.00		0.00	0.00
<i>Globigerinoides primordius</i> (10961)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides quadrilobatus</i> (10966)	2	1	25	14		25	30	0.58	0.28	6.98	3.78		7.33	9.04
<i>Globigerinoides ruber</i> (10971)				2				0.00	0.00	0.00	0.54		0.00	0.00
<i>Globigerinoides sacculifer</i> (10976)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides seigliei</i> (10981)								0.00	0.00	0.00	0.00		0.00	0.00

Table AT2 (continued).

	182-1126C-							182-1126C-						
	12X-1, 76–78	12X-3, 75–77	13X-1, 75–77	13X-3, 75–77	13X-5, 75–77	14X-1, 75–77	14X-3, 75–77	12X-1, 76–78	12X-3, 75–77	13X-1, 75–77	13X-3, 75–77	13X-5, 75–77	14X-1, 75–77	14X-3, 75–77
Core, section, interval (cm):														
Depth (mbsf):	100.66	103.65	110.25	113.25	116.25	119.85	122.85	100.66	103.65	110.25	113.25	116.25	119.85	122.85
Preservation:	G	G	G	G		G	G							
Group abundance:	A	A	A	A		A	A							
Benthic abundance (%):	5	5	5	5		5	5							
Sponge spicules:	F	A	No	C		C	A							
<i>Globigerinoides tenellus</i> (10996)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globigerinoides trilobus</i> (11001)	2	1	11	15		16	12	0.58	0.28	3.07	4.05		4.69	3.61
<i>Globoconella conica</i>			2					0.00	0.00	0.56	0.00		0.00	0.00
<i>Globoconella conoidea</i> (11006) + <i>miotumida</i>	52	37	5	8		13	15	14.99	10.54	1.40	2.16		3.81	4.52
<i>Globoconella conomiozea</i> (11011)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoconella conomiozea</i> cf.		5						0.00	1.42	0.00	0.00		0.00	0.00
<i>Globoconella incognita</i> (11016)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoconella inflata</i> (11021)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoconella miozea</i> (11026)		3	1	5		2	10	0.00	0.85	0.28	1.35		0.59	3.01
<i>Globoconella panda</i> (11036)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoconella praescitula</i> (11041)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoconella sphericomiozea</i> (11051)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoconella zealandica</i> (11056)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoquadrina dehiscens</i> (12156)	28	38	14	10		26	8	8.07	10.83	3.91	2.70		7.62	2.41
<i>Globoquadrina praedeheiscens</i> (11086)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoquadrina sellii</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoquadrina tapuriensis</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoquadrina tripartita</i> (12176)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globoquadrina venezuelana</i> (11096)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia cibaoensis</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia crassaconica</i> (5290)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia crassaformis</i> (11136)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia crassula</i> (11146)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia exilis</i> (11151)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia hirsuta</i> (11171)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia inflata</i> (11181)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia juanai</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia linguaensis</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia paralenguaensis</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia margaritae</i> (11206)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia menardii</i> (11211)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia mesotumida</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia peripheroronda</i>			34	12		10		0.00	0.00	9.50	3.24		2.93	0.00
<i>Globorotalia plesiotumida</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia pliozea</i> (11276)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia praemenardii</i> (11281)			2	5		7	11	0.00	0.00	0.56	1.35		2.05	3.31
<i>Globorotalia pseudomiocenica</i> (5370)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia puncticulata</i> (11291)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia scitula</i> (11296)	1							0.29	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia</i> spp.								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia theyeri</i> cf.								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia tosaensis</i> (11321)								0.00	0.00	0.00	0.00		0.00	0.00

Table AT2 (continued).

	182-1126C-							182-1126C-						
	12X-1, 76–78	12X-3, 75–77	13X-1, 75–77	13X-3, 75–77	13X-5, 75–77	14X-1, 75–77	14X-3, 75–77	12X-1, 76–78	12X-3, 75–77	13X-1, 75–77	13X-3, 75–77	13X-5, 75–77	14X-1, 75–77	14X-3, 75–77
Core, section, interval (cm):														
Depth (mbsf):	100.66	103.65	110.25	113.25	116.25	119.85	122.85	100.66	103.65	110.25	113.25	116.25	119.85	122.85
Preservation:	G	G	G	G		G	G							
Group abundance:	A	A	A	A		A	A							
Benthic abundance (%):	5	5	5	5		5	5							
Sponge spicules:	F	A	No	C		C	A							
<i>Globorotalia truncatulinoides</i> (11326)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia tumida</i> (11336)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotalia unguolata</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotaloides suteri</i> (12211)	7	5	2	4		2	5	2.02	1.42	0.56	1.08		0.59	1.51
<i>Globorotaloides testarugosa</i> (12216)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Globorotaloides variabilis</i> (12226)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Hastigerina pelagica</i> (11371)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Neogloboquadrina acostaensis</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Neogloboquadrina continuosa</i> (11416)	4	2	3	2				1.15	0.57	0.84	0.54		0.00	0.00
<i>Neogloboquadrina dutertrei</i> (11421)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Neogloboquadrina humerosa</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Neogloboquadrina pachyderma</i> (11441)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Orbulina bilobata</i> (11446)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Orbulina suturalis</i> (11451)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Orbulina universa</i> (11456)	14	26	23	29		25	28	4.03	7.41	6.42	7.84		7.33	8.43
<i>Paragloborotalia bella</i> (11386)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Paragloborotalia birnageae</i>								0.00	0.00	0.00	0.00		0.00	0.00
<i>Paragloborotalia mayeri</i> (11391)	1	2	11	8				0.29	0.57	3.07	2.16		0.00	0.00
<i>Paragloborotalia opima nana</i> (12466)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Paragloborotalia opima opima</i> (12471)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Paragloborotalia semivera</i> (12486)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Paragloborotalia</i> sp.								0.00	0.00	0.00	0.00		0.00	0.00
<i>Praeorbulina glomerosa</i> (11471)	5	10	15	11		12	5	1.44	2.85	4.19	2.97		3.52	1.51
<i>Praeorbulina sicana</i> (10986)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Praeorbulina transitoria</i> (11481)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Pseudohastigerina micra</i> (12601)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Pulleniatina obliquiloculata</i> (11496)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Sphaeroidinella dehiscentis</i> (11516)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Sphaeroidinellopsis disjuncta</i> (12626)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Sphaeroidinellopsis kochi</i> (11526)	4	2	1					1.15	0.57	0.28	0.00		0.00	0.00
<i>Sphaeroidinellopsis seminulina</i> (11536)			2	3				0.00	0.00	0.56	0.81		0.00	0.00
<i>Subbotina angiporoides</i> (12636)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Subbotina eocaena</i> (12646)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Subbotina linaperta</i> (12671)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Tenuitella gemma</i> (12716)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Tenuitella munda</i> (12726)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Tenuitella</i> spp.	2	10	5	14		9	15	0.58	2.85	1.40	3.78		2.64	4.52
<i>Tenuitellinata angustiumbilitica</i> (12736)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Tenuitellinata juvenilis</i> (12741)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Tenuitellinata prestainforthi</i> (12746)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Turborotalia ampliapertura</i> (12756)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Turborotalia cerroazulensis</i> (12761)								0.00	0.00	0.00	0.00		0.00	0.00

Table AT2 (continued).

	182-1126C-							182-1126C-						
	12X-1, 76-78	12X-3, 75-77	13X-1, 75-77	13X-3, 75-77	13X-5, 75-77	14X-1, 75-77	14X-3, 75-77	12X-1, 76-78	12X-3, 75-77	13X-1, 75-77	13X-3, 75-77	13X-5, 75-77	14X-1, 75-77	14X-3, 75-77
Core, section, interval (cm):														
Depth (mbsf):	100.66	103.65	110.25	113.25	116.25	119.85	122.85	100.66	103.65	110.25	113.25	116.25	119.85	122.85
Preservation:	G	G	G	G		G	G							
Group abundance:	A	A	A	A		A	A							
Benthic abundance (%):	5	5	5	5		5	5							
Sponge spicules:	F	A	No	C		C	A							
<i>Turborotalia cunialensis</i> (12771)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Turborotalia increbescens</i> (12776)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Turborotalita humulis</i> (11581)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Turborotalita</i> sp.								0.00	0.00	0.00	0.00		0.00	0.00
<i>Zeaglobigerina apertura</i> (11586)	4	5						1.15	1.42	0.00	0.00		0.00	0.00
<i>Zeaglobigerina brazieri</i> (12811)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Zeaglobigerina brazieri</i> cf.							10	0.00	0.00	0.00	0.00		0.00	3.01
<i>Zeaglobigerina brevis</i> (5255)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Zeaglobigerina connecta</i> (12816)				12			12	0.00	0.00	0.00	3.24		0.00	3.61
<i>Zeaglobigerina decoraperta</i> (11601)	18	23	20	15		3		5.19	6.55	5.59	4.05		0.88	0.00
<i>Zeaglobigerina druryi</i>	15	20	12	7		2	5	4.32	5.70	3.35	1.89		0.59	1.51
<i>Zeaglobigerina labiacrassata</i> (12821)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Zeaglobigerina nepenthes</i> (11611)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Zeaglobigerina rubescens</i> (11616)								0.00	0.00	0.00	0.00		0.00	0.00
<i>Zeaglobigerina woodi</i> (11621)	60	72	18	17		25	20	17.29	20.51	5.03	4.59		7.33	6.02
<i>Zeaglobigerina</i> spp.	10	5	13	15		5	10	2.88	1.42	3.63	4.05		1.47	3.01
Other globigerinids	20	10	20	30		23	30	5.76	2.85	5.59	8.11		6.74	9.04
Total:	347	351	358	370		341	332							

Notes: Preservation: G = good. Abundance: A = abundant, C = common, F = few, R = rare. Numbers after species names are catalog numbers from the ODP Janus database. Percentage data are given in the second half of the table.