

Table AT7. Planktonic foraminifers, Hole 1132B. (See table notes. Continued on next two pages.)

Core, section, interval (cm):	182-1130A-						
	26X-1, 75–77	26X-3, 75–77	26X-5, 75–77	27X-1, 75–77	27X-2, 75–77	28X-1, 76–78	28X-2, 75–77
Depth (mbsf):	229.65	232.65	235.65	239.25	240.75	248.66	250.15
Zone:	lower Pleistocene			SN13	SN13	N16–N17	
Preservation:	P	M	P	M	M	M–G	G
Group abundance:	C	C	C	C	A	A	A
Bathymetry/size:	F	F	F				
Benthic abundance (%):	10	10	10	10	10	5	5
<i>Acarinina aculeata</i> (5260)							
<i>Acarinina bullbrookii</i> (11636)							
<i>Acarinina collecta</i> (11651)							
<i>Acarinina primitiva</i> (11691)							
<i>Acarinina spinuloinflata</i> (11716)							
<i>Cassigerinella chipolensis</i>							
<i>Catapsydrax dissimilis</i> (10701)							
<i>Catapsydrax parvulus</i> (10706)	P	P	P	P		P	P
<i>Catapsydrax unicavus</i> (11806)							
<i>Chiloguembelina cubensis</i> (11816)							
<i>Dentoglobigerina altispira</i> (10731)						P	
<i>Dentoglobigerina baroemoenensis</i>							
<i>Dentoglobigerina galavisi</i> (11901)							
<i>Dentoglobigerina globularis</i>							
<i>Dentoglobigerina larmeu</i> (11916)							
<i>Fohsella peripheroronda</i> (5315)							
<i>Globigerina bulloides</i> (10806)	P	F	P	P	P	P	P
<i>Globigerina ciperoensis</i> (12016)							
<i>Globigerina cryptomphala</i> (1865)							
<i>Globigerina evapertura</i> (12026)							
<i>Globigerina falconensis</i> (10831)	A	A	F	C	C	C	F
<i>Globigerina gortanii</i>							
<i>Globigerina officinalis</i> (12036)							
<i>Globigerina ouachitaensis</i> (12046)							
<i>Globigerina praebulloides</i> (12056)							
<i>Globigerina quinqueloba</i> (10841)	F	F	P	P	P	P	P
<i>Globigerinatheka index</i> (12081)							
<i>Globigerinatheka subconglobata</i> (785)							
<i>Globigerinella obesa</i> (12106)	P	P	P	P	P	P	P
<i>Globigerinella siphonifera</i> (10876)			P	P	P		P
<i>Globigerinita glutinata</i> (10881)	P	C	C	P	C	P	P
<i>Globigerinita juvenilis</i> (12131)	P	C	C	P	C	P	P
<i>Globigerinita parkerae</i> (10886)							
<i>Globigerinita uvula</i> (10891)							
<i>Globigerinoides bollii</i>							
<i>Globigerinoides conglobatus</i> (10916)	P						
<i>Globigerinoides obliquus</i> (10951)					P	R	P
<i>Globigerinoides extremus</i>		P			P	P	P
<i>Globigerinoides kennetti</i>							
<i>Globigerinoides parawoodi</i> (10956)							
<i>Globigerinoides primordius</i> (10961)							
<i>Globigerinoides quadrilobatus</i> (10966)							P
<i>Globigerinoides ruber</i> (10971)	F	P	P	P	R		
<i>Globigerinoides sacculifer</i> (10976)						P	P
<i>Globigerinoides seigliei</i> (10981)							
<i>Globigerinoides tenellus</i> (10996)							
<i>Globigerinoides trilobus</i> (11001)	P		P	P		P	P
<i>Globoconella conoidea</i> (11006) + <i>miotumida</i>						C	C
<i>Globoconella conomiozea</i> (11011)							
<i>Globoconella incognita</i> (11016)							
<i>Globoconella inflata</i> (11021)							
<i>Globoconella miozea</i> (11026)							
<i>Globoconella panda</i> (11036)							
<i>Globoconella praescitula</i> (11041)							
<i>Globoconella sphericomiozea</i> (11051)							
<i>Globoconella zealandica</i> (11056)							
<i>Globoquadrina dehiscens</i> (12156)							
<i>Globoquadrina praedehiscens</i> (11086)							
<i>Globoquadrina sellii</i>							

Table AT7 (continued).

	182-1130A-						
Core, section, interval (cm):	26X-1, 75-77	26X-3, 75-77	26X-5, 75-77	27X-1, 75-77	27X-2, 75-77	28X-1, 76-78	28X-2, 75-77
Depth (mbsf):	229.65	232.65	235.65	239.25	240.75	248.66	250.15
Zone:	lower Pleistocene			SN13	SN13	N16-N17	
Preservation:	P	M	P	M	M	M-G	G
Group abundance:	C	C	C	C	A	A	A
Bathymetry/size:	F	F	F				
Benthic abundance (%):	10	10	10	10	10	5	5
<i>Globoquadrina tapuriensis</i>							
<i>Globoquadrina tripartita</i> (12176)							
<i>Globoquadrina venezuelana</i> (11096)							
<i>Globorotalia juanai</i>						P	P
<i>Globorotalia crassaconica</i> (5290)							
<i>Globorotalia crassaformis</i> (11136)	F	P	P	P	R		
<i>Globorotalia crassula</i> (11146)	F	P	P	P	P		
<i>Globorotalia exilis</i> (11151)							
<i>Globorotalia hirsuta</i> (11171)							
<i>Globorotalia inflata</i> (11181)	P	P	F	P	P		
<i>Globorotalia linguaensis</i>							
<i>Globorotalia paralenguaensis</i>							
<i>Globorotalia margaritae</i> (11206)							
<i>Globorotalia menardii</i> (11211)						P	
<i>Globorotalia mesotumida</i>						P	
<i>Globorotalia peripheroronda</i>							
<i>Globorotalia plesiotumida</i>							
<i>Globorotalia pliozea</i> (11276)							
<i>Globorotalia cibaoensis</i>						P	P
<i>Globorotalia praemenardii</i> (11281)							
<i>Globorotalia pseudomiocenic</i> (5370)							
<i>Globorotalia puncticulata</i> (11291)	C	F	P	P	A		
<i>Globorotalia scitula</i> (11296)	P		P		P	P	P
<i>Globorotalia</i> spp.							
<i>Globorotalia theyeri</i> cf.							
<i>Globorotalia tosaensis</i> (11321)							
<i>Globorotalia truncatulinoides</i> (11326)				P			
<i>Globorotalia tumida</i> (11336)							
<i>Globorotalia unguolata</i>							
<i>Globorotaloides suteri</i> (12211)						P	P
<i>Globorotaloides testarugosa</i> (12216)							
<i>Globorotaloides variabilis</i> (12226)							
<i>Hastigerina pelagica</i> (11371)							
<i>Neogloboquadrina acostaensis</i>						F	R
<i>Neogloboquadrina continuosa</i> (11416)							P
<i>Neogloboquadrina dutertrei</i> (11421)							
<i>Neogloboquadrina humerosa</i>							
<i>Neogloboquadrina pachyderma</i> (11441)	P	P	P	R	P		
<i>Orbulina bilobata</i> (11446)							
<i>Orbulina suturalis</i> (11451)							
<i>Orbulina universa</i> (11456)	P	P	P	P	P	P	P
<i>Paragloborotalia bella</i> (11386)							
<i>Paragloborotalia birnageae</i>							
<i>Paragloborotalia mayeri</i> (11391)							
<i>Paragloborotalia opima nana</i> (12466)							
<i>Paragloborotalia opima opima</i> (12471)							
<i>Paragloborotalia semivera</i> (12486)							
<i>Praeorbulina glomerosa</i> (11471)							
<i>Praeorbulina sicana</i> (10986)							
<i>Praeorbulina transitoria</i> (11481)							
<i>Pseudohastigerina micra</i> (12601)							
<i>Pulleniatina obliquiloculata</i> (11496)							
<i>Sphaeroidinella dehiscens</i> (11516)							
<i>Sphaeroidinellopsis disjuncta</i> (12626)							
<i>Sphaeroidinellopsis kochi</i> (11526)							P
<i>Sphaeroidinellopsis seminulina</i> (11536)						P	P
<i>Subbotina angiporoides</i> (12636)							
<i>Subbotina eoacaena</i> (12646)							
<i>Subbotina linaperta</i> (12671)							

Table AT7 (continued).

	182-1130A-						
Core, section, interval (cm):	26X-1, 75-77	26X-3, 75-77	26X-5, 75-77	27X-1, 75-77	27X-2, 75-77	28X-1, 76-78	28X-2, 75-77
Depth (mbsf):	229.65	232.65	235.65	239.25	240.75	248.66	250.15
Zone:	lower Pleistocene			SN13	SN13	N16-N17	
Preservation:	P	M	P	M	M	M-G	G
Group abundance:	C	C	C	C	A	A	A
Bathymetry/size:	F	F	F				
Benthic abundance (%):	10	10	10	10	10	5	5
<i>Tenuitella</i> spp.							
<i>Tenuitellinata angustiumbilitata</i> (12736)							
<i>Tenuitellinata juvenilis</i> (12741)							
<i>Tenuitellinata prestainforthi</i> (12746)							
<i>Turborotalia ampliapertura</i> (12756)							
<i>Turborotalia cerroazulensis</i> (12761)							
<i>Turborotalia cunialensis</i> (12771)							
<i>Turborotalia increbescens</i> (12776)							
<i>Turborotalita humilis</i> (11581)							
<i>Zeaglobigerina apertura</i> (11586)				P		P	P
<i>Zeaglobigerina brazieri</i> (12811)							
<i>Zeaglobigerina brevis</i> (5255)							
<i>Zeaglobigerina connecta</i> (12816)			P				
<i>Zeaglobigerina decoraperta</i> (11601)					P	P	P
<i>Zeaglobigerina druryi</i>						P	
<i>Zeaglobigerina labiacrassata</i> (12821)							
<i>Zeaglobigerina nepenthes</i> (11611)						P	
<i>Zeaglobigerina rubescens</i> (11616)							
<i>Zeaglobigerina woodi</i> (11621)				P	P	A	A
<i>Zeaglobigerina</i> spp.	P	R	P	P	P	P	P
Other globigerinids:							
Comments:							
			Mixed			No <i>dehiscens</i>	Transported <i>Elphidium</i>

Notes: Preservation: G = good, M = moderate, P = poor. Abundance: A = abundant, C = common, F = few, R = rare. Size: F = fine. Numbers after species names are catalog numbers from the ODP Janus database.