

Table T12 (continued).

Epoch	Zones	Core	Depth (mbsf)	Preservation	Abundance	<i>Pontosphaera</i> <i>multipora</i>	<i>Pseudoemiliania</i> <i>lacunosa</i>	<i>Pseudoemiliania</i> <i>ovata</i>	<i>Reticulofenestra</i> <i>haqii</i>	<i>Reticulofenestra</i> <i>minuta</i>	<i>Reticulofenestra</i> <i>minutula</i>	<i>Reticulofenestra</i> <i>pseudoumbilicatus</i> (>7 µm)	<i>Reticulofenestra</i> <i>pseudoumbilicatus</i> (5-7 µm)	<i>Reticulofenestra</i> spp.	<i>Rhabdosphaera</i> <i>clavigera</i>	<i>Scyphosphaera</i> <i>ventriosa</i>	<i>Sphenolithus</i> <i>abies</i>	<i>Sphenolithus</i> <i>grandis</i>	<i>Sphenolithus</i> <i>moriformis</i>	<i>Sphenolithus</i> spp.	<i>Syracosphaera</i> <i>pulchra</i>	<i>Umbilicosphaera</i> <i>jafari</i>	<i>Umbilicosphaera</i> <i>rotula</i>	
late Pliocene	NN18	190-1173A-29X-CC		P	F																			
		30X-CC, 33-34	282.97	P	F	C				C	A													
	NN16	31X-2, 75-76	285.49	P	F	C					A													
		31X-4, 75-76	288.49	P	R																			
		31X-6, 75-76	291.49	P	R			A																
		32X-4, 78-79	298.22	P	R																			
		32X-CC, 29-30	302.23	M	C			C	C		A	A											F	C
		33X-CC, 42-43	311.12	P	F			C	C		A	A												C
		34X-4, 70-71	317.14	M	F			A			A	A												
		34X-CC, 36-37	321.74	P	F			A			A	C												C
		35X-CC			P	R			C	C	A	A												
		36X-CC, 24-25	340.19	P	R			C			A	A												
		37X-CC, 32-33	350.52	M	C			C	C		A	A												F
		38X-CC, 45-46	360.24	M	R			A	C		A	D												
39X-CC			G	C	F	C	F		A	D				R							R	R		
early Pliocene	NN15-NN12	40X-CC, 37-38	379.47	P	F			C	C	A	D													
		41X-4, 82-82	384.56	P	F								A					A						
		41X-CC, 57-58	389.15	B																				
		42X-2, 75-76	391.09	P	F					A				A										
		42X-4, 75-76	394.09	P	F																			
late Miocene	NN11b	42X-CC		B																				
		43X-5, 75-76	405.19	P	R																			
		43X-CC, 34-35	407.66	P	R							D												
		44X-4, 66-67	413.2	M	F					A		C	C	A				C					F	F
		44X-CC, 46-47	417.98	P	C			F		D		C	C	A			R	C	R		F		F	
		45X-CC, 40-41	427.5	P	C					C		D	C	F				C						
		46X-CC, 46-47	437.15	M	C							D	C	A										F
	47X-4, 73-74	441.67	P	C					C		D	F	A											
	47X-CC			P	C			C		A	D	R	A										F	
	48X-2, 73-74	448.07	M	C						C	D		C											
	48X-CC			B																				
NN11a	49X-CC, 40-41	464.9	P	R					A															
	50X-4, 75-76	469.89	P	F					A		A	C					C		C					
	50X-CC, 47-48	474.55	M	C	F				D		A	C				C		C			C	F		

Table T12 (continued).

Epoch	Zones	Core	Depth (mbsf)	Preservation	Abundance	<i>Pontosphaera multipora</i>	<i>Pseudoemiliania lacunosa</i>	<i>Pseudoemiliania ovata</i>	<i>Reticulofenestra haqii</i>	<i>Reticulofenestra minuta</i>	<i>Reticulofenestra minutula</i>	<i>Reticulofenestra pseudoumbilicatus</i> (>7 µm)	<i>Reticulofenestra pseudoumbilicatus</i> (5-7 µm)	<i>Reticulofenestra</i> spp.	<i>Rhabdosphaera clavigera</i>	<i>Scyphosphaera ventriosa</i>	<i>Sphenolithus abies</i>	<i>Sphenolithus grandis</i>	<i>Sphenolithus moriformis</i>	<i>Sphenolithus</i> ssp.	<i>Syracosphaera pulchra</i>	<i>Umbilicosphaera jafari</i>	<i>Umbilicosphaera rotula</i>	
late Miocene	NN10b	51X-CC, 41-42	484.24		B							A												
		52X-CC, 44-45	493.96	P	R																			
		53X-4, 70-71	498.94	P	R								D											
	NN10a	53X-CC, 48-49	503.68		B																			
		54X-4, 70-71	508.54	P	R				A			A	A	A						C				
	NN9	55X-CC, 44-45	522.88	P	F				C			D	C	C			F					C	C	
		56X-CC, 38-39	532.22	P	C				C			A	A	A									F	