

**Table T2.** Expanded coring summary, Site 1192. (See table notes. Continued on next five pages.)

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
194-1192A-1H	10	0225	0.0	9.5	9.5	9.60	101.1							
								1	1.50	1.50	0.00	1.50		
								2	1.50	1.50	1.50	3.00		
								3	1.50	1.50	3.00	4.50		
								4	1.50	1.50	4.50	6.00	IW	
								5	1.50	1.50	6.00	7.50	HS	
								6	1.50	1.50	7.50	9.00		
								7	0.36	0.36	9.00	9.36		
								CC (w/7)	0.24	0.24	9.36	9.60	PAL	
								Totals:	9.60	9.60				
2H	10	0315	9.5	19.0	9.5	4.97	52.3							
								1	1.50	1.50	9.50	11.00		
								2	1.50	1.50	11.00	12.50		
								3	1.50	1.50	12.50	14.00		
								4	0.28	0.28	14.00	14.28		
								CC (w/4)	0.19	0.19	14.28	14.47	PAL	
								Totals:	4.97	4.97				
3H	10	0350	19.0	28.5	9.5	9.66	101.7							
								1	1.50	1.50	19.00	20.50		
								2	1.50	1.50	20.50	22.00		
								3	1.50	1.50	22.00	23.50		
								4	1.50	1.50	23.50	25.00	IW	
								5	1.50	1.50	25.00	26.50	HS	
								6	1.50	1.50	26.50	28.00		
								7	0.49	0.49	28.00	28.49		
								CC (w/7)	0.17	0.17	28.49	28.66	PAL	
								Totals:	9.66	9.66				
4M	10	0515	28.5	29.5	1.0	0.19	19.0							
								1	0.19	0.19	28.50	28.69		
								Totals:	0.19	0.19				
5H	10	0600	29.5	39.0	9.5	9.22	97.1							
								1	1.50	1.50	29.50	31.00		
								2	1.50	1.50	31.00	32.50		
								3	1.50	1.50	32.50	34.00		
								4	1.50	1.50	34.00	35.50	IW	
								5	1.50	1.50	35.50	37.00	HS	
								6	1.48	1.48	37.00	38.48		
								CC (w/CC)	0.24	0.24	38.48	38.72	PAL	
								Totals:	9.22	9.22				
6H	10	0655	39.0	48.5	9.5	10.03	105.6							
								1	1.50	1.50	39.00	40.50		
								2	1.50	1.50	40.50	42.00		
								3	1.50	1.50	42.00	43.50		
								4	1.50	1.50	43.50	45.00	IW	
								5	1.50	1.50	45.00	46.50	HS	
								6	1.50	1.50	46.50	48.00		
								7	0.79	0.79	48.00	48.79		
								CC (w/7)	0.24	0.24	48.79	49.03	PAL	
								Totals:	10.03	10.03				
7H	10	0715	48.5	58.0	9.5	9.90	104.2							
								1	1.50	1.50	48.50	50.00		
								2	1.50	1.50	50.00	51.50		
								3	1.50	1.50	51.50	53.00		
								4	1.50	1.50	53.00	54.50	IW	
								5	1.50	1.50	54.50	56.00	HS	
								6	1.50	1.50	56.00	57.50		
								7	0.70	0.70	57.50	58.20		
								CC (w/7)	0.20	0.20	58.20	58.40		
								Totals:	9.90	9.90				
8H	10	0745	58.0	67.5	9.5	10.05	105.8							
								1	1.50	1.50	58.00	59.50		
								2	1.50	1.50	59.50	61.00		
								3	1.50	1.50	61.00	62.50		
								4	1.50	1.50	62.50	64.00	IW	
								5	1.50	1.50	64.00	65.50	HS	
								6	1.50	1.50	65.50	67.00		
								7	0.87	0.87	67.00	67.87		

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment			
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom					
9H	10	0820	67.5	77.0	9.5	9.52	100.2	CC (w/7)	0.18	0.18	67.87	68.05	PAL				
								Totals:	10.05	10.05							
								1	1.50	1.50	67.50	69.00					
								2	1.50	1.50	69.00	70.50					
								3	1.50	1.50	70.50	72.00					
								4	1.50	1.50	72.00	73.50			IW		
								5	1.50	1.50	73.50	75.00			HS		
								6	1.50	1.50	75.00	76.50					
7	0.34	0.34	76.50	76.84													
CC (w/7)	0.18	0.18	76.84	77.02	PAL												
Totals:	9.52	9.52															
10H	10	0850	77.0	86.5			9.5	9.70	102.1	1	1.50	1.50	77.00	78.50			
										2	1.50	1.50	78.50	80.00			
										3	1.50	1.50	80.00	81.50			
										4	1.50	1.50	81.50	83.00			IW
										5	1.50	1.50	83.00	84.50			HS
										6	1.50	1.50	84.50	86.00			
					7	0.58				0.58	86.00	86.58					
					CC (w/7)	0.12				0.12	86.58	86.70	PAL				
Totals:	9.70	9.70															
11M	10	1030	86.5	87.5	1.0	0.91	91.0	1	0.91	0.91	86.50	87.41					
								Totals:	0.91	0.91							
12H	10	1110	87.5	97.0	9.5	9.98	105.1	1	1.50	1.50	87.50	89.00					
								2	1.50	1.50	89.00	90.50					
								3	1.50	1.50	90.50	92.00					
								4	1.50	1.50	92.00	93.50					IW, IW
								5	1.50	1.50	93.50	95.00	HS, HS				
								6	1.50	1.50	95.00	96.50					
								7	0.78	0.78	96.50	97.30					
								CC (w/7)	0.20	0.20	97.28	97.48	PAL				
Totals:	9.98	9.98															
13H	10	1140	97.0	106.5	9.5	9.81	103.3	1	1.50	1.50	97.00	98.50					
								2	1.50	1.50	98.50	100.00					
								3	1.50	1.50	100.00	101.50					
								4	1.50	1.50	101.50	103.00					IW
								5	1.50	1.50	103.00	104.50					HS
								6	1.50	1.50	104.50	106.00					
								7	0.53	0.53	106.00	106.53					
								CC (w/7)	0.28	0.28	106.53	106.81	PAL				
Totals:	9.81	9.81															
14H	10	1220	106.5	116.0	9.5	9.98	105.1	1	1.50	1.50	106.50	108.00					
								2	1.50	1.50	108.00	109.50					
								3	1.50	1.50	109.50	111.00					
								4	1.50	1.50	111.00	112.50					IW
								5	1.50	1.50	112.50	114.00					HS
								6	1.50	1.50	114.00	115.50					
								7	0.78	0.78	115.50	116.28					
								CC (w/7)	0.20	0.20	116.28	116.48	PAL				
Totals:	9.98	9.98															
15H	10	1300	116.0	125.5	9.5	9.72	102.3	1	1.50	1.50	116.00	117.50					
								2	1.50	1.50	117.50	119.00					
								3	1.50	1.50	119.00	120.50					
								4	1.50	1.50	120.50	122.00					IW
								5	1.50	1.50	122.00	123.50					HS
								6	1.50	1.50	123.50	125.00					
								7	0.44	0.44	125.00	125.44					
								CC (w/7)	0.28	0.28	125.44	125.72	PAL				
Totals:	9.72	9.72															
16H	10	1325	125.5	135.0	9.5	9.32	98.1	1	1.50	1.50	125.50	127.00					
								2	1.50	1.50	127.00	128.50					

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
17H	10	1430	135.0	144.5	9.5	9.94	104.6	3	1.50	1.50	128.50	130.00		
								4	1.50	1.50	130.00	131.50	IW	
								5	1.50	1.50	131.50	133.00	HS	
								6	1.52	1.52	133.00	134.52		
								CC (w/CC)	0.30	0.30	134.52	134.82	PAL	
								Totals:	9.32	9.32				
18H	10	1505	144.5	154.0	9.5	9.99	105.2	1	1.50	1.50	135.00	136.50		
								2	1.50	1.50	136.50	138.00		
								3	1.50	1.50	138.00	139.50		
								4	1.50	1.50	139.50	141.00	IW	
								5	1.50	1.50	141.00	142.50	HS	
								6	1.50	1.50	142.50	144.00		
								7	0.89	0.89	144.00	144.89		
CC (w/7)	0.05	0.05	144.89	144.94	PAL	All to PAL								
Totals:	9.94	9.94												
19H	10	1530	154.0	163.5	9.5	10.00	105.3	1	1.50	1.50	144.50	146.00		
								2	1.50	1.50	146.00	147.50		
								3	1.50	1.50	147.50	149.00		
								4	1.50	1.50	149.00	150.50	IW	
								5	1.50	1.50	150.50	152.00	HS	
								6	1.50	1.50	152.00	153.50		
								7	0.70	0.70	153.50	154.20		
CC (w/7)	0.29	0.29	154.20	154.49	PAL									
Totals:	9.99	9.99												
20H	10	1550	163.5	173.0	9.5	9.96	104.8	1	1.50	1.50	154.00	155.50		
								2	1.50	1.50	155.50	157.00		
								3	1.50	1.50	157.00	158.50		
								4	1.50	1.50	158.50	160.00	IW	
								5	1.50	1.50	160.00	161.50	HS	
								6	1.50	1.50	161.50	163.00		
								7	0.73	0.73	163.00	163.73		
CC (w/7)	0.27	0.27	163.73	164.00	PAL									
Totals:	10.00	10.00												
21H	10	1615	173.0	182.5	9.5	10.14	106.7	1	1.50	1.50	163.50	165.00		
								2	1.50	1.50	165.00	166.50		
								3	1.50	1.50	166.50	168.00		
								4	1.50	1.50	168.00	169.50	IW	
								5	1.50	1.50	169.50	171.00	HS	
								6	1.50	1.50	171.00	172.50		
								7	0.69	0.69	172.50	173.19		
CC (w/CC)	0.27	0.27	173.19	173.46	PAL									
Totals:	9.96	9.96												
22H	10	1655	182.5	192.0	9.5	10.06	105.9	1	1.50	1.50	173.00	174.50		
								2	1.50	1.50	174.50	176.00		
								3	1.50	1.50	176.00	177.50		
								4	1.50	1.50	177.50	179.00	IW	
								5	1.50	1.50	179.00	180.50	HS	
								6	1.50	1.50	180.50	182.00		
								7	0.83	0.83	182.00	182.83		
CC (w/7)	0.31	0.31	182.83	183.14	PAL									
Totals:	10.14	10.14												
23M	10	1755	192.0	193.0	1.0	0.77	77.0	1	0.77	0.77	192.00	192.77		
								Totals:	0.77	0.77				

**Table T2 (continued).**

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
24H	10	1825	193.0	202.5	9.5	10.08	106.1							
								1	1.50	1.50	193.00	194.50		
								2	1.50	1.50	194.50	196.00		
								3	1.50	1.50	196.00	197.50		
								4	1.50	1.50	197.50	199.00	IW	
								5	1.50	1.50	199.00	200.50	HS	
								6	1.50	1.50	200.50	202.00		
								7	0.78	0.78	202.00	202.78		
								CC (w/7)	0.30	0.30	202.78	203.08	PAL	
								Totals:	10.08	10.08				
25H	10	1900	202.5	212.0	9.5	10.05	105.8							
								1	1.50	1.50	202.50	204.00		
								2	1.50	1.50	204.00	205.50		
								3	1.50	1.50	205.50	207.00		
								4	1.50	1.50	207.00	208.50	IW	
								5	1.50	1.50	208.50	210.00	HS	
								6	1.50	1.50	210.00	211.50		
								7	0.76	0.76	211.50	212.26		
								CC (w/7)	0.29	0.29	212.26	212.55	PAL	
								Totals:	10.05	10.05				
26H	10	1930	212.0	221.5	9.5	10.07	106.0							
								1	1.50	1.50	212.00	213.50		
								2	1.50	1.50	213.50	215.00		
								3	1.50	1.50	215.00	216.50		
								4	1.50	1.50	216.50	218.00	IW	
								5	1.50	1.50	218.00	219.50	HS	
								6	1.50	1.50	219.50	221.00		
								7	0.82	0.82	221.00	221.82		
								CC (w/7)	0.25	0.25	221.82	222.07	PAL	
								Totals:	10.07	10.07				
27H	10	2000	221.5	231.0	9.5	9.98	105.1							
								1	1.50	1.50	221.50	223.00		
								2	1.50	1.50	223.00	224.50		
								3	1.50	1.50	224.50	226.00		
								4	1.50	1.50	226.00	227.50	IW	
								5	1.50	1.50	227.50	229.00	HS	
								6	1.50	1.50	229.00	230.50		
								7	0.83	0.83	230.50	231.33		
								CC (w/7)	0.15	0.15	231.33	231.48	PAL	
								Totals:	9.98	9.98				
28M	10	2135	231.0	232.0	1.0	0.00	0.0							
29H	10	2355	232.0	241.5	9.5	9.86	103.8							
								1	1.50	1.50	232.00	233.50		
								2	1.50	1.50	233.50	235.00		
								3	1.50	1.50	235.00	236.50		
								4	1.50	1.50	236.50	238.00	IW	
								5	1.50	1.50	238.00	239.50	HS	
								6	1.50	1.50	239.50	241.00		
								7	0.71	0.71	241.00	241.71		
								CC (w/7)	0.15	0.15	241.71	241.86	PAL	
								Totals:	9.86	9.86				
30M	11	0450	241.5	242.5	1.0	0.00	0.0							
				Totals:	242.5	243.46	100.4							
194-1192B- 1H	11	1155	0.0	2.4	2.4	2.44	101.7							
								1	1.50	1.50	0.00	1.50		
								2	0.81	0.81	1.50	2.31		
								CC (w/2)	0.13	0.13	2.31	2.44	PAL	
								Totals:	2.44	2.44				
20	11	1545	2.4	179.9	0.0	0.00	NA							
2M	11	1645	179.9	180.9	1.0	0.84	84.0							
								1	0.84	0.84	179.90	180.74		
								Totals:	0.84	0.84				

**Table T2 (continued).**

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
3M	11	1745	180.9	181.9	1.0	0.00	0.0							
4H	11	1945	181.9	191.4	9.5	9.74	102.5							
								1	1.50	1.50	181.90	183.40		
								2	1.50	1.50	183.40	184.90		
								3	1.50	1.50	184.90	186.40		
								4	1.50	1.50	186.40	187.90		
								5	1.50	1.50	187.90	189.40	HS	
								6	1.50	1.50	189.40	190.90		
								7	0.45	0.45	190.90	191.35		
								CC (w/7)	0.29	0.29	191.35	191.64	PAL	
								Totals:	9.74	9.74				
5H	11	2020	191.4	200.9	9.5	10.04	105.7							
								1	1.50	1.50	191.40	192.90		
								2	1.50	1.50	192.90	194.40		
								3	1.50	1.50	194.40	195.90		
								4	1.50	1.50	195.90	197.40		
								5	1.50	1.50	197.40	198.90	HS	
								6	1.50	1.50	198.90	200.40		
								7	0.80	0.80	200.40	201.20		
								CC (w/7)	0.24	0.24	201.20	201.44	PAL	
								Totals:	10.04	10.04				
6H	11	2045	200.9	210.4	9.5	10.09	106.2							
								1	1.50	1.50	200.90	202.40		
								2	1.50	1.50	202.40	203.90		
								3	1.50	1.50	203.90	205.40		
								4	1.50	1.50	205.40	206.90		
								5	1.50	1.50	206.90	208.40	HS	
								6	1.50	1.50	208.40	209.90		
								7	0.82	0.82	209.90	210.72		
								CC (w/7)	0.27	0.27	210.72	210.99	PAL	
								Totals:	10.09	10.09				
7H	11	2110	210.4	219.9	9.5	1.09	11.5							
								1	0.80	0.80	210.40	211.20		
								CC (w/1)	0.29	0.29	211.20	211.49	PAL	
								Totals:	1.09	1.09				
8H	11	2150	219.9	229.4	9.5	10.16	106.9							
								1	1.50	1.50	219.90	221.40		
								2	1.50	1.50	221.40	222.90		
								3	1.50	1.50	222.90	224.40		
								4	1.50	1.50	224.40	225.90	IW	
								5	1.50	1.50	225.90	227.40	HS	
								6	1.50	1.50	227.40	228.90		
								7	0.89	0.89	228.90	229.79		
								CC (w/7)	0.27	0.27	229.79	230.06	PAL	
								Totals:	10.16	10.16				
9X	11	2300	229.4	239.0	9.6	7.58	79.0							
								1	1.50	1.50	229.40	230.90		
								2	1.50	1.50	230.90	232.40		
								3	1.50	1.50	232.40	233.90		
								4	1.50	1.50	233.90	235.40	IW	
								5	1.33	1.33	235.40	236.73	HS	
								CC (w/CC)	0.25	0.25	236.73	236.98	PAL	
								Totals:	7.58	7.58				
10X	11	2345	239.0	248.6	9.6	6.77	70.5							
								1	1.50	1.50	239.00	240.50		
								2	1.50	1.50	240.50	242.00		
								3	1.50	1.50	242.00	243.50	IW	
								4	1.00	1.00	243.50	244.50	HS	
								5	0.88	0.88	244.50	245.38		
								CC (w/5)	0.39	0.39	245.38	245.77	PAL	
								Totals:	6.77	6.77				
11X	12	0025	248.6	258.2	9.6	0.23	2.4							
								CC (w/CC)	0.23	0.23	248.60	248.83	PAL	
								Totals:	0.23	0.23				
12X	12	0055	258.2	267.8	9.6	5.28	55.0							
								1	1.50	1.50	258.20	259.70		
								2	1.50	1.50	259.70	261.20	IW	

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment	
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom			
13X	12	0130	267.8	277.5	9.7	0.35	3.6	3	1.50	1.50	261.20	262.70	HS		
								4	0.41	0.41	262.70	263.11			
								CC (w/4)	0.37	0.37	263.11	263.48	PAL		
								Totals:	5.28	5.28					
14X	12	0210	277.5	287.1	9.6	0.21	2.2	CC (w/CC)	0.35	0.35	267.80	268.15	PAL		
								Totals:	0.35	0.35					
15X	12	0250	287.1	296.8	9.7	4.81	49.6	CC (w/CC)	0.21	0.21	277.50	277.71	PAL		
								Totals:	0.21	0.21					
								1	1.50	1.50	287.10	288.60			
								2	1.50	1.50	288.60	290.10	IW		
16X	12	0320	296.8	306.4	9.6	4.64	48.3	3	1.43	1.43	290.10	291.53	HS		
								CC (w/CC)	0.38	0.38	291.53	291.91	PAL		
								Totals:	4.81	4.81					
								1	1.50	1.50	296.80	298.30			
17X	12	0600	306.4	316.0	9.6	7.01	73.0	2	1.50	1.50	298.30	299.80	IW		
								3	1.28	1.28	299.80	301.08	HS		
								CC (w/CC)	0.36	0.36	301.08	301.44	PAL		
								Totals:	4.64	4.64					
18X	12	0635	316.0	325.6	9.6	6.45	67.2	1	1.50	1.50	306.40	307.90			
								2	1.50	1.50	307.90	309.40			
								3	1.50	1.50	309.40	310.90	IW		
								4	1.50	1.50	310.90	312.40	HS		
								5	0.74	0.74	312.40	313.14			
								CC (w/5)	0.27	0.27	313.14	313.41	PAL		
19X	12	0910	325.6	335.2	9.6	7.92	82.5	Totals:	7.01	7.01					
								1	1.50	1.50	316.00	317.50			
								2	1.50	1.50	317.50	319.00			
								3	1.50	1.50	319.00	320.50	IW		
								4	1.00	1.00	320.50	321.50	HS		
								5	0.52	0.52	321.50	322.02			
20M	12	1025	335.2	336.2	1.0	0.27	27.0	CC (w/5)	0.43	0.43	322.02	322.45	PAL		
								Totals:	6.45	6.45					
								1	1.50	1.50	325.60	327.10			
								2	1.50	1.50	327.10	328.60			
								3	1.50	1.50	328.60	330.10			
								4	1.50	1.50	330.10	331.60	IW		
21X	12	1135	336.2	345.9	9.7	8.09	83.4	5	1.52	1.52	331.60	333.12	HS		
								CC (w/CC)	0.40	0.40	333.12	333.52	PAL		
								Totals:	7.92	7.92					
								1	0.27	0.27	335.20	335.47	PAL		
								Totals:	0.27	0.27					
								1	1.50	1.50	336.20	337.70			
22X	12	1650	345.9	355.5	9.6	1.10	11.5	2	1.50	1.50	337.70	339.20			
								3	1.50	1.50	339.20	340.70			
								4	1.50	1.50	340.70	342.20	IW		
								5	1.00	1.00	342.20	343.20	HS		
								6	0.66	0.66	343.20	343.86			
								CC (w/6)	0.43	0.43	343.86	344.29	PAL		
22X	12	1650	345.9	355.5	9.6	1.10	11.5	Totals:	8.09	8.09					
								1	0.81	0.81	345.90	346.71			
								CC (w/1)	0.29	0.29	346.71	347.00	PAL		
									Totals:	1.10	1.10				
					Totals:	178.0	105.11	59.10							

Notes: CC = core catcher (number in parentheses indicates which section the core catcher is stored with). Catwalk samples: IW = interstitial water, HS = headspace, PAL = paleontology sample. NA = not applicable.