

Table T2. Expanded coring summary, Site 1193. (See table notes. Continued on next seven pages.)

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
194-1193A- 1H	13	0050	0.0	6.6	6.6	6.63	100.5							
								1	1.50	1.50	0.00	1.50		
								2	1.50	1.50	1.50	3.00		
								3	1.50	1.50	3.00	4.50	IW	
								4	1.50	1.50	4.50	6.00	HS	
								5	0.45	0.45	6.00	6.45		
								CC (w/5)	0.18	0.18	6.45	6.63	PAL	
								Totals:	6.63	6.63				
2H	13	0130	6.6	16.1	9.5	9.42	99.2							
								1	1.50	1.50	6.60	8.10		
								2	1.50	1.50	8.10	9.60		
								3	1.50	1.50	9.60	11.10		
								4	1.50	1.50	11.10	12.60	IW	
								5	1.50	1.50	12.60	14.10	HS	
								6	1.01	1.01	14.10	15.11		
								7	0.63	0.63	15.11	15.74		
								CC (w/7)	0.28	0.28	15.74	16.02	PAL	
								Totals:	9.42	9.42				
3H	13	0205	16.1	25.6	9.5	9.99	105.2							
								1	1.50	1.50	16.10	17.60		
								2	1.50	1.50	17.60	19.10		
								3	1.50	1.50	19.10	20.60		
								4	1.50	1.50	20.60	22.10	IW	
								5	1.50	1.50	22.10	23.60	HS	
								6	1.50	1.50	23.60	25.10		
								7	0.72	0.72	25.10	25.82		
								CC (w/7)	0.27	0.27	25.82	26.09	PAL	
								Totals:	9.99	9.99				
4H	13	0225	25.6	35.1	9.5	9.82	103.4							
								1	1.50	1.50	25.60	27.10		
								2	1.50	1.50	27.10	28.60		
								3	1.50	1.50	28.60	30.10		
								4	1.50	1.50	30.10	31.60	IW	
								5	1.50	1.50	31.60	33.10	HS	
								6	1.50	1.50	33.10	34.60		
								7	0.65	0.65	34.60	35.25		
								CC (w/7)	0.17	0.17	35.25	35.42	PAL	
								Totals:	9.82	9.82				
5H	13	0245	35.1	37.1	2.0	1.55	77.5							
								1	1.50	1.50	35.10	36.60		
								CC (w/CC)	0.05	0.05	36.60	36.65	PAL	
								Totals:	1.55	1.55				
6X	13	0525	37.1	41.9	4.8	0.35	7.3							
								CC (w/CC)	0.35	0.50	37.10	37.60		
								Totals:	0.35	0.50				
7X	13	0650	41.9	51.3	9.4	1.37	14.6							
								1	0.98	1.47	41.90	43.37		
								2	0.39	0.0				
								Totals:	1.37	1.47				
8X	13	0800	51.3	56.1	4.8	0.00	0.0							
9X	13	0900	56.1	61.2	5.1	0.05	1.0							
								1	0.05	0.05	56.10	56.15		
								Totals:	0.05	0.05				
10X	13	1010	61.2	66.1	4.9	0.29	5.9							
								1	0.29	0.31	61.20	61.51		
								Totals:	0.29	0.31				
11X	13	1055	66.1	70.9	4.8	0.25	5.2							
								1	0.25	0.25	66.10	66.35		
								Totals:	0.25	0.25				
12X	13	1155	70.9	75.7	4.8	0.25	5.2							
								1	0.25	0.29	70.90	71.19		
								Totals:	0.25	0.29				
13X	13	1250	75.7	80.5	4.8	0.08	1.7							
								1	0.08	0.08	75.70	75.78		
								Totals:	0.08	0.08				

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
14X	13	1345	80.5	85.3	4.8	0.10	2.1	1	0.10	0.10	80.50	80.60	PAL	
								Totals:	0.10	0.10				
15X	13	1440	85.3	90.1	4.8	0.13	2.7	1	0.13	0.13	85.30	85.43	PAL	
								Totals:	0.13	0.13				
16X	13	1550	90.1	99.7	9.6	0.33	3.4	1	0.33	0.33	90.10	90.43		
								Totals:	0.33	0.33				
17X	13	1635	99.7	104.5	4.8	0.00	0.0							
18X	13	1720	104.5	109.3	4.8	0.32	6.7	1	0.32	0.32	104.50	104.82		
								Totals:	0.32	0.32				
19X	13	1810	109.3	114.1	4.8	0.07	1.5	CC (w/CC)	0.07	0.07	109.30	109.37		
								Totals:	0.07	0.07				
20X	13	1905	114.1	118.9	4.8	0.21	4.4	CC (w/CC)	0.21	0.21	114.10	114.31	PAL	
								Totals:	0.21	0.21				
21X	13	2005	118.9	123.7	4.8	0.21	4.4	CC (w/CC)	0.21	0.30	118.90	119.20	PAL	
								Totals:	0.21	0.30				
22X	13	2105	123.7	128.5	4.8	0.20	4.2	CC (w/CC)	0.20	0.28	123.70	123.98	PAL	
								Totals:	0.20	0.28				
23X	13	2155	128.5	133.3	4.8	0.23	4.8	CC (w/CC)	0.23	0.22	128.50	128.72	PAL	
								Totals:	0.23	0.22				
24X	13	2240	133.3	138.1	4.8	0.11	2.3	CC (w/CC)	0.11	0.14	133.30	133.44	PAL	
								Totals:	0.11	0.14				
25X	13	2345	138.1	142.9	4.8	0.16	3.3	CC (w/CC)	0.16	0.23	138.10	138.33	PAL	
								Totals:	0.16	0.23				
26X	14	0055	142.9	147.7	4.8	0.26	5.4	1	0.26	0.26	142.90	143.16	PAL	
								Totals:	0.26	0.26				
27X	14	0205	147.7	152.5	4.8	0.51	10.6	CC (w/CC)	0.51	0.57	147.70	148.27	PAL	
								Totals:	0.51	0.57				
28X	14	0300	152.5	157.0	4.5	0.04	0.9	CC (w/CC)	0.04	0.04	152.50	152.54	PAL	All to PAL
								Totals:	0.04	0.04				
29X	14	0410	157.0	161.5	4.5	0.78	17.3	1	0.78	0.94	157.00	157.94	PAL	
								Totals:	0.78	0.94				
30X	14	0455	161.5	166.6	5.1	0.05	1.0	1	0.05	0.05	161.50	161.55	PAL	
								Totals:	0.05	0.05				
31X	14	0600	166.6	171.5	4.9	2.94	60.0	1	1.50	1.50	166.60	168.10	IW	
								2	1.08	1.08	168.10	169.18	HS	
								CC (w/CC)	0.36	0.36	169.18	169.54	PAL	
								Totals:	2.94	2.94				
32X	14	0640	171.5	176.3	4.8	2.26	47.1	1	1.50	1.50	171.50	173.00	IW	
								2	0.55	0.55	173.00	173.55		
								CC (w/2)	0.21	0.21	173.55	173.76	PAL	
								Totals:	2.26	2.26				
33X	14	0750	176.3	186.0	9.7	0.76	7.8	1	0.30	0.30	176.30	176.60		
								CC (w/1)	0.46	0.46	176.60	177.06	PAL	
								Totals:	0.76	0.76				
34X	14	0825	186.0	190.8	4.8	0.05	1.0	1	0.05	0.05	186.00	186.05		
								Totals:	0.05	0.05				

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
35X	14	0925	190.8	195.6	4.8	0.28	5.8	1	0.28	0.28	190.80	191.08		
								Totals:	0.28	0.28				
36X	14	1005	195.6	200.4	4.8	0.05	1.0	1	0.05	0.05	195.60	195.65	PAL	
								Totals:	0.05	0.05				
37X	14	1100	200.4	205.2	4.8	0.05	1.0	1	0.05	0.05	200.40	200.45		
								Totals:	0.05	0.05				
38X	14	1210	205.2	210.0	4.8	0.54	11.3	1	0.54	0.54	205.20	205.74	PAL	
								Totals:	0.54	0.54				
39X	14	1305	210.0	214.8	4.8	1.29	26.9	1	1.04	1.04	210.00	211.04	HS	
								CC (w/1)	0.25	0.25	211.04	211.29	PAL	
								Totals:	1.29	1.29				
40X	14	1405	214.8	219.6	4.8	0.19	4.0	1	0.19	0.19	214.80	214.99	PAL	
								Totals:	0.19	0.19				
41X	14	1505	219.6	224.4	4.8	3.29	68.5	1	1.50	1.50	219.60	221.10	IW	
								2	1.42	1.42	221.10	222.52	HS	
								CC (w/CC)	0.37	0.37	222.52	222.89	PAL	
								Totals:	3.29	3.29				
42X	14	1600	224.4	229.2	4.8	0.35	7.3	1	0.35	0.35	224.40	224.75		
									0.35	0.35				
43X	14	1700	229.2	234.0	4.8	4.56	95.0	1	1.50	1.50	229.20	230.70		
								2	1.50	1.50	230.70	232.20	IW	
								3	1.15	1.15	232.20	233.35	HS	
								CC (w/CC)	0.41	0.41	233.35	233.76	PAL	
								Totals:	4.56	4.56				
44X	14	1750	234.0	238.8	4.8	5.60	116.7	1	1.50	1.50	234.00	235.50		
								2	1.50	1.50	235.50	237.00	IW	
								3	1.50	1.50	237.00	238.50	HS	
								4	0.73	0.73	238.50	239.23		
								CC (w/4)	0.37	0.37	239.23	239.60	PAL	
								Totals:	5.60	5.60				
45X	14	1845	238.8	243.6	4.8	7.03	146.5	1	1.50	1.50	238.80	240.30		
								2	1.50	1.50	240.30	241.80		
								3	1.50	1.50	241.80	243.30	IW	
								4	1.50	1.50	243.30	244.80	HS	
								5	0.59	0.59	244.80	245.39		
								CC (w/5)	0.44	0.44	245.39	245.83	PAL	
								Totals:	7.03	7.03				
46X	14	1940	243.6	253.1	9.5	6.27	66.0	1	1.50	1.50	243.60	245.10		
								2	1.50	1.50	245.10	246.60		
								3	1.50	1.50	246.60	248.10	IW	
								4	1.38	1.38	248.10	249.48	HS	
								CC (w/CC)	0.39	0.39	249.48	249.87		
								Totals:	6.27	6.27				
47X	14	2050	253.1	262.7	9.6	8.76	91.3	1	1.50	1.50	253.10	254.60		
								2	1.50	1.50	254.60	256.10		
								3	1.50	1.50	256.10	257.60		
								4	1.50	1.50	257.60	259.10	IW	
								5	1.50	1.50	259.10	260.60	HS	
								6	0.92	0.92	260.60	261.52		
								CC (w/6)	0.34	0.34	261.52	261.86	PAL	
								Totals:	8.76	8.76				
48X	14	2140	262.7	272.3	9.6	3.81	39.7	1	1.50	1.50	262.70	264.20		
								2	1.00	1.00	264.20	265.20	IW	
								3	0.86	0.86	265.20	266.06	HS	

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment			
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom					
49X	14	2230	272.3	281.9	9.6	3.53	36.8	CC (w/3)	0.45	0.45	266.06	266.51	PAL				
								Totals:	3.81	3.81							
								1	1.50	1.50					272.30	273.80	IW
								2	1.00	1.00					273.80	274.80	HS
50X	14	2335	281.9	291.5	9.6	3.57	37.2	3	0.63	0.63	274.80	275.43	PAL				
								CC (w/3)	0.40	0.40	275.43	275.83					
								Totals:	3.53	3.53							
								1	1.50	1.50	281.90	283.40			IW		
51X	15	0025	291.5	301.1	9.6	5.01	52.2	2	1.00	1.00	283.40	284.40	HS				
								3	0.68	0.68	284.40	285.08	PAL				
								CC (w/3)	0.39	0.39	285.08	285.47					
								Totals:	3.57	3.57							
52X	15	0120	301.1	310.7	9.6	2.33	24.3	1	1.50	1.50	291.50	293.00	PAL				
								2	1.50	1.50	293.00	294.50			IW		
								3	1.00	1.00	294.50	295.50			HS		
								4	0.64	0.64	295.50	296.14			PAL		
CC (w/4)	0.37	0.37	296.14	296.51													
Totals:	5.01	5.01															
53X	15	0200	310.7	315.5	4.8	2.18	45.4	1	1.50	1.50	301.10	302.60	PAL				
								2	0.42	0.42	302.60	303.02					
								CC (w/2)	0.41	0.41	303.02	303.43					
								Totals:	2.33	2.33							
54X	15	0245	315.5	320.4	4.9	1.76	35.9	1	1.00	1.00	310.70	311.70	HS, IW				
								2	0.96	0.96	311.70	312.66					
								CC (w/2)	0.22	0.22	312.66	312.88					
								Totals:	2.18	2.18							
55X	15	0330	320.4	325.2	4.8	0.42	8.8	1	1.39	1.39	315.50	316.89	PAL				
								CC (w/CC)	0.37	0.37	316.89	317.26					
								Totals:	1.76	1.76							
56X	15	0440	325.2	330.1	4.9	0.45	9.2	CC (w/CC)	0.42	0.42	320.40	320.82	PAL				
								Totals:	0.42	0.42							
								CC (w/CC)	0.45	0.45	325.20	325.65			PAL		
Totals:	0.45	0.45															
57X	15	0620	330.1	339.7	9.6	2.61	27.2	1	1.50	1.50	330.10	331.60	PAL				
								2	0.67	0.67	331.60	332.27			IW		
								CC (w/2)	0.44	0.44	332.27	332.71					
								Totals:	2.61	2.61							
58X	15	0725	339.7	349.4	9.7	9.48	97.7	1	1.50	1.50	339.70	341.20	PAL				
								2	1.50	1.50	341.20	342.70					
								3	1.50	1.50	342.70	344.20					
								4	1.36	1.36	344.20	345.56			IW		
								5	1.47	1.47	345.56	347.03			HS		
								6	1.12	1.12	347.03	348.15					
								7	0.80	0.80	348.15	348.95					
								CC (w/7)	0.23	0.23	348.95	349.18					
								Totals:	9.48	9.48							
								59X	15	0855	349.4	359.0			9.6	8.75	91.1
2	1.30	1.30	350.92	352.22													
3	1.50	1.50	352.22	353.72													
4	1.53	1.53	353.72	355.25													
5	1.46	1.46	355.25	356.71	IW												
6	1.22	1.22	356.71	357.93													
CC (w/6)	0.22	0.22	357.93	358.15													
Totals:	8.75	8.75															
60X	15	1050	359.0	368.7	9.7	8.33	85.9	1	1.47	1.47	359.00	360.47	PAL				
								2	1.45	1.45	360.47	361.92					

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
61X	15	1200	368.7	378.3	9.6	8.90	92.7	3	1.50	1.50	361.92	363.42		
								4	1.50	1.50	363.42	364.92	IW	
								5	1.50	1.50	364.92	366.42	HS	
								6	0.50	0.50	366.42	366.92		
								CC (w/6)	0.41	0.41	366.92	367.33	PAL	
								Totals:	8.33	8.33				
								1	1.35	1.35	368.70	370.05		
								2	1.39	1.39	370.05	371.44		
								3	1.50	1.50	371.44	372.94		
								4	1.46	1.46	372.94	374.40		
5	1.40	1.40	374.40	375.80	IW									
6	1.37	1.37	375.80	377.17	HS									
CC (w/CC)	0.43	0.43	377.17	377.60	PAL									
Totals:	8.90	8.90												
62X	15	1335	378.3	387.9	9.6	7.49	78.0	1	1.53	1.53	378.30	379.83		
								2	1.50	1.50	379.83	381.33		
								3	1.50	1.50	381.33	382.83		
								4	1.50	1.50	382.83	384.33	IW	
								5	1.07	1.07	384.33	385.40	HS	
								CC (w/5)	0.39	0.39	385.40	385.79	PAL	
								Totals:	7.49	7.49				
								1	1.33	1.33	387.90	389.23	IW	
								2	0.81	0.81	389.23	390.04	HS	
								CC (w/2)	0.21	0.21	390.04	390.25	PAL	
Totals:	2.35	2.35												
63X	15	1455	387.9	397.6	9.7	2.35	24.2	1	1.33	1.33	387.90	389.23	IW	
								2	0.81	0.81	389.23	390.04	HS	
								CC (w/2)	0.21	0.21	390.04	390.25	PAL	
Totals:	2.35	2.35												
64X	15	1600	397.6	407.2	9.6	0.89	9.3	1	0.46	0.46	397.60	398.06		
								CC (w/1)	0.43	0.43	398.06	398.49	PAL	
								Totals:	0.89	0.89				
65X	15	1650	407.2	412.0	4.8	0.52	10.8	CC (w/CC)	0.52	0.52	407.20	407.72	PAL	
								Totals:	0.52	0.52				
66X	15	1745	412.0	416.8	4.8	0.87	18.1	1	0.62	0.62	412.00	412.62		
								CC (w/1)	0.25	0.25	412.62	412.87	PAL	
								Totals:	0.87	0.87				
67X	15	1830	416.8	421.6	4.8	0.29	6.0	CC (w/CC)	0.29	0.29	416.80	417.09	PAL	
								Totals:	0.29	0.29				
68X	15	1940	421.6	426.4	4.8	0.57	11.9	CC (w/CC)	0.57	0.57	421.60	422.17	PAL	
								Totals:	0.57	0.57				
69X	15	2035	426.4	431.2	4.8	0.35	7.3	CC (w/CC)	0.35	0.35	426.40	426.75	PAL	
								Totals:	0.35	0.35				
70X	15	2115	431.2	436.0	4.8	0.15	3.1	CC (w/CC)	0.15	0.15	431.20	431.35	PAL	
								Totals:	0.15	0.15				
71X	15	2200	436.0	440.8	4.8	0.00	0.0							
72X	15	2235	440.8	445.6	4.8	0.00	0.0							
73X	15	2335	445.6	450.4	4.8	0.12	2.5	CC (w/CC)	0.12	0.12	445.60	445.72	PAL	
								Totals:	0.12	0.12				
74X	16	0815	450.4	455.2	4.8	0.00	0.0							
75X	16	0945	455.2	460.1	4.9	0.51	10.4	CC (w/CC)	0.51	0.51	455.20	455.71	PAL	
								Totals:	0.51	0.51				
76X	16	1045	460.1	464.9	4.8	0.60	12.5	1	0.60	0.60	460.10	460.70	PAL	
								Totals:	0.60	0.60				
77X	16	1200	464.9	469.7	4.8	0.33	6.9	CC (w/CC)	0.33	0.33	464.90	465.23	PAL	
								Totals:	0.33	0.33				

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
78X	16	1310	469.7	474.5	4.8	0.75	15.6							
								1	0.75	0.75	469.70	470.45	PAL	
								Totals:	0.75	0.75				
79X	16	1420	474.5	479.3	4.8	3.54	73.8							
								1	1.50	1.50	474.50	476.00	IW	
								2	1.00	1.00	476.00	477.00	HS	
								3	0.68	0.68	477.00	477.68		
								CC (w/3)	0.36	0.36	477.68	478.04	PAL	
								Totals:	3.54	3.54				
80X	16	1545	479.3	484.1	4.8	1.02	21.3							
								1	0.61	0.61	479.30	479.91	HS	
								CC (w/CC)	0.41	0.41	479.91	480.32	PAL	
								Totals:	1.02	1.02				
81X	16	1720	484.1	493.7	9.6	2.90	30.2							
								1	1.50	1.50	484.10	485.60	IW	
								2	1.18	1.18	485.60	486.78	HS	
								CC (w/2)	0.22	0.22	486.78	487.00	PAL	
								Totals:	2.90	2.90				
82X	16	1850	493.7	503.3	9.6	1.05	10.9							
								1	0.66	0.66	493.70	494.36		
								CC (w/1)	0.39	0.39	494.36	494.75	PAL	
								Totals:	1.05	1.05				
83X	16	2020	503.3	512.9	9.6	0.41	4.3							
								CC (w/CC)	0.41	0.41	503.30	503.71	PAL	
								Totals:	0.41	0.41				
84X	17	1245	512.9	515.0	2.1	0.00	0.0							
			Totals:		515.0	173.87	33.8							
194-1193B-10	17	1800	0.0	35.0	0.0	0.00	NA							
1R	17	2045	35.0	44.4	9.4	2.13	22.7							
								1	1.50	1.50	35.00	36.50		
								2	0.60	0.94	36.50	37.44		
								CC (w/2)	0.03	0.03	37.44	37.47	PAL	
								Totals:	2.13	2.47				
2R	17	2200	44.4	53.8	9.4	1.85	19.7							
								1	1.00	1.42	44.40	45.82		
								2	0.85	0.70	45.82	46.52		
								Totals:	1.85	2.12				
3Z	18	1645	53.8	58.5	4.7	0.24	5.1							
								1	0.24	0.37	53.80	54.17	PAL	
								Totals:	0.24	0.37				
4Z	19	0210	58.5	63.2	4.7	0.00	0.0							
5Z	19	1015	63.2	67.9	4.7	1.39	29.6							
								1	1.24	1.24	63.20	64.44		
								CC (w/1)	0.15	0.15	64.44	64.59	PAL	
								Totals:	1.39	1.39				
6Z	19	1140	67.9	71.8	3.9	1.11	28.5							
								1	1.05	1.31	67.90	69.21		
								CC (w/1)	0.06	0.06	69.21	69.27	PAL	
								Totals:	1.11	1.37				
7Z	19	1330	71.8	73.2	1.4	0.00	0.0							
8Z	19	1440	73.2	76.9	3.7	1.48	40.0							
								1	1.48	1.20	73.20	74.40		
								2	0.00	0.58	74.40	74.98		
								Totals:	1.48	1.78				
9Z	19	1550	76.9	81.6	4.7	0.93	19.8							
								1	0.86	0.84	76.90	77.74		
								CC (w/1)	0.07	0.07	77.74	77.81	PAL	
								Totals:	0.93	0.91				
10Z	19	1650	81.6	86.3	4.7	0.00	0.0							
11Z	19	1815	86.3	91.0	4.7	0.96	20.4							
								1	0.96	1.36	86.30	87.66	PAL, HS	
								Totals:	0.96	1.36				

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
12Z	19	2340	91.0	95.7	4.7	0.73	15.5							
								1	0.71	1.01	91.00	92.01	PAL	
								CC (NS)	0.02	0.02	92.01	92.03	PAL	
								Totals:	0.73	1.03				
13Z	20	0050	95.7	100.4	4.7	0.00	0.0							
14Z	20	0155	100.4	105.1	4.7	0.27	5.7							
								1	0.27	0.35	100.40	100.75	PAL	
								Totals:	0.27	0.35				
15Z	20	0310	105.1	109.8	4.7	0.00	0.0							
16Z	20	0420	109.8	114.5	4.7	0.31	6.6							
								1	0.31	0.45	109.80	110.25	PAL	
								Totals:	0.31	0.45				
17Z	20	0540	114.5	119.2	4.7	0.69	14.7							
								1	0.67	0.93	114.50	115.43		
								CC (w/1)	0.02	0.02	115.43	115.45	PAL	
								Totals:	0.69	0.95				
18Z	20	0640	119.2	123.9	4.7	0.00	0.0							
19Z	20	0730	123.9	128.6	4.7	0.20	4.3							
								1	0.20	0.24	123.90	124.14		
								Totals:	0.20	0.24				
20Z	20	0935	128.6	133.3	4.7	0.48	10.2							
								1	0.48	0.59	128.60	129.19		
								Totals:	0.48	0.59				
21Z	20	1055	133.3	138.0	4.7	0.00	0.0							
				Totals:	103	12.77	12.4							
194-1193C-10	20	1840	0.0	35.0	0.0	0.00	NA							
1R	20	2230	35.0	44.4	9.4	2.49	26.5							
								1	1.38	1.35	35.00	36.35		
								2	1.06	1.47	36.35	37.82	VASC	
								CC (w/2)	0.05	0.05	37.82	37.87	PAL	All to PAL
								Totals:	2.49	2.87				
2R	21	0040	44.4	51.4	7.0	1.06	15.1							
								1	1.03	1.19	44.40	45.59		
								CC (w/CC)	0.03	0.03	45.59	45.62	PAL	
								Totals:	1.06	1.22				
3R	21	0200	51.4	60.6	9.2	0.50	5.4							
								1	0.48	0.52	51.40	51.92		
								CC (w/1)	0.02	0.02	51.92	51.94	PAL	
								Totals:	0.50	0.54				
4R	21	0300	60.6	70.1	9.5	1.66	17.5							
								1	0.19	1.47	60.60	62.07	VASC	
								2	1.45	0.68	62.07	62.75		
								CC (w/2)	0.02	0.02	62.75	62.77	PAL	
								Totals:	1.66	2.17				
5I	21	2330	70.1	510.0	0.0	0.00	NA							
5R	22	0110	510.0	519.6	9.6	5.59	58.2							
								1	1.32	1.32	510.00	511.32		
								2	1.36	1.36	511.32	512.68		
								3	1.36	1.36	512.68	514.04		
								4	1.31	1.31	514.04	515.35		
								CC (w/CC)	0.24	0.24	515.35	515.59	PAL	
								Totals:	5.59	5.59				
6R	22	0225	519.6	529.3	9.7	2.40	24.7							
								1	1.50	1.50	519.60	521.10		
								2	0.88	0.88	521.10	521.98		
								CC (w/CC)	0.02	0.02	521.98	522.00	PAL	
								Totals:	2.40	2.40				
7R	22	0345	529.3	538.9	9.6	1.92	20.0							
								1	0.25	1.50	529.30	530.80		
								2	1.38	1.05	530.80	531.85	PAL	
								CC (w/2)	0.29	0.00				
								Totals:	1.92	2.55				

Table T2 (continued).

Core	Date (Jan 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
8R	22	0525	538.9	548.5	9.6	5.45	56.8							
								1	1.26	1.26	538.90	540.16		
								2	1.42	1.42	540.16	541.58		
								3	1.49	1.49	541.58	543.07		
								4	0.99	0.99	543.07	544.06		
								CC (w/4)	0.29	0.29	544.06	544.35	PAL	
								Totals:	5.45	5.45				
					Totals:	73.6	21.07	28.6						

Notes: CC = core catcher (number in parentheses indicates which section the core catcher is stored with). Catwalk samples: IW = interstitial water, HS = headspace, VASC = sample request code, PAL = paleontology sample, NS = all of the core catcher was used for the paleontology sample, NA = not available.