

Table T2. Expanded coring summary, Site 1195. (See table notes. Continued on next seven pages.)

Core	Date (Jan. 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom	
194-1195A- 1H	26	0915	0.0	4.7	4.7	4.75	101.1						
								1	1.50	1.50	0.00	1.50	
								2	1.50	1.50	1.50	3.00	
								3	1.00	1.00	3.00	4.00	
								4	0.59	0.59	4.00	4.59	
								CC (w/4)	0.16	0.16	4.59	4.75	PAL
								Totals:	4.75	4.75			
2H	26	0945	4.7	14.2	9.5	9.57	100.7						
								1	1.50	1.50	4.70	6.20	
								2	1.50	1.50	6.20	7.70	
								3	1.50	1.50	7.70	9.20	IW
								4	1.50	1.50	9.20	10.70	HS
								5	1.50	1.50	10.70	12.20	
								6	1.50	1.50	12.20	13.70	
								7	0.39	0.39	13.70	14.09	
								CC (w/7)	0.18	0.18	14.09	14.27	PAL
								Totals:	9.57	9.57			
3H	26	1010	14.2	23.7	9.5	9.50	100.0						
								1	1.50	1.50	14.20	15.70	
								2	1.50	1.50	15.70	17.20	
								3	1.50	1.50	17.20	18.70	
								4	1.50	1.50	18.70	20.20	IW
								5	1.50	1.50	20.20	21.70	HS
								6	1.50	1.50	21.70	23.20	
								7	0.30	0.30	23.20	23.50	
								CC (w/7)	0.20	0.20	23.50	23.70	PAL
								Totals:	9.50	9.50			
4H	26	1105	23.7	33.2	9.5	9.46	99.6						
								1	1.50	1.50	23.70	25.20	
								2	1.50	1.50	25.20	26.70	
								3	1.50	1.50	26.70	28.20	
								4	1.50	1.50	28.20	29.70	IW
								5	1.50	1.50	29.70	31.20	HS
								6	1.50	1.50	31.20	32.70	
								7	0.29	0.29	32.70	32.99	
								CC (w/7)	0.17	0.17	32.99	33.16	PAL
								Totals:	9.46	9.46			
5H	26	1130	33.2	42.7	9.5	9.26	97.5						
								1	1.50	1.50	33.20	34.70	
								2	1.50	1.50	34.70	36.20	
								3	1.50	1.50	36.20	37.70	
								4	1.50	1.50	37.70	39.20	IW
								5	1.50	1.50	39.20	40.70	HS
								6	1.20	1.20	40.70	41.90	
								7	0.39	0.39	41.90	42.29	
								CC (w/7)	0.17	0.17	42.29	42.46	PAL
								Totals:	9.26	9.26			
6H	26	1155	42.7	52.2	9.5	8.89	93.6						
								1	1.50	1.50	42.70	44.20	
								2	1.50	1.50	44.20	45.70	
								3	1.50	1.50	45.70	47.20	
								4	1.50	1.50	47.20	48.70	IW
								5	1.50	1.50	48.70	50.20	HS
								6	1.15	1.15	50.20	51.35	
								CC (w/6)	0.24	0.24	51.35	51.59	PAL
								Totals:	8.89	8.89			
7H	26	1235	52.2	61.7	9.5	8.63	90.8						
								1	1.50	1.50	52.20	53.70	
								2	1.50	1.50	53.70	55.20	
								3	1.50	1.50	55.20	56.70	
								4	1.50	1.50	56.70	58.20	IW
								5	1.50	1.50	58.20	59.70	HS
								6	0.90	0.90	59.70	60.60	
								CC (w/6)	0.23	0.23	60.60	60.83	PAL
								Totals:	8.63	8.63			
8H	26	1330	61.7	71.2	9.5	9.43	99.3						
								1	1.50	1.50	61.70	63.20	

Table T2 (continued).

Core	Date (Jan. 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom	
								2	1.50	1.50	63.20	64.70	
								3	1.50	1.50	64.70	66.20	
								4	1.50	1.50	66.20	67.70	IW
								5	1.50	1.50	67.70	69.20	HS
								6	1.20	1.20	69.20	70.40	
								7	0.57	0.57	70.40	70.97	
								CC (w/7)	0.16	0.16	70.97	71.13	PAL
								Totals:	9.43	9.43			
9H	26	1815	71.2	80.7	9.5	9.78	102.9						
								1	1.00	1.00	71.20	72.20	
								2	0.90	0.90	72.20	73.12	
								3	1.50	1.50	73.12	74.62	
								4	1.50	1.50	74.62	76.12	
								5	1.50	1.50	76.12	77.62	IW
								6	1.50	1.50	77.62	79.12	HS
								7	1.00	1.00	79.12	80.12	
								8	0.63	0.63	80.12	80.75	
								CC (w/8)	0.23	0.23	80.75	80.98	PAL
								Totals:	9.78	9.78			
								Totals:	80.7	79.27	98.2		
194-1195B-													
1H	26	2245	0.0	8.4	8.4	8.41	100.1						
								1	1.50	1.50	0.00	1.50	
								2	1.50	1.50	1.50	3.00	
								3	1.50	1.50	3.00	4.50	
								4	1.50	1.50	4.50	6.00	
								5	1.50	1.50	6.00	7.50	
								6	0.76	0.76	7.50	8.26	
								CC (w/6)	0.15	0.15	8.26	8.41	PAL
								Totals:	8.41	8.41			
2H	26	2320	8.4	17.9	9.5	9.14	96.2						
								1	1.50	1.50	8.40	9.90	
								2	1.50	1.50	9.90	11.40	
								3	1.50	1.50	11.40	12.90	
								4	1.50	1.50	12.90	14.40	
								5	1.50	1.50	14.40	15.90	
								6	1.50	1.50	15.90	17.40	
								CC (w/CC)	0.14	0.14	17.40	17.54	PAL
								Totals:	9.14	9.14			
3H	26	2350	17.9	27.4	9.5	9.36	98.5						
								1	1.50	1.50	17.90	19.40	
								2	1.50	1.50	19.40	20.90	
								3	1.50	1.50	20.90	22.40	
								4	1.50	1.50	22.40	23.90	
								5	1.50	1.50	23.90	25.40	
								6	1.20	1.20	25.40	26.60	
								7	0.51	0.51	26.60	27.11	
								CC (w/7)	0.15	0.15	27.11	27.26	PAL
								Totals:	9.36	9.36			
4H	27	0020	27.4	36.9	9.5	9.52	100.2						
								1	1.50	1.50	27.40	28.90	
								2	1.50	1.50	28.90	30.40	
								3	1.50	1.50	30.40	31.90	
								4	1.50	1.50	31.90	33.40	
								5	1.50	1.50	33.40	34.90	
								6	1.50	1.50	34.90	36.40	
								7	0.34	0.34	36.40	36.74	
								CC (w/7)	0.18	0.18	36.74	36.92	PAL
								Totals:	9.52	9.52			
5H	27	0050	36.9	46.4	9.5	9.02	94.9						
								1	1.50	1.50	36.90	38.40	
								2	1.50	1.50	38.40	39.90	
								3	1.50	1.50	39.90	41.40	
								4	1.50	1.50	41.40	42.90	
								5	1.50	1.50	42.90	44.40	
								6	1.30	1.30	44.40	45.70	
								CC (w/CC)	0.22	0.22	45.70	45.92	PAL
								Totals:	9.02	9.02			

Table T2 (continued).

Core	Date (Jan. 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom	
6H	27	0120	46.4	55.9	9.5	9.17	96.5						
								1	1.50	1.50	46.40	47.90	
								2	1.50	1.50	47.90	49.40	
								3	1.50	1.50	49.40	50.90	
								4	1.50	1.50	50.90	52.40	
								5	1.50	1.50	52.40	53.90	
								6	1.49	1.49	53.90	55.39	
								CC (w/CC)	0.18	0.18	55.39	55.57	PAL
Totals:	9.17	9.17											
7H	27	0145	55.9	65.4	9.5	9.88	104.0						
								1	1.50	1.50	55.90	57.40	
								2	1.50	1.50	57.40	58.90	
								3	1.50	1.50	58.90	60.40	
								4	1.50	1.50	60.40	61.90	
								5	1.50	1.50	61.90	63.40	
								6	1.50	1.50	63.40	64.90	
								7	0.70	0.70	64.90	65.60	
CC (w/7)	0.18	0.18	65.60	65.78	PAL								
Totals:	9.88	9.88											
8H	27	0215	65.4	74.9	9.5	9.01	94.8						
								1	1.50	1.50	65.40	66.90	
								2	1.50	1.50	66.90	68.40	
								3	1.50	1.50	68.40	69.90	
								4	1.50	1.50	69.90	71.40	
								5	1.50	1.50	71.40	72.90	
								6	1.34	1.34	72.90	74.24	
								CC (w/CC)	0.17	0.17	74.24	74.41	PAL
Totals:	9.01	9.01											
9H	27	0245	74.9	84.4	9.5	9.62	101.3						
								1	1.50	1.50	74.90	76.40	
								2	1.50	1.50	76.40	77.90	
								3	1.50	1.50	77.90	79.40	
								4	1.50	1.50	79.40	80.90	
								5	1.50	1.50	80.90	82.40	
								6	1.50	1.50	82.40	83.90	
								7	0.51	0.51	83.90	84.41	
CC (w/7)	0.11	0.11	84.41	84.52	PAL								
Totals:	9.62	9.62											
10H	27	0315	84.4	93.9	9.5	9.75	102.6						
								1	1.50	1.50	84.40	85.90	
								2	1.50	1.50	85.90	87.40	
								3	1.50	1.50	87.40	88.90	
								4	1.50	1.50	88.90	90.40	IW
								5	1.50	1.50	90.40	91.90	HS
								6	1.50	1.50	91.90	93.40	
								7	0.57	0.57	93.40	93.97	
CC (w/7)	0.18	0.18	93.97	94.15	PAL								
Totals:	9.75	9.75											
11H	27	0345	93.9	103.4	9.5	9.60	101.1						
								1	1.50	1.50	93.90	95.40	
								2	1.50	1.50	95.40	96.90	
								3	1.50	1.50	96.90	98.40	
								4	1.50	1.50	98.40	99.90	IW
								5	1.50	1.50	99.90	101.40	HS
								6	1.50	1.50	101.40	102.90	
								7	0.42	0.42	102.90	103.32	
CC (w/7)	0.18	0.18	103.32	103.50	PAL								
Totals:	9.60	9.60											
12H	27	0420	103.4	112.9	9.5	9.64	101.5						
								1	1.50	1.50	103.40	104.90	
								2	1.50	1.50	104.90	106.40	
								3	1.50	1.50	106.40	107.90	
								4	1.50	1.50	107.90	109.40	IW
								5	1.50	1.50	109.40	110.90	HS
								6	1.50	1.50	110.90	112.40	
								7	0.49	0.49	112.40	112.89	
CC (w/7)	0.15	0.15	112.89	113.04	PAL								
Totals:	9.64	9.64											

Table T2 (continued).

Core	Date (Jan. 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom	
13H	27	0605	112.9	122.4	9.5	9.95	104.7						
								1	1.50	1.50	112.90	114.40	
								2	1.50	1.50	114.40	115.90	
								3	1.50	1.50	115.90	117.40	
								4	1.50	1.50	117.40	118.90	IW
								5	1.50	1.50	118.90	120.40	HS
								6	1.50	1.50	120.40	121.90	
								7	0.80	0.80	121.90	122.70	
								CC (w/7)	0.15	0.15	122.70	122.85	PAL
								Totals:	9.95	9.95			
14H	27	0630	122.4	131.9	9.5	9.79	103.1						
								1	1.50	1.50	122.40	123.90	
								2	1.50	1.50	123.90	125.40	
								3	1.50	1.50	125.40	126.90	
								4	1.50	1.50	126.90	128.40	IW
								5	1.50	1.50	128.40	129.90	HS
								6	1.50	1.50	129.90	131.40	
								7	0.65	0.65	131.40	132.05	
								CC (w/7)	0.14	0.14	132.05	132.19	PAL
								Totals:	9.79	9.79			
15H	27	0700	131.9	141.4	9.5	9.79	103.1						
								1	1.50	1.50	131.90	133.40	
								2	1.50	1.50	133.40	134.90	
								3	1.50	1.50	134.90	136.40	
								4	1.50	1.50	136.40	137.90	IW
								5	1.50	1.50	137.90	139.40	HS
								6	1.50	1.50	139.40	140.90	
								7	0.58	0.58	140.90	141.48	
								CC (w/7)	0.21	0.21	141.48	141.69	PAL
								Totals:	9.79	9.79			
16H	27	0730	141.4	150.9	9.5	9.57	100.7						
								1	1.50	1.50	141.40	142.90	
								2	1.50	1.50	142.90	144.40	
								3	1.50	1.50	144.40	145.90	
								4	1.50	1.50	145.90	147.40	IW
								5	1.50	1.50	147.40	148.90	HS
								6	1.50	1.50	148.90	150.40	
								7	0.40	0.40	150.40	150.80	
								CC (w/7)	0.17	0.17	150.80	150.97	PAL
								Totals:	9.57	9.57			
17H	27	0855	150.9	160.4	9.5	9.85	103.7						
								1	1.50	1.50	150.90	152.40	
								2	1.50	1.50	152.40	153.90	
								3	1.50	1.50	153.90	155.40	
								4	1.50	1.50	155.40	156.90	IW
								5	1.50	1.50	156.90	158.40	HS
								6	1.50	1.50	158.40	159.90	
								7	0.64	0.64	159.90	160.54	
								CC (w/7)	0.21	0.21	160.54	160.75	PAL
								Totals:	9.85	9.85			
18H	27	0925	160.4	169.9	9.5	10.10	106.3						
								1	1.50	1.50	160.40	161.90	
								2	1.50	1.50	161.90	163.40	
								3	1.50	1.50	163.40	164.90	
								4	1.50	1.50	164.90	166.40	IW
								5	1.50	1.50	166.40	167.90	HS
								6	1.50	1.50	167.90	169.40	
								7	0.84	0.84	169.40	170.24	
								CC (w/7)	0.26	0.26	170.24	170.50	PAL
								Totals:	10.10	10.10			
19H	27	0945	169.9	179.4	9.5	9.99	105.2						
								1	1.50	1.50	169.90	171.40	
								2	1.50	1.50	171.40	172.90	
								3	1.50	1.50	172.90	174.40	
								4	1.50	1.50	174.40	175.90	IW
								5	1.50	1.50	175.90	177.40	HS
								6	1.50	1.50	177.40	178.90	
								7	0.78	0.78	178.90	179.68	

Table T2 (continued).

Core	Date (Jan. 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples									
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom										
20H	27	1020	179.4	188.9	9.5	9.98	105.1	CC (w/7)	0.21	0.21	179.68	179.89	PAL									
								Totals:	9.99	9.99												
								1	1.50	1.50	179.40	180.90										
								2	1.50	1.50	180.90	182.40										
								3	1.50	1.50	182.40	183.90										
								4	1.50	1.50	183.90	185.40	IW									
								5	1.50	1.50	185.40	186.90	HS									
								6	1.50	1.50	186.90	188.40										
								7	0.80	0.80	188.40	189.20										
								CC (w/7)	0.18	0.18	189.20	189.38	PAL									
21H	27	1045	188.9	198.4	9.5	10.06	105.9	Totals:	9.98	9.98												
								1	1.50	1.50	188.90	190.40										
								2	1.50	1.50	190.40	191.90										
								3	1.50	1.50	191.90	193.40										
								4	1.50	1.50	193.40	194.90	IW									
								5	1.50	1.50	194.90	196.40	HS									
								6	1.50	1.50	196.40	197.90										
								7	0.86	0.86	197.90	198.76										
								CC (w/7)	0.20	0.20	198.76	198.96	PAL									
								Totals:	10.06	10.06												
22H	27	1125	198.4	207.9	9.5	9.03	95.1	1	1.50	1.50	198.40	199.90										
								2	1.50	1.50	199.90	201.40										
								3	1.50	1.50	201.40	202.90										
								4	1.50	1.50	202.90	204.40	IW									
								5	1.45	1.45	204.40	205.85	HS									
								6	1.51	1.51	205.85	207.36										
								CC (w/CC)	0.07	0.07	207.36	207.43	PAL									
								Totals:	9.03	9.03												
								23X	27	1215	207.9	217.5	9.6	2.59	27.0	1	1.50	1.50	207.90	209.40	IW	
																2	0.87	0.87	209.40	210.27	HS	
CC (w/2)	0.22	0.22	210.27	210.49	PAL																	
Totals:	2.59	2.59																				
24X	27	1250	217.5	227.1	9.6	9.37	97.6	1	1.50	1.50	217.50	219.00										
								2	1.50	1.50	219.00	220.50										
								3	1.50	1.50	220.50	222.00										
								4	1.50	1.50	222.00	223.50	IW									
								5	1.50	1.50	223.50	225.00	HS									
								6	1.20	1.20	225.00	226.20										
								7	0.36	0.36	226.20	226.56										
								CC (w/7)	0.31	0.31	226.56	226.87	PAL									
								Totals:	9.37	9.37												
								25X	27	1315	227.1	236.7	9.6	9.96	103.8	1	1.50	1.50	227.10	228.60		
2	1.50	1.50	228.60	230.10																		
3	1.50	1.50	230.10	231.60																		
4	1.50	1.50	231.60	233.10	IW																	
5	1.50	1.50	233.10	234.60	HS																	
6	1.50	1.50	234.60	236.10																		
7	0.55	0.55	236.10	236.65																		
CC (w/7)	0.41	0.41	236.65	237.06	PAL																	
Totals:	9.96	9.96																				
26X	27	1345	236.7	246.3	9.6	6.67	69.5									1	1.47	1.47	236.70	238.17		
								2	1.50	1.50	238.17	239.67										
								3	1.50	1.50	239.67	241.17	IW									
								4	1.50	1.50	241.17	242.67	HS									
								5	0.39	0.39	242.67	243.06										
								CC (w/CC)	0.31	0.31	243.06	243.37	PAL									
								Totals:	6.67	6.67												
								27X	27	1405	246.3	255.9	9.6	9.63	100.3	1	1.50	1.50	246.30	247.80		
																2	1.50	1.50	247.80	249.30		
																3	1.50	1.50	249.30	250.80		

Table T2 (continued).

Core	Date (Jan. 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples								
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom									
28X	27	1430	255.9	265.5	9.6	7.73	80.5	4	1.50	1.50	250.80	252.30	IW								
								5	1.50	1.50	252.30	253.80	HS								
								6	1.50	1.50	253.80	255.30									
								7	0.29	0.29	255.30	255.59									
								CC (w/7)	0.34	0.34	255.59	255.93	PAL								
								Totals:	9.63	9.63											
								1	1.50	1.50	255.90	257.40									
								2	1.50	1.50	257.40	258.90									
								3	1.50	1.50	258.90	260.40	IW								
								4	1.50	1.50	260.40	261.90	HS								
29X	27	1500	265.5	275.1	9.6	9.10	94.8	5	1.43	1.43	261.90	263.33									
								CC (w/CC)	0.30	0.30	263.33	263.63	PAL								
								Totals:	7.73	7.73											
								1	1.50	1.50	265.50	267.00									
								2	1.50	1.50	267.00	268.50									
								3	1.50	1.50	268.50	270.00									
								4	1.50	1.50	270.00	271.50	IW								
								5	1.50	1.50	271.50	273.00	HS								
								6	1.43	1.43	273.00	274.43									
								CC (w/CC)	0.17	0.17	274.43	274.60	PAL								
30X	27	1530	275.1	284.6	9.5	5.70	60.0	Totals:	9.10	9.10											
								1	1.50	1.50	275.10	276.60									
								2	1.50	1.50	276.60	278.10	IW								
								3	1.50	1.50	278.10	279.60	HS								
								4	0.89	0.89	279.60	280.49									
								CC (w/4)	0.31	0.31	280.49	280.80	PAL								
								Totals:	5.70	5.70											
								31X	27	1605	284.6	294.2	9.6	1.37	14.3	1	1.37	1.37	284.60	285.97	PAL, HS
																Totals:	1.37	1.37			
								32X	27	1640	294.2	303.9	9.7	5.13	52.9	1	1.50	1.50	294.20	295.70	
2	1.50	1.50	295.70	297.20	IW																
3	1.50	1.50	297.20	298.70	HS																
4	0.29	0.29	298.70	298.99																	
CC (w/CC)	0.34	0.34	298.99	299.33	PAL																
Totals:	5.13	5.13																			
33X	27	1710	303.9	313.5	9.6	6.29	65.5									1	1.50	1.50	303.90	305.40	
																2	1.50	1.50	305.40	306.90	
																3	1.50	1.50	306.90	308.40	IW
																4	1.35	1.35	308.40	309.75	HS
								CC (w/CC)	0.44	0.44	309.75	310.19	PAL								
								Totals:	6.29	6.29											
								34X	27	1745	313.5	323.1	9.6	7.73	80.5	1	1.50	1.50	313.50	315.00	
																2	1.50	1.50	315.00	316.50	
																3	1.50	1.50	316.50	318.00	
																4	1.50	1.50	318.00	319.50	IW
5	1.22	1.22	319.50	320.72	HS																
CC (w/CC)	0.51	0.51	320.72	321.23	PAL																
Totals:	7.73	7.73																			
35X	27	1830	323.1	332.7	9.6	7.33	76.4									1	1.50	1.50	323.10	324.60	
																2	1.50	1.50	324.60	326.10	IW
																3	1.50	1.50	326.10	327.60	HS
								4	1.50	1.50	327.60	329.10									
								5	0.91	0.91	329.10	330.01									
								CC (w/5)	0.42	0.42	330.01	330.43	PAL								
								Totals:	7.33	7.33											
								36X	27	1915	332.7	342.3	9.6	6.06	63.1	1	1.50	1.50	332.70	334.20	
																2	1.50	1.50	334.20	335.70	IW
																3	1.50	1.50	335.70	337.20	HS
4	1.11	1.11	337.20	338.31																	

Table T2 (continued).

Core	Date (Jan. 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom	
47X	28	1030	438.8	448.4	9.6	7.41	77.2	6	1.18	1.18	436.30	437.48	PAL
								CC (w/CC)	0.39	0.39	437.48	437.87	
								Totals:	8.77	8.77			
								1	1.50	1.50	438.80	440.30	
48X	28	1150	448.4	458.0	9.6	9.66	100.6	2	1.45	1.45	440.30	441.75	HS, IW
								3	1.32	1.32	441.75	443.07	
								4	1.50	1.50	443.07	444.57	
								5	1.17	1.17	444.57	445.74	
								CC (w/CC)	0.47	0.47	445.74	446.21	PAL
								Totals:	7.41	7.41			
								1	1.50	1.50	448.40	449.90	IW HS
								2	1.50	1.50	449.90	451.40	
								3	1.50	1.50	451.40	452.90	
								4	1.50	1.50	452.90	454.40	
5	1.50	1.50	454.40	455.90									
6	1.50	1.50	455.90	457.40									
7	0.29	0.29	457.40	457.69									
CC (w/7)	0.37	0.37	457.69	458.06	PAL								
Totals:	9.66	9.66											
49X	28	1335	458.0	467.7	9.7	5.73	59.1	1	1.50	1.50	458.00	459.50	IW HS
								2	1.50	1.50	459.50	461.00	
								3	1.50	1.50	461.00	462.50	
								4	0.83	0.83	462.50	463.33	
CC (w/4)	0.40	0.40	463.33	463.73	PAL								
Totals:	5.73	5.73											
50X	28	1515	467.7	477.3	9.6	2.04	21.3	1	1.20	1.20	467.70	468.90	IW HS
								2	0.52	0.52	468.90	469.42	
								CC (w/2)	0.32	0.32	469.42	469.74	
Totals:	2.04	2.04											
51X	28	1650	477.3	486.9	9.6	2.98	31.0	1	1.50	1.50	477.30	478.80	IW HS PAL
								2	1.07	1.07	478.80	479.87	
								CC (w/2)	0.41	0.41	479.87	480.28	
								Totals:	2.98	2.98			
52X	28	1835	486.9	496.6	9.7	1.16	12.0	1	0.87	0.87	486.90	487.77	HS PAL
								CC (w/1)	0.29	0.29	487.77	488.06	
								Totals:	1.16	1.16			
53X	28	1935	496.6	506.2	9.6	0.54	5.6	CC (w/CC)	0.54	0.54	496.60	497.14	PAL, HS
								Totals:	0.54	0.54			
54X	28	2115	506.2	515.7	9.5	6.91	72.7	1	1.50	1.50	506.20	507.70	IW HS
								2	1.50	1.50	507.70	509.20	
								3	1.50	1.50	509.20	510.70	
								4	1.50	1.50	510.70	512.20	
								5	0.50	0.50	512.20	512.70	
								CC (w/5)	0.41	0.41	512.70	513.11	
Totals:	6.91	6.91											
55X	28	2330	515.7	521.2	5.5	2.00	36.4	1	1.43	1.43	515.70	517.13	IW HS PAL
								2	0.37	0.37	517.13	517.50	
								CC (w/2)	0.20	0.20	517.50	517.70	
								Totals:	2.00	2.00			
Totals:					521.2	399.52	76.7						

Notes: CC = core catcher (number in parentheses indicates which section the core catcher is stored with). Catwalk samples: PAL = paleontology sample, IW = interstitial water, HS = headspace.