

Table T2. Expanded coring summary, Site 1197. (See table notes. Continued on next six pages.)

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
194-1197A-1H	6	1235	0.0	6.1	6.1	6.15	100.8							
								1	1.50	1.50	0.00	1.50		
								2	1.50	1.50	1.50	3.00	PAL	
								3	1.50	1.50	3.00	4.50	IW	
								4	1.45	1.45	4.50	5.95	HS	
								CC (w/CC)	0.20	0.20	5.95	6.15	PAL	
								Totals:	6.15	6.15				
2H	6	1325	6.1	15.6	9.5	9.53	100.3							
								1	1.50	1.50	6.10	7.60		
								2	1.50	1.50	7.60	9.10		
								3	1.50	1.50	9.10	10.60		
								4	1.50	1.50	10.60	12.10	IW	
								5	1.50	1.50	12.10	13.60	HS	
								6	1.50	1.50	13.60	15.10		
								7	0.40	0.40	15.10	15.50		
								CC (w/7)	0.13	0.13	15.50	15.63	PAL	
								Totals:	9.53	9.53				
3H	6	1405	15.6	25.1	9.5	9.64	101.5							
								1	1.50	1.50	15.60	17.10		
								2	1.50	1.50	17.10	18.60		
								3	1.50	1.50	18.60	20.10		
								4	1.50	1.50	20.10	21.60	IW	
								5	1.50	1.50	21.60	23.10	HS	
								6	1.50	1.50	23.10	24.60		
								7	0.44	0.44	24.60	25.04		
								CC (w/CC)	0.20	0.20	25.04	25.24	PAL	
								Totals:	9.64	9.64				
4H	6	1455	25.1	34.6	9.5	9.79	103.1							
								1	1.50	1.50	25.10	26.60		
								2	1.50	1.50	26.60	28.10		
								3	1.50	1.50	28.10	29.60	PAL	
								4	1.50	1.50	29.60	31.10	IW	
								5	1.50	1.50	31.10	32.60	HS	
								6	1.50	1.50	32.60	34.10		
								7	0.64	0.64	34.10	34.74		
								CC (w/7)	0.15	0.15	34.74	34.89	PAL	
								Totals:	9.79	9.79				
5H	6	1525	34.6	44.1	9.5	9.62	101.3							
								1	1.50	1.50	34.60	36.10		
								2	1.50	1.50	36.10	37.60		
								3	1.50	1.50	37.60	39.10		
								4	1.50	1.50	39.10	40.60	IW	
								5	1.50	1.50	40.60	42.10	HS	
								6	1.50	1.50	42.10	43.60		
								7	0.44	0.44	43.60	44.04		
								CC (w/7)	0.18	0.18	44.04	44.22	PAL	
								Totals:	9.62	9.62				
6H	6	1550	44.1	53.6	9.5	9.71	102.2							
								1	1.50	1.50	44.10	45.60		
								2	1.50	1.50	45.60	47.10		
								3	1.50	1.50	47.10	48.60		
								4	1.50	1.50	48.60	50.10	IW	
								5	1.50	1.50	50.10	51.60	HS	
								6	1.50	1.50	51.60	53.10		
								7	0.51	0.51	53.10	53.61		
								CC (w/7)	0.20	0.20	53.61	53.81	PAL	
								Totals:	9.71	9.71				
7H	6	1610	53.6	54.6	1.0	1.01	101.0							
								1	0.84	0.84	53.60	54.44	PAL	
								CC (w/1)	0.17	0.17	54.44	54.61	PAL	
								Totals:	1.01	1.01				
8X	6	1730	54.6	59.6	5.0	0.00	0.0							
9X	6	1925	59.6	69.2	9.6	0.26	2.7							
								1	0.26	0.34	59.60	59.94	PAL	
								Totals:	0.26	0.34				
10X	6	2020	69.2	78.8	9.6	0.25	2.6							
								CC (w/CC)	0.25	0.25	69.20	69.45	PAL	
								Totals:	0.25	0.25				

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
11X	6	2125	78.8	88.5	9.7	0.05	0.5							
								CC (w/CC)	0.05	0.05	78.80	78.85		All to PAL
								Totals:	0.05	0.05				
12X	6	2230	88.5	98.1	9.6	0.00	0.0							
13X	6	2310	98.1	107.7	9.6	0.00	0.0							
14X	7	0005	107.7	117.3	9.6	0.00	0.0							
15X	7	0050	117.3	127.0	9.7	0.00	0.0							
16X	7	0135	127.0	136.6	9.6	0.00	0.0							
17X	7	0215	136.6	146.2	9.6	0.10	1.0							
								1	0.10	0.12	136.60	136.72		
								Totals:	0.10	0.12				
18X	7	0305	146.2	155.8	9.6	0.00	0.0							
19X	7	0345	155.8	165.4	9.6	0.00	0.0							
20X	7	0425	165.4	175.0	9.6	0.05	0.5							
								CC (w/CC)	0.05	0.05	165.40	165.45	PAL	
								Totals:	0.05	0.05				
21X	7	0515	175.0	184.6	9.6	0.00	0.0							
22X	7	0615	184.6	194.2	9.6	0.00	0.0							
23X	7	0725	194.2	203.8	9.6	0.00	0.0							
								1	0.00	0.00				
								Totals:	0.00	0.00				
					Totals:	203.8	56.16	27.6						
194-1197B-														
10	13	2205	0.0	50.0	0.0	0.00	NA							
1R	13	2250	50.0	59.6	9.6	0.00	0.0							
2R	13	2350	59.6	69.2	9.6	0.78	8.1							
								1	0.78	0.86	59.60	60.46	PAL	
								Totals:	0.78	0.86				
3R	14	0040	69.2	78.8	9.6	0.03	0.3							
								1	0.03	0.03	69.20	69.23	PAL	All to PAL
								Totals:	0.03	0.03				
4R	14	0120	78.8	88.5	9.7	0.00	0.0							
5R	14	0220	88.5	98.2	9.7	0.01	0.1							
								1	0.01	0.01	88.50	88.51	PAL	All to PAL
								Totals:	0.01	0.01				
6R	14	0300	98.2	107.8	9.6	0.06	0.6							
								1	0.06	0.08	98.20	98.28	PAL	
								Totals:	0.06	0.08				
7R	14	0350	107.8	117.4	9.6	0.00	0.0							
8R	14	0425	117.4	127.0	9.6	0.02	0.2							
								1	0.02	0.02	117.40	117.42	PAL	All to PAL
								Totals:	0.02	0.02				
9R	14	0500	127.0	136.6	9.6	0.10	1.0							
								1	0.10	0.10	127.00	127.10	PAL	
								Totals:	0.10	0.10				
10R	14	0550	136.6	146.2	9.6	0.00	0.0							
11R	14	0625	146.2	155.8	9.6	0.05	0.5							
								1	0.05	0.05	146.20	146.25	PAL	All to PAL
								Totals:	0.05	0.05				
12R	14	0700	155.8	165.4	9.6	0.05	0.5							
								1	0.05	0.05	155.80	155.85	PAL	All to PAL
								Totals:	0.05	0.05				
13R	14	0725	165.4	175.0	9.6	0.05	0.5							
								1	0.05	0.05	165.40	165.45	PAL	All to PAL
								Totals:	0.05	0.05				
14R	14	1055	175.0	184.6	9.6	0.30	3.1							
								1	0.30	0.42	175.00	175.42	PAL, PAL, PAL	
								Totals:	0.30	0.42				
15R	14	1140	184.6	194.2	9.6	0.45	4.7							
								1	0.45	0.52	184.60	185.12	PAL, PAL, PAL, PAL	
								Totals:	0.45	0.52				
16R	14	1215	194.2	203.8	9.6	0.50	5.2							
								1	0.50	0.58	194.20	194.78	PAL	
								Totals:	0.50	0.58				
17R	14	1250	203.8	213.4	9.6	0.42	4.4							
								1	0.42	0.66	203.80	204.46	PAL	
								Totals:	0.42	0.66				

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
18R	14	1340	213.4	223.0	9.6	0.23	2.4							
								1	0.23	0.30	213.40	213.70	PAL	
								Totals:	0.23	0.30				
19R	14	1415	223.0	232.7	9.7	0.29	3.0							
								1	0.29	0.38	223.00	223.38	PAL	
								Totals:	0.29	0.38				
20R	14	1505	232.7	242.3	9.6	0.25	2.6							
								1	0.25	0.34	232.70	233.04	PAL	
								Totals:	0.25	0.34				
21R	14	1540	242.3	251.9	9.6	0.30	3.1							
								1	0.30	0.49	242.30	242.79	PAL	
								Totals:	0.30	0.49				
22R	14	1625	251.9	261.5	9.6	0.16	1.7							
								1	0.16	0.24	251.90	252.14	PAL	
								Totals:	0.16	0.24				
23R	14	1705	261.5	271.2	9.7	0.25	2.6							
								1	0.25	0.46	261.50	261.96	PAL	
								Totals:	0.25	0.46				
24R	14	1745	271.2	280.8	9.6	0.26	2.7							
								1	0.26	0.36	271.20	271.56	PAL	
								Totals:	0.26	0.36				
25R	14	1840	280.8	290.4	9.6	1.03	10.7							
								1	1.03	1.22	280.80	282.02	PAL	
								Totals:	1.03	1.22				
26R	14	1940	290.4	300.0	9.6	0.00	0.0							
27R	14	2025	300.0	309.7	9.7	0.30	3.1							
								1	0.30	0.37	300.00	300.37	PAL	
								Totals:	0.30	0.37				
28R	14	2125	309.7	319.3	9.6	1.62	16.9							
								1	1.41	1.50	309.70	311.20		
								2	0.21	0.53	311.20	311.73	PAL	
								Totals:	1.62	2.03				
29R	14	2220	319.3	328.9	9.6	1.46	15.2							
								1	0.00	1.50	319.30	320.80		
								2	1.46	0.38	320.80	321.18	PAL	
								Totals:	1.46	1.88				
30R	14	2315	328.9	338.6	9.7	0.31	3.2							
								1	0.31	0.33	328.90	329.23	PAL	
								Totals:	0.31	0.33				
31R	14	2355	338.6	348.2	9.6	1.67	17.4							
								1	1.50	1.46	338.60	340.06		
								2	0.17	0.57	340.06	340.63	PAL	
								Totals:	1.67	2.03				
32R	15	0425	348.2	357.8	9.6	1.10	11.5							
								1	1.10	1.31	348.20	349.51	PAL	
								Totals:	1.10	1.31				
33R	15	0520	357.8	367.4	9.6	0.44	4.6							
								1	0.44	0.55	357.80	358.35	PAL	
								Totals:	0.44	0.55				
34R	15	0630	367.4	377.1	9.7	0.88	9.1							
								1	0.88	0.98	367.40	368.38	PAL	
								Totals:	0.88	0.98				
35R	15	0725	377.1	386.7	9.6	4.59	47.8							
								1	1.52	1.52	377.10	378.62		
								2	1.44	1.44	378.62	380.06		
								3	1.51	1.51	380.06	381.57	PAL	
								CC (w/CC)	0.12	0.12	381.57	381.69	PAL	
								Totals:	4.59	4.59				
36R	15	0815	386.7	396.3	9.6	4.74	49.4							
								1	1.50	1.50	386.70	388.20		
								2	1.21	1.21	388.20	389.41		
								3	1.30	1.30	389.41	390.71		
								4	0.59	0.59	390.71	391.30		
								CC (w/4)	0.14	0.14	391.30	391.44	PAL	
								Totals:	4.74	4.74				
37R	15	0930	396.3	405.9	9.6	2.00	20.8							
								1	1.47	1.47	396.30	397.77		
								2	0.53	0.53	397.77	398.30	PAL	
								Totals:	2.00	2.00				

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
38R	15	1045	405.9	415.5	9.6	6.79	70.7							
								1	1.50	1.50	405.90	407.40		
								2	1.34	1.34	407.40	408.74		
								3	1.18	1.18	408.74	409.92		
								4	1.45	1.45	409.92	411.37		
								5	1.32	1.32	411.37	412.69	PAL	
								Totals:	6.79	6.79				
39R	15	1205	415.5	425.1	9.6	9.03	94.1							
								1	1.43	1.43	415.50	416.93		
								2	1.21	1.21	416.93	418.14		
								3	1.47	1.47	418.14	419.61		
								4	1.40	1.40	419.61	421.01	IW	
								5	1.45	1.45	421.01	422.46	HS	
								6	1.25	1.25	422.46	423.71		
								7	0.57	0.57	423.71	424.28		
								CC (w/7)	0.25	0.25	424.28	424.53	PAL	
								Totals:	9.03	9.03				
40R	15	1320	425.1	434.6	9.5	6.62	69.7							
								1	1.44	1.44	425.10	426.54		
								2	1.40	1.40	426.54	427.94	IW	
								3	0.98	0.98	427.94	428.92	HS	
								4	1.23	1.23	428.92	430.15		
								5	1.20	1.20	430.15	431.35		
								CC (w/CC)	0.37	0.37	431.35	431.72	PAL	
								Totals:	6.62	6.62				
41R	15	1430	434.6	444.3	9.7	4.40	45.4							
								1	1.38	1.38	434.60	435.98		
								2	1.40	1.40	435.98	437.38	IW, IW	
								3	1.45	1.45	437.38	438.83	HS, HS	
								CC (w/CC)	0.17	0.17	438.83	439.00	PAL	
								Totals:	4.40	4.40				
42R	15	1710	444.3	453.9	9.6	4.24	44.2							
								1	1.50	1.50	444.30	445.80	IW	
								2	1.48	1.48	445.80	447.28	HS	
								3	0.98	0.98	447.28	448.26		
								CC (w/3)	0.28	0.28	448.26	448.54	PAL	
								Totals:	4.24	4.24				
43R	15	1840	453.9	463.6	9.7	2.30	23.7							
								1	1.44	1.44	453.90	455.34	IW	
								2	0.70	0.70	455.34	456.04	HS	
								CC (w/2)	0.16	0.16	456.04	456.20	PAL	
								Totals:	2.30	2.30				
44R	15	2005	463.6	473.2	9.6	9.35	97.4							
								1	1.10	1.10	463.60	464.70		
								2	1.22	1.22	464.70	465.92		
								3	1.42	1.42	465.92	467.34		
								4	1.50	1.50	467.34	468.84		
								5	1.50	1.50	468.84	470.34		
								6	1.10	1.10	470.34	471.44	IW	
								7	1.11	1.11	471.44	472.55	HS	
								CC (w/CC)	0.40	0.40	472.55	472.95	PAL	
								Totals:	9.35	9.35				
45R	15	2105	473.2	482.8	9.6	9.43	98.2							
								1	1.38	1.38	473.20	474.58		
								2	0.93	0.93	474.58	475.51		
								3	1.50	1.50	475.51	477.01		
								4	1.50	1.50	477.01	478.51		
								5	1.43	1.43	478.51	479.94	IW	
								6	1.50	1.50	479.94	481.44	HS	
								7	1.19	1.19	481.44	482.63	PAL	
								Totals:	9.43	9.43				
46R	15	2230	482.8	492.4	9.6	9.73	101.4							
								1	1.50	1.50	482.80	484.30		
								2	1.29	1.29	484.30	485.59		
								3	1.50	1.50	485.59	487.09		
								4	1.50	1.50	487.09	488.59		
								5	1.50	1.50	488.59	490.09	IW	
								6	1.32	1.32	490.09	491.41	HS	

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
47R	15	2355	492.4	502.0	9.6	8.17	85.1	7	0.88	0.88	491.41	492.29	PAL	
								CC (w/7)	0.24	0.24	492.29	492.53		
								Totals:	9.73	9.73				
								1	1.50	1.50	492.40	493.90		
48R	16	0115	502.0	511.6	9.6	8.66	90.2	2	1.11	1.11	493.90	495.01	PAL	
								3	1.42	1.42	495.01	496.43		
								4	1.50	1.50	496.43	497.93		
								5	1.48	1.48	497.93	499.41		
								6	1.16	1.16	499.41	500.57		
								Totals:	8.17	8.17				
								1	1.50	1.50	502.00	503.50		
49R	16	0235	511.6	521.2	9.6	3.71	38.6	2	1.37	1.37	503.50	504.87	PAL, HS	
								3	1.41	1.41	504.87	506.28		
								4	1.50	1.50	506.28	507.78		
								5	1.50	1.50	507.78	509.28		
								6	1.38	1.38	509.28	510.66		
								Totals:	8.66	8.66				
								1	1.34	1.34	511.60	512.94		
50R	16	0420	521.2	530.8	9.6	9.88	102.9	2	1.40	1.40	512.94	514.34	PAL, HS	
								3	0.97	0.97	514.34	515.31		
								Totals:	3.71	3.71				
								1	1.50	1.50	521.20	522.70		
51R	16	0545	530.8	540.5	9.7	6.56	67.6	2	1.50	1.50	522.70	524.20	PAL	
								3	1.41	1.41	524.20	525.61		
								4	1.50	1.50	525.61	527.11		
								5	1.50	1.50	527.11	528.61		
								6	1.50	1.50	528.61	530.11		
								7	0.79	0.79	530.11	530.90		
								CC (w/7)	0.18	0.18	530.90	531.08		
								Totals:	9.88	9.88				
								1	1.50	1.50	530.80	532.30		
								52R	16	0710	540.5	550.1		
3	1.50	1.50	533.30	534.80										
4	1.47	1.47	534.80	536.27										
5	1.09	1.09	536.27	537.36										
Totals:	6.56	6.56												
1	1.50	1.50	540.50	542.00										
53R	16	0840	550.1	559.8	9.7	7.17	73.9	2	1.45	1.45	542.00	543.45	PAL	
								3	1.50	1.50	543.45	544.95		
								4	1.16	1.16	544.95	546.11		
								5	1.50	1.50	546.11	547.61		
								6	1.40	1.40	547.61	549.01		
								7	1.16	1.16	549.01	550.17		
								CC (w/7)	0.25	0.25	550.17	550.42		
								Totals:	9.92	9.92				
								1	1.23	1.23	550.10	551.33		
								54R	16	1020	559.8	569.4		
3	1.50	1.50	552.83	554.33										
4	1.50	1.50	554.33	555.83										
5	1.31	1.31	555.83	557.14										
CC (w/5)	0.13	0.13	557.14	557.27										
Totals:	7.17	7.17												
1	1.37	1.37	559.80	561.17										
2	1.50	1.50	561.17	562.67										
3	1.50	1.50	562.67	564.17										
4	0.87	0.87	564.17	565.04										
5	1.01	1.01	565.04	566.05										
6	1.50	1.50	566.05	567.55										
7	1.11	1.11	567.55	568.66										
8	0.73	0.73	568.66	569.39										
Totals:	9.59	9.59												

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
55R	16	1710	569.4	579.0	9.6	9.95	103.6							
								1	1.36	1.36	569.40	570.76		
								2	1.50	1.50	570.76	572.26		
								3	1.50	1.50	572.26	573.76		
								4	1.50	1.50	573.76	575.26		
								5	1.33	1.33	575.26	576.59	IW	
								6	1.31	1.31	576.59	577.90	HS	
								7	1.30	1.30	577.90	579.20		
	CC (w/7)	0.15	0.15	579.20	579.35	PAL								
	Totals:	9.95	9.95											
56R	16	1945	579.0	588.6	9.6	7.32	76.3							
								1	1.50	1.50	579.00	580.50		
								2	1.50	1.50	580.50	582.00		
								3	1.50	1.50	582.00	583.50		
								4	1.50	1.50	583.50	585.00		
								5	1.32	1.32	585.00	586.32	PAL, HS	
	Totals:	7.32	7.32											
57R	16	2205	588.6	598.2	9.6	9.83	102.4							
								1	1.50	1.50	588.60	590.10		
								2	1.50	1.50	590.10	591.60		
								3	1.50	1.50	591.60	593.10		
								4	1.50	1.50	593.10	594.60		
								5	1.50	1.50	594.60	596.10	HS	
								6	1.50	1.50	596.10	597.60		
								7	0.67	0.67	597.60	598.27		
	CC (w/7)	0.16	0.16	598.27	598.43	PAL								
	Totals:	9.83	9.83											
58R	17	0005	598.2	607.9	9.7	9.17	94.5							
								1	1.50	1.50	598.20	599.70		
								2	1.50	1.50	599.70	601.20		
								3	1.50	1.50	601.20	602.70		
								4	1.50	1.50	602.70	604.20		
								5	1.50	1.50	604.20	605.70		
								6	1.00	1.00	605.70	606.70		
								7	0.67	0.67	606.70	607.37	PAL	
	Totals:	9.17	9.17											
59R	17	0115	607.9	617.2	9.3	4.60	49.5							
								1	1.50	1.50	607.90	609.40		
								2	1.45	1.45	609.40	610.85		
								3	1.49	1.49	610.85	612.34		
								CC (w/CC)	0.16	0.16	612.34	612.50	PAL	
	Totals:	4.60	4.60											
60R	17	2035	617.2	626.8	9.6	4.15	43.2							
								1	1.43	1.43	617.20	618.63		
								2	1.50	1.50	618.63	620.13		
								3	1.07	1.07	620.13	621.20		
								CC (w/3)	0.15	0.15	621.20	621.35	PAL	
	Totals:	4.15	4.15											
61R	17	0350	626.8	636.5	9.7	4.36	44.9							
								1	1.50	1.50	626.80	628.30		
								2	1.50	1.50	628.30	629.80		
								3	1.22	1.22	629.80	631.02		
								CC (w/3)	0.14	0.14	631.02	631.16	PAL	
	Totals:	4.36	4.36											
62R	17	0515	636.5	646.1	9.6	4.98	51.9							
								1	1.48	1.48	636.50	637.98		
								2	1.46	1.46	637.98	639.44		
								3	1.00	1.00	639.44	640.44		
								4	0.85	0.85	640.44	641.29		
	CC (w/4)	0.19	0.19	641.29	641.48	PAL								
	Totals:	4.98	4.98											
63R	17	0635	646.1	655.7	9.6	4.96	51.7							
								1	1.44	1.44	646.10	647.54		
								2	1.38	1.38	647.54	648.92		
								3	1.23	1.23	648.92	650.15		
								4	0.91	0.91	650.15	651.06	PAL	
	Totals:	4.96	4.96											

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
64R	17	0805	655.7	665.3	9.6	2.64	27.5							
								1	1.37	1.37	655.70	657.07		
								2	1.27	1.27	657.07	658.34	PAL	
								Totals:	2.64	2.64				
65R	17	0920	665.3	674.9	9.6	1.43	14.9							
								1	1.43	1.43	665.30	666.73		
								Totals:	1.43	1.43				
					Totals:	624.9	213.64	34.2						

Notes: CC = core catcher (number in parentheses indicates which section the core catcher is stored with). Catwalk samples: PAL = paleontology sample, IW = interstitial water, HS = headspace. NA = not applicable.