

**Table T2.** Expanded coring summary, Site 1198. (See table notes. Continued on next five pages.)

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
194-1198A- 1H	7	2040	0.0	5.0	5.0	5.00	100.0							
								1	1.50	1.50	0.00	1.50		
								2	1.50	1.50	1.50	3.00	IW	
								3	1.50	1.50	3.00	4.50	HS	
								4	0.37	0.37	4.50	4.87		
								CC (w/4)	0.13	0.13	4.87	5.00	PAL	
								Totals:	5.00	5.00				
2H	7	2145	5.0	14.5	9.5	9.57	100.7							
								1	1.50	1.50	5.00	6.50		
								2	1.50	1.50	6.50	8.00		
								3	1.50	1.50	8.00	9.50		
								4	1.50	1.50	9.50	11.00	IW	
								5	1.50	1.50	11.00	12.50	HS	
								6	1.50	1.50	12.50	14.00		
								7	0.39	0.39	14.00	14.39		
								CC (w/7)	0.18	0.18	14.39	14.57	PAL	
								Totals:	9.57	9.57				
3H	7	2210	14.5	24.0	9.5	9.33	98.2							
								1	1.50	1.50	14.50	16.00		
								2	1.50	1.50	16.00	17.50		
								3	1.50	1.50	17.50	19.00		
								4	1.50	1.50	19.00	20.50	IW	
								5	1.50	1.50	20.50	22.00	HS	
								6	1.40	1.40	22.00	23.40		
								7	0.27	0.27	23.40	23.67		
								CC (w/7)	0.16	0.16	23.67	23.83	PAL	
								Totals:	9.33	9.33				
4H	7	2310	24.0	33.5	9.5	9.92	104.4							
								1	1.50	1.50	24.00	25.50		
								2	1.50	1.50	25.50	27.00		
								3	1.50	1.50	27.00	28.50		
								4	1.50	1.50	28.50	30.00	IW	
								5	1.50	1.50	30.00	31.50	HS	
								6	1.50	1.50	31.50	33.00		
								7	0.71	0.71	33.00	33.71		
								CC (w/7)	0.21	0.21	33.71	33.92	PAL	
								Totals:	9.92	9.92				
5H	7	2340	33.5	43.0	9.5	9.93	104.5							
								1	1.50	1.50	33.50	35.00		
								2	1.50	1.50	35.00	36.50		
								3	1.50	1.50	36.50	38.00		
								4	1.50	1.50	38.00	39.50	IW	
								5	1.50	1.50	39.50	41.00	HS	
								6	1.50	1.50	41.00	42.50		
								7	0.67	0.67	42.50	43.17		
								CC (w/7)	0.26	0.26	43.17	43.43	PAL	
								Totals:	9.93	9.93				
6H	8	0015	43.0	52.5	9.5	9.29	97.8							
								1	1.50	1.50	43.00	44.50		
								2	1.50	1.50	44.50	46.00		
								3	1.50	1.50	46.00	47.50		
								4	1.50	1.50	47.50	49.00	IW	
								5	1.50	1.50	49.00	50.50		
								6	1.01	1.01	50.50	51.51		
								7	0.58	0.58	51.51	52.09		
								CC (w/7)	0.20	0.20	52.09	52.29	PAL	
								Totals:	9.29	9.29				
7H	8	0120	52.5	62.0	9.5	9.92	104.4							
								1	1.50	1.50	52.50	54.00		
								2	1.50	1.50	54.00	55.50		
								3	1.50	1.50	55.50	57.00		
								4	1.50	1.50	57.00	58.50	HS, IW	
								5	1.50	1.50	58.50	60.00		
								6	1.50	1.50	60.00	61.50		
								7	0.75	0.75	61.50	62.25		
								CC (w/7)	0.17	0.17	62.25	62.42	PAL	
								Totals:	9.92	9.92				

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
8H	8	0150	62.0	71.5	9.5	9.39	98.8							
								1	1.50	1.50	62.00	63.50		
								2	1.50	1.50	63.50	65.00		
								3	1.50	1.50	65.00	66.50		
								4	1.50	1.50	66.50	68.00	IW	
								5	1.50	1.50	68.00	69.50	HS	
								6	1.40	1.40	69.50	70.90		
								7	0.21	0.21	70.90	71.11		
								CC (w/7)	0.28	0.28	71.11	71.39	PAL	
								Totals:	9.39	9.39				
9H	8	0220	71.5	81.0	9.5	10.04	105.7							
								1	1.50	1.50	71.50	73.00		
								2	1.50	1.50	73.00	74.50		
								3	1.50	1.50	74.50	76.00		
								4	1.50	1.50	76.00	77.50	IW	
								5	1.50	1.50	77.50	79.00	HS	
								6	1.50	1.50	79.00	80.50		
								7	0.76	0.76	80.50	81.26		
								CC (w/7)	0.28	0.28	81.26	81.54	PAL	
								Totals:	10.04	10.04				
10H	8	0305	81.0	90.5	9.5	8.91	93.8							
								1	1.50	1.50	81.00	82.50		
								2	1.50	1.50	82.50	84.00		
								3	1.50	1.50	84.00	85.50		
								4	1.50	1.50	85.50	87.00	IW	
								5	1.50	1.50	87.00	88.50	HS	
								6	1.19	1.19	88.50	89.69		
								CC (w/6)	0.22	0.22	89.69	89.91	PAL	
								Totals:	8.91	8.91				
11H	8	0335	90.5	100.0	9.5	9.81	103.3							
								1	1.50	1.50	90.50	92.00		
								2	1.50	1.50	92.00	93.50		
								3	1.50	1.50	93.50	95.00		
								4	1.50	1.50	95.00	96.50	IW	
								5	1.50	1.50	96.50	98.00	HS	
								6	1.50	1.50	98.00	99.50		
								7	0.71	0.71	99.50	100.21		
								CC (w/7)	0.10	0.10	100.21	100.31	PAL	
								Totals:	9.81	9.81				
12H	8	0405	100.0	109.5	9.5	9.82	103.4							
								1	1.50	1.50	100.00	101.50		
								2	1.50	1.50	101.50	103.00		
								3	1.50	1.50	103.00	104.50		
								4	1.50	1.50	104.50	106.00	IW	
								5	1.50	1.50	106.00	107.50	HS	
								6	1.50	1.50	107.50	109.00		
								7	0.56	0.56	109.00	109.56		
								CC (w/7)	0.26	0.26	109.56	109.82	PAL	
								Totals:	9.82	9.82				
13H	8	0455	109.5	119.0	9.5	9.87	103.9							
								1	1.50	1.50	109.50	111.00		
								2	1.50	1.50	111.00	112.50		
								3	1.50	1.50	112.50	114.00	DUGWR	
								4	1.50	1.50	114.00	115.50	IW	
								5	1.50	1.50	115.50	117.00	HS	
								6	1.50	1.50	117.00	118.50		
								7	0.64	0.64	118.50	119.14		
								CC (w/7)	0.23	0.23	119.14	119.37	PAL	
								Totals:	9.87	9.87				
14H	8	0525	119.0	128.5	9.5	9.83	103.5							
								1	1.50	1.50	119.00	120.50		
								2	1.50	1.50	120.50	122.00		
								3	1.50	1.50	122.00	123.50		
								4	1.50	1.50	123.50	125.00	IW	
								5	1.50	1.50	125.00	126.50	HS	
								6	1.50	1.50	126.50	128.00		
								7	0.67	0.67	128.00	128.67		
								CC (w/7)	0.16	0.16	128.67	128.83	PAL	
								Totals:	9.83	9.83				

Table T2 (continued).

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
15H	8	0610	128.5	138.0	9.5	9.53	100.3							
								1	1.50	1.50	128.50	130.00		
								2	1.50	1.50	130.00	131.50		
								3	1.50	1.50	131.50	133.00	DUGWR	
								4	1.50	1.50	133.00	134.50	IW	
								5	1.50	1.50	134.50	136.00	HS	
								6	1.20	1.20	136.00	137.20		
								7	0.42	0.42	137.20	137.62		
								CC (w/7)	0.41	0.41	137.62	138.03	PAL	
								Totals:	9.53	9.53				
16H	8	0700	138.0	147.5	9.5	10.07	106.0							
								1	1.50	1.50	138.00	139.50		
								2	1.50	1.50	139.50	141.00		
								3	1.50	1.50	141.00	142.50		
								4	1.50	1.50	142.50	144.00	IW	
								5	1.50	1.50	144.00	145.50	HS	
								6	1.50	1.50	145.50	147.00		
								7	0.69	0.69	147.00	147.69		
								CC (w/7)	0.38	0.38	147.69	148.07	PAL	
								Totals:	10.07	10.07				
17H	8	0725	147.5	157.0	9.5	9.77	102.8							
								1	1.50	1.50	147.50	149.00		
								2	1.50	1.50	149.00	150.50		
								3	1.50	1.50	150.50	152.00		
								4	1.50	1.50	152.00	153.50	IW	
								5	1.41	1.41	153.50	154.91	HS	
								6	1.50	1.50	154.91	156.41		
								7	0.62	0.62	156.41	157.03		
								CC (w/7)	0.24	0.24	157.03	157.27	PAL	
								Totals:	9.77	9.77				
18H	8	0755	157.0	166.5	9.5	9.94	104.6							
								1	1.50	1.50	157.00	158.50		
								2	1.50	1.50	158.50	160.00		
								3	1.50	1.50	160.00	161.50	DUGWR	
								4	1.50	1.50	161.50	163.00	IW	
								5	1.50	1.50	163.00	164.50	HS	
								6	1.50	1.50	164.50	166.00		
								7	0.75	0.75	166.00	166.75		
								CC (w/7)	0.19	0.19	166.75	166.94	PAL	
								Totals:	9.94	9.94				
19H	8	0840	166.5	176.0	9.5	9.90	104.2							
								1	1.50	1.50	166.50	168.00		
								2	1.50	1.50	168.00	169.50		
								3	1.50	1.50	169.50	171.00		
								4	1.50	1.50	171.00	172.50	IW	
								5	1.50	1.50	172.50	174.00	HS	
								6	1.50	1.50	174.00	175.50		
								7	0.69	0.69	175.50	176.19		
								CC (w/7)	0.21	0.21	176.19	176.40	PAL	
								Totals:	9.90	9.90				
20H	8	0910	176.0	185.5	9.5	10.01	105.4							
								1	1.50	1.50	176.00	177.50		
								2	1.50	1.50	177.50	179.00		
								3	1.50	1.50	179.00	180.50		
								4	1.50	1.50	180.50	182.00	IW	
								5	1.50	1.50	182.00	183.50	HS	
								6	1.50	1.50	183.50	185.00		
								7	0.78	0.78	185.00	185.78		
								CC (w/7)	0.23	0.23	185.78	186.01	PAL	
								Totals:	10.01	10.01				
21H	8	0940	185.5	195.0	9.5	9.55	100.5							
								1	1.50	1.50	185.50	187.00		
								2	1.50	1.50	187.00	188.50		
								3	1.50	1.50	188.50	190.00	DUGWR	
								4	1.50	1.50	190.00	191.50	IW	
								5	1.50	1.50	191.50	193.00	HS	
								6	1.20	1.20	193.00	194.20		
								7	0.51	0.51	194.20	194.71		

**Table T2 (continued).**

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
22H	8	1020	195.0	203.0	8.0	8.01	100.1	CC (w/7)	0.34	0.34	194.71	195.05	PAL	
								Totals:	9.55	9.55				
								1	1.50	1.50	195.00	196.50		
								2	1.50	1.50	196.50	198.00		
								3	1.50	1.50	198.00	199.50		
								4	0.90	0.90	199.50	200.40		
								5	1.50	1.50	200.40	201.90		
23X	8	1120	203.0	212.7	9.7	2.84	29.3	6	0.91	0.91	201.90	202.81	PAL	
								CC (w/6)	0.20	0.20	202.81	203.01		
								Totals:	8.01	8.01				
24X	8	1145	212.7	222.4	9.7	0.00	0.0	1	1.50	1.50	203.00	204.50	IW	
								2	1.24	1.24	204.50	205.74		
25X	8	1240	222.4	232.1	9.7	0.00	0.0	CC (w/CC)	0.10	0.10	205.74	205.84	PAL	
26X	8	1325	232.1	241.8	9.7	0.00	0.0	Totals:	2.84	2.84				
27X	8	1420	241.8	251.5	9.7	0.00	0.0							
					Totals:	251.5	210.25	83.6						
194-1198B-														
10	9	0115	0.0	195.7	0.0	0.00	NA							
1R	9	0150	195.7	205.2	9.5	3.75	39.5	1	1.44	1.44	195.70	197.14	HS, IW	
								2	1.09	1.09	197.14	198.23		
								3	1.07	1.07	198.23	199.30		
								CC (w/3)	0.15	0.15	199.30	199.45		
2R	9	0230	205.2	214.8	9.6	0.35	3.6	Totals:	3.75	3.75			PAL	
								1	0.35	0.42	205.20	205.62		
3R	9	0315	214.8	224.4	9.6	0.05	0.5	Totals:	0.35	0.42			PAL	
								1	0.05	0.05	214.80	214.85		
4R	9	0400	224.4	234.0	9.6	0.41	4.3	Totals:	0.05	0.05			PAL	
								1	0.41	0.55	224.40	224.95		
5R	9	0445	234.0	243.6	9.6	0.23	2.4	Totals:	0.41	0.55			PAL	
								1	0.23	0.32	234.00	234.32		
6R	9	0730	243.6	253.3	9.7	0.10	1.0	Totals:	0.23	0.32			PAL	
								1	0.10	0.12	243.60	243.72		
7R	9	0900	253.3	262.9	9.6	0.51	5.3	Totals:	0.10	0.12			PAL	
								1	0.51	0.71	253.30	254.01		
8R	9	1000	262.9	272.5	9.6	0.16	1.7	Totals:	0.51	0.71			PAL	
								1	0.16	0.21	262.90	263.11		
9R	9	1050	272.5	282.2	9.7	0.00	0.0	Totals:	0.16	0.21			PAL	
								1	0.80	1.00	282.20	283.20		
10R	9	1130	282.2	291.8	9.6	0.80	8.3	Totals:	0.80	1.00			PAL	
								1	0.60	0.95	291.80	292.75		
11R	9	1230	291.8	301.4	9.6	0.60	6.3	Totals:	0.60	0.95			HS, PAL	
								1	0.78	0.98	301.40	302.38		
12R	9	1320	301.4	311.0	9.6	0.78	8.1	Totals:	0.78	0.98			PAL	
								1	0.02	0.02	311.00	311.02		
13R	9	1420	311.0	320.6	9.6	0.02	0.2	Totals:	0.02	0.02			PAL	All to PAL
								1	0.05	0.05	320.60	320.65		
14R	9	1505	320.6	330.3	9.7	0.05	0.5	Totals:	0.05	0.05			PAL	All to PAL
								1	0.05	0.05				

**Table T2 (continued).**

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
15R	9	1550	330.3	339.9	9.6	0.20	2.1	1	0.20	0.26	330.30	330.56	PAL	
								Totals:	0.20	0.26				
16R	9	1630	339.9	349.5	9.6	0.26	2.7	1	0.26	0.46	339.90	340.36	PAL	
								Totals:	0.26	0.46				
17R	9	1710	349.5	359.1	9.6	1.71	17.8	1	0.74	0.74	349.50	350.24	IW	
								2	0.97	0.97	350.24	351.21	PAL, HS	
								Totals:	1.71	1.71				
18R	9	1815	359.1	368.7	9.6	4.49	46.8	1	1.38	1.38	359.10	360.48		
								2	1.44	1.44	360.48	361.92	IW	
								3	1.50	1.50	361.92	363.42	HS	
								CC (w/CC)	0.17	0.17	363.42	363.59	PAL	
								Totals:	4.49	4.49				
19R	9	1905	368.7	378.3	9.6	1.56	16.3	1	0.93	0.93	368.70	369.63	IW	
								2	0.63	0.63	369.63	370.26	HS, PAL	
								Totals:	1.56	1.56				
20R	9	1950	378.3	388.0	9.7	3.62	37.3	1	1.37	1.37	378.30	379.67	IW	
								2	1.50	1.50	379.67	381.17	HS	
								3	0.52	0.52	381.17	381.69		
								CC (w/3)	0.23	0.23	381.69	381.92	PAL	
								Totals:	3.62	3.62				
21R	9	2050	388.0	397.6	9.6	3.46	36.0	1	1.48	1.48	388.00	389.48		
								2	1.10	1.10	389.48	390.58	IW	
								3	0.88	0.88	390.58	391.46	HS, PAL	
								Totals:	3.46	3.46				
22R	10	0115	397.6	407.2	9.6	9.90	103.1	1	1.50	1.50	397.60	399.10		
								2	1.50	1.50	399.10	400.60		
								3	1.50	1.50	400.60	402.10		
								4	1.50	1.50	402.10	403.60	IW	
								5	1.50	1.50	403.60	405.10	HS	
								6	1.40	1.40	405.10	406.50		
								7	0.81	0.81	406.50	407.31		
								CC (w/7)	0.19	0.19	407.31	407.50	PAL	
								Totals:	9.90	9.90				
23R	10	0215	407.2	416.8	9.6	8.66	90.2	1	1.35	1.35	407.20	408.55		
								2	1.50	1.50	408.55	410.05		
								3	1.52	1.52	410.05	411.57		
								4	1.16	1.16	411.57	412.73	IW	
								5	1.50	1.50	412.73	414.23	HS	
								6	1.45	1.45	414.23	415.68		
								CC (w/CC)	0.18	0.18	415.68	415.86	PAL	
								Totals:	8.66	8.66				
24R	10	0310	416.8	426.4	9.6	9.11	94.9	1	1.45	1.45	416.80	418.25		
								2	1.50	1.50	418.25	419.75		
								3	1.50	1.50	419.75	421.25		
								4	1.50	1.50	421.25	422.75	IW	
								5	1.50	1.50	422.75	424.25	HS	
								6	1.00	1.00	424.25	425.25		
								7	0.66	0.66	425.25	425.91	PAL	
								Totals:	9.11	9.11				
25R	10	0410	426.4	436.0	9.6	9.90	103.1	1	1.50	1.50	426.40	427.90		
								2	1.50	1.50	427.90	429.40		
								3	1.50	1.50	429.40	430.90		
								4	1.50	1.50	430.90	432.40	IW	
								5	1.50	1.50	432.40	433.90	HS	
								6	1.50	1.50	433.90	435.40		
								7	0.68	0.68	435.40	436.08		
								CC (w/7)	0.22	0.22	436.08	436.30	PAL	
								Totals:	9.90	9.90				

**Table T2 (continued).**

Core	Date (Feb 2001)	Time (local)	Core depth (mbsf)		Length (m)		Recovery (%)	Section	Length (m)		Section depth (mbsf)		Catwalk samples	Comment
			Top	Bottom	Cored	Recovered			Liner	Curated	Top	Bottom		
26R	10	0515	436.0	445.7	9.7	6.71	69.2							
								1	1.50	1.50	436.00	437.50		
								2	1.50	1.50	437.50	439.00		
								3	1.50	1.50	439.00	440.50		
								4	1.50	1.50	440.50	442.00	IW	
								5	0.71	0.71	442.00	442.71	PAL, HS	
								Totals:	6.71	6.71				
27R	10	0615	445.7	455.3	9.6	9.50	99.0							
								1	1.46	1.46	445.70	447.16		
								2	1.11	1.11	447.16	448.27		
								3	1.47	1.47	448.27	449.74		
								4	1.22	1.22	449.74	450.96	IW	
								5	1.50	1.50	450.96	452.46		
								6	1.30	1.30	452.46	453.76		
								7	1.44	1.44	453.76	455.20	PAL	
								Totals:	9.50	9.50				
28R	10	0720	455.3	464.9	9.6	8.49	88.4							
								1	1.35	1.35	455.30	456.65		
								2	1.50	1.50	456.65	458.15		
								3	1.50	1.50	458.15	459.65		
								4	1.50	1.50	459.65	461.15	IW	
								5	1.29	1.29	461.15	462.44	HS	
								6	1.12	1.12	462.44	463.56		
								CC (w/6)	0.23	0.23	463.56	463.79	PAL	
								Totals:	8.49	8.49				
29R	10	0830	464.9	474.6	9.7	1.19	12.3							
								1	1.19	1.19	464.90	466.09	PAL	
								Totals:	1.19	1.19				
30R	10	0945	474.6	484.2	9.6	9.90	103.1							
								1	1.26	1.26	474.60	475.86		
								2	1.25	1.25	475.86	477.11		
								3	1.50	1.50	477.11	478.61		
								4	1.50	1.50	478.61	480.11	IW	
								5	1.50	1.50	480.11	481.61		
								6	1.50	1.50	481.61	483.11		
								7	1.19	1.19	483.11	484.30		
								CC (w/7)	0.20	0.20	484.30	484.50	PAL	
								Totals:	9.90	9.90				
31R	10	1055	484.2	493.8	9.6	5.71	59.5							
								1	0.90	0.90	484.20	485.10		
								2	1.50	1.50	485.10	486.60		
								3	1.50	1.50	486.60	488.10	IW, IW	
								4	1.52	1.52	488.10	489.62	HS	
								5	0.29	0.29	489.62	489.91		
								Totals:	5.71	5.71				
32R	10	1215	493.8	503.4	9.6	7.48	77.9							
								1	1.50	1.50	493.80	495.30		
								2	1.14	1.14	495.30	496.44		
								3	1.50	1.50	496.44	497.94		
								4	1.31	1.31	497.94	499.25	IW	
								5	1.29	1.29	499.25	500.54	HS	
								6	0.45	0.45	500.54	500.99		
								CC (w/6)	0.29	0.29	500.99	501.28	PAL	
								Totals:	7.48	7.48				
33R	10	1340	503.4	513.0	9.6	2.59	27.0							
								1	1.43	1.42	503.40	504.82		
								2	1.16	1.49	504.82	506.31	HS, PAL, IW	
								Totals:	2.59	2.91				
34R	10	1555	513.0	522.6	9.6	4.39	45.7							
								1	0.00	1.44	513.00	514.44		
								2	1.43	1.28	514.44	515.72		
								3	1.50	1.50	515.72	517.22		
								4	1.46	0.89	517.22	518.11	PAL	
								Totals:	4.39	5.11				
								Totals:	326.9	116.64				

Notes: CC = core catcher (number in parentheses indicates which section the core catcher is stored with). Catwalk samples: IW = interstitial water, HS = headspace, PAL = paleontology sample, DUGWR = sample request code.