




**Core Photo**

**Site 1266 Hole A Core 2H Cored 9.5-19.0 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 3H Cored 19.0-28.5 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------

<p>20</p> <p>1</p> <p>2</p> <p>22</p> <p>3</p> <p>24</p> <p>4</p> <p>26</p> <p>5</p> <p>6</p> <p>28</p> <p>7</p>									<p>SS</p> <p>IW HS</p> <p>SS</p> <p>PAL</p>	<p>FORAMINIFER-BEARING NANNOFOSSIL OOZE</p> <p>Major Lithology: Medium brown (20 -30 cm thick) foraminifer-bearing nannofossil ooze interbedded with light gray brown foraminifer-bearing nannofossil ooze on a 1 to 1.5 meter scale.</p> <p>Minor Lithology: Foraminifer ooze occurs at Section 5, 128-130 cm; Section 6, 16-52 cm. These are interpreted as turbidite deposits.</p> <p>Bioturbation: Mild disruption</p>
--	--	--	--	--	--	--	--	--	---	--

Core Photo

Site 1266 Hole A Core 4H Cored 28.5-38.0 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 5H Cored 38.0-47.5 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 6H Cored 47.5-57.0 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 7H Cored 57.0-66.5 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 8H Cored 66.5-76.0 mbsf

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------






Core Photo

Site 1266 Hole A Core 9H Cored 76.0-84.6 mbsf

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole A Core 11H Cored 94.1-103.6 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 12H Cored 103.6-113.1 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 13H Cored 113.1-122.6 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 14H Cored 122.6-132.1 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 15H Cored 132.1-141.6 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 16H Cored 141.6-151.1 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole A Core 17H Cored 151.1-160.6 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 18H Cored 160.6-170.1 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 19H Cored 170.1-179.6 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 20H Cored 179.6-189.1 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 21H Cored 189.1-198.6 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 22H Cored 198.6-208.1 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 23H Cored 208.1-215.0 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 24H Cored 215.0-215.9 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole A Core 25H Cored 215.9-217.1 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------

	1									
--	---	---	--	--	--	--	--	--	--	--

— SS — NANNOFOSSIL OOZE

— PAL —





Major Lithology: Light to medium brown nannofossil ooze with thin indurated layers. Slight variation in color suggests cm-scale laminations.

Core Disturbance: Void at Section 1, 93-98 cm.

**Core Photo**

**Site 1266 Hole A Core 26X Cored 217.1-221.6 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------

-218	1									<p>CLAY-BEARING NANNOFOSSIL OOZE</p> <p>Major Lithology: Light to medium brown clay-bearing nannofossil ooze.</p> <p>Coring Disturbance: Very extensive</p>
										
										

Core Photo

Site 1266 Hole A Core 27X Cored 221.6-231.1 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 28X Cored 231.1-240.7 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 29X Cored 240.7-250.3 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 30X Cored 250.3-260.0 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole A Core 31X Cored 260.0-269.7 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 32X Cored 269.7-279.3 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole A Core 33X Cored 279.3-288.9 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole A Core 34X Cored 288.9-298.6 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole B Core 1H Cored 0.0-7.6 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------

1										<p>NANNOFOSSIL OOZE</p> <p>Major Lithologies: Medium brown nannofossil ooze with abundant 2 - 4 cm pinkish blebs distributed throughout core.</p> <p>Bioturbation: Moderate throughout</p>
2										
3										
4										
5										
6										
7										

— SS  
 — PAL



**Core Photo**

**Site 1266 Hole B Core 3X Cored 229.5-239.0 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------

<p>-230</p> <p>1</p> <p>-232</p> <p>2</p> <p>3</p> <p>-234</p> <p>4</p> <p>-236</p> <p>5</p> <p>-238</p> <p>6</p> <p>7</p>										<p>NANNOFOSSIL OOZE</p> <p>Major Lithologies: Light brown nannofossil ooze alternating with medium brown nannofossil chalk at meter scale.</p> <p>Minor lithology: Pinkish blebs of nannofossil ooze scattered throughout.</p> <p>Notes: Darker lithology contains slightly more clay and oxides.</p> <p>Bioturbation: Moderate throughout</p>
									— SS	
									— SS	
									— SS	
									— PAL	

**Core Photo**

**Site 1266 Hole B Core 4X Cored 239.0-248.5 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------










**Core Photo**

**Site 1266 Hole B Core 7X Cored 267.5-273.0 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole B Core 8X Cored 273.0-282.6 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole B Core 9X Cored 282.6-292.2 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole B Core 10X Cored 292.2-301.8 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole B Core 11X Cored 301.8-311.4 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------

1										<p>NANNOFOSSIL OOZE AND NANNOFOSSIL CHALK</p> <p>Major Lithologies: Light brown and pinkish-brown nannofossil ooze and nannofossil chalk.</p> <p>Minor Lithology: Chert occurs locally as nodules, Section 4, 117-121 cm.</p> <p>Bioturbation: Moderate throughout</p>
2										
3										
4										
5										
6										
7										
8										

— PAL






Core Photo

Site 1266 Hole C Core 2H Cored 71.5-81.0 mbsf

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------








**Core Photo**

**Site 1266 Hole C Core 4H Cored 88.4-97.9 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole C Core 5H Cored 97.9-107.4 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole C Core 6H Cored 107.4-116.0 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole C Core 7H Cored 116.0-125.5 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole C Core 8H Cored 125.5-135.0 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole C Core 10H Cored 144.5-154.0 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole C Core 11H Cored 154.0-163.5 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole C Core 12H Cored 163.5-173.0 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole C Core 14H Cored 182.5-192.0 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole C Core 15X Cored 245.0-254.5 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole C Core 16H Cored 254.5-264.0 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole C Core 17H Cored 264.0-273.5 mbsf


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------



Core Photo

Site 1266 Hole C Core 18H Cored 273.5-282.7 mbsf

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------






**Core Photo**

**Site 1266 Hole C Core 19X Cored 282.7-292.2 mbsf**


METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole C Core 20X Cored 315.0-324.6 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHINO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	---------	---------	----------	--------	-------------



**Core Photo**

**Site 1266 Hole C Core 21X Cored 324.6-334.2 mbsf**

METERS	SECTION	GRAPHIC LITH.	BIOTURB.	STRUCTURE	ACCESSORIES	ICHNO.	FOSSILS	DISTURB.	SAMPLE	DESCRIPTION
--------	---------	---------------	----------	-----------	-------------	--------	---------	----------	--------	-------------

