

Table T6 (continued).

Core, section	Depth (mbsf)	Depth (mcd)	Preparation	Total abundance	Preservation	Zones and comment	<i>Bicollumnus ovatus</i>	<i>Sphenolithus predistentus</i>	<i>Sphenolithus distentus</i>	<i>Chiasmolithus altus</i>	<i>Orthorhabdus serratus</i>	<i>Helicosphaera compacta</i>	<i>Reticulofenestra umbilicus</i> ≥14 μm	Discoaster tani group	<i>Sphenolithus pseudoradians</i>	<i>Reticulofenestra dictyoda</i>	<i>Ericsonia obruta</i>	<i>Isthmolithus recurvus</i>	<i>Ericsonia formosa</i>	Discoaster saipanensis	Discoaster barbadiensis	<i>Dictyococcites</i> spp.	<i>Calcidiscus protoannulus</i>	<i>Chiasmolithus</i> cf. <i>oamaruensis</i>	<i>Thoracosphaera</i> spp.	<i>Coccolithus eopelagicus</i>
208-1265A-																										
1H-CC	0.00	1.62	SS	A	G	NN18																				
2H-CC	9.46	11.08	SS	A	G	NN16 upper part																				
3H-CC	18.53	21.26	SS	A	G	CN10c																				
4H-CC	28.58	31.88	SS	A	M	CN8a/NN10																				
5H-CC	37.61	42.51	SS	A	M	NN7																				
6H-CC	47.62	54.32	SS	A	G	NN6/CN5a																				
7H-CC	56.89	64.74	SS	A	M/G	CN4/NN5-NN4																				
8H-CC	66.83	75.01	SS	A	G	CN3/NN4																				
9H-CC	76.12	85.74	SS	A	G	CN1c/NN3																				
10H-CC	85.29	96.41	SS	A	M/G	CN1c/NN2																				
11H-CC	95.20	107.27	SS	A	M/G	CN1c/NN2																				
12H-CC	104.86	118.63	SS	A	M	CN1a+b/NN1																				
13H-CC	114.10	129.06	SS	A	G	CP19b/NP25																				
14H-CC	123.90	139.80	SS	A	G	NP24		R	R																	
15H-CC	132.58	150.38	SS	A	G	NP23		C/F	F/R																	
16H-CC	142.59	162.34	SS	A	M	NP23/CP17	R	F/C		P		R		R												
17H-CC	151.11	171.54	SS	A	G	NP22/CP16c	F	F				R	F	F	F	F										
18H-CC	161.46	182.69	SS	A	G	NP21/CP6a-b	F						C	C	F	F		R	F/C	RR		RR		P	R	
19H-CC	170.02	192.02	SS	A	M	CP15/NP20-NP19	F	R					F/C		F			F/R	F/C	C		F				
20H-CC	180.77	204.08	SS	A	M/G	NP16/CP14a															1	F			P	
21H-CC	187.43	211.95	SS	A	M	NP14/CP12																F				
22H-CC	199.78	225.43	SS	A	M	NP13/CP11												R/F			R/F	F				
23H-CC	209.34	237.92	SS	A	M	NP12/CP10																				
24H-CC	218.91	249.39	SS	A	M	NP11/CP9a																			R	
25H-CC	228.18	261.14	SS	A	M	NP11/CP9a																				
26H-CC	237.73	271.92	SS	A	M	NP10																				
27H-CC	247.61	283.96	SS	A	M	NP9																				
28H-CC	256.97	295.00	SS	A	M	NP9																				
29H-CC	266.46	305.91	SS	A	M/G	NP9																				
30H-CC	276.16	316.94	SS	A	M	NP9																				
31H-CC	276.68	318.79	SS	A	G	NP9/CP8																				
32H-CC	278.21	320.49	SS	A	M	NP9/CP8																				
33H-CC	285.56	328.05	SS	A	M	NO CC																				
34H-CC	296.21	340.64	SS	A	M	NP9/CP8																				
35H-CC	309.26	355.04	SS	A	M	NP8																				
36H-CC	312.36	359.48	SS	A	M	NP8																			R	
208-1265B-																										
1H-Top	0.00	0.00	SS	A	G																					
1H-CC	4.73	4.73	SS	A	G	CN13b																				
2H-CC	14.63	16.08	SS	A	G	CN12aB																				
3H-CC	23.93	26.81	SS	A	G	CN10c/NN13																				
4H-CC	32.98	37.25	SS	A	M/G	CN8/NN10																				
5H-CC	42.85	49.55	SS	A	G	NN7/NN8																				
6H-CC	52.37	59.94	SS	A	G	NN6/CN5a																				
7H-CC	61.51	70.41	SS	A	G	NN5/CN4																				
8H-CC	70.13	80.33	SS	A	G	NN4/CNR																				
9H-CC	79.46	90.73	SS	A	G	NN3/CN2																				
10H-CC	89.89	102.76	SS	A	G	NN2/CN1c																				
11H-CC	99.29	112.71	SS	A	G	NN4 turbidite																				
12H-CC	109.63	124.08	SS	A	G	NN1																				
13H-CC	117.30	133.36	SS	A	G	NN1																				
14H-CC	128.61	145.78	SS	A	G	NP24/CP19a uppermost																				C
15H-CC	137.92	156.59	SS	A	G	NP23/CP18		F	R																	
16H-CC	147.39	167.50	SS	A	G	NP23/CP18	R/F	RR																		
17H-CC	156.2	177.32	SS	A	G	NP23/CP18	P								P	P										
18H-CC	166.27	188.80	SS	A	G	NP21/CP16b+a							C				C		C							
19H-CC	175.65	198.13	SS	A	G	NP19-NP20							C/A	P				C		C	P	C		P		

Table T6 (continued).

Core, section	Depth (mbsf)	Depth (mcd)	Preparation	Total abundance	Preservation	Zones and comment	<i>Emiliania huxleyi</i>	<i>Pseudoemiliania lacunosa</i>	Large <i>Gephyrocapsa</i> spp.	<i>Calcidiscus macintyreii</i>	Small <i>Gephyrocapsa</i> spp.	<i>Discoaster brouweri</i>	<i>Discoaster triradiatus</i>	<i>Discoaster pentaradiatus</i>	<i>Discoaster surculus</i>	<i>Discoaster tamalis</i>	<i>Discoaster asymmetricus</i>	<i>Sphenolithus</i> spp.	<i>Reticulolenestra pseudoumbilicus</i>	<i>Amaurolithus</i> spp.	<i>Triquetrorhabdulus rugosus</i>	<i>Minylitha convallis</i>	<i>Discoaster neohamatus</i>	<i>Discoaster cf. hamatus</i>	<i>Catinaster calyculus</i>	<i>Catinaster coarctatus</i>	
20H-CC	184.00	208.59	SS	A	G	NP18-NP19																					
21H-CC	194.50	219.82	SS	A	M	NP15																					
22H-CC	199.64	232.62	SS	A	G	NP13/CP11																					
23H-CC	213.46	243.21	SS	A	M	NP12/CP10																					
24H-CC	222.20	253.64	SS	A	M/G	NP12/CP10																					
25H-CC	232.47	265.92	SS	A	M/G	NP10/CP10																					
26H-CC	242.41	277.10	SS	A	G	NP10/CP10																					
27H-CC	251.77	288.73	SS	A	G																						
208-1265C-																											
1H-CC	194.84	218.20	SS	A	G	CP13/NP15																					
2H-CC	194.50	220.15	SS	A	G	CP13/NP15																					
2H-CC	204.13	229.78	SS	A	G	CP12/NP14																					
208-1265D-																											
1H-CC	251.54	289.44	SS	A	G	CP9a/NP10																					
2H-CC	267.33	305.60	SS	A	G	CP8/NP9																					
3H-CC	272.57	311.26	SS	A	M/G	CP8/NP9																					
4H-CC	274.88	311.26	SS	A	M	CP8/NP9																					
4H-CC	274.88	315.71	SS	A	G	CP8/NP9																					
5H-CC	274.89	315.87	SS	A	G	CP8/NP9																					

Notes: Preparation: SS = smear slide. Total abundance: A = abundant. Preservation: G = good, M = moderate, P = poor. Taxon abundance:

Table T6 (continued).

Core, section	Depth (mbsf)	Depth (mcd)	Preparation	Total abundance	Preservation	Zones and comment	<i>Coccolithus miopelagicus</i>	<i>Discoaster dellandrei</i> group	<i>Calcidiscus premacintyreii</i>	<i>Cyclargolithus floridanus</i>	<i>Sphenolithus heteromorphus</i>	<i>Coronocyclus nitescens</i>	<i>Sphenolithus belemnos</i>	Small <i>Cyclargolithus abisectus</i>	<i>Sphenolithus dissimilis</i>	<i>Sphenolithus disbelemnos</i>	<i>Ilseithina fusa</i>	<i>Sphenolithus capricornutus</i>	<i>Sphenolithus delphix</i>	<i>Cyclargolithus abisectus</i>	<i>Coccolithus miopelagicus</i>	<i>Sphenolithus ciproensis</i>	<i>Dictyococcites bisectus</i>	<i>Sphenolithus conicus</i>	<i>Triquetrorhabdulus carinatus</i>	<i>Zygrhablithus bijugatus</i>		
20H-CC	184.00	208.59	SS	A	G	NP18–NP19						P																
21H-CC	194.50	219.82	SS	A	M	NP15																						
22H-CC	199.64	232.62	SS	A	G	NP13/CP11																						
23H-CC	213.46	243.21	SS	A	M	NP12/CP10																						
24H-CC	222.20	253.64	SS	A	M/G	NP12/CP10																					A	
25H-CC	232.47	265.92	SS	A	M/G	NP10/CP10																					P	
26H-CC	242.41	277.10	SS	A	G	NP10/CP10																					A	
27H-CC	251.77	288.73	SS	A	G																							
208-1265C-																												
1H-CC	194.84	218.20	SS	A	G	CP13/NP15																						
2H-CC	194.50	220.15	SS	A	G	CP13/NP15																						
2H-CC	204.13	229.78	SS	A	G	CP12/NP14																						AA
208-1265D-																												
1H-CC	251.54	289.44	SS	A	G	CP9a/NP10																						A
2H-CC	267.33	305.60	SS	A	G	CP8/NP9																						C
3H-CC	272.57	311.26	SS	A	M/G	CP8/NP9																						C/A
4H-CC	274.88	311.26	SS	A	M	CP8/NP9																						
4H-CC	274.88	315.71	SS	A	G	CP8/NP9																						
5H-CC	274.89	315.87	SS	A	G	CP8/NP9																						RR

AA = very abundant (acme), A = abundant, C = common, F = few, R = rare, RR = single specimens, P = present.

Table T6 (continued).

Core, section	Depth (mbsf)	Depth (mcd)	Preparation	Total abundance	Preservation	Zones and comment	Discoasters with knob <i>Tribrachiatius bramlettei</i> <i>Rhombaster cuspis</i> <i>Fasciculithus tympaniformis</i> <i>Discoaster nobilis</i> <i>Helolithus riedelii</i> <i>Discoaster mahleri</i> <i>Chiasmolithus bidens</i> <i>Sphenolithus anarrhopus</i> <i>Bomolitus elegans</i> <i>Fasciculithus</i> spp. <i>Toweius</i> spp. <i>Ellipsolithus macellus</i>		
20H-CC	184.00	208.59	SS	A	G	NP18-NP19			
21H-CC	194.50	219.82	SS	A	M	NP15			
22H-CC	199.64	232.62	SS	A	G	NP13/CP11			
23H-CC	213.46	243.21	SS	A	M	NP12/CP10			
24H-CC	222.20	253.64	SS	A	M/G	NP12/CP10			A
25H-CC	232.47	265.92	SS	A	M/G	NP10/CP10			
26H-CC	242.41	277.10	SS	A	G	NP10/CP10	P		P
27H-CC	251.77	288.73	SS	A	G				
208-1265C-									
1H-CC	194.84	218.20	SS	A	G	CP13/NP15			
2H-CC	194.50	220.15	SS	A	G	CP13/NP15			
2H-CC	204.13	229.78	SS	A	G	CP12/NP14			
208-1265D-									
1H-CC	251.54	289.44	SS	A	G	CP9a/NP10	?		
2H-CC	267.33	305.60	SS	A	G	CP8/NP9		F/C	C
3H-CC	272.57	311.26	SS	A	M/G	CP8/NP9			A
4H-CC	274.88	311.26	SS	A	M	CP8/NP9			
4H-CC	274.88	315.71	SS	A	G	CP8/NP9	RR P		
5H-CC	274.89	315.87	SS	A	G	CP8/NP9			