

Table T8. Stratigraphic ranges and relative abundances for selected planktonic foraminifer taxa, Site 1262. (See table notes. Continued on next five pages.)

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Preparation	Abundance	Preservation	Comment	<i>Globorotalia truncatulinoides</i>	<i>Globoconella inflata</i>	<i>Globorotalia crassaformis</i>	<i>Globorotalia tosaensis</i>	<i>Globoconella puncticulata</i>	<i>Globoconella conomiozea</i>	<i>Globoconella sphericomiozea</i>	<i>Globoturborotalita woodi</i>	<i>Globigerinoides obliquus</i>	<i>Dentoglobigerina altispira</i>	<i>Globoquadrina venezuelana</i>	<i>Sphaeroidinellopsis</i> sp.	<i>Sphaeroidinellopsis disjuncta</i>	<i>Globorotalia plesiatumida</i>	<i>Acarinina</i> spp.	<i>Pulleniatina obliquiloculata</i>	<i>Acarinina bullbrooki</i>	<i>Sphaeroidinellopsis seminulina</i>	<i>Sphaeroidinellopsis subdehiscens</i>	<i>Globigerina nepenthes</i>	<i>Globigerina druryi</i>	<i>Globoconella miozea</i>	<i>Subbotina anagjipporoides</i>	<i>Globorotaloides suteri</i>	<i>Acarinina primitiva</i>	<i>Globigerinatheka index</i>	<i>Globigerinatheka seminivoluta</i>	<i>Morozovella lensiformis</i>	<i>Morozovella aragonensis</i>	<i>Morozovella formosa</i>		
208-																																						
1262B-1H-1, 62-64	0.62	0.62	S	A	M		c	c	c																													
1262B-1H-3, 62-64	3.62	3.62	S	A	G		c	c	c																													
1262B-2H-1, 62-64	7.52	4.19	S	A	P		c	c	c																													
1262B-1H-4, 62-64	5.12	5.12	S	A	M		c	c	c	f																												
1262B-1H-5, 42-44	6.42	6.42	S	A	P		c	c	c	c																												
1262A-1H-1, 62-64	0.62	6.66	S	A	G		c	a	c	r					r																							
1262B-1H-CC	6.86	6.86	S	A	G	Reworking	c	c	c	f												f																
1262A-1H-2, 62-64	2.12	8.16	S	A	M	Reworking	c	c	f	r																												
1262A-1H-3, 62-64	3.62	9.66	S	A	M	Reworking	c	a	c	f									r			f																
1262B-2H-CC	15.83	12.50	S	A	M	Reworking	c	c	c																													
1262A-1H-5, 62-64	6.62	12.66	S	A	P	Reworking	c	c													r																	
1262A-1H-CC	9.97	16.01	S	A	M		c	c	c	f																												
1262B-3H-CC	19.98	22.39	S	A	G		c																															
1262A-2H-CC	19.42	25.73	S	A	M		c	c	f					r	f																							
1262B-4H-CC	29.85	31.84	S	A	M		c				r																											
1262A-3H-CC	28.41	35.72	S	A	M	Reworking	c	f								r						r																
1262B-5H-CC	40.21	42.72	S	A	G						r	r	r				r	r																				
1262A-4H-CC	38.52	46.03	S	A	P		c	f														f		c														
1262B-6H-CC	49.40	51.28	S	B		Dissolution																																
1262A-5H-CC	47.87	56.83	S	R	P	Reworking													r				r		r	r	r	r	r									
1262B-7H-CC	57.47	61.80	S	B		Dissolution																																
1262A-6H-CC	57.61	68.36	S	B		Dissolution																																
1262B-8H-CC	67.32	72.21	S	A	P																																	
1262A-7H-CC	66.73	78.12	S	A	M																																	
1262B-9H-CC	77.07	83.94	S	B		Dissolution																																
1262A-8H-CC	73.93	87.97	S	A	P																																	
1262B-10H-CC	86.71	94.13	S	R	P																																	
1262A-9H-CC	85.63	100.84	S	A	M																																	
1262B-11H-CC	95.39	104.97	S	A	G																																	
1262A-10H-CC	95.29	111.40	S	A	G																																	
1262B-12H-CC	105.05	115.69	S	A	G																																	
1262A-11H-CC	104.24	120.29	S	A	M																																	
1262B-13H-CC	114.07	125.04	S	A	G																																	
1262A-12H-CC	114.06	130.67	S	A	G																																	
1262B-14H-CC	124.34	136.23	S	A	G																																	
1262A-13H-4, 140-150	119.90	138.01	S	A	M																																	
1262A-13H-5, 138-139	121.38	139.49	S	A	G																																	
1262A-13H-6, 4-5	121.54	139.65	S	A	G-M																																	

Table T8 (continued).

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Preparation	Abundance	Preservation	Comment	<i>Morozovella gracilis</i>	<i>Morozovella subbotinae</i>	<i>Chiliqueumbelina</i> spp.	<i>Morozovella marginodentata</i>	<i>Chiliqueumbelina midwayensis</i>	<i>Chiliqueumbelina wilcoxensis</i>	<i>Morozovella aequa</i>	<i>Acarinina soldadoensis</i>	<i>Subbotina patagonica</i>	<i>Morozovella acuta</i>	<i>Morozovella velascoensis</i>	<i>Subbotina velascoensis</i>	<i>Acarinina coalingensis</i>	<i>Acarinina wilcoxensis</i>	<i>Morozovella angulata</i>	<i>Globanomalina imitata</i>	<i>Globanomalina australiformis</i>	<i>Globanomalina chapmani</i>	<i>Morozovella occulsa</i>	<i>Globanomalina pseudomenardii</i>	<i>Acarinina subspheerica</i>	<i>Subbotina triangularis</i>	<i>Acarinina mckannai</i>	<i>Morozovella conicotruncata</i>	<i>Igorina broedermanii</i>	<i>Igorina tadjikistanensis</i>	<i>Subbotina cancellata</i>	<i>Igorina albeari</i>	<i>Globanomalina ehrenbergi</i>	<i>Globanomalina compressa</i>		
208-																																						
1262B-1H-1, 62-64	0.62	0.62	S	A	M																																	
1262B-1H-3, 62-64	3.62	3.62	S	A	G																																	
1262B-2H-1, 62-64	7.52	4.19	S	A	P																																	
1262B-1H-4, 62-64	5.12	5.12	S	A	M																																	
1262B-1H-5, 42-44	6.42	6.42	S	A	P																																	
1262A-1H-1, 62-64	0.62	6.66	S	A	G																																	
1262B-1H-CC	6.86	6.86	S	A	G	Reworking																																
1262A-1H-2, 62-64	2.12	8.16	S	A	M	Reworking																																
1262A-1H-3, 62-64	3.62	9.66	S	A	M	Reworking																																
1262B-2H-CC	15.83	12.50	S	A	M	Reworking																																
1262A-1H-5, 62-64	6.62	12.66	S	A	P	Reworking																																
1262A-1H-CC	9.97	16.01	S	A	M																																	
1262B-3H-CC	19.98	22.39	S	A	G																																	
1262A-2H-CC	19.42	25.73	S	A	M																																	
1262B-4H-CC	29.85	31.84	S	A	M																																	
1262A-3H-CC	28.41	35.72	S	A	M	Reworking																																
1262B-5H-CC	40.21	42.72	S	A	G																																	
1262A-4H-CC	38.52	46.03	S	A	P																																	
1262B-6H-CC	49.40	51.28	S	B		Dissolution																																
1262A-5H-CC	47.87	56.83	S	R	P	Reworking																																
1262B-7H-CC	57.47	61.80	S	B		Dissolution																																
1262A-6H-CC	57.61	68.36	S	B		Dissolution																																
1262B-8H-CC	67.32	72.21	S	A	P																																	
1262A-7H-CC	66.73	78.12	S	A	M																																	
1262B-9H-CC	77.07	83.94	S	B		Dissolution																																
1262A-8H-CC	73.93	87.97	S	A	P																																	
1262B-10H-CC	86.71	94.13	S	R	P		f																															
1262A-9H-CC	85.63	100.84	S	A	M		r	f																														
1262B-11H-CC	95.39	104.97	S	A	G			f																														
1262A-10H-CC	95.29	111.40	S	A	G		c	c	c	r		f	c	c				f	f	r		r	r				r	f				r						
1262B-12H-CC	105.05	115.69	S	A	G		f	f																														
1262A-11H-CC	104.24	120.29	S	A	M		f	c	c									c	f	r		r	c	r				f	r				r					
1262B-13H-CC	114.07	125.04	S	A	G					c		c	f	f																								
1262A-12H-CC	114.06	130.67	S	A	G		r	c	c			f	c	c				c	f	r		r	f				f	f					r					
1262B-14H-CC	124.34	136.23	S	A	G			f	c				f	f	f		r																					
1262A-13H-4, 140-150	119.90	138.01	S	A	M		r	f	r					c	r																							
1262A-13H-5, 138-139	121.38	139.49	S	A	G			c	r				r	f	f			r	f	r	r																	
1262A-13H-6, 4-5	121.54	139.65	S	A	G-M			f					f	c	r			r	r																			

Table T8 (continued).

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Preparation	Abundance	Preservation	Comment	<i>Praemurica uncinata</i>	<i>Praemurica inconstans</i>	<i>Praemurica taurica</i>	<i>Globanomalina archeocompressa</i>	<i>Globocornusa daubjergensis</i>	<i>Subbotina triloculinoides</i>	<i>Globanomalina planocompressa</i>	<i>Eoglobigerina eobulloides</i>	<i>Parasubbotina pseudobulloides</i>	Biserial morphotypes	<i>Parvularugoglobigerina eugubina</i>	<i>Guembelitria cretacea</i>	<i>Abathomphalus mayaroensis</i>	<i>Contusotruncana contusa</i>	<i>Heterohelix</i> spp.
208-																					
1262B-1H-1, 62-64	0.62	0.62	S	A	M																
1262B-1H-3, 62-64	3.62	3.62	S	A	G																
1262B-2H-1, 62-64	7.52	4.19	S	A	P																
1262B-1H-4, 62-64	5.12	5.12	S	A	M																
1262B-1H-5, 42-44	6.42	6.42	S	A	P																
1262A-1H-1, 62-64	0.62	6.66	S	A	G																
1262B-1H-CC	6.86	6.86	S	A	G	Reworking															
1262A-1H-2, 62-64	2.12	8.16	S	A	M	Reworking															
1262A-1H-3, 62-64	3.62	9.66	S	A	M	Reworking															
1262B-2H-CC	15.83	12.50	S	A	M	Reworking															
1262A-1H-5, 62-64	6.62	12.66	S	A	P	Reworking															
1262A-1H-CC	9.97	16.01	S	A	M																
1262B-3H-CC	19.98	22.39	S	A	G																
1262A-2H-CC	19.42	25.73	S	A	M																
1262B-4H-CC	29.85	31.84	S	A	M																
1262A-3H-CC	28.41	35.72	S	A	M	Reworking															
1262B-5H-CC	40.21	42.72	S	A	G																
1262A-4H-CC	38.52	46.03	S	A	P																
1262B-6H-CC	49.40	51.28	S	B		Dissolution															
1262A-5H-CC	47.87	56.83	S	R	P	Reworking															
1262B-7H-CC	57.47	61.80	S	B		Dissolution															
1262A-6H-CC	57.61	68.36	S	B		Dissolution															
1262B-8H-CC	67.32	72.21	S	A	P																
1262A-7H-CC	66.73	78.12	S	A	M																
1262B-9H-CC	77.07	83.94	S	B		Dissolution															
1262A-8H-CC	73.93	87.97	S	A	P																
1262B-10H-CC	86.71	94.13	S	R	P																
1262A-9H-CC	85.63	100.84	S	A	M																
1262B-11H-CC	95.39	104.97	S	A	G																
1262A-10H-CC	95.29	111.40	S	A	G																
1262B-12H-CC	105.05	115.69	S	A	G																
1262A-11H-CC	104.24	120.29	S	A	M																
1262B-13H-CC	114.07	125.04	S	A	G																
1262A-12H-CC	114.06	130.67	S	A	G																
1262B-14H-CC	124.34	136.23	S	A	G																
1262A-13H-4, 140-150	119.90	138.01	S	A	M																
1262A-13H-5, 138-139	121.38	139.49	S	A	G																
1262A-13H-6, 4-5	121.54	139.65	S	A	G-M																

Table T8 (continued).

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Preparation	Abundance	Preservation	Comment	<i>Globorotalia truncatulinoides</i>	<i>Globoconella inflata</i>	<i>Globorotalia crassaformis</i>	<i>Globorotalia tosaensis</i>	<i>Globoconella punctulata</i>	<i>Globoconella coroniozea</i>	<i>Globoconella sphericomiozea</i>	<i>Globotuborotalita woodi</i>	<i>Globigerinoides obliquus</i>	<i>Dentoglobigerina altispira</i>	<i>Globoquadrima venezuelana</i>	<i>Sphaeroidinellopsis</i> sp.	<i>Sphaeroidinellopsis disjuncta</i>	<i>Globorotalia plesiotaumida</i>	<i>Acarinina</i> spp.	<i>Pulleniatina obliquiloculata</i>	<i>Acarinina bullbrooki</i>	<i>Sphaeroidinellopsis seminulina</i>	<i>Sphaeroidinellopsis subdehiscens</i>	<i>Globigerina nepenthes</i>	<i>Globigerina dranyi</i>	<i>Globoconella miozea</i>	<i>Subbotina angloporides</i>	<i>Globorotaloides suteri</i>	<i>Acarinina primitiva</i>	<i>Globigerinatheka index</i>	<i>Globigerinatheka semiinvoluta</i>	<i>Morozovella lensiformis</i>	<i>Morozovella aragonensis</i>	<i>Morozovella formosa</i>	
1262A-13H-6, 19-20	121.69	139.80	S	R	M	Diminutive forms																															
1262A-13H-6, 30-31	121.80	139.91	S	R	M	Diminutive forms																															
1262A-13H-6, 43-44	121.93	140.04	S	R	M	Diminutive forms																															
1262A-13H-6, 57-58	122.07	140.18	S	R	P	Micronodules																															
1262A-13H-6, 95-96	122.45	140.56	S	A	M																																
1262A-13H-CC	123.97	142.08	S	A	M																																
1262B-15H-CC	133.84	146.16	S	A	M																																
1262A-14H-CC	132.71	151.93	S	A	M																																
1262B-16H-CC	143.79	156.65	S	A	M																																
1262A-15H-CC	141.79	161.95	S	A	G																																
1262B-17H-CC	152.61	166.23	S	A	M																																
1262A-16H-CC	152.53	173.49	S	R	P																																
1262B-18H-CC	162.89	177.98	S	A	P																																
1262A-17H-CC	161.97	182.36	S	R	P																																
1262B-19H-CC	172.07	188.16	S	A	M-G																																
1262B-20H-CC	181.46	198.79	S	A	G																																
1262B-21H-CC	190.55	210.49	S	A	G																																
1262B-22H-1, 17.5-19.0	191.07	212.07	38	A	G																																
1262B-22H-3, 47.0-48.5	193.13	214.12	38	A	G																																
1262B-22H-3, 97.0-98.5	193.63	214.62	38	A	G																																
1262B-22H-4, 37.5-39.0	194.54	215.52	38	A	G																																
1262B-22H-4, 85.0-86.5	195.01	216.00	38	A	G																																
1262B-22H-4, 114.0-115.5	195.30	216.29	38	A	G	Reworking																															
1262B-22H-4, 133.0-134.5	195.49	216.48	38	A	G	Reworking																															
1262B-22H-4, 143.0-144.5	195.59	216.58	38	A	M-G																																
1262B-22H-CC	200.76	221.75	S	A	M																																
1262B-23H-CC	209.60	232.78	S	A	M-G																																

Notes: Preparation: S = >63- μ m size fraction, 38 = >38- μ m size fraction. Abundance: A = abundant, R = rare, B = barren. Preservation: G = good, M = moderate, P = poor. Occurrence: a = abundant, c = common, f = frequent, r = rare, b = barren.

Table T8 (continued).

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Preparation	Abundance	Preservation	Comment	<i>Morozovella gracilis</i>	<i>Morozovella subbotinae</i>	<i>Chiloguembelina</i> spp.	<i>Morozovella marginodentata</i>	<i>Chiloguembelina midwayensis</i>	<i>Chiloguembelina wilcoxensis</i>	<i>Morozovella aequa</i>	<i>Acarinina soldadoensis</i>	<i>Subbotina patagonica</i>	<i>Morozovella acuta</i>	<i>Morozovella velascoensis</i>	<i>Subbotina velascoensis</i>	<i>Acarinina coalingensis</i>	<i>Acarinina wilcoxensis</i>	<i>Morozovella angulata</i>	<i>Globanomalina imitata</i>	<i>Globanomalina australiformis</i>	<i>Globanomalina chapmani</i>	<i>Morozovella occulsa</i>	<i>Globanomalina pseudomenardii</i>	<i>Acarinina subspheerica</i>	<i>Subbotina triangularis</i>	<i>Acarinina mckannai</i>	<i>Morozovella conicotruncata</i>	<i>Igorina broedermanii</i>	<i>Igorina tadjikistanensis</i>	<i>Subbotina cancellata</i>	<i>Igorina albeari</i>	<i>Globanomalina ehrenbergi</i>	<i>Globanomalina compressa</i>	
1262A-13H-6, 19-20	121.69	139.80	S	R	M	Diminutive forms	f						r	f	r			r	f																		
1262A-13H-6, 30-31	121.80	139.91	S	R	M	Diminutive forms	r						r	r	r			r																			
1262A-13H-6, 43-44	121.93	140.04	S	R	M	Diminutive forms	r						r	r				r																			
1262A-13H-6, 57-58	122.07	140.18	S	R	P	Micronodules	f	f					r	c	r			r	r				r	r					r								
1262A-13H-6, 95-96	122.45	140.56	S	A	M		r	f	f				r	f	f			r	f	f					r												
1262A-13H-CC	123.97	142.08	S	A	M								c	c		r		r	f	f			f	r													
1262B-15H-CC	133.84	146.16	S	A	M											f		f																			
1262A-14H-CC	132.71	151.93	S	A	M		r						f	c	r		r	f	f		f	r	r		r		r	r	f				c				
1262B-16H-CC	143.79	156.65	S	A	M											f		f																	r		
1262A-15H-CC	141.79	161.95	S	A	G								r	r	r		r	f							r	f			f				f	r		f	
1262B-17H-CC	152.61	166.23	S	A	M												f	f								f	f										
1262A-16H-CC	152.53	173.49	S	R	P												r										r										
1262B-18H-CC	162.89	177.98	S	A	P													f																			
1262A-17H-CC	161.97	182.36	S	R	P																																
1262B-19H-CC	172.07	188.16	S	A	M-G																																f
1262B-20H-CC	181.46	198.79	S	A	G																																
1262B-21H-CC	190.55	210.49	S	A	G																																
1262B-22H-1, 17.5-19.0	191.07	212.07	38	A	G																																r
1262B-22H-3, 47.0-48.5	193.13	214.12	38	A	G																																r
1262B-22H-3, 97.0-98.5	193.63	214.62	38	A	G																																r
1262B-22H-4, 37.5-39.0	194.54	215.52	38	A	G																																
1262B-22H-4, 85.0-86.5	195.01	216.00	38	A	G																																
1262B-22H-4, 114.0-115.5	195.30	216.29	38	A	G	Reworking																															
1262B-22H-4, 133.0-134.5	195.49	216.48	38	A	G	Reworking																															
1262B-22H-4, 143.0-144.5	195.59	216.58	38	A	M-G																																
1262B-22H-CC	200.76	221.75	S	A	M																																
1262B-23H-CC	209.60	232.78	S	A	M-G																																

Table T8 (continued).

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Preparation	Abundance	Preservation	Comment	<i>Praemurica uncinata</i>	<i>Praemurica inconstans</i>	<i>Praemurica taurica</i>	<i>Globanomalina archeocompressa</i>	<i>Globoconusa daubjergensis</i>	<i>Subbotina triloculinoides</i>	<i>Globanomalina planocompressa</i>	<i>Eoglobigerina eobulloides</i>	<i>Parasubbotina pseudobulloides</i>	Biserial morphotypes	<i>Parvularugoglobigerina eugubina</i>	<i>Guembelitria cretacea</i>	<i>Abathomphalus mayaroensis</i>	<i>Contusotruncana contusa</i>	<i>Heterohelix</i> spp.
1262A-13H-6, 19-20	121.69	139.80	S	R	M	Diminutive forms															
1262A-13H-6, 30-31	121.80	139.91	S	R	M	Diminutive forms															
1262A-13H-6, 43-44	121.93	140.04	S	R	M	Diminutive forms															
1262A-13H-6, 57-58	122.07	140.18	S	R	P	Micronodules															
1262A-13H-6, 95-96	122.45	140.56	S	A	M																
1262A-13H-CC	123.97	142.08	S	A	M																
1262B-15H-CC	133.84	146.16	S	A	M																
1262A-14H-CC	132.71	151.93	S	A	M																
1262B-16H-CC	143.79	156.65	S	A	M																
1262A-15H-CC	141.79	161.95	S	A	G																
1262B-17H-CC	152.61	166.23	S	A	M																
1262A-16H-CC	152.53	173.49	S	R	P																
1262B-18H-CC	162.89	177.98	S	A	P																
1262A-17H-CC	161.97	182.36	S	R	P																
1262B-19H-CC	172.07	188.16	S	A	M-G																
1262B-20H-CC	181.46	198.79	S	A	G		f	f													
1262B-21H-CC	190.55	210.49	S	A	G		f	f	f	f		c									
1262B-22H-1, 17.5-19.0	191.07	212.07	38	A	G		f	c				r	c	c	c	c					
1262B-22H-3, 47.0-48.5	193.13	214.12	38	A	G		f	f				f		c	c	c					
1262B-22H-3, 97.0-98.5	193.63	214.62	38	A	G		f	f				f		c	c	c					
1262B-22H-4, 37.5-39.0	194.54	215.52	38	A	G							f		c	c	c					
1262B-22H-4, 85.0-86.5	195.01	216.00	38	A	G									c	a						
1262B-22H-4, 114.0-115.5	195.30	216.29	38	A	G	Reworking									c	a	r	r	r	r	
1262B-22H-4, 133.0-134.5	195.49	216.48	38	A	G	Reworking										a	c	r	r	r	
1262B-22H-4, 143.0-144.5	195.59	216.58	38	A	M-G														c	c	c
1262B-22H-CC	200.76	221.75	S	A	M														c	c	c
1262B-23H-CC	209.60	232.78	S	A	M-G														c	c	