

Core, section	Depth (mbsf)	Preservation	Group abundance	Agglutinated foraminifers																									
				Karreriulina sp. indet.	Lagenammmina spp.	Lituotuba spp.	Paratrochamminoides spp.	Recurvoidella lamella	Recurvoides spp.	Reophax triloba	Reophax spp.	Reticulophragmium sp.	Rzehakina spp.	Saccamina spp.	Silicosignailina sp.	Spiroplectammmina dentata	Spiroplectammmina cf. dentata	Spiroplectammmina spectabilis	Spiroplectammmina sp. indet.	Textularia spp.	Tritoxia spp.	Trochammmina globigeriniformis	Trochammmina sp. A	Trochammmina sp. indet.	Trochamminoides sp.	Uvigerinammmina sp.	Agglutinated foram. gen. et sp. indet.	Calc. porcellaneous foraminifers	Miliolids
210-1276A-																													
2R-CC	803.51	M	T																										
3R-CC	819.26	—	T																										
4R-CC	825.90	P	T																										
5R-CC	838.15	—	T																										
6R-CC	847.40	P	A		T	T				T		R					T						T		F				
7R-CC	857.68	P	A				F			R				T			T				T				F				
8R-CC	866.13	M	C											T															
9R-CC	876.92	M	R																										
10R-CC	885.37	P	T																										
11R-CC	894.58	P	T																										
12R-CC	902.69	P	F																							T			
13R-CC	910.39	P	F																							T			
14R-CC	920.64	P	F																										
15R-CC	933.33	P	A										R		T		T	T			R		T		F				
16R-CC	942.23	P	T																										
17R-7	953.66	P	T																										
18R-CC	963.40	P	T																										
19R-CC	970.55	P	R											T									T		R				
20R-CC	982.82	—	T																										
21R-CC	988.32	P	F																							T			
21R-CC	988.32	P	F																							T			
22R-CC	997.41	P	R																										
23R-CC	1006.86	P	T																										
24R-CC	1019.07	P	F																							T			
25R-CC	1030.41	P	F							T		T						T			T		T		T	R			T
26R-CC	1034.04	P	F					T	T	T																			

Table T10 (continued).

Core, section	Depth (mbsf)	Preservation	Group abundance	Calcareous hyaline foraminifers																													
				<i>Alabamina</i> sp	<i>Aragonia velascoensis</i>	<i>Astacolus jarvisi</i>	<i>Astacolus?</i> sp.	<i>Astrononion novozealandicum</i>	<i>Astrononion</i> sp. indet.	<i>Bifarina</i> sp.	<i>Bolivina</i> spp.	<i>Bulimina tuxpamensis</i>	<i>Buliminella</i> sp.	<i>Cibicides</i> spp.	<i>Cibicides praemundulus</i>	<i>Cibicides</i> sp. indet.	<i>Conorbina?</i> sp.	<i>Discorbis?</i> sp.	<i>Ellipsoidella</i> spp.	<i>Epistomina?</i> sp.	<i>Eponides</i> sp.	<i>Gavelinella beccariformis</i>	<i>Gavelinella</i> cf. <i>intermedia</i>	<i>Gavelinella</i> sp. indet.	<i>Gavelinella?</i> sp. indet.	<i>Globobulimina affinis</i>	<i>Globocassidulina subglobosa</i>	<i>Gyroidina</i> spp.	<i>Gyroidinoides</i> cf. <i>nitidus</i>	<i>Gyroidinoides</i> sp. indet.	<i>Globorotalites</i> sp.	<i>Lenticulina carlsbadensis</i>	<i>Lenticulina muensteri?</i>
210-1276A-																																	
2R-CC	803.51	M	T																														
3R-CC	819.26	—	T																														
4R-CC	825.90	P	T																														
5R-CC	838.15	—	T																														
6R-CC	847.40	P	A																														
7R-CC	857.68	P	A																														
8R-CC	866.13	M	C																														
9R-CC	876.92	M	R																														
10R-CC	885.37	P	T																														
11R-CC	894.58	P	T																														
12R-CC	902.69	P	F																														
13R-CC	910.39	P	F																														
14R-CC	920.64	P	F																														
15R-CC	933.33	P	A																														
16R-CC	942.23	P	T																														
17R-7	953.66	P	T																														
18R-CC	963.40	P	T																														
19R-CC	970.55	P	R																														
20R-CC	982.82	—	T																														
21R-CC	988.32	P	F	T																													
21R-CC	988.32	P	F																														
22R-CC	997.41	P	R																														
23R-CC	1006.86	P	T																														
24R-CC	1019.07	P	F																														
25R-CC	1030.41	P	F																														
26R-CC	1034.04	P	F																														
27R-CC	1050.18	P	F																														
28R-CC	1057.36	P	R																														
29R-CC	1067.61	P	R																														
30R-CC	1076.64	P	R																														
30R-CC	1076.64	P	R																														
31R-CC	1086.88	M	C																														
32R-CC	1098.33	P	T																														
33R-CC	1107.76	P	F																														
34R-CC	1113.78	M	C																														
35R-CC	1126.87	P	F																														
36R-CC	1135.63	M	R																														
37R-CC	1145.55	—	T																														
38R-CC	1155.60	P	T																														
39R-CC	1164.26	M	F																														
40R-CC	1174.29	P	T																														
41R-CC	1183.96	M	A																														
42R-CC	1194.25	P	F																														
43R-CC	1202.30	M	C																														
44R-CC	1213.23	M	R																														
45R-CC	1221.73	M	C																														
46R-CC	1231.74	P	T																														
47R-CC	1241.61	P	T																														
48R-CC	1249.14	M	A																														
49R-CC	1259.87	M	T																														
50R-CC	1268.98	M	A																														
51R-CC	1279.06	—	T																														
52R-CC	1290.00	M-P	A																														
53R-CC	1298.19	—	T																														
54R-CC	1307.67	M-P	A																														
55R-CC	1314.90	P	T																														

4

[illegible]

Table T10 (continued).

Core, section	Depth (mbsf)	Preservation	Group abundance	Agglutinated foraminifers																																
				<i>Ammobaculites</i> spp.	<i>Ammobaculites</i> ? sp. indet.	<i>Ammobaculoides</i> sp.	<i>Ammodiscus cretaceus</i>	<i>Ammodiscus latus</i>	<i>Ammodiscus nagy</i> ?	<i>Ammodiscus tenuissima</i>	<i>Ammodiscus</i> sp. indet.	<i>Ammoveritella</i> ? sp.	<i>Bulbobaculites subcretaceus</i>	<i>Clavulina</i> ? sp.	<i>Cribrostomoides</i> spp.	<i>Cyclammina cancellata</i>	<i>Cyclammina</i> sp. indet.	<i>Eggerella</i> sp.	Fragment of tube-shaped species	<i>Gaudryina</i> spp.	<i>Glomospiniella</i> sp.	<i>Glomospira charoides</i>	<i>Glomospira goldialis</i>	<i>Glomospira irregularis</i>	<i>Glomospira</i> sp. indet.	<i>Haplophragmoides porrectus</i>	<i>Haplophragmoides walteri</i>	<i>Haplophragmoides</i> sp. indet.	<i>Homosina ovuloides</i>	<i>Homosina</i> sp. indet.	<i>Hyperammina kennillien</i> ?	<i>Hyperammina</i> sp. indet.	<i>Karrerulina conversa</i>			
56R-CC	1324.48	P	C	T		T												F									T				T			T		
57R-CC	1331.42	M-P	A			T												A									R									
58R-CC	1343.02	M	A				T	T		R			T					A			R			T						C	F			R		
59R-CC	1353.20	M-P	C															A			R										T					
60R-CC	1362.02	M	A							R								A				T							F					F		
61R-CC	1372.63	P	R	T				T										T																	T	
62R-CC	1382.44	P	T	T																																T
63R-CC	1392.07	P	R																																	
64R-CC	1401.74	P	C		T		T						T					C												F	T		T			
65R-CC	1410.72	M-P	A	R									F		R			A	R		F			R		R			F	F				R		
66R-CC	1418.55	M-P	A	R			F											A				T														
67R-CC	1430.11	P	T																																	
68R-7	1440.23	M-P	A							R								A	T		R			T					F				R	T		
69R-CC	1447.96	M	F				T											T																		
70R-CC	1458.62	M-P	A	T			R											C																		
71R-CC	1468.59	P	T																																	
72R-CC	1477.07	M-P	C	T			T			T								F				T					T									
73R-CC	1487.08	P	A								R							F																		
74R-CC	1495.91	P	C		T		T											F				T														
75R-CC	1506.23	P	F																																	
76R-CC	1517.57	P	T																																	
77R-CC	1524.85	P	C	T																																
78R-CC	1535.45	—	T															T																		
79R-CC	1544.42	—	T																																	
80R-CC	1553.73	—	T																																	
81R-CC	1563.01	P	F	T			T																													
82R-CC	1565.67	P	T															R																		
83R-CC	1579.66	—	T																																	
84R-CC	1587.70	P	C				T			T								R			T															
85R-CC	1593.87	—	T																																	
86R-CC	1602.70	—	T																																	
87R-CC	1613.51	—	—																																	
88R-CC	1624.01	P	T																																	
89R-CC	1631.64	—	T																																	
90R-CC	1642.40	—	T																																	
91R-CC	1649.77	P	T																																	
92R-CC	1661.48	M-P	F	T			T											R																		
93R-CC	1669.60	P	T																																	
94R-CC	1679.90	—	T																																	
95R-CC	1688.30	—	T																																	
96R-CC	1698.49	—	T																																	
97R-CC	1706.57	P	R	T			T																													
98R-CC	1714.18	—	—																																	
99R-6	1725.16	—	—																														</			

Notes: Preservation: P = poor, M = moderate, M-P = moderate to poor (variable), — = barren. Abundance: A = abundant, C = common,

Core, section	Depth (mbsf)	Preservation	Group abundance	Agglutinated foraminifers																			
				Karrerulina sp. indet.	Lagenammmina spp. <i>Lituotuba</i> spp.	Paratrochamminoides spp. <i>Recurvoidella lamella</i>	<i>Recurvoides</i> spp.	<i>Reophax triloba</i>	<i>Reophax</i> spp.	<i>Reticulophragmium</i> sp. <i>Rzehakina</i> spp.	<i>Saccamina</i> spp. <i>Silicosigmollina</i> sp.	<i>Spiroplectammmina dentata</i>	<i>Spiroplectammmina cf. dentata</i>	<i>Spiroplectammmina spectabilis</i>	<i>Spiroplectammmina</i> sp. indet.	<i>Textularia</i> spp.	<i>Tritoxia</i> spp.	<i>Trochammmina globigeriniformis</i>	<i>Trochammmina</i> sp. A	<i>Trochammmina</i> sp. indet.	<i>Trochamminoides</i> sp.	<i>Uvigerinammmina</i> sp.	Agglutinated foram. gen. et sp. indet.
56R-CC	1324.48	P	C																		F		
57R-CC	1331.42	M-P	A		T	T	T				T	T	T				R				C		
58R-CC	1343.02	M	A								T	T	T		R		C				A		
59R-CC	1353.20	M-P	C			T						T	T				T				A		T
60R-CC	1362.02	M	A		R	F	R				R		T		R		A				A		
61R-CC	1372.63	P	R												T								
62R-CC	1382.44	P	T																				
63R-CC	1392.07	P	R																				
64R-CC	1401.74	P	C		T																		
65R-CC	1410.72	M-P	A	R		C					T						A				F		
66R-CC	1418.55	M-P	A	T							A										A		
67R-CC	1430.11	P	T																				
68R-7	1440.23	M-P	A		R	F	F				A	T			F		A				R		
69R-CC	1447.96	M	F									T									A		
70R-CC	1458.62	M-P	A			T					T				T		T				R		
71R-CC	1468.59	P	T												T						F		
72R-CC	1477.07	M-P	C			T					T				T						T		
73R-CC	1487.08	P	A		F							R			F						R		
74R-CC	1495.91	P	C		F										T						T		
75R-CC	1506.23	P	F																				
76R-CC	1517.57	P	T																		T		
77R-CC	1524.85	P	C		F																		
78R-CC	1535.45	—	T																		T		
79R-CC	1544.42	—	T																				
80R-CC	1553.73	—	T																				
81R-CC	1563.01	P	F		T																		
82R-CC	1565.67	P	T																		R		
83R-CC	1579.66	—	T																		T		
84R-CC	1587.70	P	C				T	T			T				T						F		
85R-CC	1593.87	—	T												T	T							
86R-CC	160																						

F = few, R = rare, T = trace. + = specimens found in extra picking (i.e., >2 picking trays). foram. = foraminifers, gen. = genus.

Table T10 (continued).

Core, section	Depth (mbsf)	Preservation	Group abundance	Calcareous hyaline foraminifers									
				<i>Alabamina</i> sp. <i>Aragonia velascoensis</i> <i>Astacolus jarvisi</i> <i>Astacolus?</i> sp. <i>Astrononion novaezealandicum</i> <i>Astrononion</i> sp. indet. <i>Bifarina</i> sp. <i>Bolivina</i> spp. <i>Bulimina tuxpamensis</i> <i>Buliminella</i> sp.	<i>Cibicides</i> spp. <i>Cibicides praemundulus</i> <i>Cibicides</i> sp. indet. <i>Conorbina?</i> sp. <i>Discorbis?</i> sp.	<i>Ellipsoidella</i> spp. <i>Epistomina?</i> sp. <i>Eponides</i> sp. <i>Gavelinella beccariformis</i> <i>Gavelinella</i> cf. <i>intermedia</i>	<i>Gavelinella</i> sp. indet. <i>Gavelinella?</i> sp. indet. <i>Globobulimina affinis</i> <i>Globocassidulina subglobosa</i> <i>Gyroidina</i> spp.	<i>Gyroidinoides</i> cf. <i>nitidus</i> <i>Gyroidinoides</i> sp. indet. <i>Globorotalites</i> sp. <i>Lenticulina carlsbadensis</i> <i>Lenticulina muensteri?</i>					
56R-CC	1324.48	P	C	T	T	T	T	T	F R				
57R-CC	1331.42	M-P	A										
58R-CC	1343.02	M	A										
59R-CC	1353.20	M-P	C										
60R-CC	1362.02	M	A										
61R-CC	1372.63	P	R										
62R-CC	1382.44	P	T										
63R-CC	1392.07	P	R										
64R-CC	1401.74	P	C										
65R-CC	1410.72	M-P	A										
66R-CC	1418.55	M-P	A										
67R-CC	1430.11	P	T										
68R-7	1440.23	M-P	A										
69R-CC	1447.96	M	F										
70R-CC	1458.62	M-P	A										
71R-CC	1468.59	P	T										
72R-CC	1477.07	M-P	C										
73R-CC	1487.08	P	A										
74R-CC	1495.91	P	C										
75R-CC	1506.23	P	F										
76R-CC	1517.57	P	T										
77R-CC	1524.85	P	C										
78R-CC	1535.45	—	T										
79R-CC	1544.42	—	T										
80R-CC	1553.73	—	T										
81R-CC	1563.01	P	F										
82R-CC	1565.67	P	T										
83R-CC	1579.66	—	T										
84R-CC	1587.70	P	C										
85R-CC	1593.87	—	T										
86R-CC	1602.70	—	T										
87R-CC	1613.51	—	—										
88R-CC	1624.01	P	T										
89R-CC	1631.64	—	T										
90R-CC	1642.40	—	T										
91R-CC	1649.77	P	T										
92R-CC	1661.48	M-P	F										
93R-CC	1669.60	P	T										
94R-CC	1679.90	—	T										
95R-CC	1688.30	—	T										
96R-CC	1698.49	—	T										
97R-CC	1706.57	P	R										
98R-CC	1714.18	—	—										
99R-6	1725.16	—	—										

8

Core, section	Depth (mbsf)	Preservation	Group abundance	Calcareous hyaline foraminifera									Remarks								
				Lenticulina sp. indet.	Nodosalia sp.	Nonion sp.	Nonionella sp.	Oridorsalis sp.	Patellina sp.	Pleurostomella spp.	Polymorphinidae gen. et sp. indet.	Praebulinina spp.		Pullenia cretacea	Pullenia jarvisi	Pullenia cf. minuta	Pullenia sp. indet.	Pyrullina spp.	Reussella sp.	Rosalina spp.	Unilocular species
56R-CC	1324.48	P	C																		
57R-CC	1331.42	M-P	A																		
58R-CC	1343.02	M	A							T											
59R-CC	1353.20	M-P	C							T	T					T					T
60R-CC	1362.02	M	A																		
61R-CC	1372.63	P	R																		
62R-CC	1382.44	P	T																		
63R-CC	1392.07	P	R							T											T
64R-CC	1401.74	P	C										T								T
65R-CC	1410.72	M-P	A																		
66R-CC	1418.55	M-P	A																		
67R-CC	1430.11	P	T																		
68R-7	1440.23	M-P	F																		
69R-CC	1447.96	M	A																		
70R-CC	1458.62	M-P	A																		
71R-CC	1468.59	P	T																		
72R-CC	1477.07	M-P	C								T										
73R-CC	1487.08	P	A																		
74R-CC	1495.91	P	C																		
75R-CC	1506.23	P	F			T			T			R									R
76R-CC	1517.57	P	T									T									T
77R-CC	1524.85	P	C																		
78R-CC	1535.45	—	T																		Barren
79R-CC	1544.42	—	T																		Barren
80R-CC	1553.73	—	T																		Barren
81R-CC	1563.01	P	F																		
82R-CC	1565.67	P	T																		
83R-CC	1579.66	—	T																		Barren
84R-CC	1587.70	P	C																		
85R-CC	1593.87	—	T																		Barren
86R-CC	1602.70	—	T																		Barren
87R-CC	1613.51	—	—																		Sill
88R-CC	1624.01	P	T																		
89R-CC	1631.64	—	T																		Barren
90R-CC	1642.40	—</																			