

INDEX TO VOLUME 101

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 101 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *A* refer to pages in the *Initial Reports*, and those with *B*, to pages in the *Scientific Results* (this book).

The index is presented in three parts: (1) a Subject Index, (2) a Site Index, and (3) a Paleontological Index. In addition to this printed version, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 bpi.

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index often includes broad fossil groups, such as foraminifers and radiolarians, which also appear in the Paleontological Index.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The Paleontological Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) broad fossil groups, including individual genera and species that have been erected or emended formally; (2) biostratigraphic zones; and (3) fossils depicted in illustrations.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77840.

SUBJECT INDEX

- Abaco event, 428B, 429B, 430B, 467B
 Accretion, at Exuma Sound, 356A
 Alteration. *See* Diagenesis
 Andros Island
 evaporite and dolostone, 194B
 shallow-marine environments, 426B
 subsidence, 443B
 Antilles Current, 334B
 Aragonite
 cycles
 Exuma Sound, 225B
 in intermediate water masses, 222B
 in Pliocene, 234B-235B
 and pteropod ratios, 234B
 in Quaternary, 233B-234B
 worldwide correlations, 235B
 dissolution
 and carbonate saturation state, 221B
 Exuma Sound, 344A, 345A, 352A, 396A,
 400A, 401A, 444A, 448A, 452A
 causes of fluctuation, 219B
 correlation with oxygen-isotope record,
 229B-233B
 oxygen-isotope analyses, 215B, 216B,
 237B-244B
 Pliocene, 234B-235B
 Quaternary, 233B-234B
 stratigraphy, 214B-215B
 Little Bahama Bank, 131A, 138A, 139A,
 140A, 217A, 226A, 227A, 228A,
 273A, 274A, 275A, 276A, 279A,
 283A, 284A, 285A, 286A
 decline in, 462B
 Northeast Providence Channel, 535A,
 536A
 dissolution, 250B
 Northwest Providence Channel, 498A
 recrystallization, 372B
 in shallow-water carbonates, 279B
 vs. clay matrix, 324B
 See also Carbonate
 Asphalt, at Straits of Florida, 57A, 66A,
 67A
 Atlantic Ocean N
 carbonate cycles, 233B
 Cretaceous anoxic periods, 386B
 Pliocene glaciation, 234B
 Bahamas Banks. *See* Great Bahama Bank;
 Little Bahama Bank
 Bahama Escarpment
 spar cement, 247B, 259B
 subsidence, 443B
 Bahamas
 carbonate sediments
 magnetic measurements, 327B-360B
 magnetism, 327B
 faulting, 189B
 formation of, 439B-440B, 456B
 graben hypothesis, 50A, 51A, 52A,
 391B-392B
 megabank hypothesis, 50A-52A, 392B,
 425B, 435B
 hydrocarbon source potential, 381B
 periplatform ooze, 306B
 sedimentation, Cenomanian-Oligocene,
 480B
 subsidence, tectonic, 446B
 volcanism, 428B
 Baltimore Canyon Trough, 448B
 Bank and trough topography
 hypotheses, 456B
 Little Bahama Bank, 396B
 Biostratigraphy. *See* Paleontological Index
 Bitumen
 Exuma Sound, 401A, 453A
 Little Bahama Bank, 142A, 231A, 289A
 Blake Nose
 drowning, Barremian, 194B
 Blake Plateau
 carbonate platform drowning, 458B, 465B
 depocenter, 395B, 396B
 geologic history, 463B
 magnetostratigraphy, 330B
 platform drowning, 426B
 structure, 404B
 See also Little Bahama Bank
 Blake Ridge Formation
 intraclastic chalks, 469B
 Blake-Bahama Basin
 gravity flows, 188B
 Blake-Bahama Outer Ridge
 abyssal mud waves, 403B
 Boundstones
 Northeast Providence Channel
 deep-marine diagenesis, 258B-260B
 Oligocene to Miocene, 255B-260B
 oxygen-isotope analyses, 257B, 258B,
 259B-260B
 perireef deposition, 256B-258B
 SEM photomicrographs, 257B, 259B
 shallow-marine diagenesis, 256B-258B
 Brine, hypersaline
 and dolomite, 198B
 Calcareous ooze
 Exuma Sound, 7A
 Little Bahama Bank, 7A
 Calcisphere limestone
 Exuma Sound, 7A, 8A
 Little Bahama Bank, 7A, 8A, 175B
 Straits of Florida, 8A
 Calcite
 dissolution
 and carbonate saturation state, 221B
 Exuma Sound, 215B, 352A, 400A, 401A,
 448A
 Little Bahama Bank, 131A, 138A, 139A,
 140A, 217A, 226A, 227A, 228A,
 283A, 284A, 285A
 Northeast Providence Channel, 535A,
 536A
 Northwest Providence Channel, 498A
 in spar cement, 258B
 Calcite, low-magnesium
 in carbonates, 172B
 Calcite, magnesian
 Exuma Sound, 215B, 216B, 217B, 225B,
 464B
 Little Bahama Bank, 364B
 Northeast Providence Channel
 dissolution, 250B
 recrystallization, 374B
 in shallow-water carbonates, 279B
 Calciturbidites
 Exuma Sound, 7A, 8A
 Little Bahama Bank, 7A, 8A, 175B
 Straits of Florida, 8A, 174B
 See also Turbidites
 Calcium
 Exuma Sound, 348A, 350A, 351A, 396A,
 398A, 399A, 446A, 447A, 450A,
 451A
 gradients, as stratigraphic tools,
 378B-379B
 Little Bahama Bank, 130A-131A, 136A,
 137A, 225A, 278A, 280A, 281A
 Cenomanian, 278A
 Northeast Providence Channel, 534A
 Straits of Florida, 64A-65A, 66A
 Carbon, organic
 Northeast Providence Channel,
 381B-383B
 Carbon dioxide
 Exuma Sound, 398A, 406A, 455A
 raising alkalinity, 444A, 446A
 Carbonate
 Devonian megabreccia (Alberta), 189B
 diagenesis, 370B-378B
 in Bahamas area, 363B
 celestite precipitation, 375B
 dolomitization, 375B-378B
 and isotope ratios, 299B
 model for, 300B
 and porosity, 443B
 recrystallization estimates, 371B-374B,
 375B
 estimating original isotopic composition,
 247B
 Exuma Sound
 deep-water, content, 292B, 297B
 deep-water, geochemistry, 292B-294B,
 297B
 deep-water, lithology, 281B, 292B, 295B
 deep-water, microscopic characteristics,
 294B, 298B
 deep-water, mineralogy, 292B, 297B
 deep-water, oxygen-isotope analyses,
 299B-300B
 Holocene-Pleistocene, 224B-226B,
 227B
 mineral suite, 225B
 mineralogy, 237B-244B, 366B, 371B
 Pleistocene, 226B, 228B
 Pliocene, 226B-227B, 229B
 geochemical logging of, 450B
 gravity flows, 179B-191B
 and biostratigraphy, 180B, 181B, 184B
 Blake-Bahama Basin, 188B
 clast origin, 187B
 clast-bearing sediment, 179B, 180B
 clast-free sediment, 180B-181B, 185B,
 186B
 composite flows, 186B-187B
 flow mechanisms, 183B-184B, 186B
 Little Bahama Bank, 187B-188B
 sea-level variations, 188B-189B
 subdivisions, 183B
 Unit II subdivisions, 186B
 unstable, 190B
 West Florida Margin, 188B, 189B
 Little Bahama Bank
 deep-water, content, 288B-289B, 291B,
 292B
 deep-water, geochemistry, 289B, 291B
 deep-water, lithology, 281B, 287B
 deep-water, microscopic characteristics,
 289B, 291B, 293B, 294B
 deep-water, mineralogy, 288B-289B,

SUBJECT INDEX

- 292B, 364B, 365B, 366B
deep-water, oxygen-isotope analyses, 299B-300B
megabank drowning, 193B
shallow-to deep-water change, 125A
low-magnesium calcite in, 172B
Northeast Providence Channel
carbon-isotope analyses, 245B-252B
deep-water, content, 285B, 286B, 287B
deep-water, geochemistry, 285B, 286B, 287B
deep-water, lithology, 281B, 282B
deep-water, microscopic characteristics, 285B, 288B
deep-water, mineralogy, 285B, 286B
deep-water, oxygen-isotope analyses, 299B-300B
mineralogy, 370B, 373B, 379B
oxygen-isotope analyses, 245B-252B
organic-rich, in Gulf of Mexico, 381B
periplatform, 279B
rapid diagenesis, 280B, 295B, 299B
vs. pelagic, 300B
recrystallization estimates, 371B-374B
shallow-bank cements, 255B
Straits of Florida, 80A
deep-water, content, 281B-282B, 283B
deep-water, geochemistry, 282B, 283B
deep-water, lithology, 281B, 282B
deep-water, mineralogy, 281B-282B, 283B, 370B, 374B, 378B
deep-water, petrography, 282B, 284B
pelagic-hemipelagic, 50A, 51A, 52A
See also specific carbonates
See also Clasts, carbonate
- Carbonate lysocline
Bahamas area, 280B
- Carbonate platforms
sea level highstands and, 188B
sediment transport, 203B
See also Periplatform ooze
- Carbonate slopes
Abaco event, 457B, 469B
development, 468B
Exuma Sound
development, 341A-342A
progradation, 442A
sedimentation patterns, 468B
steep, 462B-464B, 467B, 469B, 470B, 471B
geochemistry, 468B-469B
geotechnical properties of sediments in, 315B-325B
consolidation characteristics, 315B-317B, 318B, 319B, 320B
shear strength, 317B-319B, 321B, 322B-325B
stratigraphy, 315B, 316B, 317B
highstand shedding, 218B, 457B, 467B, 468B, 470B
Little Bahama Bank
ancient channel and levee system, 264B-265B, 268B, 269B, 273B-274B
ancient surficial slumps, 266B, 270B-272B, 273B
detachment surfaces, 266B-267B, 270B-271B, 273B, 274B
development, 112A
divisions, 112A
erosion surface, 266B, 269B-272B
present-day slope configurations, 263B-264B, 265B, 267B
sedimentologic constraints, 272B, 275B
shallow, 460B-462B, 467B
synsedimentary gravity movement, 219A
modern vs. ancient, 273B, 457B
and platform drowning, 463B, 465B-466B
platform to basin transitions, 457B
progradation, 480B
response to postulated global cycles, 112A
sediment record, 467B-468B, 471B
Cay Sal, 426B
subsidence curves, 428B
Celestite
Exuma Sound, 392A, 394A
precipitation, 375B
Cementation
and current strength, 183B
deep-marine spar cements, 247B-248B
isotope values, 250B-251B
Cements
Straits of Florida, 60A
Cements, spar
deep-marine, 250B-251B, 257B
distinguishing meteoric-connate from deep-marine, 259B
Chalk
Exuma Sound, 7A, 8A, 395A
indicating gully floor, 345A-346A
thickness, 390A
Little Bahama Bank, 7A, 8A, 121A-122A, 124A, 175B
natural remanent magnetization, 135A
magnetic properties, 328B-329B, 331B, 332B
Northwest Providence Channel, 489A, 490A
composition of, 490A
Straits of Florida, 8A
See also Carbonate
Chalk-ooze sequences
Little Bahama Bank, 123A, 217A, 219A
Chert
Exuma Sound, 7A, 8A
Little Bahama Bank, 7A, 8A, 113A, 175B
Northwest Providence Channel, 491A-492A, 493A
Straits of Florida, 8A, 60A, 174B
Clasts, carbonate
in gravity flows, 179B, 180B-181B, 182B
origin, 182B-183B
petrography, 181B
Straits of Florida, 57A, 59A
Clay minerals
diagenesis
in carbonate-rich sediments, 171B-177B
Clays
Little Bahama Bank, 215A, 218A, 277A
mineralogy, 173B-174B
illite, 176B
palygorskite, 174B
smectite, 173B, 176B, 177B
smectite crystallinity, 174B
Clinoptilolite
origin
Straits of Florida, 173B
Columbus Basin
turbidites, 266B
Compressional wave velocity
Exuma Sound, 353A, 357A, 404A, 409A, 410A-411A, 450A
Little Bahama Bank, 137A, 226A-227A, 282A
Northeast Providence Channel, 535A, 542A
Northwest Providence Channel, 499A
Consolidation
indicators of over- and underconsolidation, 316B
Contaminants
magnetic-susceptibility measurements, 39A-43A
Convection systems, geothermal
platform margins, 198B
Convergence
and Caribbean area earthquakes, 469B
Creep lobes
Little Bahama Bank, 274B
propagation of, 276B
Debris flows
Blake-Bahama Basin
Miocene, 188B
Exuma Sound, 7A, 8A, 391A
Little Bahama Bank, 7A, 8A, 117A, 120A, 175B
comparisons, 221A
indicative of stratigraphic break, 130A
mud-supported, 211B
Northeast Providence Channel, 528A-529A
Straits of Florida, 8A, 50A, 57A, 58A, 59A, 60A, 70A, 71A, 78A-79A, 174B
Miocene, 76A
Deep-water channels
structure and evolution, 439B-451B
density, 448B-450B
lithology, 447B-448B, 449B
log-derived subsidence, 440B-447B
velocity, 448B-450B
Density/porosity relationships
from logs, 449B
Deposition, episodic
Straits of Florida, 75A
Diagenesis
and burial rates, 300B
pelagic vs. periplatform carbonates, 363B
of perireef carbonates
Northeast Providence Channel, 255B-260B
of strongly magnetic carbonate oozes, 333B-338B
Diagenesis, shallow-burial
carbonates
Bahamas area, 279B-301B
periplatform, 295B, 299B-300B
Diamagnetism, 39A
Straits of Florida, 68A-69A
Dolomite
in Bahamas area
sources of, 375B-378B
deep-burial diagenesis, 197B
dolomiticrite, 197B
Exuma Sound, 7A, 8A, 215B, 216B, 217B, 225B, 448A
and calcium concentrations, 368B
formation, 468B-469B
Exuma Sound, 218B-219B
Little Bahama Bank, 7A, 8A, 142A-143A, 152A, 175B, 197B-198B, 199B, 201B, 217A, 227A, 228A, 284A, 285A
clotted appearance, 196B
fine crystals, 200B
origins, 289B
size trends, 194B
magnesium contents, 376B
Northeast Providence Channel, 535A, 536A

- Northwest Providence Channel, 498A
 rhombs, 177B, 200B
 occurrence, 173B
 in upward-shoaling sequences, 197B
 Straits of Florida, 8A, 52A
See also Carbonate
- Dolomitization
 authigenic, 375B-376B
 causes, 197B-198B
 convection processes, 377B
 seawater circulation, 198B
- Earthquakes
 and carbonate gravity flows, 188B-189B
 convergence and, in Caribbean, 469B
- Erosion, at Little Bahama Bank, 124A,
 140A-141A, 151A, 236A
 caused by eddies, 236A
- Ethane, at Exuma Sound, 398A, 405A,
 455A
- Evaporates
 and dolomiticrite, 198B
 Exuma Sound, 464B
 in Great Isaac 1 well, 425B-426B
 Little Bahama Bank, 365B-366B
- Extinction events
 Eocene-Oligocene, 477B
- Exuma Sound
 accumulation history, 464A
 aragonite
 variations in, and oxygen-isotope
 record, 221B-244B
 carbonate
 diagenesis, 299B
 mineralogy, 227B, 228B, 229B, 292B
 carbonate mineralogy, 366B
 carbonate-bomb data, 348A, 353A, 396A,
 401A, 444A, 448A, 449A
 celestite precipitation, 375B
 dolomite, 375B-377B
 drilling objectives, 462B, 464B
 gas chromatographic analysis, 350A
 gravity flows, 313B-314B
 hydrocarbon monitoring, 398A,
 400A-401A
 interstitial water chemistry, 336B-338B
 lithology, 292B
 magnetic properties of carbonate oozes,
 334B-338B
 magnetostratigraphy, 224B, 226B,
 332B-333B
 organic-geochemical values, 407A
 oxygen-isotope record
 aragonite cycles and, 229B-233B
 paleomagnetism, 350A-353A,
 402A-403A, 449A-450A
 physical properties. *See under specific properties*
- Pliocene hiatus, 223B-224B
 Rock-Eval data, 355A, 396A, 398A, 448A
 sediment isopachs, 409B
 sediment thicknesses, 423B, 424B
 sedimentation
 cycles, 213B-220B
 rates, 220B
 and Tongue of the Ocean sedimentation
 compared, 217B
 sedimentology summary, 343A-347A,
 389A-395A, 440A-442A
 seismic sequences, 391B, 419B, 420B,
 421B, 422B
 seismic stratigraphy, 354A-355A, 362A,
 406A-407A, 406B, 416B
 slumping, 417B
- sonobuoy measurements, 396B, 397B,
 418B
 Sr/Ca ratios, 374B-375B
 structure, 406B-407B
 turbidite sequences, 203B-212B
 Unit I, 389A-390A, 391A, 440A
 Unit II, 390A-392A, 440A
 Unit III, 392A-393A, 440A-441A
- Faulting. *See* Walkers Cay Fault Zone
- Feldspar
 Little Bahama Bank, 364B, 365B
- Florida Current
 effect on sedimentology, 57A-61A
 transport by, 281B
- Fracture zones
 in Bahamas area, 466B
- Gamma Ray Attenuation Porosity Evaluator
 (GRAPE)
 Little Bahama Bank, 236A
 Northeast Providence Channel,
 535A-536A
 Straits of Florida, 72A
- Gamma spectrometry
 use at Northeast Providence Channel,
 447B-448B
- Glacial/interglacial cycles
 Exuma Sound
 oxygen-isotope values, 230B-233B
 sedimentation rates, 215B
 turbidite frequency, 203B, 218B
Globorotalia menardii complex, 223B
- Graben hypothesis. *See* Bahamas, formation
- Grainstones
 Exuma Sound, 389A-390A
 cross laminated, 440A-441A, 442A
 thickness, 390A
 Northeast Providence Channel, 247B
 Campanian, 246B-252B
 deep-marine, 247B-249B, 250B
 shallow-marine, 247B, 248B, 249B,
 250B
- Northwest Providence Channel, 492A
 Straits of Florida, 57A, 58A, 60A
 velocities, 312B
See also Gravels; Turbidites
- Gravels, at Straits of Florida, 57A, 59A
- Gravity flows
 Little Bahama Bank, 272B
 and turbidites, 211B
 matrix strength, 183B
 mechanisms, 183B
 Northeast Providence Channel,
 245B-252B
 dissolution, 249B-250B
 lithification, 249B
 Straits of Florida, 179B
- Great Abaco Fracture Zone, 189B
 Great Abaco Member, 189B
- Great Bahama Bank
 debris flows, 404B
 progradation, 186B, 445B, 446B, 457B
 structure, 439B
- Great Isaac 1 well, 440B, 457B
 Abaco event at, 429B, 430B
 debris flows, 428B
 deep-water sequences, 426B, 432B-433B
 logging data, 447B-448B
 onshore comparisons, 426B
 paleogeography, 433B, 435B
 porosity, 444B
 sedimentology summary, 425B-428B,
 431B-432B
- seismic reflectors at, 429B-432B
 correlations with NW Bahamas, 433B
 stratigraphic succession, 425B
 stratigraphy, 427B, 446B
 subsidence curves, 428B, 466B
 tectonic subsidence, 442B
- Greater Antilles island arc
 convergence, 466B
 influence on Bahama Banks, 407B
- Gulf Stream
 depositional-erosional history, 457B
 in Florida Straits, 183B
 Miocene sediment transport, 469B
 Oligocene flows, 476B
 onset of, 435B, 436B
- Gypsum
 Exuma Sound, 7A, 8A
 Little Bahama Bank, 7A, 8A, 142A,
 152A, 175B, 197B
 dissolution of, and calcium, 365B-366B
 Straits of Florida, 8A
- Hatteras Formation
 black shales, 459B
 "Highstand shedding," 457B, 467B
See also Carbonate slopes
- Hydrocarbons
 Exuma Sound, 392A-393A, 398A,
 400A-401A, 403A
 aliphatic, 398A, 406A
 Little Bahama Bank, 113A, 135A, 142A,
 145A
 Northeast Providence Channel,
 381B-387B
See also Kerogen
- Hydrogen sulfide, at Exuma Sound, 348A
- Indian Ocean, equatorial
 carbonate cycles, 233B
- Interstitial water
 in turbidites, 313B
- Interstitial waters
 Exuma Sound, 348A, 396A, 411A, 444A
 chemistry, 366B-368B, 370B, 372B
 pH, 350A, 351A, 398A, 399A, 446A,
 447A
 salinity, 350A, 351A, 398A, 399A,
 447A
 X-ray data, 348A, 352A, 396A, 400A,
 401A, 444A, 447A-448A, 452A
 Little Bahama Bank, 130A, 137A, 223A,
 225A, 278A-280A
 chemistry, 364B-366B, 367B-368B,
 369B-370B
 pH, 136A, 137A, 225A, 280A, 281A
 salinity, 136A, 137A, 225A, 280A,
 281A
 X-ray data, 130A-131A, 138A, 140A,
 225A, 227A, 228A, 278A-280A,
 284A, 285A
 Northeast Providence Channel, 533A,
 536A
 pH, 534A
 salinity, 534A
 X-ray data, 533A, 535A
 Northwest Providence Channel, 496A,
 498A
 pH, 498A
 salinity, 498A
 X-ray data, 496A, 498A
 Straits of Florida, 64A-66A
 chemistry, 367B, 370B-371B
 pH, 66A

SUBJECT INDEX

- salinity, 66A
X-ray data, 66A, 67A, 68A
- Kerogen
compositions
pyrolysis-gas chromatography
estimates, 384B-385B
- Exuma Sound, 349A, 354A, 398A, 401A, 403A
- geochemical differences
causes of, 386B
- Little Bahama Bank, 131A, 144A, 145A, 288A
Cenomanian, 131A
marine, degradation of, 386B
- Northeast Providence Channel
carbon-isotope analysis, 383B-384B, 385B
elemental compositions, 383B, 384B, 385B
- Key Largo well (Sinclair), 440B
- Lagoonal lithofacies
contacts with peritidal lithofacies, 196B-197B
- Little Bahama Bank
petrography, 194B-195B, 196A, 199B, 200B
upward-shoaling sequences, 196B-197B, 200B
- Limestone
dark, in Bahamas area, 381B
and bottom-water conditions, 386B
- Exuma Sound, 392A, 393A, 394A
texture, 392A
- Little Bahama Bank, 122A, 142A-143A, 152A, 218A
lagoonal lithofacies, 194B-195B
moldic porosity, 124A
peritidal lithofacies, 195B-196B
- magnetic properties, 329B, 333B
- Northeast Providence Channel, 485A, 528A, 529A
textural classification of, 17A
See also Calcisphere limestone
- Limestone, shallow-marine
Exuma Sound, 7A, 8A
Little Bahama Bank, 7A, 8A, 175B
Northeast Providence Channel, 251B
Straits of Florida, 8A, 50A, 51A, 52A
- Limestone, siliceous
Exuma Sound, 7A, 8A
Little Bahama Bank, 7A, 8A, 175B, 220A
Straits of Florida, 8A
- Little Bahama Bank
aragonite and magnesian calcite increase, 126A
bathymetry, 393B-394B
bottom currents, 273B-274B
carbonate content and mineralogy, 288B-289B
carbonate platform
top, 465B
carbonate slopes
evolution, 263B-277B
geotechnical properties, 315B-326B
- carbonate-bomb data, 140A, 141A, 225A, 228A, 280A, 287A
debris flows, 460B-461B, 469B
deep-water environment, 126A
evolution, 276B
gamma radiation, 152A
gravity flows, 125A-126A, 187B-188B
interstitial water chemistry, 364B-365B
- Leg 101 summary results, 457B-459B, 460B, 462B, 463B
lithology, 287B
logging data, 141A-143A
magnetic anomalies, 394B, 400B
magnetostratigraphy, 330B-332B
mineralogy, 364B-365B
Miocene faulting, 275B
paleomagnetism, 135A-137A
physical properties. *See under specific properties*
- platform facies petrography, 193B-201 B
Rock-Eval data, 131A, 135A
sediment color changes, 120A, 121A
sediment isopachs, 396B, 398B-399B
sediment movement, 313B-314B
sedimentology summary, 213A-220A, 272A-277A
seismic sequences, 391B, 394B-395B, 398B, 402B, 403B
seismic stratigraphy, 143A-145A, 149A-151A
sequence boundaries, 295A-296A
structure, 396B
turbidite sequences, 203B-212B
- Unit I, 116A-121A, 214A-216A, 273A
Unit II, 121A, 122A, 273A-274A
Unit III, 121A-122A
Unit IV, 122A-123A
Unit V, 123A-124A
Unit VI, 124A-125A
- Little Isaac 1 well
paleogeography, 433B, 435B
- Logging
of Leg 101 sites, 21A-22A
Straits of Florida, 71A, 74A
- Long Island (Bahamas), 426B
- Magnesian calcite. *See* Calcite, magnesian
- Magnesium
Exuma Sound, 294B, 348A, 350A, 351A, 396A, 398A, 399A, 444A, 446A, 447A
- Little Bahama Bank, 130A-131A, 136A, 137A, 225A, 278A, 280A, 281A, 289B
- Northeast Providence Channel, 534A
- Northwest Providence Channel, 498A
- Straits of Florida, 64A-65A, 66A, 282B
transport, 376B-377B
- Magnetic anomalies
Little Bahama Bank, 394B, 400B
- Magnetic reversals
Exuma Sound, 332B-333B
Little Bahama Bank, 332B
on Blake Plateau, 330B-331B
- Magnetic susceptibility
Exuma Sound, 457A
measurement procedures, 19A
of metal contaminants, 39A-43A
Exuma Sound, 356A, 403A, 408A
Little Bahama Bank, 135A-136A, 145A
vs. depth, 40A, 42A
See also Paleomagnetism
- Magnetite
as carrier of magnetic remanence, 334B-335B
reduction with burial, 337B
- Magnetostratigraphy, 329B
Exuma Sound
age vs. depth curve, 226B
Pliocene, 224B
Pliocene to Pleistocene, 332B-333B, 335B
- Little Bahama Bank
Cretaceous, 330B, 331B
Oligocene, 330B-332B, 334B
- Maldives Islands
aragonite cycles, 22B
periplatform sequences, 235B
- Marl
Exuma Sound, 7A, 8A
Little Bahama Bank, 7A, 8A
Straits of Florida, 8A
- MCU. *See* Mid-Cretaceous unconformity
- Megabank hypothesis. *See* Bahamas, formation
- Methane, at Exuma Sound, 398A, 405A, 455A
- Mexico, Gulf of
organic-rich carbonates, 381B, 386B
- Micrite
envelopes
source of, 247B
Exuma Sound, 344A, 345A
Little Bahama Bank, 273A, 275A, 276A
- Mid-Cretaceous unconformity (MCU), at Straits of Florida, 52A
- Minerals, magnetic
dissolution of, 336B, 338B
See also Magnetite
- Natural remanent magnetization. *See* Paleomagnetism
- Navigation data
Leg 101, 26A-29A
- Nicaraguan Rise
aragonite cycles, 222B
- North American Plate
paleomagnetic data, 338B
- Northeast Providence Channel
carbonate deposition at, 459B
carbonate platform
top, 465B
carbonate-bomb data, 533A, 537A
deep-marine cements, 255B-261B
drilling goals, 459B
gravity flows
petrography, 245B-252B
- hydrocarbon analysis, 381B-382B, 383B
- interstitial water chemistry, 371B
- kerogens
carbon-isotope analysis, 383B-384B
elemental analysis, 383B
- laminated zones, 459B
- Leg 101 summary results, 459B, 464B, 465B, 466B
- mineralogy, 370B
- organic carbon contents, 381B
composition, 386B
preservation, 386B-387B
- origins, 245B-246B
- paleomagnetism, 535A
- physical properties. *See under specific properties*
- regional reflectors, 450B
- sedimentology summary, 526A-530A
- seismic stratigraphy, 536A
- seismograms, synthetic, 446B-450B
- Unit I, 526A-527A
- Unit II, 527A-528A
- Unit III, 528A-529A
- Northwest Providence Channel
carbonate-bomb data, 496A, 499A
gamma spectrometry, 499A-501A, 503A-506A
logging data, 503A
organic-geochemical values, 499A

- paleomagnetism
497A-498A
- physical properties. *See under specific properties*
- sedimentology summary, 487A-493A
- seismic stratigraphy
multichannel seismic lines, 484A
- Unit I, 487A
- Unit II, 488A-489A
- Unit III, 489A
- Unit IV, 489A-492A
- Ooze
Little Bahama Bank
comparisons, 221A
- unlithified, at Exuma Sound, 344A
- See also* Periplatform ooze
- Ooze, calcareous
Exuma Sound, 8A, 389A
thickness, 390A
- Little Bahama Bank, 8A, 121A, 122A, 124A, 175B, 187B, 188B, 273A
- Straits of Florida, 8A
- Ooze, carbonate
diagenesis and magnetism, 333B-338B
- Little Bahama Bank, 236A
- magnetic, diagenesis of, 333B-338B
- magnetic properties, 328B, 329B, 330B
- paleolatitudes, 338B-341B
- Pacific Ocean, equatorial
carbonate cycles, 233B
- Packstones
Exuma Sound, 389A-390A
thickness, 390A
- Little Bahama Bank, 120A, 214A-216A, 219A, 220A
comparisons, 221A
- See also* Turbidites
- Paleolatitudes
Bahamas area, 338B-339B
- Paleomagnetism
magnetic susceptibility
Exuma Sound, 351A, 353A, 402A-403A, 449A-450A
- Little Bahama Bank, 135A-137A, 145A, 226A, 231A, 282A, 290A
- Northeast Providence Channel, 535A, 540A
- Northwest Providence Channel, 498A
- Straits of Florida, 67A-70A
- measurement data, 344B-360B
- natural remanent magnetization
Exuma Sound, 350A-351A, 402A, 449A
- Little Bahama Bank, 135A
- Northeast Providence Channel, 535A
- Northwest Providence Channel, 497A-498A
- Straits of Florida, 67A
- studies, and magnetic-field measurements
on *Glomar Challenger*, 33A
on *JOIDES Resolution*, 33A-37A
- See also* Magnetic susceptibility
- Palm Beach well (Humble), 440B
- Palygorskite
origin
Straits of Florida, 173B-174B
- Paramagnetism, 39A
Straits of Florida, 68A-69A
- Periplatform ooze
in Bahamas area
lithification, 306B
source of, 306B
- diagenesis, 469B
- diagenetic potential, 279B
- Exuma Sound, 7A, 8A, 344A, 356A, 389A, 392A, 395A, 440A
- aragonite cycles, 221B-222B
- mineral composition, 221B
- Miocene, 442A
- rapid progression, 357A
- sedimentation rates, 215B-216B
- SEM photomicrographs, 230B
- fossil redeposition in, 474B
- Little Bahama Bank, 7A, 8A, 116A, 175B, 215A, 273A, 288A
- consolidation, 315B-317B, 319B-320B
- diagenesis, 462B
- Miocene to Holocene, 285A
- overburden stress, 315B-316B, 319B
- permeability, 325B
- shear strength, 317B-319B, 321B-323B
- shear-wave velocity, 323B-324B
- slope instability calculations, 324B-325B
- turbidite sequences, 305B
- Northeast Providence Channel
Campanian, 250B
- Straits of Florida, 8A
- Perireef sediments
Northeast Providence Channel, 257B-258B
- Peritidal lithofacies
contacts with lagoonal lithofacies, 196B-197B
- Little Bahama Bank
petrography, 194B, 195B, 196B, 199B, 200B
- upward-shoaling sequences, 196B-197B
- Pine Key Formation, 426B
- Polar-wander path, 340B-341B, 342B
- Porosity
effects of subsidence, 443B
- Exuma Sound, 353A, 358A-359A, 360A, 405A, 409A, 410A-411A, 450A-451A, 458A-461A
- Little Bahama Bank, 137A-139A, 146A-149A, 150A, 151A, 227A, 232A, 233A-235A, 238A, 282A, 291A, 292A-294A
- moldic
deep-marine origins, 260B
- Northeast Providence Channel, 536A, 541A, 542A
- Northwest Providence Channel, 499A, 500A, 501A
- Straits of Florida, 70A, 71A
epithermal, 71A, 73A, 74A
thermal, 71A, 73A, 74A
- in turbidite sequences, 309B
- Potassium, at Little Bahama Bank, 141A, 152A
- Pyrenees
carbonate gravity flows, 186B-187B, 188B-189B
- Pyrite, at Exuma Sound, 346A
- Quartz
Exuma Sound, 215B, 216B, 217B, 229B
Holocene-Pleistocene, 224B-226B, 227B
- Pleistocene, 226B, 228B
- Pliocene, 226B-228B
- Little Bahama Bank, 131A, 140A, 227A, 228A, 284A, 285A
- Northeast Providence Channel, 535A, 536A
- Northwest Providence channel, 498A
- Recrystallization
and celestite precipitation, 375B
and convection processes, 377B
estimates of, 371B-374B
- Reflector "O," at Exuma Sound, 407A, 409A, 453A, 464B
- Rudists
Northeast Providence Channel
isotope values, 250B-251B
- Rudstones
Northeast Providence Channel, 247B
Campanian, 246B-252B
deep-marine, 247B-249B, 250B
shallow-marine, 247B, 248B, 249B, 250B
- Straits of Florida, 60A
velocities, 312B
- Rust contamination, 41A-42A, 44A, 45A
Exuma Sound, 403A
- Salt, at Exuma Sound, 51A
- Samana Embayment
chalk, 194B
- Sand, calcareous
Exuma Sound, 7A, 8A
- Little Bahama Bank, 7A, 8A
- Straits of Florida, 8A, 50A, 57A, 174B
- Sand, foraminiferal
Straits of Florida, 55A
- Sand, glauconitic
magnetic properties, 329B
- Schlumberger's Quicklook
use at Northwest Providence Channel, 501A-502A
ratio and lithology curves, 507A
- Sea level
and carbonate platforms, 188B
correlated with gravity flow events
Straits of Florida, 189B, 190B
fluctuations in, and carbonate
mineralogy, 221B
- global and Bahamas changes correlated, 468B
- Little Bahama Bank
changes, 217A, 239A, 274B-275B
and turbidites, 213B
and turbidity currents, 203B
- Sediment-accumulation rates
Bahamas area
Neogene, 471B
and stratigraphic succession, 470B
comparison curves, 470B
- Exuma Sound, 205B, 206B-207B, 348A, 349A, 396A, 397A, 415A, 444A, 445A
- Little Bahama Bank, 130A, 132A-134A, 205B, 206B, 223A, 224A, 278A, 279A
- Neogene, 471B
- Northeast Providence Channel, 533A, 534A
- Northwest Providence Channel, 496A, 497A
- Straits of Florida, 64A, 65A
- Sediment types, 15A-17A
See also specific types
- Sedimentation rates
Tongue of the Ocean and Exuma Sound
compared, 217B-218B
- Seismic stratigraphy
Exuma Sound, 354A-355A, 405B-407B,

SUBJECT INDEX

- 406A-407A, 409A, 409B, 413A,
451A-453A
acoustic correlations, 354A-355A,
362A, 406A-407A, 412A, 413A,
452A-453A, 462A
maps, 406B-407B, 409B, 419B-424B
Great Isaac 1, 425B-428B, 433B, 434B,
436B
correlation with Straits of Florida,
428B, 429B, 430B
Little Bahama Bank, 153A, 154A,
229A-231A, 283A, 284A,
394B-395B, 401B, 402B
bathymetry, 393B-394B, 398B, 399B
magnetic-field values, 394B, 400B
maps, 395B-396B, 404B, 405B, 406B
Northeast Providence Channel, 536A
Northwest Providence Channel,
502A-503A, 506A
Straits of Florida, 399B-401B,
403B-405B, 408B, 409B
bathymetry, 399B, 407B
correlation with Great Bahama Bank,
80A
maps, 400B-401B, 403B-405B, 407B,
409B, 410B, 413B, 414B, 415B
sequence boundaries, 76A-77A
Unit I, 74A-75A, 77A
Unit II, 75A, 77A, 80A
Unit III, 75A, 77A
Seismic velocity, at Little Bahama Bank,
238A
Seismic-reflection profiling
Exuma Sound analog, 31A
Great Isaac 1, 428B-431B, 432B, 433B,
435B
Seismogram, synthetic
for Northeast Providence Channel,
447B-450B
Shear strength
Exuma Sound, 353A, 358A-359A, 361A,
405A, 409A, 410A-411A, 451A,
458A-460A
Little Bahama Bank, 139A, 146A-149A,
227A, 232A, 233A-235A, 282A,
291A, 292A-294A
Northeast Providence Channel, 541A
Northwest Providence Channel, 500A
Straits of Florida, 70A, 71A
See also Carbonate slopes, geotechnical
properties of sediments in
Siliciclastic slopes
sediment transport, 203B
submarine fans, 264B-265B
Slumping
in carbonate slopes, 273B
identification of, in seismic lines, 266B
Slumps
Exuma Sound, 7A, 8A
Little Bahama Bank, 7A, 8A
Straits of Florida, 8A
Smectite
authigenic, 177B
diagenesis, 174B
origin
Straits of Florida, 173B
Sonic velocity
Little Bahama Bank, 238A
Straits of Florida, 70A, 71A
Straits of Florida
bathymetry, 399B
bottom currents, 480B
calcium gradients, as stratigraphic tool,
379B
carbonate content and mineralogy,
281B-282B
carbonate diagenesis, 299B
carbonate gravity flows, 179B-191B
carbonate platform top, 465B
carbonate-bomb data, 66A, 68A
clay minerals, terrigenous, 173B
cross-sectional plan, 436B
interstitial water chemistry, 370B-371B
Leg 101 summary results, 457B, 460B
logging data, 440B, 442B
mineralogy, 370B
paleomagnetism, 67A-71A
periplatform sand facies, 182B
physical properties. *See under specific
properties*
Rock-Eval data, 66A, 69A
sediment isopachs, 405B
sediment thicknesses, 415B
sedimentology summary, 57A-61A
seismic sequences, 391B, 413B, 414B
seismic stratigraphy, 399B-400B, 408B,
409B
multichannel seismic lines, 75A, 115A
seismic-reflection profiling
multichannel-seismic lines, 54A
single-line, 54A, 55A, 56A
sonobuoy measurements, 395B
subsidence, 443B, 450B
logging measurements, 439B, 440B
subsidence rates, 445B
Unit II, 183B-186B
water depths, Cretaceous-Holocene, 428B
Strontium, 373B
Exuma Sound, 292B-294B, 368B,
371B-374B
Little Bahama Bank, 289B, 371B-374B
Straits of Florida, 282B
Subsidence
backstripping analyses, 440B, 443B
in Bahamas area, 440B
Sulfate
Exuma Sound, 351A, 396A, 399A
Little Bahama Bank, 130A, 136A, 137A,
225A, 226A, 229A, 230A, 231A,
280A, 282A, 283A
Straits of Florida, 67A
Thermal conductivity
Exuma Sound, 353A, 358A-359A, 361A,
405A, 409A, 410A-411A, 451A,
458A-460A
Little Bahama Bank, 139A, 146A-149A,
227A, 282A, 291A, 292A-294A
Northeast Providence Channel, 541A
Northwest Providence Channel, 500A
Straits of Florida, 70A, 71A
Tidal environment
Little Bahama Bank, 125A
and dolomitization, 198B
Tongue of the Ocean
deep-marine hardgrounds, 260B
organic preservation, 386B
periplatform ooze
composition, 280B
sedimentation
and Exuma Sound sedimentation
compared, 217B-218B
turbidites, 213B, 266B
turbidity currents, 203B, 212B
Transport
in gravity flows, 186B
Turbidites
Bahamas area
composition, 306B
diagenesis, differential, 312B-313B
Exuma Sound, 206B, 390A, 391A, 392A,
393A, 394A, 395A
composition, 208B, 209B, 210B-211B
correspondence to sea-level lows, 415A
distribution and sedimentation rates,
215B-216B, 220B
grain-size composition and parameters,
207B
microfossil components, 208B,
210B-211B
Quaternary and Pliocene, 206B
texture, 207B, 208B, 210B
thickness, 440A
frequency, 208B
grain-size composition and parameters,
209B
identifying, 204B
Little Bahama Bank, 117A, 120A, 206B,
217A-218A, 285A
composition, 206B, 208B, 209B,
210B-211B
grain-size composition and parameters,
207B
microfossil components, 208B,
210B-211B
Quaternary and Neogene, 205B-206B
texture, 207B, 208B
Northeast Providence Channel, 208B,
211B, 485A, 531A
composition, 211B
grain-size composition and parameters,
207B
texture, 207B
physical properties, 305B-314B
compared with host sediment,
308B-309B, 312B
lithified, 309B, 312B, 313B
sedimentary column, 306B
unlithified, 308B-309B, 310B-311B,
312B
platform-derived vs. pelagic, 314B
and sea-level fluctuation, 208B, 213B
shear strength, 313B
See also Grainstones; Packstones
Turbidity currents
activity, and sea-level stands, 203B
on carbonate slopes, 208B
Uranium, at Little Bahama Bank, 141A,
152A
Walkers Cay Fault Zone, 266B, 275B, 394B,
396B, 401B, 402B, 466B
Water content
Exuma Sound, 353A, 358A-359A, 360A,
405A, 409A, 410A-411A,
450A-451A, 458A-461A
Little Bahama Bank, 137A-139A, 150A,
151A, 227A, 232A, 233A-235A,
282A, 291A, 292A-294A
Northeast Providence Channel, 536A,
541A, 542A
Northwest Providence Channel, 499A,
500A, 501A
West Florida margin
gravity flows, 188B
Western Boundary Undercurrent
glacial transport, 234B
Wet-bulk density
Exuma Sound, 353A, 358A-359A, 360A,
405A, 409A, 410A-411A,
450A-451A, 458A-461A
Little Bahama Bank, 137A-139A,
146A-149A, 150A, 227A, 232A,
233A-235A, 282A, 291A,
292A-294A
Northeast Providence Channel,
535A-536A, 541A, 542A

SITE INDEX

- Site 98, 7A, 50A, 53B, 447B, 465B, 483A-487A, 493A, 508A
 bathymetry, 246B, 255B
 Hole 98
 carbonate characteristics, 285B, 288B
 carbonate content, 285B, 286B, 287B
 geochemistry, 285B, 286B
 isotope compositions, 299B, 300B
 lithology, 282B
 mineralogy, 285B, 286B
 radiolarians, Cenozoic, 117B-120B
- Site 391, 50A
 radiolarians, Cenozoic, 109B, 113B
- Site 534, 50A
 paleoenvironment, 161B-162B, 163B
 radiolarians, Cenozoic, 108B-110B, 113B
- Site 626, 48B-50B, 49A-81A
 biostratigraphy, 61A-64A, 65A
 carbonate sediments, 188B-190B
 carbonate turbidite sequences, 305B-314B
 clay minerals, 171B-172B, 173B-174B, 177B
 coring summary, 58A
 data summary, 49A-50A, 78A-79A
 downhole measurements, 71A, 73A-74A
 drilling results, 457B, 458B, 459B
 foraminifers, 62A-64A
 biostratigraphy, 4B-11B, 36B-38B
 gravity flow deposits, 181B-188B
 Hole 626A, 49A, 63A, 69A
 Hole 626B, 49A, 53A, 54A, 63A, 69A
 magnetic measurements, 344B
 Hole 626C, 4B, 6B-9B, 39A, 41A, 42A, 49A-50A, 63A-66A, 69A, 71A
 carbonate content, 281B-282B, 283B
 geochemistry, 282B
 interstitial-water chemistry, 364B-366B, 367B, 370B-371B
 isotope compositions, 299B, 300B
 lithology, 281B
 magnetic measurements, 344B
 magnetic properties, 328B-329B, 330B
 mineralogy, 281B-282B, 283B, 370B, 373B, 378B
 petrography, 282B, 284B
 Hole 626D, 9B, 11B, 49A-50A, 67A, 73A
 mineralogy, 370B, 373B
 inorganic geochemistry, 64A-66A, 67A, 68A
 lithology, 432B, 433B, 441B, 442B, 460B
 carbonate sediments, 179B-181B
 logs, 73A
 maps, 6A, 54A, 76A
 nannofossils, 61A-62A
 biostratigraphy, 64B-70B
 neutron porosity, 442B-445B
 organic geochemistry, 66A-67A, 69A
 paleogeography, 433B, 435B
 paleomagnetism, 67A-70A
 paleontological results, 473B-480B
 physical properties, 70A-71A, 72A
 platform drowning, 465B-466B
 sedimentology, 57A-61A, 425B-426B, 428B
 seismic profiles, 25A-26A, 30A, 428B-431B
 stratigraphy, 425B-428B
 carbonate sediments, 179B-181B
 seismic, 74A-77A, 412B, 414B, 433B, 434B
- X-ray data, 66A, 67A, 68A
 Site 627, 50B, 111A-158A
 bathymetry, 265B
 biostratigraphy, 126A-130A, 132A-134A
 carbonate turbidite sequences, 305B-314B
 carbonates, 172B-173B
 clay minerals, 172B, 173B-174B, 176B, 177B
 coring summary, 117A
 data summary, 111A, 156A-157A
 dolomite, 197B-201B
 downhole measurements, 141A-143A, 152A
 drilling results, 457B-459B, 460B-462B, 463B
 foraminifer biostratigraphy, 11B-18B, 36B-38B
 geologic history, 158A
 Hole 627A, 111A, 113A
 mineralogy, 378B
 Hole 627B, 10B, 11B-18B, 39A-40A, 43A, 51B, 111A, 113A-115A, 119A, 135A
 dinoflagellate cysts, 121B-124B, 126B, 126B-127B, 133B
 interstitial-water chemistry, 364B-366B, 367B, 369B
 magnetic measurements, 344B-351B
 magnetic properties, 328B-329B, 330B
 magnetostratigraphy, 330B, 331B, 332B
 mineralogy, 364B, 365B, 378B
 ostracodes, middle Cretaceous, 153B, 154B, 155B, 157B-158B
 paleolatitudes, 338B-342B
 seismic sedimentologic correlations, 263B-276B
 inorganic geochemistry, 130A-131A, 135A, 136A, 137A, 138A, 139A, 140A, 141A
 lithology, 7A, 8A, 460B, 467B
 maps, 6A, 112A, 114A, 115A
 nannofossil biostratigraphy, 70B-71B, 71B-74B
 organic geochemistry, 131A, 135A, 142A, 143A, 144A, 145A
 paleoenvironment, 160B-161B, 163B, 168B
 paleomagnetism, 135A-137A, 145A
 paleontological results, 473B-480B
 petrography
 lagoonal lithofacies, 194B-195B, 196B, 198B, 199B, 200B
 peritidal lithofacies, 195B, 199B, 200B
 physical properties, 137A-141A, 146A-149A, 150A, 151A
 platform drowning, 465B-466B
 radiolarians, Cenozoic, 105B-106B, 107B, 109B, 113B
 sedimentology, 115A-126A
 seismic reflection profiles, 25A-26A, 30A, 237A
 seismic stratigraphy, 143A-145A, 153A, 154A, 391B-410B
 X-ray data, 130A-131A, 138A, 140A, 278A-281A
- Site 628, 50B, 213A-239A
 bathymetry, 265B
 biostratigraphy, 220A-223A, 224A
 carbonate turbidite sequences, 305B-314B
 coring summary, 215A
- data summary, 213A, 238A
 drilling results, 460B-462B, 463B
 foraminifer biostratigraphy, 18B-19B, 36B-38B
 Hole 628A, 31B, 40A, 52B
 interstitial-water chemistry, 364B-366B, 367B
 magnetic measurements, 351B-355B
 magnetic parameters, 333B-335B
 magnetic properties, 328B-329B, 330B
 magnetostratigraphy, 330B-332B
 mineralogy, 364B, 365B, 378B
 ostracodes, Cenozoic, 139B-151B
 seismic sedimentologic correlations, 263B-276B
 turbidites, 205B-206B, 207B, 208B-212B
 inorganic geochemistry, 223A, 225A, 226A, 227A, 228A
 lithology, 7A, 467B
 maps, 6A, 214A
 nannofossil biostratigraphy, Oligocene, 87B-103B
 organic geochemistry, 225A-226A, 229A, 230A, 231A
 paleoenvironment, 160B, 161B, 163B, 165B, 166B, 167B, 168B
 paleomagnetism, 226A, 231A
 paleontological results, 473B-480B
 physical properties, 226A-227A, 232A-235A, 236A
 radiolarians, Cenozoic, 106B-108B, 109B
 sedimentology, 213A-220A, 221A
 seismic stratigraphy, 143A-145A, 149A-151A, 153A, 154A, 237A, 238A, 391B-410B
 X-ray data, 217A, 227A
- Site 629, 271A, 274A
 coring summary, 274A
 data summary, 271A
 maps, 6A, 272A
 nannofossil biostratigraphy, 74B
- Site 630, 50B, 271A-297A
 bathymetry, 265B
 biostratigraphy, 277A-278A, 279A
 carbonate turbidite sequences, 305B-314B
 coring summary, 274A
 data summary, 271A-272A, 297A
 drilling results, 460B-462B
 foraminifer biostratigraphy, 36B-38B
 Hole 630A, 271A
 carbonate characteristics, 289B
 carbonate content, 288B-289B, 290B-291B
 geochemistry, 289B, 290B-291B
 interstitial-water chemistry, 364B-366B, 367B, 369B
 isotope compositions, 290B-291B, 299B, 300B
 lithology, 287B
 magnetic properties, 328B-329B
 mineralogy, 288B-289B, 290B-291B, 364B, 365B, 378B
 seismic sedimentologic correlations, 263B-276B
- Hole 630B, 271A
 foraminifer biostratigraphy, 19B-20B
 mineralogy, 365B
 sediment properties, 317B
- Hole 630C, 272A

- interstitial-water chemistry, 364B-366B, 367B
mineralogy, 365B, 379B
inorganic geochemistry, 278A-280A, 281A, 282A, 283A, 284A, 285A, 286A, 287A
lithology, 7A, 467B
maps, 6A, 272A
nannofossil biostratigraphy, 74B-75B
organic geochemistry, 280A-281A, 288A, 289A
paleomagnetism, 281A-282A, 290A
paleontological results, 473B-480B
physical properties, 282A-283A, 291A-294A
sediment properties, 315B-325B
sedimentology, 273A-277A
seismic stratigraphy 283A, 285A, 295A, 296A, 391B-410B
X-ray data, 278A-280A, 283A, 284A, 285A
Site 631, 51B, 341A-363A
biostratigraphy, 347A-348A, 349A
carbonate turbidite sequences, 305B-314B
coring summary, 344A
data summary, 341A, 363A
drilling results, 462B-464B
foraminifer biostratigraphy, 20B, 23B-27B, 36B-38B
Hole 631A, 34B-35B, 41A, 43A, 341A
carbonate characteristics, 294B, 298B
carbonate content, 292B, 296B-297B
geochemistry, 292B-294B
interstitial-water chemistry, 366B-368B
isotope compositions, 299B, 300B
lithology, 292B, 295B
magnetic measurements, 355B-356B
magnetic properties, 328B-329B, 330B
mineralogy, 366B, 371B, 379B
inorganic geochemistry, 348A, 350A, 351A, 352A, 353A
lithology, 7A, 467B
maps, 6A, 343A
nannofossil biostratigraphy, 75B-76B
organic geochemistry, 349A-350A, 354A, 355A, 356A
paleomagnetism, 350A, 353A, 356A
paleontological results, 473B-480B
physical properties, 353A-354A, 357A, 358A-361A
sedimentology, 343A-347A
seismic reflection profiles, 25A-26A, 30A, 31A
seismic stratigraphy, 354A-355A, 362A, 417B
X-ray data, 348A, 352A
Site 632, 50B, 387A-415A
aragonite stratigraphy, 214B-215B, 218B-219B
biostratigraphy, 395A-396A, 397A
carbonate mineralogy, 213B-214B
carbonate turbidite sequences, 305B-314B
coring summary, 388A
data summary, 387A, 414A
drilling results, 462B-464B
foraminifers, 396A
biostratigraphy, 20B-22B, 36B-38B
Hole 632A, 28B-30B, 39A-41A, 387A
interstitial-water chemistry, 368B
magnetic measurements, 356B-358B
magnetic parameters, 333B-338B
magnetic properties, 328B-329B, 330B
magnetostratigraphy, 332B-333B
mineralogy, 379B
paleolatitudes, 338B-342B
inorganic geochemistry, 444A, 446A-448A, 449A, 450A, 451A, 452A
lithology, 7A, 467B
maps, 6A
nannofossil biostratigraphy, 77B-78B, 222B-224B, 443A
organic geochemistry, 448A, 453A, 454A, 455A, 456A
paleomagnetism, 449A-450A, 457A
paleontological results, 473B-480B
physical properties, 450A-451A, 458A-461A
sedimentology, 440A-442A
seismic stratigraphy, 417B, 451A-453A, 462A
X-ray data, 444A, 447A, 448A
Site 634, 50B, 483A-511A
bathymetry, 246B, 255B, 464B
biostratigraphy, 493A-496A, 497A
carbonate turbidite sequences, 305B-314B
coring summary, 487A
data summary, 483A, 510A-511A
downhole measurements, 499A-502A,
magnetic properties, 328B-329B, 330B
mineralogy, 366B, 371B, 397B
turbidites, 205B, 206B-207B, 208B-212B
Hole 632B, 40A
interstitial-water chemistry, 368B
mineralogy, 371B, 379B
inorganic geochemistry, 396A, 398A, 399A, 400A, 401A
lithology, 7A, 216B, 217B, 467B
magnetic susceptibility, 39A, 402A-403A, 408A
maps, 6A
nannofossil biostratigraphy, 76B-77B
organic geochemistry, 396A, 398A, 400A, 401A, 402A, 403A, 404A, 405A, 406A, 407A
paleomagnetism, 402A-403A, 408A
paleontological results, 473B-480B
physical properties, 404A-406A, 409A-411A
sedimentation
turbidites, 215B-216B, 220B
sedimentology, 389A-395A
seismic reflection profiles, 25A-26A
seismic stratigraphy, 406A-407A, 408A, 412A, 413A, 416B, 417B
X-ray data, 396A, 401A
Site 635, 50B, 439A-464A
aragonite cycles, 229B-235B
biostratigraphy, 442A-444A, 445A
carbonate mineralogy, 224B-229B, 230B
carbonate turbidite sequences, 305B-314B
coring summary, 440A
data summary, 439A, 463A
drilling results, 462B-464B
foraminifer biostratigraphy, 22B-23B, 36B-38B, 443A-444A
Hole 633A, 32B-33B, 40A, 439A
carbonate mineralogy, 237B-244B
interstitial-water chemistry, 368B, 372B
magnetic measurements, 358B-360B
magnetic parameters, 333B-338B
magnetic properties, 328B-329B, 330B
magnetostratigraphy, 332B-333B
mineralogy, 379B
paleolatitudes, 338B-342B
inorganic geochemistry, 444A, 446A-448A, 449A, 450A, 451A, 452A
lithology, 7A, 467B
maps, 6A
nannofossil biostratigraphy, 77B-78B, 222B-224B, 443A
organic geochemistry, 448A, 453A, 454A, 455A, 456A
paleomagnetism, 449A-450A, 457A
paleontological results, 473B-480B
physical properties, 450A-451A, 458A-461A
sedimentology, 440A-442A
seismic stratigraphy, 417B, 451A-453A, 462A
X-ray data, 444A, 447A, 448A
Site 634, 50B, 483A-511A
bathymetry, 246B, 255B, 464B
biostratigraphy, 493A-496A, 497A
carbonate turbidite sequences, 305B-314B
coring summary, 487A
data summary, 483A, 510A-511A
downhole measurements, 499A-502A,
503A, 504A-505A, 507A
drilling results, 459B, 465B
Hole 634A, 483A
interstitial-water chemistry, 368B
isotope compositions, 247B-248B, 251B-252B
magnetic measurements, 360B
mineralogy, 373B, 379B
petrography, 246B, 247B, 248B, 249B-251B
inorganic geochemistry, 496A, 498A, 499A
lithology, 441B, 447B-450B, 460B
magnetic field data, 33A-36A
maps, 6A, 484A, 486A
nannofossil biostratigraphy, 78B, 494A
organic geochemistry, 496A, 499A
paleomagnetism, 497A-498A
physical properties, 498A-499A, 500A, 501A, 502A
radiolarians, Cenozoic, 120B
sedimentology, 487A-493A, 494A, 495A
seismic stratigraphy, 502A-503A, 506A, 508A-509A
sonic-velocity log, 446B-447B
X-ray data, 496A, 498A
Site 635, 50B, 525A-543A
bathymetry, 246B, 255B, 464B
biostratigraphy, 530A-533A, 534A
carbonate turbidite sequences, 305B-314B
coring summary, 527A
data summary, 543A
dinoflagellate cysts, 122B
drilling results, 459B, 465B
geochemistry, 381B-387B
Hole 635A, 525A
turbidites, 207B, 208B-212B
Hole 635B, 525A
diagenesis, deep-marine, 258B-260B
diagenesis, shallow-marine, 256B-258B
dinoflagellate cysts, 124B-126B, 127B, 133B
isotope compositions, 257B
magnetic measurements, 360B
ostracodes, middle Cretaceous, 153B, 155B
inorganic geochemistry, 533A, 534A, 535A, 536A, 537A
lithology, 460B
maps, 6A
nannofossil biostratigraphy, 78B-79B, 531A-532A
organic geochemistry, 533A-535A, 538A-539A
paleomagnetism, 535A, 540A
physical properties, 535A-536A, 541A-542A
platform drowning, 465B-466B
sedimentology, 526A-530A, 531A
X-ray data, 533A, 535A, 536A
Site 636, 50B, 525A-543A
bathymetry, 246B, 255B, 464B
carbonate turbidite sequences, 305B-314B
coring summary, 527A
drilling results, 459B, 465B
Hole 636A, 525A
magnetic field data, 33A-36A
maps, 6A
nannofossil biostratigraphy, 79B

PALEONTOLOGICAL INDEX

- Amauroliths, 65B-66B, 76B-78B, 499A, 500A, 501A
- Benthic foraminifers
Amphistegina sp., 52B-53B
Archaias angulatus, 51B-52B
 biostratigraphy, 54B
 Campanian to Maestrichtian, Northeast Providence Channel, 50B
- Eocene to Pleistocene
 Exuma Sound, 53B
 Little Bahama Bank, 53B
 Straits of Florida, 53B
 Exuma Sound, 396A, 443A
Heterostegina sp., 52B
 Holocene to Miocene, Exuma Sound, 50B
 Little Bahama Bank, 128A, 129A-130A
- Miocene
 Little Bahama Bank, 50B
 Straits of Florida, 54B-55B
- Neogene
 Little Bahama Bank, 51B
 Northeast Providence Channel, 50B
- Oligocene, Straits of Florida, 55B
- Oligocene to Pleistocene
 Little Bahama Bank, 52B
 Straits of Florida, 48B-50B
- paleoenvironmental interpretation of, 51B-54B
 and climate, 51B
 family categorization of, 51B
Lepidocyclus, 53B-54B
Miogypsina, 53B
Nummulites, 53B
 and sea-level changes, 51B-54B, 54B-55B
- Pleistocene
 Straits of Florida, 54B
- Pleistocene to Miocene, Exuma Sound, 51B
 redeposited and reworked, 54B-55B
 reworking, 48B, 50B
 Straits of Florida, 63A-64A
- Braarudosphaerids, 78B, 89B
- Calcareous nannofossils
 abundance, 18A
- Albian
 Little Bahama Bank, 81B
 Northeast Providence Channel, 80B-81B
- Albian to Cenomanian
 drilling summary, 479B
 Northeast Providence Channel, 79B
- biostratigraphy, 54B, 63B-81B
 drill sites, 64B
- Bramletteius serraculoides*, last appearance, 94B
- Calcidites obscurus* Zone, 477B
- Campanian
 drilling summary, 477B-478B
 Little Bahama Bank, 80B-81B
 Northeast Providence Channel, 78B
- Cenozoic
 Bahamas, 65B
 identification of, 70B
 Little Bahama Bank, 70B
- Chiasmolithus titus*, last appearance, 94B-95B
- Cretaceous
 Bahamas, 67B, 70B, 71B, 72B-73B
 Northeast Providence Channel, 81B
- Cyclicargolithus abisectus*, first appearance, 94B
- Discoaster nodifer*, last appearance, 95B
- discoasters
 Exuma Sound, 347A, 395A, 443A
 Little Bahama Bank, 127A
 Northeast Providence Channel, 532A
 Straits of Florida, 62A
- downhole contamination, 70B, 71B
- Emiliana huxleyi*
 Exuma Sound, 395A
- Eocene
 drilling summary, 477B
 Little Bahama Bank, 74B
 Northeast Providence Channel, 78B
- Exuma Sound, 347A-348A, 395A-396A, 443A
 biostratigraphy, 223B, 224B, 225B
- Hayella stiliformis*, last appearance, 95B
- Helicopontosphaera compacta*, LAD, 93B-94B
- high-latitude datum levels, 94B
- Holocene, Little Bahama Bank, 19B
- Isthmolithus recurvus*, last appearance, 95B
- Laternithus minutus*, 93B
- Little Bahama Bank, 126A-127A, 220A-222A, 275A, 276A, 277A
- Maestrichtian, drilling summary, 477B
- Miocene
 Bahamas, 68B-69B
 Exuma Sound, 21B-22B, 23B, 80B
 Little Bahama Bank, 50B, 73B-74B
- Miocene to Pliocene, Exuma Sound, 78B
- Neogene
 drilling summary, 475B
 Exuma Sound, 76B
 Northeast Providence Channel, 79B
- Northeast Providence Channel, 531A-532A
- Northwest Providence Channel, 494A
- Oligocene
 Bahamas, 68B-69B
 biostratigraphy, 87B-97B
 drilling summary, 476B-477B
 Exuma Sound, 76B, 78B
 Little Bahama Bank, 74B, 80B, 87B-97B
- Oligocene to Holocene, Bahamas, 64B
- Paleocene, drilling summary, 477B
- Paleogene
 Bahamas, 66B
 Exuma Sound, 78B
 Little Bahama Bank, 74B
 Northeast Providence Channel, 78B, 79B
- Pleistocene
 Bahamas, 68B-69B
 Exuma Sound, 21B, 22B, 75B, 76B
 Little Bahama Bank, 72B, 74B, 79B
- Pleistocene to Holocene, Exuma Sound, 77B
- Pliocene
 Exuma Sound, 75B, 76B, 77B, 79B-80B
 Little Bahama Bank, 74B, 79B-80B
- Northeast Providence Channel, 79B
 Straits of Florida, 79B
- Pliocene, Bahamas, 68B-69B
 poor recovery, 69B-70B, 78B
- Quaternary, Northeast Providence Channel, 79B
- Sphenolithus predisentus/S. ciperoensis*
 lineage, 89B-93B
- Straits of Florida, 61A-62A
- zonation, 18A
- Calcidites obscurus* Zone, 477B
- Calocycletta costata* Zone
 Little Bahama Bank, 108B, 109B, 110B, 113B, 115B
- Ceratoliths, 75B
- Cytherella austiniensis* Zone
 Little Bahama Bank, 153B, 157B
 Northeast Providence Channel, 153B
- Dinoflagellate cysts
 Albian, Little Bahama Bank, 122B, 124B
- Cenomanian, Little Bahama Bank, 124B
- Cepadinium* sp. BAHA, 128B
- Compositosphaeridium bahamensis* n. sp., 128B
- Forma A*, 129B-130B
- Forma B*, 130B-131B
- Little Bahama Bank distribution, 123B
- Maghrebinia breviornata* n. sp., 129B
- Northeast Providence Channel
 Cenomanian, 126B
 distribution, 125B
- paleoenvironment
 Little Bahama Bank, 124B
 Northeast Providence Channel, 126B-127B
- Pervosphaeridium truncatum*, 129B
- Subtilisphaera habibi*, 129B
- Discoaster asymmetricus* Zone
 Little Bahama Bank, 73B
- Discoaster triradiatus* Zone
 Exuma Sound, 77B
- Discoasters, 77B-78B
- Dorcadospyris ateuchus* Zone
 Little Bahama Bank, 108B, 109B
- Emiliana huxleyi* Zone
 Exuma Sound, 76B, 77B
 Little Bahama Bank, 70B, 74B
 Northeast Providence Channel, 78B
- Epeliodsphaeridia spinosa* Zone
 Little Bahama Bank, 124B, 135B
- Gephyrocapsids, 74B, 76B
- Globorotalia crassaformis* Zone
 Exuma Sound, 22B, 23B, 24B-30B, 32B-37B, 43B
 Little Bahama Bank, 43B
- Globorotalia fohsi* Zone
 Little Bahama Bank, 12B-17B, 18B-19B
- Straits of Florida, 7B-9B
- Globorotalia kugleri* Zone
 Little Bahama Bank, 10B, 12B-17B, 18B, 31B, 41B
- Straits of Florida, 31B
- Globorotalia margaritae* Zone
 Exuma Sound, 21B, 23B, 24B-30B, 31B, 32B-37B, 45B
 Little Bahama Bank, 11B, 12B-17B,

PALEONTOLOGICAL INDEX

19B-20B, 42B
Globorotalia truncatulinoides Zone
 Exuma Sound, 21B, 24B-30B, 32B-37B,
 43B
 Little Bahama Bank, 12B-17B
 Straits of Florida, 4B, 5B, 7B

Helicosphaera ampliaperta Zone
 Little Bahama Bank, 69B, 70B

Lepidocyclus miroflorensis Zone
 Straits of Florida, 49B, 50B, 58B

Miogypsina staufferi Zone
 Straits of Florida, 49B, 50B, 59B, 60B

 Nannoconids, 79B, 81B

 Orosphaerids, 106B-107B
 Ostracodes
 Agrenocystere cf. gosnoldia, 142B
 Agrenocystere cf. hazelae, 142B
 Albian to Cenomanian
 Little Bahama Bank, 153B
 Northeast Providence Channel, 153B
Bradleya dictyon, 142B
Cushmanideidae, 142B
Cythereis (C.) cf. pittensis, 155B
Cythereis (C.) fredericksburgoidea, 155B
Cythereis (Rehacythereis) simuloluda,
 155B
Cytherella austiniensis, 154B
Cytheropteron (Eocytheropteron)
jugosum, 154B
Echinocythereis echinata, 142B
Echinocythereis margaritifera, 142B
Echinocythereis sp. 1, 142B
 ecological interpretation, 154B-155B
Gangamocytheridea cf. dictyon, 140B
Isocythereis sp., 155B
Krithe cf. hiwanneensis, 142B
Krithe cf. trinidadensis, 142B
Loxoconcha fischeri, 143B
 Miocene, Little Bahama Bank, 139B,
 140B
Neocoaudites aff. maccagnoi, 143B
 Oligocene, Little Bahama Bank, 139B,
 140B
Ornatoleberis sp., 143B
Paracytheridea aff. byramensis, 143B
 Pliocene, Little Bahama Bank, 139B
Protocythere alexanderi, 155B
Protocythere paratricipata, 155B
Pterygocythereis cf. P. tokiana, 155B
Puriana, 142B
Puriana cf. fissispinata, 142B
Schuleridea washitaensis, 154B
Semicytherura sp. 1, 143B

Pervosphaeridium truncatum Zone
 Little Bahama Bank, 129B, 130B, 137B

Planktonic foraminifers
 abundance, 17A-18A
 Albian to Cenomanian, drilling summary,
 479B
 Campanian, drilling summary, 477B-478B
 Cenomanian to Santonian, drilling
 summary, 478B-479B
 Cenozoic. *See* Planktonic foraminifers,
specific epochs
 Eocene, Bahamas, 71B
 Exuma Sound, 344A, 345A, 348A, 396A,
 443A-444A
 Holocene, Exuma Sound, 23B
 Holocene/Pleistocene unconformity, 11B
 Little Bahama Bank, 126A-127A,
 127A-129A, 222A-223A, 275A,
 276A, 277A-278A
 Maestrichtian, drilling summary, 477B
 Miocene
 Bahamas, 69B
 Little Bahama Bank, 18B, 19B, 20B,
 74B
 Straits of Florida, 12B-17B
 Miocene/Pliocene unconformity, 11B
 Neogene, 3B-45B
 biostratigraphy, 4B, 5B, 18B
 drilling summary, 474B-476B
 Exuma Sound, 37B, 38B
 Little Bahama Bank, 11B-20B, 37B,
 38B
 location map for, 3B
 poor recovery, 3B-4B, 11B, 18B, 31B
 preservation of, 23B-24B
 rare specimens, 18B
 sea-level changes affecting, 27B, 31B,
 36B-37B, 38B
 shallow-water-platform benthic, 7B
 Straits of Florida, 4B-11B, 37B, 38B
 stratigraphic ranges, 6B-10B, 12B-17B,
 20B-30B
 unidentifiable, 18B
 See also Planktonic foraminifers,
specific epochs
 Northeast Providence Channel,
 532A-533A
 Northwest Providence Channel,
 494A-496A
 Oligocene, Little Bahama Bank, 19B
 Paleogene. *See* Planktonic foraminifers,
specific epochs
 Pleistocene, 11B
 Exuma Sound, 21B, 22B
 Little Bahama Bank, 19B
 Pleistocene/middle Miocene
 unconformity, 21B
 Pleistocene/Pliocene unconformity, 11B,
 24B-27B
 Pliocene
 absence of, 31B, 36B-37B
 Exuma Sound, 21B, 22B-23B
 Little Bahama Bank, 11B, 19B,
 72B-73B

Straits of Florida, 4B
 poor recovery, 75B
 Quaternary, drilling summary,
 473B-474B, 475B
 Straits of Florida, 57A, 62A-63A
 stratigraphic ranges, 32B-35B
 zonation, 17A
 Pteropods
 Straits of Florida, 57A

 Radiolarians
 abundance, 18A-19A
 Atlantic Margin Coring Project
 (AMCOR) 105B, 110B
 Blake-Bahama Basin zones, 109B
 Campanian zones, 120B
 correlation of sites, 111B
 Eocene
 Bahamas, 71B
 Blake-Bahama Basin, 108B, 110B
 Little Bahama Bank, 105B
 Northwest Providence Channel,
 117B-118B
 zones, 120B
 Little Bahama Bank, 129A, 223A
 Little Bahama Bank zones, 107B, 108B,
 109B
 Miocene
 Bahamas, 71B
 Blake-Bahama Basin, 110B
 Little Bahama Bank, 105B-106B
 Northwest Providence Channel,
 117B-118B
 South Carolina, 110B
 Southeast Georgia Embayment, 110B
 Oligocene zones, 120B
 Paleocene zones, 120B
 Pliocene to Pleistocene zones, 120B
 zonation, 18A
 See also Sponge spicules

 Shallow-water larger foraminifers.
 See Benthic foraminifers
Sphenolithus ciperoensis Zone
 Little Bahama Bank, 89B-95B, 97B-98B,
 100B-103B
Sphenolithus distentus Zone
 Little Bahama Bank, 89B-95B, 97B,
 99B-101B
 Sponge spicules
 Miocene
 Blake-Bahama Basin, 161B-162B
 Little Bahama Bank, 160B-161B
 Oligocene, Little Bahama Bank, 161B
 paleoecology, 162B-163B
 sponge vs. spicule classification,
 159B-160B
Stichocorys delmontensis Zone
 Little Bahama Bank, 106B, 107B, 109B,
 110B, 113B, 117B-120B
Stichocorys wolffii Zone