

INDEX TO VOLUME 102

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 102 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *A* refer to pages in the *Initial Reports*, and those with *B*, to pages in the *Scientific Results* (this book).

The index is presented in two parts: (1) a Subject Index and (2) a Site Index. In addition to this printed version, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 bpi.

The index was prepared by Wm. J. Richardson Associates, Inc., under sub-contract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index often includes broad fossil groups, such as foraminifers and radiolarians, which also appear in a separate Paleontological Index in most volumes.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77840.

SUBJECT INDEX

- Acoustic events, 107A-108A
- Alteration
and disappearance of Layer 2A, 156B
of upper crust, 159B-160B
stages, 165B
- Alteration, oxidative
basalts, 143B
in high-permeability zones, 144B
- Alteration products, 95A, 147B
- Analcite, 143B
- Anisotropy
azimuthal, 97B
in midcrust region, 112B
and oblique seismic experiment (OSE),
108B-110B
in shallow crust, 111B-112B
See also Seismic anisotropy
- Anomaly MO, 5B
- Barnes/Uyeda tool, 97A, 102A-106A,
128B, 133A, 138A, 139A-143A, 161B,
162B
- Basalts, 45B
accuracy of logging in, 110A
alteration, 34B-35B
potassium levels and, 135B
alteration, low-temperature, 50B, 144A
oxygen isotope analyses, 136B
alteration reactions, 131B
alteration sequence, 145B
alteration structures, 150B-151B
basement units
Leg 102 logging determinations, 114A
Legs 52 and 53 determinations, 102A
bathymetry, 79B
as calcium source, 128B
classification, 73B
compressional wave velocity, 36B-37B,
174B
density, 31B
elastic properties, 49B
formation factor, 73B
formation properties, 43B, 157B-159B
formation waters, 131B
chemistry of, 127B, 133B, 138A-141A
fracture effects, 40B
and gamma ray (CR) logs, 135B-145B
oxygen-isotope analyses, 136B
gamma-ray activity, 46B
logging results summarized, 120A-121A,
175B
macroscopic features, 180B
magnetic characteristics, 77B-95B
data-reduction methods, 82B
logs compared with laboratory
measurements, 77B
Q-factor, 90B, 92B
susceptibility, 77B, 88B, 90B, 93B-94B,
131A
neutron porosity, 173B
and oblique seismic experiment (OSE),
106B
phenocryst assemblages in Hole 418A,
135B-136B
physical properties, 42B, 43B, 44B, 50B,
51B, 69B
from logs, 173B
summarized, 175B
pore-fluid evolution, 143B-144B
porosity, 70B-75B
resistivity and formation factor, 71B
porosity-velocity relationships, 35B-37B,
39B, 71B-75B
radioactivity, 114A, 171B
tortuosity, 71B, 73B, 74B
in upper crust, 166B
velocity, 71B-75B, 175B, 176B
laboratory determinations, 176B
logging determinations, 177B
waveforms, 52B-54B
weathering sequence, 145B
See also Pillow basalts
- Basalts, massive
compressional wave velocity, 95A, 146A
neutron porosities, 34B
physical properties, 95A, 112A, 146A
porosity-density relationships, 39B-40B
velocity, 60B-61B, 95A, 106B
waveforms, 116A, 118A, 149A
- Basement, 10B
acoustic events, 107A-108A
bathymetric highs, 108A
compressional wave velocity
MCS data, 113A, 118A, 120A-121A
convection in, 96A
density, 34B
fault, strike-slip, 10B
formation-water composition, 133B
highs, 9B-10B, 13B
interpretations based on logging, 111A
isopach maps, 11B
lithologic units summarized, 34B, 102A,
138B
lithology, 6B, 158B, 170B, 171B, 172B
lithostratigraphy, 137B
logging data, 30B, 165B, 173B
magnetic characteristics
susceptibility, 95A, 171B, 173B
magnetic source bodies mapped, 99A
neutron porosity, 114A, 171B
and oblique seismic experiment (OSE),
102B-104B
physical properties, 42B, 43B, 45B
physical properties before alteration, 45B
porosity, 172B
original, 44B, 45B
radioactivity, 172B, 173B
ray paths, 165B
resistivity, 172B, 173B
sediment thicknesses, 17B
topography, 9B-10B, 11B, 12B, 13B, 14B,
157B, 164B
upper
characteristics of, 50B
physical properties, 40B, 43B
velocity anomalies, and buried
seamounts, 110B-111B
- Basement, acoustic, 107A-108A
- Bathymetric data quality, 7A
- Bermuda Rise, 3B-17B, 19B-26B, 64B-67B,
155B, 156B
bathymetry, 98A, 99A
lithology, 100A-102A
reflectors, 6B
sedimentary regimes, 5B
See also Site Index, Site 418
- Black clay facies, 6B
- Borehole seismic experiment, 95A, 103A,
105A, 106A
methods, 123A
objectives, 123A
- Borehole televiewer (BHTV), 95A, 96A,
97A, 106A, 107A, 161B, 162B
- Borehole water
chemical analyses, 5A, 128B, 129B-131B,
138A-145A
deep, 130B
exchange with surrounding rocks, 131B
sampling methodology, 128B-129B
- Bottom water, 142A, 143A
downhole flow, 132A-133A
- Breccia zone, 159B
density, 65B-66B
determination of, by logging, 111A
infilling, 164B-165B
Leg 102 determinations, 114A
Legs 52 and 53 determinations, 102A
magnetic reversal and, 125A, 127A, 146A
magnetization changes associated with,
82B
semblance analyses, 120A-121A
velocity, 60B, 61B
waveforms, 118A, 119A
weathering, and magnetic results, 131A
- Calcium, 5A, 6A, 139A, 141A-146A
basalt as source for, 128B
concentrations, 128B, 129B, 131B, 133B
- Caliper tool, 96A, 97A, 109A, 110A-112A,
113A
- Carbonate compensation depth
Early Cretaceous rise, 6B
- Celadonite, 140B, 143B, 144B
- Chalks, 6B, 100A, 114A
- Chert
acoustic impedance, 12B
- Chlorinity, 5A, 6A, 143A
- Chronostratigraphy
summarized, 4B-9B
- Clay, 139B-143B
chemical analyses, 139B
lath structures, 148B-149B
neutron porosity, 114A
pelagic, 101A, 114A
type 1, 143B-144B, 147B, 150B
type 2, 144B, 147B, 149B
type 3, 144B
- Clay, green
as alteration product
structure, 139B-140B, 143B-144B
- Clay, terrigenous, 9B
- Clay minerals
X-ray diffraction data for Hole 418A,
140B-142B
- Claystones, 6B
- Compensated neutron tool (CNTG), 109A,
112A
- Compressional wave velocity
logging and laboratory results compared,
177B
- Continental crust, 67B
- Costa Rica Rift, 138A
- Cracking. *See* Crust, old
- Crust, 112A, 122A, 123A
alteration, 44B
alteration index, 35B, 38B
differences between young and old,
155B-156B
formation dates, 12B
old

SUBJECT INDEX

- cracking, 159B, 165B
 heat flow, 131A–137A
 Leg 102 research objectives, 97A
 velocity, 166B–167B
 velocity, in situ, 97A
 velocity structure, 97A
 physical property–age relationships, 66B–67B
- upper
 alteration stages, 165B
 anisotropy, 155B
 composition, 166B
 porosity, 158B
 velocity, 157B
 velocity estimations, 123A
 velocity-density relationships, 63B
 velocity, 58B–59B
 comparisons, 159B
 model, 156B
- young
 physical properties, 96A
See also Continental crust; Oceanic crust
- Density, 95A–97A, 146A
 in basalts, 31B
 gamma, 65B, 66B, 67B
 gamma-gamma, 50B
 porosity and, 35B
- Diffusion coefficients, 144A
- Dikes, 96A, 97A
 magnetic properties, 90B
 porosity, 96A
- Dual induction (DIL) tool, 97A, 109A, 112A
- Dual laterolog. *See* Laterologs
- Earth's magnetic field
 measurement of, 82B, 124A
 reversals revealed by logging, 90B
- Elastic properties
 factors affecting, 49B
- Energy
 compressional, 60B
 shear, 60B
 sonic, 60B
- Feldspar, 143B
- Formation factor
 vs. total porosity, 43B
- Formation porosity, 70B–71B, 95A–97A, 111A, 146A
 in upper crust, 155B
- Fred H. Moore*, 3B, 4B, 7A, 8A, 21B, 95A, 97A, 98B, 99B, 100B, 102A, 103A, 107A, 122A, 123A, 149A, 156B, 157B
 data logging, 101B–102B
- Gamma-ray (CR) logs. *See* Schlumberger tools
- Geophysical profiling
 Site 418, 11A–81A
 interpretations, 107A–110A
- Glomar Challenger*, 19B, 21B, 24B, 77B, 140A
- Granodiorite
 waveforms, 115A, 116A
- Heat flow
 conductive, 137A
 in Hole 418A, 146A–147A
 measurement, 97A–98A
- horizon A', 6B–9B, 10B, 12B–13B, 14B, 24B
- horizon Beta, 6B, 7B, 9B, 10B, 12B
- horizon Red, 9B, 10B–11B, 15B, 24B
- Hydrogen
 sensitivity of neutron porosity tool to, 34B
- Hydrothermal circulation
 absent at Site 418, 133A, 137A
 in oceanic basalts, 41B
 and velocity, in oceanic crust, 106B
- Iddingsite
 in basalts, 140B
 oxidative alteration product, 144B
- Interstitial waters
 calcium correlations, 142A
 chemical analyses, 5A
 chemical composition, 127B, 129B, 138A
 diffusive processes, 131B
 interaction with borehole waters, 127B–128B
 Legs 52 and 53 results, 128B
 in old crust, 145A
 pore-fluid sampler, 97A
 sampling methodology, 141A
- Iron oxidation
 and clay formation during alteration, 143B
- Large-scale resistivity experiment, 97A
- Laterologs, 95A, 97A, 103A, 104A, 110A, 112A, 161B, 162B
See also Schlumberger tools
- Layer 2
 alteration of, 127B, 138A
 changes with age, 63B, 67B
 density, 64B
 eruptive history, 97A
 velocity structure, 96A
- Layer 2A, 46B
 disappearance of, 46B, 155B, 156B, 167A
 magnetic susceptibility readings and, 95A
- Leg 37, 96A
 Leg 45, 96A
 Leg 51, 49B, 64B, 69B, 96A, 100A, 102A, 131A, 136B, 143B, 156B, 158B, 159B, 165B–167B
See also Site Index, Site 418
 Leg 52, 30B, 49B, 50B, 64B, 69B, 73B, 95A, 96A, 97A, 100A, 102A, 131A, 136B, 143B, 145A, 146A, 156B, 158B, 159B, 165B–167B
See also Site Index, Site 418
 Leg 53, 30B, 49B, 50B, 64B, 69B, 73B, 77B, 95A, 96A, 97A, 102A, 131A, 136B, 143B, 145A, 146A, 156B, 158B, 159B, 165B–167B
See also Site Index, Site 418
 Leg 61, 96A
 Leg 68, 127A
 Leg 69, 96A, 127A
 Leg 70, 96A
 Leg 78, 96A
 Leg 78B, 77B
 Leg 79, 127A
 Leg 83, 96A
 Leg 88, 77B
 Leg 89, 77B, 96A
 Leg 92, 96A
 Leg 102
 navigation data, 84A–91A
 Leg 111, 128B, 133B
- Lithodensity tool (LDT), 109A, 112A
See also Schlumberger tools
- Lithologic descriptions, 20B, 100A–102A, 112A, 114A, 148A
- Lithology
 and wave frequency, 57B
- Lithostratigraphy
 summarized, 4B–9B
- Logging
 correlated with coring at Site 418, 19B–23B, 32B–33B, 170B, 174B
 deep induction values, 70B
 magnetic. *See* Basalts, magnetic characteristics; Magnetic susceptibility probe; Magnetometer, 3-D
 multichannel sonic (MCS). *See* Multichannel sonic (MCS) logging
 oceanic crust, 155B–180B
 operations, 95A, 157B–159B
 processing and interpretation, 31B, 34B–39B
 tools, 19B, 97A, 100A, 102A, 145A
 value in soft sediments, 19B, 113A–114A
- Long-spacing sonic (LSS) tool, 97A, 109A, 112A, 113A, 168B
- Magnesium, 5A, 6A, 139A–146A
 concentrations, 127B, 128B, 131B, 133B
- Magnetic polarity reversal
 Hole 418A, 95A
 magnetometer measurements, 124A–125A
- Magnetic susceptibility
 sediments vs. basalts, 88B
See Basalts, magnetic characteristics
- Magnetic susceptibility probe, 78B, 81B–82B, 97A, 103A, 127A, 131A, 135A, 136A, 159B, 162B
- Magnetometer, 3-D, 78B, 80B–81B, 82B, 89B, 90B, 94B, 97A
 data, 124A–127A
 operation, 103A, 106A
- Matrix density, 39B
- Metallic contamination, 142A–143A
- Mid-Atlantic Ridge, 5A, 128A, 155B
- Minerals, secondary
 in clay alteration products, 143B
 infilling crust, 167B
 potassium levels, 136B–137B
- Multichannel sonic (MCS) logging, 50B, 161B
 analysis, 54B–57B
 data, 52B–54B, 159B, 168B, 177B
 tool, 95A, 97A, 103A, 106A, 113A–115A, 149A, 162B
- Nannofossils, 100A
- Nares Abyssal Plain, 155B, 156B
- Natural gamma-ray spectrometry tool (NGT), 19B, 95A, 96A, 97A, 110A, 112A
See also Schlumberger tools
- Natural remanent magnetization (NRM), 84B, 87B–88B, 89B, 97A, 125A
 importance of measuring, 77B–78B
 log values correlated with core values, 87B–88B
- Neutron porosity tool, 34B
- Nitrate, 5A, 6A, 130B–131B
- Oblique seismic experiment (OSE), 97A, 97B–124B
 anisotropy, 108B–110B
 data reduction, 100B–104B
 internal velocity, 106B–108B
 methodology, 97B–100B
 objectives, 100B
 oceanic crust, 157B
 seismogram criteria, 105B–106B
 seismograms, 103B, 104B, 114B–117B, 151A–235A

- velocity inversion, 104B-106B
velocity-density calculations for seismograms, 111B
- Oceanic crust
advantages of logging analyses, 69B
alteration of, and porosity, 41B
buried seamounts, 110B-111B
density, 63B-67B
 implications of, 63B
 structures, 65B
 vs. porosity, 67B
and formation waters, 138A
logging data, 155B-180B
mid-crust region
 anisotropy, 112B
seismic velocity, 157B
shallow
 anisotropy, 111B-112B
structure, 97B-124B
upper
 structure, 97B
 velocity, 106B
velocity variations, and cracks, 97B
young
 borehole waters in, 127B
 See also Layer 2
- Olivine
dissolution during iron oxidation, 143B
- P- waves, 60B-61B, 63B, 97B-98B, 100B, 101B, 102B, 105B, 106B, 109B, 112B, 117B, 119B-121B, 157B, 158B, 160B, 173B
- Packer tests, 97A
- Palagonite, 143B
- Physical properties
logging of, 31B
logging and coring results compared, 34B, 37B
and structure, 43B
- Pillow basalts
alteration, 156B
in Hole 418A, 95A
physical properties, 43B, 57B, 111A, 146A
smectite, 29B
velocity, 60B-61B, 106B
waveforms, 116A, 118A, 119A, 149A
in young crust, 155B-156B
- Pole, magnetic
calculation of paleopoles, 92B-93B, 127A, 135A
- Pore waters. *See* Interstitial waters
- Porosity
density-neutron vs. sonic-computed, 41B
fracture, 40B-41B, 50B
logging vs. laboratory determinations, 34B-37B, 111A
neutron, 34B-37B, 39B, 50B
pore shape, and velocity, 71B-73B
primary (microcrack), 50B
in upper crust, 166B
See also Basalts, porosity
- Potassium
alteration indicator, 135B, 136B, 144B-145B, 159B, 164B
concentrations, 127B, 165B, 178B
depletion, 144B
natural gamma correlations, 38B
NGT log data, 143B
values in fresh vs. altered basalts, 136B
- Pseudo-Rayleigh wave, 115A, 116A, 118A
- Q-factor, 127A
- Radiolarians, 9B, 20B, 21B, 100A
- Reflection profiling. *See* Seismic reflection profiling
- Reflectors
at Site 418, 4B-9B, 108A
correlated with coring, 21B, 24B
See also Horizon Beta
- Resistivity, 32B, 50B
- Resistivity experiment, 97A
logging tools, 109A
- Rust. *See* Metallic contamination
- S- waves, 60B-61B, 97B, 101B, 102B, 103B, 105B, 106B, 112B, 158B
- Saponite, 144B, 149B
- Schlumberger tools
data, 30B
logging in Hole 418A, 112A, 113A, 135B-145B, 179B
Site 418 results, 109A-113A
- Seawater, 5A, 64B, 143A
surface, 130B
See also Borehole water
- Sediment drifts, 4B
- Seismic anisotropy, 122A-124A
- Seismic data, oceanic crust, 155B-180B
- Seismic reflection profiling, 3B-17B, 5A, 7A, 8A, 11A-81A, 21B, 82A, 83A, 103A, 107A-112A, 164B
- Semblance technique, 54B-61B, 115A-121A
windows, 54B, 55B, 57B, 58B
- Shear wave velocity
in anisotropic media, 123A
in "fast" formations, 115A
in waveforms, 118A
- Silica
dissolved, 143A-144A
- Site 417. *See* Site Index, Site 417
- Site 418. *See* Site Index, Site 418
- Site Archie, 90A, 91A
- Smectite, 45B, 46B
in basalts, 35B, 50B
natural gamma correlations, 44B
in ocean crust, 44B
and permeability, 43B
- SOBO number. *See* Son of Bermuda Oblique Seismic Experiment
- Son of Bermuda Oblique Seismic Experiment, 151A-152A
- Sonic-induction tool, 103A
- Spherically focused log (SFL), 95A, 97A, 109A, 113A
See also Schlumberger tools
- Stoneley waves, 49B, 52B-54B, 56B, 57B, 61B, 97A, 115A, 116A, 118A
- Strontium
concentrations, 133B
isotope ratios, 130B
- Sulfate
reduction, 133B
- Surface seawater, 142A, 143A
- Temperature
depth data, 103A, 140A, 141A
heat-flow data, 97A, 131A-133A, 135A-138A
pore-water sampler, 95A, 133A
time data, 135A-141A
- Time-average equation, 36B-37B
- Tortuosity, 70B
See also Basalts, tortuosity
- Velocity
alteration and differences in, 97B-98B
elastic wave, 49B-62B
factors affecting, 71B
inversion, 104B-106B
logging and laboratory results compared, 49B, 168B, 177B
measurements, 5B
porosity and, 45B
seismic
 oceanic crust, 157B
 sonic and seismic, 49B
 Stoneley wave, 49B
 ultrasonic, 50B
density and, 39B-40B
porosity and, 31B, 35B, 166B-167B
seismic, 49B
- Vema Gap, 156B
- Vertical seismic profile (VSP), 157B, 165B
oblique seismic experiment, 97A
- Water sampling, 95A, 96A, 102A, 103A
- Wave amplitude, 9B, 10B
- Wave frequency, 57B, 59B, 60B-61B
- Waveforms, 52B-62B, 113A, 115A, 116A, 118A, 149A
distortion, 61 B
pseudo-Rayleigh, 54B
- Well logging. *See* Logging
- X-ray diffraction, 165B

SITE INDEX

- Site 395, 96A-97A, 138A
 Site 396, 96A-97A
 Site 417, 7A
 basement
 lithology, 6B, 103B-104B, 156B, 164B
 topography, 9B-10B, 11B, 12B, 13B, 14B
 bathymetry, 11B, 16B, 98A, 99A, 163B
 borehole seismic experiments, reflection profiling, 122A
 borehole waters, 128B
 chalks, 6B
 chronostratigraphy, 4B-6B
 clays, 6B
 horizon A', 6B-9B, 10B
 horizon Beta, Albian-Cenomanian, 12B
 horizon Red, Miocene-Oligocene, 9B
 interstitial waters, 128B, 142A
 lithostratigraphy, 4B-6B
 maps, 97A-99A, 141A
 oblique seismic experiment (OSE), 157B
 physical properties, 159B
 radiolarian sands, 6B
 sediments
 drifts, 4B, 5B
 thickness, 3B, 5B, 11B, 17B
 seismic lines, 11A-81A
 Site 418, 5A, 91A
 anisotropy, 111B-112B
 basalts, 135B-138B, 139B, 144B, 145B, 147B, 174B, 175B, 179B
 basement, 6B, 102B-104B, 105B, 106B, 107B, 138B, 156B, 158B, 164B, 172B
 penetration, 96A-97A
 topography, 9B-10B, 11B, 12B, 13B, 14B
 bathymetry, 11B, 16B, 98A, 99A, 163B
 borehole seismic experiments, 122A-124A, 126A-127A, 128A-130A, 132A-133A, 134A-135A
 reflection profiling, 122A
 borehole waters, 127B-133B, 138A-145A
 chemical analysis, 129B-131B, 142A-143A, 143A-144A
 sampling, 95A
 chalks, 6B
 chronostratigraphy, 4B-6B
 clays, 6B, 138B-140B, 144B-145B, 147B, 148B, 150B, 151B, 174B
 horizon A', 6B-9B, 10B
 horizon Beta, Albian-Cenomanian, 6B, 7B, 12B
 horizon Red, Miocene-Oligocene, 9B
 interstitial waters, 142A
 lithology, 49B-50B, 61B, 100A-102A, 148A, 158B, 170B, 171B, 172B
 lithostratigraphy, 4B-6B, 19B-25B
 logging data, 19B-21B, 29B-30B, 31B, 34B-46B, 63B-67B, 109A-113A, 170B
 basement interval, 111A-112A, 114A
 sedimentary interval, 112A-113A, 114A
 logging measurements, 69B-75B
 porosity, 70B-73B, 74B
 tortuosity, 71B, 74B
 velocity, 71B-73B
 magnetic measurements, 77B-94B, 95B, 96B
 magnetic susceptibility, 95A, 97A, 127A, 131A, 171B
 basalts, 131A
 maps, 97A-99A
 multichannel sonic (MCS) logging, 50B, 52B-61B, 113A-122A, 177B
 basalts, 149A
 operations, 114A-115A
 semblance technique, 54B-57B, 58B, 115A-116A, 117A, 118A-119A, 120A-121A
 tools, 113A-114A
 waveforms, 115A, 116A, 118A-119A
 oblique seismic experiment (OSE), 97B-112B, 114B-124B, 157B
 physical properties, 50B, 51B, 159B
 pore-fluid evolution, 143B-144B
 radioactivity, 171B
 radiolarian sands, 6B
 sediments, 101A
 drifts, 4B, 5B
 thickness, 3B, 5B, 11B, 17B
 seismic reflectors, 21B, 24B, 25B
 seismic survey, 11A-81A, 107A-108A
 Stoneley velocity, 61B
 stratigraphy, 99B
 temperature measurements, 95A, 103A, 131A-133A, 135A-137A
 water sampling, 102A
 well logging, 157B-158B