

## INDEX TO VOLUME 104

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 104 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *a* refer to pages in the *Initial Reports*, and those with *b*, to pages in the *Scientific Results* (this book).

The index is presented in three parts: (1) a Subject Index, (2) a Site Index, and (3) a Paleontological Index. In addition to this printed version, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 bpi.

The index was prepared by Wm. J. Richardson Associates, Inc., under sub-contract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which also appear in the Paleontological Index.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The Paleontological Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) broad fossil groups, including individual genera and species that have been erected or emended formally; (2) biostratigraphic zones; and (3) fossils depicted in illustrations.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77840.

## SUBJECT INDEX

- Acoustic basement  
 Norwegian-Greenland Sea, 8a  
 Vøring Plateau, 8a, 1034b  
 location, 20a
- Acoustic impedance, Norwegian Sea: Site  
 642, 179a, 181a, 183a, 185a, 186a-190a
- Alaska, ice-free environment, Quaternary,  
 268b
- Andesites  
 Norwegian Sea: Site 642, 101a  
 Neogene-Quaternary, 81a
- Anisotropy, Norwegian Sea: Site 642,  
 186a-189a, 191a
- Arctic Bottom Water, location, 17a
- Arctic Ocean, ice-rafted debris, 210b, 212b
- Atlantic Ocean, bottom-water formation, 5a
- Atlantic Ocean N  
 bottom-water circulation, 5b  
 boundaries, 1051b-1052b  
 carbonate/oxygen isotope stratigraphy  
 benthic oxygen, 266b  
 planktonic oxygen, 266b  
 glacial/interglacial cycles,  
 paleoenvironment, 267b-268b  
 ice-rafted debris, 212b, 1116b  
 paleoenvironment, 24a  
 surface-water circulation, 5b  
 tephra occurrences  
 Neogene, 365b  
 Neogene-Quaternary, 82a  
 volcanic surge, Paleocene-Eocene, 8a,  
 14a, 71a
- Atlantic Ocean N: Site 610  
 carbonate/oxygen isotope stratigraphy  
 benthic oxygen, 260b, 262b  
 Norwegian Sea compared to,  
 262b-263b, 265b  
 paleomagnetism, 265b  
 planktonic oxygen, 260b  
 stable isotope measurements, 256b-257b
- Atlantic Ocean N Volcanic Province,  
 1044b-1047b  
 magnetostratigraphy, 911b-919b  
 paleolatitude vs. present latitude, 919b  
 volcanic events, Tertiary, 1046b
- Barents Sea, sedimentation rates, Paleogene-  
 Neogene, 17a, 19a
- Basalts  
 Atlantic Ocean N, mid-ocean ridge, 97a,  
 99a, 111a-112a  
 dipping-reflector sequence, 200a, 207a  
 Norwegian Sea: Site 642, 83a, 92a-93a  
 carbon isotopes, 453b-454b  
 copper in, 414b-416b  
 Eocene, 54a, 205a-206a  
 flow cycle, 195a-198a  
 geochemical data, 98a  
 geothermal gradients, 454b  
 lowest recovery, 113a  
 minor element geochemistry, 425b  
 oxygen isotopes, 450b-453b  
 paleomagnetism studies 166a-167a  
 pseudotachylite, 106a  
*See also* Pseudotachylite
- Vøring Plateau, 766a  
 Eocene, 13a, 16a, 55a  
 structural map, 988b
- Beidellite-nontronite  
 Norwegian Sea: Site 642  
 chemical analyses, 401b-403b  
 x-ray diffraction studies, 399b-400b,  
 401b-402b
- Breccias, Norwegian Sea: Site 642, 96a
- Brito-Arctic Igneous Province. *See*  
 Norwegian Sea, Site 642
- Brunhes Chron  
 magnetostratigraphy, 841b, 845b  
 paleomagnetism, 485a
- Brunhes/Matuyama boundary  
 carbonates, 65a  
 carbonate/oxygen isotope stratigraphy,  
 257b  
 climatology, Pliocene-Quaternary,  
 213b-214b  
 magnetostratigraphy, 166a, 845b,  
 903b-910b  
 polarity time scale, 905b  
 organic carbon, 197b-199b  
 paleomagnetism, 637a
- Calcites  
 Norwegian Sea: Site 642, 70a  
 carbon isotopes, 453b-454b  
 oxygen isotopes, 450b-453b  
 Norwegian Sea: Site 643  
 Unit I, 463a  
*See also* Norwegian Sea: Site 643,  
 authigenic carbonates  
 Norwegian Sea: Site 644, Unit I, 625a
- Calcium carbonates  
 Norwegian Sea: Site 642, 55b, 71a, 73a  
 Norwegian Sea: Site 643, 55b
- Calcium concentrations  
 Norwegian Sea: Site 642, 176a, 178a,  
 179a, 275b  
 oxygen isotopes compared to, 288b  
 Norwegian Sea: Site 643, 235b-241b,  
 275b, 492a-494a  
 oxygen isotopes compared to, 288b  
 Norwegian Sea: Site 644, 648a-649a  
 oxygen isotopes compared to, 288b  
*See also specific sites*
- Caledonian Orogeny, cessation, 7b
- Carbon, Norwegian Sea: Site 642,  
 174a-175a, 177a
- Carbonates  
 Norwegian Sea: Site 642, 191b-192b,  
 440b  
 Unit III, 75a  
 Norwegian Sea: Site 643, 191b-192b  
 high-amplitude/high-frequency  
 fluctuations, 463a, 465a  
 Norwegian Sea: Site 644, 191b-192b
- Celadonites  
 Norwegian Sea: Site 642, 442b-443b  
 chemical analyses, 400b, 402b, 404b  
 fine-grained flows, 103a  
 formation conditions with smectites,  
 406b-408b  
 isotopic studies, 404b-405b  
 x-ray diffraction studies, 399b-401b
- Chalk, nannofossil, Norwegian Sea: Site  
 643, Unit IV, 467a
- Chlorites  
 Norwegian Sea: Site 642, 29b-31b  
 abundance data, 32b-34b  
 principal-components analysis, 34b-37b  
 Norwegian Sea: Site 643, 29b-31b  
 abundance data, 32b-34b  
 principal-components analysis, 34b-37b
- Chondrites  
 Norwegian Sea: Site 642, 379b-380b  
 normalized light rare-earth element,  
 100a
- Clays  
 Norwegian Sea: Site 642, 70a, 74a  
 aluminum ratios, 59b  
 diagenetic effects, 52b-53b  
 geochemical composition, 50b-52b  
 Unit II, 65a, 70a  
 volcanic layers, 53b  
 Norwegian Sea: Site 643, 60b  
 aluminum ratios, 59b  
 diagenetic effects, 52b-53b  
 geochemical composition, 50b-52b  
 Unit I, II, IV, V, 461a-464a, 464a,  
 466a, 467a  
 volcanic layers, 53b  
 Norwegian Sea: Site 644, Unit I, 625a
- Clinoptilolites, Norwegian Sea: Site 642,  
 99a
- Clinopyroxenes  
 Norwegian Sea: Site 642, 83a, 94a, 114a  
 microprobe analyses, 372b  
 minor element geochemistry, 425b
- Contaminants, core  
 high-probability, 298b-300b  
 low-probability, 304b-307b  
 medium-probability, 301b-303b
- Copper, Norwegian Sea: Site 642, 90a,  
 411b-416b
- Crust, continental  
 Lofoten-Vesterålen Shelf, 13a  
 Norway-Greenland separation, 6a  
 Norwegian-Greenland Sea, 9a  
 boundary, 5a  
 Vøring Plateau, 12a, 14a  
 thinning, 1049b, 1051b
- Crust, oceanic  
 cooling, 437b  
 Mohs Ridge, 8a  
 Norway-Greenland, 6a  
 Norwegian Sea: Site 642, subsidence,  
 1057b-1058b  
 Norwegian Sea: Site 643, subsidence,  
 1057b-1058b  
 Norwegian-Greenland Sea, 9a  
 boundary, 5a  
 Vøring Plateau, 9b, 11a, 14a  
 Vøring Plateau Escarpment, 9a, 13a
- Density, Norwegian Sea: Site 642, 177a,  
 180a-181a, 182a, 185a, 186a-191a
- European Atlantic margin, reflectors, listric  
 fault model, 980b
- Faeroe Islands  
 evolution, 1044b-1045b  
 sediments, 668b
- Faeroe-Shetland Escarpment, structural  
 features, 1034b
- Faeroe-Shetland marginal high, evolution,  
 1045b, 1047b
- Feldspars  
 Norwegian Sea: Site 642, 47b-49b, 70a,  
 94a  
 Unit IV, 75a  
 Norwegian Sea: Site 643, Unit I,  
 461a-464a  
 Norwegian Sea: Site 644, Unit I, 621a,  
 625a
- Fleina Rift, faulting, 1003b
- Gauss Chron, magnetostratigraphy, 166a  
 Gauss/Gilbert boundary, paleomagnetism,  
 485a

## SUBJECT INDEX

- Germany  
 Elster glaciation, 213b  
 Holsteinian interglaciation, 213b  
 Gilbert Chron, magnetostratigraphy, 166a  
 Gilbert/Chron 5 boundary,  
 paleomagnetism, 485a  
 Glacial/interglacial cycles  
 Norwegian Sea: Site 642  
 lithofacies types, 195b-196b  
 paleoceanographic significance, 201b,  
 206b-207b, 212b  
 paleoenvironmental significance,  
 200b-201b, 202b, 211b  
 Norwegian Sea: Site 643  
 lithofacies types, 195b-196b  
 paleoceanographic significance,  
 206b-207b, 212b  
 paleoenvironmental significance,  
 200b-201b, 203b, 211b  
 Norwegian Sea: Site 644  
 lithofacies types, 195b-196b  
 paleoceanographic significance,  
 206b-207b, 212b  
 paleoenvironment, 267b-268b  
 paleoenvironmental significance,  
 200b-201b, 211b  
 Glauconites  
 Norwegian Sea: Site 642  
 Eocene-Miocene, 51b  
 Rb-Sr studies, 249b-252b  
 structural formula, 43b  
 Unit III, IV, 74a-75a, 75a  
 Norwegian Sea: Site 643  
 structural formula, 43b  
 Unit IV, 467a  
 Glaucony, Norwegian Sea: Site 642,  
 Unit IV, 74a-75a  
 Greenland Atlantic margin E, reflectors,  
 listric fault model, 980b, 981b  
 Greenland Basin, hydrographic structures,  
 1075b  
 Greenland E  
 evolution, 1047b  
 palynology, 667b-669b  
 tholeiitic lavas, trace-element  
 composition, 373b  
 Greenland N, 664b, 670b  
 Greenland-Scotland Ridge  
 location, 17a  
 organic carbon, 91b  
 Hatton Bank margin, reflectors, seaward-  
 dipping sequences, 16b  
 Hatton Rockall Plateau  
 carbonate/oxygen isotope stratigraphy  
 benthic oxygen, 260b, 262b  
 planktonic oxygen, 260b  
 Helgeland Basin, formation, 11b  
 Himalayan Mountains/Tibetan Plateau,  
 elevation increases, 212b-213b  
 Hornblendes, Norwegian Sea: Site 642,  
 Paleogene-Neogene, 82a  
 Hydrocarbons  
 classification, 327b-328b, 330b,  
 332b-334b  
 free, 328b  
 headspace, 328b-329b  
 Norwegian Sea: Site 642, 321b-326b  
 alkane concentrations, 313b-314b,  
 316b-317b  
 analysis conditions, 311b  
 polynuclear aromatic, 310b,  
 314b-315b, 317b  
 total gas samples, 329b, 331b-332b  
 Norwegian Sea: Site 643, 321b-326b  
 alkane concentrations, 313b-314b,  
 316b-317b  
 analysis conditions, 311b  
 gas chromatograms, 647a  
 polynuclear aromatic, 311b,  
 314b-315b, 317b  
 total gas samples, 329b-330b,  
 331b-332b  
 sorbed, 328b  
 total, 328b  
 Ice rafting. *See* Norwegian Sea; Norwegian-  
 Greenland Sea  
 Iceland  
 reflectors, listric fault model, 980b, 981b  
 tephra occurrences, 363b-365b  
 Neogene-Quaternary, 82a  
 Iceland E, tholeiitic lavas, 378b  
 Iceland Plateau  
 tephra occurrences, 337b  
 volcanic ash, Pleistocene-Miocene, 82a  
 Iceland-Faroe Ridge,  
 location, 588b  
 paleomagnetism, 169a  
 subsidence, 11b  
 tephra occurrences, 337b  
 volcanic ash, Pleistocene-Miocene, 82a  
 Ignimbrites  
 Norwegian Sea: Site 642, 99a  
 Eocene, 54a-55a  
 flow units, 102a-103a  
 Illites  
 Norwegian Sea: Site 642, 29b-31b  
 abundance data, 32b-34b  
 principal-components analysis, 34b-37b  
 Norwegian Sea: Site 643, 29b-31b  
 abundance data, 32b-34b  
 Eocene, 51b-52b  
 Miocene, 51b-52b  
 principal-components analysis, 34b-37b  
 Isle of Mull, 664b, 667b-669b  
 Jan Mayen Fracture Zone  
 bathymetry, 256b  
 evolution, 7a-8a  
 Greenland-Norwegian margin separation,  
 75a  
 location, 5a, 6b, 10b, 398b, 752a  
 salinity, 190b  
 spreading, 10b  
 structural features, 1034b  
 tholeiitic lavas, 378b  
 Jan Mayen Island, tephra occurrences,  
 363b-365b  
 Jan Mayen Ridge  
 reflectors, 766a  
 tephra occurrences, 337b  
 volcanic ash, Pleistocene-Miocene, 82a  
 Jaramillo Subchron  
 magnetostratigraphy, 166a, 845b  
 paleomagnetism, 485a, 637a  
 Kaolinites  
 Norwegian Sea: Site 642, 29b-31b  
 abundance data, 32b-34b  
 principal-components analysis, 34b-37b  
 Norwegian Sea: Site 643, 29b-31b  
 principal-components analysis, 34b-37b  
 Kap Kobenhavn, ice-free environment,  
 Quaternary, 268b  
 Keweenaw Peninsula, basalts, native copper  
 compared to, 415b-416b  
 Lofoten Basin  
 hydrographic structures, 1075b  
 location, 191b-192b, 338b, 398b, 589b  
 magnetic anomaly pattern, 15a  
 Lofoten Fracture Zone  
 location, 10b  
 structural features, 1035b  
 Lofoten-Vesterålen Shelf  
 faults, 13a-14a  
 formation, 13a  
 Magnesium concentrations  
 Norwegian Sea: Site 642, 176a, 178a,  
 179a, 275b  
 oxygen isotopes compared to, 288b  
 Norwegian Sea: Site 643, 235b-241b,  
 275b, 492a-494a  
 oxygen isotopes compared to, 288b  
 Norwegian Sea: Site 644, 648a-649a  
 oxygen isotopes compared to, 288b  
*See also specific sites*  
 Magnetostratigraphy  
 Norwegian Sea: Site 642, 166a,  
 829b-831b, 831b-835b, 838b-841b,  
 842b, 903b-910b  
 data tables, 851b-873b  
 demagnetization, 835b, 837b  
 geomagnetic polarity time scale, 832b  
 magnetic reversal boundaries, 840b  
 sedimentation rates, 849b  
 Norwegian Sea: Site 643, 829b-831b,  
 841b, 843b, 903b-910b  
 data tables, 874b-886b  
 demagnetization, 836b  
 geomagnetic polarity time scale, 832b  
 magnetic reversal boundaries, 845b  
 sedimentary series, 844b  
 sedimentation rates, 849b  
 Norwegian Sea: Site 644, 829b-831b,  
 843b, 845b-848b, 903b-910b  
 data tables, 887b-901b  
 geomagnetic polarity time scale, 832b  
 magnetic reversal boundaries, 848b  
 sedimentation rates, 849b  
 Matuyama Chron  
 carbonate/oxygen isotope stratigraphy,  
 255b-259b  
 magnetostratigraphy, 841b, 843b  
 paleomagnetism, 485a  
 Matuyama/Gauss boundary  
 ice-rafted debris, paleomagnetism, 265b  
 magnetostratigraphy, 831b, 833b, 843b,  
 848b  
 organic carbon, 197b, 199b  
 paleomagnetism, 637a  
 preglacial environment, 265b-267b  
 Matuyama/Olduvai boundary  
 magnetostratigraphy, 903b-910b  
 polarity time scale, 905b  
 Methane  
 Norwegian Sea: Site 642, 174a, 177a,  
 293b, 323b  
 Norwegian Sea: Site 643, 293b, 323b  
 Norwegian Sea: Site 644, 293b  
 Mica  
 Norwegian Sea: Site 642, 99a  
 Eocene, 54a-55a

- Møre Basin  
 location, 8a  
 sediment deposits, 11b  
 sediment sequence, Cenozoic, 14a  
 subsidence, 13a  
 Morris Jessup Rise, formation, 17a
- Native copper. *See* Copper
- Natural remanent magnetization (NRM).  
*See* Magnetostratigraphy;  
 Paleomagnetism
- Netherlands  
 Elster glaciation, 213b  
 Holsteinian interglaciation, 213b
- Netherlands SW, palynologic sequence, 36b
- Nordland margin. *See* Vøring margin
- North Atlantic deep water, formation, 190b
- North Sea Basin, 664b, 667b, 669b-670b
- Norway Basin Fracture Zone, location, 10b, 752a
- Norwegian Basin  
 location, 191b-192b, 338b, 398b  
 tephra occurrences, 337b  
 volcanic ash, Pleistocene-Miocene, 82a
- Norwegian Current  
 appearance and disappearance, 5a  
 pelagic rain, 199b
- Norwegian margin  
 bathymetry, 7a, 56a, 1071b  
 carbon-stable isotope data, 18a-19a  
 faults, 8a, 13a  
 oxygen-stable isotope data, 18a-19a  
 provinces, 5a, 7a-8a  
 reflectors, 766a  
 sedimentation, Paleozoic-Paleocene, 6a  
 structural features, 6b-11b  
*See also* Norwegian-Greenland Sea
- Norwegian Sea: Site 642  
 acoustic impedance, 179a, 181a, 183a, 185a, 186a-190a  
 age/depth  
 curves, 1058b  
 diagram, 206b  
 anisotropy, 186a-189a, 191a  
 ash-dominated particles, 77b-78b, 90b-92b, 94b-95b  
 percentages, 80b, 83b, 86b, 96b-110b, 217b-221b  
 bathymetry, 256b, 358b, 904b  
 biogenic calcareous particles, 77b, 89b-92b, 94b, 192b-193b, 197b  
 distribution, 78b, 89b  
 percentages, 80b, 83b, 86b, 96b-110b, 200b, 217b-221b  
 biogenic siliceous particles, 77b, 90b-92b, 94b-95b, 192b-193b  
 acoustic impedance, 943b, 948b  
 Atterberg limits, 925b, 931b  
 bulk density, 925b, 931b, 943b, 948b
- Brito-Arctic Igneous Province,  
 663b-669b, 671b-672b  
 compression index, 928b, 933b  
 consolidation test curves, 932b  
 distribution, 89b  
 liquidity index, 928b, 933b  
 lithodensity log, 943b  
 overburden pressure, 928b  
 overconsolidation ratio, 928b  
 percentages, 80b, 83b, 86b, 96b-110b, 217b-221b  
 permeability coefficient, 940b  
 porosity, 925b, 931b, 943b, 945b-946b  
 preconsolidation pressure, 928b, 933b  
 reflection coefficient, 947b  
 seismic reflectors and, 946b-949b  
 shear strength, 925b, 931b  
 sonic velocity, 943b, 948b  
 specific gravity, 925b, 931b  
 synthetic seismogram, 950b  
 water content, 925b, 939b
- calcium concentrations, 176a, 178a  
 carbon concentrations, 174a-175a, 177a  
 carbonate-bomb data, 64a-65a, 67a, 69a, 71a, 73a  
 carbonate/oxygen isotope stratigraphy, 194b-195b, 196b-197b, 216b-217b  
 Atlantic Ocean compared to, 262b-263b, 265b  
 paleomagnetism, 265b  
 climatic variability, 74a  
 core and depth charts, 88a-89a  
 crustal configuration, 1045b  
 density, 177a, 180a-181a, 182a, 185a, 186a-191a  
 dike units, 100a-101a  
 drilling objectives, 16b  
 drilling results, 19b-23b, 754a-755a, 1037b, 1076b  
 diagrammatic summary, 756a-759a  
 preglacial section, 1039b  
 environmental alterations, 101a  
 evolution, emplacement model, 1049b, 1051b  
 geochemical data  
 lower series flows, 101a, 104a-105a  
 upper series flows, 98a, 103a-104a, 106a
- GRAPE measurements, 183a-184a
- ice-rafted debris, 61b-68b, 739b-744b  
 abundances, 63b-65b, 67b, 68b, 70b-71b  
 age, 62b, 64b, 70b-71b  
 analyses, 62b  
 isotope oxygen records compared to, 67b-68b  
 record statistics, 66b-67b  
 interstitial-water chemistry, 174a-176a, 178a, 179a  
 carbon isotopes, 285b-289b  
 hydrogen isotopes, 273b-278b, 285b-289b  
 oxygen isotopes, 273b-278b, 285b-289b  
 strontium isotopes, 273b-276b, 278b
- lithologic units, 31b  
*See also specific units*
- lithology, 1077b  
 location, 54a, 63b, 76b, 191b-192b, 338b, 368b, 398b, 412b, 438b, 830b, 912b, 924b, 942b, 994b  
 logging results, 185a, 193a, 195a, 198a  
 acoustic borehole televiewer, 195a  
 acoustic data, 953b-964b  
 attenuation measurements, 965b-972b  
 caliper log, 193a, 195a  
 compensated neutron log, 192a, 194a  
 dual induction log, 191a  
 dual-induction/spherically focused electric log, 194a  
 lithodensity log, 192a, 194a  
 natural gamma-ray spectrometry log, 192a-193a, 194a-195a  
 neutron-porosity log uncertainties, 973b-978b  
 sonic log, 192a, 194a
- magnesium concentrations, 176a, 178a  
 magnetic anomaly patterns, 199a  
 magnetostratigraphy  
 boundary locations, 906b  
 remanence intensity/susceptibility ratio, 909b, 910b  
 stable inclination, 907b-908b, 910b  
 susceptibility variation, 908b, 910b  
 methane concentrations, 174a, 177a, 292b-294b, 323b  
*See also* Hydrocarbons
- mineral/boehmite peak-area ratios, 32b  
 mineralogical alterations, 90a, 101a, 103a, 105a-106a  
 mineralogical results, 48b-52b  
 mineralogical units, 44b, 45b, 47b-48b  
 multichannel seismic profile (MCS). *See* Norwegian Sea: Site 642, vertical seismic profile (VSP)
- natural remanent magnetization, 838b  
 volcanic sequence, 913b-914b
- organic carbon, 191b-192b, 295b-296b, 309b-311b
- paleoceanography, 189b-214b, 1076b  
 Sites 643 and 644 correlated to, 88b  
 paleoclimatology, 35b-36b, 39b, 1076b  
 paleoenvironment, 89b-92b, 1067b, 1083b-1088b  
 chronology, 1078b-1081b  
 paleogeography, 1082b  
 paleomagnetism  
 polarity log, 165a, 167a  
 sediment series, 152a-166a, 168a  
 volcanic sequence, 166a-174a, 175a  
*See also* Magnetostratigraphy;  
 Paleomagnetism
- porosity, 177a-178a, 180a-181a, 182a  
 potassium concentration log, 219a-229a  
 preglacial environment, 265b-267b  
 reflectors  
 dipping sequences, 54a-55a, 199a-204a, 207a-209a  
 seaward-dipping sequences, 831b  
 rift-drift events  
 Cenozoic, 1020b, 1022b-1023b  
 Tertiary, 1041b
- Rock-Eval procedure, 175a, 178a, 292b, 295b
- sediment flows, 95a  
 fine-grained, 95a-96a, 97a  
 medium-grained, 96a, 97a  
 significance, 96a  
 structure, 95a
- sediment thickness, 66a-67a, 83a, 84a-87a, 90a-91a, 91a, 93a-96a
- sedimentation rates, 64b  
 bulk, 198b-200b, 208b-210b  
 linear, 91b, 195b, 198b-200b, 207b  
 shear strength, 176a-177a, 180a-181a, 185a
- sulfates, 176a, 178a  
 survey line, 214a, 215a-216a  
 T-max sediment values, 175a-176a
- terrigenous particles, 77b, 90b-92b, 94b-95b, 192b-193b, 197b, 200b, 217b-221b  
 distribution, 89b  
 percentages, 80b, 83b, 86b, 96b-110b, 201b-202b, 204b
- thermal conductivity, 181a-183a
- tholeiitic lavas, 367b-368b, 380b-381b  
 lithology, 368b-369b  
 major-element variation, 371b-372b, 374b, 384b-394b  
 mineral chemistry, 370b-371b  
 petrography, 369b-370b  
 petrologic modeling, 374b-376b, 395b  
 stratigraphic distribution, 376b-377b, 383b

## SUBJECT INDEX

- trace-element composition, 372b-374b, 376b, 378b-381b, 384b-394b  
 volcanoclastic sediments, 377b-380b, 396b  
*See also* Tholeiites  
 thorium concentration log, 219a-229a  
 torque vs. rotation plot, 182a  
 trace-element data, 101a, 103a-104a  
 Unit I  
   climatic variability, 77a  
   dropstones, 64a, 71a-73a, 73a, 77a  
   ice-rafting, 77a  
   muds, 61a, 64a-65a, 68a, 76a-77a  
   sedimentation cycles, 61a, 71a, 72a  
   sedimentation rates, 76a  
 Unit II  
   dropstones, 76a  
   ice-rafting, 76a  
   muds, 67a-68a, 70a-72a, 76a  
   volcanic ash, 71a-73a  
 Unit III  
   muds, 73a-74a, 75a  
   volcanic ash, 74a  
 Unit IV  
   muds, 67a-68a, 74a-75a  
   volcanic ash, 74a  
 uranium concentration log, 219a-229a  
 velocity, 179a, 180a-181a, 183a, 185a, 186a-191a  
 vertical seismic profile (VSP), 198a-205a  
 volcanic ash, 77a  
 volcanic flows, 54a  
 volcanic sequence, 397b-398b, 419b-421b, 429b, 431b  
   acoustic impedance, 1040b  
   alteration synthesis, 413b, 440b  
   beidellite-nontronite, 399b-408b  
   bulk density, 1040b  
   celadonite, 399b-408b  
   chemical stratigraphy, 413b, 440b, 1040b  
   flow thickness, 1040b  
   lithologic grouping, 1040b  
   lithostratigraphy, 399b, 413b, 440b  
   lower series comparison, 421b-428b  
   Pb isotopic analyses, 431b, 432b-434b  
   petrography, 413b, 440b  
   rare-earth elements, 422b  
   Rb-Sr isotopic analyses, 430b, 432b-434b, 437b-447b  
   saponite, 400b-408b  
   sediment thickness, 1040b  
   Sm-Nd isotopic analyses, 431b-432b, 433b-434b  
   smectite, 399b-408b  
   spatial distribution, 404b-405b, 406b  
   temporal distribution, 405b-406b  
   timing, 443b-444b  
   trace elements, 422b  
   volcanic sequence plots, 90a-91a  
   volcanic subdivisions, 98a  
   wave-train patterns, 200a-201a  
 Norwegian Sea: Site 643  
   acoustic impedance, 494a, 496a-500a  
   age/depth  
     curves, 1058b  
     diagram, 206b  
   ash-dominated particles, 77b-78b, 90b-92b  
     percentages, 79b, 85b, 111b-136b, 223b-229b  
   ash thickness, 466a, 468a-470a  
   authigenic carbonates, 241b-242b  
   abiological decarboxylation, 233b  
   aerobic oxidation, 233b  
   carbon isotopic composition, 234b  
   element composition, 235b-236b, 237b  
   microbial methanogenesis, 233b  
   microtextures, 236b, 238b, 241b, 244b-247b  
   mineralogy, 235b-236b, 237b  
   occurrences, 234b-235b, 238b-239b  
   oxygen/carbon isotopes, 235b-236b, 239b-240b  
   paleoenvironment, 241b-242b  
   pH, 233b-234b  
   precipitation, 233b-234b  
   sediments, 234b-235b, 238b  
   bathymetry, 256b, 358b, 904b  
 biogenic calcareous particles, 77b, 89b-92b, 192b-193b  
   distribution, 78b, 89b  
   percentages, 79b, 85b, 111b-136b, 223b-229b  
 biogenic siliceous particles, 77b, 90b-92b, 192b-193b  
   acoustic impedance, 944b, 949b  
   Atterberg limits, 925b, 935b  
   bulk density, 925b, 935b, 944b, 949b  
   compression index, 928b, 937b  
   consolidation test curves, 936b  
   liquidity index, 928b, 938b  
   overburden pressure, 928b, 938b  
   overconsolidation ratio, 928b  
   percentages, 79b, 82b, 85b, 111b-136b, 223b-229b  
   permeability coefficient, 940b  
   porosity, 925b, 935b, 944b, 946b  
   preconsolidation pressure, 928b, 938b  
   reflection coefficient, 947b  
   seismic reflectors and, 946b-949b  
   shear strength, 925b, 935b  
   sonic velocity, 944b, 949b  
   specific gravity, 925b, 935b  
   synthetic seismogram, 950b  
   water content, 925b, 939b  
 bottom-water circulation, Miocene, 467a  
 bulk density, 494a, 496a-499a  
   Site 642 compared to, 501a  
 calcium carbonates, 492a-493a, 495a-496a  
 carbonate carbon, 489a-491a  
 carbonate/oxygen isotope stratigraphy, 194b-195b, 196b-197b, 198b, 221b-223b  
   paleomagnetism, 259b  
   planktonic oxygen, 257b-258b, 260b  
 compressional-wave velocity, 494a, 496a-500a  
   Site 642 compared to, 501a  
 drilling objectives, 16b  
 drilling results, 19b, 25b, 755a, 763a-764a, 1037b, 1076b  
   diagrammatic summary, 760a-761a  
   preglacial section, 1039b  
 ice-rafted debris, 61b-68b, 739b-744b  
   abundances, 65b, 72b  
   age, 62b  
   analyses, 62b  
   isotope oxygen records compared to, 67b-68b  
   record statistics, 66b-67b  
   interstitial-water chemistry, 491a-492a  
   carbon isotopes, 285b-289b  
   hydrogen isotopes, 273b-278b, 285b-289b  
   oxygen isotopes, 273b-278b, 285b-289b  
   strontium isotopes, 273b-276b, 278b  
 lithologic units, 31b  
   *See also specific units*  
 lithology, 1077b  
   diagram, 505a  
   summary, 468a  
 location, 63b, 76b, 191b-192b, 338b, 368b, 398b, 830b, 912b, 924b, 942b, 994b  
 magnetostratigraphy  
   boundary locations, 906b  
   remance intensity/susceptibility ratio, 909b  
   stable inclination, 907b-908b  
   susceptibility variation, 908b  
 methane concentrations, 292b-294b, 323b, 489a-491a  
   *See also* Hydrocarbons  
 mineral/boehmite peak-area ratios, 32b  
 mineralogical units, 42b-47b  
   x-ray diffraction, 45b  
 organic carbon, 191b-192b, 295b-296b, 311b-312b, 489a-491a  
 paleoceanography, 189b-214b, 1076b  
   changes, 466a  
   Sites 642 and 644 correlated to, 88b  
 paleoclimatology, 35b-36b, 39b, 1076b  
   changes, 466a  
 paleoenvironment, 89b-92b, 241b-242b, 1067b, 1083b-1088b  
   chronology, 1078b-1081b  
 paleogeography, 1082b  
 petrology, 502a-503a  
 porosity, 496a-499a  
   Site 642 compared to, 501a  
 Rock-Eval procedure, 292b, 295b, 491a-492a  
 sedimentation rates, 64b  
   bulk, 198b-200b, 208b-210b  
   linear, 195b, 198b-200b, 207b  
   shear strength, 494a, 496a-500a  
 sulfates, 492a-494a  
 surface-water circulation, 1089b-1107b  
 terrigenous particles, 77b, 90b-92b, 192b-193b, 197b  
   distribution, 89b  
   percentages, 79b, 85b, 111b-136b, 201b, 203b, 205b, 223b-229b  
 thermal conductivity, 494a, 496a-499a  
 Unit I  
   muds, 461a-464a  
   sandy calcareous muds, 461a-464a  
   sandy muds, 461a-464a  
 Unit II, siliceous muds, 464a, 466a  
 Unit III, siliceous muds, 466a-467a  
 Unit IV, mudstones, 467a  
 Unit V, mudstones, 467a  
 water content, 494a  
 Norwegian Sea: Site 644  
   ash-dominated particles, 77b-78b, 90b-92b  
     percentages, 81b, 84b, 87b, 137b-188b  
   bathymetry, 256b, 358b, 904b  
   biogenic calcareous particles, 77b, 89b-92b, 94b, 192b-193b  
   distribution, 78b, 89b  
   percentages, 81b, 84b, 87b, 137b-188b  
   biogenic siliceous particles, 77b, 90b-92b, 94b, 192b-193b  
   Atterberg limits, 925b-926b  
   bulk density, 925b-926b

- compression index, 928b-929b  
 consolidation test curves, 927b  
 liquidity index, 928b, 930b  
 overburden pressure, 928b  
 overconsolidation ratio, 928b  
 percentages, 81b, 84b, 87b, 137b-188b  
 permeability coefficient, 940b  
 porosity, 925b-926b  
 preconsolidation pressure, 928b, 930b  
 shear strength, 925b-926b  
 specific gravity, 925b-926b  
 water content, 925b, 939b  
 bulk density, 650a-651a  
 carbonate/oxygen isotope stratigraphy, 194b-195b, 199b  
   benthic oxygen, 258b-259b, 262b-263b, 264b, 1111b  
   carbon, 257b, 259b-260b  
   planktonic oxygen, 257b-258b, 261b-262b  
   stable isotope measurements, 256b-257b  
 drilling objectives, 16b  
 drilling results, 19b, 26b, 764a, 1076b  
   diagrammatic summary, 762a  
 glacial fluctuations, Quaternary, 622a, 625a  
 ice-rafted debris, 61b-68b, 739-744b  
   abundances, 65b-66b, 67b, 73b-74b  
   analyses, 62b  
   isotope oxygen records compared to, 67b-68b  
   paleomagnetism, 265b  
 interstitial-water chemistry, 648a-649a  
   carbon isotopes, 281b-283b, 285b-289b, 290b  
   hydrogen isotopes, 273b-278b, 285b-289b  
   oxygen isotopes, 273b-278b, 285b-289b  
   strontium isotopes, 273b-276b, 278b  
 lithology, 1077b  
   summary, 618a-623a, 624a  
   location, 63b, 338b, 368b, 398b, 619a, 830b, 912b, 924b, 942b, 944b  
 magnetostratigraphy  
   boundary locations, 906b  
   stable inclination, 907b-908b  
   methane concentrations, 292b-294b  
   *See also* Hydrocarbons  
   methane/ethane ratios, 645a-646a  
   mineralogical results, 49b-50b, 57b  
   x-ray diffraction, 54b-55b, 58b  
   mineralogical units, 44b  
   natural remanent magnetization, 833b-834b  
 organic carbon, 191b-192b, 295b-296b, 311b-312b, 325b, 646a  
 paleoceanography, 189b-214b, 1076b  
   Sites 642 and 643 correlated to, 88b  
 paleoclimatology, 1076b  
 paleoenvironment, 89b-92b, 1067b, 1083b-1088b  
   chronology, 1078b-1081b  
 paleogeography, 1082b  
 porosity, 650a-651a  
 preglacial environment, 265b-267b  
 Rock-Eval procedure, 292b, 295b, 648a  
 sediment gases, isotopic composition, 281b-283b  
   *See also specific types*  
 sedimentation rates, 64b  
   bulk, 198b-200b  
   linear, 195b, 198b-200b  
 seismic correlations, 650a-651a, 653a  
   shear strength, 649a-650a, 652a  
   sulfates, 646a, 648a-649a  
   terrigenous particles, 90b-92b, 192b-193b  
   distribution, 78b, 89b  
   percentages, 81b, 84b, 87b, 137b-188b  
   thermal conductivity, 650a-651a  
 Unit I  
   ice-dominated conditions, 625a  
   sedimentation rates, 620a  
   water content, 650a-651a  
 Norwegian Sea  
   bottom-water circulation  
     Neogene, 1110b-1113b  
     Paleogene, 1109b-1110b  
     Pliocene-Quaternary, 207b-210b  
     Quaternary, 1113b  
   calcium concentrations, 179a  
   carbonate/oxygen isotope stratigraphy  
     benthic oxygen, 266b  
     planktonic oxygen, 266b  
   climatology, Pliocene-Quaternary, 210b, 212b-214b  
   glacial/interglacial cycles, 191b  
   paleoenvironment, 267b-268b  
   ice distribution, 1069b  
   magnesium concentrations, 179a  
   salinity, 209b  
   surface-water circulation, 1089b-1107b  
     Neogene, 1082b, 1108b-1109b  
     Paleogene, 1082b  
     Pliocene-Quaternary, 207b-210b  
     Quaternary, 1082b, 1108b-1109b  
   Termination IA, 18a-19a  
   Termination IB, 18a-19a  
   volcanic glass alteration, 280b  
 Norwegian-Greenland Sea  
   bathymetry, 6a, 6b, 8b, 752a, 1034b, 1068b  
   biostratigraphy, 460b-470b  
   bottom-water, 11b, 1074b  
   climatology  
     Northern Hemisphere comparisons, 1074b, 1076b  
     Pliocene-Quaternary, 213b-214b  
     Quaternary, 18a, 24a  
   current patterns, 11b, 17a-18a, 528b  
   fracture zone, 9a  
   glacial mode, 61b-62b  
   ice cover, 7b  
   ice-rafting, Miocene-Pliocene, 76a  
   interglacial mode, 61b-62b  
   magnetic anomalies, 752a  
   magnetic lineations, 8b  
   nannofossils, 459b-468b, 470b-475b  
   opening, 11b  
     Cenozoic, 986b  
   organic carbon, 91b  
   oxygen-stable isotope data, 23a  
   paleoenvironment, 11b-16b, 24a  
     Eocene, 75b  
   plate-tectonic evolution, 9a  
   reflectors, dipping sequences, 5a, 5b  
   salinity, Pliocene-Quaternary, 213b  
   salt sources, 90b, 189b  
   sedimentation rates  
     Paleogene-Neogene, 17a, 19a  
     Quaternary, 17a-18a, 23a  
   spatial variability, 1073b  
   structural features, 6b, 752a, 1034b  
   structural highs, 5b  
   surface-water circulation, 12b-13b, 189b-190b, 1070b  
   surface-water salinities, 1074b  
   surface-water temperatures, 1072b, 1074b  
   transitional mode, 61b-62b  
   *See also* Norwegian margin  
 Olduvai Subchron  
   carbonate/oxygen isotope stratigraphy, 194b  
   magnetostratigraphy, 166a, 843b, 848b  
 Olivines, Norwegian Sea: Site 642, 90a-91a, 94a  
 Ooze, calcareous  
   Norwegian Sea: Site 642, 64a, 359b, 831b  
   Unit II, 72a  
   Norwegian Sea: Site 643, 359b  
 Ooze, carbonate  
   Norwegian Sea: Site 642, Unit II, 76a  
 Ooze, diatom  
   Norwegian Sea: Site 642, 359b, 753a, 831b, 954b, 1077b  
   Eocene, 75a  
   Miocene, 75a  
   Paleogene-Neogene, 82a  
   Unit II, 76a  
   Norwegian Sea: Site 643, 60b, 235b, 339b, 359b, 753a, 1077b  
   Unit II, III, 466a, 466a-467a  
   Norwegian Sea: Site 644, 753a, 1077b  
   *See also* Paleontological Index  
 Ooze, diatom nannofossil  
   Norwegian Sea: Site 643, 60b  
 Ooze, nannofossil  
   Norwegian Sea: Site 642, 31b, 54a, 273b, 359b, 753a, 831b, 954b, 1077b  
   density, 177a  
   Paleogene-Neogene, 82a  
   porosity, 177a-178a  
   Unit II, 65a-67a, 70a-72a, 76a  
   Norwegian Sea: Site 643, 31b, 235b, 273b, 359b, 753a, 1077b  
   Norwegian Sea: Site 644, 622a, 622a-623a, 753a, 1077b  
   *See also* Paleontological Index  
 Ooze, radiolarian  
   Norwegian Sea: Site 642, 753a, 954b, 1077b  
   Norwegian Sea: Site 643, 235b, 753a, 1077b  
   Norwegian Sea: Site 644, 753a, 1077b  
   *See also* Paleontological Index  
 Ooze, siliceous  
   Norwegian Sea: Site 642, 54a-55a, 273b, 359b, 753a, 831b, 954b, 1077b  
   Unit II, III, 71a, 72a, 73a-74a, 75a, 76a  
   Norwegian Sea: Site 643, 235b, 273b, 359b, 753a, 1077b  
   Unit III, 466a-467a  
   Norwegian Sea: Site 644, 622a-623a, 753a, 1077b  
   Vøring Plateau, 75a, 769a-770a  
 Ooze, siliceous nannofossil  
   Norwegian Sea: Site 643, Unit II, 464a, 466a  
   Vøring Plateau, 769a-770a  
 Opals, Norwegian Sea: Site 643, Unit II, V, 466a, 467a  
 Paleomagnetism  
   Norwegian Sea: Site 642, 851b-873b  
   sediment series, 152a-166a, 168a  
   volcanic sequence, 166a-174a, 175a, 911b-919b  
   Norwegian Sea: Site 643, 485a-489a, 844b, 874b-886b  
   Norwegian Sea: Site 644, 637a-643a, 846b-847b, 887b-901b

## SUBJECT INDEX

- data tables, 887b-901b  
 geomagnetic polarity time scale, 645a  
 NRM intensity, 644a  
*See also* Magnetostratigraphy
- Perlites, Norwegian Sea: Site 642, 98a, 102a
- Phenocrysts, Norwegian Sea: Site 642, 90a-93a, 98a
- Phosphates, Norwegian Site: Site 642, Unit III, 75a
- Plagioclases  
 Norwegian Sea: Site 642, 83a, 94a, 96a, 98a, 114a  
 abundance data, 32b-34b  
 microprobe analyses, 363b, 370b  
 principal-components analysis, 34b-37b  
 Norwegian Sea: Site 643, 502a-503a  
 abundance data, 32b-34b  
 microprobe analyses, 363b  
 principal-components analysis, 34b-37b
- Porosity, Norwegian Sea: Site 642, 177a-178a, 180a-181a, 182a
- Pseudotachylite  
 Norwegian Sea: Site 642, 106a  
 cataclastic features, 107a  
 fracture-tip linkages, 108a  
 scanning electron microscope studies, 108a, 112a  
 textures, 107a-108a  
 vesicular data, 110a  
 zonation, 107a, 109a-110a
- Pumice, Norwegian Sea: Site 642, 91a
- Pyrites  
 Norwegian Sea: Site 642, Neogene-Quaternary, 77a-79a  
 Norwegian Sea: Site 643, Unit IV, 467a
- Pyroxenes  
 Norwegian Sea: Site 642, 98a  
 mineral chemistry, 371b
- Quartz  
 Norwegian Sea: Site 642, 70a, 95a, 99a  
 abundance data, 32b-34b  
 Eocene, 54a-55a  
 principal-components analysis, 34b-37b  
 Unit IV, 74a-75a  
 Norwegian Sea: Site 643, 43b  
 abundance data, 32b-34b  
 principal-components analysis, 34b-37b  
 Unit I, II, IV, V, 461a-464a, 464a, 466a, 467a  
 Norwegian Sea: Site 644, Unit I, 621a, 625a
- Reflectors  
 Norwegian Sea: Site 642, 54a-55a, 179a, 181a, 199a-204a  
 high-amplitude, low-frequency, 207a-209a  
 intrasedimentary, 205a-206a  
 listric fault model, 979b-981b, 983b  
 Neogene, 207a  
 strong, 203a-204a, 208a-209a  
 weak, 203a, 208a  
 Norwegian Sea: Site 643, physical properties, 502a  
 Vøring Plateau, 12a, 14a, 83a, 111a, 752a  
 Vøring Plateau Escarpment, 9a, 12a  
*See also specific locations*
- Reykjanes Ridge  
 tephra occurrences, 337b  
 volcanic ash, Pleistocene-Miocene, 82a
- Rhodochrosites  
 Norwegian Sea: Site 643, *See* Norwegian Sea: Site 643, authigenic carbonates
- Rhyolites  
 Atlantic Ocean N, Miocene, 82a  
 Norwegian Sea: Site 642  
 chemical data, 359b  
 Neogene-Quaternary, 81a  
 Norwegian Sea: Site 643, chemical data, 359b
- Rockall margin W, evolution, 1047b
- Rockall Plateau  
 paleomagnetism, 169a  
 sediments, 666b-668b  
 tephra occurrences, 337b  
 volcanic ash, Pleistocene-Miocene, 82a
- Rost Syncline  
 formation, 14a  
 location, 8a
- Saponites  
 Norwegian Sea: Site 642, 112a  
 chemical analyses, 400b-402b  
 isotopic studies, 404b-405b  
 x-ray diffraction studies, 400b
- Scandinavia, preglacial environment, 265b-267b
- Scandinavian Ice Sheet, expansion, 255b
- Seafloor spreading  
 Atlantic Ocean N, Tertiary, 6a  
 Labrador Sea, 6a  
 Norwegian-Greenland Sea, Cenozoic, 17a  
 Vøring Plateau, 14a
- Senja Fracture Zone  
 evolution, 7a-8a  
 location, 6a
- Shear strength  
 Norwegian Sea: Site 642, 176a-177a, 178a-179a, 180a-181a, 182a-183a, 185a
- Sierra Nevada Mountains, elevation increases, 212b-213b
- Silicas, Norwegian Sea: Site 642, 106a
- Silicoflagellates, Norwegian Sea, 497b-516b, 527b-540b, 543b-585b  
 Site 642, 531b, 535b-540b  
 Site 643, 530b, 533b-535b  
 Site 644, 532b
- Smectites  
 Norwegian Sea: Site 642, 29b-31b, 93a-94a, 98a, 101a, 440b-442b  
 abundance data, 32b-34b  
 Eocene, 51b, 53b  
 formation conditions, 103a, 105a  
 formation conditions with celadonites, 406b-408b  
 Holocene, 51b  
 Miocene, 51b, 53b, 55b  
 Oligocene, 51b, 53b  
 principal-components analysis, 34b-37b  
 structural formula, 43b  
 Unit III, IV, 74a, 75a  
 x-ray diffraction studies, 399b  
 Norwegian Sea: Site 643, 29b-31b, 42b  
 abundance data, 32b-34b  
 Eocene, 51b, 53b  
 Miocene, 51b, 53b, 55b  
 Oligocene, 51b, 53b  
 principal-components analysis, 34b-37b  
 structural formula, 43b  
 Norwegian Sea: Site 644, Pleistocene, 55b
- Smola Rift, faulting, 986b
- Spitsbergen, 664b, 667b, 668b, 669b
- Sulfates, Norwegian Sea: Site 642, 176a, 178a
- Svalbard  
 deep-water passage breakthrough, 5b  
 salinity, 190b
- Tephra  
 Norwegian Sea: Site 642, 468a-469a  
 diagenetic evolution, 348b-349b  
 eruption, 361b-363b  
 geochemistry, 360b, 362b-363b  
 glass classifications, 341b-342b  
 glauconite alteration, 342b, 344b, 347b  
 heterogeneous layers, 344b-350b  
 homogeneous layers, 344b-350b  
 lithology, 357b-361b  
 magmatic evolution, 349b-350b  
 major elements, 347b-348b, 354b-356b  
 mineralogy, 338b-342b, 360b, 361b  
 Neogene-Quaternary, 77a-82a  
 sedimentation, 361b-363b  
 smectite alteration, 342b, 347b  
 sources, 350b-352b, 356b, 363b-365b  
 stratigraphy, 357b-360b  
 temporal variations, 339b-341b, 343b-344b  
 texture, 338b-339b  
 thicknesses, 360b  
 trace elements, 347b-348b, 354b-356b  
 Norwegian Sea: Site 643, 468a-470a  
 diagenetic evolution, 348b-349b  
 eruption, 361b-363b  
 geochemistry, 360b, 362b-363b  
 glass classifications, 341b-342b  
 glauconite alteration, 342b, 344b, 347b  
 heterogeneous layers, 344b-350b  
 homogeneous layers, 344b-350b  
 lithology, 357b-361b  
 magmatic evolution, 349b-350b  
 mineralogy, 338b-342b, 360b, 361b  
 sedimentation, 361b-363b  
 smectite alteration, 342b, 347b  
 sources, 350b-352b, 363b-365b  
 stratigraphy, 357b-360b  
 temporal variations, 339b-341b, 343b-344b  
 texture, 338b-339b  
 thicknesses, 360b  
 Norwegian Sea: Site 644  
 diagenetic evolution, 348b-349b  
 glass classifications, 341b-342b  
 glauconite alteration, 342b, 344b, 347b  
 heterogeneous layers, 344b-350b  
 homogeneous layers, 344b-350b  
 magmatic evolution, 349b-350b  
 mineralogy, 338b-342b  
 Sites 642 and 643 compared to, 625a-626a  
 smectite alteration, 342b, 347b  
 sources, 350b-352b  
 temporal variations, 339b-341b, 343b-344b  
 texture, 338b-339b
- Thermal conductivity, Norwegian Sea: Site 642, 181a-183a
- Tholeiites  
 Faeroe Islands, 1044b  
 Norwegian Sea: Site 642, 438b-439b  
 low-temperature alteration, 445b-447b  
 native copper in, 411b-416b
- Transverse Ranges, elevation increases, 212b-213b
- Velocity  
 Norwegian Sea: Site 642, 179a, 180a-181a, 183a, 185a, 186a-191a
- Vertical seismic profile data, Norwegian Sea: Site 642, 965b-972b
- Vøring Basin  
 igneous activity, Tertiary, 1041b-1044b  
 location, 8a

- reflectors, 997b, 1001b-1002b, 1018b  
 isochrone maps, 1005b-1007b  
 isopach map, 1024b  
 site correlation, 1003b-1009b
- seismic stratigraphy  
 Cenozoic, 999b-1003b  
 Mesozoic, 995b-999b
- Vøring Fracture Zone  
 location, 10b  
 structural features, 1035b
- Vøring margin  
 asymmetry, 1052b  
 extension model, 1052b-1054b  
 evolution, 1058b-1061b  
 formation, 13a  
 geodynamic models, 1054b, 1056b-1057b  
 geological provinces, 16a  
 sediment sequence, Cenozoic, 14a  
 structure, 16a  
 subsidence, 1057b-1058b
- Vøring Plateau  
 basement, volcanic, 274b  
 bathymetry, 8b, 30b, 63b, 589b, 995b, 1071b  
 bulk accumulation rates (BAR), Tertiary-Quaternary, 25a  
 crustal structure, 1054b, 1055b  
 currents, 11b  
 development, 1033b-1037b  
 Cenozoic, 1026b-1027b  
 drilling results, 17b-19b  
 evolution, 1060b-1061b  
 emplacement model, 1048b-1051b  
 fracture zones, 10a  
 hydrocarbon gases, 319b-326b, 327b-334b  
 ice-rafted debris, paleomagnetism, 265b  
 lithology, 368b-369b  
 location, 5a, 6a, 191b-192b  
 magnetic anomaly pattern, 15a
- magnetic lineations, 8b  
 mineral chemistry, 370b-371b  
 natural remanent magnetization (NRM), 166a  
 paleobathymetry, 766a  
 paleoceanography  
 petrography, 369b-370b  
 Neogene, 768a-770a  
 Paleogene, 766a-768a  
 Quaternary, 768a-770a  
 paleoclimatology  
 Neogene, 770a  
 Paleogene, 766a-768a  
 Quaternary, 770a  
 paleogeography, 766a  
 plate-tectonic development, Cenozoic, 10a-11a  
 quartz/feldspar ratios, Miocene-Pliocene, 17a, 22a
- reflectors  
 dipping sequences, 12a, 14a, 83a, 111a  
 isopach map, 1017b, 1021b  
 listric fault model, 979b-981b, 983b  
 low-frequency, 765a  
 magnetization, 1049b  
 seaward-dipping sequences, 7b, 9b, 765a, 1034b-1037b, 1051b  
 sedimentary seismic stratigraphy, 764a-765a  
 site correlation, 1011b-1016b  
 rift-drift events, Tertiary, 1043b  
 rock fragments, Neogene, 22a  
 sediment diagenesis, 766a  
 sediment gases, isotopic composition, 281b-283b  
 sedimentation rates, Tertiary-Quaternary, 19a-20a, 25a  
 seismic stratigraphy, 1009b-1016b  
 evolutionary steps, 1023b  
 post-rift sedimentation, 1023b-1025b
- seismic-reflection profile, 20a  
 silicoflagellates, 527b-540b, 543b-581b  
 subsidence, 75a  
 tephra occurrences, Neogene-Quaternary, 77a-82a  
 tholeiitic lavas, 369b, 370b-378b  
 upwelling, Miocene, 467a  
 volcanic ash, Pleistocene-Miocene, 82a  
 volcanic margin  
 evolution, 1033b-1061b  
 extension, 986b-990b  
 melting, 985b-987b, 989b  
 uplift, 986b-990b  
 volcanic series  
 acidic flow composition, 765a-766a  
 marginal high, 767a  
 volcanic zonation, 1010b  
 Cenozoic, 1019b, 1020b-1023b  
 Mesozoic, 1019b  
 Tertiary, 1016b-1018b  
*See also* Norwegian Sea: Site 642;  
 Norwegian Sea: Site 644
- Vøring Plateau Escarpment  
 reflectors  
 landward-dipping sequences, 7b  
 seaward-dipping sequences, 9a, 12a  
 seismic stratigraphy, 1025b-1027b
- Vøring Plateau margin, 985b-990b  
 drilling results, 1037b  
 reflectors, 986b  
 structure, 10a
- Xenoliths, Norwegian Sea: Site 642, 92a, 96a
- Yermak Plateau, formation, 17a
- Zeolites  
 Norwegian Sea: Site 642, 101a, 103a  
 Norwegian Sea: Site 643, Unit V, 467a

## SITE INDEX

- Site 336, biostratigraphy, 815b-816b
- Site 337, biostratigraphy, 816b
- Site 338  
 bathymetry, 7a, 256b, 358b, 589b, 904b, 1071b  
 biostratigraphy, 312b, 817b-818b  
 coring summary, 17b-19b  
 drilling  
 results, 1076b  
 summary, 18b  
 location, 20a, 42b, 338b, 398b, 420b, 830b, 912b, 924b  
 multichannel seismic profiles, 996b, 1015b  
 palynomorphs, 636b, 639b, 668b  
 reflector sequence, 765a  
 sedimentation rates, 25a  
 structural features, 1035b
- Site 339  
 bathymetry, 7a, 256b, 358b, 589b, 904b, 1071b  
 biostratigraphy, 816b-817b  
 coring summary, 17b  
 drilling results, 1076b  
 location, 20a, 42b, 338b, 398b, 420b, 830b, 912b, 924b  
 multichannel seismic profiles, 996b  
 structural features, 1035b
- Site 340  
 bathymetry, 7a, 256b, 358b, 589b, 904b, 1071b  
 biostratigraphy, 816b-817b  
 coring summary, 17b  
 drilling results, 1076b  
 location, 20a, 42b, 338b, 398b, 420b, 830b, 912b, 924b  
 multichannel seismic profiles, 996b  
 structural features, 1035b
- Site 341  
 bathymetry, 7a, 256b, 358b, 589b, 904b, 1071b  
 biostratigraphy, 817b  
 coring summary, 17b  
 drilling results, 1076b, 1078b  
 location, 20a, 42b, 338b, 398b, 420b, 830b, 912b, 924b  
 multichannel seismic profiles, 996b, 1009b  
 sediment distribution, 22a  
 structural features, 1035b
- Site 342  
 bathymetry, 7a, 256b, 358b, 589b, 904b, 1071b  
 biostratigraphy, 818b  
 coring summary, 17b-19b  
 drilling  
 results, 1078b
- summary, 18b  
 location, 20a, 42b, 338b, 398b, 420b, 830b, 912b, 924b  
 multichannel seismic profiles, 996b, 1015b  
 reflector sequence, 765a  
 structural features, 1035b
- Site 343  
 bathymetry, 7a, 256b, 358b, 589b, 904b, 1071b  
 biostratigraphy, 818b-819b  
 coring summary, 17b  
 drilling  
 results, 1078b  
 summary, 18b  
 location, 20a, 42b, 338b, 398b, 420b, 830b, 912b, 924b  
 multichannel seismic profiles, 996b, 1015b  
 structural features, 1035b
- Site 553  
 ash analyses, 356b  
 crustal configuration, 1045b  
 geological features, 438b  
 isotope data, 405b  
 location, 412b, 438b
- Site 642  
 acoustic impedance, 183a



## SITE INDEX

- volcanic sequence, 185a-190a  
 age determinations, 207b, 249b-252b  
 anisotropy volcanic sequence, 186a-189a  
 basement alteration, 101a, 103a, 105a-106a  
 bathymetry, 6a-7a, 8b, 30b, 56a, 256b, 358b, 457a, 589b, 904b, 995b, 1071b  
 data recording, 45a, 49a-50a  
 biogenic silica, 941b-942b, 946b-948b  
 biostratigraphy, 37a  
 actiniscidian, 543b-573b, 584b, 785b  
 algae, 487b-495b  
 benthic foraminifer, 39a, 126a-130a, 745b-746b, 748b-756b, 763b-767b, 781b-782b, 1088b  
 calcareous nannofossil, 38a, 122a-124a, 459b-475b, 477b-486b, 780b-781b  
 calcisphere, 39a  
 diatom, 37a-38a, 114a-118a, 785b  
 dinocyst, 587b, 591b-601b, 604b-606b, 609b-610b, 611b, 614b-632b, 633b-635b, 665b  
 ebridian, 543b-573b, 582b-585b, 785b  
 Neogene, 141a-145a, 150a-151a, 807b-812b  
 ostracode, 769b-771b, 783b  
 Paleogene, 145a-150a, 151a-152a, 799b-805b  
 palynomorphs, 39a, 130a-141a, 587b-590b, 633b-637b, 639b, 642b-643b, 646b-647b, 649b, 651b, 653b, 659b, 661b-662b, 783b-784b, 821b  
 planktonic foraminifer, 38a-39a, 124a-126a, 681b-696b, 739b-742b, 744b, 782b-783b, 1085b  
 pollen, 668b  
 Quaternary, 150a-151a  
 radiolarian, 38a, 39a, 120a-122a, 697b-715b, 719b-725b, 727b-737b, 785b-786b  
 recovery depths, 613b  
 series/subseries boundaries, 37a, 786b-789b  
 silicoflagellate, 38a, 118a-120a, 497b-525b, 543b-573b, 577b-581b, 786b  
 spore, 668b  
 summary, 712b-714b, 779b-780b, 789b-797b  
*See also* Paleontological Index  
 bulk density, 36a, 177a-178a, 180a-182a, 184a  
 volcanic sequence, 185a-191a  
 carbonate carbon, 41a  
 chemical analyses, 401b-403b  
 coarse-fraction components, 76b-78b, 80b, 86b, 200b  
 biogenic, 83b  
 data, 96b-110b, 216b-221b  
 methods, 76b-77b  
 samples, 94b-95b  
 site correlation chart, 88b  
 compressional-wave velocity, 179a-181a, 183a  
 volcanic sequence, 185a, 190a-191a  
 consolidation test curves, 932b  
 contaminants, 292b, 295b-307b  
 coring  
 intervals, 88a-89a  
 samples, 60b, 94b-95b  
 summary, 62a-64a  
 crustal configuration, 1045b  
 drilling  
 characteristics, 27a  
 data, 27a, 53a-54a  
 diagrams, 20b-22b, 756a-759a  
 objectives, 16b, 55a-56a  
 operations, 56a-61a  
 procedures, 28a-29a  
 results, 19b, 751a-755a, 1076b  
 elemental analysis, 41a  
 geological features, 368b, 438b  
 geotechnical properties, 928b-929b, 931b  
 glacial/interglacial cycles, 189b  
 diagenetic processes, 213b  
 flow diagram, 193b  
 lithofacies, 211b  
 sample handling, 191b  
 hole correlations, 83a, 84a-87a  
 hydrocarbons, 40a-41a  
 data, 316b-317b, 322b-323b, 329b-330b, 332b  
 procedures, 319b-321b  
 ice-rafted debris, 61b-63b  
 abundance data, 68b, 70b-71b  
 carbonate productivity, 202b, 204b  
 grain-size analyses, 201b  
 sampling intervals, 64b  
 igneous rocks, 34a  
 basalt geochemical data, 98a  
 basalt nomenclature, 34a, 36a  
 lithologic units, 36a  
 Pb isotopic analyses, 431b  
 Rb-Sr isochron diagram, 433b  
 Rb-Sr isotopic analyses, 430b  
 Sm-Nd isotopic analyses, 430b  
 inorganic geochemistry, 176a  
 interstitial waters, 41a  
 isotope ratios, 281b-283b, 285b-290b  
 strontium analyses, 274b-276b  
*See also* Subject Index  
 isotope data, 429b-435b  
 calcites, 451b-452b  
 carbonates, 449b-454b  
 clays, 404b  
 Pb, 431b, 434b  
 Rb-Sr, 249b-252b, 430b, 437b-447b  
 Sm-Nd, 430b, 433b-434b  
 lithology  
 lower series, 97a-101a  
 summary, 61a, 64a-74a, 250b  
 upper series, 83a, 90a-97a  
 location, 42b, 48a, 63b, 76b, 338b, 398b, 420b, 438b, 612b, 619a, 830b, 912b, 924b  
 logging  
 data, acoustic, 953b-964b  
 results, 185a, 189a, 191a-198a  
 magnetic anomaly pattern, 10a, 15a  
 major-element composition, 374b, 376b-377b, 384b-394b, 421b  
 mineral abundance data, 29b, 32b, 33b  
 analytical methods, 31b  
 peak-area ratios, 33b  
 principal-components analysis, 34b-37b, 39b  
 multichannel seismic profiles, 996b, 1012b, 1036b  
 navigation data, 45a-48a  
 neutron-porosity logs, 937b-977b  
 organic geochemistry, 174a-177a, 291b-298b  
 carbon, 174a-175a, 177a  
 methane, 174a, 177a  
 organic matter, 175a-176a, 309b-317b  
 paleoceanography, 768a-770a  
 Neogene, 527b-540b  
 paleoclimatology, 35b-36b, 39b, 768a-770a  
 paleomagnetism, 40a  
 data, 851b-873b, 913b  
 paleolatitude vs. present latitude, 919b  
 sedimentation rate, 788b-789b, 849b  
 sediments, 152a-169a  
 volcanic sequence, 166a-176a  
*See also* Subject Index  
 petrology, lower series, 419b-425b  
 porosity, 37a, 177a-178a, 180a-182a  
 pseudotachylite, 106a-112a  
 reflector sequence, 12a, 765a  
 Rock-Eval procedure, 41a  
 sediment classification, 29a-35a  
 core description form, 31a-32a, 35a-36a  
 symbols, 30a  
 terrigenous grain size, 33a  
 sedimentary sequence, 74a-77a  
 seismic correlations  
 sedimentary sequence, 205a-207a  
 volcanic sequence, 207a-209a  
 seismic-reflection profiles, 45a, 49a-50a  
 shear strength, 36a, 178a-179a, 180a-183a  
 structural features, 994b, 1035b, 1068b  
 tephra layers  
 analytical procedures, 340b-341b  
 element analyses, 354b-356b  
 frequency distribution, 339b  
 geochemistry, 360b  
 microprobe analyses, 342b, 345b, 362b-363b  
 Neogene, 77a-82a  
 petrographic description, 361b  
 Quaternary, 77a-82a  
 Site 642 compared with, 470a  
 stratigraphic position, 359b  
 thickness histogram, 360b  
 thermal conductivity, 36a, 181a-183a  
 trace element data, 103a, 384b-394b, 422b  
 velocity, 36a, 180a-181a  
 volcanic sequence, 186a-189a  
 vertical seismic profiles, 198a-205a  
 attenuation measurements from, 965b-972b  
 water content, 37a, 177a-178a, 180a-182a  
 x-ray diffraction, 34a  
 mineralogical results, 48b-51b, 399b-400b
- Site 643  
 acoustic impedance, 496a-500a  
 age determinations, 207b  
 bathymetry, 6a-7a, 8b, 30b, 56a, 256b, 358b, 457a, 589b, 904b, 995b, 1071b  
 data recording, 45a, 49a-50a  
 biogenic silica, 941b-942b, 948b-949b  
 biostratigraphy, 37a  
 actiniscidian, 785b  
 algae, 487b-495b  
 benthic foraminifer, 39a, 476a-478a, 745b-746b, 748b-749b, 753b-754b, 757b-768b, 781b-782b, 1088b  
 calcareous nannofossil, 38a, 459b-475b, 473a-474a, 477b-486b, 780b-781b  
 calcisphere, 39a  
 diatom, 37a-38a, 471a-472a  
 dinocyst, 594b-595b, 604b-608b, 614b-631b, 822b  
 ebridian, 785b  
 Eocene, 482a-484a  
 Miocene, 482a-484a  
 Neogene, 807b-812b

- Oligocene, 482a-484a  
ostracode, 769b-771b, 775b, 783b  
Paleogene, 799b, 803b, 806b-807b  
paleoecology, 484a-485a  
palynomorph, 39a, 478a-479a,  
480a-481a, 633b-637b, 639b-661b,  
783b-784b, 821b  
planktonic foraminifer, 38a-39a,  
475a-476a, 681b-696b, 739b-742b,  
782b-783b, 1085b-1086b  
Pliocene, 479a, 482a-484a  
pollen, 632b-633b, 637b  
Quaternary, 479a, 482a-484a,  
689b-690b  
radiolarian, 38a, 39a, 473a, 697b-705b,  
710b-712b, 714b-725b, 727b-737b,  
745b-746b, 748b-749b, 757b-768b,  
785b-786b  
recovery depths, 613b  
series/subseries boundaries, 37a,  
786b-789b  
silicoflagellate, 38a, 472a-473a,  
479b-525b, 786b  
spore, 632b-633b, 637b  
summary, 714b-715b, 779b-780b,  
791b-795b, 797b-799b  
*See also* Paleontological Index  
bulk density, 36a, 494a, 496a-499a, 501a  
carbonate carbon, 41a  
coarse-fraction components, 76b, 79b,  
85b  
biogenic, 82b  
data, 97b-110b, 111b-136b, 221b-229b  
methods, 76b-77b  
site-correlation chart, 88b  
compressional-wave velocity, 496a-501a  
consolidation test curves, 936b  
contaminants, 292b, 295b-307b  
coring  
samples, 60b  
summary, 460a  
drilling  
characteristics, 27a  
data, 27a, 455a  
diagrams, 25b, 760a-761a  
objectives, 16b, 455a, 457a-459a  
operations, 459a  
procedures, 28a-29a  
results, 19b, 751a-754a, 755a,  
763a-764a, 1076b  
elemental analysis, 41a  
geological features, 368b  
geotechnical properties, 928b, 929b-930b,  
935b  
glacial/interglacial cycles, 189b  
diagenetic processes, 213b  
flow diagram, 193b  
lithofacies, 211b  
sample handling, 191b  
hydrocarbons, 40a-41a  
data, 316b-317b, 322b-323b,  
329b-330b, 332b  
procedures, 319b-321b  
ice-rafted debris, 61b-63b  
abundance data, 68b, 72b, 73b-74b  
carbonate productivity, 203b, 205b  
grain-size analyses, 201b  
sampling intervals, 64b  
igneous rocks, 34a  
basalt nomenclature, 34a, 36a  
lithologic units, 36a  
inorganic chemistry, 491a-493a,  
495a-496a  
interstitial waters, 41a  
isotope ratios, 281b-283b, 285b-290b  
strontium analyses, 274b-276b  
*See also* Subject Index  
isotope data, 257b, 259b-260b  
lithology  
authigenic carbonate layer, 238b  
summary, 235b, 456a, 460a-470a, 505a  
location, 42b, 48a, 63b, 76b, 338b, 398b,  
420b, 612b, 619a, 830b, 912b, 924b  
magnetic anomaly pattern, 10a, 15a  
mineral abundance data, 29b, 32b, 33b  
analytical methods, 31b  
peak-area ratios, 33b  
principal-components analysis, 37b,  
39b  
multichannel seismic profiles, 996b,  
1014b, 1036b  
navigation data, 45a-48a  
organic geochemistry, 291b-298b, 489a  
carbon, 489a-491a  
methane, 489a-491a  
organic matter, 175a-176a, 309b-317b  
paleoceanography, 768a-770a  
Neogene, 527b-540b  
paleoclimatology, 768a-770a  
paleomagnetism, 40a, 485a-489a  
data, 874b-886b  
sedimentation rate, 788b-789b, 849b  
*See also* Subject Index  
petrology, 502a-503a  
pore-water chemistry, 240b  
porosity, 37a, 494a, 496a-499a, 501a  
rare-earth element data, 104a  
Rock-Eval procedure, 41a  
sediment classification, 29a-35a  
core description form, 31a-32a,  
35a-36a  
symbols, 30a  
terrigenous grain size, 33a  
seismic-reflection profiles, 45a, 49a-50a  
shear strength, 36a, 496a, 498a-500a  
structural features, 994b, 1035b, 1068b  
tephra layers  
analytical procedures, 340b-341b  
frequency distribution, 339b  
microprobe analyses, 342b, 345b,  
362b-363b  
Neogene, 468a-470a  
petrographic description, 361b  
Quaternary, 468a-470a  
stratigraphic position, 359b  
thickness histogram, 360b  
thermal conductivity, 36a, 497a-499a  
velocity, 36a  
water content, 37a, 494a, 496a-499a  
x-ray diffraction, 34a  
mineralogical results, 54b-55b, 58b
- Site 644  
bathymetry, 7a, 8b, 30b, 56a, 256b, 358b,  
457a, 589b, 904b, 995b, 1071b  
data recording, 45a, 49a-50a  
biogenic components, 84b  
biostratigraphy, 37a  
actiniscidian, 543b-573b, 584b, 785b  
algae, 487b-495b  
benthic foraminifer, 39a, 632a-633a,  
635a-636a, 745b-749b, 753b,  
763b, 781b-782b, 1088b  
calcareous nannofossil, 38a,  
459b-475b, 477b-486b, 630a-631a,  
635a-636a, 780b-781b  
calcsphere, 39a  
diatom, 37a-38a, 627a-628a,  
635a-636a, 785b
- dinocyst, 587b, 591b-601b, 604b-605b,  
608b-610b  
ebridian, 543b-573b, 583b-584b, 785b  
Neogene, 807b, 810b, 812b  
ostracode, 769b, 770b, 772b, 783b  
paleoenvironment, 637a  
palynomorph, 39a, 587b-590b,  
632a-634a, 635a-636a, 639b,  
783b-784b  
planktonic foraminifer, 38a-39a,  
631a-632a, 635a-636a, 681b-696b,  
739b-741b, 782b-783b,  
1085b-1086b  
radiolarian, 38a, 39a, 629a-630a,  
635a-636a, 697b-705b, 710b-712b,  
715b, 719b-725b, 727b-732b,  
736b, 785b-786b  
recovery depths, 613b  
series/subseries boundaries, 37a,  
786b-789b  
silicoflagellate, 38a, 479b-525b,  
543b-573b, 577b-578b, 628a-629a,  
635a-636a, 786b  
summary, 715b, 779b-780b, 791b-795b,  
799b  
*See also* Paleontological Index  
bulk density, 36a, 648a-651a  
carbonate carbon, 41a  
coarse-fraction components, 76b, 81b,  
87b  
biogenic, 84b  
data, 137b-188b  
methods, 76b-77b  
site-correlation chart, 88b  
consolidation test curves, 927b  
contaminants, 292b, 295b-307b  
coring, summary, 618a, 621a  
drilling  
characteristics, 27a  
data, 27a, 617a  
diagrams, 26b, 762a  
objectives, 16b, 618a  
operations, 618a  
procedures, 28a-29a  
results, 19b, 617a-618a, 751a-754a,  
1076b  
summary, 764a  
elemental analysis, 41a  
geological features, 368b  
geotechnical properties, 925b-926b, 928b  
glacial/interglacial cycles, 189b  
diagenetic processes, 213b  
flow diagram, 193b  
lithofacies, 211b  
sample handling, 191b  
hydrocarbons, 40a-41a  
data, 316b-317b, 324b, 329b-330b,  
332b  
procedures, 319b-321b  
ice-rafted debris, 61b  
abundance data, 68b  
data, 62b-63b  
sampling intervals, 64b  
igneous rocks, 34a  
basalt nomenclature, 34a, 36a  
lithologic units, 36a  
inorganic geochemistry, 648a-649a  
interstitial waters, 41a  
carbonate concentrations, 282b  
isotope ratios, 281b-283b, 285b-290b  
strontium analyses, 274b-276b  
sulfate concentrations, 283b  
*See also* Subject Index  
isotope data, 257b-259b, 261b-264b,  
266b

## PALEONTOLOGICAL INDEX

- lithology, summary, 618a-623a, 624a  
location, 42b, 48a, 63b, 76b, 338b, 398b,  
420b, 612b, 619a, 830b, 912b, 924b  
magnetic anomaly pattern, 10a, 15a  
multichannel seismic profiles, 996b,  
1008b, 1036b  
navigation data, 45a-48a  
organic geochemistry, 291b-298b, 643a,  
645a  
carbon, 646a-648a  
methane, 646a-647a  
organic matter, 175a-176a, 309b-311b  
paleoceanography, 768a-770a
- Neogene, 527b-540b  
paleoclimatology, 768a-770a  
paleomagnetism, 40a, 637a-645a  
data, 887b-901b  
sedimentation rate, 849b  
*See also* Subject Index  
porosity, 37a, 648a-651a  
Rock-Eval procedure, 41a  
sediment classification, 29a-35a  
core description form, 31a-32a,  
35a-36a  
symbols, 30a  
terrigenous grain size, 33a
- seismic correlations, 650a, 653a  
seismic-reflection profiles, 45a, 49a-50a  
shear strength, 36a, 649a-650a, 652a  
structural features, 994b, 1035b, 1068b  
tephra layers, 625a-626a  
analytical procedures, 340b-341b  
microprobe analyses, 342b, 345b  
petrographic description, 361b  
thermal conductivity, 36a, 648a-651a  
velocity, 36a  
water content, 37a, 648a-651a  
x-ray diffraction, 34a  
mineralogical results, 54b-55b, 58b

## PALEONTOLOGICAL INDEX

- Achomosphaera andalouisiensis*  
Norwegian Sea: Site 642, 596b,  
598b-600b  
Norwegian Sea: Site 643, 596b,  
598b-600b, 630b-631b, 641b
- Achomosphaera ramulifera*, Norwegian  
Sea: Site 642, 137a-138a, 642b
- Actiniscidians  
Norwegian Sea: Site 642  
abundance, 552b-553b, 564b  
age, 552b-553b, 556b, 564b  
distribution, 552b-553b  
evolution, 562b  
methods, 543b-545b  
microfossil studies, 785b  
summary, 558b, 562b-563b, 565b, 573b  
zonation, 545b, 548b-549b, 556b, 558b
- Norwegian Sea: Site 644  
abundance, 554b-555b  
age, 554b-555b, 557b  
distribution, 554b-558b  
methods, 543b-545b  
microfossil studies, 785b  
summary, 559b, 562b-563b, 565b  
taxonomy, 565b-573b  
zonation, 545b, 548b-549b, 557b,  
558b, 802b
- Actiniscus pentasterias*, Norwegian Sea: Site  
644, 549b
- Actinocyclus ingens*, Norwegian Sea: Site  
642, 116a
- Actinomma*  
Norwegian Sea: Site 642, 705b, 728b,  
733b-734b  
Norwegian Sea: Site 643, 728b-729b,  
733b
- Actinomma henningsmoeni*, Norwegian Sea:  
Site 642, 702b, 728b
- Adnatosphaeridium vittatum*, Norwegian  
Sea: Site 643, 615b
- Algae, Norwegian Sea: Site 642, 149a
- Amiculosphaera umbracula*  
Norwegian Sea: Site 642, 138a, 640b  
Norwegian Sea: Site 643, 640b  
Norwegian Sea: Site 644, 609b
- Ammodochium pyramidale*, Norwegian Sea:  
Site 642, 571b, 582b
- Ammodochium serotinum*, Norwegian Sea:  
Site 644, 549b
- Apectodinium homomorphum*, Norwegian  
Sea: Site 642, 670b
- Apectodinium hyperacanthum*  
Denmark, 670b  
North Sea Basin, 669b-670b  
Norwegian Sea: Site 642, 671b, 677b
- Aquilapollenites*  
Ellesmere Island, 670b
- Greenland W, 670b
- Areosphaeridium actinocoronatum*,  
Norwegian Sea: Site 643, 615b, 620b
- Areosphaeridium arcuatum*, Norwegian Sea:  
Site 643, 615b
- Ascostomocystis granosa*, Norwegian Sea:  
Site 643, 629b
- Azolla*  
Norwegian Sea: Site 642, 660b  
Norwegian Sea: Site 643, 632b, 660b
- Bachmannocena*  
Norwegian Sea, 530b-531b  
Norwegian Sea: Site 642, 538b  
Norwegian Sea: Site 643, 535b
- Bachmannocena apiculata curvata*,  
Norwegian Sea: Site 643, 519b
- Bachmannocena apiculata inflata*,  
Norwegian Sea: Site 643, 519b
- Bachmannocena circulus*  
Norwegian Sea: Site 642, 500b, 518b  
Norwegian Sea: Site 643, 500b
- Bachmannocena diodon diodon*, Norwegian  
Sea: Site 642, 520b
- Bachmannocena diodon nodosa*  
Norwegian Sea: Site 642, 501b, 518b  
Norwegian Sea: Site 643, 501b, 503b
- Batiacasphaera baculata*, Norwegian Sea:  
Site 642, 139a
- Batiacasphaera compta*, Norwegian Sea:  
Site 642, 140a
- Batiacasphaera micropapillata*, Norwegian  
Sea: Site 643, 643b
- Benthic foraminifers  
Norwegian Sea: Site 642  
abundance, 39a, 126a-128a,  
750b-752b, 755b-756b  
age, 129a-130a  
microfossil studies, 147a, 781b-782b  
paleoceanography, 749b, 753b  
paleoenvironment, 130a  
preservation, 39a  
sample preparation, 39a  
summary, 142a-144a, 748b-749b,  
756a-759a  
zonation, 39a, 129a, 148a-152a, 746b
- Norwegian Sea: Site 643  
abundance, 39a, 477a-478a, 482a-483a,  
757b-762b  
age, 476a  
methods, 745b  
microfossil studies, 781b-782b  
paleoceanography, 749b, 753b  
paleoenvironment, 476a, 478a  
preservation, 39a  
sample preparation, 39a  
summary, 748b-749b, 760a-761a
- zonation, 39a, 476a, 746b, 763b
- Norwegian Sea: Site 644  
abundance, 39a, 632a, 635a-636a,  
747b-748b  
microfossil studies, 781b-782b  
paleoceanography, 749b, 753b  
paleoenvironment, 632a  
preservation, 39a  
results, 632a  
sample preparation, 39a  
summary, 748b-749b, 762a  
zonation, 39a, 633a, 746b, 802b
- Biscutum constans*, Norwegian Sea, 479b
- Bolboforma*  
Norwegian Sea: Site 642, 493b-495b,  
780b,  
Norwegian Sea: Site 643, 493b-495b,  
780b  
distribution, 487b-491b  
sample preparation, 487b  
taxonomy, 487b  
zonation, 488b-490b, 492b
- Brigantedinium simplex*  
Norwegian Sea: Site 642, 601b  
Norwegian Sea: Site 644, 601b
- Calcareous foraminifers  
Norwegian Sea: Site 642, 146a
- Calcareous nannofossils  
Atlantic Ocean N, 467b-468b, 470b, 475b  
North Sea, 475b  
Norwegian Sea  
distribution, 479b  
stratigraphic distribution, 472b-473b  
taxa list, 477b-478b  
zonation, 474b
- Norwegian Sea: Site 642, 133a-134a  
abundance, 38a, 463b, 465b-467b  
diversity, 123a-124a  
methods, 122a  
microfossil studies, 146a-147a,  
780b-781b  
preservation, 38a, 123a, 465b-467b  
sample preparation, 38a  
Sites 643 and 644 correlated with, 467b  
summary, 122a-123a, 142a-144a,  
756a-759a  
zonation, 38a, 122a
- Norwegian Sea: Site 643  
abundance, 38a, 464b-467b, 474a,  
482a-483a  
microfossil studies, 780b-781b  
paleoenvironment, 474a  
preservation, 38a, 465b-467b, 474a  
sample preparation, 38a  
Sites 642 and 644 correlated with, 467b  
summary, 474a, 760a-761a

- zonation, 38a, 473a-474a  
 Norwegian Sea: Site 644  
 abundance, 38a, 464b-467b,  
 630a-631a, 635a-636a  
 paleoenvironment, 631a  
 preservation, 38a, 465b-467b,  
 630a-631a  
 reworked, 471b  
 sample preparation, 38a  
 Sites 642 and 643 correlated with, 467b  
 summary, 762a  
 zonation, 38a, 630a
- Calcidiscus leptoporus*, Norwegian Sea: Site  
 642, 484b
- Cannopilus*, Norwegian Sea, 566b
- Caryocha*  
 Norwegian Sea, paleoenvironment, 532b  
 Norwegian Sea: Site 642, 539b  
 Norwegian Sea: Site 643, 536b
- Caryocha ernestinae*  
 Norwegian Sea: Site 642, 500b  
 Norwegian Sea: Site 643, 500b
- Cassidulina reniforme*  
 Norwegian Sea: Site 643, 765b
- Ceratocyrtis broeggeri*  
 Norwegian Sea: Site 642, 704b  
 Norwegian Sea: Site 643, 704b
- Cerebrocysta bartonensis*, Norwegian Sea:  
 Site 642, 141a
- Chiropteridium dispersum*  
 Norwegian Sea: Site 642, 140a  
 Norwegian Sea: Site 643, 479a
- Chiropteridium lobospinosum*, Norwegian  
 Sea: Site 643, 615b, 644b
- Cibicides kullenbergi*, Norwegian Sea: Site  
 642, 767b
- Clathrospyrus vogti*, Norwegian Sea: Site  
 643, 705b
- Coccolithus pelagicus*, Norwegian Sea: Site  
 642, 460b, 463b
- Corbisema*  
 Norwegian Sea, 531b-532b, 566b  
 Norwegian Sea: Site 642, 539b  
 Norwegian Sea: Site 643, 536b
- Corbisema triacantha*, Norwegian Sea: Site  
 642, 119a, 546b
- Cordosphaeridium cantharellum*, Norwegian  
 Sea: Site 643, 645b
- Corythospyris*  
 Norwegian Sea: Site 642, 731b, 736b  
 Norwegian Sea: Site 643, 731b, 736b
- Cribrosphaerella ehrenbergii*, Norwegian  
 Sea, 479b
- Cyclammina*, Norwegian Sea: Site 643, 768b
- Cyclicargolithus floridanus*, Norwegian Sea:  
 Site 642, 462b, 463b, 464b
- Cyrtocapsella eldholmi*, Norwegian Sea: Site  
 642, 704b
- Cyrtocapsella kladaros*  
 Norwegian Sea: Site 642, 704b-705b  
 Norwegian Sea: Site 643, 704b
- Cyrtocapsella tetrapera*  
 Norwegian Sea: Site 642, 711b-712b  
 Norwegian Sea: Site 643, 711b-712b  
 Norwegian Sea: Site 644, 711b-712b
- Cytheropteron nodosum*, Norwegian Sea:  
 Site 642, 774b
- Deflandrea*, Norwegian Sea: Site 643, 615b
- Denticulopsis hustedtii*, Norwegian Sea: Site  
 642, 115a
- Denticulopsis lauta*, Norwegian Sea: Site  
 642, 115a-116a
- Diatoms  
 Norwegian Sea: Site 642, 133a
- microfossil studies, 146a-147a, 785b  
 paleoenvironment, 118a  
 summary, 117a, 142a-144a, 756a-759a  
 zonation, 37a-38a, 114a-116a,  
 148a-152a
- Norwegian Sea: Site 643  
 abundance, 471a, 482a-483a  
 methods, 471a  
 microfossil studies, 785b  
 paleoenvironment, 471a-472a  
 preservation, 471a  
 summary, 471a, 760a-761a  
 zonation, 37a-38a
- Norwegian Sea: Site 644  
 abundance, 627a, 628a, 635a-636a  
 methods, 627a  
 paleoenvironment, 627a  
 preservation, 627a  
 summary, 627a, 762a  
 zonation, 37a-38a
- Dictyocha*  
 Norwegian Sea, 528b-530b, 566b-567b  
 Norwegian Sea: Site 642, 538b  
 Norwegian Sea: Site 643, 535b
- Dictyocha fibula*, Norwegian Sea: Site 642,  
 577b
- Dinocysts  
 Greenland E, 669b  
 Norwegian Sea, 604b-605b, 616b-620b  
 Norwegian Sea: Site 642, 133a  
 abundance, 593b-594b, 633b-634b,  
 635b  
 age, 593b-594b  
 basalts correlated with, 667b  
 debris, 590b-591b  
 distribution, 591b, 593b-594b, 666b  
 lithology relationship to, 149a  
 methods, 588b, 664b-665b  
 microfossil studies, 146a  
 paleoenvironment, 601b-602b  
 Site 643 correlated with, 631b-632b  
 summary, 636b-637b, 665b  
 zonation, 591b, 596b, 598b-601b
- Norwegian Sea: Site 643  
 abundance, 480a-481a, 591b, 595b,  
 621b-628b  
 age, 627b-628b  
 distribution, 594b-595b  
 paleoenvironment, 601b-602b  
 Site 642 correlated with, 631b-632b  
 summary, 636b-637b  
 zonation, 480a-481a, 598b-601b,  
 614b-631b
- Norwegian Sea: Site 644  
 abundance, 591b, 592b, 597b-599b  
 age, 597b-599b  
 distribution, 596b-599b  
 methods, 588b  
 paleoenvironment, 601b-602b  
 zonation, 591b, 596b-601b
- Rockall Plateau, 666b, 668b  
 taxonomy, 591b, 614b
- Discoaster brouweri*, Atlantic Ocean N,  
 468b-469b
- Distatodinium ellipticum*, Norwegian Sea:  
 Site 643, 646b
- Distephanus*  
 Norwegian Sea, paleoenvironment,  
 528b-530b, 567b-560b  
 Norwegian Sea: Site 642, 537b  
 Norwegian Sea: Site 643, 534b, 537b
- Distephanus aculeatus*  
 Norwegian Sea, 569b  
 Norwegian Sea: Site 642, 547b  
 Norwegian Sea: Site 644, 547b
- Distephanus boliviensis*, Norwegian Sea:  
 Site 642, 118a, 501b
- Distephanus crux*, Norwegian Sea: Site 642,  
 524b, 567b
- Distephanus crux scutulatus*  
 Norwegian Sea: Site 642, 500b-501b,  
 502b-503b  
 Norwegian Sea: Site 643, 500b-501b
- Distephanus jimlingii*, Norwegian Sea: Site  
 642, 501b-502b
- Distephanus paraspeculum*, Norwegian Sea:  
 Site 642, 567b-568b, 579b
- Distephanus speculum*  
 Norwegian Sea: Site 642, 522b, 578b  
 Norwegian Sea: Site 644, 502b, 521b,  
 523b, 547b, 568b-569b
- Distephanus speculum hemisphaericus*  
 Norwegian Sea: Site 642, 499b-500b,  
 503b  
 Norwegian Sea: Site 643, 499b-500b
- Distephanus stauracanthus*, Norwegian Sea:  
 Site 642, 546b-547b, 569b
- Distephanus sulcatus*, Norwegian Sea: Site  
 642, 569b, 580b
- Ebridians  
 Norwegian Sea: Site 642  
 abundance, 552b-553b, 564b  
 age, 552b-553b, 556b, 564b  
 distribution, 552b-553b  
 evolution, 562b  
 methods, 543b-545b  
 microfossil studies, 785b  
 summary, 558b, 562b-563b, 565b  
 zonation, 545b, 548b-549b, 556b, 558b
- Norwegian Sea: Site 644  
 abundance, 554b-555b  
 age, 554b-555b, 557b  
 distribution, 554b-555b  
 methods, 543b-545b  
 microfossil studies, 785b  
 summary, 559b, 562b-563b, 565b  
 zonation, 545b, 548b-549b, 557b,  
 558b, 802b  
 taxonomy, 565b-573b
- Ebriopsis cornuta*  
 Norwegian Sea: Site 642, 549b, 584b  
 Norwegian Sea: Site 644, 549b, 584b
- Eiffellithus turrisieffeli*, Norwegian Sea,  
 479b
- Emiliana huxleyi*  
 Norwegian Sea: Site 642, 460b-464b  
 Norwegian Sea: Site 643, 473a-474a  
 Norwegian Sea: Site 644, 482b
- Emslandia spiridoides*, Norwegian Sea: Site  
 643, 630b
- Eucyrtidium saccoi*, Norwegian Sea: Site  
 642, 702b
- Evittosphaerula paratabulata*, Norwegian  
 Sea: Site 643, 629b
- Falsebria arborea*, Norwegian Sea: Site 642,  
 571b, 585b
- Filisphaera filifera*  
 Norwegian Sea: Site 642, 600b-601b  
 Norwegian Sea: Site 643, 600b-601b,  
 648b
- Foliactiniscus atlanticus*, Norwegian Sea:  
 Site 642, 548b
- Foliactiniscus folia*, Norwegian Sea: Site  
 642, 548b
- Gephyrocapsa lacunosa*, Norwegian Sea:  
 Site 643, 473a-474a

## PALEONTOLOGICAL INDEX

- Gephyrocapsa protohuxleyi*, Norwegian Sea: Site 644, 483b
- Globigerina bulloides*  
Norwegian Sea: Site 642, 694b
- Globigerinoides*, Norwegian Sea: Site 642, 744b
- Gondwanaria japonica kiaeri*  
Norwegian Sea: Site 642, 702b-703b  
Norwegian Sea: Site 643, 702b-703b
- Helicosphaera sellii*, Norwegian Sea: Site 642, 462b, 463b, 485b
- Hermesinella fenestrata*, Norwegian Sea: Site 642, 583b
- Hermesinella schulzii*, Norwegian Sea: Site 642, 548b-549b
- Hermesinum adriaticum*, Norwegian Sea: Site 642, 548b
- Hystrichosphaeridium latirictum*, Norwegian Sea: Site 643, 649b
- Impagidinium*, Norwegian Sea: Site 643, 620b
- Impagidinium aculeatum*, Norwegian Sea: Site 643, 656b
- Impagidinium aquaeductum*  
Norwegian Sea: Site 642, 596b  
Norwegian Sea: Site 643, 596b, 630b, 650b
- Impagidinium japonicum*, Norwegian Sea: Site 643, 651b
- Impagidinium patulum*, Norwegian Sea: Site 643, 629b-630b
- Inoceramus*  
Norwegian Sea, 739b-743b  
Norwegian Sea: Site 642, 742b  
Norwegian Sea: Site 643, 742b  
Norwegian Sea: Site 644, 743b
- Kamptnerius magnificus*  
Norwegian Sea: Site 644, 486b
- Krith*  
Norwegian Sea: Site 642, 775b  
Norwegian Sea: Site 643, 775b
- Labyrinthidium truncatum*, Norwegian Sea: Site 643, 630b
- Larcospira bulbosa*, Norwegian Sea: Site 642, 729b, 734b
- Lithraphidites quadratus*  
Atlantic Ocean N, 471b  
Norwegian Sea, 479b
- Lycopodium*  
Norwegian Sea: Site 642, 611b-614b  
Norwegian Sea: Site 643, 611b-614b, 633b, 636b
- Mesocena circulus*, Norwegian Sea: Site 642, 118a-119a
- Mesocena diodon*, Norwegian Sea: Site 642, 118a-119a, 547b, 569b, 579b
- Mesocena quadrangula*  
Norwegian Sea: Site 642, 547b-548b, 569b  
Norwegian Sea: Site 644, 547b-548b
- Micula murus*, Norwegian Sea, 479b
- Multispinula minuta*  
Norwegian Sea: Site 642, 601b, 610b  
Norwegian Sea: Site 644, 601b, 610b
- Naviculopsis*  
Norwegian Sea, 532b, 569b-570b  
Norwegian Sea: Site 642, 503b, 539b
- Naviculopsis lata*  
Norwegian Sea: Site 642, 119a-120a, 498b-499b, 546b, 581b
- Norwegian Sea: Site 643, 498b-499b, 525b
- Naviculopsis navicula*  
Norwegian Sea, 570b
- Norwegian Sea: Site 642, 119a, 546b, 581b
- Norwegian Sea: Site 643, 536b
- Naviculopsis ponticula*  
Norwegian Sea: Site 642, 499b  
Norwegian Sea: Site 643, 499b, 507b
- Naviculopsis quadrata*  
Norwegian Sea: Site 642, 499b, 580b  
Norwegian Sea: Site 643, 499b, 507b
- Nematosphaeropsis aquaeducta*, Norwegian Sea: Site 642, 138a-139a
- Neogloboquadrina acostaensis*, Norwegian Sea: Site 642, 681b-682b, 695b
- Neogloboquadrina atlantica*  
Norwegian Sea: Site 642, 694b, 695b  
Norwegian Sea: Site 644, 682b-683b
- Neogloboquadrina continuosa*, Norwegian Sea: Site 642, 683b, 695b
- Neogloboquadrina dutertrei*, Norwegian Sea: Site 642, 683b, 695b
- Neogloboquadrina mayeri*, Norwegian Sea: Site 642, 683b, 695b
- Neogloboquadrina pachyderma*  
Norwegian Sea: Site 642, 683b, 696b  
Norwegian Sea: Site 643, 683b, 696b
- Neogloboquadrina peripheroronda*, Norwegian Sea: Site 642, 683b, 695b
- Neogloboquadrina praeumerosa*, Norwegian Sea: Site 642, 683b, 695b
- Neogloboquadrina pseudopima*, Norwegian Sea, 683b
- Nephrolithus frequens*  
Norwegian Sea, 471b, 479b  
Norwegian Sea: Site 644, 486b
- Nitzschia cylindrica*, Norwegian Sea: Site 642, 115a
- Nitzschia jouseae*, Norwegian Sea: Site 642, 115a
- Nitzschia miocenica*, Norwegian Sea: Site 642, 115a
- Nitzschia porteri*, Norwegian Sea: Site 642, 115a
- Operculodinium crassum*, Norwegian Sea: Site 643, 653b
- Ostracodes  
Norwegian Sea: Site 642, 769b-771b, 783b  
Norwegian Sea: Site 643, 769b, 770b-771b  
Norwegian Sea: Site 644, 769b, 770b-772b  
taxonomy, 772b-773b
- Palaeocystodinium*, Norwegian Sea: Site 643, 652b
- Palynomorphs  
Norwegian Sea: Site 642  
abundance, 39a, 130a-131a, 132a-137a  
methods, 664b-665b  
microfossil studies, 147a, 783b-784b  
preservation, 39a  
sample preparation, 40a  
summary, 142a-144a, 756a-759a  
zonation, 40a, 131a, 136a-141a, 148a-152a  
Norwegian Sea: Site 643  
abundance, 39a, 482a-483a  
microfossil studies, 783b-784b  
paleoecology, 479a  
preservation, 39a, 478a
- sample preparation, 40a  
summary, 760a-761a  
zonation, 40a, 478a-479a
- Norwegian Sea: Site 644  
abundance, 39a, 635a-636a  
age, 633a, 634a  
microfossil studies, 783b-784b  
paleoecology, 634a  
paleoenvironment, 633a  
preservation, 39a  
results, 632a-633a  
sample preparation, 40a  
summary, 762a  
zonation, 40a, 634a  
taxonomy, 674b-676b  
*See also specific types*
- Paramesocena circulus*, Norwegian Sea: Site 642, 570b, 579b
- Paramesocena circulus apiculata*, Norwegian Sea: Site 642, 547b, 570b
- Parathranium clathratum*, Norwegian Sea: Site 642, 549b, 572b
- Pentadinium laticinctum*  
Norwegian Sea: Site 642, 139a-140a  
Norwegian Sea: Site 643, 608b, 654b
- Phthanoperidinium echinatum*, Norwegian Sea: Site 642, 140a
- Planktonic foraminifers  
Norwegian Sea, 693b, 694b  
Norwegian Sea: Site 642, 133a  
abundance, 39a, 124a-125a  
distribution, 684b, 685b, 686b-687b  
diversity, 126a  
methods, 681b  
microfossil studies, 782b-783b  
paleoenvironment, 126a, 690b, 692b  
preservation, 39a, 126a  
sample preparation, 39a  
summary, 124a-126a, 142a-144a, 683b-684b  
zonation, 38a-39a, 125a, 126a, 681b-683b, 685b, 687b-690b
- Norwegian Sea: Site 643  
abundance, 39a, 482a-483a, 690b  
distribution, 689b  
methods, 475a, 681b  
microfossil studies, 782b-783b  
paleoenvironment, 690b, 692b  
preservation, 39a  
sample preparation, 39a  
summary, 475a, 684b-685b, 760a-761a  
zonation, 38a-39a, 475a, 681b-683b, 687b-690b
- Norwegian Sea: Site 644  
abundance, 39a, 635a-636a, 692b  
age, 631a  
distribution, 691b  
methods, 631a, 681b  
microfossil studies, 782b-783b  
paleoenvironment, 631a-632a, 690b, 692b  
preservation, 39a  
results, 631a  
sample preparation, 39a  
summary, 685b, 687b, 762a  
zonation, 38a-39a, 687b-690b, 802b
- Platycystidia*, Norwegian Sea: Site 643, 655b
- Pollen  
Antrim, 669b  
Faeroe Islands, 668b  
Greenland E, 669b  
Greenland N, 670b  
Ireland N, 670b  
Isle of Mull, 668b-669b

- London Basin, 670b  
 Norwegian Sea: Site 642  
 abundance, 639b, 668b  
 age, 639b  
 basalts correlated with, 667b  
 distribution, 666b  
 lithology relationship to, 149a  
 methods, 664b-665b  
 microfossil data, 146a  
 summary, 665b  
 Norwegian Sea: Site 643, 632b-633b, 637b  
 Rockall Plateau, 666b, 668b  
 Spitsbergen, 669b  
*Pseudodictyophimus amundseni*  
 Norwegian Sea: Site 642, 703b  
 Norwegian Sea: Site 643, 703b, 732b, 737b  
*Pseudoemiliania lacunosa*  
 Norwegian Sea: Site 642, 460b-462b  
 Norwegian Sea: Site 644, 482b  
*Pyxidiella simplex*, Norwegian Sea: Site 643, 607b  
  
*Quinqueloculina*  
 Norwegian Sea: Site 642, 764b  
 Norwegian Sea: Site 643, 764b  
  
 Radiolarians  
 Norwegian Sea: Site 642, 133a  
 abundance, 38a, 120a-121a, 706b-709b, 713b  
 distribution, 720b-721b  
 event markers, 39a  
 methods, 699b  
 microfossil studies, 146a-147a, 785b-786b  
 paleoenvironment, 120a, 122a  
 preservation, 39a, 120a  
 sample preparation, 38a  
 summary, 142a-144a, 712b, 714b, 724b-725b, 727b, 756a-759a  
 zonation, 39a, 148a-152a, 699b-711b, 802b  
 Norwegian Sea: Site 643  
 abundance, 38a, 473a, 482a-483a, 716b-718b  
 distribution, 720b-721b  
 event markers, 39a  
 methods, 699b  
 microfossil studies, 785b-786b  
 paleoenvironment, 473a  
 preservation, 39a, 473a  
 sample preparation, 38a  
 summary, 473a, 714b-715b, 724b-725b, 727b, 760a-761a  
 zonation, 39a, 699b-711b  
 Norwegian Sea: Site 644  
 abundance, 38a, 39a, 629a-630a, 635a-636a, 719b  
 distribution, 720b-721b  
 event markers, 39a  
 methods, 699b  
 paleoenvironment, 630a  
 preservation, 39a  
 sample preparation, 38a  
 summary, 715b, 724b-725b, 727b, 762a  
 zonation, 699b-711b  
 taxa list, 727b-728b  
*Reticulofenestra pseudoubilica*  
 Norwegian Sea: Site 642, 462b, 463b, 464b  
 abundance, 463b  
 Norwegian Sea: Site 643, 484b  
 Norwegian Sea: Site 644, 465b  
*Rottmestia borussica*, Norwegian Sea: Site 643, 614b-615b  
  
 Series/subseries boundaries,  
 Norwegian Sea, 37a, 786b-789b  
 Silicoflagellates  
 Norwegian Sea, paleoenvironment,  
 510b-513b, 516b, 528b-532b  
 Norwegian Sea: Site 642, 133a-134a, 502b-503b  
 abundance, 504b-507b, 538b, 539b, 550b-551b, 560b  
 age, 504b-507b, 531b, 550b-551b, 556b, 560b  
 bioevent correlation, 549b-554b  
 distribution, 550b-551b  
 evolution, 559b-561b  
 methods, 543b-545b  
 microfossil studies, 146a-147a, 786b  
 paleoenvironment, 120a, 535b-540b  
 paleotemperature, 561b  
 sample preparation, 497b  
 summary, 120a, 142a-144a, 554b-558b, 562b-563b, 565b, 756a-759a  
 zonation, 38a, 118a-120a, 148a-152a, 497b-498b, 504b-507b, 545b-549b, 556b, 558b  
 Norwegian Sea: Site 643, 503b, 507b-508b  
 abundance, 472a, 482a-483a, 508b-511b, 530b  
 age, 508b-511b  
 methods, 472a  
 microfossil studies, 786b  
 paleoenvironment, 472a-473a, 533b-536b  
 preservation, 472a  
 sample preparation, 497b  
 summary, 472a, 760a-761a  
 zonation, 38a, 497b-498b, 508b-511b  
 Norwegian Sea: Site 644, 508b-510b  
 abundance, 514b-515b, 554b-555b, 628a, 635a-636a  
 age, 514b-515b, 554b-555b, 557b  
 bioevent correlation, 549b-554b  
 distribution, 554b-555b  
 evolution, 561b-562b  
 methods, 543b-545b, 628a  
 microfossil studies, 786b  
 paleoenvironment, 532b-533b, 629a  
 preservation, 628a  
 results, 629a  
 sample preparation, 497b  
 summary, 559b, 562b-563b, 565b, 762a  
 taxonomy, 510b-513b, 516b, 565b-573b  
 zonation, 38a, 514b-515b, 545b-548b, 557b, 558b, 802b  
*Spiniferites elongatus*, Norwegian Sea: Site 643, 658b  
*Spiniferites ramosus*, Norwegian Sea: Site 643, 657b  
*Spongaster tetras*, Norwegian Sea: Site 644, 711b  
*Spongebria miocenica*, Norwegian Sea: Site 642, 548b, 573b, 585b  
*Spongurus cauleti*  
 Norwegian Sea: Site 642, 710b, 730b, 735b  
 Norwegian Sea: Site 643, 710b  
 Spores  
 Antrim, 669b  
 Faeroe Islands, 668b  
 Isle of Mull, 668b-669b  
 London Basin, 670b  
 Norwegian Sea: Site 642  
 abundance, 639b, 668b  
 age, 639b  
 lithology relationship to, 149a  
 methods, 664b-665b  
 microfossil studies, 146a  
 Norwegian Sea: Site 643, 632b-633b, 637b  
 Spitsbergen, 669b  
*Systematophora*, Norwegian Sea: Site 643, 629b  
*Systematophora ancyrea*, Norwegian Sea: Site 642, 139a-140a  
  
*Tessarastrum thiedei*, Norwegian Sea; Site 642, 730b, 735b  
*Tetralithus aculeus*, Norwegian Sea, 479b  
*Tetralithus trifidus*, Norwegian Sea, 479b  
*Thalassiosira convexa*, Norwegian Sea: Site 642, 115a  
*Thalassiosira fraga*, Norwegian Sea: Site 642, 116a  
*Thalassiosira spinosa*, Norwegian Sea: Site 642, 116a  
  
*Uvigerina pygmaea*, Norwegian Sea: Site 642, 766b  
  
*Wetzeliella articulata*, Norwegian Sea: Site 643, 659b