

## INDEX TO VOLUME 105

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 105 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *a* refer to pages in the *Initial Reports*, and those with *b*, to pages in the *Scientific Results* (this book).

The index is presented in three parts: (1) a Subject Index, (2) a Site Index, and (3) a Paleontological Index. In addition to this printed version, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 bpi.

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which also appear in the Paleontological Index.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The Paleontological Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) broad fossil groups, including individual genera and species that have been erected or emended formally; (2) biostratigraphic zones; and (3) fossils depicted in illustrations.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77840.

## SUBJECT INDEX

Acoustic basement  
 Baffin Bay, 140a  
 Labrador Sea: Site 646, 429a  
 Labrador Sea: Site 647, 678a, 680a  
 Acoustic properties, Labrador Sea: Site 646, 833b  
 Aegirine, Baffin Bay, 46b, 52b  
 Aluminum, Labrador Sea: Site 647, 104b, 134b  
 Amphibole, Baffin Bay, 98b  
 Antarctic Bottom Water, 432b, 744b  
     Labrador Sea, 980b  
 Antarctic Convergence, 210a  
 Antarctica  
     glaciation, Oligocene, 15a  
     ice sheet, Miocene development, 423b  
     silica deposits, 163a  
 Apatite, Labrador Sea: Site 647, 145b, 148b, 153b  
 Arabian Sea, isotope data, 125b  
 Arctic Islands, 45b  
 Arctic Model, 17a-18a  
 Arctic water mass, 982b  
 Atlantic Ocean N  
     bathymetry, 678a-679a  
     comparisons, Site 646, 432a  
     deep-water circulation, 15a, 718b, 958b  
     formation, 5a  
     fracture zone map, 10a  
     glaciation, 689a  
     global cooling, 424b  
     ice-sheet growth map, 16a  
     magnetic lineation map, 10a  
     Miocene, 423b-424b  
     seismic stratigraphy, 981b  
 Atlantic Ocean NE, drift deposition, 424a  
 Atlantic Ocean NW, sediment  
     underconsolidation, 793b  
 Atlantic Ocean S, isotopic data, 125b  
 Eocene pelagic sequences, isotopic values, 125b

Baffin Bay  
 aeromagnetic map, 11a  
 alkalinity, 103a-104a  
 basement, 67a, 148a-150a  
 bathymetric map, 6a, 65a, 892b, 990b  
 biological markers, 235b  
 bottom current influence, 59b, 89b  
 bottom topography, 562b-563b, 975b  
 bottom-water circulation, Miocene, 486b  
 bulk density, 117a, 118a-123a  
 chlorinity concentrations, 103a-104a  
 chronostratigraphic summary, 941b  
 climate  
     continental, 98b-99b  
     Eocene-Oligocene, 15a  
     glacial processes, 45b, 98b  
         Miocene, 15a-16a, 95b, 485b  
         Paleogene, 12a-15a  
     conductivity, 117a  
     continental shelf, 53b-54b  
     depositional environment, 191b, 192b  
     depth-to-basement map, 995b  
     drilling objectives, 140a  
     end members, 43b-45b  
     eolian transport, 89a  
     facies, 34b-35b, 38b, 40b-41b, 45b-46b, 48b, 91b, 97b-98b  
     faulting, 139a-142a  
     geochemistry, 86b, 88b, 92b-94b, 96b  
     geology, 32b-34b, 84b

glacial/interglacial cycles, 16a-18a, 144a, 391b  
 glaciomarine deposits, 563b  
 grain-size distribution, 11b, 90b  
 gravity data, 8a, 9a, 12a  
 icebergs, 74a  
 ice rafting, 92a, 134a, 145a, 148a  
 ice-sheet growth map, 16a  
 index map, 959b, 976b  
 interstitial-water chemistry, 103a-104a, 171b-182b, 176b  
 katabatic winds, 89a  
 lithofacies, 37b  
 lithology, 11b-12b, 81a, 89b, 472b  
     correlations, 81a  
     Miocene-Holocene, 472b  
 lithostratigraphy, 9b, 23b, 308b, 601b, 609b, 731b-732b  
     coarse fraction, 88b  
     Pliocene-Pleistocene section, 33b  
 location, 6a, 553b, 562b, 600b, 1003b  
 magnetic lineation map, 13a  
 magnetic susceptibility, 111a-116a  
 magnetostratigraphy, 110a-111a  
 methane/ethane ratios, 105a  
 mineralogy, clay-size fraction, 45b  
 mineral percentage chart, 77a  
 modern environment, 185b-186b  
 multichannel seismic lines, 66a  
 natural remanent magnetization (NRM), 107a, 110a  
 organic carbon content, 106a-111a, 143a, 149a  
 oxygen-isotope data, 17a  
 paleoecology, Miocene, 486b, 486b-487b  
 paleoenvironment, 100a-101a, 144a-145a, 308b-309b  
     Pliocene-Holocene climatic cooling, 393b, 394b  
 paleogeographic map, 14a  
 petrographic studies, 35b-36b, 38b  
 porosity, 117a, 118a-122a, 126a  
 reflectors, 141a-142a, 146a-148a  
     R1, 64a, 68a, 131a, 133a-139a  
     R2, 64a-65a, 68a  
     R3, 134a-139a  
     R4, 15a, 64a, 134a-139a, 148a-149a  
 Rock-Eval procedure, 106a, 110a, 192b, 205b  
 salinity, 103a-104a  
 seafloor spreading, 7a, 150a  
 sea-ice melting, 144a  
 sediment accumulation, 53b-56b, 58b-59b, 101a-103a  
 sedimentary structures, 7b-16b, 61b  
 sedimentation, age vs. depth profile, 787b  
 sediments  
     clay-size fraction, 41b-42b  
     composition, 837b  
     depth, age and lithology data, 234b  
     dispersal pattern, 31b  
     Pliocene-Pleistocene section, 31b  
     source, 25b, 27b, 31b, 43b-46b, 46b-47b  
     terrigenous, 35b  
     thickness, 11a  
     transport mechanisms, 25b  
 seismic stratigraphy, Miocene-Holocene, 472b  
 seismic refraction, 9a, 12a  
 shear strength, 116a, 117a, 118a-123a  
 smectite, 93b

spectral analysis, 758b-760b  
 stable isotope composition, 176b  
 subsidence history, 467b  
 surface-water circulation, modern, 185b-186b  
 tectonic evolution, 991b, 993b, 997b-998b  
 thermal conductivity, 118a-124a  
 Unit I, 73a  
     ice rafting, 89a-90a  
     lithostratigraphic summary, 74a-75a  
     organic carbon content, 77a-78a  
     Pleistocene-Holocene, 140a-141a  
     sedimentation rates, 89a  
     silty muds, 89a  
     subdivisions, 77a-79a  
 Unit II, 73a, 76a  
     glacial-interglacial cycles, 90a  
     lithostratigraphic summary, 74a-75a  
     mineral concentrations, 90a  
     Pliocene-Pleistocene, 141a  
     subdivisions, 79a, 81a-82a  
 Unit III, 76a-77a  
     carbonate thicknesses, 86a  
     lithostratigraphic summary, 74a-75a  
     Miocene-Pliocene, 141a, 143a  
     silty muds, 84a-85a, 88a, 90a-91a  
     subdivisions, 82a-87a  
     turbidity currents, 91a  
     velocity, 117a, 118a-122a, 124a, 126a-129a  
     water content, 117a, 118a-122a  
 Baffin Land Current, 469b, 599b  
 Basalts  
     Baffin Bay, 7a, 9a, 64a  
     Greenland, 77b  
 Labrador Sea: Site 647, 697a  
     aphyric, 863b, 866b, 883b, 999b  
     Baffin Island association, 873b, 1000b  
     chemical composition vs. depth, 868b-870b, 872b, 882b  
     chill, 863b  
     clinopyroxene-phyric, 866b, 867b, 884b  
     cooling units, 870b, 872b  
     electron-probe analysis, 887b  
     glomerophytic, 863b, 866b  
     glomeroporphyritic, 884b  
     incompatible trace-element plots, 877b  
     magma sources, 872b-873b  
     magnesium oxide, 873b, 876b  
     major elements, 866b, 871b, 872b, 882b  
     mineral composition, 866b  
     OFB and WPB affinities, 1007b  
     petrogenetic diagrams, 874b  
     petrographic summary, 865b, 866b  
     potassium-argon dating, 885b-886b  
     pyroxene, 867b, 883b  
     radiometric dating, 999b  
     rare earth elements, 878b  
     secondary alteration, 885b  
     source material, 873b-874b  
     strontium and neodymium isotopes, 870b, 880b  
     tectono-magmatic discriminations, 867b, 869b-870b, 872b  
     thorium, 879b, 880b, 881b  
     titanium, 870b, 879b  
     trace elements, 866b-867b, 878b, 1002b  
 Labrador Sea, Cretaceous-Tertiary, 7a, 9a  
 low-temperature alteration, 179b, 181b  
 Rockall Plateau, 1002b-1003b  
 Basement

## SUBJECT INDEX

- Baffin Bay, 67a  
 Labrador Sea: Site 646, 423a  
 Labrador Sea: Site 647  
   age, 734a  
   cooling, 695a-696a  
   lithology, 676a  
 Basement subsidence  
   Baffin Bay, 998  
   Labrador Sea: Site 647, 1003b-1004b, 1007b  
 Basement topography  
   Labrador Sea: Site 646, 928b  
   Labrador Sea: Site 647, 896b, 897b, 900b  
   Labrador Sea, topographic map, 924b  
 Bauer Deep, smectite precipitation, 147a  
 Beaufort Sea, terrestrial debris, 209b  
 Beaufort-Mackenzie Delta, 235b  
 Biological-marker compounds, Baffin Bay, 235b, 240b  
 Biscay, Bay of, isotope data, 125b  
 Bottom-water activity. *See Deep-water circulation*  
 Bouguer anomalies, Baffin Bay, 8a  
 Bound water, 815b  
 Brodeur Peninsula, 45b  
 Brunhes Chron, Baffin Bay, 111a, 113a  
 Brunhes/Matuyama boundary  
   Baffin Bay, 144a  
   paleomagnetism, 459a  
 Bulk density, Labrador Sea: Site 646, 820b, 842b  
 Bylot Island, 34a, 45b
- Calcite  
   Baffin Bay, 44b, 76a  
   Labrador Sea: Site 646, 816b, 819b  
   Labrador Sea: Site 647, 141b, 695a-696a  
     *in-situ* formation, 104b-105b  
 Calcium  
   Baffin Bay, 103a-104a, 175b, 179b  
   Labrador Sea: Site 646, 175b, 179b, 455a-458a  
   Labrador Sea: Site 647, 102b-103b, 118b, 175b, 179b, 709a, 713a  
 Calcium carbonate  
   Labrador Sea: Site 646, 771b  
   Labrador Sea: Site 647, 118b, 119b, 121b, 125b  
   uranium/thorium ratio, 814b  
 Canadian Arctic Archipelago, clay minerals, 45a  
 Cape Dyer, 34a, 45b  
 Carbon isotopes  
   Baffin Bay, 210b-211b, 212b, 217b, 604b, 605b, 610b-611b  
   Labrador Sea: Site 646, 700b-703b  
     high-resolution composite, 218b-219b, 220b  
     low-resolution composite, 213b, 214b  
   Labrador Sea: Site 647, 125b-126b, 128b-129b, 697b-699b, 704b  
     low-resolution composite, 215b, 216b  
     suspended particulate matter, 217b  
 Carbon, organic, 217b  
   Baffin Bay, 210b, 211b, 611b  
   Labrador Sea: Site 646, 212b, 213b, 218b-219b, 220b  
   Labrador Sea: Site 647, 215b  
   maturity, 189b, 191b  
   quality, 189b  
   sedimentation rates and, 207b  
   sources, terrigenous vs. marine, 209b  
 Carbon  
   accumulation rates, 189b, 204b  
   Baffin Bay, 187b-191b, 195b, 201b
- Labrador Sea, 102b, 188b, 196b-199b, 202b, 203b, 666b-674b  
 marine origins, 191b  
 vs. total nitrogen, 205b  
 Carbon/nitrogen ratio, 189b  
   Baffin Bay, 188b  
   Labrador Sea, 196b-198b, 666b-674b  
 Carbonate  
   Baffin Bay, 106a-110a  
     benthic foraminiferal productivity and, 568b-569b  
     clasts, 38b  
     concentration, downsite variation, 849b  
     fluctuations, 563b, 566b  
     interglacial events, 567b  
     percentages, 78a-79a  
     provenance, 45b  
     source of modern, 849b  
     dissolution and recrystallization, 182b  
   Labrador Sea  
     accumulation rates, 494a  
     dating, 493a  
     depth curves, 492a, 570b  
     detritocarbonates, 691a  
     fluctuations, 565b, 567b  
     glacial/interglacial cycle, 567b  
     high-resolution record, 458a-459a, 462a, 465a  
     minerals, 142b  
     percentages, 666b-674b  
     periodicity, 657b  
     Pf<sub>r</sub> vs. age, 661b  
     sediment depth vs., 460a  
     spherulites, 142b-143b, 150b  
 Carbonate, authigenic  
   DSDP sites, 137b  
   formation, 146b-147b  
   fringe cement, 142b-143b, 147b-148b  
   Labrador Sea: Site 647, 150b  
     biogenic constituents, 143b-144b  
     concretions, 139b, 140b, 141b, 142b, 143b, 170b  
     ghost structures, 144b, 148b, 151b, 162b  
     mineralogy and chemistry, 139b-141b, 144b  
     petrographic description, 141b-143b  
     precipitation, 180b  
 Carbonate carbon  
   Baffin Bay, 188b  
   Labrador Sea: Site 646, 196b-197b  
 Carbonate compensation depth  
   Baffin Bay, 568b  
   Eocene, Labrador Sea: Site 647, 974b  
 Carbonate, iron-manganese  
   diagenetic precipitation, 131b-132b  
   Labrador Sea: Site 647, 132b, 140b  
   precipitation, 147b  
 Carpathian basins, Poland, 717b  
 Carpathian Mountain Belt, 708b  
 Charlie Gibbs Fracture Zone, 902b, 971b  
   Arctic and North Atlantic waters, 891b  
   Denmark Straits, 423a  
   location, 677a  
   opening, 695a  
 Chronostratigraphy, 936b-937b  
   Baffin Bay, 599b  
     microfossil zone correlations, 941b-943b, 944b-945b  
   Labrador Sea, 619b, 634b  
     microfossil zone correlations, 944b-945b, 946b-948b, 950b-951b  
 Neogene, 938b-939b, 985b  
 North Atlantic, 985b  
 Paleogene, 940b
- Clay mineralogy  
   authigenesis, 181b  
   Baffin Bay, 41b, 44b, 91b  
   Al/Mg ratio, 94b  
   Al/Ti ratios, 95b  
   crystallinity index, 84b  
   cyclicality, 98b  
   Facies 1, 92b  
   Facies 2, 92b  
   Facies 3, 91b-92b  
   Facies 4, 91b  
   Facies 5, 90b  
   provenance, 45b  
   Si/Al ratio, 94b  
   smectite, 92b  
   TCI/quartz ratio, 90b  
   climatic influences, 76b  
 Labrador Sea: Site 646, 770b  
 Labrador Sea: Site 647, 102b  
   diagenetic evolution, 106b  
   distribution, 145b  
   noncarbonated fraction, 144b-145b, 154b  
   origins, 104b  
   quantitative distribution, 107b  
 Labrador Sea, 76b  
   crystallinity index, 76b, 79b  
   Oligocene, 104b  
 Clay minerals  
   Baffin Bay, provenance, 94b-99b  
   Labrador Sea: Site 646, 815b-816b  
   Labrador Sea, lithologic and seismic units, 72b-73b
- Clays  
   Baffin Bay, 77a-79a  
     Unit I, 89a  
     Unit III, 83a  
   Labrador Sea: Site 646  
     abundance, 767b  
     content and porosity fluctuations, 770b  
     grain density, 820b  
     location, 441a  
     thicknesses, 424a  
   Labrador Sea: Site 647  
     Unit II, 692a, 695a  
     Unit III, 695a
- Claystones  
   Labrador Sea: Site 647, Eocene, diagenesis, 138b-148b
- Climatic fluctuations, effect on geophysical logs, 758b  
*See also paleoclimate or paleoenvironment entries under individual locations*
- Clinopyroxenes, Baffin Bay, 41b
- Consolidation of sediments. *See Stress history*
- Contour currents  
   Baffin Bay, 767b, 958b, 982b  
   Labrador Sea, 15b
- Contourites, 15b  
   Baffin Bay, 12b, 978b-979b  
   identification of, 797b
- Crust  
   Baffin Bay, 148a-150b  
   Davis Strait, 990b, 1006b  
   Greenland margin SW, 487a  
   Labrador Sea: Site 646, 420a  
   Labrador Sea: Site 647  
     age determination, 1000b  
     formation, 677a-678a  
     Leif Fracture Zone, 487a
- Current influence  
   Baffin Bay, 12b  
   Labrador Sea, 15b, 16b

- Davis Strait  
bathymetric conditions, 1005b-1006b  
depth-to-basement map, 995b  
geological evolution, 872b  
oxygen-isotope data, 17a  
Paleocene hot spot, 990b, 1002b, 1005b  
subsidence, 990b, 1005b-1006b  
tectonic evolution, 872b-873a, 990b-991b  
Debride lens, Baffin Bay, 31b  
Deep-water circulation  
Antarctic Bottom Water, 980b  
Miocene, 982b, 987b  
Neogene, 980b, 982b-983b, 985b-987b  
noncorrosive, 568b  
Paleogene record, 979b-980b  
Baffin Bay, 59b, 88b-90b  
Eirik Ridge, 744b-746b  
episodicity, 957b  
Gloria Drift, 987b  
influence on grain shape, 23b  
Labrador Sea, 59b, 75b, 80b  
influence on porosity, 768b-770b  
Miocene, 983b  
modern pattern, 983b-984b  
Pliocene influence, 966b  
relation to glacial maxima, 657b, 658b  
North Atlantic, Eocene/Oligocene boundary, 980b  
Denmark Strait Overflow Water, 432b, 745b  
drift deposits, 424b, 516b  
Miocene, Labrador Sea, 983b  
Density. *See Bulk density*  
Detriticarbonate silts  
Baffin Bay, 55b-56b  
Labrador Sea, 61b  
Deuterium, 130b, 181b  
Devon Island, carbonate sources, 47a  
Diagenesis  
Labrador Sea: Site 647, 124b, 138b-148b, 155b-156b  
Diasterenes, Baffin Bay, 235b  
Diffusion, effect on interstitial water chemistry, 179b-180b  
Disko Island, 34a, 45a, 45b  
Dissolution, Labrador Sea: Site 646, 620b  
Dolomites, 180b  
Baffin Bay, 44b, 76a, 81a-82a  
Dolostones, Baffin Bay, 45b, 46b  
Drift deposits  
Baffin Bay, 975b-976b  
Eirik Ridge, 424b, 986b-987b  
Gloria Drift, 986b-987b  
Labrador Sea, 968b  
North Atlantic, 424b, 980b  
Dropstones  
Baffin Bay  
first occurrence, 23b, 67b  
lithology, 65b-69b,  
clastic, 65b, 67b  
compositional differences, 68b  
Gloria Drift, 67b-68b  
igneous, 68b  
Labrador Sea, 65b-68b, 75b  
sediment accumulation rates, 67b-68b, 69b  
sedimentary, 65b, 67b, 68b  
East Bermuda Rise, sediment underconsolidation, 793b  
East Greenland Current, 288b, 486b  
East Pacific Rise, 145b, 146b  
Eirik Ridge  
deep-water circulation patterns, 495a-496a  
deep-water history, 744b-746a  
development, 487a, 489a-490a  
location, 6a, 678a  
Pliocene depositional history, 986b  
reflectors, thicknesses, 422a  
sediment thickness, 424a  
sedimentary sequences, 12a  
sedimentation shifts, 437a  
seismic lines, 489a-490a, 496a  
seismic sequences, Neogene, 958b, 960b  
transportation of sediments, 653b  
*See also* Labrador Sea: Site 646  
Elastic properties, Labrador Sea: Site 646, 831b, 832b  
Ellesmere Island  
carbonate sources, 47a  
Proterozoic quartzarenites, 44a  
Proterozoic siliciclastics, 45b  
stratigraphic unconformity, 34a  
Eocene/Oligocene boundary  
thermohaline circulation, 720b  
Eurasia, Greenland separation, 6a  
Eurasian Basin, maps, 10a  
Faeroe-Shetland Channel, 720b  
Farewell Fracture Zone, 423a, 429a  
Feldspar  
Baffin Bay, 77a, 78a-79a  
Labrador Sea, 76b, 80b, 435a, 818b  
Feldspar, Labrador Sea: Site 646, 770b, 816b  
Fram Strait, 720b  
Garnet, Baffin Bay, 41b, 44b, 52b  
Gauss Chron  
Baffin Bay, 111a  
Labrador Sea: Site 647, 712a, 716a  
Geostrophic currents, Baffin Bay, 849b  
Glacial/interglacial cycles  
Arctic Model, 617b  
Baffin Bay, 45b, 47b, 49b, 568b  
North Atlantic Model, 617b  
Pleistocene, Northern Hemisphere, 691b, 694b  
Glaciation, North Atlantic, 689b  
Glaucite  
Baffin Bay, 38b, 47b, 91a  
Labrador Sea: Site 646, 442a  
Gloria Drift  
bathymetry and magnetic anomalies, 971b  
depositional history, deep current influence, 986b  
formation, 734a  
location, 677a-678a, 682a  
Pliocene sediment supply, 987b  
sediment accumulation process, 58b, 59b  
sediment thicknesses, 734a  
*See also* Labrador Sea: Site 647  
Goban Spur, Eocene unconformity, 522a  
Graded beds  
Baffin Bay, 12b, 24b-25b, 55b-56b, 89b-90b  
Grain density, Labrador Sea: Site 646, 820b, 823b  
Grain size  
Baffin Bay, 12b, 90b  
bulk density and, 779b  
density variation and, 775b, 776b-779b  
distribution, 8b  
downhole lithological evolution, 87b-90b  
errors in analysis, 778b  
fining-upward sequence, 8b  
modal diameter, standard deviation and skewness, 10b  
Pliocene-Pleistocene section, 36b  
sand fraction, 10b  
Labrador Sea: Site 646, influence on porosity, 767b  
Labrador Sea: Site 647  
distribution, 103b  
Eocene, 101b-102b  
Labrador Sea, 13b, 14b  
distribution, 15b, 72b-76b, 75b  
fining-upward sequence, 14b  
Miocene/Pliocene boundary, 76b-76b  
porosity-grain size relationship, 788b  
GRAPE data, Baffin Bay, 775b-779b  
Gravity anomalies  
Baffin Bay, 993b, 994b  
Davis Strait, 994b  
Labrador Sea: Site 646, 904b, 910b  
Labrador Sea: Site 647, 899b, 902b  
Labrador Sea, bathymetric map, 992b  
Gravity flows, Baffin Bay, 12b, 16b, 25b, 56b  
Greenland, 6a, 441a  
Greenland margin W, 135a, 148a  
Greenland N, 44a, 47a  
Greenland-Iceland-Faeroe Ridge, subsidence history, 1006b  
Greenland-Innuitian ice sheets, Cenozoic-Quaternary sequences, 5a  
Greenland-Scotland Ridge, subsidence, 15a, 486a, 495a-496a  
Greenland Shelf W, seafloor spreading, 6a  
Greenland-Spitsbergen Channel, water circulation, 720b  
Gulf of Mexico  
*Glomospira* assemblages, 711a  
stable isotopes, 209a  
Gulf of Suez, 235b  
  
Heat flow  
Labrador Sea: Site 646, 903b  
asthenospheric temperatures, 929b-930b  
comparison, cooling models, 927b-928b  
core conductivities vs. depth, 928b  
depth anomaly, 928b-929b, 1004b-1005b, 1007b  
determinations, 929b  
distribution, histogram, 902b  
elevated values, 906b, 923b  
extrapolated temperatures, 928b, 929b  
sedimentation rate and, 929b  
temperature decay, 925b-928b  
temperature decay vs. time, 925b  
thermal conductivity values, 903b, 926b vs. basement depth plot, 930b  
Labrador Sea: Site 647, 894b, 900b  
depth anomaly, 1004b, 1007b  
distribution, 902b  
thermal conductivity values, 903b, 906b  
Rockall Plateau, 1005b, 1007b  
Hemipelagites, Labrador Sea, 15b, 16b  
Hot spot, Davis Strait, 990b, 1002b, 1003b  
Hydrocarbons  
Baffin Bay, 104a-105a  
Labrador Sea: Site 646, 456a  
Labrador Sea: Site 647, 709a  
Hydrocarbons, aliphatic, Baffin Bay, 234b, 237b, 238b, 242b  
Hydrocarbons, cyclic, Baffin Bay, 233b-234b  
Hydrocarbons, steroid, Baffin Bay, 235b  
Hydrogen, Baffin Bay, 111a, 200b, 206b

## SUBJECT INDEX

- Ice rafting  
 Baffin Bay, 9b, 12b, 54b, 487b, 975b  
 detrital sources, 47b  
 drift pattern, 28b  
 effect on rock-magnetic stratigraphy, 849b  
 first occurrence, 15b  
 glacial calving, 47b  
 initiation, 979b  
 warming trend, 45b  
 deposition of end members, 43b  
 Labrador Sea, 14b, 15b  
 Iceland–Scotland Overflow Water, 745b  
 Illite, Labrador Sea: Site 647, 104b, 105b  
 Imarsuak Mid-Ocean Channel (IMOC), 733a, 957b  
 Index properties. *See* Porosity; Shear strength  
 Interstitial-water chemistry, 172b–173b  
 Baffin Bay, 103a–104a, 175b  
 effect of diffusion on, 179b, 180b  
 Labrador Sea: Site 646, 454a–457a  
 Labrador Sea: Site 647, 713a  
 Labrador Sea, 175b, 179b  
 Irminger Basin, Miocene bottom water, 983a  
 Irminger Current, 432b  
 Iron, Labrador Sea: Site 647, 145b  
 Iron oxide, Labrador Sea: Site 647, 104b  
 Isotopes, stable  
 Baffin Bay, 563b–564b, 568b  
 Labrador Sea: Site 646, 565b, 567b–568b, 690b–691b, 694b  
 foraminiferal data and, 643b–648b  
 Miocene cooling trend, 691b  
 planktonic foraminifers and, 638b  
 short-duration glaciation, Pliocene, 691b  
 Labrador Sea: Site 647, 565b, 567b–568b  
 foraminifers, 127b–129b, 649b–652b  
 Labrador Sea, 570b, 694b  
 Japan Trench, 131a, 793b  
 Jaramillo Subchron, Baffin Bay, 111a, 144a  
 Julian Haab Fracture Zone, 429a  
 Kane Basin, garnets, 44a  
 Kaolinite, Baffin Bay, 77a, 45b, 93b, 94b–95b, 98b  
 Kerogen, 186b, 189b  
 Baffin Bay, 192b  
 Labrador Current  
 initiation of, 424b  
 North Atlantic Drift and, 637b  
 West Greenland Current and, 635b–636b  
 Labrador Sea: Site 112  
 paleoecology, 333b–334b  
 Labrador Sea: Site 646  
 age vs. depth model, 657b  
 alkalinity, 456a, 458a  
 base map, 792b  
 basement depth, 422a, 423a  
 bathymetry, 421a, 443a, 961b  
 biostratigraphic and paleomagnetic events, 944b  
 bulk density, 465a–466a, 469a, 470a, 472a–474a, 478a, 492a  
 carbonate-bomb data, 456a, 463a–464a  
 carbonates, biogenic, 432a  
 chlorinity, 455a–457a  
 chronostratigraphy, 944b–945b  
 clayey silts, 435a  
 compressional-wave velocity, 467a–469a, 478a  
 core intervals, top and bottom ages, 655b  
 deep-water circulation, 432b, 495a–496a  
 evolution, 420a  
 glaciation, 442a, 492a–495a  
 grain density, 472a–474a  
 gravity anomalies, 427a–428a  
 hole correlations, 432a–433a, 434a  
 icebergs, 441a  
 interstitial-water chemistry, 177b, 454a–457a  
 lithofacies, bottom topography and, 562b–563b  
 lithology, 247b, 432a  
 lithostratigraphy, 425b–426b, 620b  
 location, 421a, 423a, 553b, 600b, 654b, 690b, 798b, 1003b  
 magnetic anomalies, 427a–428a  
 magnetic susceptibility, 460a–462a, 466a–469a  
 magnetostratigraphy, 420a–421a, 444a–445a, 459a–460a, 466a  
 marine palynomorph fluctuations, 407b  
 methane/ethane ratios, 459a  
 Miocene dinocyst evolution, 433b  
 organic carbon content, 456a–457a, 460a, 461a, 492a–493a  
 oxygen-isotope data, 456a  
 paleoceanography, Miocene–Pliocene, 431b–433b  
 paleoenvironment, 309b, 446a, 492a–495a  
 boreal species, 408b, 411b  
 Miocene–Pliocene, 431b–433b  
 paleoproduction, isotopic signatures and, 219b  
 physical properties, Quaternary changes, 656b  
 porosity, 470a, 472a–474a, 477a–483a, 492a  
 reflectors, 422a, 424a–426a, 428a  
 R1, 484a–486a  
 R2, 484a–486a, 488a–489a  
 R3, 485a–487a, 488a–489a  
 R4, 485a–487a, 488a–489a  
 R5, 486a, 488a–489a  
 Rock-Eval procedure, 457a–458a  
 salinity, 455a, 457a  
 sediment-accumulation rates, 444a–445a  
 sediment thicknesses, 424a, 426a  
 sedimentation rates, 491a–492a  
 seismic stratigraphy, 422a–423a, 425b–426b  
 shear strength, 466a–467a, 469a, 471a, 472a–474a  
 silica, biogenic, 432a  
 silty clays, 435a, 438a  
 silty muds, 435a  
 Site 112 similarities, 442a–444a  
 Site 113 similarities, 442a–444a  
 stable isotope composition, 177b  
 stratigraphic summary, 811b–812b  
 synthetic seismogram, 482a–484a  
 texture-composition graph, 441a  
 thermal conductivity, 467a, 471a, 472a–474a, 475a  
 crust age vs., 477a  
 thorium/potassium ratio, 479a  
 Unit I  
 clayey silts, 433a  
 feldspars, 435a  
 lithology summary, 490a–491a  
 quartz, 435a  
 sedimentation rates, 437a  
 silty clays, 433a  
 silty muds, 431a, 433a  
 Unit II  
 clayey silts, 435a–436a  
 feldspars, 435a  
 lithology summary, 491a  
 quartz, 435a  
 silty clays, 431a, 435a–436a  
 velocity, 424a, 471a, 472a–474a, 480a–482a  
 water content, 470a, 472a–474a  
 Labrador Sea: Site 647, 699a–701a, 701a  
 age and lithology with depth, 118b  
 alkalinity, depth profile, 709a, 713a  
 base map, 792b  
 bathymetric map, 677a–678a  
 biogenic opal, 157b  
 bulk chemical analysis, 143b  
 bulk density, 714a, 716a, 719a–722a, 724a  
 carbonate and TOC correlation, 975b  
 cation distribution, 142b  
 chlorinity, depth profile, 709a, 713a  
 chronostratigraphic summary, 945b–948b  
 compressional-wave velocity, 719a  
 deep-water circulation patterns, 677a–678a, 732a–734a  
 geochemistry, 108b–109b, 110b  
 Atlantic red clay associations, 132b, 134b  
 carbon and carbonate, 118b  
 Eocene to Oligocene, 111b  
 inorganic, 118b, 120b–122b  
 major-element aluminum ratios, 133b, 134b  
 major-element oxides, 102b–104b, 118b, 119b, 124b  
 rare-earth elements, 118b, 121b  
 trace elements, 118b, 120b, 122b, 123b, 124b  
 Unit III, 112b–117b  
 geological evolution, Archean–Proterozoic, 873b  
 interstitial-water chemistry, 178b  
 isotopic signatures, 219b  
 lithology, 247b  
 lithostratigraphy, 104b, 139b, 515b–518b, 517b–519b, 707b, 732b–733b  
 location, 102b, 553b, 600b, 619b, 677a, 685a, 798b, 1003b  
 magnetic susceptibility, 713a–714a, depth versus, 717a–718a  
 organic carbon content, 709a, 714a–715a, 730a  
 paleoecology, 275b–276b  
 Oligocene, 333b, 525b  
 outer shelf influence, 524b  
 temperate water mass assemblages, 525b  
 water mass property fluctuations, 524b  
 paleoenvironment, 409b, 515b, 516b  
 petrography, 863b, 866b  
 porosity, 720a–724a  
 Rock-Eval procedure, 206b  
 salinity, depth profile, 709a, 713a  
 sediment-accumulation rates, 708a, 710a–711a, 729a–730a  
 sedimentation rates, Eocene–Oligocene, 676a  
 sediments  
 age and mineralogy, 106b  
 biogenic fraction, 156b  
 lowermost layer, 104b–106b  
 thickness, 681a  
 seismic stratigraphy, 517b–519b

- shear strength, 717a-723a  
 Site 112 similarities, 696a  
 stable isotope composition, 178b  
 stratigraphy, coarse fraction and TOC, 157b  
 thermal conductivity, 719a-722a  
**Unit I**  
 clayey muds, 684a, 686a-687a  
 clayey silts, 684a, 686a-687a  
 lithology summary, 675a-676a, 687a-689a  
 sediment thicknesses, 724a-725a  
 silty clays, 684a, 686a-687a  
**Unit II**  
 lithology summary, 676a, 687a-688a  
 lithostratigraphic diagram, 692a  
 sediment thicknesses, 725a-726a, 728a  
 silty clays, 687a, 689a  
**Unit III**, lithology summary, 676a, 687a-688a  
**Unit IV**  
 claystones, 692a  
 lithology summary, 676a, 687a-688a  
 velocity, 719a-722a  
 water content, 720a-722a  
**Labrador Sea**  
 bathymetry, 6a, 7a, 618b, 892b, 990b  
 bottom current influence, 59b, 75b, 80b  
 bottom topography, 563b  
 clay mineralogy, 72b-73b  
 climatic changes, warming trend, 78b  
 compaction patterns, 788b-790b  
 continental crust, 873b  
 depositional environment, 192b  
 depth-to-basement map, 995b  
 ecological water mass movements, 635b, 640b  
 Eocene-Holocene, paleoproductivity changes, 191b-193b  
 fracture zones, 10a  
 geology, 863b  
 glacial cycles, 16a-18a, 635b-641b  
*Glomospira* facies, 717b-719b  
 interstitial-water chemistry, 171b-182b  
 lithologic units, 13b-14b, 72b-73b  
 lithostratigraphy, 12b-13b, 73b, 565b  
 median diameters, 13b, 14b, 15b  
 Miocene/Pliocene boundary, 13b  
 Pleistocene, 13b  
 Pliocene, 13b  
 location, 6a, 72b, 562b  
 magnetic anomaly map, 9a  
 magnetic lineations, 7a, 10a, 864b  
 modern environment, 186a  
 northern-source deep water, 721b  
 paleogeographic map, 14a  
 Phanerozoic igneous history, 863b  
**Pleistocene**  
 North Atlantic waters in, 621b  
 southerly air masses, 634b  
 polar floras and faunas, 641b  
 seafloor spreading, 6a-7a, 9a  
 sediment accumulation process, 54b-55b, 56b, 58b, 59b  
**sediments**  
 autochthonous vs. allochthonous sources, 78b-79b, 80b  
 detrital origin, 76b-77b  
 end members, 73b-74b  
 fining-upward sequence, 76b  
 structure, 7b, 14b-15b, 62b  
 surface-water circulation, modern, 186b  
 tectonic evolution, 989b-990b, 998b  
**Unit I**, 13b  
 grain-size distribution, 73b-75b  
 Unit II, 13b-14b  
 grain-size distribution, 75b-76b  
 water mass  
 northern advection, 635b, 641b  
 Pleistocene migrations, 636b-637b  
 polar, 639b, 641b  
 spatial continuity, 636b  
 subpolar, 635b-636b, 637b  
**Labrador shelf**  
 burial history, 716b-717b  
 seafloor spreading, 6a  
**Laminations**  
 Baffin Bay, 12b, 18b  
 bottom current influence, 88b  
 detriticarbonate silts, 56b, 61b  
 detriticarbonate silty muds, 40b-41b  
**Labrador Sea**, 20b  
 siliciclastic cross-laminated silts, 58b, 63b  
**Lancaster Sound**, 45b  
**Laurentide Ice Sheet**  
 Cenozoic-Quaternary sequences, 5a  
 Wisconsinian episode, 394b  
**Leif Fracture Zone**, 960b  
 location, 429a  
 subsidence, 487a  
**Limestone clasts**, Baffin Bay, 51b  
**Lipids**, Baffin Bay, 235b  
**Liptinites**, 189b  
**Lupane series**, Baffin Bay, 234b  
  
**Magmatic events**, Labrador and Southwest Greenland, 882b  
**Magnesium**  
 Baffin Bay, 103a-104a, 175b, 179b  
 Labrador Sea: Site 646, 179b, 455a-456a, 457a, 458a  
 Labrador Sea: Site 647, 104b, 175b, 179b, 709a, 713a  
**Magnetic anomalies**  
 Davis Strait and Baffin Bay, 993b  
 Labrador Sea: Site 646, 903b-904b, 908b  
 Labrador Sea: Site 647, 899b, 900b, 901b, 999b  
 Labrador Sea, 989b-991b  
**Magnetic minerals**, 837b-838b, 843b, 846b  
 Labrador Sea: Site 646, 657b  
 particle- and grain-size correlation, 837b-838b  
**Magnetic susceptibility**  
 Baffin Bay, 111a-116a  
 Labrador Sea: Site 646, 460a-462a, 466a-469a  
 Labrador Sea: Site 647, 713a-714a, 717a  
**Magnetism**, Labrador Sea: Site 646, 675b-688b  
**Magnetostratigraphy**, 937b  
 anhysteretic remanence/magnetic susceptibility, Baffin Bay, 837b-838b, 839b, 840b, 841b, 845b  
 back-isothermal remanence (BIRM), 843b-844b  
**Baffin Bay**, 102a, 110a-111a, 843b-844b, 847b, 850b-859b  
 advanced piston cores, 844b  
 AF demagnetization, 584b, 585b  
 canted-antiferromagnetic minerals, 846b  
 carbonate concentration and, downsite variations, 848b  
 downhole variations, 846b, 847b, 849b  
 inclination records, 584b, 586b, 587b, 588b  
 influence of down-slope processes, 849b  
 magnetic susceptibility, downhole variations, 845b  
 microfossil zone correlations, 942b-943b  
 Miocene-Holocene section, 584b-585b  
 pre-glacial sequences, 847b  
 terrigenous sediments, 584b  
 HIRM equation, 844b  
**Labrador Sea**: Site 646, 444a-445a, 459a-460a, 466a  
 AF demagnetization, 585b, 589b  
 inclination record, 590b, 591b  
 microfossil zone correlations, 946b-947b  
 Miocene-Holocene section, 585b-587b  
 Miocene/Pliocene boundary, 587b  
 offset in sub-bottom depth, 585b-586b  
 Pliocene/Pleistocene boundary, 587b  
 reversal boundaries, 592b  
**Labrador Sea**: Site 647, 587b-589b  
 AF demagnetization, 588b, 589b, 592b, 594b  
 Eocene/Oligocene boundary, 589b  
 inclination record, 592b, 595b  
 microfossil zone correlations, 589b, 950b-951b  
 Pliocene/Pleistocene boundary, 589b  
 reversal boundaries, 598b  
 low-field magnetic susceptibility, 843b  
 magnetic susceptibility, Labrador Sea:  
 Site 646, 656b, 660b  
 nomenclature, 584b  
 polarity reversals, 589b, 591b  
 saturation isothermal remanence (SIRM), 843b  
**Manganese**, Labrador Sea: Site 647, 103b, 145b  
**Manganosiderite**  
 cement formation, 147b-148b  
 Labrador Sea: Site 647, 140b-141b, 150b  
**Meltwater events**, Baffin Bay, 568b, 602b, 614b  
 Messinian Salinity Crisis, 423b-424b  
**Metamorphic rock fragments**, Baffin Bay, 46b  
**Metasedimentary rock fragments**, Baffin Bay, 52b  
**Mica plates**, Baffin Bay, 12b  
**Middle America Trench**, 131a  
**Milankovitch cycles**  
 Baffin Bay, 771b  
 detection with downhole logs, 757b-758b  
 difficulties in analysis, 762b-763b  
 Labrador Sea: Site 646, 760b, 771b  
 sedimentary response, 757b  
**Mineralogy**  
 Baffin Bay, stratigraphic summary, 85b  
 Labrador Sea: Site 646, 816b, 817b, 833b  
 abundance variations, 821b, 822b  
 inversion, 767b  
 lower intervals, 769b  
 matrix inversion determination, 814b, 815b  
 upper intervals, 768b  
 Labrador Sea: Site 647, bulk sediment, 102b, 105b  
**Labrador Sea**, 77b  
 bulk sediment, 76b  
 fluctuations (680 mbsf to top), 80b  
 major event (680 mbsf), 77b-79b  
 NSOW influence, 80b  
 smectite/illite vs. feldspar/quartz, 80b  
 X-ray diffractometry, 78b  
 microchemical analyses and structural composition, 87b  
*See also Clay mineralogy*  
 Minna Fracture Zone, 429a

## SUBJECT INDEX

- Miocene global event, Labrador Sea, 982b  
 Miocene/Pliocene boundary, Labrador Sea, 432b  
 Mississippi Delta, sediment microstructure, 805b, 807b  
 Modern Mantle Trend  
   Davis Strait, 880b  
   Labrador Sea: Site 647, 870b, 872b  
 Moroccan Rif Zone, 717b  
 Mudstone clasts, Baffin Bay, 38b, 40b, 52b
- NAMOC. *See* North Atlantic Mid-Ocean Channel
- Nares Abyssal Plain, sediment underconsolidation, 793b
- Niger River, stable isotope analysis, 209a
- Nitrogen isotopes  
   Baffin Bay  
     low-resolution composite, 210b-212b  
     Miocene-Pleistocene variation, 217b  
     organic matter, 605b  
     terrigenous influxes, 217b  
   fractionation, 210b  
   high-resolution studies, 217b  
 Labrador Sea: Site 646  
   high-resolution composite, 217b-219b, 220b  
   low-resolution composite, 213b-214b, 217b  
 Labrador Sea: Site 647, low-resolution composite, 214b-216b, 217b  
   terrigenous vs. marine influxes, 210b
- Nitrogen, organic  
   Labrador Sea: Site 646  
     high-resolution composite, 218b-219b, 220b  
     low-resolution composite, 212b, 213b  
 Labrador Sea: Site 647, low-resolution composite, 215b
- Nitrogen, total  
   Baffin Bay, 611b  
   Labrador Sea: Site 646, 666b-674b  
   Labrador Sea: Site 647, 214b
- Norlupane, Baffin Bay, 241b
- North America, Greenland separation, 6a
- North Atlantic Deep Water  
   current activity, 957b
- North Atlantic Drift  
   Labrador Sea penetration, 409b
- North Atlantic Mid-Ocean Canyon, 620b
- North Atlantic Mid-Ocean Channel (NAMOC)  
   activity, Gloria Drift, 58b, 59b  
   activity, Labrador Sea, 59b  
   Baffin Bay associations, 58b  
   comparison with Site 645, 11b, 15b-16b  
   echo profiles, 562b  
   inactive status, 54b  
   lithology, 54b  
   turbidites, 797b, 893b
- North Atlantic Mid-Oceanic Current, turbidite deposition, Labrador Sea, 985b-986b
- North Atlantic Model, 16a-17a
- North Sea Basin, clay mineral composition, 104a
- Northwest Atlantic Mid-Ocean Canyon  
   bathymetric map, 443a  
   location, 677a  
   turbidite sequences, 12a, 438a-439a, 491a, 732a-733a
- Norwegian Sea Deep Water, 744b
- Norwegian Sea Overflow Water, 12b, 420a  
 Faeroe-Shetland Ridge, 423a-424a
- geophysical effects, Labrador Sea, 891b  
   influence on Leg 105 mineralogy, 80b
- Norwegian-Greenland Sea  
   deep-water circulation patterns, Eocene-Oligocene, 15a  
   fracture zone map, 10a  
   glaciation dating, 426a  
   ice rafting dating, 145a  
   magnetic lineation map, 10a  
   surface-water cooling, 496a
- Olduvai Subchron  
   Baffin Bay, 111a  
   Labrador Sea: Site 647, 709a, 712a, 716a
- Oleanenes, Baffin Bay, 233b, 238b
- Olivine  
   Baffin Bay, 41b  
   Labrador Sea: Site 647, fractionation, 867b
- Ooze, carbonate, Norwegian Sea, 89a
- Ooze, clayey  
   Labrador Sea: Site 647  
     Eocene-Oligocene, 729a-730a  
     Unit III, 676a, 690a
- Ooze, clayey nanofossil  
   Labrador Sea: Site 646, Unit II, 435a
- Ooze, nanofossil  
   Labrador Sea: Site 646, 491a  
   Labrador Sea: Site 647, 693a, 727a, 731a
- Ooze, siliceous  
   Labrador Sea: Site 647, 727a, 731a
- Opal, Labrador Sea: Site 647, 728a-730a  
   *See also* Silica, opaline
- Orbital parameters, Labrador Sea: Site 646, 772b
- Oxygen  
   Baffin Bay, 111a  
   Labrador Sea: Site 647, 125b
- Oxygen isotopes  
   Baffin Bay, 602b, 608b-610b  
     carbon isotope correlation, 611b  
     meltwater peaks, 602b  
     Pleistocene stratigraphy, 610b  
     profiles, 604b, 609b  
     stage 2, 604b  
     stage 3, 605b, 608b  
     stage 3/stage 2 transition, 605b  
     stage 4, 609b  
     surface-water masses, 602b  
   gradient variations, 180b-181b  
 Labrador Sea: Site 646, 697b-703b  
   depth of events, 655b  
   dinoflagellate cyst concentration and, 630b-631b  
   palynomorphs concentration and, 628b-629b, 632b-633b  
   planktonic foraminiferal data, 623b-624b, 625b-626b, 627b, 636b  
   Pleistocene sediments, 619b  
   SPECMAP comparison, 656b  
 Labrador Sea: Site 647, 122b, 130b, 634b  
   Eocene-Oligocene, 124b-125b  
   for *N. pachyderma*, 704b  
   planktonic foraminiferal data, 636b-637b  
 Labrador Sea, with faunal changes, 635b
- orbital frequencies, 657b
- P* waves, Baffin Bay, 126a-129a
- Pacific Ocean, Equatorial  
   compaction patterns, 787b
- Eocene pelagic sequences, isotopic values, 125b
- Paleoceanography
- Eocene, increased paleoproductivity, 717b-718b  
   old bottom-water model, 710b, 742b
- Paleocene/Eocene boundary, carbon isotope ratios, 719b
- Paleomagnetism  
   Baffin Bay, 107a, 110a  
   Labrador Sea: Site 646, 459a-462a, 466a, 491a  
   Labrador Sea: Site 647, 709a, 712a-714a, 716a
- Paleoproductivity  
   Baffin Bay  
     Eocene to Holocene changes, 191b-193b  
     from marine organic-carbon contents, 207b  
     increased clay content and, 193b  
     surface-water, 193b  
   for different time intervals, 208b  
   formula for determining, 186b-187b  
   Labrador Sea  
     Eocene to Holocene changes, 191b-193b  
     increased clay content and, 193b  
     surface-water, 193b  
     sedimentation rate and, 217b
- Panama Basin  
   manganese carbonates, 148a
- Pedernales River, stable isotope analysis, 209a
- Permeability  
   Labrador Sea: Sites 646 and 647, 793b  
   porosity and, 788b
- Phosphate enrichments, Labrador Sea: Site 647, 132b
- Plagioclase, Baffin Bay, 79a
- Porosity  
   Baffin Bay  
     calcium carbonate abundance and, 767b  
     cyclicity, bottom current influence, 766b-767b  
     porosity-depth profile, 783b  
     shallow sediments, 789b  
     vs. effective overburden, 785b  
   comparison with reference section, 788b-790b  
   diagenetic factors, 788b  
   effective overburden pressure, 785b  
   estimated sample rebound, 784b-786b  
   for terrigenous sediments, 785b-786b  
 Labrador Sea: Site 646  
   baseline shift, 770b  
   biogenous component and, 770b  
   calcium carbonate percentage and porosity log, 767b  
   changes in velocity with, 826b  
   cyclicity, bottom current influence, 768b-769b, 770b  
   depth with, 813b  
   determination from resistivity log, 833b  
   effect of siliceous microfossils on, 768b-770b  
   fluctuations, upper interval, 770b  
   grain-size variation and, 767b  
   greatest variation, 833b  
   increase and mineralogy change, 760b  
   porosity-depth profile, 783b, 784b, 786b  
   pycnometer measurements, 812b  
   rebound correction, 812b  
   relation to clay content, 767b-768b, 770b  
   resistivity of formation water, 812b

- sedimentation rate and, 760b  
sonic log estimation, 786b  
vs. effective overburden, 785b
- Labrador Sea: Site 647  
decrease with overburden pressure, 787b, 788b  
porosity-depth profile, 783b-784b  
vs. effective overburden, 786b  
lower intervals, 789b  
near-seafloor variability, 783b  
Norwegian Sea: Site 345  
decrease with overburden pressure, 787b-788b  
porosity-effective overburden profile, 788b  
permeability and, 788b  
porosity-depth profile, 782b-784b, 789b  
best-fit exponential lines, 785b  
porosity-effective overburden profile, 787b  
best-fit exponential lines, 785b  
porosity-grain size relationship, 788b  
reduction of with depth, 780b  
sediment age relationships, 786b-787b  
Tertiary reference sections, porosity-depth profile, 789b  
velocity and, for high-porosity sediments, 833b  
*See also* Sediment compaction
- Potassium-argon dating, Labrador Sea  
basalts, 885b-886b, 1002b
- Pyrite, 113a-114a, 180b
- Quartz  
Baffin Bay, 21b-28b, 77a  
glacial features, 27b, 28b  
percentages, 78a-79a  
sediment sources, 22b, 26b  
shape distribution, 645b  
surface texture, 25b-27b  
geological history, reconstruction methods, 21b  
Labrador Sea: Site 646, 435a, 491a, 816b, 818b  
Labrador Sea: Site 647, 694a, 695a-696a, 728a  
microstructure, 25b-28b, 30b  
morphology, 21b-28b  
recycled, 40b, 51b  
surface texture, 21b-28b, 30b  
Quartzarenite, Baffin Bay, 38b, 44b, 45b, 51b, 56b  
Quartzose sandstone clasts, Baffin Bay, 52b
- Rare earth elements, Labrador Sea: Site 647, 878b
- Reflectors  
Baffin Bay, 90b, 92a  
ages, 141a-142a  
depth to, 136a  
fault disruptions, 67a  
location, 146a-147a, 148a  
R1, 64a, 68a, 131a, 133a-139a  
R2, 64a-65a, 68a, 134a-139a  
R3, 15a, 64a, 134a-139a, 148a-149a  
Eirik Ridge, 422a  
Greenland margin W, R1, 135a, 145a  
Labrador Sea: Site 646  
amount, 422a  
depth, 487a  
location map, 425a  
R3/R4, 422a-423a, 424a-425a, 495a-496a  
seismic stratigraphy, 484a-487a  
thicknesses, 422a
- velocity, 487a  
Labrador Sea: Site 647, 676a  
basement, 728a  
compressional-wave velocity, 719a  
depth, 680a-681a  
location, 680-684a, 731a-733a  
R2, 724a-725a  
R3/R4, 681a, 725a-726a, 728a  
*See also* specific locations
- Réunion Subchron  
Labrador Sea: Site 647, 712a, 716a
- Rhodochrosite, Labrador Sea: Site 647, 140b, 147b, 150b
- Rock-Eval pyrolysis, 189b, 200b  
Baffin Bay, 106a
- Rockall Plateau  
basalt, 1002a-1003a  
Eocene unconformity, 522a
- Sand  
Baffin Bay  
carbonate clasts, 38b  
coarse fraction, 10b  
grain-size analysis, 10b  
gravel-bearing units, 38b, 40b  
heavy fraction, 41b, 42b  
laminated detriticarbonate silty muds, 40b-41b  
light fraction, 38b, 39b, 40b-41b  
metamorphic sediments, 38b, 45b  
muddy, 41b  
quartz fraction, 38b  
sedimentary rock fragments, 38b  
sharp-based beds, 56b, 57b  
silty clays and muds, 40b  
silty sands, 41b  
volcanic fragments, 38b  
Labrador Sea: Site 646  
color, 440a  
depth locations, 439a  
location, 441a
- Sandstone  
Baffin Bay, Unit III, 88a, 91a  
Santa Barbara Basin, Monterey Formation, 163b  
Sea level, Eocene, 718b  
Sediment accumulation rates  
Baffin Bay, 102a  
dropstones, 67b-68b  
Labrador Sea: Site 647, 708a, 712a  
Eocene-Oligocene, 159b, 161b
- Sediment compaction, 788b  
*See also* Porosity
- Sediment microstructure  
detrital carbonate layer, 805b  
fine-grained, 807b  
Labrador Sea: Site 646  
bioturbation effects, 807b, 808b  
particle alignment, 804b, 808b  
remolding, 805b, 807b  
variations, 800b  
Zone X, 803b  
Zone Y, 804b  
Zone Z, 805b  
zones, 799b  
and lithologic units, 803b  
Labrador Sea: Site 647, 799b-802b, 806b  
overburden stress with, 807b  
preferred orientation with depth, 807b  
underconsolidation effects, 808b
- Sedimentary structures, 15b, 20b  
*See also* Laminations
- Sedimentation rate  
age factors, 786b  
Baffin Bay, 555b
- chemical effects, 171b, 180b  
heat-flow anomalies and, 929b  
increased productivity and, 217b  
Labrador Sea: Site 646  
accumulation rate and, lag difference, 657b  
curve, 953b  
effect on faunal concentration, 620b-621b  
estimates from spectral analysis, 761b-762b, 763b  
glacial/interglacial intervals, 620b  
influence of orbital parameters on, 772b  
magnetic mineral accumulation rate and, 655b-656b  
Pliocene event, 966b  
Labrador Sea: Site 647, 144b, 145b, 954b, 999b  
glacial/interglacial intervals, 634b-635b  
Labrador Sea, with thorium fluctuations, 554b  
Site 112, 949b  
Seismic reflection profiling  
Baffin Bay, 74b, 83b, 904b  
high-resolution, 602b  
lithologic correlation, 89b  
multichannel line 74-51, 995b, 996b  
multichannel seismic line 74-51, 977b, 978b  
R2 unconformity, 982b-983b  
R3 reflector, 997b  
Eirik Ridge, 969b, 983b  
R3/R4 reflectors, 980b  
Gloria Drift, 973b, 974b, 983b  
R2 unconformity, 972b  
Labrador Sea: Site 646, 907b, 966b, 968b  
echo characteristics, 901b  
Eocene-Miocene basement highs, 901b  
multichannel reflection line BGR-2, 967b  
Pliocene, 966b  
R1 unconformity, 900b-901b  
R2 bottom-current changes, 985b  
R2 lithologic changes, 968b  
R2 unconformity, 901b  
R3/R4 hiatus, 983b  
R3/R4 reflector, 970b  
refraction data, 901b, 903b  
relation to log-based interpretations, 770b  
seismic units, 900b-901b  
smooth-to-rough changes, 909b  
stacked profiles, 905b  
synthetic seismogram, 961b-962b  
Labrador Sea: Site 647, 896b, 906b, 972b, 999b, 1001b  
changes in basement topography, 896b, 897b  
closely spaced reflectors, 893b  
data, composite diagram, 895b  
echo characteristics, 898b-899b, 900b  
piercement structures, 896b  
R2 unconformity, 896b  
R3 correlation, Site 112, 980b  
R3 lithologic changes, 896b  
seismic line section, 896b  
Labrador Sea, 960b  
BGR multichannel line 17, 992b  
correlation with clay mineralogy, 72b-73b  
Site 112, 331b-333b, 974b, 980b  
West Greenland margin, multichannel lines BGR-12, BGR-17, and BGR-3, 984b

## SITE INDEX

Seismic resolution profiling  
 Baffin Bay, high-resolution profile, 911b, 912b, 919b-922b  
 Eirik Ridge, 963b-965b  
 Labrador Sea: Site 646  
   multichannel profile BGR-2, 919b  
   ship track correlation, 910b  
   single-channel profile, 915b-919b, 926b  
 Labrador Sea: Site 647, single-channel profile, 912b-915b  
 Seismic stratigraphy  
 Baffin Bay, 975b-976b, 978b-979b  
 Labrador Sea: Site 646, 970b  
   logged and laboratory data, 962b  
   Miocene, 968b, 970b, 980b  
   Pliocene, 965b-966b, 968b  
 Labrador Sea: Site 647  
   Eocene-Oligocene, 974b  
   Miocene, 974b  
   Oligocene-Pliocene, 974b  
   Paleogene-Neogene, 970b, 972b  
   Pliocene-Pleistocene, 971b, 974b  
 Shear strength  
 Labrador Sea: Site 646, 792b  
 Labrador Sea: Site 647, 792b-793b  
 Siderite, Labrador Sea: Site 647, 141b  
 Silica, opaline  
 Labrador Sea: Site 647, 158b  
   accumulation rates, 163b-164b  
   Eocene/Oligocene boundary, 163b-164b  
   organic carbon accumulation and, 164b  
   carbonate-free and bulk samples, 159b  
   coarse fraction of, 159b  
   diagenesis, 160b, 161b-163b  
   distribution and composition, 158b-159b  
   mass accumulation rate, 159b, 161b  
   opal-A and opal-CT, 160b, 162b, 163b, 168b, 169b  
   organism groups, 167b  
   x-ray diffraction analysis, 162b  
 North Atlantic, origins, 163b-164b  
 Silt  
 Baffin Bay, 8b, 41b, 43b  
 Labrador Sea: Site 646  
   siliciclastic cross-laminated, Labrador Sea, 58b, 63b  
*See also* Detriticarbonate silts  
 Silt, clayey  
 Baffin Bay, 9b

Site 81, oxygen and carbon isotopes, 689b  
 Site 94, oxygen and carbon isotopes, 689b  
 Site 102, siderite, 131b  
 Site 104, siderite, 131b  
 Site 112  
   basalt, 1002b  
   biostratigraphy, 948b-949b, 952b  
   calcareous nannofossils, 273b-275b  
   diatoms, 329b-336b  
   drift deposits, 562b  
   hiatuses and lithologic features, 982b  
   location map, 264b, 324b, 936b  
   magnetic anomalies, 971b, 998b  
   oxygen isotope values, 124b  
   Paleogene cores, 716b  
   planktonic foraminifers, 122b  
   seismic reflectors, 331b-333b, 970b, 896b  
 Site 113

Labrador Sea, 56b  
 Siltstone, Baffin Bay, Unit III, 87a  
 Smectite  
   authigenic origins, 180b  
 Baffin Bay  
   diagenesis of trioctahedral, 96b  
   dioctahedral, 92b  
   geochemistry, 95b  
   origins, 96b-97b  
   provenance, 95b  
   smectite/illite ratio, 90b  
 Fe/Al and Ti/Al ratios, 97b  
 formation  
   amorphous, 174b  
   authigenic, 145b-146b, 162b  
 Labrador Sea: Site 647  
   cement, 154b  
   lowermost samples, 105b-106b  
   origins, 104b  
   terrigenous origin, 146b-147b  
 Labrador Sea  
   autochthonous vs. allochthonous, 79b  
   in contourite facies, 80b  
   peak-resolution data, 79b  
 Leg 19, Fe/Al and Ti/Al ratios, 97b  
 low-temperature alteration, 181b  
 nontronites, 104b  
 North Sea, mineral composition, 104b  
 swelling ability, thermal destruction, 105b-106b  
 Sodium oxide, Labrador Sea: Site 647, 103b-104b  
 Sohm Abyssal Plain  
   NAMOC, 54b  
   underconsolidation of sediments, 793b  
 Somerset Island, stratigraphic unconformity, 34a  
 SPECMAP, Labrador Sea: Site 646, 656b  
 Stable isotopes. *See* Isotopes, stable  
 Stress history  
   Labrador Sea: Site 646, 791-795b  
   Labrador Sea: Site 647, 791b-795b  
 Strontium  
   Baffin Island-West Greenland suite, 870b, 1002b  
   Labrador Sea: Site 647, 118b, 870b  
 Subsidence history  
   Baffin Bay, 997b-998b  
   Greenland-Iceland-Faeroe Ridge, 1006b  
 Sulfate, 175b, 179b-180b  
   Baffin Bay, 103a-104a  
   Labrador Sea: Site 646, 456a-458a

## SITE INDEX

location, 563b  
 magnetic anomalies, 971b  
 terrigenous sediment supply, 986b  
 Site 114, carbonate content, 742b  
 Site 119, 709b  
 Site 222, near-surface sediments, 789b  
 Site 297, planktonic foraminifers, 297b-298b  
 Site 338, hiatuses, 327b, 470b, 746b  
 Site 342, Miocene-Pliocene hiatus, 746b  
 Site 343, foraminifers, 744b  
 Site 344, foraminifers, 742b  
 Site 345  
   foraminifers, 712b, 742b  
   sediment compaction, 787b, 788b  
 Site 348  
   foraminifers, 712b, 734b  
   Miocene-Pliocene hiatus, 746b

Site 350, Miocene-Pliocene hiatus, 746b  
 Site 357, carbon-isotopic record, 718b  
 Site 360, 273b  
 Site 362, 273b  
 Site 363, 273b  
 Site 367, 712b  
 Site 369, 328b  
 Site 386, 273b  
 Site 403, basalt, 1002b  
 Site 404, 521b, 524b  
 Site 405, 522b, 524b, 525b  
 Site 406, dinoflagellates, 522b, 525b  
 Site 407, 691b  
 Site 513, 265b, 328b  
 Site 515, sediment microstructure, 807b  
 Site 533, 131b  
 Site 538, 273b  
 Site 548, 249b, 273b, 296b, 471b, 521b

- Site 549, 273b  
 Site 552, 297b, 524b  
   Eocene hiatus, 522b  
   glaciation, 689b  
   stable isotopes, 691b  
 Site 553, Eocene hiatus, 522b  
 Site 555, Miocene, 470b, 471b  
 Site 558, 720b  
 Site 563, 720b  
 Site 574, 325b  
 Site 603, siderite, 131b, 147b  
 Site 606, 689b  
 Site 607, glacial/interglacial cyclicity, 694b  
 Site 608, 744b, 745b  
 Site 609, 745b  
 Site 610, 296b, 432b, 744b  
 Site 611, 296b, 297b, 429b  
   comparison, Site 647, 561b  
   corrosive deep water, 745b  
   Miocene, 431b, 432b  
 Site 638  
   basalts, 863, 866b-867b, 870b-872b  
   tectonic evolution, 872b-873b  
 Site 642, 288b  
   comparisons, Site 646, 434b  
   Denmark Straits Overflow Water, 432b  
   Miocene dinocysts, 431b, 471b  
 Site 643  
   comparisons, Site 646, 434b  
   Miocene, 431b, 470b, 471b  
 Site 645  
   acoustic basement, 140a  
   basalts, 885b-886b  
   bathymetric data, 43a  
   benthic foraminifers, 733b-734b  
   biological-marker hydrocarbons, 233b-238b  
   biostratigraphy, 29a-34a, 92a-102a, 733b-734b  
     *See also Paleontological Index*  
   bottom topography, 563b  
   bulk density anomalies, 775b-779b  
   calcareous nannofossils, 246b  
   calcium carbonate, 36a  
   carbon isotope record, 610b-611b  
   chronostratigraphy, 387b-388b, 941b  
   clay minerals, 45b, 90b-92b  
   compaction patterns, 787b-788b  
   coring summary, 70a-71a  
   depositional environment, 191b  
   detr碳酸盐 silt, 55b-56b  
   diatoms, 305b-309b  
   dinocysts, 473b-475b, 484b-487b  
   downhole logging, 37a-39a, 124a-126a  
   drilling  
     data, 21a, 61a-62a  
     objectives, 5a-6a, 63a-67a, 69a  
     procedures, 22a-25a, 69a-73a  
   dropstones, 66b-67b  
   Eocene-Holocene paleoproductivity, 191b-193b  
   faulting, 140a  
   geochemistry, 92b-94b  
   geology, 33b-34b  
   glaciation, 15a-18a, 144a-145a, 148a  
   grain shape characteristics, 21b-25b  
   grain-size analysis, 7b-8b, 87b-90b  
   gravity anomaly map, 8a  
   hydrocarbon gases, 35a, 104a-105a  
   hydrogen isotopes, 181b-182b  
   inorganic carbon, 106a  
   interstitial-water chemistry, 36a, 103a-104a, 175b  
   kerogen microscopy, 189b  
   lithofacies, 34b-35b, 45b-47b  
   lithostratigraphy, 62a-63a, 74a, 140a-141a, 143a, 731b-732b  
   log data and spectral analysis, 758b-760b  
   magnetic data, 10a, 43a  
   magnetostratigraphy, 584b-585b, 843b-844b, 847b, 849b  
   Milankovitch cycles, 765b-767b  
   organic carbon and nitrogen record, 189b, 611b  
   organic matter, 189b-191b  
   oxygen isotopes, 181b-182b, 602b, 604b-605b, 609b-610b  
   paleoclimatology, 12a-15a, 144a-145a, 148a  
   paleoenvironment, 12a-15a, 144a-145a, 148a  
   paleomagnetism, 34a-35a, 102a-103a, 107a, 109a, 110a-111a  
   palynology, 388b, 611b-613b  
     lithostratigraphy, 387b-388b  
     marine species, 390b-392b  
     reworking, 473b  
     sporomorph assemblages, 485b-486b  
     terrestrial species, 392b-394b  
   penetration rates, 72a  
   physical properties, 37a, 114a-124a  
   planktonic foraminifers, 288b, 612b-614b  
   porosity-depth profile, 783b  
   quartz grains, 25b-27b  
   Rock-Eval procedure, 36a, 106a, 110a, 189b  
   rock-magnetic properties, 837b-838b  
   sand composition, 38b-45b, 56b  
   satellite-navigation fixes, 44a-45a  
   sediment accumulation  
     processes, 53b-54b  
     rates, 102a-103a, 143a-144a, 149a  
   sediment classification, 25a-29a  
   sediment velocities, 126a-129a  
   sedimentary structures, 8b-12b  
   seismic-reflection profiles, 43a, 46a-58a  
   seismic sequences, 904b, 975b-976b, 978b-979b  
   stable isotopes, 210b-212b  
   subsidence, 148a-150a, 467b, 469b-470b  
   sulfate reduction, 180b-181b  
   synthetic seismogram, 129a-131a, 133a  
   tectonic evolution, 6a-11a  
   total organic carbon, 35a-36a, 106a-109a, 187b-188b  
   unit divisions, 77a-87a, 133a-140a  
   uranium and thorium isotopes, 554b-555b  
   x-ray diffraction analysis, 36a-37a
- Site 646  
   acoustic basement, 429a  
   acritarchs, 410b-411b  
   basement depth, 422a  
   bathymetric data, 43a  
   biostratigraphy, 29a-34a, 444a-455a  
     benthic foraminifers, 737b, 739b-740b  
     *See also Paleontological Index*  
   bottom topography, 563b  
   bulk and grain densities, 820b  
   calcareous nannofossils, 246b-255b  
   calcium carbonate, 36a  
   carbonate-bomb data, 463a-464a  
   carbonate isotopes, 690b-691b, 694b  
   chronostratigraphy, 944b-945b  
   compressibility and stress history, 793b  
   coring summary, 431a  
   deep-water circulation, 495a-496a  
   diatoms, 309b  
   dinocysts, 426b, 429b-431b, 453b-460b  
   dinoflagellates, 621b  
   downhole logging, 37a-39a, 469a-471a, 475a-477a  
   drilling  
     data, 21a, 419a  
     objectives, 5a-6a, 420a, 424a-426a  
     procedures, 22a-25a, 420a, 426a-427a, 429a-430a  
   dropstones, 67b-68b  
   echo characteristics, 901b  
   fracture zones, 429a  
   glaciation, 15a-18a, 492a-494a  
   grain size, 13b, 73b-76b  
   gravity anomaly map, 7a  
   heat flow, 908b, 923b-930b  
   hole correlations, 432a-434a  
   hydrocarbon gases, 35a, 456a  
   index property data, 792b-793b  
   interstitial-water chemistry, 36a, 175b, 457a  
   kerogen microscopy, 189b  
   laminated detritic carbonates, 56b-58b  
   lithologic units, 13b-14b, 72b-73b  
   lithostratigraphy, 419a-420a, 425b-426b, 432a, 477a-480a, 490a-491a, 732b  
   log data and spectral analysis, 760b-763b  
   magnetic anomalies, 9a, 903b-904b  
   magnetic data recording, 43a  
   magnetic lineation map, 7a  
   magnetostratigraphy, 585b-587b  
   Milankovitch cycles, 767b-770b  
   mineralogy, 76b-80b, 814b-816b  
   organic carbon/nitrogen ratios, 189b  
   organic matter, 189b-191b  
   oxygen isotopes, 181b-182b, 619b-621b, 655b, 690b-691b, 694b  
   paleoclimatology and paleoceanography, 12a-15a, 423b-425b, 635b-637b, 639b, 641b  
   paleoenvironment, 431b-433b, 446a-447a, 452a-453a, 492a-495a  
   paleomagnetism, 34a-35a, 459a-460a, 466a  
   palynology, 401b-402b, 405b-409b, 425b-426b, 431b, 621b  
   penetration rates, 430a-431a  
   physical properties, 462a, 465a-475a, 656b  
     procedures, 37a  
     seismic units correlated with, 488a  
   planktonic foraminifers, 293b, 295b-297b  
   porosity measurements, 812b-814b  
   porosity-depth profile, 783b  
   radiolarians biostratigraphy, 350b  
   Rock-Eval procedure, 36a, 189b  
   satellite-navigation fixes, 44a-45a  
   sediment accumulation  
     processes, 54b-55b  
     rates, 454a, 491a-492a  
   sediment classification, 25a-29a  
   sediment flux, 655b-658b  
   sediment microstructure, 799b, 800b  
   sediment velocities, 480a-482a  
   sedimentary structures, 14b-15b  
   sedimentation rates, 949b  
   seismic data, 72b-73b, 900b-901b, 902b, 903b  
   seismic-reflection profiles, 43a, 46a-58a  
   seismic sequences, Neogene, 958b, 960b-962b, 965b-968b, 970b  
   silts, 56b-58b  
   sonic log porosity estimation, 786b  
   spectral analyses, 657b  
   stable isotopes, 212b-214b

## PALEONTOLOGICAL INDEX

stratigraphy, 811b-812b  
 sulfate reduction, 180b-181b  
 synthetic seismogram, 482a-484a  
 tectonic evolution, 6a-11a  
 total organic carbon, 35a-36a,  
   187b-188b, 456a-459a, 461a  
 unit divisions, 422a-423a, 433a,  
   435a-444a, 484a-487a  
 uranium and thorium isotopes,  
   552b-554b  
 velocity, 820b, 826b-830b, 833b  
 x-ray diffraction analysis, 36a-37a  
 Site 647  
 acritarchs, 410b-411b  
 authigenic carbonates, 139b-143b, 147b  
 authigenic noncarbonates, 144b-145b  
 basalt, 1000b, 1002b  
 basement age, 734a  
 bathymetric data, 43a  
 benthic foraminifers  
   agglutinated species, 719b-720b  
   biostratigraphy, 708b-710b, 740b-741b  
   comparison, Labrador Margin,  
   715b-716b  
   comparison, regional zonations,  
   710b-716b  
   comparison, Site 112, 712b-714b  
   Eocene paleobiogeography, 710b  
   flysch-type assemblages, 720b-721b  
 biogenic constituents, 143b-144b  
 biostratigraphy, 29a-34a, 515b-517b,  
   519b, 696a-708a  
 sediment-accumulation rates, 712a  
*See also Paleontological Index*  
 bottom circulation, 732a-734a  
 bottom topography, 562b-563b  
 calcareous nannofossils, 255b, 263b-265b  
 calcium carbonate, 36a  
 carbon and carbonate, 118b  
 carbonate-bomb data, 715a, 727a  
 chronostratigraphy, 945b, 947b-948b  
 clay minerals, 102b

compaction patterns, 787b-788b  
 compressibility and stress history, 793b  
 coring summary, 686a  
 deep-water circulation history, 979b-980b,  
   982b-983b, 985b-987b  
 diatoms, 328b-329b, 333b-336b  
 dinocysts, 520b-524b, 635b  
 downhole logging, 37a-39a, 719a,  
   723a-724a  
 drilling  
   data, 21a, 675a  
   objectives, 5a-6a, 682a  
   procedures, 22a-25a, 676a-677a  
 dropstones, 67b-68b  
 echo characteristics, 898b-899b  
 Eocene-Oligocene climatic deterioration,  
   15a  
 geochemistry, 102b-104b  
 glaciation, 15a-18a, 729a  
 grain-size analysis, 101b-102b  
 gravity anomaly map, 7a  
 heat flow, 900b  
 hydrocarbon gases, 35a, 709a  
 index property data, 792b-793b  
 inorganic geochemistry, 118b-122b  
 interstitial-water chemistry, 36a, 175b,  
   179b, 713a  
 iron and manganese accumulation, 145b  
 kerogen microscopy, 189b  
 lithology, 156b-158b  
 lithostratigraphy, 517b-519b, 675a-676a,  
   687a, 728a-729a, 732b-733b  
 magnetic data recording, 43a  
 magnetic maps, 7a, 9a  
 magnetics and gravity, 899b, 900b  
 magnetostratigraphy, 587b-589b  
 manganese siderite and cement formation,  
   147b-148b  
 mass accumulation rates, 159b-161b  
 Miocene-Pliocene hiatus, 746b  
 opaline silica, 158b-159b, 161b-164b  
 organic carbon/nitrogen ratios, 189b  
 organic matter, 189b-191b  
 oxygen isotopes, 181b-182b, 634b, 694b  
 paleoceanography, 12a-15a, 635b-637b,  
   641b  
 paleoclimatology, 12a-15a, 635b-637b,  
   641b  
 paleoenvironment, 699a-700a, 701a,  
   729a-730a, 732a  
 paleomagnetism, 34a-35a, 709a,  
   712a-714a, 716a  
 palynology, 409b-410b, 635b  
 physical properties, 37a, 714a, 716a-719a,  
   720a-723a  
 planktonic foraminifers, 634b-635b  
 porosity-depth profile, 783b-784b  
 precipitation, 131b-134b  
 radiolarians biostratigraphy, 350b-352b  
 Rock-Eval procedure, 36a, 189b  
 satellite-navigation fixes, 44a-45a  
 sediment-accumulation rates, 708a,  
   710a-711a, 729a  
 sediment classification, 25a-29a  
 sediment microstructure, 798b-800b  
 sedimentation rates, 949b  
 seismic data, 893b, 896b  
 seismic-reflection profiles, 43a, 46a-58a  
 seismic sequences, 970b, 972b,  
   974b-975b  
 seismic stratigraphy, 517b-519b  
 silts, 58b  
 smectite, 145b-147b  
 stable isotopes, 122b-130b, 214b-217b  
 sulfate reduction, 180b-181b  
 tectonic evolution, 6a-11a, 999b-1000b  
 total organic carbon, 35a-36a,  
   187b-188b, 709a, 715a, 727a, 730a  
 unit divisions, 686a-687a, 684a  
   689a-696a, 724a-726a, 728a  
 uranium and thorium isotopes,  
   552b-554b  
 x-ray diffraction, 36a-37a, 122b  
 Site 648, compaction patterns, 787b-788b

## PALEONTOLOGICAL INDEX

*Abies*, Baffin Bay: Site 645, 393b  
*Achomosphaera andalousiensis*, 412b, 434b,  
   470b-471b  
 Labrador Sea: Site 646, 419b, 429b, 449b  
*Achomosphaera ramulifera*, Labrador Sea:  
   Site 646, 419b  
 Acritarchs, 407b, 441b, 496b  
   Baffin Bay: Site 645, 392b, 507b  
   Labrador Sea: Site 646, 445b, 451b  
   Labrador Sea: Site 647, 543b, 547b  
*Actinocyclus ellipticus*, Labrador Sea: Site  
   646, 320b  
*Actinocyclus oculatus*, Labrador Sea: Site  
   646, 320b  
*Actinocyclus tenellus*, Labrador Sea: Site  
   646, 320b  
*Actinomma* sp., Labrador Sea: Site 647,  
   366b, 379b  
*Actinoptychus senarius*  
   Labrador Sea: Site 646, 320b  
   Labrador Sea: Site 647, 344b  
*Actinotyphlus thunii*, 339b  
*Adercotrema glomerata*, Labrador Sea: Site  
   646, 755b  
*Adnatosphaeridium robustum*, 526b-527b  
 Labrador Sea: Site 647, 520b, 550b, 706a  
 Rockall Plateau, 520b  
*Aerosphaeridium diktyopllokus*, Labrador  
 Sea: Site 647, 522b

Agglutinated foraminifers  
 Labrador Sea: Site 646, 445a  
 Labrador Sea: Site 647, 698a  
*Alisocysta ornata*, Labrador Sea: Site 647,  
   543b  
*Alisocysta* sp., 527b  
   Labrador Sea: Site 647, 543b  
*Amaurolithus primus*, Labrador Sea: Site  
   646, 249b, 261b  
*Amaurolithus tricorniculatus* Zone,  
   Labrador Sea: Site 646, 249b  
*Ammobaculites polythalamus*, Labrador  
 Sea: Site 647, 728b  
*Ammobaculites* sp., Labrador Sea: Site 646,  
   755b  
*Ammodiscus cretaceous*, Labrador Sea: Site  
   647, 726b  
*Ammodiscus incertus*, Labrador Sea: Site  
   646, 755b  
*Ammodiscus latus*  
   Labrador Margin, 715b  
   Labrador Sea: Site 647, 709b-710b, 712b,  
   726b  
*Ammodiscus nagyi* n. sp., 723b-724b  
   Labrador Sea: Site 647, 713b, 719b, 726b  
*Ammodiscus rogozus*, Labrador Sea: Site  
   647, 712b  
*Ammodiscus* sp.  
   Baffin Bay: Site 645, 753b

Labrador Sea: Site 646, 755b  
*Ammolagena clavata*, Labrador Sea: Site  
   647, 725b  
*Ammomarginulina* sp., Labrador Sea: Site  
   646, 755b  
*Ammosphaeroidina* sp.  
   Labrador Sea: Site 646, 756b  
   Labrador Sea: Site 647, 729b  
*Ammovortella* sp., Labrador Sea: Site 647,  
   727b  
*Amphitholus* sp., Labrador Sea: Site 647,  
   367b, 380b  
*Anomalacantha dentata*, Labrador Sea: Site  
   647, 366b  
*Antarctissa robusta*, Labrador Sea: Site 647,  
   358b, 373b  
*Apectodinium augustum*, Baffin Bay: Site  
   645, 473b  
*Apteodinium* sp., 487b  
   Baffin Bay: Site 645, 514b  
*Apteodinium spiridoides*, 487b  
   Baffin Bay: Site 645, 511b  
*Aquilapollenites*, Labrador Sea: Site 646,  
   745b  
*Arachnoidiscus* group, 339b  
*Arachnosphera* sp., Labrador Sea: Site  
   647, 366b, 380b  
*Aragonia* spp., Labrador Sea: Site 647,  
   709b

- Arenobulimina* sp., Labrador Sea: Site 647, 730b  
*Areosphaeridium arcuatum*, 527b  
*Areosphaeridium diktyoplakus*, 527b  
 Labrador Sea: Site 647, 522b, 550b  
*Areosphaeridium pectiniforme*, 527b-528b  
*Artostrobus quadriporus*, Labrador Sea: Site 647, 362b, 377b  
*Aschemonella* sp., Labrador Sea: Site 647, 725b  
*Asterolampra insignis* Zone, 326b  
*Asterolampra punctifera*, 339b-340b  
*Asterolampra schmidtii*  
 Labrador Sea: Site 647, 328b-329b, 346b  
 Site 112, 329b  
*Asterolampra symmetricus*, 340b  
*Asteromphalus oligocenicus*, 340b  
*Asteromphalus robustus*, Labrador Sea: Site 646, 321b  
*Asteromphalus* sp., 340b  
*Ataxidinium choanum*, Labrador Sea: Site 646, 422b  
*Azpeitia oligocenica*, 340b  
 Labrador Sea: Site 647, 345b  
*Azpeitia tuberculata atlantica*, Labrador Sea: Site 647, 345b  
*Azpeitia voluta*, Labrador Sea: Site 647, 345b  
*Bathysiphon* sp., 723b  
 Baffin Bay: Site 645, 753b  
 Labrador Sea: Site 646, 754b  
 Labrador Sea: Site 647, 725b  
*Batiacasphaera*, 394b  
*Batiacasphaera baculata*, Baffin Bay: Site 645, 473b, 511b  
*Batiacasphaera gemmata* n. sp., 488b  
 Baffin Bay: Site 645, 511b  
*Batiacasphaera hirsuta*, Labrador Sea: Site 647, 543b  
*Batiacasphaera micropapillata*, 488b, 543b  
 Baffin Bay: Site 645, 511b  
*Batiacasphaera* sp., 487b-489b  
 Baffin Bay: Site 645, 511b  
 Labrador Sea: Site 647, 543b  
*Batiacasphaera sphaerica*, 412b-413b, 488b  
 Baffin Bay: Site 645, 511b  
 Labrador Sea: Site 646, 420b  
*Batiacasphaera/Cerebrocysta* group, 434b  
 Labrador Sea: Site 646, 445b  
 Beaufort Sea, Miocene dinocyst, 431b, 471b  
 Benthic foraminifers  
 Baffin Bay: Site 645, 93a, 96a, 486b, 564b, 566b  
 abundances, 735b, 736b  
 agglutinated species, 486b, 734b  
 assemblages, 739b, 744b  
 biostratigraphy, 733b-734b, 737b  
 calcareous species, 734b  
 depths of recovery, 94a-95a  
*Stetsonia* assemblage, 744b  
 Baffin Bay, zonation, 30a-32a, 33a  
 Eirik Ridge, 745b  
 finely agglutinated tests, 734b, 743b  
 flysch-type assemblages, zonal comparisons, 715b  
 Grand Banks, 710b  
 Labrador Margin, 710b, 716b, 718b  
 Labrador Sea: Site 646, 565b, 749b-752b  
 abundances, 737b  
 accumulation rates, 740b  
 agglutinated assemblages, 741b-744b, 745b, 983b  
 biostratigraphy, 737b, 739b-740b  
 depths of recovery, 445a, 449a-450a  
 drift sequence, 739b  
 occurrences, 741b  
 Labrador Sea: Site 647, 143b, 567b, 700a  
 abundances, 710b, 711b, 738b  
 agglutinated calcareous species, 709b, 712b, 713b  
 assemblages, 708b-710b, 719b-721b, 744b  
 biochronology, 707b, 708b  
 biostratigraphy, 708b-710b, 740b-741b  
 carbon isotopes, 125b  
 carbonate overgrowths, 124b  
 carbonate precipitation, 126b  
 comparison with regional zonations, 710b-716b  
 correlations, 712b-717b  
 depths of recovery, 698a, 704a-705a  
 diagenesis, 130b  
 hiatuses, 708b, 733b  
 stable isotope analysis, 127b, 128b, 129b  
 Labrador Sea  
 assemblages, 571b, 742b  
 occurrences, 568b, 572b-580b  
 paleoecology, 741b-746b  
 zonation, 30a-32a, 33a  
 Labrador shelf, 716b-721b  
 Leg 105, 744b, 940b  
 North Atlantic, 710b, 714b, 743-744b  
 RASC biozones, 711b  
 Texaco Blue H-28 well, 741b-743b  
*Betula* sp., Baffin Bay: Site 645, 503b  
*Bigenerina* sp., Labrador Sea: Site 647, 730b  
*Birkelundia arenosa*, Labrador Sea: Site 647, 282b  
*Birkelundia staurion*, Labrador Sea: Site 647, 282b  
*Bitectatodinium tepikiense*, 413b  
 Labrador Sea: Site 646, 421b  
*Bogorovia veniamini* Zone, 325b  
*Bolboforma*  
 Labrador Sea: Site 646, 382b, 385b  
 Leg 105, 381b-382b  
 North Atlantic, 381b-384b  
*Bolboforma aculeata*, North Atlantic, 381b  
*Bolboforma costata*, North Atlantic, 381b  
*Bolboforma irregularis*, Labrador Sea: Site 647, 385b  
*Bolboforma metzmacheri*  
 Baffin Bay: Site 645, 96a, 99a, 381b-382b, 484b, 734b, 941b  
 Labrador Sea: Site 646, 385b  
*Botryostrobos joides*, Labrador Sea: Site 647, 361b, 376b  
*Braarudosphaera bigelowii*, Labrador Sea: Site 646, 262b  
*Brigantedinium simplex*, 395b, 413b  
 Baffin Bay: Site 645, 98a  
 Labrador Sea: Site 646, 422b, 621b  
*Brigantedinium* sp., 434b  
 Baffin Bay: Site 645, 509b  
*Brightwellia spiralis* Zone, 326b  
 Calcareous nannofossils  
 Baffin Bay: Site 645, 486b  
 biostratigraphy, 246b, 273b  
 depths of recovery, 94a-95a  
 paleoenvironment, 93a  
 zonation, 32a-33a, 246b  
 dinoflagellate correlation, 521b-524b  
 Eocene, 273b, 521b-523b  
 Equatorial Atlantic, Oligocene zonation, 335b  
 Equatorial Pacific, Oligocene zonation, 335b  
 Labrador Sea: Site 646, 447a-448a  
 biostratigraphy, 246b-247b, 249b, 255b  
 depths of recovery, 445a, 449a-450a  
 distribution, 248b, 250b-254b  
 reworked species, 249b  
 stable-isotope correlation, 258b  
 Labrador Sea: Site 647, 274b, 701a-702a  
 assemblages, 275b-276b  
 biostratigraphy, 263b-265b  
 correlation with diatom zonation, 328b-329b  
 correlation with Site 112, 273b-275b  
 deep-water species, 275b  
 depths of recovery, 698a, 704a-705a  
 distribution, 256b, 266b-269b, 270b-272b, 274b-275b  
 Eocene unconformity, 265b  
 neritic species, 275b-276b  
 paleoecology, 275b-276b  
 reworked species, 264b  
 species abundance, 279b  
 stable-isotope correlation, 258b  
 zonation, 255b  
 Labrador Sea  
 glacial/interglacial intervals, 255b, 257b  
 zonation, 30a-32a, 335b  
 Leg 105, 245b-246b  
 biostratigraphy, 937b  
 zonation, 937b, 938b, 940b  
 Neogene subpolar species, 247b  
 Site 112  
 biostratigraphy, 952b  
 distribution, 280b-281b  
 South Atlantic, Oligocene zonation, 3351  
 Zones NN5 to NN15, Baffin Bay: Site 645, 246b  
*Calcidiscus macintyrei*  
 Baffin Bay: Site 645, extinction, 246b  
 Labrador Sea: Site 646, 262b  
*Calocyclus semipolita*, Labrador Sea: Site 647, 362b, 377b  
*Calocyclus* sp., Labrador Sea: Site 647, 361b, 375b  
*Calocyctella* sp., Labrador Sea: Site 647, 361b, 376b  
 Cannabotryidae, Labrador Sea: Site 647, 361b, 376b  
*Cannospaeropsis* sp., 488b  
 Baffin Bay: Site 645, 506b  
*Capillicycta gloriana* n. sp., 453b  
 Labrador Sea: Site 646, 466b  
*Caraspedodiscus* sp., 341b  
*Catapsydrax dissimilis*, Labrador Sea: Site 647, 699a  
*Catapsydrax unicavus*, 122b  
 Labrador Sea: Site 647, 302b  
*Cenosphaera mariae*, Labrador Sea: Site 647, 365b, 379b  
*Cenosphaera oceanica*, Labrador Sea: Site 647, 365b, 379b  
*Cenosphaera* sp., Labrador Sea: Site 647, 365b, 379b  
*Cepekiella lumina*, Labrador Sea: Site 647, 282b  
*Ceratiopsis* sp., Labrador Sea: Site 647, 549b  
*Ceratocyrtis mashae*, Labrador Sea: Site 647, 357b-358b, 374b  
*Ceratolithus acutus*, Labrador Sea: Site 646, 249b, 447a  
*Ceratolithus cristatus*, Labrador Sea: Site 646, 261b  
*Cerebrocysta namocensis* n. sp., 453b-454b

## PALEONTOLOGICAL INDEX

Labrador Sea: Site 646, 464b  
*Cerebrocysta* sp., 488b  
 Baffin Bay: Site 645, 514b  
*Cestodiscus antarctica* Zone, 326b-327b  
*Cestodiscus pulchellus*, 340b  
 Labrador Sea: Site 647, 345b  
*Cestodiscus reticulatus*, 340b  
 Labrador Sea: Site 647, 702a  
*Cestodiscus reticulatus* Zone, 324b-325b  
 Labrador Sea: Site 647, 328b, 329b  
*Cestodiscus reticulatus-Rocella vigilans* interval, Site 112, 329b  
*Cestodiscus robustus*, 340b  
 Labrador Sea: Site 647, 344b  
*Cestodiscus* sp., 340b-341b  
 Labrador Sea: Site 647, 344b, 345b, 347b  
*Chaetoceros diadema*, Labrador Sea: Site 646, 320b  
 Chenopodiaceae/Amaranthaceae sp., Baffin Bay: Site 645, 503b  
*Chiasmolithus altus*, Labrador Sea: Site 647, 284b  
*Chiasmolithus gigas*, Labrador Sea: Site 647, 282b  
*Chiasmolithus nitidus*, Labrador Sea: Site 647, 282b  
*Chiasmolithus oamaruensis*, Labrador Sea: Site 647, 265b, 273b, 284b  
*Chiasmolithus solitus*, 273b  
 Labrador Sea: Site 647, 282b  
*Chiasmolithus titus*, Labrador Sea: Site 647, 282b  
*Chiphragmalithus armatus*, Labrador Sea: Site 647, 286b  
*Chiropteridium lobospinosum*, 528b  
 Labrador Sea: Site 647, 542b  
*Chiropteridium mespilanum*, Labrador Sea: Site 647, 542b  
*Chiropteridium* sp., North Atlantic, 473b-474b  
*Chytroeisphaeridia* sp., Labrador Sea: Site 647, 543b  
*Cibicidoides*, 124b  
*Cibicidoides subspiratus*, Labrador Sea: Site 647, 709b  
*Clavulinoides* sp., Labrador Sea: Site 647, 730b  
*Coccilithus pelagicus*, Baffin Bay: Site 645, 92a-93a  
 Labrador Sea, 255b, 257b, 258b  
*Colliosaera* sp., Labrador Sea: Site 647, 365b-366b, 379b  
*Cordosphaeridium callosum*, Labrador Sea: Site 647, 544b  
*Cordosphaeridium cantharellum*, 488b  
 Labrador Sea: Site 647, 550b  
*Cordosphaeridium funiculatum*, 528b  
 Labrador Sea: Site 647, 545b  
*Cordosphaeridium gracile*, Labrador Sea: Site 647, 550b  
*Cordosphaeridium inodes*, Labrador Sea: Site 647, 550b  
*Cordosphaeridium minimum*, 488b-489b  
 Baffin Bay: Site 645, 484b, 508b  
 Labrador Sea: Site 647, 548b  
*Cordosphaeridium* sp., 395b  
 Baffin Bay: Site 645, 398b  
*Cornutella* sp., Labrador Sea: Site 647, 362b, 376b  
*Corrudinium harlandii*, 413b  
*Corrudinium incompositum*, 528b-529b  
 Labrador Sea: Site 647, 523b, 540b  
*Corrudinium labradori* n. sp., 456b  
 Labrador Sea: Site 646, 464b  
*Corrudinium* sp., 395b, 413b, 529b

Labrador Sea: Site 646, 420b  
 Labrador Sea: Site 647, 540b  
*Corythospyris* sp., Labrador Sea: Site 647, 355b, 373b  
*Coscinodiscus argus*, Labrador Sea: Site 647, 345b  
*Coscinodiscus excavatus*, Labrador Sea: Site 647, 324b, 328b-329b  
*Coscinodiscus lewisiensis*, Labrador Sea: Site 647, 329b, 344b  
*Coscinodiscus marginatus*  
 Labrador Sea: Site 646, 320b  
 Labrador Sea: Site 647, 345b  
*Coscinodiscus obscurus*, Labrador Sea: Site 647, 346b  
*Coscinodiscus praenitidus* Zone, Norwegian-Greenland Sea, 327b-328b  
*Coscinodiscus* sp., 341b  
 Labrador Sea: Site 647, 345b  
*Coscinodiscus superbus* Zone, 326b  
*Cosmiodiscus insignis*, Labrador Sea: Site 646, 309b  
*Craspedodiscus* sp., Labrador Sea: Site 647, 344b  
*Craterolithus hoerstgensis*  
 Labrador Sea: Site 647, 273b, 284b  
 Site 112, 274b  
*Cribroperidinium tenuitabulatum*, 489b  
 Baffin Bay: Site 645, 512b  
*Cribrostomoides* sp., Labrador Sea: Site 647, 728b  
*Cristadinium cristatoserratum*, 489b  
 Baffin Bay: Site 645, 509b  
*Cristadinium cristatoserratum* n. gen. n. sp., 456b  
 Labrador Sea: Site 646, 462b  
*Cristadinium diminutivum* n. gen. n. sp., 435b, 456b-457b  
 Labrador Sea: Site 646, 462b, 463b  
*Cristadinium* n. gen., 456b  
*Cristadinium* sp., 489b  
 Baffin Bay: Site 645, 509b  
*Cruciplacolithus insteadus*, 276b  
 Labrador Sea: Site 647, 282b  
*Cruciplacolithus mutatus*, Labrador Sea: Site 647, 282b  
*Cycladophora davisiana*  
 Labrador Sea: Site 646, 452a  
 Labrador Sea, 34a  
*Cycladophora* sp.  
 Labrador Sea: Site 647, 357b, 374b  
*Cycladophora tetricantha* n. comb.  
 Labrador Sea: Site 647, 356b, 374b  
*Cyclammina amplectens*,  
 Labrador Sea: Site 647, 700a  
 North Sea, 711b  
*Cyclammina cancellata*  
 Baffin Bay: Site 645, 753b  
 Labrador Sea: Site 646, 756b  
*Cyclammina pusilla*, Labrador Sea: Site 646, 756b  
*Cyclammina rotundidorsata*, Labrador Sea: Site 647, 712b  
*Cyclampterium pegrum*, Labrador Sea: Site 647, 359b, 378b  
*Cyclicargolithus floridanus*, Labrador Sea: Site 647, 284b  
*Cyclopsiella*, 496b-497b  
*Cyclopsiella laevigata* n. comb., 497b  
*Cyclopsiella spiculosa* n. sp., 497b, 498b  
 Baffin Bay: Site 645, 475b, 507b  
*Cyclopsiella tenuitabulatum*, Baffin Bay: Site 645, 475b  
*Cyclopsiella trematophora*, 498b  
 Baffin Bay: Site 645, 506b

*Cymatiosphaera*, Labrador Sea: Site 646, 407b  
*Cymatiosphaera baffinensis* n. sp., 498b  
 Baffin Bay: Site 645, 507b  
*Cymatiosphaera invaginata* n. sp., 441b, 460b, 498b  
 Labrador Sea: Site 646, 429b, 466b  
*Cyrtocapsella* sp., Labrador Sea: Site 647, 361b-362b, 377b  
*Cyrtocapsella tetrapera*, Labrador Sea: Site 647, 360b, 375b  
*Cyrtopera laguncula*, Labrador Sea: Site 647, 361b, 376b  
*Cystophormis brevispina*, Labrador Sea: Site 647, 363b, 377b

*Dapsilidinium pastielsii*, 435b  
*Dapsilidinium pseudocolligerum*, 435b  
 Baffin Bay: Site 645, 505b  
 Labrador Sea: Site 647, 548b  
*Dapsilidinium* sp., Labrador Sea: Site 647, 548b  
*Deflandrea heterophlycta*, Labrador Sea: Site 647, 549b  
*Deflandrea leptodermata*, 529b  
 Labrador Sea: Site 647, 549b  
*Deflandrea oebisfeldensis*, Labrador Sea: Site 647, 549b  
*Deflandrea* sp., 435b  
 Labrador Sea: Site 646, 447b  
 Labrador Sea: Site 647, 549b  
*Dendrophrya excelsa*, Labrador Sea: Site 647, 708b, 725b  
*Dendrophrya* sp., Labrador Sea: Site 646, 754b  
*Denticulopsis hustedtii*, Labrador Sea: Site 646, 309b, 321b  
*Denticulopsis praedimpophya* zone, Rockall Plateau, 471b  
*Denticulopsis seminae*, Labrador Sea: Site 646, 309b, 321b  
*Diastatodinium paradoxum* sensu lato, Baffin Bay: Site 645, 475b  
 Diatoms  
 Baffin Bay: Site 645  
 abundance, 306b  
 assemblages, 308b  
 biostratigraphy, 305b-306b, 308b-309b  
 depths of recovery, 94a-95a  
 paleoenvironment, 308b-309b  
 reworked species, 308b  
 Baffin Bay: Site 647, correlation with Site 112, 339b  
 Baffin Bay, zonation, 30a-32a  
 Equatorial Atlantic, 335b  
 Equatorial Pacific, 335b  
 Labrador Sea: Site 646, 448a, 451a  
 abundance, 351b  
 biostratigraphy, 309b  
 depths of recovery, 445a, 449a-450a  
 occurrences, 310b-313b  
 paleoenvironment, 309b, 312b  
 stratigraphic ranges, 316b  
 Labrador Sea: Site 647, 702a  
 abundance, 352b, 353b  
 biostratigraphy, 328b-329b  
 correlation with nannofossil zonation, 328b  
 depths of recovery, 698a, 704a-705a  
 occurrence, 330b-333b

- paleoecology, 333b-334b  
zonal assignments, 334b  
Labrador Sea, zonation, 30a-32a, 33a-34a, 335b  
Leg 105, 937b, 939b-941b  
North Atlantic, 307b  
North Pacific, 307b  
Norwegian-Greenland Sea, 307b, 327b-328b  
Site 112  
  biostratigraphy, 329b-333b, 952b  
  correlation with Baffin Bay: Site 647, 339b  
  occurrence, 336b-337b  
  paleoecology, 333b-334b  
  unconformity, 330b-331b  
  zonal assignments, 339b  
South Atlantic, 335b  
*Dicocolapsa microcephala*, Labrador Sea: Site 647, 362b, 377b  
*Dictyophimus* sp., Labrador Sea: Site 647, 359b, 374b  
*Dictyopora amphora*, Labrador Sea: Site 647, 363b, 378b  
Dinocysts  
  assemblage zone BB1, Baffin Bay: Site 645, 473b-474b  
  assemblage zone BB2, Baffin Bay: Site 645, 473b-474b  
  assemblage zone BB3, Baffin Bay: Site 645, 475b  
  assemblage zone BB4, Baffin Bay: Site 645, 484b  
  assemblage zone BB5, Baffin Bay: Site 645, 484b-485b  
  assemblage zone HNM1, Site 646, 429b-430b  
  assemblage zone HNM2, Labrador Sea: Site 646, 430b  
  assemblage zone HNM3, Labrador Sea: Site 646, 430b  
  assemblage zone HNM4, Labrador Sea: Site 646, 430b  
  assemblage zone HNM5, Labrador Sea: Site 646, 430b  
Dinocyst sp.  
  sp. A, Labrador Sea: Site 647, 550b  
  sp. C, Labrador Sea: Site 647, 541b  
  sp. D, 533b-534b, Labrador Sea: Site 647, 548b  
  sp. F, Labrador Sea: Site 647, 550b  
Dinoflagellates  
Baffin Bay: Site 645, 97a, 98a, 99a, 390b  
  correlations, 486b  
  depths of recovery, 94a-95a  
  paleoceanography, 486b  
  paleoecology, 486b-487b  
  paleoenvironment, 390b-392b  
  Quaternary concentrations, 613b, 614b  
  stratigraphy, 392b, 473b-475b, 484b-485b  
  unconformity, 484b  
Baffin Bay, 18a, 30a-32a, 34a  
Beaufort Sea and Canadian Arctic Islands, 471b  
British Southwestern approaches, 471b  
Denmark, 470b-471b  
Eocene stratigraphy, 520b-523b  
Gardar Drift, Miocene zonation, 471b  
gen. et sp. indet., 440b-441b, 496b  
  Baffin Bay: Site 645, 475b, 514b  
  Labrador Sea: Site 646, 432b, 448b, 450b  
Goban Spur, Miocene zonation, 471b  
Labrador Sea: Site 646  
assemblages, 410b, 433b  
cyst concentrations, 630b-631b  
depths of recovery, 445a, 449a-450a  
evolution, 433b  
mixed affinities, Arctic and North Atlantic, 432b, 434b  
new species, 453b-460b  
Northern Hemisphere comparisons, 430b-431b  
range chart, 455b  
stable isotopic record, 621b  
stratigraphic range, 406b  
Labrador Sea: Site 647, 409b, 520b-521b, 524b, 635b, 703a, 706a  
allochthonous components, 524b  
correlations, 520b, 523b-525b  
depths of recovery, 698a, 704a-705a  
paleoceanography, 524b-525b  
paleoecology, 524b-525b  
preservation variability, 525b  
stratigraphy, 412b, 521b, 522b  
Labrador Sea, zonation, 30a-32a, 34a  
Leg 105, zonation, 939b-940b  
North Atlantic  
  Holocene, 431b  
  Paleogene, 517b  
Norwegian Sea, Miocene zonation, 471b-472b  
*Dinopterigium cladoides*, 489b  
  Baffin Bay: Site 645, 508b  
  Labrador Sea: Site 647, 521b  
  Southern England, 521b  
*Diphyes colligerum*, Labrador Sea: Site 647, 549b  
*Diphyes* sp., Labrador Sea: Site 647, 549b  
*Discoaster asymmetricus*  
  Labrador Sea: Site 646, 261b, 447a  
*Discoaster barbadiensis*  
  Labrador Sea: Site 647, 265b  
*Discoaster berggrenii*, 260b  
  Labrador Sea: Site 646, 249b, 261b  
*Discoaster bifax*, 273b  
*Discoaster bollii*, Labrador Sea: Site 647, 255b  
*Discoaster brouweri*  
  Labrador Sea: Site 646, 249b, 255b, 261b  
  Labrador Sea: Site 647, 255b, 706a-707a, 708a  
*Discoaster calcaris* zone  
  Labrador Sea: Site 646, 249b, 255b  
*Discoaster loeblichii*, Labrador Sea: Site 646, 261b  
*Discoaster pansus*, Labrador Sea: Site 646, 261b  
*Discoaster pentradiatus*, Labrador Sea: Site 646, 249b, 255b, 261b, 447a  
*Discoaster quinqueramus*, Labrador Sea: Site 646, 249b, 255b, 261b, 447a, 945b  
*Discoaster saipanensis*, Labrador Sea: Site 647, 265b  
*Discoaster* spp., 276b  
  Labrador Sea: Site 646, 249b, 261b  
  Labrador Sea: Site 647, 255b, 945b  
*Discoaster tamalis*, Labrador Sea: Site 646, 261b  
*Discoaster triradiatus*, Labrador Sea: Site 646, 261b  
*Distatodinium* sp., 489b  
*Distatodinium craterum*, Labrador Sea: Site 647, 542b  
*Distatodinium paradoxum*, 489b-490b, 529b  
  Baffin Bay: Site 645, 505b  
  Labrador Sea: Site 647, 542b  
*Distatodinium scariosum*, Labrador Sea: Site 647, 547b  
*Dorcadospyris* sp., Labrador Sea: Site 647, 355b, 373b  
*Dracodinium condyllos*, 529b  
  Labrador Sea: Site 647, 521b, 538b  
  Rockall Plateau, 521b  
*Druppatractus hastatus*, Labrador Sea: Site 647, 363b-364b, 378b  
*Duosphaeridium rugosum*, 529b  
  Labrador Sea: Site 647, 549b  
*Eatonicysta ursulae*, 529b-530b  
  Labrador Sea: Site 647, 522b, 546b  
*Ellipsolithus lajollaensis*, Labrador Sea: Site 647, 282b  
*Ellipsolithus macellus*, Labrador Sea: Site 647, 282b  
*Elytrocysta* sp., 530b  
  Labrador Sea: Site 647, 540b  
*Emiliania huxleyi*  
  Labrador Sea: Site 646, 249b, 619b  
  Labrador Sea: Site 647, 255b, 634b  
  Labrador Sea, 257b, 435b  
*Emslandia* sp., 435b  
  Labrador Sea: Site 646, 446b  
Eocene/Oligocene boundary  
  Labrador Sea: Site 647  
    benthic foraminifers, 708b, 711b, 712b, 720b-721b  
    calcareous nannofossils, 275b  
    diatoms, 523b  
    dinoflagellates, 523b  
    Leg 38, benthic foraminifers, 711b  
*Epistominella takayanagii*, Baffin Bay: Site 645, 744b  
*Ericsonia fenestrata*, Labrador Sea: Site 647, 284b  
*Ethmodiscus* sp., 341b  
*Euchitonita* spp., Labrador Sea: Site 647, 367b, 380b  
*Eucyrtidium diaphanes*, Labrador Sea: Site 647, 360b, 375b  
*Eucyrtidium* sp., Labrador Sea: Site 647, 360b  
*Euscenium corynephorum*, Labrador Sea: Site 647, 358b  
*Evittosphaerula paratabulata*, 490b  
  Baffin Bay: Site 645, 475b, 507b  
*Evittosphaerula* sp., Labrador Sea: Site 646, 430b, 434b  
*Fagus* sp., Baffin Bay: Site 645, 503b  
*Filisphaera filifera*, 410, 413b, 435b, 457b  
  Baffin Bay: Site 645, 97a, 99a, 101a, 390b  
  Labrador Sea: Site 646, 407b, 421b, 430b, 435b, 451b, 452a, 466b  
  Labrador Sea: Site 647, 703a  
  Pacific Ocean N, 410b  
*Filisphaera* sp., 435b  
  Labrador Sea: Site 646, 451b  
*Gaudryina* sp., Labrador Sea: Site 647, 730b  
*Gelatia inflata*, 530b  
  Labrador Sea: Site 647, 541b  
*Gephyrocapsa*, Labrador Sea: Site 647, 701a  
*Gephyrocapsa oceanica*, Labrador Sea: Site 646, 249b, 262b  
  Labrador Sea: Site 647, 255b, 257b  
*Glaphyrocysta semitecta*, Labrador Sea: Site 647, 542b  
*Glaphyrocysta* sp., Labrador Sea: Site 647, 542b  
*Globigerina bulbosa*, Labrador Sea: Site 646, 304b

## PALEONTOLOGICAL INDEX

- Globigerina bulloides*  
Labrador Sea: Site 646, 444a  
Labrador Sea: Site 647, 304b
- Globigerina eoceana*, 122b
- Globigerina falconensis*, Labrador Sea: Site 646, 304b
- Globigerina praebulloides*  
Baffin Bay: Site 645, 99a-100a, 102a, 941b-942b  
Labrador Sea: Site 646, 304b
- Globigerina rubescens*, Labrador Sea: Site 646, 302b
- Globigerina woodi*, Labrador Sea: Site 646, 302b
- Globocassidulina subglobosa*, 124b
- Globorotalia crassaformis*, Labrador Sea: Site 647, 301b
- Globorotalia inflata*  
Labrador Sea: Site 646, 296b, 446a  
Labrador Sea: Site 647, 301b
- Globorotalia margaritae*, Labrador Sea: Site 646, 296b-297b, 302b, 944b
- Globorotalia puncticulata*  
Labrador Sea: Site 646, 296b  
Labrador Sea: Site 647, 301b
- Globorotalia scitula*, Labrador Sea: Site 646, 302b
- Globorotalia truncatulinoides*, Labrador Sea: Site 647, 298b, 301b, 699a, 945b
- Glomospira* assemblage, Labrador Sea: Site 647, 708b
- Glomospira charoides*, Labrador Margin, 715b
- Glomospira diffundens*, Labrador Sea: Site 647, 726b
- Glomospira* facies  
Carpathian Basin, Poland, 717b  
Gulf of Mexico, 717b  
Moroccan Rif Zone, 717b  
NP14 sea-level event and, 717b-719b
- Glomospira gordialis*  
Labrador Sea: Site 646, 755b  
Labrador Sea: Site 647, 727b
- Glomospira irregularis*, Labrador Sea: Site 647, 726b
- Glomospira serpens*, Labrador Sea: Site 647, 727b
- Glomospira* sp., Labrador Sea: Site 647, 948b
- Glomospirella* sp.  
Labrador Sea: Site 646, 755b  
Labrador Sea: Site 647, 726b
- Gochtoninium spinulum*, Labrador Sea: Site 647, 538b
- Gongylochinium serratum* n. sp., 457b  
Labrador Sea: Site 646, 464b
- Gonyaulacysta* sp., Labrador Sea: Site 647, 547b
- Habibacysta tectata* n. gen n. sp., 435b, 457b-458b, 490b  
Baffin Bay: Site 645, 511b  
Labrador Sea: Site 646, 465b
- Halodinium* sp., 396b, 415b  
Baffin Bay: Site 645, 399b
- Hantkenina*, Labrador Sea: Site 647, 699a
- Haplophragmoides porrectus*, Labrador Sea: Site 647, 728b
- Haplophragmoides* sp.  
Baffin Bay: Site 645, 753b, 754b  
Labrador Sea: Site 646, 756b
- Haplophragmoides walteri*, Labrador Sea: Site 647, 728b
- Hazaria* sp., Baffin Bay: Site 645, 504b
- Helicosphaera ampliaperta*  
Baffin Bay: Site 645, 100a, 246b, 262b, 474a-475a, 943b  
NN1 to NN4 zonal range, 93a
- Helicosphaera carteri*, Labrador Sea: Site 646, 262b
- Helicosphaera orientalis*, Labrador Sea: Site 647, 286b
- Helicosphaera sellii*, Labrador Sea: Site 646, 262b
- Heliodiscus* sp., Labrador Sea: Site 647, 367b, 379b
- Hemiaulax crenulatus*, Labrador Sea: Site 647, 347b
- Hemiaulax kittonii*, Labrador Sea: Site 647, 347b
- Hemiaulax polycystinorium*, Labrador Sea: Site 647, 345b
- Hemiaulax porteus*, Labrador Sea: Site 647, 347b
- Hemiaulax* sp., 341b-342b  
Labrador Sea: Site 647, 336b, 345b-347b
- Hemiplacophora semilunifera*, 530b  
Labrador Sea: Site 647, 523b, 542b
- Hermosina*, Labrador Sea: Site 647, 727b
- Heteraulacocysta porosa*, 530b  
Labrador Sea: Site 647, 523b, 545b
- Heteraulacocysta* sp., 490b, 530b  
Baffin Bay: Site 645, 508b
- Histioecysta* spp., 530b  
Labrador Sea: Site 647, 540b
- Homotryblium* sp., 531b  
Labrador Sea: Site 647, 548b, 550b
- Hormosina distans*, Labrador Sea: Site 647, 727b
- Hormosina ovulum*, Labrador Sea: Site 647, 708b, 727b
- Hyperammina kennillieri* n. sp., 723b  
Labrador Sea: Site 647, 725b
- Hyperammina subnodosiformis*, Labrador Sea: Site 647, 725b
- Hystrichokolpoma cinctum*, Labrador Sea: Site 647, 549b
- Hystrichokolpoma globulum*, Labrador Sea: Site 647, 549b
- Hystrichokolpoma granulatum*, Labrador Sea: Site 647, 550b
- Hystrichokolpoma rigaudiae*, 435b-436b  
Baffin Bay: Site 645, 485b
- Hystrichokolpoma unispinum*, Labrador Sea: Site 647, 548b
- Hystrichosphaeropsis obscura*, 490b
- Hystrichosphaeropsis* sp., Labrador Sea: Site 647, 539b
- Impagidinium aculeatum*, 413b, 436b  
Labrador Sea: Site 646, 418b, 446b
- Impagidinium aquaeductum*, 490b-491b  
Baffin Bay: Site 645, 484b, 512b
- Impagidinium disperitatum*, Labrador Sea: Site 647, 547b
- Impagidinium fenestroseptatum* n. sp., 436b, 458b  
Labrador Sea: Site 646, 463b
- Impagidinium japonicum*, 413b  
Labrador Sea: Site 646, 418b
- Impagidinium maculatum*, 491b  
Baffin Bay: Site 645, 475b, 512b
- Impagidinium pallidum*, 395b, 413b, 436b, 531b  
Baffin Bay: Site 645, 399b, 512b
- Labyrinthodontium*, Baffin Bay: Site 645, 97a-99a, 101a
- Labyrinthodontium truncatum*, 437b, 470b, 491b-492b, 492b  
Baffin Bay: Site 645, 475b, 512b  
Labrador Sea: Site 646, 430b, 445b
- Lagenammina* sp., Baffin Bay: Site 645, 753b, 754b
- Lumpocyclas* sp., Labrador Sea: Site 647, 361b, 376b
- Leiosphaeridia* sp., 498b  
Baffin Bay: Site 645, 486b-487b, 511b
- Lejeuneacysta fallax*, 395b, 414b  
Labrador Sea: Site 646, 422b
- Lejeuneacysta paratenella*, Labrador Sea: Site 646, 422b
- Lejeuneacysta* spp., 437b

- Labrador Sea: Site 646, 447b  
*Lejeuneacysta tenella*, 437b  
 Labrador Sea: Site 646, 447b  
*Lingulodinium machaerophorum*, 437b  
 Baffin Bay: Site 645, 505b  
 Labrador Sea: Site 646, 420b  
*Lithatractus timmsi*, Labrador Sea: Site 647, 364b, 378b  
*Lithelius* sp., Labrador Sea: Site 647, 367b, 380b  
*Lithomelissa* sp., Labrador Sea: Site 647, 355b-356b, 358b-359b, 374b  
*Litosphaeridium* sp., 531b  
 Labrador Sea: Site 647, 548b  
*Lonicera* sp., Baffin Bay: Site 645, 503b  
 Lophate compositaceous pollen  
 Baffin Bay: Site 645, 503b  
 Labrador Sea: Site 646, 451b  
*Lophocysta* sp., 492b  
 Baffin Bay: Site 645, 506b  
 Labrador Sea: Site 647, 541b  
*Lophocysta sulcolimbata*, 492b  
 Baffin Bay: Site 645, 475b, 506b
- Martinotiella* sp., Labrador Sea: Site 646, 756b  
*Melitasphaeridium choanophorum*, 437b  
 Labrador Sea: Site 646, 450b  
*Melonis barleeanum*, Baffin Bay, 744b  
*Melonis zaandamae*, Baffin Bay: Site 645, 96a, 99a, 102a  
*Melosira architecturalis* zone, 326b  
*Melosira sol*  
 Baffin Bay: Site 645, 96a-97a, 308b  
 Bering Sea, 308b  
*Membranophoridium aspinatum*, Labrador Sea: Site 647, 542b  
*Membranophoridium* sp., Labrador Sea: Site 647, 543b  
*Micrantholithus mirabilis*, 273b  
*Multispinula minuta*  
 Baffin Bay: Site 645, 97a, 99a, 101a, 941b  
 Labrador Sea: Site 646, 422b, 452a  
 Labrador Sea: Site 647, 703a  
*Multispinula quanta*, Labrador Sea: Site 646, 422b  
*Muraticysta microornata* n. gen. n. sp., 458b  
 Labrador Sea: Site 646, 466b  
*Muraticysta* n. gen. n. sp., 458b
- Nannotetrina cristata*, Labrador Sea: Site 647, 283b  
*Nassellarian*, Labrador Sea: Site 647, 355b, 356b, 359b, 361b-363b, 373b, 374b, 376b-378b  
*Nematosphaeropsis*, 458b-459b, 492b  
*Nematosphaeropsis aqueducta*, Baffin Bay: Site 645, 941b  
*Nematosphaeropsis aqueducta* Zone, 470b  
*Nematosphaeropsis downii*, 492b  
 Baffin Bay: Site 645, 507b  
*Nematosphaeropsis labyrinthica*, 414b  
 Labrador Sea: Site 646, 419b  
*Nematosphaeropsis lemniscata*, 437b-438b, 492b  
 Baffin Bay: Site 645, 506b  
 Labrador Sea: Site 646, 450b  
*Nematosphaeropsis major* n. sp., 459b  
 Labrador Sea: Site 646, 430b, 463b  
*Nematosphaeropsis* sp., 414b, 438b, 492b  
 Baffin Bay: Site 645, 507b  
 Labrador Sea: Site 646, 419b, 431b, 449b  
 Labrador Sea: Site 647, 545b
- Neochiastozygus cearae*, Labrador Sea: Site 647, 283b  
*Neococcilithes protensus*, Labrador Sea: Site 647, 283b  
*Neogloboquadrina acostaensis*, Labrador Sea: Site 646, 303b  
*Neogloboquadrina atlantica*  
 Labrador Sea: Site 646, 293b, 296b, 303b, 444a, 446a  
 coiling changes, 297b, 690b, 983b  
 oxygen isotopic values, 691b, 692b  
 Labrador Sea: Site 647, 945b  
 Texaco Blue H-28 well, 741b  
*Neogloboquadrina continuosa*, Labrador Sea: Site 646, 304b  
*Neogloboquadrina humerosa*, Labrador Sea: Site 646, 303b  
*Neogloboquadrina pachyderma*  
 Baffin Bay: Site 645, 18a, 99a, 144a, 288b, 303b, 941b  
 Labrador Sea: Site 646, 293b, 444a, 446a, 603b-604b, 692b-693b  
*Nitzschia cylindra*, Baffin Bay: Site 645, 96a-97a, 308b  
*Nitzschia grunowii*  
 Baffin Bay: Site 645, 96a-97a  
 Labrador Sea: Site 646, 321b  
*Nitzschia marina*, Labrador Sea: Site 646, 321b  
*Nitzschia reinholdii*  
 Labrador Sea: Site 646, 309b, 321b  
 NN13/NN14 zone, Labrador Sea: Site 646, 249b  
*Nodellum velascoensis*, Labrador Sea: Site 647, 727b  
 NP11 Zone, Labrador Sea: Site 647, 265b  
 NP12 Zone, Labrador Sea: Site 647, 265b  
 NP13 Zone, Labrador Sea: Site 647, 265b  
 NP14 Zone, Site 112, 274b-275b  
 NP15 Zone, Labrador Sea: Site 647, 265b  
 NP16 Zone, Labrador Sea: Site 647, 265b  
 NP17 Zone, Labrador Sea: Site 647, 265b  
 Site 112, 274b  
 NP18 Zone, North Atlantic sites, 273b  
 NP18-NP20 Zones  
 Labrador Sea: Site 647, 265b, 273b  
 Site 112, 274b  
 NP21 Zone, Labrador Sea: Site 647, 265b  
 NP22 Zone  
 Labrador Sea: Site 647, 265b  
 Site 112, 274b  
*Nuphar* sp., Baffin Bay: Site 645, 504b  
*Nuttallides truempyi* assemblage, Labrador Sea: Site 647, 709b, 713b  
*Nuttallides umbonifera*  
 Labrador Sea: Site 646, 740b, 745b, 983  
 Labrador Sea: Site 647, 709b  
*Nyssa* sp., Baffin Bay: Site 645, 504b
- Operculodinium centrocarpum*, 18a, 414b, 438b, 492b  
 Baffin Bay: Site 645, 98a  
 Labrador Sea: Site 646, 420b  
 Labrador Sea: Site 647, 550b  
*Operculodinium crassum*, 395b, 414b  
 Baffin Bay: Site 645, 398b  
 Labrador Sea: Site 646, 420b  
*Operculodinium eirikianum* n. sp., 459b  
 Labrador Sea: Site 646, 465b  
*Operculodinium israelianum*, 492b  
*Operculodinium janduchenei* n. sp., 438b, 459b  
 Labrador Sea: Site 646, 429b, 431b, 465b  
*Operculodinium longispinigerum*, 414b  
 Labrador Sea: Site 646, 420b
- Operculodinium* sp., 395b, 438b-439b, 493b  
 Baffin Bay: Site 645, 511b  
 Labrador Sea: Site 646, 420b, 445b  
 Labrador Sea: Site 647, 550b  
*Operculodinium vacuolatum* n. sp., 492b-493b  
 Baffin Bay: Site 645, 511b  
*Oridorsalis* sp., 122b
- Palaeocystodinium* sp., 493b  
 Baffin Bay: Site 645, 99a, 485b, 493b  
 Labrador Sea: Site 646, 429b
- Palynology**  
 Baffin Bay: Site 645, 98a, 99a, 388b, 390b, 611b-613b  
 concentrations, 389b-390b, 391b, 606b-608b  
 dinocyst and acritarch stratigraphy, 390b  
 lithostratigraphy and chronostratigraphy, 387b-388b  
 marine species, 390b-392b, 474b, 476b-479b, 480b-483b  
 paleoenvironment, 390b-392b  
 pollen and spore percentages, 393b  
 reworked species, 394b, 473b  
 sporomorph assemblages, 485b-486b  
 terrestrial species, 392b-394b  
 warm-temperate species, 485b
- Labrador Sea: Site 646  
 biostratigraphy, 401b-402b, 426b, 429b  
 boreal species, 407b  
 concentrations, 403b-404b, 405b, 628b  
 depths of recovery, 445a  
 dinocyst and acritarch stratigraphy, 402b, 405b-407b, 410b-411b  
 glacial/interglacial fluctuation, 407b, 411b  
 marine species, 402b, 405b-409b  
 occurrences, 429b  
 paleoceanography, 431b-433b  
 paleoenvironment, 407b, 431b-433b  
 percentages, 408b, 412b, 632b-633b  
 protoperidiniacean cysts, 430b, 432b  
 reworked species, 409b, 426b  
 sporomorph assemblages, 431b  
 stable isotope record, 621b, 634b  
 stratigraphic ranges, 427b, 428b  
 terrestrial species, 407b-409b  
 warm-temperate source vegetation, 433b-434b  
 warm-temperate taxa, 431b
- Labrador Sea: Site 647, 635b  
 biostratigraphy, 519b-520b  
 concentrations, 410b, 411b  
 depths of recovery, 698a  
 dinocyst and acritarch stratigraphy, 409b, 410-411b  
 marine species, 409b, 519b-520b  
 paleoenvironment, 409b  
 protoperidiniacean cysts, 525b  
 terrestrial species, 409b-410b
- Leg 105  
 biostratigraphic summary, 941b  
 zonation, 937b  
 North Atlantic, site comparisons, 470b-472b
- Paralecaniella indentata*, 439b  
 Labrador Sea: Site 646, 430b
- Pediastrum*, 395b, 415b  
*Pediastrum boryanum*, Baffin Bay: Site 645, 399b
- Pemma*, 277b  
*Pentadinium laticinctum*, 493b  
 Baffin Bay: Site 645, 512b

## PALEONTOLOGICAL INDEX

- Pentadinium laticinctum laticinctum*, 439b  
Labrador Sea: Site 646, 430b, 451b
- Pentadinium* sp., 493b-494b  
Baffin Bay: Site 645, 512b, 514b
- Peridium* spp., Labrador Sea: Site 647, 358b, 374b
- Peripyramis* sp., Labrador Sea: Site 647, 362b, 371b
- Persicariopollis* sp., Baffin Bay: Site 645, 503b
- Phelodinium* sp., Labrador Sea: Site 647, 544b, 545b
- Phthanoperidinium brooksii*, 532b  
Labrador Sea: Site 647, 523b, 547b
- Phthanoperidinium comatum*, 532b  
Labrador Sea: Site 647, 522b-523b  
Rockall Plateau, 523b
- Phthanoperidinium echinatum*, Labrador Sea: Site 647, 547b
- Phthanoperidinium* sp., Labrador Sea: Site 647, 547b
- Picea*, Baffin Bay: Site 645, 99a
- Pinus* sp., 392b-393b, 407b  
Baffin Bay: Site 645, 99a
- Planktonic foraminifers  
Baffin Bay: Site 645, 93a, 96a, 564b, 613b-614b  
biostratigraphy, 288b  
chronostratigraphy, 288b  
depths of recovery, 94a-95a  
occurrences, 289b-293b  
total numbers, 566b  
Baffin Bay, zonation, 30a-32a, 33a
- Labrador Sea: Site 646, 444a, 446a  
age-diagnostic species, 296b  
biostratigraphy, 292b  
chronostratigraphy, 295b-297b, 619b-620b  
depths of recovery, 445a, 449a-450a  
downhole fluctuations, 619b-620b  
oxygen isotopic data, 623b, 625b, 627b  
reworked species, 293b  
stable isotopic records and, 638b, 639b  
test fragmentation, 620b  
Labrador Sea: Site 647, 143b, 567b, 696a-697a, 699a-700a  
biostratigraphy, 297b-298b  
carbon isotopes, 125b  
chronostratigraphy, 298b  
depths of recovery, 698a, 704a-705a  
glacial/interglacial fluctuations, 634b-635b  
occurrences, 294b  
oxygen isotopic data and, 636b-637b  
stable isotope analysis, 127b-129b  
test fragmentation, 634b  
Labrador Sea  
vs. total carbonate and stable isotopes, 581b-582b  
zonation, 30a-32a, 33a
- Leg 105  
biostratigraphy, 937b-938b  
Neogene, 295b, 297b  
zonation, 937b, 938b, 940b
- Polykrikos* sp., 439b  
Labrador Sea: Site 646, 447b
- Polyphaeridium* sp., 439b  
Labrador Sea: Site 646, 451b  
Labrador Sea: Site 647, 548b
- Polyphaeridium zoharyi*, Labrador Sea: Site 647, 524b
- Pontosphaera*, 277b
- Pontosphaera discopora*, Labrador Sea: Site 646, 262b
- Pontosphaera japonica*, Labrador Sea: Site 646, 262b
- Porodiscus* spp., Labrador Sea: Site 647, 368b, 380b
- Prunopyle* sp., Labrador Sea: Site 647, 368b, 380b
- Psammosphaera fusca*, Baffin Bay: Site 645, 753b
- Psammosphaera* sp., Baffin Bay: Site 645, 753b
- Psammosphaera testacea*, Labrador Sea: Site 647, 725b
- Pseudodimerogramma filiformia* zone, Norwegian-Greenland Sea, 327b
- Pseudodimerogramma* sp., 342b
- Pseudoemiliania lacunosa*  
Labrador Sea: Site 646, 249b, 262b, 619b  
Labrador Sea: Site 647, 255b, 634b  
Labrador Sea, 257b
- Pseudoeunotia doliolus*, Labrador Sea: Site 646, 309b, 321b, 451a
- Pseudohastigerina micra*, 716b
- Pseudorocella barbadensis*, Labrador Sea: Site 647, 345b
- Pseudotriceratium chenevieri*, Labrador Sea: Site 647, 347b
- Pterocanum* sp., Labrador Sea: Site 647, 359b, 375b
- Pyrgopyxis*, 167b
- Pyxiella* sp., 439b  
Baffin Bay: Site 645, 514b  
Labrador Sea: Site 646, 445b
- Pyxidinopsis* sp., 494b  
Baffin Bay: Site 645, 512b, 514b
- Pyxilla gracilis*, Labrador Sea: Site 647, 347b
- Pyxilla prolongata* Zone, 326b
- Pyxilla* spp., 163b, 342b  
Labrador Sea: Site 647, 336b
- Radialisporis radiatus*, Baffin Bay: Site 645, 504b
- Radiolarians  
Baffin Bay, 30a-32a, 350b  
Baffin Bay: Site 645, 94a-95a, 97a  
Labrador Sea: Site 646, 350b, 452a  
abundance, 351b, 370b-372b  
depths of recovery, 445a, 449a-450a  
Labrador Sea: Site 647, 350b-352b, 702a-703a  
correlations, 353b  
depths of recovery, 698a, 704a-705a  
descriptions, 352b-353b  
from carbonate concretions, 152b  
hiatuses, 350b  
surface-water productivity, 351b  
Labrador Sea, zonation, 30a-32a, 34a
- Leg 105  
biostratigraphy, 941b  
zonation, 937b, 939b
- North Atlantic, 349b-350b
- Recurvooides contortus*, Labrador Sea: Site 646, 755b
- Recurvooides* sp.  
Baffin Bay: Site 645, 754b  
Labrador Sea: Site 647, 728b
- Recurvooides turbinatus*, Labrador Sea: Site 646, 755b
- Reophax pilularis*  
Labrador Sea: Site 646, 755b  
Labrador Sea: Site 647, 727b
- Reophax* sp., Labrador Sea: Site 647, 727b
- Reophax subfusiformis*, Baffin Bay: Site 645, 754b
- Reophax subnodulosus*, Labrador Sea: Site 647, 727b
- Reticulatosphaera actinocoronata*, 439b  
Baffin Bay: Site 645, 508b
- Reticulofenestra bisecta*, 273b, 277b  
Labrador Sea: Site 647, 263b, 265b, 273b, 285b
- Reticulofenestra lockeri*, Labrador Sea: Site 647, 285b
- Reticulofenestra onusta*, 277b  
Labrador Sea: Site 647, 283b
- Reticulofenestra pseudoumbilica*  
Baffin Bay: Site 645, 93a, 99a, 102a, 246b  
Labrador Sea: Site 646, 262b
- Reticulofenestra pseudoumbilica* Zone, Labrador Sea: Site 646, 249b
- Reticulofenestra umbilica*, 277b
- Reticulophragmium amplexens*, Labrador Sea: Site 647, 709b, 711b-713b, 715b, 729b
- Reticulophragmium placenta*, Labrador Sea: Site 647, 729b
- Reticulosporis* sp., Baffin Bay: Site 645, 504b
- Rhabdammina* sp., Labrador Sea: Site 647, 725b
- Rhabdosphaera pseudomorionum*, Labrador Sea: Site 647, 283b
- Rhizammmina indivisa*, Labrador Sea: Site 646, 754b
- Rhizammmina* sp., 743b  
Baffin Bay: Site 645, 753b  
Labrador Sea: Site 646, 754b  
Labrador Sea: Site 647, 725b
- Rhizophagites* sp., 441b  
Labrador Sea: Site 647, 547b
- Rhizosolenia antarctica* Zone, 327b
- Rhizosolenia barboi*, Labrador Sea: Site 646, 321b
- Rhizosolenia curvirostris*, Labrador Sea: Site 646, 309b, 321b
- Rhizosolenia gravida* Zone, 326b, 327b  
Labrador Sea: Site 647, 329b
- Rhizosolenia hebetata*, 342b  
Labrador Sea: Site 646, 321b
- Rhizosolenia oligocaenica*, 342b  
Labrador Sea: Site 647, 347b  
Site 112, 329b
- Rhizosolenia* sp., 342b
- Rhombodinium glabrum*, 532b  
Labrador Sea: Site 647, 521b
- Rhombodinium* sp., 532b  
Labrador Sea: Site 647, 520b, 538b
- Riedelia* group, 342b
- Rocella gelida* Zone, 325b, 327b
- Rocella vigilans* Zone, 325b, 327b  
Labrador Sea: Site 647, 329b, 945b  
Site 112, 328b-330b
- Rylandsia inequiradata* Zone, 326b
- Saccammina complanata*, Labrador Sea: Site 647, 725b
- Saccammina* sp., Baffin Bay: Site 645, 754b
- Samlandia chlamydophora*  
Labrador Sea: Site 647, 521b, 549b  
Rockall Plateau, 521b
- Saxonipollis* sp., Baffin Bay: Site 645, 503b
- Sceptroneis grunowii*, Labrador Sea: Site 647, 346b
- Sceptroneis humunica*, Labrador Sea: Site 647, 346b
- Sceptroneis pupa*, 328b  
Labrador Sea: Site 647, 336b

- Norwegian-Greenland Sea, 327b  
*Sceptroneis tenuis*, Labrador Sea: Site 647, 347b  
*Sciadopityspollenites serratus*, Baffin Bay: Site 645, 503b  
*Selaginella* sp., Baffin Bay: Site 645, 504b  
*Selenopemphix*, 395b  
*Selenopemphix armata*, 414b  
 Labrador Sea: Site 646, 422b  
 Labrador Sea: Site 647, 544b  
*Selenopemphix brevispinosa* n. sp., 494b  
 Baffin Bay: Site 645, 475b, 509b  
*Selenopemphix dioneaecysta* n. sp., 439b, 459b-460b  
 Labrador Sea: Site 646, 462b  
*Selenopemphix indentata* n. sp., 460b  
 Labrador Sea: Site 646, 462b  
*Selenopemphix nephroides*, 439b  
 Labrador Sea: Site 646, 422b  
*Selenopemphix* sp., 439b, 494b-495b  
 Baffin Bay: Site 645, 509b  
 Labrador Sea: Site 646, 447b  
 Labrador Sea: Site 647, 544b  
 Silicoflagellates  
 Labrador Sea: Site 646, 351b  
 Labrador Sea: Site 647, 352b  
*Siphocampe acephala*, Labrador Sea: Site 647, 363b, 378b  
*Siphocampe* spp., Labrador Sea: Site 647, 363b, 378b  
*Siphotextularia* sp., Labrador Sea: Site 646, 756b  
*Sphaerammina gerochi*, Labrador Sea: Site 647, 728b  
*Sphaeroidinellopsis* sp., Labrador Sea: Site 646, 304b  
*Sphaeropyle* sp., Labrador Sea: Site 647, 366b, 379b  
*Sphaerostylus cristatus*, Labrador Sea: Site 647, 364b, 378b  
*Sphaerostylus nicholasi*, Labrador Sea: Site 647, 364b, 378b  
*Sphaerostylus rosetta*, Labrador Sea: Site 647, 365b, 379b  
*Sphagnum* moss, 485b  
*Sphenolithus abies*, Labrador Sea: Site 646, 262b  
*Sphenolithus anarrhopus*, 277b  
 Labrador Sea: Site 647, 283b  
*Sphenolithus ciperoensis*, 273b  
 Labrador Sea: Site 647, 263b-264b, 285b, 328b  
*Sphenolithus delphix*, Labrador Sea: Site 647, 264b, 285b  
*Sphenolithus dissimilis*, Labrador Sea: Site 647, 264b, 285b  
*Sphenolithus distentus*  
 Labrador Sea: Site 647, 285b  
 Site 112, 274b  
*Sphenolithus furcatolithoides labradorensis* n. ssp., 277b  
 Labrador Sea: Site 647, 283b, 284b  
*Sphenolithus obtusus*, Labrador Sea: Site 647, 285b  
*Sphenolithus predistentus* Zone  
 Labrador Sea: Site 647, 264b  
 Site 112, 274b  
*Spiniferites elongatus*, Labrador Sea: Site 646, 419b  
*Spiniferites ellipsoideus*, 440b  
 Labrador Sea: Site 646, 449b  
*Spiniferites elongatus*, Labrador Sea: Site 646, 407b  
*Spiniferites mirabilis*, Labrador Sea: Site 646, 419b  
*Spiniferites pseudofurcatus*, 495b  
 Baffin Bay: Site 645, 506b  
*Spiniferites ramosus*, Labrador Sea: Site 646, 419b  
*Spiniferites* sp., 395b, 495b  
 Baffin Bay: Site 645, 506b  
*Spiroplectammina cubensis*, Labrador Sea: Site 647, 709b, 729b  
*Spiroplectammina navarroana*, Labrador Sea: Site 647, 730b  
*Spiroplectammina spectabilis*, Labrador Sea: Site 647, 712b, 730b  
*Spirosigmoilinella*, Norwegian-Greenland Sea, 712b, 720b  
*Spirosigmoilinella compressa*, Labrador Sea: Site 647, 709b, 710b, 713b, 729b  
 Sponge spicules  
 Labrador Sea: Site 646, 445a  
 Labrador Sea: Site 647, 698a  
*Spongocore* sp., Labrador Sea: Site 647, 367b, 380b  
*Spongodiscus* sp., Labrador Sea: Site 647, 368b, 380b  
*Spongotorchus glacialis*, Baffin Bay: Site 645, 97a  
 Spumellarian, Labrador Sea: Site 647, 367b, 379b  
*Stellarima microtrias*, Labrador Sea: Site 646, 322b  
*Stephanogonia hanzawae*, Baffin Bay: Site 645, 308b  
*Stephanogonia* sp., 342b  
 Labrador Sea: Site 646, 322b  
 Labrador Sea: Site 647, 344b, 345b, 346b  
*Stephanopyxis grunowii*, Labrador Sea: Site 647, 346b  
*Stephanopyxis horridus*, Labrador Sea: Site 646, 309b, 321b  
*Stephanopyxis marginata*, Labrador Sea: Site 647, 346b  
*Stephanopyxis superba*, Labrador Sea: Site 647, 345b  
*Stephanopyxis turris*, 343b  
 Labrador Sea: Site 647, 345b  
*Stichocorys* sp., Labrador Sea: Site 647, 359b-360b, 375b  
*Stictodiscus* group, 343b  
*Striatococcilithus pacificanus*, Labrador Sea: Site 647, 284b  
*Stylatracid* sp., Labrador Sea: Site 647, 364b, 365b, 378b  
*Subbotina patagonica*, Labrador Sea: Site 647, 699a  
*Subreophax scalaria*, Labrador Sea: Site 647, 727b  
*Sumatrardinium* sp., 495b  
 Baffin Bay: Site 645, 510b  
*Surculosphaeridium* sp., 440b  
 Labrador Sea: Site 646, 450b  
 Labrador Sea: Site 647, 548b  
*Svalbardella cooksoniae*, 533b  
*Svalbardella* sp., 533b  
 Labrador Sea: Site 647, 539b  
*Synedra jouseana*, 327b  
 Labrador Sea: Site 647, 328b  
 Site 112, 329b  
*Synedra* sp., 343b  
*Systematophora ancyrea*, 495b-496b  
 Baffin Bay: Site 645, 484b, 507b  
*Systematophora placacantha/S. ancyrea* complex  
 Labrador Sea: Site 646, 429b  
*Systematophora* sp.  
 Baffin Bay: Site 645, 99a  
 Labrador Sea: Site 647, 550b  
*Tectatodinium* sp., 395b, 415b, 496b  
 Baffin Bay: Site 645, 398b, 475b, 514b  
 Labrador Sea: Site 646, 421b  
 Labrador Sea: Site 647, 550b  
*Tetrapyle* sp., Labrador Sea: Site 647, 367b, 380b  
*Thalassiosira grunowii*, Labrador Sea: Site 646, 319b  
*Thalassiosira irregularis*,  
 Labrador Sea: Site 647, 347b  
 Norwegian-Greenland Sea, 327b  
*Thalassiosira lacustris*, Baffin Bay: Site 645, 308b  
*Thalassiosira leptopus*, Labrador Sea: Site 647, 346b  
*Thalassiosira nordenskioeldii*, Labrador Sea: Site 646, 319b  
*Thalassiosira oestrupii*, Labrador Sea: Site 646, 319b  
*Thalassiosira trifulta*, Labrador Sea: Site 646, 319b  
*Thalassiosira usatchevii*, Labrador Sea: Site 646, 322b  
*Thalassiosira yabei*, Labrador Sea: Site 646, 319b  
*Thalassiosira zabelinae*, Labrador Sea: Site 646, 309b, 322b  
*Thalassiphora pelagica*, 533b  
 Labrador Sea: Site 647, 546b  
*Thalassiphora* sp., 496b  
 Baffin Bay: Site 645, 508b  
 Labrador Sea: Site 647, 546b  
*Theocalyptra tetricantha*, Labrador Sea: Site 647, 356b-357b  
*Theocyrtis tuberosa*, Labrador Sea: Site 647, 361b, 376b  
*Tilia* sp., Baffin Bay: Site 645, 504b  
*Toweius callosus*, Labrador Sea: Site 647, 284b  
*Toweius magnicrassus*, Labrador Sea: Site 647, 284b  
*Toweius occultatus*, Labrador Sea: Site 647, 284b  
*Triceratium condecorum*, Labrador Sea: Site 647, 346b  
*Triceratium groningensis*, Labrador Sea: Site 647, 327b, 344b  
*Triceratium megapora*, Labrador Sea: Site 647, 344b  
*Triceratium* sp., 343b  
 Labrador Sea: Site 647, 344b  
*Trinacria excavata*, 343b  
 Labrador Sea: Site 647, 344b  
*Trinacria* sp., Labrador Sea: Site 647, 344b  
*Trinovantedinium* sp., 496b  
 Baffin Bay: Site 645, 510b  
*Trissocyclid* sp., Labrador Sea: Site 647, 354b, 373b  
*Trochammina deformis*, Labrador Sea: Site 647, 729b  
*Trochammina* sp., Baffin Bay: Site 645, 753b, 754b  
*Trochamminoides irregularis*, Labrador Sea: Site 647, 728b  
*Trochamminoides proteus*, Labrador Sea: Site 647, 728b

## PALEONTOLOGICAL INDEX

*Trochamminoides* sp., Labrador Sea: Site 646, 756b  
*Tsuga* sp., Baffin Bay: Site 645, 99a, 503b  
*Tuberculodinium vancampoae*, 440b  
Labrador Sea: Site 646, 451b  
*Turritina alsatica*, Labrador Sea: Site 647, 709b-710b, 713b, 715b

*Veliculus* sp., Labrador Sea: Site 647, 356b, 374b  
*Weigela* sp., Baffin Bay: Site 645, 504b  
*Wetzelilla* sp., 524b, 533b  
Wetzelillaceae zonal scheme, 417b  
*Wilsonidium tabulatum*, Labrador Sea: Site 647, 539b

*Xandarodinium* sp., 440b  
Baffin Bay: Site 645, 509b  
*Xandarodinium variabile*, Labrador Sea: Site 646, 422b, 447b  
*Xandarodinium xanthum*, 440b  
Labrador Sea: Site 646, 447b