

INDEX TO VOLUME 107

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 107 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *a* refer to pages in the *Initial Reports*, and those with *b*, to pages in the *Scientific Results* (this book).

The index is presented in three parts: (1) a Subject Index, (2) a Site Index, and (3) a Paleontological Index. In addition to this printed version, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 bpi.

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which also appear in the Paleontological Index.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The Paleontological Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) broad fossil groups, including individual genera and species that have been erected or emended formally; (2) biostratigraphic zones; and (3) fossils depicted in illustrations.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77840.

SUBJECT INDEX

- Acoustic basement
 Cornaglia Terrace, 601a
 Marsili Basin, 131a, 160a
 topography, 138a
 Tyrrhenian Sea: Site 651, 319a
 irregularities, 289a
- Africa-Eurasian convergence, Mediterranean, W, 660b, 661b
- Alicante, wavy-laminated gypsum ponds, 189b
- Alluvial fan deposits
 De Marchi Seamount, 644b-645b
 Sardinian Margin: Site 654, 641b, 785a
- Alpine Cycle, Sardinia-Corsica block, 37a, 39a
- Alpine units, emplacement, 716b
- Alpine/Apenininic orogenic systems, nappe suite, 34b
- Amino compounds
 Cornaglia Terrace, 594b, 596b, 597b
 Tyrrhenian Sea: Site 651, 594b, 596b, 598b
- Amphibole
 De Marchi Seamount, 34b, 961a
 Tyrrhenian Sea: Site 651, 42b
- Analcime, Marsili Basin, 142a
- Ancona-Anzio Line, 725b
 tectonism, 45a
- Andesite, Sardinian Margin: Site 654, 53b, 70b
- Anhydrite
 chicken-wire, 646b
 Cornaglia Terrace, 190b
 gypsum and, 194b-195b
 laminated, 194b
 Sardinian Margin: Site 652, 209b
 nodular, 194b
 Sardinian Margin: Site 652, 208b, 209b
 Sardinian Margin: Site 652, 13b, 179b, 418a, 435a, 645b, 666b
 gypsification, 198b
 morphology, 194b
 strontium isotopes, 607b
- Ankerite, Sardinian Margin: Site 652, 195b, 235b
- Antalya Complex, rift successions, 642b
- Antigorite, Tyrrhenian Sea: Site 651, 43b
- Apeninines Arc, south-north merger, 725b
- Apeninines, central
 geology, 45a, 49a
 sedimentary structures, 48a
- Apeninines, N
 Canetolo nappe, 40a
 Cervarola nappe, 42a
 compressional fronts, 47a
 foredeep, 42a
 Ligurian units, 39a-40a
 lithostratigraphy, Mesozoic-Tertiary, 45a
 piggy-back thrust system, 726b
 sedimentary structures, 44a
 Tuscan nappe, 41a-42a
 Umbrian nappe, 42a
 unconformities, 725b
- Apeninines, S
 compressional deformations, 46a
 foredeep, 47a, 51a
 geology, 45a-47a
 subsidence, 722b
 transtensional/transpressional faults, 726b
 vertical movements, Pleistocene-Recent, 50a
- Apenininic Margin
 isopach features, 34a
 seismic stratigraphy, 19a, 621b
 tectonic history, 26a, 30a
- Apulia escarpment, rejuvenation, 726b
- Apulian margin, Adria-verging deformation, 725b
- Arakapas Fault, basaltic breccia, 654b
- Arenite
 De Marchi Seamount, 35b
 Sardinian Margin: Site 652, 21b
 chemical composition, 172b-173b, 175b-176b
 source, 176b
 Sardinian Margin: Site 654, chemical composition, 174b, 182b
- Argon dating
 Tyrrhenian Sea: Site 651, 95b-96b
 Vavilov Basin W, Gortani Ridge, 95b
- Ash, volcanic
 Cornaglia Terrace, 609a
 indurated, 613a
in situ transformation, 307b
 Mediterranean
 distribution of fall, 134a
 source, 131a
 Sardinian Margin: Site 654, 757a, 784a
 Tyrrhenian Sea: Site 651, 134b
 Vavilov Basin W, Gortani Ridge, 885a, 887a
- Ash, zeolitic, Cornaglia Terrace, 613a
- Asphalt, Sardinian Margin: Site 654, hydrocarbon fraction, 778a
- Asphalting, Sardinian Margin: Site 654, 754a
- Atlantic Biscay margin, peridotite, 136b
- Atlantic Iberian margin, peridotite, 44b
- Backarc basin
 basalt, chemical composition, 81b, 92b
 evolution, 5a
 formation, 4b, 75b
 seafloor depth, 407a
- Baja California, wavy-laminated gypsum, 189b
- Balearic Basin
 evolution, 21b
 rifting, 10b
- Balearic Sea, seafloor spreading, 12b
- Baronie Ridge, lithology, 749a
- Basalt
 calc-alkaline, 65b
 carbonate-filled veins, 304a
 chilled glass margins, 890a, 901a
 in clay authigenesis, 316b
 De Marchi Seamount, crust formation, 15b
 dolomitization, 136b
 by hydrothermal circulation, 137b
- Marsili Basin
 alteration, 148a, 656b
 calc-alkaline, 70b, 148a
 emplacement, 17b, 148a, 168a
 geochemistry, 51b-52b
 magmatic affinity, 52b
 mineralogy, 51b
 petrography, 51b
 sediment contact, 147a, 152a, 168a, 665b
 source material, 169a
 trace elements, 64b
 vesicularity, 148a, 722b
 olivine-phyric, 757a
 Pliocene/Pleistocene boundary, 784a
 Sardinian Margin: Site 652, geochemistry, 25b
- Sardinian Margin: Site 654, 753a, 757a
 flow characteristics, 784a
 geochemistry, 53b-54b
- mineralogy, 52b-53b
 petrochemistry, 15b
 petrology, 766a
 tholeiitic affinity, 54b
 trace elements, 66b
- silica undersaturation, 63b
- Tyrrhenian Sea: Site 651, 129b
 age, 25b
 emplacement, 325a
 geochemistry, 63b-67b, 78b-81b
 affinity, 304a-305a
 incompatible elements, 66b-67b
 glass chemistry, 66b, 70b
 hygromagmaphile element spidergram, 91b
 magmatic affinity, 64b-65b, 78b, 79b, 81b
 magnetic properties, 109b
 major element oxides, 86b
 major elements, 84b
 mineralogy, 62b-63b, 76b-78b
 niobium depletion, 82b, 84b
 origin, 316b
 petrography, 62b-63b, 76b-78b
 sediment contact, 306a
 trace elements, 64b, 79b-81b, 89b
- Tyrrhenian Sea
 geochemistry, evolutionary trends, 81b-85b
 petrography, 52b-53b
- Vavilov Basin
 emplacement, 17b
 intersite correlation, 79b
- Vavilov Basin W, Gortani Ridge
 age, 25b, 890a, 901a
 alteration, 58b
 emplacement, 721b
 geochemistry, 57b-60b, 78b-81b, 890a
 glass chemistry, 58b, 70b
 homogeneity, 79b
 hygromagmaphile element spidergram, 90b
 isotopic composition, 54b
 limestone-filled veins, 877a, 887a-889a
 magmatic affinity, 59b, 78b
 magnetic properties, 108b, 109b, 891a
 major elements, 84b, 86b
 mineralogy, 54b, 56b, 76b-78b, 890a
 oxides, 58b
 pelagic and hydrothermal infill, 654b-655b
 petrography, 54b-55b, 76b-78b
 petrology, 889a-890a
 phenocrysts, 890a
 sediment contact, lithologic types, 654b
 strontium isotopes, 60b-61b
 tholeiitic affinity, 890a
 trace elements, 66b, 89b
 velocity, 893a, 899a
 vesicular, Marsili Basin, 51b, 129a
- See also* Tholeiite
- Basalt, olivine, Sardinian Margin: Site 654, 786a
- Basalt-seawater interaction, 52b, 62b
 carbonate precipitation, 63b
 major element modification, 78b
 Marsili Basin, 158a
 Vavilov Basin W, Gortani Ridge, 57b
- Basalt/sediment contact
 Marsili Basin, 26b
 Tyrrhenian Sea: Site 651, 25b
- Basaltic breccia
 Sardinian Margin, 718b
 Tyrrhenian Sea: Site 651, 21b, 26b, 61b, 305a, 652b, 665b

SUBJECT INDEX

- formation, 653b
- Basement
- Corsica-Sardinia Margin, 37a
- Marsili Basin
- age, 168a
- basal sediment, 169a
- basalt, 129b
- basalt emplacement, 168a
- emplacement, 634b
- irregular, 626b
- lithology, 166a
- Sardinian Margin: Site 652, rifting history, 623b
- Tyrrhenian Sea: Site 651, 326a, 667b
- age, 289a
- basal sediment, 289a
- formation, 303a
- geochemistry, 289a
- lithologic units, 37b-38b
- lithology, 325a-326a, 652b-653b
- sedimentary units, 287a
- stratigraphy, 40b, 41b
- Tyrrhenian Sea
- magmatic rock, 57a-58a
- pre-Tortonian rock, 55a-57a
- Vavilov Basin, age, 22b
- Vavilov Basin W, Gortani Ridge, 884a, 900a-901a
- age, 626b
- lack of vertical variability, 901a
- lithology, 877a
- Basement, acoustic
- Marsili Basin, 631b
- lithologic heterogeneity, 629b
- Sardinian Margin, 33b, 618b
- Hercynian, 35b
- Tyrrhenian Sea
- Alpine units, 716b
- seismic reflectors, 21b
- Vavilov Basin, 629b, 631b
- Basement, continental, Sardinian Margin, 629b
- Beidellite
- Marsili Basin, 316b
- Tyrrhenian Sea: Site 651, 309b, 311b, 313b
- Biomicrite
- Sardinian Margin: Site 652, 645b
- Sardinian Margin: Site 654, 31b, 32b
- Biotite
- Cornaglia Terrace, 633
- Tyrrhenian Sea: Site 651, 63b, 77b-78b, 83b
- Vavilov Basin W, Gortani Ridge, 77b-78b
- Boron, Sardinian Margin, 156b
- Brine pools, Cornaglia Terrace, 221b, 610b
- Brunhes/Matuyama boundary, sedimentation rate, Tyrrhenian Sea: Site 651, 327a
- Calabria/Sardinia collision zone, rudistid carbonate platform fragments, 7b, 10b
- Calabrian Arc
- Calabrian-Peloritanian substrate, 53a
- lithostratigraphy, postorogenic basin, 57a
- tectonic evolution, 53a, 57a
- Calabrian Margin
- isopach features, 34a
- seismic stratigraphy, 20a, 621b
- Calabride nappes, emplacement, 725b
- Calcite
- Cornaglia Terrace, stable isotopes, 191b
- Marsili Basin, 142a
- in Messinian evaporates, stable isotopes, 195b
- Sardinian Margin: Site 652
- Messinian pre-conglomerate, 227b
- stable isotopes, 197b
- Sardinian Margin: Site 654, stable isotopes, 191b
- Calcium carbonate
- Cornaglia Terrace, 603a, 625a-627a, 631a
- Marsili Basin, 159a
- Sardinian Margin: Site 652, 235b, 436a
- grain size and, 235b
- Pliocene/Pleistocene, 437a
- Sardinian Margin: Site 654, 750a, 775a-778a
- silicon dioxide and, inverse correlation, 235b
- Tyrrhenian Sea: Site 651, 316a
- Vavilov Basin W, Gortani Ridge, 881a
- Calcium sulfate, Sardinian Margin: Site 652, 237b
- Caltanissetta Basin
- clay succession, 163b
- Tripoli Formation, 547b
- Campanian Margin, seismic stratigraphy, 19a, 30a, 621b
- Campanian volcanic province, geographic setting, 292b
- Carbohydrates
- Cornaglia Terrace, 598b-601b
- Tyrrhenian Sea: Site 651, 598b-601b
- Carbon, dissolved organic
- Cornaglia Terrace, 593b-594b, 595b
- Tyrrhenian Sea: Site 651, 593b-594b, 595b
- Carbon, inorganic
- Marsili Basin, 161a
- Tyrrhenian Sea: Site 651, 314a, 315a
- Carbon isotopes
- Atlantic Ocean N, 425b
- Cornaglia Terrace, 364b-369b
- Pliocene-Pleistocene, 390b-395b
- Pliocene/Pleistocene boundary event, 395b-396b
- sapropelic layers, 396b
- fractionation, temperature dependence, 410b-411b
- Mediterranean, North Atlantic surface waters, 391b-392b
- Sardinian Margin: Site 652
- covariance, 410b, 413b
- planktonic/benthic gradient, 411b
- Sardinian Margin: Site 654, Miocene, 424b-425b
- Tyrrhenian Sea, 380b-382b
- Carbon, organic
- anaerobic deposition, 436a
- Cornaglia Terrace, 538b, 581b-582b, 603a, 631a
- maturity, 541b-542b
- De Marchi Seamount, 581b-582b
- kerogen microscopy
- Sardinian Margin: Site 652, 582b-583b, 585b-586b
- Sardinian Margin: Site 654, 582b-583b, 585b-586b
- Tyrrhenian Sea: Site 651, 582b-583b, 585b-586b
- Marsili Basin, 132a, 159a-160a, 161a, 257b, 581b-582b
- sedimentary layer 2, 258b
- oxic depositional environment, 439a
- Rock-Eval pyrolysis
- Sardinian Margin, Site 652, 582b
- Sardinian Margin, Site 654, 582b
- Tyrrhenian Sea: Site 651, 582b
- sapropelic layers, 315a
- Cornaglia Terrace, 609a
- Sardinian Margin: Site 652, 404a, 433a-434a, 538b, 581b-582b
- maturity, 13b, 541b-542b, 549b, 553b
- lipid analysis, 555b, 560b
- Messinian samples, 540b
- nonmarine sediment, 436a
- origin, 549b, 553b
- lipid analysis, 555b, 560b
- whole-rock pyrolysis, 550b-553b, 558b
- Sardinian Margin: Site 654, 538b, 581b-582b, 750a, 775a-778a
- maturity, 541b-542b, 549b, 553b
- lipid analysis, 555b, 560b
- origin, 549b, 553b
- lipid analysis, 555b, 560b
- Tyrrhenian Sea: Site 651, 290a, 314a, 581b-582b
- Vavilov Basin W, Gortani Ridge, 538b, 581b-582b, 881a, 898a
- maturity, 541b-542b
- sapropelic layers, 887a, 899a
- Carbonate
- Apulian foreland, drowning, 726b
- Cornaglia Terrace, 215b, 620a-621a
- lithologic Unit I, 609a
- mineralogy, 191b
- petrography, 191b
- Pliocene, 392b, 408b, 409b
- stable isotopes, 191b, 193b
- De Marchi Seamount, 220b
- dissolution, sapropelic layers, 899a
- Marsili Basin, 132a, 155a-157a, 162a
- calcareous mud, 140a
- sedimentary layer 2, 258b
- sedimentary layer 8, 266b
- sedimentary layer 9, 267b
- sedimentary layer 11, 272b
- sedimentary layer 16, 275b
- sedimentary layer 18, 277b
- sedimentary layer 19, 278b
- sedimentary layer 22, 280b
- Messinian/Pliocene boundary, 433a
- oxygen isotopes, 146b
- Sardinian Margin: Site 652, 210b, 218b, 219b, 236b, 404a, 433a-435a
- grain size and, 237b
- Messinian post-conglomerate, 214b-215b
- Messinian pre-conglomerate, 215b
- mineralogy, 195b
- petrography, 195b
- Pliocene, 408b, 409b
- second-order sedimentation, 433a
- stable isotopes, 195b, 197b
- Sardinian Margin: Site 654, 207b, 213b, 762a, 773a
- microcrystalline, 30b
- mineralogy, 191b
- petrography, 191b
- Pliocene, 408b, 409b
- stable isotopes, 191b, 193b, 194b
- Tyrrhenian Sea: Site 651, 290a, 315a, 316a
- Tyrrhenian Sea, stable isotopes, 145b
- Vavilov Basin W, Gortani Ridge, 898a
- sapropelic layers, 887a, 899a
- Cefalu Basin, evaporitic sequence, 621b
- Central Fault
- formation, 634b
- geologic setting, 410a
- post-Messinian activation, 221b
- stratigraphic succession, 619b
- vertical relief, 223b
- Chalk, nannofossil
- Sardinian Margin: Site 654, carbonate and dolomite content, 610b
- Trubi Formation, 433a
- Tyrrhenian Sea: Site 651, 301a
- Chert, De Marchi Seamount, 34b
- Chlorite

- Cornaglia Terrace, provenance, 325b
iron oxide values, 235b
Sardinian Margin: Site 652, 159b, 161b, 163b, 166b, 167b
chemistry, 160b
hexagonal particles, 161b
Sardinian Margin: Site 654, 158b, 161b, 165b
- Chondrite
Marsili Basin, 62b
Sardinian Margin: Site 654, 62b
Tyrrhenian Sea: Site 651, 62b
Vavilov Basin W, Gortani Ridge, 62b
- Clastic sediment, Tyrrhenian Sea: Site 651, 327a
- Clasts
Cornaglia Terrace, 32b
De Marchi Seamont, provenance, 961a
meta-ophiolitic, sulfide ore association, 252b
metamorphic rock
De Marchi Seamont, 34b, 643b
Sardinian Margin: Site 652, 645b
Sardinian Margin: Site 654, 641b
metasedimentary rock
De Marchi Seamont, 643b
Sardinian Margin: Site 652, 645b
Sardinian Margin: Site 654, 641b
sources, 29b, 32b, 33b
micritic, Sardinian Margin: Site 652, 175b
nonmetamorphic carbonate
Sardinian Margin: Site 654, 29b
sources, 32b
ochreous, Cornaglia Terrace, 647b-648b
Sardinian Margin: Site 652, 645b
Sardinian Margin: Site 654, microcyclicality, 761a
sedimentary rock
De Marchi Seamont, 34b
Marsili Basin, 288b
Tyrrhenian Sea
emplacement, glacial/interglacial cycle, 659b
Tertiary sources, 33b
Clay, authigenesis, Marsili Basin, 316b
Clay, calcareous, Cornaglia Terrace, 610a, 611a
Clay mineralogy
Cornaglia Terrace, 153b, 155b, 323b-324b, 326b-327b
antithetic relationships, 324b
between-mineral correlations, 324b-325b
comparison, pollen and foraminiferal record, 329b
paleoenvironmental implications, 327b-329b
provenance, 325b, 327b-329b
tectonic influence, 329b
Marsili Basin, 257b, 316b
sedimentary layer 9, 268b
sedimentary layer 10, 271b
soft vs. firm mud, 309b, 311b
Mediterranean, central, geodynamic influences, 164b
Sardinian Margin: Site 652, 153b-155b, 159b-162b, 176b, 177b-178b, 237b
comparison, Site 654, 156b-157b
correlation, event stratigraphy, 220b
diagenetic changes, 160b-161b, 162b-163b, 242b
lithology and, 155b
Miocene, 233b-235b, 237b-239b
mixed-layer clays, 160b
morphology, 160b
stratigraphic correlation, Site 654, 161b-162b
thorium/potassium concentrations, 448a, 450a
zonation, Miocene, 157b, 158b, 162b
Sardinian Margin: Site 654, 12b, 153b-155b, 157b-159b, 182b-183b
climatic control, 159b
comparison, Site 652, 156b-157b
tectonic influence, 159b, 163b
Tortonian-Messinian event, 158b, 162b
zonation, Miocene, 157b, 158b, 162b
Tyrrhenian Sea: Site 651, 316b
mudstone, 313b
Tyrrhenian Sea
geodynamics, 163b
zones, 324b
Vavilov Basin W, Gortani Ridge, 153b, 155b
Claystone, Sardinian Margin: Site 654, hydrocarbon fraction, 778a
Claystone, dolomitic, Tripoli Formation, 191b
Claystone, pyritic, Sardinian Margin: Site 654, 664b
Claystone-mudstone, gypsiferous, Sardinian Margin: Site 652, 448a
Clinopyroxene
Marsili Basin, 56b, 61b
Sardinian Margin: Site 654, 53b, 61b
Tyrrhenian Sea: Site 651, 56b, 61b, 77b, 80b, 81b
Vavilov Basin W, Gortani Ridge, 61b, 77b, 80b, 81b
Coorong lagoons, organic-rich mud, 647b
Cornaglia Basin, oceanic crust, 22b
Cornaglia Terrace
bathymetry, 13a, 92a, 246b, 600a, 618b, 717b
biostratigraphy, 387b-388b, 614a-616a
correlations, 601a
Pliocene-Pleistocene, 406b-409b, 430b-451b, 461b-468b
chemostratigraphy, Pliocene, 409b-413b
diagenesis, 118b
extensional tectonism, 717b-718b
geochemistry, 620a-623a
geochemistry, inorganic, 620a-623a
geochemistry, organic, 537b-542b, 623a
heat flow, 623a-628a
interstitial-water chemistry, 594b, 621a-622a, 628a, 629a-630a
lithostratigraphy, 580b, 581b, 602a-603a
basal sedimentary sequence, 610a
between-hole correlation, 631a-632a
elastic layers, 609a
correlation, Australian spring deposits, 632a
correlation, Site 132, 612a-613a
evaporite, 647b
lithologic units, 9b
Messinian, 613a-614a
Messinian-Pliocene transition, 652b
metalliferous sediment, 24b
ochreous clastic, 647b-648b
Pliocene-Pleistocene deposition, 655b
Pliocene-Quaternary unconformities, 613a
sequence of events, 632a-633a
Unit I, 99a, 599a, 609a-610a
Unit II, 601a, 610a-612a
location, 5b, 30b, 38b, 92a, 114b, 188b, 293b, 324b, 363b, 403b, 406b, 430b, 462b, 496b, 538b, 580b, 592b, 606a, 640b, 670b
magnetic properties, 616a-617a
Miocene/Pliocene boundary, 217b-218b, 388b, 601a
acoustic reflector, 618b
biostratigraphic evidence, 628a, 631a
lithostratigraphic evidence, 631a-632a
seismic reflector, 18a
morphology, 9a
navigation data, 91a
organic geochemistry, 592b-593b
paleoceanography, 606a
Pliocene-Pleistocene, 471b-472b
paleoenvironment, 212b-213b, 505b, 510b, 604a, 606a
climatic cooling, 698b
glacial/interglacial cycle, 702b
marginal evaporitic, 648b-649b
Messinian, 213b
open marine, 391b-393b
Pliocene-Pleistocene, 390b-395b, 396b-397b, 468b-471b, 695b-696b, 700b, 702b-703b
physical properties, 617a-620a, 621a
Units 1-2, 617a
Pliocene/Pleistocene boundary, 601a
paleoenvironment, 698b
rifting
history, 626b
Tortonian-Messinian, 722b
seismic stratigraphy, 93a, 114a-117a, 618b-619b, 623b
correlation, Sardinian Margin, 749a
stratigraphic sequence, Miocene succession, 247b
Corrensite
Sardinian Margin: Site 652, 155b
effect of evaporitic conditions on, 161b
Corsica
Alpine cycle, 42a
geology, 40a
lithostratigraphy, Mesozoic-Eocene, 42a
tectonic evolution, 21b
Corsica-Sardinia Basins
crust morphology, 15a
morphology, 9a
Corsica-Sardinia block, drifting, Burdigalian, 725b
Corsica-Sardinia Margin, basement, pre-Alpine, 37a
Crete, Tortonian/Messinian boundary, 340b
Crust, basaltic
formation, 21b
Marsili Basin, formation, 652b
Vavilov Basin W, Gortani Ridge, formation, 652b
Crust, continental
Marsili Basin, thinning, 621b
Sardinian Margin, 408a, 757a
subsidence, 785a
thickness variation, 748a-749a
Vavilov Basin, 408a
Crust, oceanic
Cornaglia Basin, 22b
Corsica-Sardinia Basins, morphology, 15a
Eolian Arc, 640b
Marsili Basin, 634b
morphology, 131a
Sardinian Margin: Site 654, extension, 721b
Sardinian Margin, 408a
thinning, 633b
Tyrrhenian Sea
emplacement, 720b-721b, 723b
formation, 15b, 653b-654b
morphology, 10a, 14a, 15a
subduction, 660b
Vavilov Basin, 408a
Vavilov Basin W, Gortani Ridge, 54b
emplacement, 720b, 723b
transition to continental crust, 878a

SUBJECT INDEX

- De Marchi Seamount
 bathymetry, 92a, 246b, 618b, 717b, 952a
 biostratigraphy, 961a–963a
 continental nature, 410a
 crust formation, 15b
 formation, 634b
 geologic setting, 954a
 lithology, 33b
 lithostratigraphy, 580b, 581b, 953a
 between-hole correlation, 961a
 conglomerate, 954a, 960a
 depositional environment, 644b–645b,
 964a–965a
 lead and zinc enrichment, 252b
 lithologic units, 11b, 33b, 34b, 951a, 958a–
 961a
 Messinian-Pliocene transition, 651b
 prerift/synrift sequence, 954a
 synrift sequence, 965a–966a
 terrestrial elastic succession, 643b–644b
 Tethyan ophiolite nappe, 965a
 location, 30b, 38b, 92a, 289a, 293b, 496b,
 580b, 592b, 640b, 670b, 955a
 morphology, 19a
 navigation data, 91a
 oceanic crest, 720b
 paleoenvironment, Messinian, 217b, 645b
 physical properties, 963a–964a
 seismic stratigraphy, 26a, 93a, 124a–125a,
 952a
 reflection profiling, 624b
 subsidence, 722b
 Pleistocene, 726b
 tectonic evolution, 965a–966a
- Debris flow
 Cornaglia Terrace, 295b–296b, 297b
 origin, 609a
 sedimentary contact, 610a
- De Marchi Seamount, 295b–296b, 297b
 defined, 294b
- Marsili Basin, 297b–298b, 656b
 lithology, 303b
 sediment-deposit types, 300b, 302b
- Sardinian Margin: Site 652, 295b–296b, 297b
 Sardinian Margin: Site 654, 297b, 665b, 764a
 Tyrrhenian Sea: Site 651, 295b–296b,
 297b–298b
 lithology, 303b
 sediment-deposit types, 300b, 302b
- Vavilov Basin W, Gortani Ridge, 295b–296b,
 297b, 659b
- Deep-water circulation
 hydrotepid, Tyrrhenian Sea: Site 651, 137b
- Mediterranean
 carbon isotope values, 24b
 stagnation, 643b
- Sardinian Margin: Site 654, 761a
 anoxic conditions, 786a
- Tyrrhenian Sea
 brine mixture, 610b
 circumpolar water mass displacement, 505b
- Della Rondine Seamount, 623a
- Density
 Cornaglia Terrace, 603a, 617a, 620a
 De Marchi Seamount, 963a, 964a, 965a
 Marsili Basin, 133a, 153a
 Sardinian Margin: Site 652, 405a, 429a,
 431a, 432a
 Sardinian Margin: Site 654, 751a, 770a, 772a
 Vavilov Basin W, Gortani Ridge, 881a, 892a,
 893a, 895a
- Diagenesis
 aragonitic mud, Cornaglia Terrace, 632a
 Cornaglia Terrace, 610b
- Sardinian Margin: Site 652
 compaction and cementation, 242b
 effect on magnetic properties, 220b
- Sardinian Margin: Site 654, 610b
 gypsum, 649b, 761a
- Sardinian Margin, 184b
 Vavilov Basin W, Gortani Ridge, 886a
- Diatomite, Tyrrhenian Sea, 505b
- Dolerite
 Tyrrhenian Sea: Site 651, 305a
 holocrystalline phaneritic, 63b
 hydrothermal metamorphism, 63b
 velocity, 325a
- Dolomite
 calcium-rich, Tyrrhenian Sea, 144b–147b
 Cornaglia Terrace, stable isotopes, 191b–192b
 crystal habit, 191b
 diagenetic changes, 198b, 199b
 dolomitizing solution, 148b, 198b
 formation, 135b
 magnesium-rich, 144b–147b
 precipitation, 146b
 hydrologic mechanism, 146b–147b
 rate of, 148b
- Marsili Basin, 142a
- Messinian, 23b
 oxygen isotope values, Mediterranean, 23b
- Sardinian Margin: Site 652, 210b
 mineralogy, 197b
 stable isotopes, 197b–198b, 199b, 202b
- Sardinian Margin: Site 654, 182b, 610b
 stable isotopes, 191b–192b
 strontium isotopes, 608b, 609b
- Tyrrhenian Sea: Site 651, 146b, 302a
 calcite ratio, 315a
 isotopic covariance, 144b–145b, 148b
 oxygen isotopes, 149b
 precipitation, 150b
 temperature of formation, 147b–148b
- Vavilov Basin W, Gortani Ridge,
 temperature of formation, 147b–148b
- Dolomitic sediment
 basal and intrabasement, Tyrrhenian Sea: Site
 651, 139b
 comparison, Fe–Mn sediment, 136b
 genesis
 hydrothermal processes, 136b–137b
 weathered basalt, 136b
- Marsili Basin, 130b–131b
 geochemistry, 131b, 133b
 Pliocene, 656b
- Tyrrhenian Sea: Site 651
 basal and intrabasement, 132b, 134b
 geochemistry, 134b
 Pliocene, 656b
- Vavilov Basin W, Gortani Ridge, 132b
 geochemistry, 135b
 mineralogy, 135b
 Pliocene, 656b
- Dolomitization
 Marsili Basin, 15b
 Tyrrhenian Sea: Site 651, 15b
 Vavilov Basin W, Gortani Ridge, 15b
- Dolostone
 Marsili Basin
 basal metalliferous, 148b–149b
 chemistry, 145b
 description, 142b–143b
 stratigraphic location, 149b
- Tyrrhenian Sea: Site 651, 302a
 chemistry, 144b, 145b
 clay mineralogy, 147b
 description, 142b–143b
 seismic reflectors and, 149b–150b
- stratigraphic location, 149b
- Vavilov Basin W, Gortani Ridge
 chemistry, 144b, 145b
 clay mineralogy, 147b
 description, 142b–143b
 stratigraphic location, 149b
- East Pacific Rise, metalliferous sediment, 149b
- Eolian Arc
 age, 26b
 erosion history, 304b
 oceanic crust, 640b
 seismic stratigraphy, 21a
 subduction, 640b
 volcanic province, geographical setting, 292b
- Eolian Islands, morphology, 9a
- Evaporates
 associated terrigenous sediment, 211b
 Cefalu Basin, 621b
- Cornaglia Terrace, 13b, 601a
 brine influence, 612b
 depositional environment, 647b
 Messinian, 608a, 609a
 paleoenvironment, 648b
 strontium isotopes, 403b, 605b–609b
 thermal conductivity, 617a
 gypsum-rich layers, 194b
 marginal type facies, 621b
- Mediterranean
 associated terrigenous sediment, 211b
 depositional environment, 414b
- Sardinian Margin: Site 652, 184b
 cyclicity, 645b
 depositional environment, 612b, 645b–647b
 dissolution, mineralogical effect, 435a
 strontium isotopes, 605b–609b
 upper-lower contact, 455a
- Sardinian Margin: Site 654, 13b, 23b,
 753a–754a
 depositional environment, 649b
 gypsum-rich, gypsum-poor cycles, 784a
 hydrocarbon values, 754a
 transition to pre-evaporitic environment,
 217b
- Sardinian Margin, lower evaporite unit, 619b
- Tyrrhenian Sea: Site 651, 289a
- Tyrrhenian Sea
 marginal type facies, 22a
 strontium isotopes, 603b–604b
 Upper and Lower, 211b–212b
- Faulting
 Sardinian Margin: Site 652
 extensional microfaults, 422a
 fault planes, 423a
 microfolds, 423a
 microstructure, 455a
- Sardinian Margin: Site 654, 12b, 650b, 759a,
 762a
 orientation, 650b
 Riedel orientation, 766a
- Sardinian Margin, half-grabens and tilted
 blocks, 619b, 623b
- Tyrrhenian Sea: Site 651, oceanic crust
 formation, 653b–654b
- Tyrrhenian Sea, seismic stratigraphy, 22b
- Feldspar, Sardinian Margin: Site 652, 159b
 160b, 237b, 239b
- Flavio Gioia Seamount
 basaltic breccia, 718b
 basement, sillimanite-bearing, 33b
 location, 289a

- Gessoso-solfifera Formation, 184b
 transition from Tripoli Formation to, 184b
- Gibraltar Arc, tectonic evolution, 14b
- Gibraltar Sill, collapse, 14b, 24b, 413b
- Gioia Basin, subsidence, 721b
- Glacial/interglacial cycle
 Mediterranean, 604a
 Tyrrhenian Sea, oxygen isotope variation, 16b
- Glass chemistry
 between-site correlation, 300b
 calc-alkaline, 299b-300b
 Cornaglia Terrace, 298b, 657b
 Marsili Basin, 298b, 298b-300b, 301b, 302b, 311b
 rhyolite, 300b
 Tyrrhenian Sea: Site 651, 298b, 298b-300b
 Vavilov Basin W, Gortani Ridge, 298b, 657b
- Glass, volcanic
 Marsili Basin, 319b, 668b
 Tyrrhenian Sea: Site 651, 667b
- Glauconites, Sardinian Margin: Site 654, 182b, 642b
- Goethite, Cornaglia Terrace, abundance, 328b
- Gortani Ridge, seismic stratigraphy, 19a
- Grain size
 Cornaglia Terrace, 215b, 297b
 De Marchi Seamount, 220b
 Marsili Basin, 257b, 650b
 sedimentary layer 5, 263b
 sedimentary layer 6, 263b-264b
 sedimentary layer 7, 265b
 sedimentary layer 8, 266b
 sedimentary layer 9, 267b
 sedimentary layer 11, 272
 sedimentary layer 12, 273b
 sedimentary layer 13, 273b-274b
 sedimentary layer 16, 275b
 sedimentary layer 19, 277b
 sedimentary layer 22, 280b
 Sardinian Margin: Site 652, 218b, 219b, 235b
 calcium carbonate and, 235b, 237b
 tectonic influence, 242b
 Sardinian Margin: Site 654, 213b
 Miocene, 415b, 418b-120b
 Vavilov Basin W, Gortani Ridge, 297b
- Grainstone, 417a-418a
 Sardinian Margin: Site 652, 33b
- Great Salt Lake, depositional environment, 248b, 646b
- Gulf of Lyons, magnetic anomaly, 6b, 21b
- Gulf of Naples, pyroclastic layers, 303b
- Gypsarenite
 Cornaglia Terrace, fibrous structure, 190b
 Sardinian Margin: Site 654, 181b
- Gypsum
 anhydrite relationship, 194b-195b
 carbonate rhythms, during brine changes, 189b
 Cornaglia Terrace, 612a, 632a
 crystal habit, 190b
 diagenetic facies, 189b
 reworked, 190b, 206b
 crystal deformation, 190b
 crystal habit, 213b
 laminated, 612a
 lenticular crystals, 189b, 194b, 417a, 612a, 632a
 morphology, 194b
 nongypsum laminae and, 189b
 Sardinian Margin: Site 652, 417a
 clasts, 239b
 cycles, 215b-216b
 petrography, 194b-195b
 Sardinian Margin: Site 654, 13b
- diagenesis, 761a
 magnetic properties, 339b
 organic matter in, 190b
 precipitation, 649b
 recrystallized, 666b
 seismic stratigraphy, 780a
 succession, 650b
 velocity, 772a
 secondary growth, 612a
 surficial alteration, 190b
 syndepositional alteration, 190b
- Gypsum, alabastrine, Sardinian Margin: Site 654, 181b, 761a
- Gypsum, balatino-type
 Cornaglia Terrace, 505b, 632a-633a
 deposition, 647b, 649b
 mineralogy, 188b-189b
 petrography, 188b-189b
 genesis, 189b
 Sardinian Margin: Site 654, 181b, 664b, 754a, 761a, 785a
 alternating field demagnetization, 117b, 118b
 cyclicity, 759a
 layers, 649b
 magnetic properties, 122b
 mineralogy, 188b-189b
 petrography, 188b-189b
 reversed polarity, 339b
- Gypsum, laminar, Sardinian Margin: Site 654, 649b
- Gypsum, regular-laminated, Sardinian Margin: Site 654, 203b, 204b
- Gypsum, selenitic
 Cornaglia Terrace, 189b
 Sardinian Margin: Site 654, 762a
- Gypsum, wavy-laminated
 Sardinian Margin: Site 654, 205b
 formation, 189b
- Gypsum-anhydrite
 Cornaglia Terrace
 marine origin, 198b
 stable isotopes, 193b
 Sardinian Margin: Site 652
 marine origin, 198b
 stable isotopes, 193b
 Sardinian Margin: Site 654
 marine origin, 198b
 stable isotopes, 193b
- Halite, Sardinian Margin: Site 652, 195b
- Heat flow, 781a-784a
 Cornaglia Terrace, 623a-628a, 632a, 633a-635a, 637a
 Pliocene-Quaternary, 608a
 Marsili Basin, 135a, 155a, 163a, 165a-166a, 166a-167a
 thermal gradient, 163a
 Sardinian Margin: Site 652, 193b, 452a-454a
 effect on clay mineralogy, 161b, 163b
 Messinian, 13b
 Sardinian Margin: Site 654, 782a-783a
 between-site correlation, 541b
 Sardinian Margin, 24b
 Tyrrhenian Sea: Site 651, 296a, 323a-325a
 Tyrrhenian Sea, 14a, 16a
 Vavilov Basin W, Gortani Ridge, 895a-896a, 899a, 901a, 902a, 903a
 decrease with depth, 896a
 negative anomaly, 895a
- Hematite, Sardinian Margin: Site 652, Messinian pre-conglomerate, 227b
- Hutt lagoon, wavy-laminated gypsum, 189b
- Hyaloclastite, Tyrrhenian Sea: Site 651, 652b
- Hydrocarbons
 pristane/phytane ratio, 439a
 Sardinian Margin: Site 652, 441a
 C-, C₃, 439a-440a
 cyclohexanes, 560b
 depositional environment, 439a-440a
 gas chromatography, 442a-443a, 544b
 headspace analysis, 444a
 pentacyclic, 576b
 pentacyclic compounds, 560b-563b
 source, 440a
 tetracyclic, 576b
 tetracyclic compounds, 563b, 566b, 569b
 vacutainer analysis, 445a
 Sardinian Margin: Site 654, 560b
 gas chromatography, 778a
 pentacyclic, 576b
 pentacyclic compounds, 560b-563b
 tetracyclic compounds, 563b, 566b, 569b
 steroid, 569b
 Hydrogen, Tyrrhenian Sea: Site 651, 314a
 Hydrogen index
 Sardinian Margin: Site 652, 542b
 Sardinian Margin: Site 654, 542b
 Vavilov Basin W, Gortani Ridge, 542b
 Hydrothermal sediment, types of, 136b
- Ice volume, Cornaglia Terrace, Pleistocene increase, 702b
- Illite
 Cornaglia Terrace, 323b-324b
 provenance, 325b
 Sardinian Margin: Site 652, 159b, 160b, 161b, 166b, 235b
 Sardinian Margin: Site 654, 161b
 morphological transition, 158b
 Ilmenite, Tyrrhenian Sea: Site 651, 83b
 Index properties. *See* particular physical properties
- Inner Dinarides, Yugoslavia, dolomite, 146b
- Ionian Sea
 geology, 53a, 55a
 Moho unconformity, 10a
 tectonics, 58a
 Wadati-Benioff zone, 16a
- Iron oxide
 Cornaglia Terrace, 218b, 612a, 632a
 ferrous/ferric iron ratio, 128b
 formation, 648b
 lithologic Unit I, 610a
 Sardinian Margin: Site 652, 235b, 237b, 645b
 Sardinian Margin: Site 654, 785a
 Sardinian Margin, 14b
- Iron oxyhydroxide, Tyrrhenian Sea: Site 651, 152b
- Islas Orcadas fracture zone, ultramafic serpentinization, 146b
- Italian Dolomites, rift succession, 642b
- Italian peninsula, lithostratigraphy, 185b
- Kaolinite
 Cornaglia Terrace, recycled, 325b
 Sardinian Margin: Site 652, 159b, 161b
 Sardinian Margin: Site 654, 161b
 Kuroko-type deposits, De Marchi Seamount, 252b
- Lacustrine deposits
 Sardinian Margin: Site 652, 16b, 229b, 242b, 651b-652b
 reversed polarity, 337b, 339b
 Sardinian Margin: Site 654, 505b
- Laga Basin, subsidence, 725b
- Lago-mare facies

SUBJECT INDEX

- Cornaglia Terrace, 628a
Mediterranean, 211b, 217b, 505b
Sardinian Margin: Site 652, 23b, 184b
Sardinian Margin: Site 654, 14b
Tyrrhenian Sea, 24b
- Lapilli, Marsili Basin, 287b
- Latium-Abruzzi carbonate platform
Apennines, 45a
lithostratigraphy, 48a
Pliocene event, 726b
- Le Castella section, Pliocene/Pleistocene
boundary, 395b
- Ligurian Tethys, 7b
crust formation, 21b
- Limestone, terrigenous micritic, Sardinian Margin: Site 652, 175b
- Lipids
pristane/phytane ratio, 560b
Sardinian Margin, gas chromatography, 555b
- Litharenite, Sardinian Margin: Site 652, 175b
- Maghemitization, effect on magnetic properties, 103b
- Magmatism
Tyrrhenian Sea
major episodes, 292b
Tortonian, 716b
- Magnaghi Volcano
age, 25b, 634b, 721b
bathyal plain, 621b
eruption, Pliocene, 15b
morphology, 9a
- Magnaghi-Vavilov Basin
bathymetry, 10a
isopach features, 29a
seismic stratigraphy, 621b
- Magnesium
depletion, Marsili Basin, 158a
diagenesis, role of Messinian evaporitic conditions in, 161b
Sardinian Margin: Site 652, effect of evaporite dissolution on, 435a
- Magnesium chlorite
Sardinian Margin: Site 652, 155b
Sardinian Margin: Site 654, 155b
- Magnetic properties
basalt, Tyrrhenian Sea: Site 651, 100b
Cornaglia Terrace, 123b, 124b, 125b, 126b
reversed polarity, 616a-617a
secondary magnetization, 616a-617a
susceptibility, 122b, 127b, 618a-619a
thermal demagnetization, pre-Pliocene sediment, 120b
- Marsili Basin, 132a-133a, 152a-153a, 347b-349b
age constraints, 349b, 353b
correlation, lithostratigraphy, 336b, 357b
reversed polarity, 337b
susceptibility, 154a
thermal magnetization, 348b, 350b-353b
- Miocene/Pliocene boundary, 769a
- Sardinian Margin: Site 652, 404a, 427a-428a
primary magnetization, 114b-122b
reversed polarity, 13b, 343b
Subchron 3r, 23b
susceptibility, 356b
thermal demagnetization, pre-Pliocene sediment, 120b
- Sardinian Margin: Site 654, 345b, 750a, 769a
maximum angular deviation, 345b
primary magnetization, 114b-122b
reversed polarity, 345b, 346b
thermal demagnetization, 116b
Tortonian sediment, 119b
- Tyrrhenian Sea: Site 651, 99b-104b, 100b, 102b, 104b, 107b, 109b, 290a-291a, 339b
comparison, Cornaglia Terrace, 311a
Koenigsberger ratio, 106b
negative anomaly, 289a
opaque mineralogy, 102b-103b
primary magnetization, 114b-122b
reversed polarity, 339b
susceptibility, 100b, 105b
thermal demagnetization, 100b-102b
- Tyrrhenian Sea, anomalies, 9a-10a, 13a, 14a-16a, 17a
- Vavilov Basin W, Gortani Ridge, 99b-104b, 107b, 109b, 881a, 891a-892a
Koenigsberger ratio, 106b
opaque mineralogy, 102b-103b
susceptibility, 100b, 103b, 105b
thermal demagnetization, 100b-102b, 103b
- Magnetite
Cornaglia Terrace
concentration fluctuations, 617a
dissolution, 118b
Marsili Basin, 152a
dissolution, 118b
Sardinian Margin: Site 654, dissolution, 118b
Tyrrhenian Sea: Site 651, dissolution, 118b
- Magnetostratigraphy
alternative event stratigraphy, 23b
Brunhes Chron, 353b
Cornaglia Terrace, 18a-19a, 601a, 879a
Marsili Basin, 336b-337b, 879a
anomalies, 722b
biostratigraphic correlation, 671b
Brunhes Chron, 337b
correlation, lithostratigraphy, 336b, 357b
magnetozone boundaries, 142a, 153a
primary magnetization, 114b-122b
Sardinian Margin: Site 652, 337b-338b, 879a
biostratigraphic correlation, 673b
correlation, event stratigraphy, 220b-221b
correlation, lithostratigraphy, 341b, 342b
Gilbert epoch, 455a
magnetozone boundaries, 428a
reversed polarity, Gilbert chron, 645b
Thvera subchron, 24b, 428a
Sardinian Margin: Site 654, 338b-339b, 879a
biostratigraphic correlation, 674b
correlation, lithostratigraphy, 344b
magnetozone boundaries, 770a
Sardinian Margin, 17a-19a
Tortonian/Messinian boundary, Sardinian Margin: Site 654, 339b, 340b
Tyrrhenian Sea: Site 651, 337b, 879a
biostratigraphic correlation, 672b
correlation, lithostratigraphy, 338b
magnetozone boundaries, 311a
- Tyrrhenian Sea
Messinian facies, 212b
Pliocene, 14b
Vavilov Basin W, Gortani Ridge, 900a
- Malta escarpment, rejuvenation, 726b
- Manganese oxide, Sardinian Margin, 14b
- Mantle
continental crust breakthrough, Tyrrhenian Sea, 879a
Vavilov Basin W, Gortani Ridge, uplifting, 634b
- Marble, Sardinian Margin: Site 654, 30b
- Marsili Basin
active volcanoes, 137a
basalt, 722b
bathymetry, 92a, 130a, 130b, 142b, 256b, 618b, 717b
- biomagnetostratigraphic correlation, 670b-671b
- biostratigraphy, 148a-152a, 282b-283b
magnetozone boundaries, 141a
sedimentary layer 9, 278b
chronostratigraphy, 359b
- crust
age, 722b
morphology, 131a
thinning, 621b
- evolution, 5a
extension, direction of, 26b
formation, 17b
magmatic differentiation, 634b
geochemistry, 155a-158a, 310b
geologic evolution, 50b-51b, 129b-130b, 131a
interstitial-water chemistry, 157a-158a, 163a, 164a
- lithostratigraphy, 131b, 132a-133a, 140a, 256b-257b
glacial/interglacial cycle, 168a
lithologic units, 6b, 129a, 140a-141a, 255b
Pliocene-Pleistocene deposition, 655b
location, 5b, 30b, 38b, 50b, 92a, 114b, 130a, 134a, 293b, 324b, 496b, 580b, 592b, 640b, 670b
- magmatic episodes, 626b
magnetic properties, 114b-122b
magnetostratigraphy, 336b-337b
magnetozone boundaries, 141a
morphology, 9a
navigation data, 90a
opening rate, 26b
physical properties, 153a-155a, 156a
rifting, 723b
sediment transport, 141a
sediment, volcanogenic, origin, 316b
sedimentary instability, 144a-145a, 147a
sedimentary layer 1, 258b
sedimentary layer 2, 258b
sedimentary layer 4, 259b
sedimentary layer 5, 263b
sedimentary layer 6, 265b
sedimentary layer 7, 266b
sedimentary layer 8, 266b-267b
sedimentary layer 9, 270b-271b
sedimentary layer 10, 272b
sedimentary layer 11, 273b
sedimentary layer 14, 274b
sedimentary layer 15, 274b-275b
sedimentary layer 16, 275b-276b
sedimentary layer 17, 276b
sedimentary layer 18, 276b-277b
sedimentary layer 20, 278b-279b
sedimentary layer 21, 279b-280b
sedimentary layer 22, 280b
sedimentary layer 23, 280b-281b
seismic stratigraphy, 19a, 21a-22a, 32a, 93a, 94a-97a
acoustic units 1-4, 626b
interbedded lava flow, 622b
reflection profiling, 627b
sequences A and B, 621b
subsidence, 722b
Pleistocene, 724b, 726b
tephrochronology, 11a
Vavilov Basin and, remnant arc, 25b
- Marsili Seamount
basalt, 166a
morphology, 9a
seismic stratigraphy, 32a
- Marsili Volcano
age, 634b

- eruptions, Pleistocene, 16b
- Mediterranean
 biostratigraphy, events, correlation, open ocean, 677b-681b
 isolation from world ocean, 643b
 lithostratigraphy, lateral facies variability, 13b
 Messinian events, correlation, open ocean events, 604a
 Messinian paleoenvironment, 643b-649b
 Miocene/Pliocene boundary
 paleoenvironment, 14b
 seismic reflector, 25b
 stable isotopes, Pliocene/Pleistocene boundary event, 395b-396b
- Mediterranean, central, sedimentary structures, 38a
- Mediterranean, E, Tyrrhenian Basin and, stratigraphic correlation, 131a
- Mediterranean Outflow Water, 472b
- Mediterranean, W
 bathymetry, 11a
 margin formation, 629b
- Messinian salinity crisis
 factors precipitating, 601a
 sedimentation, tectonic influence, 660b
 termination, 414b
 transition to open-marine environment, 14b
 Tyrrhenian Sea, 3b, 12b
 lithostratigraphic effects, 17b
 termination, 405b
- Messinian/Pliocene boundary, lithostratigraphy, 599a
- Messinian/Tortonian boundary, lithostratigraphy, 763a, 785a
- Metabasites, De Marchi Seamount, 34b
- Metadolerite, Tyrrhenian Sea: Site 651, 305a
- Metagabbros, De Marchi Seamount, 623b
- Metalliferous sediment
 Cornaglia Terrace
 geochemistry, 247b-248b, 249b
 mineralogy, 247b
- De Marchi Seamount
 geochemistry, 248b, 250b
 lead and zinc sources, 252b
 mineralogy, 248b
 provenance, 251b
- Marsili Basin, Pliocene, 656b
- Miocene/Pliocene boundary
 Cornaglia Terrace, 24b
 Sardinian Margin, 24b
- Sardinian Margin: Site 652
 geochemistry, 245b-246b, 249b, 251b
 mineralogy, 245b, 251b
 provenance, 251b
- Sardinian Margin: Site 654
 geochemistry, 248b, 249b
 mineralogy, 248b
 provenance, 251b
- Tyrrhenian Sea: Site 651
 geochemistry, 133b
 Pliocene, 656b
- Vavilov Basin W, Gortani Ridge, Pliocene, 656b
- Mica
 Sardinian Margin: Site 652, 160b
 Sardinian Margin: Site 654, alteration, 158b
- Mica-illite
 Sardinian Margin: Site 652, 167b
 Sardinian Margin: Site 654, 165b
- Micrite, Tyrrhenian Sea: Site 651, 667b
- Mid Ocean Ridge, peridotite, 45b
- Mineralogy
 basalt
 Marsili Basin, 51b
- Sardinian Margin: Site 654, 52b-53b
- Cornaglia Terrace, 216b
 heavy minerals, 31b
 metalliferous sediment, 247b
- De Marchi Seamount, heavy minerals, 31b, 34b, 961a
- Marsili Basin, 309b
 abundance peaks, 142a, 143a
 sedimentary layer 2, 258b
 sedimentary layer 11, 272b
 sedimentary layer 20, 279b
- mudstone, Tyrrhenian Sea: Site 651, 312b
- Sardinian Margin: Site 652, 217b
 heavy minerals, 31b, 33b
 metalliferous sediment, 245b
 source, 33b
- Sardinian Margin: Site 654, 214b
 heavy minerals, 29b, 31b
- Tyrrhenian Sea: Site 651, 309b
- Tyrrhenian Sea, between-site correlation, 153b-155b
- Vavilov Basin W, Gortani Ridge, heavy minerals, 31b
- Moho unconformity
 bathymetry, 10a
 Marsili Basin, 135a
 Tyrrhenian Sea, 14a, 295a
- Mono Lake Event, 353b
- Monte Baronie
 formation, 634b
 lithology, 749a
 morphology, 9a
 seismic stratigraphy, 23a
- Monte Farfalle, morphology, 19a
- Monte Poseidone, morphology, 19a
- Monte Secchi, calcareous phyllites and schists, 601a
- Montmorillonite, Sardinian Margin: Site 652, 448a
- Mud, aragonitic, diagenesis, 632a
- Mud, calcareous
 Marsili Basin, 140a
 susceptibility values, 153a
 Sardinian Margin: Site 654, 664b, 762a
- Mud, dolomitic
 Cornaglia Terrace, 632a
 De Marchi Seamount, 961a
- Mud, dolomitic nannofossil, Cornaglia Terrace, 612a
- Mud, gypsiferous, Sardinian Margin: Site 654, 664b
- Mud, nannofossil, Sardinian Margin: Site 654, 761a
- Mudstone
 De Marchi Seamount, 248b
 lead and zinc enrichment, 251b-252b
- firm
in situ formation, 307b, 315b
 Marsili Basin, 319b
 Marsili Basin, mineralogy, 308b
 Sardinian Margin: Site 652, 32b, 417a, 666b
 Sardinian Margin: Site 654
 hydrocarbon fraction, 778a
 varve-type laminated, 763a
 secondary growth, 312b
 Tyrrhenian Sea: Site 651, 300a, 320b, 321b
 clay mineralogy, 313b
 mineralogy, 312b-313b
- Tyrrhenian Sea, clay fraction, 308b-309b, 311b, 315b
- Mudstone, calcareous
 Marsili Basin, deposition, Pliocene, 655b
 Sardinian Margin: Site 652, 419a
- Tyrrhenian Sea: Site 651, deposition, Pliocene, 655b
- Mudstone, gypsiferous, Sardinian Margin: Site 652, 588b
- Nepheline, Vavilov Basin W, Gortani Ridge, 58b
- Neptunian dike, Tyrrhenian Sea: Site 651, 302a
- North Atlantic Deep Water, carbon isotope values, 24b
- Olivine
 Fo content, 77b, 79b
 Marsili Basin, 51b, 60b
 Sardinian Margin: Site 654, 52b, 58b, 60b
 Tyrrhenian Sea: Site 651, 42b, 58b, 60b, 62b-63b, 77b
- Vavilov Basin W, Gortani Ridge, 58b, 60b, 77b
- Oman Mountains, Duru Group, rift succession, 642b
- Ooze, biogenic
 Cornaglia Terrace, 225b
 Sardinian Margin: Site 652, 226b
 Sardinian Margin: Site 654, 224b
- Ooze, nannofossil
 Cornaglia Terrace, 609a, 610a
 deposition, Pliocene, 655b
- De Marchi Seamount, 959a, 961a
- Marsili Basin, 668b
- Sardinian Margin: Site 654, 182b, 588b-599b, 757a, 763a, 785a
 bioturbation, 650b
 depositional environment, 642b
 Tortonian/Messinian, 642b
- Sardinian Margin, deposition, Pliocene, 655b
- Vavilov Basin W, Gortani Ridge, 626b, 884a
 deposition, Pliocene, 655b
- Opaque oxide, Tyrrhenian Sea: Site 651, 78b
- Operculinids, Sardinian Margin: Site 654, 184b
- Ophiolite
 Apennines, N, 21b
 Sardinian Margin: Site 652, nappe complex, 623b
- Organic facies, Mediterranean, 588b-589b
- Orthopyroxene
 pseudomorphed by bastite, 41b
 Tyrrhenian Sea: Site 651, 42b
- Ortona-Roccamorfinia Line, 725b
 thrusting, 726b
- Oxygen isotopes
 Cornaglia Terrace
 enrichment event, 394b
 glacial/interglacial cycle, 702b-703b
 large amplitude oscillations, 390b-391b
 Pliocene-Pleistocene, 388b-395b, 410b, 701b
- dolomite
 Marsili Basin, 144b
 Tyrrhenian Sea: Site 651, 144b
 Vavilov Basin W, Gortani Ridge, 144b
- Glacial Stages 1-5, 144a
 glacial/interglacial cycle, Tyrrhenian Sea, 26b
 glacial/interglacial fluctuations, Tyrrhenian Sea, 16b
- Marsili Basin, glacial/interglacial cycle, 143a, 143a-144a
- Mediterranean, glacial/interglacial cycle, 394b, 397b
- planktonic foraminifers, Tyrrhenian Sea: Site 651, 310a
- Pleistocene, Cornaglia Terrace, 363b
- Sardinian Margin: Site 652
 covariance, 413b
 glacial/interglacial cycle, 409b-410b

SUBJECT INDEX

- planktonic/benthic gradient, 411b
 Pliocene, decreasing values, 409b-410b
 Sardinian Margin: Site 654, 370b-372b
 enrichment events, 423b-424b
 Pliocene, 410b
 salinity effects, 424b
 stages 1, 5c, 8, 9, and 14, 310a
 Termination I, 144a
 Termination IV, 310a
 Tyrrhenian Sea, Pliocene-Pleistocene
 climatic changes, 372b-380b
 Oyster shells, Sardinian Margin: Site 654, 765a
- Packstone, Sardinian Margin: Site 652, 32b, 416a-417a, 645b
- Palagonite, Vavilov Basin W, Gortani Ridge, 890a
- Palygorskite
 Cornaglia Terrace
 distribution, 324b
 provenance, 325b
 formation environment, 325b
 Tyrrhenian Sea: Site 651, 152b
 genesis, 147b
- Pangea supercontinent, Tyrrhenian basin evolution, 6b
- Paratethys Basins, drainage system, 14b
- Passive margin
 evolution
 Sardinian Margin, 410a, 749a
 Tyrrhenian Sea, 629b
- Pelagian Sea
 geology, 50a
 isopach features, 56a
- Peridotite
 elemental composition, 43b, 45b
 high-temperature assemblages, 42b
 intermediate-temperature assemblages, 43b
 low-temperature assemblages, 43b
 mineral orientation, 39b-40b
 origin, 325a-326a
 petrography, 40b-41b
 relict mineral assemblage, 41b-42b
 Tyrrhenian Sea: Site 651, 37b-46b, 42b, 298a, 305a
 emplacement, 15b, 26b, 45b-46b
 hydrothermal metamorphism, 45b
 island arc/subduction zone geotectonic setting, 45b, 46b
 stratigraphic location, 37b
 velocity, 325a
- Peridotite, serpentized
 chrysotile veins, 307a
 Ocean/continent transition, 879a
 serpentine-filled veins, 308a
 Tyrrhenian Sea: Site 651
 aluminum oxide content, 44b
 elemental composition, 44b
 geochemistry, 305a
 origin, 305a
 sedimentary contacts, 652b
 Vavilov Basin W, Gortani Ridge, 878a
- Perityrrhenian basins, seismic stratigraphy, 31a
- Perityrrhenian orogeny, unconformities,
 Pliocene, 726b
- Phillipsite
 authigenesis, 317b
 cementing properties, 315b
 Marsili Basin, 289b
 Tyrrhenian Sea: Site 651, 320b
 Tyrrhenian Sea, 307b
- Phlegrean Fields, Campanian ignimbrite, 300b
- Phyllite, calcareous, Sardinian Margin: Site 652, 418a
- Phyllosilicate, Tyrrhenian Sea: Site 651, 44b
- Pianosa-Elba ridge, morphology, 9a
- Piemont-Ligurian ocean, formation, 7b
- Pindos nappes, Greece, rift successions, 642b
- Plagioclase
 Marsili Basin, 56b-57b, 60b
 Sardinian Margin: Site 654, 52b, 60b
 Tyrrhenian Sea: Site 651, 56b-57b, 60b, 77b, 82b, 313b
 Vavilov Basin W, Gortani Ridge, 60b, 77b, 82b
- Plate tectonics
 Calabrian Arc, 53a
 compressional, Mediterranean, W, 725b
 De Marchi Seamount, synrift sequence, 965a-966a
 extensional tectonism
 Mediterranean, W, 725b
 Tyrrhenian Sea, 716b
 fault-block tilting, Sardinian Margin, 13b
 Ionian Sea, 58a
 Sardinian Margin, 15b, 785a-786a
 extension, 748a-749a
 Messinian, 13b
 Pleistocene, 16b
 prerift/synrift contact, 22b
 prerift/synrift deposits, 455a
 synrift/posrift transition, 15b
 Sassari-Campidano trough, 37a
 Tyrrhenian Sea, 17b
 Apennine evolutionary model, 26a
 modified foundering model, 24a, 26a
 rift-to-drift transition, 21b
 sedimentary implications, 660b-661b
 Tortonian, 12b
See also Rifting; Subsidence
- Pontian Islands, morphology, 9a
- Pontine archipelago, pyroclastics, 298b
- Porosity
 Cornaglia Terrace, 603a, 617a, 620a
 De Marchi Seamount, 963a, 964a, 965a
 Marsili Basin, 133a
 Sardinian Margin: Site 652, 233b, 405a, 431a
 Sardinian Margin: Site 654, 751a, 771a
 Vavilov Basin W, Gortani Ridge, 880a-881a, 892a, 893a, 896a
- Puerto Rico Trench, peridotite, 45b
- Pumice
 Marsili Basin, 140a, 169a, 269b-270b, 286b, 297b-298b
 Tyrrhenian Sea: Site 651, 297b-298b, 300a
- Pyrite
 Sardinian Margin: Site 652, 227b
 deposition, Pliocene, 655b
 Sardinian Margin: Site 654, 757a
- Quartz
 Cornaglia Terrace, 225b
 Sardinian Margin: Site 652, 237b, 239b
- Quartz/feldspar, Tyrrhenian Sea: Site 651, origin, 305a
- Quartzarenite, Sardinian Margin: Site 652, 33b, 418a, 645b
- R. Selli Lineament
 Pleistocene role, 722b
 synrift interval, 718b
- Ras Muhammad Pool, wavy-laminated gypsum, 189b
- Resistivity
 Sardinian Margin: Site 652, 447a
 Vavilov Basin W, Gortani Ridge, 897a-898a, 904a
 correlation, velocity, 899a
- Rifting
 Balearic Sea, 12b
 Cornaglia Terrace, 749a
 Marsili Basin, 723b
 Sardinian Margin: Site 652, 407a
 basement lithology, 623b
 subsidence and, 725b
 Sardinian Margin: Site 654, 785a
 correlations, 642b
 Tortonian-Messinian episode, 725b
 Sardinian Margin
 diachronicity, 24b
 stepwise or propagating, 633b
 synrift/posrift sediment, 618b
 Tortonian, 623b
 Tortonian-Messinian event, 629b
 Tyrrhenian Sea, 3b, 6b-7b, 17b, 727b
 pre-Tortonian, 22b
 rift-to-drift sequence, 660b
 sedimentary evidence, 649b-651b
 Tortonian-Messinian event, 722b
 Roman volcanic province, geographical setting, 292b
 Rudite, De Marchi Seamount, 644b
 Rudite, volcanoclastic, Tyrrhenian Sea: Site 651, 300a
- Sabkba setting, Cornaglia Terrace, 248b
- Sahelian cycle, Site 254, 184b
- Salina Island, glass chemistry, 299b
- Sand
 biotite- and gypsum-bearing, 612a
 Cornaglia Terrace, 610a, 611a
 Cornaglia Terrace, 652b
 depositional environment, 633a
 Marsili Basin
 sedimentary layer 1, 258b
 sedimentary layer 3, 359b
 sedimentary layer 4, 259b
 sedimentary layer 5, 263b
 sedimentary layer 6, 265b
 sedimentary layer 7, 265b
 sedimentary layer 8, 266b
 sedimentary layer 9, 269b-270b
 sedimentary layer 10, 271b
 sedimentary layer 11, 272b-273b
 quartz-rich, Cornaglia Terrace, 613a
 Tyrrhenian Sea: Site 651, 298a
- Sand, gypsiferous, 224b
 Cornaglia Terrace, 225b
 Sardinian Margin: Site 652, 448a
- Sand, pyroclastic, *in situ* transformation, 307b
- Sand, terrigenous, Sardinian Margin: Site 654, 224b
- Sand, volcanic
 characteristics, 294b
 Cornaglia Terrace, 295b-296b, 297b
 De Marchi Seamount, 295b-296b, 297b
 Marsili Basin, 145a, 297b-298b
 origin, 302b-303b
 Sardinian Margin: Site 652, 295b-296b, 297b
 Sardinian Margin: Site 654, 297b
 Tyrrhenian Sea: Site 651, 295b-296b, 297b-298b, 300a
 origin, 302b-303b
 Vavilov Basin W, Gortani Ridge, 295b-296b, 297b
- Sandstone
 Marsili Basin, 289b
 Sardinian Margin: Site 654, 31b, 666b, 667b
 Tyrrhenian Sea: Site 651, 301a, 320b
 mineralogy, 313b
 Tyrrhenian Sea, phillipsite cementation, 307b

- Sandstone, glauconitic, Sardinian Margin: Site 654, 183b-184b
- Sandstone, polymict, Sardinian Margin: Site 652, 12b, 33b, 418a, 645b
- Sapropels
- Cornaglia Terrace, 609a, 613a, 659b
- carbon isotopes, 396b
- oxygen isotopes, 396b
- Pliocene-Pleistocene, 537b-538b
- formation, 659b
- anoxic environment, 420a
- freshwater lens mechanisms, 24b
- Marsili Basin, 659b
- Mediterranean origin, 586b, 588b-589b
- organic carbon, 420a
- Sardinian Margin: Site 652, 419a-422a
- carbonate, 422a
- correlation, Ionian and Levantine Sea, 454a
- correlation, Site 654, 785a
- deposition, 435a
- marine and continental origin, 422a
- organic carbon, 540b, 574b
- Pliocene-Pleistocene, 537b-538b
- Pliocene-Pleistocene layers, 659b
- Rock-Eval pyrolysis, 582b
- Sardinian Margin: Site 654
- correlation, Site 652, 785a
- Pleistocene succession, 659b
- Tyrrhenian Sea: Site 651, 301a, 659b
- organic carbon, 315a
- Tyrrhenian Sea, 17b
- formation, 24b
- origin, 16b
- Vavilov Basin W, Gottani Ridge, 884a-886a, 888a
- organic carbon vs. carbonate content, 899a
- Pleistocene succession, 659b
- Sardinia
- geology, 39a
- lithostratigraphy, Mesozoic-Eocene, 41a
- postorogenic formations, 43a
- Sardinia-Corsica Margin
- seismic stratigraphy, 617b-621b
- Upper Basin and bordering domain, 618b
- Sardinian Basin, subsidence, Miocene, 717b
- Sardinian Margin: Site 652
- bathymetry, 92a, 246b, 407a, 618b, 717b
- biomagnetostratigraphic correlation, 673b, 676b
- biostratigraphy, 424a-427a
- Pliocene-Pleistocene, 406b-409b, 430b-451b, 461b-468b
- chemostratigraphy, Pliocene, 409b-413b
- geochemistry, 433a-440a, 734b-735b
- inorganic, 433a-435a, 438a
- organic, 435a-440a, 537b-542b
- geodynamic setting, 221b, 223b
- geologic setting, 409a-410a
- grain texture, 733b-734b
- interstitial-water chemistry, 435a, 437a
- lithostratigraphy, 193b, 218b-221b, 231b-232b, 404a-405a, 580b, 581b
- age dating, 455a
- conglomerate, 32b
- correlation, physical properties, 241b, 432a
- correlation, seismic stratigraphy, 171b, 441a, 444a-446a
- depositional environment, 13b, 229b, 239b, 454a-455a, 546b
- depth vs. age, 420a
- event stratigraphy, 219b-220b
- horizons, 171b
- iron content, 448a
- lacustrine origin, 646b
- lithologic units, 8b, 32b, 170b, 403a, 414a-419a, 545b-546b
- marine origin, 647b
- Messinian-Pliocene transition, 651b-652b
- pebble horizon, 455a, 645b
- depositional environment, 242b
- Pliocene-Pleistocene, 414a-415a, 454a, 655b
- pre-Pliocene, 13b, 416a-419a, 454a-455a, 645b
- prerift/synrift contact, 454a
- prerift/synrift/postrift sequence, 407a, 409a
- provenance, 645b
- Sabkha origin, 647b
- sedimentary cycles, second-order, 418a-419a, 455a
- source areas, 647b
- synrift/postrift contact, 25b
- tempestitute deposition, 419a
- transition, Tripoli Formation to Gessoso-solfifera Formation, 179b
- transitional zone, 415a-416a
- location, 5b, 30b, 38b, 114b, 170b, 188b, 293b, 324b, 406a, 406b, 430b, 462b, 496b, 538b, 546b, 580b, 592b, 640b, 670b
- magnetic properties
- primary magnetization, 114b-122b
- Sardinian Margin: Site 652, 427a-428a
- magnetostratigraphy, 337b-338b
- Miocene/Pliocene boundary, 217b-218b
- navigation data, 91a
- oxides, 236b
- paleoceanography, Pliocene-Pleistocene, 471b-472b
- paleoenvironment, 213b-214b
- Messinian, 410a, 647b
- Messinian post-conglomerate, 214b-215b
- Messinian pre-conglomerate, 215b-217b
- Pliocene-Pleistocene, 468b-471b
- pre-Messinian, 410a
- physical properties, 176b, 179b, 242b, 428a-433a
- comparison, logging data, 450a-452a
- correlation, lithostratigraphy, 241b, 432a
- correlation, seismic stratigraphy, 432a-433a
- rifting, 407a
- sedimentary cycle, pre-Pliocene, 23b
- sedimentary instability, 422a
- sedimentary sequence
- climatic variation, 239b, 242b
- intervals 1-5, 233b
- Messinian, 251b
- paleoenvironment, 179b
- pre-Pliocene, 172
- prerift, 179b
- seismic stratigraphy, 93a, 104a-113a, 169b-170b, 440a-441a
- acoustic units 1-4, 623b
- reflection profiling, 624b
- shallow-marine high-energy bank, 10b
- stratigraphic sequence
- Miocene succession, 247b
- pre-Pliocene, 221b
- subsidence, synrift, 718b
- tectonics, 406a-407a, 455a
- Sardinian Margin: Site 654
- bathymetry, 92a, 246b, 618b, 717b, 753a, 754a
- biomagnetostratigraphic correlation, 674b, 676b-677b
- biostratigraphy, 766a-769a
- planktonic foraminiferal events, 420b-422b
- Pliocene-Pleistocene, 406b-409b, 430b-451b, 461b-468b
- ostracode events, 480b-484b
- depositional environment, 764a
- diagenesis, 118b
- geochemistry, 734b-735b
- inorganic, 773a-776a
- organic, 537b-542b
- geologic evolution, 52b
- grain texture, 734b
- heat flow, 781a-784a
- igneous petrology, 766a
- interstitial-water chemistry, 775a-776a, 777a
- alkalinity maximum, 776a
- lithostratigraphy, 180b-181b, 580b, 581b, 650b, 747a, 750a-751a, 752a, 755a-766a
- anoxic sediment, 642b-643b
- basinal deposition, 649b
- conglomerate, 664b
- correlation, physical properties, 770a-771a
- correlation, seismic stratigraphy, 181b, 779a
- depositional environment, 547b, 641b, 643b, 649b, 758a, 761a, 762a, 764a, 765a-766a
- erosional unconformity, 785a
- gypsum-rich, gypsum-poor cycles, 759a-760a
- horizons, 181b
- intergypsum layers, 649b
- lithologic units, 10b, 23b, 24b, 29b, 546b-548b, 747a, 755a-766a, 757a-758a, 759a-761a, 762a-766a
- marine deposition, 641b-642b
- Messinian, 13b, 785a
- Miocene, 415b, 418b, 420b
- pebble horizon, 641b, 766a
- Pliocene-Pleistocene, 655b, 784a
- Pliocene/Pleistocene boundary, 757a
- prerift assemblage, 749a
- sedimentary structures, 762a
- siliceous sediment, 785a
- Tortonian, 640b-641b
- Tortonian-Messinian, 642b
- transition, marine-to-continental deposits, 780a
- location, 5b, 30b, 38b, 114b, 170b, 188b, 293b, 324b, 363b, 406b, 430b, 462b, 480b, 496b, 538b, 546b, 580b, 592b, 640b, 670b, 748a
- magnetic properties, 769a
- primary magnetization, 114b-122b
- magnetostratigraphy, 338b-339b
- Messinian/Tortonian boundary, 785a
- navigation data, 91a
- paleoceanography, Pliocene-Pleistocene, 471b-472b
- paleoenvironment
- marine, 641b-642b
- Messinian, 212b, 217b, 749a
- Miocene, 423b, 505b
- open marine, transitional stage, 505b
- Pliocene-Pleistocene, 468b-471b, 484b, 486b, 505b
- pre-Messinian, 749a
- Quaternary, 505b, 510b
- physical properties, 183b, 184b, 770a-773a, 772a
- correlation, lithostratigraphy, 770a-771a
- correlation, seismic stratigraphy, 771a-772a
- Units 1-4, 770a
- rifting, Tortonian-Messinian, 722b
- rock clasts
- metasedimentary, 29b
- nonmetamorphic carbonate, 29b
- sedimentary instability, 766a
- sedimentary sequence

SUBJECT INDEX

- fining-upward, 181b
pre-Pliocene, 181b
- seismic stratigraphy, 93a, 118a–123a, 180b
acoustic units 1–4, 623b
reflection profiling, 624b
synthetic seismogram, 780a–781a
Units 1–3, 776a, 779a
stratigraphic sequence, Miocene succession, 247b
- tectonic evolution, 748a–749a
volcanic fractures, 726b
- Sardinian Margin
bathymetry, 222b
crustal shear zones, 633b–634b
crustal thinning, 748a–749a, 757a
diagenetic history, 184b
geologic features, 717b
Messinian/Tortonian boundary, 22b
metalliferous sediment, 24b
Miocene/Pliocene boundary, 22b
paleoenvironment
Messinian, 12b–14b
open marine, 423a, 785a
Tortonian, 12b
passive continental margin evolution, 49a
rifting
history, 626b
stepwise or propagating, 633b
sedimentary sequence
correlation, perityrhenian basin, 184b
diagenetic changes, 242b
sedimentary structures, 409a
seismic stratigraphy, 17a–19a, 22a, 25a
correlation, lithostratigraphy, 625b
correlation, velocity, 625b
fault-bounded blocks, 619b
seismic units, 632b
subsidence, Messinian, 718b
synrift transgressive sequence, 785a
tectonic evolution, 784a, 785a–786a
- Sassari-Campidano trough, tectonic history, 37a
- Sea level, Cornaglia Terrace, rise in, 633a
- Sea-surface temperature, Tyrrhenian Sea,
Pliocene cooling trend, 15b
- Seafloor instability
Cornaglia Terrace, Pliocene-Pleistocene, 659b
Marsili Basin, Pliocene-Pleistocene, 659b
Sardinian Margin, Pliocene-Pleistocene, 659b
tectonic effects, 660b
Tyrrhenian Sea: Site 651,
Pliocene-Pleistocene, 659b–660b
- Seafloor spreading
Marsili Basin, 26b
Tyrrhenian Sea, 7b
- Seafloor water temperature
Marsili Basin, 163a
Tyrrhenian Sea: Site 651, fluctuations, 323a
- Sediment accumulation rate
Cornaglia Terrace, 612a
Marsili Basin, 141a–142a, 168a–169a
Brunhes Chron, 337b
Sardinian Margin: Site 652, 332b, 419a
effect of carbonate on, 433a
Sardinian Margin: Site 654, 332b
correlation, magnetostratigraphy, 678b
Tyrrhenian Sea: Site 651, 303a
basement, 326a
Tyrrhenian Sea, Tortonian, 22b
- Sedimentary cycle, postorogenic basins, 728b
- Sedimentary instability
Marsili Basin, 137b, 144a–145a, 147a
Sardinian Margin: Site 652, 422a, 650b–651b
Sardinian Margin: Site 654, 650b, 766a
anoxic sediment, 643b
- Tyrrhenian Sea: Site 651, 303a–304a
Vavilov Basin W, Gortani Ridge, 887a
- Sedimentary structures
Apennines, central, 48a
Apennines, N, 44a
Mediterranean, central, 38a
Sardinian Margin: Site 652, 416a, 651a
Sicily, 5a, 53a
Tyrrhenian Sea, 35a, 61a
- Seismic stratigraphy
acoustic units 1–3, 626b
Apenninic Margin, 19a, 621b
Calabrian Margin, 20a, 621b
Campanian Margin, 19a, 621b
Cornaglia Terrace, 93a, 114a–117a, 606a, 618b–619b, 623b
Messinian facies, 619b
correlation, physical properties, 313a–314a
De Marchi Seamount, 93a, 124a–125a, 956a
reflection profiling, 624b
Eolian Arc, 21a–22a
Gortani Ridge, 19a
Magnaghi-Vavilov Basin, 621b
Marsili Basin, 19a, 21a–22a, 32a, 94a–97a, 136a
acoustic units 1–4, 626b
correlation, lithology, 628b
correlation, lithostratigraphy, 165a
correlation, velocity, 628b
reflection profiling, 627b
seismic units, 158a, 160a–163a
sequences A and B, 621b
synthetic seismogram, 160a–161a, 166a
Miocene/Pliocene boundary, Mediterranean, 25b
Perityrhenian basins, 31a
Sardinia-Corsica Margin, 617b–621b
Upper Basin and Eastern domain, 618b
Sardinian Margin: Site 652, 93a, 104a–113a, 169b–170b, 405a, 411a
acoustic units 1–4, 623b
correlation, lithostratigraphy, 171b, 441a, 444a–446a
correlation, physical properties, 432a–433a
reflection profiling, 624b
synthetic seismogram, 444a–446a, 447a
Units 1–5, 441a, 446a
Sardinian Margin: Site 654, 118a–123a, 180b, 751a, 755a, 756a
acoustic units 1–4, 623b
correlation, Cornaglia Terrace, 749a
correlation, lithology, 779a
correlation, lithostratigraphy, 181b
correlation, physical properties, 779a
prerift/synrift/postrift sequence, 779a
reflection profiling, 624b
synthetic seismogram, 780a–781a
Units 1–3, 776a, 779a
Sardinian Margin, 17a–19a, 22a
correlation, lithostratigraphy, 625b
correlation, velocity, 625b
Messinian facies, 620b
seismic units, 158a, 160a–163a
Sicilian Margin, 20a–21a, 621b
Tyrrhenian Sea: Site 651, 93a, 98a–103a, 291a, 296a–297a
basement, 319a
correlation, lithology, 628b
correlation, lithostratigraphy, 319a
correlation, velocity, 628b
reflection profiling, 326a, 627b
seismic units 1–3, 317a, 319a, 320a–321a
synthetic seismogram, 319a–320a
Tyrrhenian Sea, 16a, 18a
- seismic lines, 20a–21a
Tortonian faulting and subsidence, 22b
Vavilov Basin, 19a, 621b
Vavilov Basin W, Gortani Ridge, 93a, 878a, 885a, 886a
reflection profiling, 627b
X unconformity, 25b, 26b
- Sepiolite
Cornaglia Terrace
distribution, 324b
provenance, 325b
formation environment, 325b
- Shale, black
Cornaglia Terrace, 612a, 632a
organic carbon, 540b
organic geochemistry, 537b
Sardinian Margin: Site 652, 171b, 419a, 645b
organic carbon, 549b, 574b
organic geochemistry, 537b
Sardinian Margin: Site 654, organic geochemistry, 537b
- Shale, oil
Sardinian Margin: Site 652, 440a
organic carbon, 436a
sediment contact, 578b
- Shear strength
Cornaglia Terrace, 603a, 617a, 622a
De Marchi Seamount, 964a, 966a
Marsili Basin, 154a, 158a
Sardinian Margin: Site 652, 430a, 431a, 432a
Sardinian Margin: Site 654, 770a, 773a, 774a
Vavilov Basin W, Gortani Ridge, 893a–894a, 897a, 899a
- Sicilian Margin, seismic stratigraphy, 20a–21a, 621b
- Sicilian-Maghrebian chain
external units, 48a
flysch facies, 47a–48a
foredeep, 48a, 50a
Hyblean realm, 50a
- Sicily
lithostratigraphy
Neogene-Quaternary, 55a
pre-Burdigalian, 54a
sedimentary structures, 52a, 53a
Silica, Sardinian Margin: Site 654, 785a
Silicon dioxide, Sardinian Margin: Site 652, 237b
Sillimanite, Sardinian Margin: Site 652, 33b
Silt, calcareous, Sardinian Margin: Site 654, 762a
Silt, gypsiferous, Sardinian Margin: Site 652, 227b, 448a
Silt, siliciclastic carbonate, Sardinian Margin: Site 652, 226b
Siltstone, calcareous
Marsili Basin, deposition, Pliocene, 655b
Tyrrhenian Sea: Site 651, deposition, Pliocene, 655b
- Slump deposits, 422a
Cornaglia Terrace, 609a
De Marchi Seamount, 643b, 659b
Marsili Basin, 145a
Sardinian Margin: Site 652, 179b
syndimentary, 665b
Sardinian Margin, 651b
- Smectite
Cornaglia Terrace, origin, 325b
in dolostones, origin, 147b
folded, 315b
Marsili Basin, 319b
Tyrrhenian Sea: Site 651, 321b
glacial/interglacial cycle, 142a–144a
oxygen isotope values, 143a–144a

- Marsili Basin, 312b
 abundance peak, 142a
 smectite/chlorite fluctuations, 142a
 mineralogy, 323b-324b
 morphological types, 314b
 opaque, 311b
 Sardinian Margin: Site 652, 159b, 161b, 166b
 diagenetic changes, 242b
 geochemistry, 160b
 Sardinian Margin: Site 654, 161b, 165b
 transparent, 315b
 Tyrrhenian Sea: Site 651, geochemistry, 314b
 Spherulites, gypsum, Cornaglia Terrace, 206b
 Spinel
 Tyrrhenian Sea: Site 651, 42b, 43b, 83b
 Cr/Al ratio, 45b
 Sri Lanka, wavy-laminated gypsum, 189b
 Stable isotopes
 carbonate, 145b
 Cornaglia Terrace, 407b
 Mediterranean, Pliocene, 409b-411b
 Pliocene/Pleistocene boundary event, 395b-396b
 pore water, Tyrrhenian Sea: Site 651, 145b
 Sardinian Margin: Site 652, 407b
 glacial/interglacial cycle, 413b
 sulfates, 23b
 Sardinian Margin: Site 654, 407b, 423b
 Tyrrhenian Sea, long-term trends, 390b-395b
 Stromatolite, Cornaglia Terrace, 632a, 648b
 Stromboli Volcano, morphology, 9a
 Strontium isotopes
 basalt, Vavilov Basin W, Gortani Ridge, 60b-61b
 Cornaglia Terrace, Pliocene-Pleistocene, 402b-403b
 Mediterranean, with reduced fluvial influx, 24b
 Sardinian Margin: Site 654,
 gypsum-rich/gypsum-poor cycles, 23b
 Tyrrhenian Sea: Site 651, basalt, 67b, 70b
 Vavilov Basin W, Gortani Ridge
 basalt, 67b
 vs. silica, 72b
 Subduction
 Tyrrhenian Sea, 639b-640b
 oceanic crust, 660b
 Subsidence
 Cornaglia Terrace, 718b
 postrift, 718b
 De Marchi Seamount, 722b
 Pleistocene, 718b, 726b
 Gioia Basin, 721b
 Marsili Basin, 722b
 Pleistocene, 726b
 Sardinian Basin, Miocene, 717b
 Sardinian Margin: Site 652, 410a
 grain size changes, 242b
 Pleistocene, 726b
 postrift, 718b
 Sardinian Margin: Site 654
 extension relationship, 749a
 postrift, 718b
 Sardinian Margin, 17b, 651b, 784a, 785a
 Pliocene, 723b-724b
 synrift, 718b
 Tyrrhenian Sea: Site 651, 722b
 Pleistocene, 726b
 Tyrrhenian Sea
 history, 7a
 Miocene-Pliocene, 725b
 seismic stratigraphy, 22b
 subduction zone, 21a
 Tortonian, 12b
- Sulfate
 Cornaglia Terrace, 203b, 206b, 612a, 632a
 availability, 118b
 mineralogy, 188b-190b
 petrography, 188b-190b, 192b
 stable isotopes, 190b-191b, 192b
 Sardinian Margin: Site 652, 208b, 209b
 deposition, 179b
 marine origin, 23b
 maximum depth, 435b
 mineralogy, 194b-195b
 petrography, 192b, 194b-195b
 precipitation, 648b
 second-order cycles, 418a-419a
 stable isotopes, 192b, 195b
 Sardinian Margin: Site 654, 203b, 204b, 205b, 206b
 availability, 118b
 diagenesis, 761a
 mineralogy, 188b-190b
 petrography, 192b
 stable isotopes, 190b-191b, 192b
 Sulfide, De Marchi Seamount, formation, 960a-961a
 Surface-water temperature, Cornaglia Terrace,
 Pliocene warming, 696b
 Synrift sedimentary sequence, 184b
- Tellaro Formation, 184b
 Tensional faulting
 Marsili Basin, 144a
 Tyrrhenian Sea: Site 651, microfault, 304a
 Tephra fall
 Cornaglia Terrace, 294b-295b
 De Marchi Seamount, 15b, 294b-295b
 defined, 293b-294b
 Marsili Basin, 131a, 256b, 656b
 Pleistocene, 16b
 Sardinian Margin: Site 652, 294b-295b
 Sardinian Margin: Site 654, 13b, 294b-295b
 Tyrrhenian Sea: Site 651, 295b-297b
 source, 300b
 Tyrrhenian Sea, 3b
 Vavilov Basin W, Gortani Ridge, 294b-295b
 Tephrochronology, Tyrrhenian Sea: Site 651, 492a
 Terravecchia Formation, 184b
 Tethys
 Alpine-Mediterranean rift successions, 642b
 oxide sediment, 136b
 Thermal conductivity
 Cornaglia Terrace, 603a, 617a, 620a, 623a, 624a-625a, 637a
 evaporite, 627a
 evaporitic layers, 623a
 Marsili Basin, 155a, 158a, 163a
 Sardinian Margin: Site 652, 430a, 431a, 432a
 Sardinian Margin: Site 654, 770a, 773a, 774a, 782a, 784a
 Tyrrhenian Sea: Site 651, 324a
 Vavilov Basin W, Gortani Ridge, 894a, 896a, 897a, 902a
 Tholeiite
 De Marchi Seamount, 15b
 Tyrrhenian Sea: Site 651, 289a
 Vavilov Basin W, Gortani Ridge, 634b
 Titanomaghemitite, effect on magnetic properties, 103b
 Titanomagnetite
 Cornaglia Terrace, 127b
 dissolution, 118b
 Tonga Trench, peridotite, 45b
 Transgressive sequence
 Cornaglia Terrace, 633a, 649b
- De Marchi Seamount, 965a
 tilting fault block, 651b
 marginal setting, 652b
 Sardinian Margin: Site 652, lacustrine lake setting, 651b-652b
 Sardinian Margin: Site 654, 12b, 784a, 785a
 Tortonian, 641b-642b
 Turbidites
 deposition, sea level fluctuation and, 26b
 glacial/interglacial cycle, Marsili Basin, 26b
 Marsili Basin, 140a
 sedimentary characteristics, 281b
 Sardinian Margin: Site 652, 179b
 Tyrrhenian Sea: Site 651, carbonate content, 315a
 Vavilov Basin W, Gortani Ridge, 900a
 Turbidites, volcanoclastic
 Cornaglia Terrace, 295b-296b, 297b
 De Marchi Seamount, 296b-296b, 297b
 defined, 294b
 from reworked pyroclastics, 302b
 from reworked tephra falls, 302b
 glacial/interglacial fluctuations, Tyrrhenian Sea, 16b
 Marsili Basin, 297b-298b, 302b, 656b, 667b
 lithology, 303b
 sediment accumulation rate, 168a
 nonvolcanic components, 302b
 Pleistocene, 16b
 Sardinian Margin: Site 652, 295b-296b, 297b
 Sardinian Margin: Site 654, 297b
 Tyrrhenian Sea: Site 651, 295b-296b, 297b-298b, 668b
 abundance, 302b
 source, 657b
 Vavilov Basin W, Gortani Ridge, 295b-296b, 297b
 Turbidites, volcanogenic, Vavilov Basin W,
 Gortani Ridge, 626b
 Tuscany, tectonism, 46a
 Tyrrhenian Sea: Site 651
 bathymetry, 39b, 92a, 130b, 142b, 288a, 294a, 618b, 717b
 biomagnetostratigraphic correlation, 672b, 676b
 biostratigraphy, 305a-311a
 dolomitic sediment, basal and intrabasement, 132b, 139b
 geochemistry, 310b
 inorganic, 315a-317a
 organic, 314a-315a
 geologic evolution, 61b, 129b-130b
 igneous stratigraphy, 73b-74b
 basement, 77b
 interstitial-water chemistry, 315a-317a, 594b
 lithology, correlation, physical properties, 312a-313a
 lithostratigraphy, 131b, 290a-291a, 292a, 580b, 581b
 basal sediment, 327a
 lithologic units, 7b, 287a, 301a-303a, 321a-323a, 653b
 Pliocene-Pleistocene, 652b-654b, 655b
 sedimentary cycles, 327a
 location, 5b, 30b, 38b, 76b, 92a, 114b, 293a, 293b, 324b, 580b, 592b, 640b, 670b
 magnetostratigraphy, 337b
 magnetozone boundaries, 311a
 primary magnetization, 114b-122b
 navigation data, 91a
 organic geochemistry, 592b
 paleoenvironment
 Messinian, 289a
 Pliocene-Pleistocene, 652-654b

SUBJECT INDEX

- petrology, 304a
 correlation, physical properties, 312a–313a
 physical properties, 291a, 311a–314a
 correlation, lithology and petrology, 313a
 correlation, logging data, 323a, 324a
 correlation, seismic stratigraphy, 313a–314a
 sedimentary instability, Neptunian dike,
 Tyrrhenian Sea: Site 651, 304a
 seismic stratigraphy, 93a, 98a–103a
 reflection profiling, 627b
 subsidence, Pleistocene, 722b, 726b
 summary log, 329a–331a
 Tyrrhenian Sea
 basin evolution, 5a, 9a, 75b, 626b, 629b,
 634b, 636b, 716b–724b
 compressional phase, 725b
 drifting phase, 726b
 extensional phase, 725b
 geodynamic models, 24a, 26a
 Perityrrhenian Neogene chain relationship,
 724b–727b
 Pliocene-Recent, 723b
 southern bathyal plain, 721b–722b
 tectonic deformation, 727b
 basin formation, 4b
 basin morphology, modern, 617b
 bathymetry, 10a, 11a, 230b, 641b
 biostratigraphy, 495b–505b
 correlation, magnetostratigraphy, 679b
 cooling trend, 14b
 crust, 641b
 morphology, 10a, 14a, 15a
 extension, 748a–749a
 freshwater influx, 24b
 geologic evolution, 39a
 Mesozoic, 6b–7b, 10b
 Messinian, 12b–14b
 Paleogene, 10b
 Paleozoic, 4b–6b
 Tortonian, 12b
 heat flow, 14a, 16a
 interstitial-water chemistry, hydrothermal
 influence, 591b
 island arc migration, 46b
 isopach features, 34a
 lithostratigraphy
 correlation, Italian mainland basins, 655b
 upward-fining trend, 24b
 magmatic cycle, 62a
 magnetic anomalies, 9a–10a, 13a
 Messinian-Pliocene transition, 651b–652b
 paleoceanography, Pliocene, 413b
 paleoenvironment
 Messinian, 14b, 211b–212b
 Pliocene, 14b–15b
 Quaternary, 16b
 rifting history, 3b
 sedimentary cycles, 16b, 22a
 sedimentary rock types, 74a
 sedimentary sequence, Pliocene-Pleistocene,
 655b
 sedimentary structures, 35a, 61a
 sedimentation, tectonic influence, 727b
 seismic stratigraphy, 20a–21a
 Central Fault, 24a
 tectonic events, 633b
 Tortonian, 724b
 tectonic evolution, sedimentary effects,
 660b–661b
 Tortonian/Messinian boundary, 12b
 volcanism, Pleistocene, 63a
 Ultramafics, serpentinization, 146b
 Unifite deposits, Marsili Basin, 281b
 Upper Evaporite Formation
 Cornaglia Terrace, 604b
 Sardinian Margin, 604b
 Tyrrhenian Sea, cyclicity, 603b
 Upwelling, Tyrrhenian Sea, Miocene, 505b
 Vavilov Basin
 basement, age, 326a
 bathymetry, 13a
 evolution, 5a, 634b
 formation, magmatic differentiation, 634b
 geodynamic reconstruction, 83b–85b
 Marsili Basin and, remnant arc, 25b
 paleoenvironment, Pliocene, 656b
 sedimentary structures, 409a
 seismic stratigraphy, 19a
 unconformities, 621b
 Vavilov Basin W, Gortani Ridge
 basement, 884a, 900a–901a
 bathymetry, 39b, 92a, 142b, 618b, 717b
 biostratigraphy, 890a–891a
 dolomitic sediment, 135b–136b
 geochemistry, 894a–895a
 basal sediment, 133b
 organic, 537b–542b
 geologic evolution, 54b
 geologic setting, 879a
 heat flow, 895a–896a
 igneous petrology, 889a–890a
 igneous stratigraphy, 59b, 68b–69b
 basement, 77b
 lithostratigraphy, 131b, 580b, 581b, 877a,
 880a–881a, 882a, 884a–889a
 color changes, 886a
 correlation, physical properties, 894a
 lithologic units, 11b
 Pliocene-Pleistocene deposition, 655b
 sapropelic layers, 884a–887a
 location, 5b, 30b, 38b, 76b, 92a, 293b, 496b,
 538b, 580b, 592b, 640b, 670b, 878a, 883a
 magmatic episodes, 626b
 magnetic properties, 891a–892a
 magnetostratigraphy, 900a
 navigation data, 91a
 oceanic crust, 54b
 physical properties, 892a–895a
 correlation, lithostratigraphy, 894a
 Units 1–2, 892a–893a
 seismic stratigraphy, 93a
 acoustic units 1–3, 626b
 reflection profiling, 627b
 Vavilov Seamount
 mantle source, 85b
 negative magnetic anomaly, 288a
 Vavilov Volcano
 age, 634b, 721b
 eruption, Pliocene, 15b
 morphology, 9a
 reversed polarity, 25b
 Velocity
 Cornaglia Terrace, 603a, 617a, 622a
 De Marchi Seamount, 963a, 964a, 965a
 Marsili Basin, 133a, 153a
 Sardinian Margin: Site 652, 405a,
 429a–431a, 447a
 Sardinian Margin: Site 654, 751a, 770a,
 771a, 773a
 correlation, seismic stratigraphy, 779a
 gypsum and interbedded marls, 772a
 Sardinian Margin, correlation, velocity, 625b
 Stoneley wave, 898a, 905a
 Tyrrhenian Sea: Site 651, 311a–314a
 Vavilov Basin W, Gortani Ridge, 880a–881a,
 892a, 893a, 894a–895a, 896a, 904a, 905a,
 906a
 correlation, resistivity, 899a
 Vermiculite, Sardinian Margin: Site 652,
 mixed layers, 159b, 160b
 Verrucano Formation, rock clasts, 32b
 Volcaniclastic sediment
 chronology, 304b
 Cornaglia Terrace, 657b
 De Marchi Seamount, 657b–658b
 glass chemistry, 303b–304b
 Marsili Basin, 656b–657b
 diversity of types, 304b
 origin, 656b
 Sardinian Margin: Site 652, 657b
 Tyrrhenian Sea: Site 651, 657b
 diversity of types, 304b
 geochemistry, 300a
 provenance, 300a, 661b
 Tyrrhenian Sea
 deposit classes, 293b–294b
 infilling by, 304b
 primary deposits, 292b
 secondary deposits, 292b
 sources, 292b–293b
 Vavilov Basin W, Gortani Ridge, 658b
 provenance, 661b
 Volcaniclastics
 calc-alkaline, 292b
 Marsili Basin, 282b
 geochemistry, 51b
 isotopic composition, 53b
 trace elements, 53b
 Sardinian Margin: Site 654, geochemistry,
 52b–53b
 Tyrrhenian Sea: Site 651, 323a
 geochemistry, 51b
 isotopic composition, 53b
 trace elements, 53b
 Vavilov Basin W, Gortani Ridge,
 geochemistry, 52b–53b
 Volcanics, calc-alkaline, Tyrrhenian Sea, 10b
 Volcanism
 calc-alkaline, 46b, 722b, 724b, 725b
 Sicily, 26b
 Eolian Islands, Pleistocene, 656b
 Marsili Basin, Pleistocene, 722b
 Tyrrhenian Sea, Pleistocene, 63a
 Volcanism, alkaline, Sardinian, 24b
 Volcanism, basaltic, Tyrrhenian Sea: Site 651,
 15b
 Volcanogenics
 groundmass, chilled margin, and glasses, 55b
 Sardinian Margin: Site 654
 geochemistry, 55b
 isotopic composition, 54b–55b
 trace elements, 54b–55b
 Tyrrhenian Sea: Site 651
 geochemistry, 55b
 groundmass, chilled margin, and glasses,
 55b
 Vavilov Basin W, Gortani Ridge
 geochemistry, 55b
 groundmass, chilled margin, and glasses,
 55b
 isotopic composition, 54b–55b
 trace elements, 54b–55b
 Vrica section, Pliocene/Pleistocene boundary,
 395b
 Wadati-Benioff zone, Tyrrhenian Sea, 16a
 Water circulation
 anti-estuarine

Mediterranean, 17b
 Tyrrhenian Sea, 14b-15b, 24b
 estuarine, carbon isotope values, 24b
 Tyrrhenian Sea, 3b

Zabargad Island, peridotite, 44b, 137b
 Zeolite
 Cornaglia Terrace, 296b
 De Marchi Seamount, 296b

Marsili Basin, 289b
 Sardinian Margin: Site 654, 296b
 Tyrrhenian Sea: Site 651, 315b, 320b
 Vavilov Basin W, Gortani Ridge, 295b, 296b

SITE INDEX

Site 121, paleontological events, 421b

Site 124, calcareous nannofossils, 505b

Site 125
 bathyal environment, 211b
 oxygen isotope values, 361b
 planktonic foraminifers, 689b

Site 129, dolomitic mud ooze, 24b

Site 132
Articulina tubulosa, 451b
 bathymetry, 618b
 biostratigraphy, 605a
 calcareous nannofossils, 513b
 carbon isotopes, 380b, 390b
 clay mineralogy, 448a
 Pliocene-Pleistocene sequence, 323b
 evaporates, 13b, 718b
 isotopic values, 24b
 lithology, 605a
 lithostratigraphy, correlation, Site 653,
 599a-601a, 609a-612a
 location, 38b
 Messinian evaporates, 211b
 Neogene stratigraphy, 401b
 oxygen isotopes, 374b, 393b, 394b
 enrichment, 395b
 Pleistocene hiatus, 397b
 paleoenvironment, 327b-328b
 rifting history, 722b
 sand deposition, 633a
 sapropels, 420a
 isotopic record, 396b
 sedimentation, Pliocene-Pleistocene, 18a,
 655b
 sedimentation rate, correlation, Site 653,
 612a-614a
 seismic stratigraphy, 605a
 site approach, 607a
 stable isotopes, Pliocene-Pleistocene record,
 387b
 subsidence history, 718b

Site 134
 evaporates, 13b
 stable isotopes, 387b

Site 371
 bathyal environment, 211b
 benthic foraminifers, Atlantic-type deep
 water faunas, 472b

Site 372
 benthic foraminifers, Atlantic-type deep
 water faunas, 472b
 biostratigraphy
 autochthonous, reworked species, 628a
 calcareous nannofossils, 505b

evaporates, 13b
 lithostratigraphy, comparison, Site 654, 23b
 pre-Messinian sediments, 211b
 rift to drift transition, 21b

Site 373
 basalt, 15b, 25b, 75b, 720b, 890a
 geochemical evolution, 82b-85b
 high-Ti, 79b
 magmatic affinity, 59b, 70b
 basement, 22b
 bathymetry, 39b, 130b, 618b
 biostratigraphy, benthic foraminifers, 461b
 clay mineralogy, 448a
 dolomite, 129b, 141b
 comparison, Leg 107 sites, 163b
 geodynamic models, 24a
Globorotalia puncticulata event, 726b
 location, 38b, 76b
 magmatic cycle, 62a
 oceanic crust, 721b
 emplacement, 723b
 Pliocene succession, 655b
 sapropels, 420a
 structural units, 61a
 tholeiite, 19a, 166a, 289a, 634b
 vulcanism, rift-related, 12b

Site 374
 evaporates, 13b
 lithologic units, 24b
 Messinian paleoenvironment, 211b
 stable isotopes, 387b

Site 375
 pre-Messinian sediments, 211b
 stable isotopes, Pliocene, 387b

Site 376
 lithologic units, 24b
 Messinian paleoenvironment, 211b

Site 378, bathyal environment, 211b

Site 397
 ceratoliths, 524b
 paleontological events, 421b

Site 410, paleontological events, 421b

Site 502, oxygen isotopes, 376b, 380b

Site 504, sphenoliths, 524b

Site 519, sea level rise, 414b

Site 548
 benthic foraminifers, 470b
 carbon isotopes, 382b
 oxygen isotopes, glaciation onset, 374b

Site 552
 carbon isotopes, 382b
 oxygen isotopes, 380b, 394b
 3.1 Ma horizon, 374b
 benthic record, 395b
 stable isotope stratigraphy, 369b

Site 606
 discoasters, 517b, 522b
 oxygen isotopes, 372b, 374b, 375b

Site 610
 benthic foraminifers, 377b
 oxygen isotopes, 380b

Site 637
 peridotite, serpentinized, 879a
 serpentinite, 900a

Site 650
 age constraints, 349b, 353b-354b
 basalt, 15b, 634b, 901a
 geochemistry, 51b-52b
 texture and mineralogy, 51b
 basalt/sediment contact, 26b
 basement, 166a, 168a
 basin formation, 131a
 bathymetry, 7a, 89a
 biomagnetostratigraphic correlations,
 670b-671b
 biostratigraphy, 79a-81a
 calcareous nannofossils
 biostratigraphy, 495b-497b
 paleoenvironmental implications, 505b,
 510b
 clay mineralogy, 309b, 311b-312b,
 314b-317b
 coring summary, 139a
 debris flow, 298b
 depositional environment, 964a
 dolomite, 130b-132b
 calcium- vs. magnesium-rich, 144b-147b
 description, 142b-143b
 genesis, 136b-137b
 isotopic changes, 148b
 temperature of formation, 147b-148b
 dolostones
 clay mineralogy, 147b
 metalliferous, 148b-149b
 seismic reflectors and, 149b-150b
 drilling/coring techniques, 66a
 Fe-Mn deposits, 130b-132b
 genesis, 136b-137b
 geological history, 3b-17b, 50b-51b, 129b
 glass chemistry, 298b-300b, 303b-304b
 heat flow, 163a-166a
 hydrocarbons, 82a
 kerogen microscopy, 582b-583b
 lithology, 307b-308b
 lithostratigraphy, 140a-144a, 168a-169a
 lithologic units, 6b, 255b
 magnetic properties, 81a, 152a-153a

SITE INDEX

- Brunhes events, 347b-349b, 353b-354b
 mineralogy, 142a, 308b-309b
 navigation, 66a, 89a, 90a-91a, 138a
 objectives, 4b
 operations, 134a-140a
 organic chemistry, 155a-158a, 581b-582b
 organic facies, 588b-589b
 physical properties, 153a-155a
 Pleistocene cyclicity, 142a-144a
 primary magnetizations, 114b, 118b, 122b
 regional evolution, 626b, 629b
 Rock-Eval pyrolysis, 582b
 sampling techniques, 136a
 sands, volcaniclastic, 302b-303b
 sapropels, 586b, 658b-659b
 seafloor instability, 659b
 sedimentary instability, 144a-145a, 148a
 sedimentation
 classification, 73a-74a
 Pliocene-Pleistocene, 16b, 652b
 sediment intervals, layers 1-23, 257b-284b
 sedimentary structures, 71a-72a
 units, 129a-130a
 volcaniclastic, 656b-657b
 seismic stratigraphy, 89a-90a, 93a, 94a-97a, 158a, 160a-163a, 336b-337b, 339b-340b, 623b, 626b, 879a
 structural units, 61a
 subsidence history, 724b, 726b
 tectonics, 660b-661b
 tephra falls, 295b-297b
 tephrochronology, 131a, 134a
 turbidites, 26b
 turbidite/debris flow, 16b
 volcaniclastic, 302b
 volcanism, 63a, 722b
- Site 651
 amino compounds, 594b, 598b
 basalt, 15b, 25b, 890a, 901a
³⁹Ar-⁴⁰Ar analysis, 95b-96b
 breccias, 21b
 geochemistry, 63b-64b, 66b-67b, 82b-85b
 magnetic properties, 99b-102b, 103b-104b
 texture and mineralogy, 62b-63b
 basement, 289a, 325a-327a, 901a
 bathymetry, 7a, 89a
 biomagnetostratigraphic correlations, 676b
 biostratigraphy, 79a-81a, 305a-311a
 calcareous nannofossils
 biostratigraphy, 495b-497b
 paleoenvironmental implications, 505b, 510b
 carbohydrates, 598b-601b
 clay mineralogy, 314b-317b
 coring summary, 299a
 debris flow, 298b
 depositional environment, 965a
 dolomite, 134b-135b
 calcium- vs. magnesium-rich, 144b-147b
 description, 142b-143b
 genesis, 136b-137b
 isotopic changes, 148b
 temperature of formation, 147b-148b
 dolostones
 clay mineralogy, 147b
 metalliferous, 148b-149b
 seismic reflectors and, 149b-150b
 drilling/coring techniques, 66a
 Fe-Mn deposits, 134b-135b
 genesis, 136b-137b
 geochemistry, 78b-81b, 314a-317a
 trace elements, 79b-81b
 geological history, 3b-17b, 61b, 129b, 591b, 720b
 glass chemistry, 298b-300b, 303b-304b
Globorotalia puncticulata event, 726b
 heat flow, 323a-325a
 hydrocarbons, 82a
 isotopic composition, 67b, 70b
 kerogen microscopy, 582b-583b
 lithology, 307b-308b
 lithostratigraphy, 287a, 299a-303a, 321a, 323a, 327a
 lithologic units, 7b, 592b
 logging, 298a, 321a
 magnetic properties, 81a, 311a
 Messinian paleoenvironment, 289a
 mineralogy, 77b-78b
 opaque, 102b-103b
 mudstone, 312b-313b
 clay mineralogy, 313b-314b
 navigation, 66a, 89a, 90a-91a
 objectives, 4b
 oceanic crust, 721b
 emplacement, 723b
 operations, 293a-294a, 297a-299a
 organic carbon, 581b-582b
 dissolved, 593b-594b
 organic facies, 588b-589b
 peridotite, 26b, 37b-46b
 elemental chemistry, 43b-45b
 emplacement, 45b-46b
 metamorphic assemblage, 42b-43b
 metasomatism and metamorphism, 45b
 origin, 45b
 relict minerals, 41b-42b
 serpentinized, 21b
 structure and texture, 39b-40b
 petrography, 76b-77b
 petrology, 304a-305a
 physical properties, 311a-314a
 planktonic foraminifers, 25b
 Pliocene environment, 14b-15b
 primary magnetizations, 114b, 118b, 122b
 recovery, 299a
 regional evolution, 626b, 629b
 Rock-Eval pyrolysis, 582b
 sands, volcaniclastic, 302b-303b
 sandstone, silty, 313b
 sapropels, 586b, 658b-659b
 seafloor instability, 659b-660b
 sediment accumulation rate, 303a-304a
 sedimentation
 classification, 73a-74a
 dolomitic and metalliferous, 656b
 Pliocene-Pleistocene, 652b, 652b-654b, 655b
 sedimentary structures, 71a-72a
 volcaniclastic, 297b-298b, 657b
 seismic stratigraphy, 89a-90a, 93a, 98a-103a, 317a-321a, 337b, 339b-340b, 623b, 626b, 879a
 structural units, 61a
 subsidence history, 722b, 726b
 summary log, 329a-331a
 tectonics, 660b-661b
 Pliocene, 15b
 temperature, 87a
 tephra falls, 295b-297b
 tephrochronology, 292a
 tholeiite, 166a
 turbidites
 turbidite/debris flow, 16b
 volcaniclastic, 302b
 volcaniclastics, 323a
 volcanism, 63a
- Site 652
 alternative event stratigraphy, 23b
 arenite, 172b-176b
 basement lithology, 35b
 bathymetry, 7a, 89a
 benthic foraminifers, 407b-409b, 430b-431b, 447b-448b
 biostratigraphy, 448b, 451b
 isotopic composition, 411b-413b
 paleoceanographic implications, 471b-472b
 paleoenvironmental implications, 468b-471b
 quantitative analysis, 462b-454b
 biomagnetostratigraphic correlations, 676b
 biomicrites, 7b
 biostratigraphy, 79a-81a, 424a-427a
 discoaster abundances, 769a
 species diversity, 891a
 breakup unconformity, 25b
 calcareous nannofossils
 biostratigraphy, 495b-497b
 distribution, 683b
 paleoenvironmental implications, 505b, 510b
 calcite, 195b, 197b
 carbonate, 195b, 409b
 elastic sediments, 645b-647b
 clay mineralogy, 153b-155b, 159b-163b, 176b
 comparison, Site 654, 156b-157b
 coring summary, 413a
 depositional environment, 651b-652b
 diachronous rifting, 24b
 dolomite, 197b-198b
 drilling/coring techniques, 66a
 epibathyal assemblage, 25b
 evaporates, 645b-647b
 facies analysis, 171b-172b
 geochemistry, 433a-440a, 734b-735b
 Pliocene sediments, 245b-246b
 geodynamics, 221b-223b
 geological evolution, 3b-17b, 545b-546b, 718b
 heat flow, 452a-454a, 541b-542b
 hydrocarbons, 82a, 439a-410a
 kerogen microscopy, 582b-583b
 lacustrine deposit, 16b, 954a
 lithostratigraphy, 170b, 218b-221b, 403a, 406a, 414a-419a, 605b, 733b-734b
 lithologic units, 8b
 Pliocene, 17b
 seismic correlation, 170b
 logging, 230b-234b, 446a-452a
 magnetic properties, 81a, 427a-428a
 magnetostratigraphy, Subchron 3r, 23b
 metalliferous laminations, 251b-252b
 mineralogy, 235b, 237b-242b
 compaction and diagenesis, 242b
 heavy minerals, 33b
 Pliocene sediments, 245b
 sedimentary variations, 239b-242b
 Miocene/Pliocene boundary, 22b
 navigation, 66a, 89a, 90a-91a
 objectives, 4b
 oceanic crust, 721b
 organic carbon, 581b-582b
 hopane distribution, 560b, 562b-563b
 origin and maturity, 549b, 553b, 555b, 560b
 tetracyclic marker compounds, 563b, 566b, 569b
 organic facies, 588b-589b
 organic geochemistry
 Messinian, 540b
 Pliocene-Pleistocene, 540b-541b

- paleoenvironment, 410a
 pebbles, 10b, 12b
 physical properties, 176b, 177b, 428a-433a
 planktonic foraminifers, 406b-407b,
 690b-691b
 isotopic composition, 409b-411b
 Pliocene environment, 14b-15b
 Pliocene sequence, 24b
 primary magnetizations, 114b, 118b, 122b
 regional evolution, 626b, 629b
 rifting history, 407a-410a, 748a-749a
 rock clasts, 32b-33b
 Rock-Eval pyrolysis, 582b
 sapropels, 419a-422a, 586b, 658b-659b, 899a
 Pliocene-Pleistocene, 537b-538b
 seafloor instability, 659b
 sedimentary instability, 422a-423a
 sedimentation
 classification, 73a-74a
 comparison, Site 654, 184b-185b
 cycles, 23b
 Messinian, 213b-216b
 Pliocene-Pleistocene, 652b, 655b
 pre-Pliocene, 13b
 rate, 419a
 sedimentary structures, 71a-72a
 sequence, 454a-455a
 volcaniclastic, 304b
 seismic stratigraphy, 89a-90a, 93a,
 104a-113a, 169b, 337b-338b,
 339b-340b, 440a-446a, 622b-623b, 879a
 shale, Messinian, 537b
 site approach, 65a, 411a-412a
 strontium isotopes, 605b-609b
 foraminifers, dolomites and evaporites,
 611b-613b
 low ratios, 609b-613b
 structural units, 61a
 subsidence history, 725b, 726b
 sulfate
 marine origin, 23b
 petrography and mineralogy, 194b-195b
 stable isotopes, 195b
 summary log, 458a-463a
 syn-rift sequence, 965a-966a
 tectonics, 455a, 660b-661b
 Messinian, 13b
 Pliocene, 15b
 temperatures, 24b
 Tortonian/Messinian boundary, 22b
 volcanism, 63a
- Site 653
 amino compounds, 594b, 598b
 basement lithology, 35b
 bathymetry, 7a, 89a
 benthic foraminifers, 407b-409b, 430b-431b,
 447b-448b
 biostratigraphy, 452b
 paleoceanographic implications, 471b-472b
 paleoenvironmental implications, 468b-
 471b
 quantitative analysis, 464b
 biostratigraphy, 79a-81a, 387b-388b,
 614a-616a
 Pliocene-Pleistocene, 601a
 species diversity, 891a
 calcareous nannofossils
 biostratigraphy, 495b-497b
 classification, 528b-529b
 distribution, 683b
 paleoenvironmental implications, 505b,
 510b
- Pliocene-Pleistocene distribution, 513b-
 515b
 Pliocene-Pleistocene events, 522b, 524b,
 526b
 calcite, 191b
 carbohydrates, 598b-601b
 carbon isotopes, 380b, 382b
 long-term trends, 390b-391b
 carbonate, 191b, 409b
 chronostratigraphy
 Miocene/Pliocene boundary, 706b-707b
 Pliocene-Pleistocene, 705b-706b, 707b-
 708b, 712b
 clastic and evaporitic deposition, 647b-549b
 clay mineralogy, 323b-329b
 comparison, pollens and foraminifers, 329b
 correlations, 324b
 paleoenvironment, 327b-329b
 provenance, 325b
 coring summary, 608a
 depositional environment, 652b
 detrital sand grains, 5b
 discoasters, 516b-517b, 522b
 dolomite, 191b-193b
 drilling/coring techniques, 66a
 evaporates, 13b, 718b, 954a
 extensional tectonic activity, 725b
 geochemistry, 620a-623a
 geological evolution, 3b-17b, 591b
 gephyrocapsids, 526b-528b
 glass chemistry, 298b
 gypsum, 188b-191b
 heat flow, 541b-542b, 623a-628a
 hydrocarbons, 82a
 kerogen microscopy, 582b-583b
 lithostratigraphy, 599a-600a, 605b,
 609a-614a
 between-hole correlation, 631a-632a
 correlation, Site 132, 609a-614a
 lithologic units, 9b, 592b-593b
 sequence, 632a-633a
 magnetic properties, 81a, 616a-617a,
 618a-619a
 Messinian salinity crisis, 601a, 604a
 Messinian/Pliocene boundary, 628a
 mineralogy
 geochemistry, 247b-248b
 Pliocene sediments, 247b
 navigation, 66a, 89a, 90a-91a
 objectives, 4b
 operations, 607a-609a
 organic carbon, 581b-582b
 dissolved, 593b-594b
 organic facies, 588b-589b
 organic geochemistry, 540b-541b
 oxygen isotopes, 362b-363b, 369b, 372b
 Pliocene-Pleistocene climatic changes,
 372b, 374b-380b
 paleoceanography, 606a
 paleoenvironment
 Pleistocene, 396b-397b, 700b, 702b-703b
 Pliocene, 696b, 698b
 Pliocene/Pleistocene boundary, 698b, 700b
 physical properties, 617a, 620a
 planktonic foraminifers, 26b, 406b-407b,
 684b-685b, 689b
 isotopic composition, 409b-411b
 Pliocene sequence, 24b
 regional evolution, 626b, 629b
 rifting history, 722b
 rock clasts, 32b
 Rock-Eval pyrolysis, 582b
 sapropels, 586b, 658b-659b, 899a
 isotopic signature, 396b
- Pliocene-Pleistocene, 537-538b
 seafloor instability, 659b
 sediment accumulation rate, 612a
 sedimentation
 classification, 73a-74a
 Messinian, 213b
 Pliocene-Pleistocene, 655b
 sedimentary structures, 71a-72a
 volcaniclastic, 297b, 304b, 657b
 seismic stratigraphy, 89a-90a, 93a,
 114a-117a, 622b-623b, 879a
 shale, Messinian, 537b
 stable isotopes, 391b-396b
 strontium isotopes, 605b-609b
 foraminifers, dolomites and evaporites,
 611b-613b
 low ratios, 609b-613b
 stratigraphy, 402b-403b
 structural units, 61a
 subsidence history, 718b
 sulfate
 petrography and mineralogy, 188b-190b
 stable isotopes, 190b-191b
 tectonics, 15b, 660b-661b
 tephra falls, 294b-295b
 volcanism, 63a
- Site 654
 anoxic sediments, 642b-643b
 arenite, 182b
 basal conglomerate, 5b
 basalt, 15b
 geochemistry, 53b-54b
 texture and mineralogy, 52b-53b
 basement lithology, 35b
 basinal deposition, 649b
 basinal evaporates, 954a
 bathymetry, 7a, 89a
 benthic foraminifers, 407b-409b, 430b-431b,
 447b-448b
 biostratigraphy, 452b
 paleoceanographic implications, 471b-472b
 paleoenvironmental implications, 468b-
 471b, 484b, 486b
 quantitative analysis, 464b-468b
 bioclastic limestones, 6b
 biomagnetostratigraphic correlations,
 676b-677b
 biostratigraphy, 79a-81a, 766a-769a
 species diversity, 891a
 calcareous nannofossils
 biostratigraphy, 495b-497b
 distribution, 683b
 paleoenvironmental implications, 505b,
 510b
 calcite, 191b
 carbon isotopes, 380b, 382b
 carbonate, 191b, 409b
 clay mineralogy, 153b-155b, 157b-159b,
 162b-163b, 182b-183b
 comparison, Site 655, 156b-157b
 diachronous rifting, 24b
 dolomite, 191b-193b
 drilling/coring techniques, 66a
 epibathyal assemblage, 25b
 evaporates, 13b, 23b
 extensional tectonic activity, 725b
 facies analysis, 181b
 geochemistry, 734b-735b, 773a-776a
 geological evolution, 3b-17b, 52b,
 546b-548b, 717b-718b, 721b
 glauconitic sandstones, 183b-184b
 gypsum, 13b, 188b-191b
 cycles, 23b

SITE INDEX

- heat flow, 541b-542b, 781a-783a
hydrocarbons, 82a
igneous petrology, 766a
isotopic composition, 54b
kerogen microscopy, 582b-583b
Lago-mare facies, 14b
lithostratigraphy, 180b-181b, 605b, 734b, 747a, 755a-766a, 784a-785a
 comparison, Site 372, 23b
 grain-size distribution, 415b, 418b, 420b
 lithologic units, 10b
 seismic correlation, 181b
 Tortonian, 640b-642b
magnetic properties, 81a, 769a
Messinian salinity crisis, 12b, 17b
Miocene/Pliocene boundary, 22b
nanofossil ooze, 642b
navigation, 66a, 89a, 90a-91a
objectives, 4b
operations, 749a, 752a-755a
operculinids, 184b
organic carbon, 581b-582b
 hopane distribution, 560b, 562b-563b
 origin and maturity, 549b, 553b, 555b, 560b
 tetracyclic marker compounds, 563b, 566b, 569b
organic facies, 588b-589b
organic geochemistry
 Messinian, 540b
 Pliocene-Pleistocene, 540b-541b
ostracodes
 biostratigraphic events, 480b-484b
 factor analysis, 484b
oxygen isotopes, 372b
paleoenvironment, 423b, 748a
passive continental margin evolution, 749a
physical properties, 183b, 770a-773a
planktonic foraminifers, 406b-407b, 689b-690b
 isotopic composition, 409b-411b, 423b-425b
 paleontological events, 420b-421b
 primary magnetizations, 114b, 118b, 122b
 regional evolution, 626b, 629b
 rifting, 722b
 sedimentary evidence, 649b-551b
 rock clasts, 29b, 32b
 Rock-Eval pyrolysis, 582b
 spropels, 586b, 658b-659b, 899a
 Pliocene-Pleistocene, 537b-538b
seafloor instability, 659b
sedimentary instability, 766a
sedimentation
 classification, 73a-74a
 comparison, Site 652, 184b-185b
 Messinian, 16b, 212b, 248b
 Pliocene-Pleistocene, 24b, 248b, 652b, 655b
 sedimentary structures, 71a-72a
 volcaniclastic, 297b, 304b, 657b-658b
seismic stratigraphy, 89a-90a, 93a, 118a-123a, 180b, 338b-339b, 622b-623b, 776a, 779a-781a, 879a
shale, Messinian, 537b
strontium isotopes, 605b-609b
 foraminifers, dolomites and evaporates, 611b-613b
 low ratios, 609b-613b
 structural units, 61a
 subsidence history, 718b
sulfate
 petrography and mineralogy, 188b-190b
 stable isotopes, 190b-191b
synrift sediments, 22b, 785a
 synrift/posrift contact, 25b
tectonics, 660b-661b, 785a-786a
 Messinian, 13b
 Pliocene, 15b
tephra falls, 294b-295b
Tortonian/Messinian boundary, 22b
transgressive sequence, 12b, 785a
unconformity, 23b
volcanic fractures, 726b
volcanism, 63a, 722b
water depth, 16b
- Site 655
basalt, 15b, 25b
³⁹Ar-⁴⁰Ar analysis, 95b
geochemistry, 57b-60b, 82b-85b
magnetic properties, 99b-102b, 103b-104b
texture and mineralogy, 54b, 56b-57b
basement, 900a-901a
bathymetry, 7a, 89a
biostratigraphy, 79a-81a, 890a-891a
calcareous nanofossils
 biostratigraphy, 495b-497b
 paleoenvironmental implications, 505b, 510b
dolomite, 135b
 calcium- vs. magnesium-rich, 144b-147b
 description, 142b-143b
 genesis, 136b-137b
 isotopic changes, 148b
 temperature of formation, 147b-148b
dolostones
 clay mineralogy, 147b
 metalliferous, 148b-149b, 656b
 seismic reflectors and, 149b-150b
drilling/coring techniques, 66a
Fe-Mn deposits, 135b, 136b-137b
geochemistry, 78b-81b, 894a-895a
 trace elements, 79b-81b
geological evolution, 3b-17b, 54b, 720b
geological setting, 129b
glass chemistry, 298b
Globorotalia puncticulata event, 726b
heat flow, 541b-542b, 895a-897a
hydrocarbons, 82a
igneous petrology, 889a-890a
isotopic composition, 60b
kerogen microscopy, 582b-583b
lithostratigraphy, 884a-889a
 lithologic units, 11b
logging, 897a-899a
magnetic properties, 81a, 891a-892a
mineralogy, 77b-78b
 heavy minerals, 29b
 opaque, 102b-103b
navigation, 66a, 89a, 90a-91a
objectives, 4b
oceanic crust, 721b
 emplacement, 723b
operations, 879a, 882a-883a
organic carbon, 581b-582b
organic facies, 588b-589b
organic geochemistry
 Messinian, 540b
 Pliocene-Pleistocene, 540b-541b
paleoenvironment, 14b-15b
petrography, 76b-77b
physical properties, 892a-894a
regional evolution, 626b, 629b
Rock-Eval pyrolysis, 582b
spropels, 586b, 658b-659b
 Pliocene-Pleistocene, 537b-538b
sedimentary sequence, 899a-900a
sedimentation
 classification, 73a-74a
 dolomitic and metalliferous, 656b
 Pliocene-Pleistocene, 652b, 654b-655b
 sedimentary structures, 71a-72a
 volcaniclastic, 297b, 304b, 657b-658b
seismic stratigraphy, 89a-90a, 93a, 626b
shale, Messinian, 537b
structural units, 61a
summary log, 902a, 904a, 907a
tectonics, 660b-661b
tephra falls, 15b, 294b-295b
tholeiite, 166a, 634b
volcanism, 63a
- Site 656
basement lithology, 35b
bathymetry, 7a, 89a
biostratigraphy, 79a-81a, 961a-963a
calcareous nanofossils
 biostratigraphy, 495b-497b
 paleoenvironmental implications, 505b, 510b
coring summary, 957a
depositional environment, 644b-645b, 651b, 964a-965a
geological evolution, 3b-17b, 718b
greenstone clasts, 7b
hydrocarbons, 82a
Lago-mare facies, 14b, 24b
lithostratigraphy, 877a, 951a, 958a-961a
 lithologic units, 11b
magnetic properties, 81a
mineralogy, 34b
navigation, 66a, 89a, 90a-91a
objectives, 4b, 954a
operations, 954a, 957a
physical properties, 963a-964a
rock clasts, 33b-34b
sampling techniques, 66a
spropels, 658b-659b
seafloor instability, 659b
sedimentation
 classification, 73a-74a
 Messinian, 13b, 217b, 248b
 sedimentary structures, 71a-72a
 volcaniclastic, 297b, 304b, 657b-658b
seismic stratigraphy, 89a-90a, 93a, 124a-125a, 622b-623b
structural units, 61a
subsidence history, 718b, 722b, 725b, 726b
tectonics, 660b-661b, 965a-966a
tephra falls, 294b-295b
terrestrial elastic succession, 643b-644b
volcanism, 63a

PALEONTOLOGICAL INDEX

- Agrenocythere pliocenica*, Sardinian Margin, 483b, 484b
- Amaurolithus delicatus*, Tyrrhenian Sea, 495b, 522b
- Amaurolithus tricorniculatus* zone
Cornaglia Terrace, 616a
De Marchi Seamount, 963a
Sardinian Margin, 427a, 769a
- Amaurolithus tricorniculatus/Ceratolithus rugosus* zonal boundary, Tyrrhenian Sea, 495b
- Ammonia beccarii*, Sardinian Margin, 768a
- Ammonia beccarii tepida*, Mediterranean, 14b
- Anomalinoides helycinus*, Cornaglia Terrace, 431b, 456b
- Arctica islandica*, Mediterranean, 376b, 396b, 397b
- Argilloecia acuminata*, Sardinian Margin, 484b
- Articulina tubulosa*, 452b
Cornaglia Terrace, 448b, 470b, 474b, 615a
Marsili Basin, 149a
Sardinian Margin, 447b, 470b, 768a
Tyrrhenian Sea, 310a
Vavilov Basin W, Gortani Ridge, 891a
- Articulina tubulosa* assemblage zone
Cornaglia Terrace, 451b
Sardinian Margin, 451b
- Astronotium italicum*, Cornaglia Terrace, 457b
- Astronotium stelligerum*, Cornaglia Terrace, 457b
- Bathycythere vanstraateni*, Sardinian Margin, 483b
- Benthic foraminifers
Cornaglia Terrace, 437b, 464b
assemblage zones, 466b
paleoceanographic implications, 471b-472b
paleoenvironmental implications, 468b, 470b-471b
biostratigraphy, 448b, 615a
frequency distribution, 439b-441b
MP11 biozone, 408b
MPL2–MPL3 zones, 393b-394b
MPL4–MPL6 zones, 394b-395b
paleobathymetry, 471b
small-sized, 392b
stratigraphic distribution, 430b-431b, 438b, 447b-448b, 469b
- De Marchi Seamount, biostratigraphy, 962a
- Italy, zonal schemes, 449b
- Marsili Basin, biostratigraphy, 149a
- Mediterranean
biostratigraphy, 450b
psychrospheric, 24b
- Sardinian Margin, 407b-408b, 432b, 442b, 462b, 464-465b
assemblage zones, 466b, 484b, 486b
paleoceanographic implications, 471b-472b
paleoenvironmental implications, 468b, 470b-471b
biostratigraphy, 425a-426a, 448b, 768a
carbon isotope gradient, 411b
frequency distribution, 434b-436b, 444b-446b
oxygen isotope gradient, 412b
paleobathymetry, 471b
species diversity, 426a
stable isotope composition, 411b-413b
- stratigraphic distribution, 430b-431b, 433b, 443b, 447b-448b, 463b, 467b, 469b
- stratigraphic range, 491b
- varimax factors, 487b
- Site 552, oxygen isotope values, 374b
- Tyrrhenian Sea
biostratigraphy, 310a
cool-water species, 15b
maximum abundance intervals, 615a
- Vavilov Basin W, Gortani Ridge,
biostratigraphy, 891a
- Bigenerina nodosaria*, Cornaglia Terrace, 455b
- Bolivina cistina*, Sardinian Margin, 476b
- Bolivina plicatella*, Sardinian Margin, 476b
- Bolivina pseudoplicata*, Sardinian Margin, 476b
- Braarudosphaera bigelowi*
Cornaglia Terrace, 606a, 616a
Marsili Basin, 152b
Sardinian Margin, 427a, 769a
Tyrrhenian Sea, 26b, 310a, 510b
Vavilov Basin W, Gortani Ridge, 891a
- Brizalina alata*, Cornaglia Terrace, 476b
- Brizalina lucidopunctata*, Cornaglia Terrace, 476b
- Brizalina spinescens*, Sardinian Margin, 476b
- Brizalina subspinescens*, Cornaglia Terrace, 476b
- Brizalina translucens*, Cornaglia Terrace, 476b
- Bulimina aculeata*, Cornaglia Terrace, 476b
- Bulimina clava*, Cornaglia Terrace, 476b
- Bythocypris obtusata*, Sardinian Margin, 483b, 484b
- Calcareous nannofossils
biostratigraphy
and biochronology, 709b
events, 692b
ceratoliths, 522b
coccolith datum events, 522b
Cornaglia Terrace
accumulation rate, 532b
biostratigraphy, 387b-388b, 615a-616a, 683b-684b
events, 686b
chronostratigraphy
correlation, stratotype sections, 710b
Miocene/Pliocene boundary, 706b-707b
Pliocene-Pleistocene, 705b-706b, 707b-708b, 712b
diagenesis, 616a
discoasterid abundance patterns, 518b-522b
distribution, 502b
events, 516b
reticulofenestrid placolith distribution, 525b
datum events, global synchronicity, 396b
- De Marchi Seamount, biostratigraphy, 962a-963a
- discoasters, productivity curve, 516b-517b
- gephyrocapsid events, 526b
- index species
Pleistocene, 527b
Pliocene, 523b
- Marsili Basin
biostratigraphy, 149a, 151a-152a
chronostratigraphy, 359b
NN18 zone, 152a
warm-water species, 149a, 151a
- Mediterranean
biostratigraphy, 530b
zonation, 513b-515b, 529b
- Miocene/Pliocene boundary, 616a
NN17/NN18–NN16 zonal boundary, 616a
NN20/NN21 zones, 310a-311a
Pleistocene datum events, 524b
Pliocene/Pleistocene boundary, 79a, 152a, 311a, 427a, 528b, 616a, 712b, 769a, 891a, 962a-963a
- Sardinian Margin
biostratigraphy, 426a-427a, 683b-684b, 768a-769a
events, 686b
distribution, 499b-501b, 506b-508b
NN11a Zone, 22b
reworked Cretaceous and Paleogene species, 23b
in sapropel layers, 427a
stratigraphic range, 481b
sphenoliths, 524b, 526b
stratotype sections, 711b
Piacenzian, 708b, 711b
- Tortonian/Messinian boundary, 769a
- Tyrrhenian Sea
biostratigraphic markers, 498b
biostratigraphy, 309a, 310a-311a, 495b-497b
Discoaster distribution, 496b
distribution, 499b
Miocene-Pliocene paleoenvironment, 505b
Miocene/Pliocene boundary, 495b
N11–N16 zones, 495b
NN13–NN15 zones, 497b
NN16–NN18 zones, 496b
NN19–NN21 zones, 497b
Pliocene/Pleistocene boundary, 497b
Quaternary paleoenvironment, 505b, 510b
Tortonian/Messinian boundary, 495b
- Vavilov Basin W, Gortani Ridge
biostratigraphy, 891a
distribution, 509b
in sapropel layers, 891a
- Calcidiscus macintyreii*, Mediterranean, 526b
- Calcidiscus macintyreii/C. leptoporus* group,
Cornaglia Terrace, placolith size distribution, 528b
- Cassidulina carinata*
Cornaglia Terrace, 477b
Sardinian Margin, 471b
- Ceranolithus acutus*, Mediterranean, western, 522b
- Ceratolithus rugosus*, Mediterranean, western, 522b
- Ceratolithus rugosus* zone
Cornaglia Terrace, 616a
Sardinian Margin, 427a, 769a
- Chilostomella mediterraneensis*, Cornaglia Terrace, 475b
- Chilostomella oolina*, Cornaglia Terrace, 475b
- Cibicides wuellerstorfi*
Cornaglia Terrace, 470b
Sardinian Margin, 459b, 470b
- Cibicides wuellerstorfi*, 452b
- Cibicidoides agrigentinus*, Sardinian Margin, 458b
- Cibicidoides italicus*, 452b
Cornaglia Terrace, 447b, 459b, 471b, 618a
Sardinian Margin, 426a, 447b, 471b, 768a
Vavilov Basin W, Gortani Ridge, 891a
- Cibicidoides kullenbergi*, 452b
Cornaglia Terrace, 447b, 458b, 470b
Marsili Basin, 149a

PALEONTOLOGICAL INDEX

- Sardinian Margin, 447b, 470b
frequency distribution, 447b
- Cibicoides ornatus*, 452b
Sardinian Margin, 458b
- Cibicoides pachyderma*, 452b
Cornaglia Terrace, 447b, 458b
Sardinian Margin, 447b, 471b
frequency distribution, 447b
- Cibicoides ungerianus*, Cornaglia Terrace, 458b
- Cibicoides italicus* assemblage zone
Cornaglia Terrace, 448b
Sardinian Margin, 448b
- Coccolithus pelagicus*
Cornaglia Terrace, 615a
Marsili Basin, 151a
Tyrrhenian Sea, 310a, 497b, 510b
- Cribrorobulina serpens clericii*, Sardinian Margin, 455b
- Cruciloculina staurostoma*, Cornaglia Terrace, 475b
- Cyclococcolithus macintyreii*
Marsili Basin, 152a
Tyrrhenian Sea, 497b
- Cylindroclavulina rudis*, Sardinian Margin, 431b, 455b
- Cyprideis pannonica agrigentina*, Mediterranean, 14b
- Cytherella bathyalis*, Sardinian Margin, 483b
- Cytherella robusta*, Sardinian Margin, 483b
- Cytheropteron agile*, Sardinian Margin, 484b
- Cytheropteron garganicum*, Sardinian Margin, 484b
- Cytheropteron testudo*, Mediterranean, 376b
- Discoaster asymmetricus*
Sardinian Margin, 427a, 517b
Tyrrhenian Sea
covariance, *D. tamalis*, 517b
covariation, *D. tamalis*, 496b-497b
- Discoaster asymmetricus* zone
Cornaglia Terrace, 616a
Sardinian Margin, 427a, 769a
- Discoaster brouweri*
Cornaglia Terrace, 522b
Sardinian Margin, 769a
Tyrrhenian Sea, 496b-497b
- Discoaster brouweri* zone, Sardinian Margin, 427a
- Discoaster pentaradiatus*
Cornaglia Terrace, 517b
Sardinian Margin, 517b, 522b
Tyrrhenian Sea, 496b-497b
- Discoaster pentaradiatus* paracme Zone, Mediterranean, 522b
- Discoaster surculus*
Cornaglia Terrace, 369b, 517b
Sardinian Margin, 427a, 517b
Tyrrhenian Sea, 496-497b
- Discoaster surculus* zone, Sardinian Margin, 427a
- Discoaster tamalis*
Cornaglia Terrace, 616a
Sardinian Margin, 427a, 517b
Tyrrhenian Sea, covariation, *D. asymmetricus*, 496b-497b, 517b
- Discoaster triradiatus*, Cornaglia Terrace, 522b
- Discoaster variabilis*
Cornaglia Terrace, 522b
Sardinian Margin, 427a, 769a
Tyrrhenian Sea, 497b, 505b
- Eggerella bradyi*, 452b
Cornaglia Terrace, 455b
- Ellipsoglandulina vasarhelyi*, Sardinian Margin, 431b
- Ellipsoidina ellipsoides*, Sardinian Margin, 456b
- Ellipsopolymorphina fornasinii*, Cornaglia Terrace, 456b
- Emiliana huxleyi*
Cornaglia Terrace, 396b
Sardinian Margin, oxygen isotope values, 363b
stratigraphic events, 527b-528b
- Emiliana huxleyi* zone
Cornaglia Terrace, 615a
Marsili Basin, 149a
Sardinian Margin, 426a, 768a
Vavilov Basin W, Gortani Ridge, 891a
- Eponides pusillus*, Cornaglia Terrace, 459b
- Fissurina cucullata*, Cornaglia Terrace, 455b
- Fissurina longirostris*, Sardinian Margin, 455b
- Fissurina marginata*, Cornaglia Terrace, 455b
- Fissurina radiata*, Cornaglia Terrace, 455b
- Gephyrocapsa acme* zone
Mediterranean, western, 510b
Vavilov Basin W, Gortani Ridge, 891a
- Gephyrocapsa caribbeanica*, Cornaglia Terrace, 396b
- Gephyrocapsa oceanica*
Mediterranean, productivity curve, 526b
Tyrrhenian Sea, 497b
Vrica, 395b
- Gephyrocapsa oceanica* zone
Cornaglia Terrace, 615a
De Marchi Seamount, 962a
Marsili Basin, 149a
Sardinian Margin, 426a, 768a
- Gephyrocapsa*, small, Sardinian Margin, 426a, 427a
- Gephyrocapsa* sp.
Cornaglia Terrace, 615a
Sardinian Margin, 769a
- Gephyrocapsa* zone, small
De Marchi Seamount, 962a
Marsili Basin, 152a
Mediterranean, 529b
Tyrrhenian Sea, 310a
- Globigerina bulloides*
Cornaglia Terrace
carbon isotope values, comparison, Vrica section, 384b
oxygen isotope values, 362b, 369b, 373b, 376b, 377b, 378b, 381b, 382b, 383b
comparison, Vrica section, 379b
warm-cold cycles, 408b
Marsili Basin, isotopic values, 349b
Sardinian Margin
oxygen isotope values, 362b, 372b, 381b, 382b
warm-cold cycles, 408b, 409b
Tyrrhenian Basin
carbon isotope values, 380b, 382b
oxygen isotope values, glacial/interglacial fluctuations, 374b-376b
- Globigerina cariacensis*
Cornaglia Terrace, 689b
Sardinian Margin, 424a
- Globigerina cariacensis* biozone
Cornaglia Terrace, 614a, 615a
Marsili Basin, 149a
Sardinian Margin, 767a
Tyrrhenian Sea, 309a
Vavilov Basin W, Gortani Ridge, 890a
- Globigerina falconensis*, Sardinian Margin, oxygen isotope values, 363b
- Globigerina quinqueloba*, Cornaglia Terrace, 614a
- Globigerina umbilicata*
Cornaglia Terrace, 689b
Sardinian Margin, 690b
- Globigerinoides*
Sardinian Margin
paleoenvironmental implications, 423b
species diversity, 426b
- Globigerinoides elongatus*, Cornaglia Terrace, oxygen isotope values, 373b
- Globigerinoides elongatus* biozone
De Marchi Seamount, 962a
Sardinian Margin, 424a, 431b, 768a
Vavilov Basin W, Gortani Ridge, 891a
- Globigerinoides obliquus*
Cornaglia Terrace, 689b
oxygen isotope values, 373b
last occurrence, 79a
Sardinian Margin, 690b
paleoenvironmental implications, 423b
stable isotope values, 423b, 425b, 426b
Tyrrhenian Basin, oxygen isotope values, glacial/interglacial fluctuations, 374b-376b
- Globigerinoides obliquus extremus*, Sardinian Margin, 690b
- Globigerinoides obliquus* zone, Sardinian Margin, 420b
- Globigerinoides quadrilobatus*, Sardinian Margin, stable isotope values, 423b
- Globigerinoides ruber*
Cornaglia Terrace, 369b
oxygen isotope values, 362b, 373b, 377b, 378b, 381b, 382b
Sardinian Margin, oxygen isotope values, 372b, 379b, 381b, 382b
Tyrrhenian Basin
carbon isotope values, 380b, 382b
oxygen isotope values, glacial/interglacial fluctuations, 375b-376b
- Globobulimina ovula*, Cornaglia Terrace, 476b
- Globobulimina* spp.
Cornaglia Terrace, 471b
Sardinian Margin, 471b
- Globocassidulina crassa*, Sardinian Margin, 477b
- Globocassidulina oblonga*, Cornaglia Terrace, 477b
- Globocassidulina subglobosa*
Cornaglia Terrace, 468b
Sardinian Margin, 407b, 468b, 477b
- Globorotalia bononiensis*
Cornaglia Terrace, 374b, 685b
Mediterranean, 395b
Sardinian Margin, 424a, 690b
- Globorotalia conoidea*, Mediterranean, 426b
- Globorotalia conomiozea*
Crete, 421b
Mediterranean, 426b
- Globorotalia conomiozea* biozone, Sardinian Margin, 420b, 425b, 768a
- Globorotalia crassaformis*
Cornaglia Terrace, 685b
Tyrrhenian Sea, 25b, 310a
- Globorotalia inflata*
Cornaglia Terrace, 689b
Sardinian Margin, 424a, 690b
Tyrrhenian Basin, reintroduction, 376b, 395b
Tyrrhenian Sea, 310a
- Globorotalia inflata* biozone
Cornaglia Terrace, 447b

- Marsili Basin, 149a
Sardinian Margin, 447b, 767a
Vavilov Basin W, Gortani Ridge, 891a
- Globorotalia margaritae*
Cornaglia Terrace, 615a, 684b
strontium isotope values, 403b
Sardinian Margin, 412b, 424a, 689b-690b
Vavilov Basin W, Gortani Ridge, 891a
- Globorotalia margaritae* biozone
De Marchi Seamount, 962a
Sardinian Margin, 431b, 768a
- Globorotalia margaritae*-*Globorotalia puncticulata* biozone, Sardinian Margin, 431b, 768a
- Globorotalia mediterranea*, Sardinian Margin, 420b
- Globorotalia menardii*
Guadalquivir Basin, 421b
Sardinian Margin, 420b
- Globorotalia miotumida*, Mediterranean, 426b
- Globorotalia miotumida* group, Mediterranean, 421b
- Globorotalia planispira*
Cornaglia Terrace, 689b
Sardinian Margin, 690b
- Globorotalia puncticulata*
Cornaglia Terrace, 615a, 684b-685b
paleoclimatic indications, 394b
Sardinian Margin, 424a, 690b
Tyrrhenian Sea, 505b
Vavilov Basin W, Gortani Ridge, 891a
- Globorotalia suterae*
Sardinian Margin, 420b, 425b
Sicily, 421b
- Globorotalia tosaensis*, Cornaglia Terrace, 615a
- Globorotalia truncatulinoides*
Cornaglia Terrace, 615a
Sardinian Margin, 424a
Tyrrhenian Sea, first occurrence, 496b
- Globorotalia truncatulinoides excelsa*
Cornaglia Terrace, 689b
Sardinian Margin, 691b
Tyrrhenian Sea, sinistral, 310a
Vavilov Basin W, Gortani Ridge, 890a
- Globorotalia truncatulinoides excelsa* biozone
Cornaglia Terrace, 614a
De Marchi Seamount, 961a
Marsili Basin, 149a
Sardinian Margin, 767a
Tyrrhenian Sea, 309a
- Globorotalia truncatulinoides truncatulinoides*,
Cornaglia Terrace, 689b
- Glomospira charoides*, Sardinian Margin, 425a-426a
- Gyroidina* group
Cornaglia Terrace, 470b
Sardinian Margin, 470b
- Gyroidina neosoldanii*, 452b
Cornaglia Terrace, 478b
- Gyroidina soldanii*
Cornaglia Terrace, 468b
Sardinian Margin, 468b, 478b
- Gyroidinoides altiformis*, 452b
Cornaglia Terrace, 447b, 478b
Sardinian Margin, 447b
- Gyroidinoides altiformis delicate*, Cornaglia Terrace, 478b
- Gyroidinoides altiformis* interval zone
Cornaglia Terrace, 451b
Sardinian Margin, 451b
- Gyroidinoides laevigata*, Cornaglia Terrace, 478b
- Gyroidinoides neosoldanii*, Sardinian Margin, 407b
- Hanzawaia rhodiensis*, Cornaglia Terrace, 456b
- Helicosphaera inversa*, Tyrrhenian Sea, 497b, 505b
- Helicosphaera sellii*
Cornaglia Terrace, 616a
Mediterranean, 526b-527b
Sardinian Margin, 769a
Tyrrhenian Sea, 309a, 310a, 497b, 524b
- Helicosphaera* sp.
Cornaglia Terrace, 615a
Marsili Basin, 151a
Sardinian Margin, 426a, 769a
Tyrrhenian Sea, 310a
- Henryhowella asperrima*, Sardinian Margin, 484b
- Henryhowella sarsi*, Sardinian Margin, 483b
- Hyalinea baltica*
Cornaglia Terrace, 448b
Mediterranean, 376b
Sardinian Margin, 447b
- Hyalinea baltica* assemblage subzone
Cornaglia Terrace, 451b
Sardinian Margin, 451b
- Karrieriella bradyi*, Cornaglia Terrace, 455b
- Karrieriella novangliae*, Cornaglia Terrace, 455b
- Krithe aequabilis*, Sardinian Margin, 493b
- Krithe ariminensis*, Sardinian Margin, 483b
- Krithe monosteracensis*, Sardinian Margin, 493b
- Krithe sinuosa*, Sardinian Margin, 483b, 493b
- Lagena gibbera*, Sardinian Margin, 455b
- Laticarinina pauperata*, Sardinian Margin, 475b
- Martinottiella communis*, Sardinian Margin, 455b
- Martinottiella perparva*, Cornaglia Terrace, 455b
- Melonis affinis*, Cornaglia Terrace, 457b
- Melonis barleeanus*, Sardinian Margin, 457b
- Melonis pompilioides*, Sardinian Margin, 457b
- Micrascidites* spines, Tyrrhenian Sea, 310a
- Miliolinella circularis*, Sardinian Margin, 474b
- Miliolinella subrotunda*, Cornaglia Terrace, 474b
- Neogloboquadrina acostaensis*, coiling change, 421b
- Neogloboquadrina atlantica*
Cornaglia Terrace, 689b
Sardinian Margin, 690b
- Neogloboquadrina pachyderma*
Cornaglia Terrace, 691b
left coiling, 691b
Mediterranean, coiling change, 387b
Sardinian Margin, 691b
- Nonionella sloani*, Sardinian Margin, 457b
- Orbulina universa*
Cornaglia Terrace, isotopic values, 390b, 396b
Mediterranean
isotopic values, 390b
stable isotopes, 394b
- Oridorsalis stellatus*
Cornaglia Terrace, 448b, 456b, 470b
isotopic values, 412b
Sardinian Margin, 407b, 448b, 470b
- Oridorsalis umbonatus*, 452b
Cornaglia Terrace, 448b, 470b
Sardinian Margin, 448b, 456b, 470b
- Ostracodes
- Pliocene/Pleistocene boundary, 480b
psychrospheric, Tyrrhenian Sea, 413b
Sardinian Margin
biostratigraphic events, 480b, 483b-484b
correlation, foraminiferal zones, 486b-487b
faunal assemblages, 484b, 485b, 486b
quantitative range, 488b-489b
stratigraphic range, 482b
- Palynology
Italy, southern, 395b
Northern Europe, climatic cooling,
Matuyama epoch, 376b
- Paracassidulina minuta*, Cornaglia Terrace, 477b
- Parafissurina abnormis*, Cornaglia Terrace, 455b
- Parafissurina basicarinata*, Sardinian Margin, 455b
- Parafissurina lateralis*, Cornaglia Terrace, 455b
- Parrelloides bradyi*
Cornaglia Terrace, 470b
Sardinian Margin, 459b, 470b
- Parrelloides bradyi*-*Parrelloides robertsonianus*, 453b
- Parrelloides robertsonianus*
Cornaglia Terrace, 459b, 470b
Sardinian Margin, 470b
- Parrelloides robertsonianus* interval zone
Cornaglia Terrace, 451b
Sardinian Margin, 451b
- Parrelloides* spp., Sardinian Margin, 484b
- Pedicythere polita*, Sardinian Margin, 484b
- Planktonic foraminifers
biostratigraphy and biochronology, 709b
events, 692b
Cornaglia Terrace
biostratigraphy, 387b-388b, 614a-615a,
684b-685b, 689b
events, 689b
chronostratigraphy
correlation, stratotype sections, 710b
Miocene/Pliocene boundary, 706b-707b
Pliocene-Pleistocene, 705b-706b, 707b-
708b, 712b
stable isotope composition, 409b-411b
stratigraphic range, 686b
strontium isotope values, 402b
De Marchi Seamount, biostratigraphy,
961a-962a
- Emilian/Sicilian boundary, 424a
- Marsili Basin
biostratigraphy, 149a
chronostratigraphy, 359b
correlation, magnetic Stage 3, 353b
glacial/interglacial cycles, 143a
isotopic values, 349b
paleoclimatic implications, 149a
Mediterranean, MP11 biozone, 406b
Pleistocene/Holocene boundary, 614a, 890a
Pliocene/Pleistocene boundary, 149a, 307a,
309a, 424a, 712b, 767a
Sardinian Margin, 416b-418b
biostratigraphy, 424a-425a, 689b-690b,
690b-691b, 767a-768a
events, 689b
correlation, Guadalquivir Basin, 422b
Events I-IV, 420b-421b, 425b-426b
comparison, Mediterranean-Atlantic path-
ways, 421b
MP11 biozone, 405b
MP11-MP16 biozones, 424a
paleoenvironmental implications, 423b
stable isotope composition, 409b-411b

PALEONTOLOGICAL INDEX

- stable isotope record, 423b-425b
stratigraphic distribution, 481b
stratigraphic range, 686b
warm-cold cycles, 406b-407b, 413b
stratotype sections, 711b
Piacenzian, 708b, 712b
Tortonian/Messinian boundary, 768a
Tyrrhenian Sea
 biostratigraphy, 307a, 309a-310a
 correlation, Site 650, 310a
 glacial terminations, 151a
 paleoclimatic implications, 310a
Vavilov Basin W, Gortani Ridge
 biostratigraphy, 890a-891a
 dissolution, 891a
- Planulina ariminensis*
 Cornaglia Terrace, 470b
 Sardinian Margin, 470b, 477b
- Pleurostomella alternans*, Cornaglia Terrace, 476b
- Praeglobobulimina glabra*, Cornaglia Terrace, 476b
- Pseudoemiliana lacunosa*
 Cornaglia Terrace, 369b, 396b
 Mediterranean, 527b
 Mediterranean, western, 524b
 Tyrrhenian Sea, 310a
- Pseudoemiliana lacunosa* zone
 Cornaglia Terrace, 616a
 De Marchi Seamount, 962a
 Marsili Basin, 151a-152a
 Sardinian Margin, 426a, 768a
 Vavilov Basin W, Gortani Ridge, 891a
- Pseudoparrella exigua bathyalis*, Sardinian Margin, 459b
- Pullenia osloensis*, 453b
 Cornaglia Terrace, 457b
- Pullenia quadriloba*, Sardinian Margin, 457b
- Pullenia quinqueloba*, Cornaglia Terrace, 457b
- Pullenia salisburyi*, Cornaglia Terrace, 457b
- Pyrgo depressa*, 453b
 Cornaglia Terrace, 475b
- Pyrgo lucernula*, 453b
 Cornaglia Terrace, 475b
- Pyrgo serrata*, Cornaglia Terrace, 475b
- Pyrgoella sphaera*, Cornaglia Terrace, 475b
- Quadrimorphina laevigata*, Sardinian Margin, 459b
- Quinqueloculina bicarinata*
 Cornaglia Terrace, 474b
 Sardinian Margin, 474b
Quinqueloculina oblonga, Cornaglia Terrace, 474b
Quinqueloculina padana, Cornaglia Terrace, 474b
Quinqueloculina venusta, Sardinian Margin, 474b
Quinqueloculina viennensis, Cornaglia Terrace, 474b
- Reticulofenestra pseudoubilica*
 Italy, size changes, 495b-496b
 Mediterranean, 524b
 Vavilov Basin W, Gortani Ridge, 891a
- Reticulofenestra pseudoubilica* zone
 Cornaglia Terrace, 616a
 De Marchi Seamount, 963a
 Sardinian Margin, 427a, 769a
- Reticulofenestra pseudoubilica/Discoaster surculus* zonal boundary, Tyrrhenian Sea, 495b
- Sigmoilinita tenuis*, Cornaglia Terrace, 475b
- Sigmoilopsis schlumbergeri*
 Cornaglia Terrace, 470b
 Sardinian Margin, 470b, 474b
- Siphonina bradyana*
 Cornaglia Terrace, 468b, 470b
 Sardinian Margin, 468b, 470b
- Siphonina reticulata*
 Cornaglia Terrace, 447b, 468b, 470b, 477b
 Sardinian Margin, 447b, 468b, 470b
- Siphoninina reticulata*, Sardinian Margin, 484b
- Sphaeroidinellopsis* spp. biozone, Sardinian Margin, 431b
- Sphaeroidina bulloides*, Cornaglia Terrace, 477b
- Sphaeroidinella dehiscens*
 Cornaglia Terrace, 615a
 Sardinian Margin, 690b
- Sphaeroidinellopsis acme* biozone
 Cornaglia Terrace, 601a, 614a, 615a
 Sardinian Margin, 406b, 768a
 isotopic covariance, 412b
 termination events, 413b
 Tyrrhenian Sea, isotopic covariance, 410b, 413b
- Sphaeroidinellopsis seminulina*, Mediterranean, 496b
- Sphaeroidinellopsis* spp.
 Sardinian Margin, 425a
 Vavilov Basin W, Gortani Ridge, 891a
- Sphaeroidinellopsis* spp. acme, Cornaglia Terrace, strontium isotope values, 403b
- Sphaeroidinellopsis* spp. biozone
 Cornaglia Terrace, 684b, 689b
 Sardinian Margin, 689b-609b, 690b
- Sphaeroidinellopsis subdehiscens* biozone,
 Sardinian Margin, 424a, 431b
- Sphenolithus abies*
 Cornaglia Terrace, 616a
 Tyrrhenian Sea, 495b
- Spiroloculina canaliculata*, Cornaglia Terrace, 475b
- Stainforthia complanata*, Sardinian Margin, 476b
- Stilostomella antillea*, 453b
- Triloculina gibba*, Cornaglia Terrace, 475b
- Triloculina tricarinata*, Cornaglia Terrace, 475b
- Triquetrorhabdulus rugosus*, Mediterranean, extinction, 522b
- Uvigerina mediterranea*
 Cornaglia Terrace, 468b
 Sardinian Margin, 468b
- Uvigerina peregrina*
 Cornaglia Terrace, 468b
 Sardinian Margin, 468b
 isotopic values, 412b
- Uvigerina pygmaea*, 453b
 Cornaglia Terrace, 304b, 409b, 468b
 Sardinian Margin, 25b, 407b, 409b, 431b, 468b, 476b
 Tyrrhenian Sea, 413b
- Uvigerina rutila*, Sardinian Margin, 431b
- Vaginulina elegans*, Sardinian Margin, 431b
- Vaginulinopsis carinata*, Sardinian Margin, 431b
- Valvulineria marmorea*, Cornaglia Terrace, 475b
- Zabythocypris antemacella*, Sardinian Margin, 483b