

INDEX TO VOLUME 110

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 110 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *a* refer to pages in the *Initial Reports*, and those with *b*, to pages in the *Scientific Results* (this book).

The index is presented in three parts:(1) a Subject Index, (2) a Site Index, and (3) a Paleontological Index. In addition to this printed version, the index is also available in the form of a machine-readable, ASCII-encoded, 9-track magnetic tape, 1600 bpi.

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which also appear in the Paleontological Index.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The Paleontological Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) broad fossil groups, including individual genera and species that have been erected or emended formally; (2) biostratigraphic zones; and (3) fossils depicted in illustrations.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547.

SUBJECT INDEX

Accretion. *See* Barbados Ridge Accretionary Complex
 Accretionary wedge
 Barbados Ridge: Site 671, 227b, 232b-234b, 238b-241b, 310b
 Barbados Ridge: Site 673, 217b-221b, 236b
 Barbados Ridge: Site 674, 217b-221b, 223b-224b, 227b
 Barbados Ridge: Site 675, 232b-234b, 238b-241b
 Barbados Ridge: Site 676, 231b, 232b-234b, 236b, 238b-241b
 Tiburon Rise N: Site 672, 230b-232b, 233b
 Acoustic basement, Tiburon Rise N: Site 672, depth, 47b, 50b
 Alkalinity
 Barbados Ridge: Site 671, 100a, 159b
 depth versus, 99a
 Barbados Ridge: Site 673, 159b-160b, 334a
 Barbados Ridge: Site 674, 160b, 418a
 Barbados Ridge: Site 675, 160b, 496a
 Barbados Ridge: Site 676, 160b, 528a
 Tiburon Rise N: Site 672, 159b, 230a-231a, 233a-234a
 Alteration, Barbados Ridge: Site 676, volcanic ash, 174b-175b
 Alteration, diagenetic
 Barbados Ridge: Site 671, 107b-109b
 Tiburon Rise N: Site 672, 107b-109b
 Atlantic Abyssal Plain, sedimentary processes, 23b-24b, 25b
 Aves Ridge, location, 6a-7a
 Aves Swell, sediment thickness, 32b
 Barbados Ridge
 bathymetry, 19b, 21b, 23b
 calcareous biogenic sediments, 17a-18a
 calcium concentrations, 22a
 carbonate carbon, 21a
 chlorinity, 21a-22a
 compressional wave velocity, 22a-23a
 décollement
 fluid migration, 202b-203b
 location, 4b
 scaly fabrics, 234b
 zone, 11a
 deformation
 location, 5b
 pore-water geochemistry affected by, 191b
 fault, zone, 11a
 fluid flow, 403b
 boundary conditions, 333b, 334b
 calculations, 333b
 deformational pumping, 419b-420b
 depth versus, 421b
 direction, 340b
 distance, 418b-419b
 effective stress and, 420b-421b
 permeability affected by, 335b-337b, 338b
 physical constraints, 419b
 porosity affected by, 337b-339b
 pressure, 340b
 rate, 340b
 source, 418b-419b
 three-dimensional effects, 421b-422b
 timing, 417b-418b
 formation factor measurements, 23a
 heat flow, 5b, 24a
 hydrocarbons, 21a
 lithostratigraphy, 11a

location, 18b
 magnesium concentrations, 22a
 magnetic properties, 20a-21a
 methane concentrations, 61a
 organic geochemistry, Rock-Eval procedure, 21a
 reflectors, location, 3b-7b
 salinity, 21a
 sedimentary processes, 23b-24b
 shear strength, 23a
 siliceous biogenic sediments, 16a-18a
 structural geology, 11a, 411b-117b
 sulfate concentrations, 22a
 tectonic features, 416b-417b
 terrigenous sediments, 17a-18a
 thermal conductivity, 23a-24a
 thrust faulting, location, 17b
 torque versus strength curves, 23a
 velocity, 5b
 volcanogenic sediments, 17a-18a
 volume-balance calculations, 219b
 X-ray diffraction analysis, 18a-19a
 zonation, 8a
 initial accretion zone, 6a
 stabilization zone, 6a
 supracomplex basins, 6a, 8a
 uplift, 8a
See also Barbados Ridge Accretionary Complex; Tiburon Rise N: Site 672
 Barbados Ridge Accretionary Complex
 accretion, frontal, 17b-20b
 anticlinal axis, location, 27b
 canyons, location, 27b
 décollement, deformation front related to, 28b
 deformation
 décollement depth related to, 28b
 formation, 26b
 location, 27b
 seaward propagation, 18b
 deposition, 26b
 erosion, 26b
 mud volcanoes, 21b, 23b
 location, 23b, 27b
 piggyback basins, 17b
 location, 19b, 24b
 reflectors, location, 20b, 22b, 25b
 sediment thickness, 18b
 thrust faulting
 dips, 25b
 displacement, 17b-18b, 21b
 location, 27b
 Barbados Ridge: Site 542
 permeability, calculations, 335b-337b
 porosity, fluid pressure affected by, 337b-339b
 Barbados Ridge: Site 671
 accretionary wedge, 310b
 small-scale structures, 232b-234b, 238b-241b
 thickening, 227b
 acoustic index
 depth versus, 318b
 porosity versus, 319b
 alkalinity, 100a, 159b
 depth versus, 99a
 aluminum concentrations, 182b-184b, 187b
 ammonium concentrations, 96a, 100a, 159b, 161b
 depth versus, 101a
 bathymetry, 6a, 581a
 bioturbation, 80a-81a
 frequency, 82a
 bromide concentrations, 161b, 173b
 calcite concentrations, carbonate concentrations versus, 84a
 calcium concentrations, 93a-95a, 100a, 101a, 159b, 175b, 195b-196b, 407b
 depth versus, 99a, 101a
 carbonate concentrations, 79a-80a, 102a, 183b
 calcite concentrations versus, 84a
 volume susceptibility versus, 372b
 carbonate content, 283b
 chloride concentrations, 93a, 100a, 101a, 159b, 161b, 178b, 195b-196b, 335b, 419b, 590a
 depth versus, 101a, 591a
 compressional wave velocity, 105a
 carbonate content versus, 114a
 water content versus, 114a
 décollement, 196b, 584a-586a
 alteration, diagenetic, 107b-109b
 chloride concentrations, 93a
 deposition, 79a-80a
 fluid migration, 202b, 321b-328b
 location, 580a, 586a
 pore-water chemistry, 91b, 127a-128a
 reflectors, 118a-119a
 scaly fabrics, 73a-77a, 127a-128a, 213b, 247b-248b
 separating accreted from subducted sequences, 70a
 summary diagram, 126a-127a
 thickening, 411b
 deformation, 193b, 196b
 location, 210b, 586a
 summary diagram, 126a-127a
 demagnetization data, 92a-95a
 density, 105a-109a, 283b, 286b, 292b, 302b, 311b
 effective stress, 300b, 303b, 306b
 fluid flow, 354b-355b
 formation factor measurements, 108a-109a
 depth versus, 111a
 water content versus, 111a
 grain density, 105a-109a
 heat flow, 120a, 363b, 591a
 depth versus, 123a
 time versus, 121a-122a
See also Barbados Ridge: Site 671, fluid flow
 hydrogen index, oxygen index versus, 104a
 hydrology, 91b
 hydrostatic stress, depth versus, 113a
 inorganic carbon, 102a
 interstitial-water chemistry, 92a-101a, 161b-163b, 168b, 181b, 184b-186b, 397b-401b, 406b
 lithium concentrations, 159b
 lithologic units, 76a-79a
 age and, 78a
 depth and, 78a
 summary diagram, 126a-127a
 lithology, 157b, 162b, 180b, 414b
 lithostatic stress, depth versus, 113a
 lithostratigraphy, 398b
 location, 6a, 69a, 156b, 580a-581a
 deformation front westward from, 98b
 structural features, 190b

SUBJECT INDEX

- magnesium concentrations, 93a-95a, 100a, 101a, 159b, 175b, 195b-196b, 407b-408b
 depth versus, 99a, 101a
 diffusion calculations, 188b
 magnetic properties, 89a-90a, 380b,
 381b-384b, 385b
 natural remanent magnetization, 90a-91a,
 380b
 susceptibility, 91a-92a, 96a-98a, 380b
 methane concentrations, 98a-99a, 178b,
 419b, 590a
 carbon isotope composition, 204b-205b
 depth versus, 102a
 mineralogy, 78a, 83a-84a, 99b, 100b-101b
 chemical composition, 181b-182b, 186b-
 187b
 organic carbon, 100a, 102a, 180b-181b, 185b
 depth versus, 104a
 organic geochemistry, Rock-Eval procedure,
 100a, 102a-103a
 organic matter, 99a-100a
 oxygen index, hydrogen index versus, 104a
 oxygen isotopes, 401b
 permeability, 291b-292b, 294b-295b, 303b
 void ratio and, 307b
 pore pressure, 308b
 pore-water chemistry, 195b-196b
 porosity, 105a-109a, 235b, 292b, 302b, 311b,
 312b-313b, 315b, 319b, 320b,
 323b-324b, 588a-589a
 underthrust sediments, 325b
 potassium concentrations, 95a-96a, 101a,
 159b
 depth versus, 101a
 salinity, 100a, 159b
 sediment consolidation, 291b, 294b-295b
 calculations, 296b
 sediment depth versus sediment age, 81a
 sediment formation factor, 111a
 seismic stratigraphy, 116a-120a
 shear strength, 109a, 112a, 283b
 effective overburden stress ratio to, 113a
 silicon concentrations, 96a, 100a, 159b
 depth versus, 101a
 sodium concentrations, 95a-96a, 101a, 159b
 depth versus, 101a
 specific gravity, 286b
 stable isotope ratios, 192b
 strontium concentrations, 159b, 176b
 depth versus, 99a
 isotope data, 161b
 sediment age versus, 407b
 structured data, 584a
 sulfate concentrations, 96a, 100a, 159b
 depth versus, 101a
 tectonic shortening, 217b, 224b
 thermal conductivity, 110a, 112a, 114a, 348b
 correction data, 361b
 depth versus, 114a
 water content versus, 114a
 thermal resistance, 352b
 thrust faulting, 73a-77a, 180b, 193b, 196b,
 235b
 alteration, diagenetic, 107b-109b
 bedding surfaces, 75a
 bulk mineralogy comparison, 84a
 location, 580a
 lower hemisphere intersecting, 75a
 pore-water chemistry, 91b
 reflectors, 118a-119a
 structural log, 74a
 summary diagram, 126a-127a
 velocity, 313b-315b
 volcanic ash
- alteration, 174b-175b
 bedding, 82a
 consistency, 81a-83a
 crystalline, 83a
 depth and, 78a
 diagenesis, 107b-109b
 distribution, 164b, 404b
 thickness, 76a-79a
 vitric, 83a
 water content, 283b, 286b, 292b
 Barbados Ridge: Site 673
 accretion time measurements, 326b
 accretionary wedge, 217b-221b
 debris flow, 218b-219b
 faulting, out-of-sequence, 221b
 folding, 219b
 small-scale structures, 236b
 thickening, 227b
 acoustic index
 depth versus, 318b
 porosity versus, 319b
 alkalinity, 159b-160b, 334a
 ammonium concentrations, 159b-160b, 334a,
 335a
 depth versus, 336a
 bathymetry, 6a, 581a
 bedding dips, 236b, 237b
 calcium concentrations, 159b-160b, 200b,
 331a, 335a
 depth versus, 336a
 magnesium and sulfate concentrations cor-
 related with, 174b
 chloride concentrations, 159b-160b, 200b,
 331a, 335a, 351a
 depth versus, 336a, 591a
 lows, 171b-174b
 chlorinity, 334a
 compressional wave velocity, 341a
 depth versus, 340a
 water content versus, 341a
 décollement
 fluid migration, 321b-328b
 location, 316a, 580a
 pore-water chemistry, 351a
 position, 348a-349a
 reflectors, 345a-346a
 scaly fabrics, 318a-319a, 321a, 351a
 deformation
 model, 352a
 scaly fabrics, 587a
 slope sediments, 318a
 summary diagram, 350a-351a
 demagnetization data, 330a-334a
 density, 292b, 305b, 339a
 depth versus, 340a
 depositional processes, 322a-323a, 327a
 effective stress, 304b
 fluid flow, 357b-358b
 formation factor measurements, 338a, 341a
 depth versus, 342a
 grain density, 339a
 depth versus, 340a
 heat flow, 344a-348a, 363b, 591a
 depth versus, 348a
 time versus, 346a-347a
See also Barbados Ridge: Site 673, fluid
 flow
 hydrostatic stress, depth versus, 343a
 interstitial-water chemistry, 164b, 167b,
 170b, 334a-335a
 lithium concentrations, 160b
 lithologic units, 321a-322a, 325a
 age determinations, 326a
 lithology, 162b, 414b
- lithostatic stress, depth versus, 343a
 lithostratigraphy, 320a-324a, 398b
 location, 6a, 156b, 314a, 580a-581a
 deformation front westward from, 98b
 structural features, 190b
 magnesium concentrations, 159b-160b,
 200b, 331a, 335a
 calcium and sulfate concentrations corre-
 lated with, 174b
 depth versus, 336a
 magnetic properties, 386b, 388b-389b
 inclination, 381b, 384b-386b
 natural remanent magnetization, 329a-
 334a, 388b-390b
 susceptibility, 329a, 386b, 388b-389b
 methane concentrations, 334a-335a, 352a
 mineralogy, 323a-324a, 327a
 organic carbon, 335a
 depth versus, 337a
 organic geochemistry, Rock-Eval procedure,
 337a
 permeability, 292b
 void ratio and, 307b
 pore-water chemistry, 200b-201b
 porosity, 220b, 237b, 292b, 305b, 316b,
 319b, 323b-324b, 339a, 587a, 588a-589a
 depth versus, 340a, 351a
 potassium concentrations, 160b, 331a, 334a,
 335a
 depth versus, 336a
 reflectors, 225b
 salinity, 159b-160b, 334a
 sediment consolidation, 295b
 seismic stratigraphy, 343a, 345a
 shear strength, 338a, 341a
 depth versus, 342a
 silicon concentrations, 159b-160b, 334a, 335a
 depth versus, 336a
 sodium concentrations, 331a, 334a, 335a
 depth versus, 336a
 stable isotope ratios, 193b
 strontium concentrations, 160b
 structural data, 320a, 351a, 584a, 587a
 sulfate concentrations, 159b-160b, 334a, 335a
 calcium and magnesium concentrations cor-
 related with, 174b
 depth versus, 336a
 thermal conductivity, 341a-343a, 349b
 correction data, 361b
 depth versus, 344a, 348a
 thermal resistance, 352b
 thrust faulting, 237b, 318a-319a, 322a,
 348a-349a, 352a
 location, 580a, 587a
 vein classification, 320a, 324a
 velocity, 313b-315b
 volcanic ash, 323a
 depth versus, 327a
 water content, 292b, 339a
 compressional wave velocity versus, 341a
 depth versus, 340a
 Barbados Ridge: Site 673
 accreted sequences, 394a-402a
 accretionary wedge, 217b-221b
 debris flow, 218b-219b
 erosion, 221b, 223b-224b
 faulting, out-of-sequence, 221b
 folding, 219b
 small-scale structures, 236b, 238b-241b
 thickening, 227b
 acoustic impedance
 depth versus, 427a
 seismic record correlated with, 429a
 acoustic index

depth versus, 318b
porosity versus, 319b
alkalinity, 160b, 418a
ammonium concentrations, 160b, 161b, 415a, 418a-419a
bathymetry, 6a, 581a
bedding dips, 215b, 236b, 237b
bedding disturbance, 394a-402a
bromide concentrations, 161b, 173b
calcium concentrations, 158b, 160b, 199b, 415a, 418a-419a
magnesium and sulfate concentrations correlated with, 174b
carbonate concentrations, 411a
volcanic ash compared with, 408a
chloride concentrations, 156b-157b, 158b, 160b, 161b, 178b, 199b, 415a, 418a-419a, 419b, 437a, 590a
depth versus, 591a
lows, 171b-174b
chlorinity, 415a, 418a
compressional wave velocity, 423a-424a
depth versus, 422a
décollement, 584a
location, 430a, 580a
mud-filled veins, 243b
deformation, 435a
age versus depth, 410a
model, 439a
slope sediments, 393a-394a, 395a, 396a, 409a
summary diagram, 436a-437a
demagnetization data, 416a-417a
density, 420a-423a
depth versus, 422a
lithologic units correlated with, 438a
fluid flow, 355b-356b
formation factor measurements, 424a-425a
depth versus, 425a
porosity versus, 426a
grain density, 420a-423a
depth versus, 422a
heat flow, 363b, 428a-434a, 591a
thermal resistance versus, 434a
time versus, 431a-432a
hydrostatic stress, depth versus, 427a
interstitial-water chemistry, 163b-164b, 169b, 395b-396b, 400b-401b, 406b
lithium concentrations, 160b
lithologic units, 402a-407a, 431a-434a
bulk density correlated with, 438a
tectonic units correlated with, 438a
lithology, 157b, 162b, 414b
lithostratigraphy, 398b, 401a, 402a-409a
age estimates, undated intervals, 406a-409a
location, 6a, 156b, 392a-393a, 429a, 580a-581a
deformation front westward from, 98b
structural features, 190b
magnesium concentrations, 158b, 160b, 175b, 199b, 408b, 415a, 418a-419a
calcium and sulfate concentrations correlated with, 174b
magnetic properties
inclination, 381b, 384b-385b, 391b, 415a, 418a
natural remanent magnetization, 414a-415a
susceptibility, 414a
methane concentrations, 178b, 418a, 419b, 590a
mineralogy, 99b, 103b, 410a
organic carbon, depth versus, 420a
organic geochemistry, Rock-Eval procedure, 418a, 420a

pore-water chemistry, 198b-199b
porosity, 220b, 237b, 316b, 319b, 323b-324b, 420a-423a, 437a, 588a-589a
depth versus, 422a, 428a
formation factor measurements versus, 426a
structural data related to, 401a
potassium concentrations, 160b, 415a, 418a-419a
reflectors, 222b-223b
thrust faults corresponding to, 394a-402a
salinity, 160b, 418a
sediment thickness, 394a-402a
sedimentation, hemipelagic, 409a-410a
seismic stratigraphy, 428a-430a
shear strength, 426a-427a
silicon concentrations, 160b, 418a-419a
sodium concentrations, 160b, 415a, 418a-419a
stable isotope ratios, 193b
strontium concentrations, 160b, 176b
isotope data, 161b
sediment age versus, 407b
structural data, 393a-402a, 437a, 584a
sulfate concentrations, 158b, 160b, 415a, 418a-419a
calcium and magnesium concentrations correlated with, 174b
tectonic units, lithologic units correlated with, 438a
thermal conductivity, 350b, 424a, 433a
correction data, 361b-362b
depth versus, 425a
water content versus, 425a
thermal resistance, 352b
thrust faulting, 237b
location, 580a, 587a
out-of-sequence, 439a
scaly fabrics, 393a-402a, 437a
velocity, 313b-315b
depth versus, 422a
volcanic ash, 406a-409a
distribution, 164b, 404b
water content, 421a-423a
depth versus, 422a
Barbados Ridge: Site 675
accretionary wedge, small-scale structures, 232b-234b, 238b-241b
alkalinity, 160b, 496a
ammonium concentrations, 160b, 495a, 496a
bathymetry, 6a, 581a
calcium concentrations, 160b, 175b, 197b, 407b, 495a, 496a
chloride concentrations, 160b, 197b, 495a, 496a, 498a, 501a
compressional wave velocity, 498a, 499a
décollement, 584a-586a
location, 491a, 580a, 586a
scaly fabrics, 213b, 491a-493a
deformation
location, 210b, 586a
scaly fabrics, 500a-501a
summary diagram, 492a, 500a-501a
density, 498a
depth versus, 499a
grain density, 498a
depth versus, 499a
interstitial-water chemistry, 167b-169b, 171b
lithologic units, 493a
lithology, 157b, 163b, 415b
lithostratigraphy, 399b, 493a
location, 6a, 156b, 490a, 580a-581a
deformation front westward from, 98b
structural features, 190b

magnesium concentrations, 160b, 175b, 197b, 407b, 495a, 496a
methane concentrations, 498a, 501a
mineralogy, 493a, 494a
organic geochemistry, Rock-Eval procedure, 497a
pore-water chemistry, 196b-197b
porosity, 235b, 324b, 498a, 501a, 588a-589a
depth versus, 499a
Sites 671 and 672 compared with, 497a, 499a
reflectors, location, 491a
salinity, 160b, 496a
seismic stratigraphy, 498a
silicon concentrations, 495a, 496a
stable isotope ratios, 193b
structural data, 491a-492a, 585a
sulfate concentrations, 160b, 495a, 496a
tectonic shortening, 217b, 224b
thrust faulting, 235b, 491a-492a
location, 580a
velocity, depth versus, 499a
water content, depth versus, 499a
Barbados Ridge: Site 676
accretionary wedge
small-scale structures, 231b, 232b-234b, 236b, 238b-241b
thickening, 227b
alkalinity, 160b, 528a
ammonium concentrations, 160b, 525a, 528a-529a
bathymetry, 6a, 581a
calcium concentrations, 160b, 175b, 407b, 525a, 528a-529a
chloride content, 284b
chlorinity, 160b, 178b, 335b, 419b, 525a, 528a-529a, 539a, 590a
depth versus, 591a
compressional wave velocity, 530a, 534a
depth versus, 533a
porosity versus, 534a
décollement, 584a
location, 514a, 538a, 580a, 586a
scaly fabrics, 213b
deformation, 411b
location, 210b, 512a, 586a
scaly fabrics, 212b, 514a-515a, 516a, 519a, 545a
summary diagram, 544a-545a
density, 284b, 286b, 292b, 298b, 528a, 532a
depth versus, 533a
effective stress, 297b, 299b, 306b
fluid flow, 356b-357b, 358b
formation factor measurements, 530a
depth versus, 536a
porosity versus, 536a
grain density, 528a, 532a
depth versus, 533a
heat flow, 363b, 533a-534a, 539a-542a, 545a, 591a
hydrostatic stress, depth versus, 538a
interstitial-water chemistry, 169b-170b, 172b
lithium concentrations, 160b
lithologic units, 516a-520a, 538a-539a
lithology, 157b, 163b, 415b
lithostratigraphy, 399b, 515a-520a
location, 6a, 156b, 513a-514a, 580a-581a
deformation front westward from, 98b
structural features, 190b
magnesium concentrations, 160b, 175b, 407b-408b, 525a, 528a-529a
magnetic properties, susceptibility, 524a-525a, 526a-527a

SUBJECT INDEX

- methane concentrations, 178b, 335b, 419b, 528a, 530a, 539a, 545a, 590a
 carbon isotope composition, 204b-205b
 mineralogy, 519a-520a, 521a
 organic carbon, 528a
 organic geochemistry, Rock-Eval procedure, 531a
 permeability, 291b, 292b, 299b
 void ratio and, 307b
 pore pressure, 308b
 pore-water chemistry, 196b-197b
 porosity, 212b, 292b, 298b, 323b-324b, 528a, 532a, 545a, 588a-589a
 delta, 314b
 depth versus, 533a
 potassium concentrations, 160b, 525a, 528a-529a
 reflectors, 213b
 location, 538a
 salinity, 160b, 528a
 sediment consolidation, 291b, 296b
 sediment thickness, 516a-519a
 age versus, 522a
 seismic stratigraphy, 531a
 shear strength, 284b, 530a-531a, 537a
 depth versus, 537a
 silicon concentrations, 160b, 525a, 528a-529a
 sodium concentrations, 160b, 525a
 specific gravity, 286b
 stable isotope ratios, 193b
 strontium concentrations, 160b, 176b
 isotope data, 161b
 sediment age versus, 407b
 structural data, 516a, 545a, 585a
 sulfate concentrations, 160b, 525a, 528a-529a
 tectonic shortening, 217b, 224b
 temperature measurements, 539a-542a, 545a
 thermal conductivity, 351b, 530a, 542a
 correction data, 362b
 depth versus, 535a
 water content versus, 535a
 thermal resistance, 352b
 thrust faulting, 212b, 514a-515a, 516a
 location, 512a, 538a, 580a
 seismic reflection, 218b
 volcanic ash, 517a, 521a, 522a
 alteration, 174b-175b
 water content, 284b, 286b, 292b, 528a, 532a
 depth versus, 533a
- Baracuda Ridge**
 location, 34b, 36b
 sediment thickness, 36b
 subduction, 36b
- Basalt**, Tiburon Rise N: Site 672, dating, 260a
Bouma sequence, Barbados Ridge: Site 671, 79a
- Calcite**
 Barbados Ridge: Site 671
 depth and, 78a, 126a
 scanning electron microscopy, 251b-252b, 255b
 Barbados Ridge: Site 673, 324a, 327a
 dating, 350a
 Barbados Ridge: Site 674, 410a
 dating, 436a
 veining, 396a-400a, 402a
 Barbados Ridge: Site 676, dating, 544a
 Tiburon Rise N: Site 672, 219a, 225a
- Calcium concentrations**
 Barbados Ridge, 22a
 Barbados Ridge: Site 671, 159b, 175b, 195b-196b, 407b
- Barbados Ridge**: Site 673, 159b-160b, 200b, 331a, 335a
 depth versus, 336a
 magnesium and sulfate concentrations correlated with, 174b
 Barbados Ridge: Site 674, 158b, 160b, 199b, 415a, 418a-419a
 magnesium and sulfate concentrations correlated with, 174b
 Barbados Ridge: Site 675, 160b, 175b, 197b, 407b, 495a, 496a
 Barbados Ridge: Site 676, 160b, 175b, 407b, 525a, 528a-529a
 Tiburon Rise N: Site 672, 159b, 175b, 194b, 231a, 233a, 235a, 261a, 407b
- Caribbean Arc**, Mesozoic location, 36b-37b
- Chalk**
 Barbados Ridge: Site 671, depth and, 126a
 Barbados Ridge: Site 673, dating, 350a
 Barbados Ridge: Site 674, dating, 436a
 Barbados Ridge: Site 676, dating, 544a
 Tiburon Rise N: Site 672, dating, 8b
- Chloride concentrations**
 Barbados Ridge: Site 671, 159b, 161b, 178b, 195b-196b, 335b, 419b
 Barbados Ridge: Site 673, 159b-160b, 200b
 lows, 171b-174b
 Barbados Ridge: Site 674, 156b-157b, 158b, 160b, 161b, 178b, 199b, 419b
 lows, 171b-174b
 Barbados Ridge: Site 675, 160b, 197b
 Barbados Ridge: Site 676, 160b, 178b, 335b, 419b
 Tiburon Rise N: Site 672, 159b, 161b, 178b, 194b, 335b, 419b
- Chlorinity**
 Barbados Ridge, 21a-22a
 Barbados Ridge: Site 673, 334a
 Barbados Ridge: Site 674, 415a, 418a
 Tiburon Rise N: Site 672, 233a-234a
- Chlorite**
 Barbados Ridge: Site 671
 composition, 104b-107b, 108b, 109b
 scanning electron microscopy, 255b
 Site 672 compared with, 91b
 Barbados Ridge: Site 674, composition, 104b-107b, 108b, 109b
 Tiburon Rise N: Site 672
 composition, 104b-107b, 108b, 109b
 Site 671 compared with, 91b
- Chondrite**, Tiburon Rise N: Site 672, 216a
- Clay**
 Barbados Ridge: Site 671
 depth and, 78a, 126a
 distribution variations, 99b, 104b, 105b
 frequency distribution, 247b-248b
 grain size, 303b
 scanning electron microscopy, 245b-255b
 Barbados Ridge: Site 673, 323a, 327a
 dating, 350a
 Barbados Ridge: Site 674, 410a
 dating, 436a
 distribution variations, 99b, 105b
 Barbados Ridge: Site 675, 494a
 dating, 500a
 Barbados Ridge: Site 676
 dating, 544a
 grain size, 299b
- Orinoco River**, 116b
- Tiburon Rise N**: Site 672, 49b, 219a, 225a
 dating, 8b, 51b, 260a
 distribution variations, 99b, 105b
 grain size, 56b, 62b-83b, 295b
 green, 49b, 54b-55b, 56b
- marl with**, 221a
mineral stratigraphy, 86b-91b
Sites 543 and 27 compared with, 55b
See also specific types
- Compressional wave velocity**
 Barbados Ridge, 22a-23a
 Barbados Ridge: Site 673, 337a-338a, 341a
 depth versus, 340a
 water content versus, 341a
 Barbados Ridge, Site 674, 423a-424a
 depth versus, 422a
 Barbados Ridge: Site 675, 498a, 499a
 Barbados Ridge: Site 676, 530a, 534a
 depth versus, 533a
 porosity versus, 534a
 Tiburon Rise N: Site 672, 241a-242a
 depth versus, 317b
 porosity versus, 316b
 seismic sequences correlated with, 252a
 water content versus, 242a
- Coral Reef Formation**, stratigraphy, 8a
- Crest**, oceanic
 Aves Swell, thickness, 32b
 Barbados Ridge
 location, 4b
 reflectors indicating, 10a
 thickness, 5a
 Barbados Ridge Accretionary Complex, thickness, 26b
 Barbados Ridge: Site 671, 70a, 580a, 586a
 reflectors, 118a-119a
 Barbados Ridge: Site 673, 580a
 Barbados Ridge: Site 674, 430a, 580a
 reflectors, 223b
 Barbados Ridge: Site 675, 580a, 586a
 Barbados Ridge: Site 676, 514a, 580a, 586a
 Grenada Basin, thickness, 32b
- Lesser Antilles Arc**
 age, 32b
 structure, 34b
 subduction, 34b
 thickness, 32b, 40b
- Tiburon Rise N: Site 672, 580a
 geothermal gradient, 252a
- Density**
 Barbados Ridge: Site 671, 105a-109a, 283b, 286b, 292b, 302b, 311b
 Barbados Ridge: Site 673, 292b, 305b, 339a
 depth versus, 340a
 Barbados Ridge: Site 674, 420a-423a
 depth versus, 422a
 lithologic units correlated with, 438a
 Barbados Ridge: Site 675, 498a
 depth versus, 499a
 Barbados Ridge: Site 676, 284b, 286b, 292b, 298b, 528a, 532a
 depth versus, 533a
- Tiburon Rise N: Site 672, 238a-239a, 285b, 286b, 292b, 294b
 seismic sequences correlated with, 252a
 water content versus, 240a
- El Pilar River**
 depressions, 113b, 124b
 mud volcanoes, 119b
- Faulting**. *See Thrust faulting*
- Glaucite**, Tiburon Rise N: Site 672, 12b-13b, 219a
- Grain density**
 Barbados Ridge: Site 671, 105a-109a
 Barbados Ridge: Site 673, 339a

- depth versus, 340a
 Barbados Ridge: Site 674, 420a-423a
 depth versus, 422a
 Barbados Ridge: Site 675, 498a
 depth versus, 499a
 Barbados Ridge: Site 676, 528a, 532a
 depth versus, 533a
 Tiburon Rise N: Site 672, 238a-239a
 water content versus, 240a
 Grenada Basin
 deformation, 38b
 location, 6a-7a
 opening, 37b
 sediment thickness, 32b
 Guyana margin
 location, 7b
 sedimentary processes, 23b-24b
- Heat flow
 Barbados Ridge, 5b, 24a
 Barbados Ridge: Site 671, 120a, 121a-122a, 123a, 363b, 591a
 Barbados Ridge: Site 673, 344a-348a, 363b, 591a
 Barbados Ridge: Site 674, 363b, 428a-434a, 591a
 Barbados Ridge: Site 676, 363b, 533a-534a, 539a-542a, 545a, 591a
 Tiburon Rise N: Site 672, 363b, 591a
See also Fluid flow, under specific sites
- Illite
 Barbados Ridge: Site 671
 abundance data, 92b-94b
 composition, 104b-107b, 108b, 109b
 dating, 92b-94b
 scanning electron microscopy, 255b
 Barbados Ridge: Site 674, composition, 104b-107b, 108b, 109b
 Tiburon Rise N: Site 672
 abundance data, 88b-89b
 composition, 104b-107b, 108b, 109b
 dating, 88b-89b
- Interstitial-water chemistry
 Barbados Ridge: Site 671, 92a-101a, 161b-163b, 168b, 181b, 184b-186b, 397b-401b, 406b
 Barbados Ridge: Site 674, 163b-164b, 169b, 395b-396b, 400b-401b, 406b
 Barbados Ridge: Site 675, 167b-169b, 171b
 Barbados Ridge: Site 676, 169b-170b, 172b
 Tiburon Rise N: Site 672, 158b, 161b, 167b, 397b, 400b-401b, 405b
- Joes River Formation, stratigraphy, 8a
- Kaolinite
 Barbados Ridge: Site 671, composition, 104b-107b, 108b, 109b
 Barbados Ridge: Site 674, composition, 104b-107b, 108b, 109b
 Tiburon Rise N: Site 672, composition, 104b-107b, 108b, 109b
- Lesser Antilles Arc
 arc components, 31b
 basalt analyses, 39b
 Benioff zone, 32b
 geologic units, 40b
 location, 30b, 95b
 physiographic pattern, 29b
 sediment strength measurements, 279b-288b
 sedimentary processes, 33b
 seismic sections, 280b
- subduction, 36b
 volcanic ash, 218a-219a
 volcanoes
 composition, 38b
 dating, 44b
 erosion, 38b
 evolution, 31b
 formation, 38b
 lava types, 38b
 location, 32b, 35b
 magma generation, 40b, 42b
 subsidence, 37b
 time-space relationship, 39b-40b, 41b
 uplift, 38b
- Limestone
 Barbados Ridge: Site 671, depth and, 126a
 Barbados Ridge: Site 673, dating, 350a
 Barbados Ridge: Site 674, dating, 436a
 Barbados Ridge: Site 676, dating, 544a
 Tiburon Rise N: Site 672, 213a
 dating, 8b, 260a
 planktonic foraminifers in, 223a
 radiolarians in, 224a
- Magnesium concentrations
 Barbados Ridge, 22a
 Barbados Ridge: Site 671, 159b, 175b, 195b-196b, 407b-408b
 diffusion calculations, 188b
 Barbados Ridge: Site 673, 159b-160b, 200b, 331a, 335a
 calcium and sulfate concentrations correlated with, 174b
 depth versus, 336a
 Barbados Ridge: Site 674, 158b, 160b, 175b, 199b, 408b, 415a, 418a-419a
 calcium and sulfate concentrations correlated with, 174b
 Barbados Ridge: Site 675, 160b, 175b, 197b, 407b, 495a, 496a
 Barbados Ridge: Site 676, 160b, 175b, 407b-408b, 525a, 528a-529a
 Tiburon Rise N: Site 672, 159b, 175b, 194b, 231a, 233a, 235a, 261a, 407b-408b
- Magnetic properties
 Barbados Ridge, 20a-21a
 Barbados Ridge: Site 671, 89a-90a, 380b
 anisotropy of magnetic susceptibility (AMS), 259b-266b
 inclination, 381b-384b, 385b
 magnetic torque, 260b
 natural remanent magnetization, 90a-91a, 380b
 susceptibility, 91a-92a, 260b, 367b-368b, 371b, 373b-377b, 380b
 Barbados Ridge: Site 673, 386b, 388b-389b
 anisotropy of magnetic susceptibility (AMS), 259b, 266b-271b, 274b-275b
 inclination, 381b, 384b-386b, 388b-390b
 natural remanence magnetization, 329a-334a, 388b-390b
 susceptibility, 329a, 369b, 371b, 373b-374b, 376b, 386b, 388b-389b
 Barbados Ridge: Site 674
 anisotropy of magnetic susceptibility (AMS), 266b-275b
 inclination, 381b, 384b-385b, 391b, 415a, 418a
 natural remanent magnetization, 414a-415a
 susceptibility, 260b, 414a
- Barbados Ridge: Site 675, susceptibility, 377b
 Barbados Ridge: Site 676, susceptibility, 370b, 374b-375b, 524a-525a, 526a-527a
- Tiburon Rise N: Site 672, susceptibility, 229a-229b, 367b, 373b-377b
 Marl
 Barbados Ridge: Site 671, depth and, 126a
 Barbados Ridge: Site 673, dating, 350a
 Barbados Ridge: Site 674
 claystone with, 404a
 dating, 436a
 Barbados Ridge: Site 676, dating, 544a
 Tiburon Rise N: Site 672, 217a
 bioturbation, 53b-54b, 57b
 clay with, 221a
 composition, 53b, 57b, 58b
 dating, 51b
 grain-size analyses, 56b, 62b-83b
 Sites 543 and 27 compared with, 55b
 slump folding, 221a
 Mount Pelée, eruption, 32b
 Mudstone, calcareous, Barbados Ridge: Site 671, depth and, 126a
- Oceanic Formation, stratigraphy, 8a
 Orinoco River
 anticlinal ridges, NE-SW, 112b-113b, 119b-120b, 122b-123b
 basins, 113b, 122b, 124b
 canyons, 112b, 113b-114b, 122b, 124b
 depressions, 113b, 122b
 echofacies E1, 114b, 115b, 116b, 122b, 123b
 echofacies E2, 114b, 115b, 116b, 122b, 123b
 echofacies E3, 114b, 116b, 122b-124b, 126b
 echofacies E4, 114b, 122b-124b
 echofacies E5, 115b-116b, 122b-123b
 lithology, 116b
 location, 7b
 morpho-sedimentary domains, 112b
 mud volcanoes, 113b, 119b, 122b, 124b
 sediment thickness, 3b
- Packstone, Tiburon Rise N: Site 672, planktonic foraminifers in, 223a
- Paleomagnetism. *See* Magnetic properties
- Plagioclase
 Barbados Ridge, magnetic susceptibility versus, 368b
 Barbados Ridge: Site 671
 depth and, 78a, 126a
 scanning electron microscopy, 251b-253b
 Barbados Ridge: Site 673, 323a, 327a
 dating, 350a
 Barbados Ridge: Site 674, 410a
 clay ratio to, 409a
 dating, 436a
 Barbados Ridge: Site 675, 494a
 dating, 500a
 Barbados Ridge: Site 676, dating, 544a
 Tiburon Rise N: Site 672, 219a, 225a
 clay ratio to, 409a
- Porosity
 Barbados Ridge: Site 542, fluid pressure affected by, 337b-339b
 Barbados Ridge: Site 671, 105a-109a, 235b, 292b, 302b, 311b, 319b, 323b-324b, 588a-589a
 delta, 312b-313b, 315b, 320b
 underthrust sediments, 325b
 Barbados Ridge: Site 673, 220b, 237b, 292b, 305b, 319b, 323b-324b, 339a, 587a, 588a-589a
 delta, 316b
 depth versus, 340a, 351a
 Barbados Ridge: Site 674, 220b, 237b, 319b, 323b-324b, 420a-423a, 437a, 588a-589a
 delta, 316b

SUBJECT INDEX

- depth versus, 422a, 428a
formation factor measurements versus, 426a
structural data related to, 401a
Barbados Ridge: Site 675, 235b, 324b, 498a, 501a, 588a–589a
depth versus, 499a
Sites 671 and 672 compared with, 497a, 499a
Barbados Ridge: Site 676, 212b, 292b, 298b, 323b–324b, 528a, 532a, 545a, 588a–589a
delta, 314b
depth versus, 533a
Tiburon Rise N: Site 672, 212b, 238a–239a, 292b, 294b, 319b, 323b–324b, 588a–589a
delta, 312b–313b
depth versus, 428a
underthrust sediments, 325b
water content versus, 240a
- Quartz
Barbados Ridge: Site 671, 77a
depth and, 78a, 126a
shape, 80a
Barbados Ridge: Site 673, 323a, 327a
dating, 350a
Barbados Ridge: Site 674, 410a
dating, 436a
Barbados Ridge: Site 675, 494a
dating, 500a
Barbados Ridge: Site 676, dating, 544a
Tiburon Rise N: Site 672, 213a, 218a–219a, 225a
composition, 53b, 54b–55b
- Reflectors
Barbados Ridge, 10a
décollement indicated by, 10a
location, 3b–7b
Barbados Ridge Accretionary Complex, location, 20b, 22b, 25b
Barbados Ridge: Site 671, 116a–120a
Barbados Ridge: Site 673, 315a–317a
accretionary wedge, 225b
décollement, 345a–346a
source, 349a
Barbados Ridge: Site 674
accretionary wedge, 222b–223b
thrust faults corresponding to, 394a–402a
Barbados Ridge: Site 675, location, 491a
Barbados Ridge: Site 676, 213b
location, 538a
Rhodochrosite, Barbados Ridge: Site 675, scaly fabrics with, 493a
- St. Lucia Ridge
location, 36b
sediment thickness, 36b
subduction, 36b
- Salinity
Barbados Ridge, 21a
Barbados Ridge: Site 671, 100a, 159b
Barbados Ridge: Site 673, 159b–160b, 334a
Barbados Ridge: Site 674, 160b, 418a
Barbados Ridge: Site 675, 160b, 496a
Barbados Ridge: Site 676, 160b, 528a
Tiburon Rise N: Site 672, 159b, 233a–234a
Sand, Barbados Ridge: Site 671, depth and, 126a
- Sandstone
Barbados Ridge: Site 674, texture, 244b
Tiburon Rise N: Site 672, 213a
composition, 53b
Scotland Group, 59b–60b, 62b, 410b
Scotland Formation, stratigraphy, 8a
- Seismic stratigraphy. *See* Reflectors
Shear strength
Barbados Ridge, 23a
Barbados Ridge: Site 671, 109a, 112a, 283b
effective overburden stress ratio to, 113a
Barbados Ridge: Site 673, depth versus, 342a
Barbados Ridge: Site 674, 426a–427a
Barbados Ridge: Site 676, 284b, 530a–531a, 537a
depth versus, 537a
Tiburon Rise N: Site 672, 245a, 285b
effective overburden stress ratio to, 244a
- Silica, Tiburon Rise N: Site 672, opal-CT, 220a
Silt
Barbados Ridge: Site 671
depth and, 126a
grain size, 303b
Barbados Ridge: Site 673, dating, 350a
Barbados Ridge: Site 674
dating, 436a
texture, 244b
Barbados Ridge: Site 676
dating, 544a
grain size, 299b
Tiburon Rise N: Site 672, 216a, 218a
composition, 53b
cross-lamination, 220a
dating, 8b
grain size, 56b, 295b
oblique stratification, 221a
- Smectite
Barbados Ridge
dewatering, 201b
recrystallization, 201b–202b
Barbados Ridge: Site 671
abundance data, 92b–94b
clay content compared with, 99b, 104b, 106b
composition, 96b, 104b–107b, 108b, 109b
dating, 92b–94b
porosity compared with, 99b, 104b, 106b
scanning electron microscopy, 255b
Barbados Ridge: Site 674, composition, 104b–107b, 108b, 109b
Tiburon Rise N: Site 672
abundance data, 88b–89b
clay content compared with, 99b, 104b, 107b
composition, 96b, 104b–107b, 108b, 109b
dating, 88b–89b
porosity compared with, 99b, 104b, 107b
- Sulfate concentrations
Barbados Ridge, 22a
Barbados Ridge: Site 671, 159b
Barbados Ridge: Site 673, 159b–160b, 334a, 335a
calcium and magnesium concentrations correlated with, 174b
depth versus, 336a
Barbados Ridge: Site 674, 158b, 160b, 415a, 418a–419a
calcium and magnesium concentrations correlated with, 174b
Barbados Ridge: Site 675, 160b, 495a, 496a
Barbados Ridge: Site 676, 160b, 525a, 528a–529a
Tiburon Rise N: Site 672, 159b, 231a–232a, 233a–234a
- Thermal conductivity
Barbados Ridge, 23a–24a
Barbados Ridge: Site 671, 110a, 112a, 114a, 348b
correction data, 361b
- depth versus, 114a
water content versus, 114a
Barbados Ridge: Site 673, 341a–343a, 349b
correction data, 361b
depth versus, 344a, 348a
Barbados Ridge: Site 674, 350b, 424a, 433a
correction data, 361b–362b
depth versus, 425a
water content versus, 425a
Barbados Ridge: Site 676, 351b, 530a, 542a
correction data, 362b
depth versus, 535a
water content versus, 535a
Tiburon Rise N: Site 672, 242a–243a, 349b
correction data, 361b
depth versus, 242a, 256a
water content versus, 243a
- Thrust faulting
Barbados Ridge, 17b
Barbados Ridge Accretionary Complex, 17b–18b, 21b, 25b, 27b
Barbados Ridge: Site 671, 73a–77a, 180b, 193b, 196b, 235b
alteration, diagenetic, 107b–109b
reflectors, 118a–119a
summary diagram, 126a–127a
Barbados Ridge: Site 673, 237b, 318a–319a, 322a, 348a–349a, 352a
Barbados Ridge: Site 674, 237b, 393a–402a, 437a, 439a
Barbados Ridge: Site 675, 235b, 491a–492a
Barbados Ridge: Site 676, 212b, 514a–515a, 516a
Tiburon Rise N, 8a–9a, 10a, 11a
Tiburon Rise N: Site 672, 180b, 211b, 212b
alteration, diagenetic, 107b–109b
Tiburon Ridge
location, 34b, 36b
sediment thickness, 36b
subduction, 36b
See also Tiburon Rise N: Site 672
Tiburon Rise N
alteration, structural, 8a–9a
bathymetry, 6a
location, 6a
sediment thickness, 8a
thrust faulting, 8a–9a, 10a, 11a
Tiburon Rise N: Site 672
accretionary wedge, small-scale structures, 230b–232b, 233b
acoustic index
depth versus, 318b
porosity versus, 319b
alkalinity, 159b, 230a–231a, 233a–234a
ammonium concentrations, 159b, 161b, 229a–230a, 231a–232a, 233a–234a
bathymetry, 55b, 57b–58b, 581a
shallow, 47b–49b
bedding dips, 215b
bedding disturbance, 210a, 212a
bromide concentrations, 161b, 173b
calcium concentrations, 159b, 175b, 194b, 231a, 233a, 235a, 261a, 407b
carbonate compensation depth, 49b, 52b
carbonate concentrations, 184b
volume susceptibility versus, 372b
carbonate content, 285b
chloride concentrations, 159b, 161b, 178b, 194b, 229a–230a, 233a–234a, 261a, 335b, 419b, 590a
depth versus, 591a
chlorinity, 233a–234a
coarse fraction analysis, 216a–217a
compressional wave velocity, 241a–242a

- depth versus, 317b
 porosity versus, 316b
 seismic sequences correlated with, 252a
 water content versus, 242a
décollement, 586a
 alteration, diagenetic, 107b-109b
Barbados Ridge: Site 671 compared with, 257a
 fluid migration, 321b-328b
 location, 90b, 580a
 mud-filled veins, 232b
 pore-water chemistry, 261a
deformation
 scaly fabrics, 212b
 summary diagram, 258a-259a
density, 238a-239a, 285b, 286b, 292b, 294b
 seismic sequences correlated with, 252a
 water content versus, 240a
deposition, 51b-53b, 58b-59b
effective stress, 293b, 295b, 306b
fault
 density, 210a
 distribution, 253a
fluid flow, 354b
formation factor measurements, 243a-245a
 water content versus, 244a
grain density, 238a-239a
 water content versus, 240a
heat flow, 363b, 591a
hydrogen index, oxygen index versus, 237a
hydrology, 91b
inorganic carbon, 236a
interstitial-water chemistry, 158b, 161b, 167b, 397b, 400b-401b, 405b
lithium concentrations, 159b
lithologic units, 210a-214a
 age, 214a
 depth, 214a
Eocene, 8b-10b
 index property zones, 240a
Miocene, 8b, 9b-10b
Oligocene, 8b, 9b-10b
Pleistocene, 8b, 9b-10b
 stratigraphic section, 222a
lithology, 49b, 51b, 157b, 163b, 180b, 415b
See also specific rocks
lithostratigraphy, 8b-15b, 399b
 Eocene compared with Oligocene, 10b-11b, 12b-13b
 location, 156b, 208a-209a, 260a, 580a-581a
 deformation front eastward from, 98b
 structural features, 190b
magnesium concentrations, 159b, 175b, 194b, 231a, 233a, 235a, 261a, 407b-408b
magnetic properties, susceptibility, 228a-232a
methane concentrations, 178b, 232a-233a, 261a, 335b, 419b, 590a
 depth versus, 236a
 mineralogy, 99b, 102b, 219a-220a, 225a
 organic carbon, 185b
 depth versus, 236a
 organic geochemistry, Rock-Eval procedure, 237a
 oxygen index, hydrogen index versus, 237a
 oxygen isotope, 401b
permeability, 291b, 292b, 295b
 void ratio and, 307b
pore pressure, 308b
pore-water chemistry, 194b
porosity, 212b, 238a-239a, 292b, 294b, 310b-312b, 319b, 323b-324b, 588a-589a
delta, 312b-313b
 depth versus, 428a
underthrust sediments, 325b
 water content versus, 240a
potassium concentrations, 159b, 231a, 233a-234a
regional comparisons, 59b
salinity, 159b, 233a-234a
sea-level changes, 59b, 60b
seafloor disturbance, 211b
sediment consolidation, 290b-291b
 calculations, 296b
sediment thickness, 215b, 256a
 age versus, 225a
sedimentary history, 410b-411b
sedimentation
 carbonate compensation depth, 217a-219a
 hemipelagic, 217a-219a
sedimentation rates, 60b, 225a
seismic stratigraphy, 248a, 250a, 252a-253a
shear strength, 245a, 285b
 effective overburden stress ratio to, 244a
silicon concentrations, 159b, 233a-234a
sodium concentrations, 159b, 231a, 233a-234a
specific gravity, 286b
stable isotope ratios, 192b
strontium concentrations, 159b, 176b
 isotope data, 161b
 sediment age versus, 407b
structural data, 212a, 585a
sulfate concentrations, 159b, 231a-232a, 233a-234a
temperature measurements, 253a
 depth versus, 256a
terrigenous sediments, 49b-51b
 age, 59b
 grain size, 62b-83b
 texture, 59b
See also specific types
thermal conductivity, 242a-243a, 349b
 correction data, 361b
 depth versus, 242a, 256a
 water content versus, 243a
thermal resistance, 352b
thrust faulting, 180b, 211b, 212b
 alteration, diagenetic, 107b-109b
 location, 90b, 580a
"undeformed" section, 192b-193b
velocity, 313b-315b
 multichannel sonic compared with core, 251a
volcanic ash, 214a-216a
 alteration, 174b-175b
 bioturbated, 215a
 dating, 8b
 depth versus, 214a
 diagenesis, 107b-109b
 distribution, 164b, 404b
water content, 285b, 286b, 292b
 depth versus, 241a
 high, 291b
Tobago Basin, location, 6a-8a
Turbidites
 Orinoco River, 116b
 Tiburon Rise N: Site 672, 10b
 deposition, 58b-59b
 Scotland Group, 59b-60b
 thickness, 58b-59b
Velocity
 Barbados Ridge, 5b
 Barbados Ridge: Site 671, 105a, 313b-315b
 carbonate content versus, 114a
 water content versus, 114a
 Barbados Ridge: Site 673, 313b-315b
 Barbados Ridge: Site 674, 313b-315b
 depth versus, 422a
 Barbados Ridge: Site 675, depth versus, 499a
 Tiburon Rise N: Site 672, 313b-315b
 multichannel sonic compared with core, 251a
Venezuela
 deformation, 11b
 foreland belt, lithostratigraphy, 12b
 lithostratigraphy, 11b-12b
Volcanic ash
 alteration, Barbados Ridge: Site 676, 174b-175b
 Barbados Ridge: Site 671, 76a-79a, 81a-83a
 Barbados Ridge: Site 674, 406a-109a
 diagenesis, Barbados Ridge: Site 671, 107b-109b
 Lesser Antilles Arc, 218a-219a
 Tiburon Rise N: Site 672, 214a-216a
 alteration, 174b-175b
 dating, 8b
 diagenesis, 107b-109b
Volcanoes. *See* Lesser Antilles Arc

SITE INDEX

- Site 541**
 bathymetry, 6a
 drilling, results, 8a-9a
 geologic cross-section, 11a
 interstitial-water chemistry, 99a, 165b
 lithology, 162b
 seismic profile, 210b
 structural geology, 11a, 214b, 235b, 411b, 414b
- Site 542**
 bathymetry, 6a
 drilling, results, 8a-9a
 geologic cross section, 11a
 interstitial-water chemistry, 99a, 166b
 lithology, 163b
 seismic profiles, 10a, 210b
 structural geology, 11a, 212b, 231b, 411b, 415b-417b
- Site 543**
 bathymetry, 6a
 interstitial-water chemistry, 99a
 lithology, 163b, 207a
 seismic profile, 10a
 structural geology, 11a, 411b, 415b-417b
- Site 671**
 acoustic index, 318b
 bathymetry, 6a
 bulk sediment chemistry, 182b
 carbon-carbonate data, 183b
 clay mineralogy, 92b-94b, 100b-101b
 age variations with, 99b, 105b
 depth trends, 106b
 hydrological implications, 91b
 demagnetization data, 92a-95a
 drilling
 objectives, 9a, 68a-69a
 operations, 69a-70a, 72a-73a
 results, 112a-113a, 115a-116a
 summary, 71a, 125a-128a
 fluid flow, 354b-355b
 calculations, 327b, 333b
 fluid migration, 178b
 gas
 bioactive, 61a
 carbon isotope ratios, 204b-205b
 core analysis, 62a
 inert, 62a
 geochemistry, 21a-22a
 heat flow, 120a-122a, 346b
 data, 363b
 hydrogeochemistry, 395b-401b, 403b-408b
 interstitial-water chemistry, 92a-98a,
 100a-101a, 159b, 168b, 181b
 See also pore-water chemistry
 lithology, 76a-79a, 162b, 180b
 location, 69a
 magnesium diffusion calculations, 188b
 navigation data, 28a-32a
 packer experiments, 122a-125a
 physical property measurements, 103a-112a,
 283b, 292b, 302b-303b
 pore-water chemistry, 195b-196b
 stable isotopes, 192b
 See also interstitial-water chemistry
 scanning electron microscopy, 245b-248b,
 249b-255b
- seismic profiles, 36a-37a, 39a, 70a,
 118a-119a, 210b
 seismic stratigraphy, 116a-120a
 smectite, chemical formulas, 96b
 strength measurements, 23a
 structural geology, 73a-75a, 214b, 235b,
 411b, 414b, 416b-417b
 subduction zone, 193b, 196b
 total organic carbon, 185b
- Site 672**
 acoustic index, 318b
 bathymetry, 6a
 relief, 55b, 57b-58b
 shallow, 47b-49b
 carbon-carbonate data, 184b
 clay mineralogy, 102b
 age variations with, 99b, 105b
 depth trends, 106b
 stratigraphy, 86b-91b
 acoustic basement, 50b
 depositional patterns, 52b
 drilling
 objectives, 10a, 205a-206a
 operations, 206a, 208a
 results, 244a-246a
 summary, 209a, 251a-255a, 256a-257a
 fluid flow, 354b
 calculations, 327b, 333b
 fluid migration, 178b
 gas
 bioactive, 61a
 core analysis, 62a
 inert, 62a
 geochemistry, 21a-22a, 227a-234a
 grain size
 analysis methods, 62b
 plots, 62b-83b
 heat flow, 248a-251a, 346b
 data, 363b
 hydrogeochemistry, 395b-401b, 403b-408b
 interstitial-water chemistry, 159b, 167b
 See also pore-water chemistry
 lithology, 49b, 51b, 163b, 180b, 208a-212a,
 256a
 Site 543 compared with, 258a
 location, 7b, 48b, 49b, 206a, 258a
 multichannel sonic data, 247a
 navigation data, 28a-32a
 physical property measurements, 234a-244a,
 257a, 283b, 292b, 294b-295b
 Site 671 compared with, 259a
 pore-water chemistry, 194b
 stable isotopes, 192b
 See also interstitial-water chemistry
 reconstruction, 15b
 regional significance, 59b
 sea-level changes, 59b
 sediment composition, 9b
 sedimentation rates, 60b
 seismic profiles, 36a-38a, 207a, 211b,
 250a-251a
 seismic stratigraphy, 8b, 246a, 248a
 smectite, chemical formulas, 96b
 structural geology, 14b, 208a, 210a, 212b,
 231b, 257a, 411b, 415b-417b
 terrigenous beds, 59b
 total organic carbon, 185b
- Site 673**
 acoustic index, 318b
 bathymetry, 6a
 demagnetization data, 328a-332a
 drilling
 objectives, 10a, 313a-315a
 operation, 315a-316a
 summary, 317a, 348a-349a
 fluid flow, 357b-358b
 calculations, 327b, 333b
 gas
 bioactive, 61a
 core analysis, 62a
 inert, 62a
 geochemistry, 21a-22a, 329a, 332a-333a
 heat flow, 342a-347a, 346b
 data, 363b
 hydrogeochemistry, 395b-401b, 403b-408b
 interstitial-water chemistry, 159b-160b, 170b
 See also pore-water chemistry
 lithology, 162b, 318a-321a, 323a, 348a
 location, 312a
 navigation data, 28a-32a
 physical property measurements, 292b,
 333a-341a, 342a, 349a
 pore-water chemistry, 200b
 stable isotopes, 193b
 See also interstitial-water chemistry
 seismic profiles, 36a-37a, 210b, 223b, 225b,
 313a-315a, 344a
 structural geology, 220b, 237b, 316a-318a,
 349a, 411b, 414b
- Site 674**
 acoustic index, 318b
 bathymetry, 6a
 clay mineralogy, 103b
 age variations with, 99b, 105b
 demagnetization data, 414a-415a
 drilling
 objectives, 10a, 389a-390a
 operations, 390a-391a
 summary, 392a, 428a-435a
 fluid flow, 355b-356b
 calculations, 327b, 333b
 fluid migration, 178b
 gas
 bioactive, 61a
 core analysis, 62a
 inert, 62a
 geochemistry, 21a-22a, 413a, 416a-418a
 heat flow, 346b, 426a-429a
 data, 363b
 hydrogeochemistry, 395b-401b, 403b-408b
 interstitial-water chemistry, 158b, 160b, 169b
 See also pore-water chemistry
 lithology, 162b, 400a-408a, 434a
 location, 390a
 navigation data, 28a-32a
 physical property measurements, 418a-426a,
 435a-436a
 pore-water chemistry, 199b
 stable isotopes, 193b
 See also interstitial-water chemistry
 seismic profiles, 36a-37a, 210b, 222b, 223b,
 391a, 427a, 428a
 structural geology, 220b, 237b, 391a-400a,
 411b, 414b, 416b-417b, 435a
 temperature recordings, 58a-59a
 water-column pressure, 58a-59a

Site 675
 bathymetry, 6a
 drilling
 objectives, 9a, 487a-488a
 operations, 488a-489a
 summary, 487a, 490a, 497a-499a
 fluid flow, calculations, 327b, 333b
 gas
 bioactive, 61a
 carbon isotope ratios, 204b-205b
 core analysis, 62a
 inert, 62a
 geochemistry, 21a-22a, 493a-495a
 interstitial-water chemistry, 160b, 171b
See also pore-water chemistry
 lithology, 163b, 491a, 498a
 location, 488a
 navigation data, 28a-32a
 physical-property measurements, 495b-496a,
 497a, 499a
 pore-water chemistry, 197b

stable isotopes, 193b
See also interstitial-water chemistry
 seismic profiles, 36a-37a, 40a-41a, 210b,
 489a
 structural geology, 214b, 235b, 411b,
 415b-417b, 489a-490a, 499a
 Site 676
 bathymetry, 6a
 drilling
 objectives, 9a, 509a-511a
 operations, 511a
 results, 533a-535a
 summary, 513a, 535a-538a, 542a-543a
 fluid flow, 356b-357b
 calculations, 327b, 333b
 fluid migration, 178b
 gas
 bioactive, 61a
 carbon isotope ratios, 204b-205b
 core analysis, 62a

inert, 62a
 geochemistry, 21a-22a, 523a, 526a
 heat flow, 346b, 531a-532a, 533a
 data, 363b
 interstitial-water chemistry, 160b, 171b
See also pore-water chemistry
 lithology, 163b, 513a-516a, 518a, 542a
 location, 511a
 navigation data, 28a-32a
 physical property measurements, 283b, 292b,
 298b-299b, 526a-529a, 530a-531a, 543a
 pore-water chemistry, 198b
 stable isotopes, 193b
See also interstitial-water chemistry
 seismic profiles, 36a-37a, 42a-53a, 210b,
 218b, 510a, 512a, 536a
 seismic stratigraphy, 529a
 structural geology, 212b, 231b, 411b,
 415b-417b, 511a-513a, 514a, 543a

PALEONTOLOGICAL INDEX

Amaurolithus primus
 Barbados Ridge: Site 671, 132b-133b
 Tiburon Rise N: Site 672, 221a
Amaurolithus tricorniculatus Zone, Barbados
 Ridge: Site 671, 85a
Anomalinooides globosus, Tiburon Rise N: Site
 672, 149b
Astronionion echolsi, Tiburon Rise N: Site 672,
 149b
 Barbados Ridge: Site 671
Planolites, 80a-81a
Zoophycos, 80a-81a
 Benthic foraminifers
 Tiburon Rise N: Site 672, 141b-151b, 225a
 distribution, 144b-145b
 principal factor components, 146b
 Calcareous nannofossils
 Barbados Ridge: Site 671, 85a-88a,
 130b-133b
 Barbados Ridge: Site 673, 134b, 322a-323a
 Barbados Ridge: Site 674, 134b-135b, 409a,
 411a
 Barbados Ridge: Site 675, 135b, 492a
 Barbados Ridge: Site 676, 135b-136b,
 518a-519a
 Tiburon Rise N: Site 672, 133b-134b,
 220a-223a
Calcidiscus macintyrei, Barbados Ridge: Site
 671, 132b
Calcidiscus macintyrei Zone
 Barbados Ridge: Site 671, 87a
 Tiburon Rise N: Site 672, 220a
Calocyclus hispida, Tiburon Rise N: Site 672,
 226a
Calocyctella costata Zone
 Barbados Ridge: Site 673, 323a-326a
 Barbados Ridge: Site 675, 492a
 Barbados Ridge: Site 676, 522a
Ceratolithus acutus, Tiburon Rise N: Site 672,
 133b, 220a-221a
Cibicidoides bradyi, Tiburon Rise N: Site 672,
 149b
Cyrtocapsella tetrapera Zone, Barbados Ridge:
 Site 673, 325a-326a

Discoaster asymmetricus Zone, Barbados Ridge:
 Site 674, 135b
Discoaster brouweri
 Barbados Ridge: Site 671, 87a
 marker for top of Pliocene, 85a
 Barbados Ridge: Site 673, 323a
 Barbados Ridge: Site 674, 411a
 Barbados Ridge: Site 676, 518a
Discoaster brouweri Zone
 Barbados Ridge: Site 671, 130b-132b
 Barbados Ridge: Site 673, 134b-135b
 Barbados Ridge: Site 676, 135b
Discoaster hamatus
 Barbados Ridge: Site 671, 133b
 Tiburon Rise N: Site 672, 221a
Discoaster neohamatus Zone, Barbados Ridge:
 Site 676, 136b, 518a
Discoaster pentaradiatus, Barbados Ridge: Site
 676, 518a
Discoaster quinqueramus Zone
 Barbados Ridge: Site 671, 88a
 Barbados Ridge: Site 676, 136b
 Tiburon Rise N: Site 672, 133b-134b
Dorcadopsyris alata Zone, Barbados Ridge:
 Site 673, 323a
Eggerella bradyi, Tiburon Rise N: Site 672, 149b
Eponides pusillus, Tiburon Rise N: Site 672,
 149b
 Foraminifers
 Barbados Ridge: Site 671, 86a, 138b, 412b
 Barbados Ridge: Site 673, 138b, 412b
 Barbados Ridge: Site 674, 138b, 412b
 Barbados Ridge: Site 675, 139b
 Barbados Ridge: Site 676, 139b, 413b
 Tiburon Rise N: Site 672, 139b, 224a, 413b
Globorotalia hessi, Barbados Ridge: Site 676,
 519a-520a
Globorotalia margaritae Zone
 Barbados Ridge: Site 671, 89a
 Tiburon Rise N: Site 672, 225a
Globorotalia miocenica Zone
 Barbados Ridge: Site 671, 89a
 Barbados Ridge: Site 674, 410a-411a

Barbados Ridge: Site 676, 521a
 Tiburon Rise N: Site 672, 223a, 225a
Globorotalia tosaensis Zone, Barbados Ridge:
 Site 671, 88a
Globorotalia truncatulinoides Zone
 Barbados Ridge: Site 671, 88a
 Barbados Ridge: Site 673, 323a
 Barbados Ridge: Site 674, 411a
 Barbados Ridge: Site 676, 520a
 Tiburon Rise N: Site 672, 223a
Gyroidinoides altiformis, Tiburon Rise N: Site
 672, 150b
Helicosphaera sellii
 Barbados Ridge: Site 674, 134b-135b
 Barbados Ridge: Site 676, 135b
Helicosphaera sellii Zone
 Barbados Ridge: Site 673, 134b
 Tiburon Rise N: Site 672, 220a
Lithocyathia ocellus, Tiburon Rise N: Site 672,
 226a
Lychnocanoma elongata Zone, Barbados
 Ridge: Site 675, 493a
Melonis barleeanus, Tiburon Rise N: Site 672,
 150b
 Nannofossils
 Barbados Ridge: Site 671, 86a, 138b, 412b
 Barbados Ridge: Site 673, 138b, 412b
 Barbados Ridge: Site 674, 138b, 412b
 Barbados Ridge: Site 675, 139b
 Barbados Ridge: Site 676, 139b, 413b
 Tiburon Rise N: Site 672, 139b, 224a, 413b
Neogloboquadrina humerosa Zone, Barbados
 Ridge: Site 671, 85a
Nuttallides umboniferus, Tiburon Rise N: Site
 672, 150b, 225a
Oridorsalis umbonatus, Tiburon Rise N: Site
 672, 150b
 Planktonic foraminifers
 Barbados Ridge: Site 671, 88a-89a
 Barbados Ridge: Site 673, 323a

PALEONTOLOGICAL INDEX

- Barbados Ridge: Site 674, 411a
 Barbados Ridge: Site 676, 519a-522a
 Tiburon Rise N: Site 672, 223a, 225a
Planolites, Barbados Ridge: Site 671, 80a-81a
Planulina wuellerstorfi, Tiburon Rise N: Site 672, 150b
Pseudoemiliania lacunosa
 Barbados Ridge: Site 671, 85a
 Barbados Ridge: Site 673, 322a-323a
 Barbados Ridge: Site 674, 409a, 411a
 Barbados Ridge: Site 676, 518a
 Tiburon Rise N: Site 672, 220a
Pseudoemiliania lacunosa Zone
 Barbados Ridge: Site 671, 132b
 Barbados Ridge: Site 673, 134b
 Barbados Ridge: Site 674, 134b
 Barbados Ridge: Site 676, 135b
Pullenia bulloides, Tiburon Rise N: Site 672, 151b
Pullenia osloensis, Tiburon Rise N: Site 672, 150b
Pullenia subcarinata, Tiburon Rise N: Site 672, 151b
Pyrgo murrhina, Tiburon Rise N: Site 672, 151b
- Quinguelicina venusta*, Tiburon Rise N: Site 672, 151b
Quinguelicina weaveri, Tiburon Rise N: Site 672, 151b
 Radiolarians
 Barbados Ridge: Site 671, 86a, 89a, 138b, 412b
 Barbados Ridge: Site 673, 138b, 323a-326a, 412b
 Barbados Ridge: Site 674, 138b, 411a-412a, 412b
 Barbados Ridge: Site 675, 139b, 413b, 492a-493a
 Barbados Ridge: Site 676, 139b, 413b, 522a
 Tiburon Rise N: Site 672, 139b, 224a, 225a-226a, 413b
 limestone, 222a
Reticulofenestra pseudoumbilica, Barbados Ridge: Site 676, 136b
Reticulofenestra pseudoumbilica Zone, Tiburon Rise N: Site 672, 133b
Siphonostularia catenata, Tiburon Rise N: Site 672, 151b
Sphenolithus ciperoensis, Tiburon Rise N: Site 672, 134b, 222a
Sphenolithus ciperoensis Zone, Barbados Ridge: Site 671, 88a
Sphenolithus predistensus Zone
 Barbados Ridge: Site 671, 88a
 Tiburon Rise N: Site 672, 134b
Stichocorys delmontensis Zone
 Barbados Ridge: Site 671, 89a
 Barbados Ridge: Site 676, 522a
Stichocorys wolffii Zone
 Barbados Ridge: Site 673, 326a
 Barbados Ridge: Site 675, 492a
Theocyrtis triceros
 Barbados Ridge: Site 671, 89a
 Barbados Ridge: Site 674, 412a
Theocyrtis tuberosa Zone, Barbados Ridge: Site 674, 411a, 412a
Uvigerina hollicki, Tiburon Rise N: Site 672, 151b
Zoophycos, Barbados Ridge: Site 671, 80a-81a