

INDEX TO VOLUME 117

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 117 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *a* refer to pages in the *Initial Reports*, and those with *b*, to pages in the *Scientific Results* (this book).

The index is presented in three parts: (1) a Subject Index, (2) a Site Index, and (3) a Paleontological Index. For information on electronic formats available, please contact the Data Librarian, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547.

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which also appear in the Paleontological Index.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The Paleontological Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) broad fossil groups, including individual genera and species that have been erected or emended formally; (2) biostratigraphic zones; and (3) fossils depicted in illustrations. Taxonomic entries consisting of both genera and species are listed alphabetically *by species*; biostratigraphic zones, however, are listed alphabetically *by genus*.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, at the address given in the second paragraph above.

SUBJECT INDEX

- Accretionary prism, undercompacted sequences, 360a
- Aden, Gulf of
calcareous nannofossils, correlation, Arabian Sea planktonic foraminifers, 259b
planktonic foraminifers, 259b
tectonic history, 5a, 35a
- Advective flow, Oman margin, 49a
- Aerosol, mineral, Arabian Sea, 35a
- Africa, lake levels, glacial/interglacial cycles, 339b
- Africa NE
climatic shift, 2.4 Ma, palynology, 397b-398b
lacustrine and deltaic sediments, hominid fossils, 397b-398b
monsoonal effects, 5a
- Alkalinity
Indus Fan: Site 720, 179a, 503b
Oman margin N, 49a, 346a-347a, 402a-403a, 432a
ammonia concentrations and, 347a, 506b-507b
interstitial-water samples, 505b-507b
sulfate, 370a, 511b
Oman margin S, 458a, 480a, 520a, 578a
Owen Ridge, 229a, 617a
authigenic carbonate precipitation and, 279a
interstitial-water sample, 505b-507b
- Alkenone unsaturation index
Oman margin, sea-surface temperature effects, 445b-449b
Oman margin N: Site 723, 353a, 359a, 360a, 448b
Oman margin S: Site 728, 448b
Owen Ridge, sea-surface temperature effects, 445b-449b
Owen Ridge: Site 721, 448b
glacial/interglacial cycles, 237a
vs. calcium carbonate, 248a
Owen Ridge: Site 731, 448b
- Alkenones, long-chain
Oman margin, 28a, 565b, 569b
Owen Ridge, 28a
sea-surface temperature effects, 237a
- Aluminum
Oman margin N: Site 723
geochemical log accuracy, 493b
X-ray fluorescence vs. geochemical log values, 490b
Oman margin N: Site 724, as clay indicator, 412b
Oman margin S: Site 728
geochemical log accuracy, 493b
X-ray fluorescence vs. geochemical log values, 490b
Owen Ridge: Site 722, as clay indicator, 412b
Owen Ridge: Site 731
geochemical log accuracy, 493b
X-ray fluorescence vs. geochemical log values, 490b
- Amino acids
degradation pathways, 529b
Oman margin
aspartic acid/alanine acids, 538b
comparison, Sites 723 and 724, 538b, 540b, 543b
glutamic acid/aminobutyric acid ratio, 538b
Oman margin N: Site 723
acidic vs. basic, 536b-537b
adsorption by organic matter, 538b
biogenic silica correlation, 540b
facies I vs. facies III distribution, 540b
microbial degradation, 538b, 540b-541b
peptide bond stability, 536b
pore waters, 538b-539b, 542b
sediments vs. pore waters, 534b-538b, 543b
Oman margin N: Site 724
adsorption by organic matter, 538b
biogenic silica correlation, 540b
microbial degradation, 538b, 540b-541b
peptide bond stability, 536b
pore waters, 540b-541b, 542b
sediments vs. pore waters, 534b-538b, 543b
Amino acids, dissolved hydrolyzable (DHAA)
Oman margin N, 533b
dissolved organic carbon contribution, 539b
Amino acids, total hydrolyzable (THAA), Oman margin N, 533b
Amino sugars
Oman margin N
sediments vs. pore waters, 534b-535b
vs. total organic carbon, 540b
Amino sugars, dissolved hydrolyzable (DHAS), Oman margin N, 533b
Amino sugars, total hydrolyzable (THAS), Oman margin N, 533b
Aminobutyric acid, Oman margin, 538b
Ammonia
Indus Fan: Site 720, 180a
Oman margin N, 349a, 403a, 432a
from degradation of amino compounds, 543b
interstitial-water sample, 510b, 511b
sulfate reduction and, 347a
Oman margin S, 458a-459a, 480a, 578a
interstitial-water sample, 510b, 511b
Oman margin S: Site 728, 521a
Owen Ridge, 230a-231a, 281a, 618a
interstitial-water sample, 510b, 511b
Antarctic Bottom Water (AABW), global circulation, 6a
Antarctic Intermediate Water
density, 6a
Oman margin, meltwater contribution and oxygen isotope values, 300b
Antarctica, clay mineralogy, chemical weathering effects, 206b-207b
Apatite
Oman margin N: Site 724, 388a, 394a
precipitation, 403a-404a
Arabian margin, tectonic history, 9a
Arabian Peninsula, monsoonal effects, 5a
Arabian Sea
clay mineralogy, 183b, 193b-194b, 198b
monsoonal driving mechanism, 265b
monsoonal effects, 5a
productivity, global vs. regional causes, 40a-41a
radiolarians, correlation, Peru Margin assemblages, 138b
Arabian Sea W
calcareous-biogenic sediment, 18a
clastic sediment, 17a
climate, seasonal variations, 5a, 6a-8a
lithogenic input
eolian origin, 366b
Indus River runoff, 366b
meridional advective exchange, 6a
monsoon, climatic effects, 6a-8a
oceanography, 5a-6a
siliceous-biogenic sediment, 18a
surface waters, Ekman transport, 5a
terrigenous sediment, transportation, 198b
Aridity
Owen Ridge, ice-sheet induced, 396b-397b
Owen Ridge: Site 722
global ice volume association, 371b
lithogenic MAR and, 386b
terrigenous flux determination, 435b
Ash
Owen Ridge: Site 731
magnesium depletion, 508b
magnesium/calcium ratio, 617a
Asia, albedo changes, 8a
Atlantic Ocean N
barium depletion, last glacial episode, 417b
dissolved organic carbon, 534b
Atlantic Ocean S, strontium isotopes, 462b
Baffin Bay, carbon isotopes, marine planktonic influence, 572b
Baja California, dolomite, 347a, 510b
Barite, Owen Ridge: Site 722, 415b
Barium
Oman margin N: Site 724, as productivity indicator, 417b
Owen Ridge: Site 722
orbital-insolation forcing response, 417b
productivity indicator, 417b
Barium/aluminum ratio
Oman margin N: Site 724, as productivity indicator, 432b
Owen Ridge: Site 722, 418b
productivity indicator, 417b, 432b, 434b, 435b
uranium/thorium ratio correlation, 466b, 467b, 468b
Basement, acoustic
Oman margin, SE, crystalline rock, 61a
structure, 43a
Basement, igneous
Owen Basin, Paleocene-Eocene, 5a
Owen Ridge, Paleocene-Eocene, 5a
Basement, ophiolitic, Oman margin, seismic reflection profiling, 420a, 442a, 468a, 495a, 496a, 548a, 556a
Basement, Owen Ridge, topographic influence, 55a
Basement structures, Oman margin N: Site 723, 319a-320a
Beaufort Sea, terrestrial debris, stable isotopes, 571b
Bengal Fan, depositional history, comparison, Indus Fan, 169a
Benguela upwelling area, iron sulfide formation, 517b, 519b
Beryllium
Indus Fan: Site 720, 455b-457b
magnetostratigraphic correlation, 457b, 458b
sediment change and, 457b
vs. sedimentation rate, 458b
Oman margin S: Site 728, 455b-457b
magnetostratigraphic correlation, 457b, 458b
vs. sedimentation rate, 458b
Owen Ridge: Site 722, 455b-457b
vs. sedimentation rate, 458b
Biogenic sediment
Oman margin N: Site 723, 230b
grain size, 228b
Oman margin N: Site 724, inorganic geochemistry, 414b-417b
Oman margin S: Site 728, 231b
fabric characteristics, 228b-229b, 231b

SUBJECT INDEX

- Owen Ridge: Site 721, accumulation rate, 406b, 407b
- Owen Ridge: Site 722, 230b
accumulation rate, 407b
grain size, 228b
inorganic geochemistry, 414b-417b
- Bottom water circulation
Indian Ocean, carbon isotopes,
glacial/interglacial cycles, 436b
- Owen Ridge: Site 722, ice volume control on, 436b
- Bottom water temperature
Indus Fan, 151a
Oman continental margin, 151a
Owen Ridge, 151a
- Bouma sequences, Indus Fan, 164a
- Breccia, hyaloclastic, Owen Ridge, 35a
- Brunhes Chron
Oman margin
correlation, Owen Ridge sites, 508a, 512a
magnetic susceptibility, intersite correlation, 403a, 479a
Oman margin N, 165b, 398a
Oman margin S, 131b
Owen Ridge, correlation, Oman margin sites, 508a, 512a
- Brunhes-Matuyama Chron
Oman margin N, 396a
Owen Ridge: Site 722, 268a
- Brunhes/Matuyama chron boundary
Indus Fan: Site 720, 166a
Oman margin N, 131b, 167b, 168b
Oman margin S, 131b, 172b, 175b, 454a, 455a
Owen Ridge: Site 731, 165b, 603a
- Burial diagenesis
Arabian Sea W
mechanical compaction, 221b
terrigenous vs. calcareous sediments, 221b
- Indus Fan: Site 720
biogenic sediments, 231b
clay mineralogy variation, 237b
fabric transformation, 234b
particle orientation, 231b
terrigenous sediments, 231b, 234b
- Oman margin
biogenic sediments, 237b-238b
fabric transformations, 234b-236b
terrigenous sediments, 238b
- Oman margin N: Site 723, organic content, 229b
- Oman margin S: Site 728, organic content, 229b
- Owen Ridge
biogenic sediments, 237b-238b
terrigenous sediments, 238b
- Owen Ridge: Site 722
biogenic sediments, 234b
fabric transformations, 234b-236b
clay mineralogy variation, 237b
mechanical compaction, 236b, 237b
terrigenous sediments, fabric transformations, 236b-237b
- Owen Ridge: Site 731
clay mineralogy variation, 237b
terrigenous sediments, 231b, 234b
- Calcareous facies, Indus Fan: Site 720, 159a-160a
- Calcite
Indus Fan: Site 720, 180a-181a
Owen Ridge: Site 721, accumulation rate, 222a
- Calcite, biogenic, Oman margin S: Site 728, 530a
- Calcite, detrital
Arabian Sea, W, 17a
Oman margin S, 474a, 499a
Owen Ridge: Site 731, 623a
- Calcite, inorganic
- Oman margin N: Site 725, origin, 424a
- Owen Ridge: Site 722, 258a
- Calcium
Indus Fan: Site 720, 179a-180a
- Oman margin, in sulfate reduction zone, 508b
- Oman margin N, 347a, 349a, 403a, 432a
depletion, 508b
geochemical log accuracy, 490b
interstitial-water sample, 507b-510b
X-ray fluorescence vs. geochemical log values, 484b, 486b, 493b
- Oman margin S, 462a, 480a, 521a, 578a
geochemical log accuracy, 490b
interstitial-water sample, 507b-510b
logging data, 30a, 482b
X-ray fluorescence vs. geochemical log values, 484b, 486b, 493b
- Owen Ridge, 229a-230a, 281a, 617a-618a
geochemical log accuracy, 490b
interstitial-water sample, 507b-510b
lithologic Unit I, 623a
in sulfate reduction zone, 508b
X-ray fluorescence vs. geochemical log values, 484b, 486b, 493b
- Calcium carbonate
Indus Fan, color density relationship, 155b
Oman margin, color density relationship, 155b
- Oman margin N: Site 723, 325b, 327a-329a, 338a, 340a, 359a, 360a, 448b, 524b
accumulation rate, 336a
glacial/interglacial cycles, 338b
vs. total organic carbon, 525b
- Oman margin N: Site 724, 393a, 406a, 441b
accumulation rate, 400a, 404a
- Oman margin N: Site 725, accumulation rate, 429a, 432a, 433a
- Oman margin S: Site 726, accumulation rate, 455a-456a, 457a
- Oman margin S: Site 727, 471a, 475a
accumulation rate, 481a
- Oman margin S: Site 728, 310b, 311b, 448b, 502a-503a
accumulation rate, 508a, 513a
Pleistocene periodicities, 316b-317b
sea-surface temperature and, 449b
sediment color and, 242b
vs. density, 242b, 246b
vs. organic carbon, 242b-243b
- Oman margin S: Site 729, accumulation rate, 553a
- Oman margin S: Site 730, 560a
- Owen Ridge
color density relationship, 155b
source, 343b
- Owen Ridge: Site 721, 203a-206a, 207a, 252a, 448b
accumulation rate, 222a, 228a
sediment color cycles and, 210a
- Owen Ridge: Site 722, 240b, 264a-265a, 297a, 298a, 526b
accumulation rate, 274a, 281a, 349b-350b, 414b-415b, 416b
biological productivity and, 435b-436b
glacial/interglacial cycles, 353b, 414b-415b
ice volume variations, 433b-434b, 435b, 439b
magnetic susceptibility, 346b
glacial/interglacial cycles, 346b, 348b
mass accumulation rate, 346b, 348b
oxygen isotope-based chronology, 351b, 353b
percentage vs. MAR, 432b
productivity changes with monsoon strength, 34b
sediment color and, 242b
terrigenous component, 242b, 346b, 416b
- time series analysis, 351b, 352b
vs. density, 242b, 246b
vs. organic carbon, 242b-243b, 287a
- Owen Ridge: Site 731, 448b, 589a, 592a, 593a
accumulation rate, 606a, 608a, 609a
sea-surface temperature and, 452b
- Calcium/magnesium ratio, Oman margin N, 347a
- Carbohydrates
Oman margin, comparison, Sites 723 and 724, 543b
- Oman margin N: Site 723, 540b
facies I vs. facies III distribution, 541b, 543b
pore waters, 541b
sediments, 536b, 537b
vs. pore waters, 534b-535b
- Oman margin N: Site 724, 540b
sediments, 536b, 537b
vs. pore waters, 543b
- Carbohydrates, dissolved hydrolyzable (DH-CHO), Oman margin N, 533b
- Carbohydrates, total hydrolyzable (THCHO), Oman margin N, 533b
- Carbon, carbonate, Oman margin N: Site 724, 393a-394a
- Carbon dioxide, Owen Ridge: Site 721, source, 234a
- Carbon, dissolved organic (DOC)
Oman margin N, 348a, 351a, 352a, 404a, 411a, 432a, 436a, 438a
Oman margin N: Site 723, 533b
Oman margin N: Site 724, 533b
Oman margin S, 462a, 480a-481a, 487a, 521a, 524a, 579a, 580a
Owen Ridge, 618a
- Carbon, inorganic, Oman margin S: Site 727, 474a
- Carbon isotopes
Arabian Sea, contrast, Red Sea, 300b
Oman margin N: Site 723, 448b
glacial/interglacial cycles, 337b
planktonic vs. benthic foraminifers, 325b, 326b-336b, 337b
response to glacio-eustatic sea level changes, 337b
- Oman margin N: Site 724, 573b-579b, 580b
intermediate water values, 301b
planktonic and benthic foraminifers, 295b
- Oman margin N: Site 725, 579b-580b, 583b
- Oman margin S: Site 728, 448b
- Owen Ridge: Site 721, 448b
- Owen Ridge: Site 731, 448b
- Carbon, organic
Arabian Sea
diagenetic reactions, 499b
inorganic geochemical variations with flux, 499b
- Indus Fan, color density relationship, 155b
- Indus Fan: Site 720, 163a, 500b
accumulation rate, 500b
amount, type, and preservation, 590b
terrestrial nature, 182a
- Oman margin, 26a-27a
color density relationship, 155b
intersite correlation, 500a
marine vs. terrigenous environments, 571b
Miocene-Pliocene, 48a
nature of and sulfate depletion, 510b
Pliocene vs. present, 350b-351b
sand-sized detritus and, 48a
upwelling zones, 571b
- Oman margin N: Site 723, 327a-329a, 340a, 353a, 359a, 360a, 456a
abundance, 32a
accumulation rate, 336a, 368a-369a, 500b
adsorption onto carbonates, 537b

- amount, type, and preservation, 591b
 biogenic sediments, 228b
 burial diagenesis, 229b
 dissolved vs. total, 533b-534b
 glacial/interglacial cycles, 338b
 immaturity, 353a
 lithological influence on sediment, 540b
 marine type II vs. terrestrial type III, 549b
 oxygen isotopes and, 324b, 325b
 pyrolysis-gas chromatography, 556b-560b
 sea-surface temperature and, 452b
 sulfate reduction and nature of, 523b
 upwelling effects on, 339b
 uranium concentrations and, 358a-359a, 361a
 vs. total inorganic reduced sulfur, 521b, 522b
 Oman margin N: Site 724, 393a-394a, 406a, 456a, 573b-579b, 582b
 accumulation rate, 296b, 297b, 400a, 500b
 monsoonal strength and, 301b
 adsorption onto carbonates, 537b
 amount, type, and preservation, 591b
 dissolved vs. total, 533b-534b
 glacial/interglacial cycles, 301b
 glacial/interglacial oxygen isotope stages, 295b
 lithological influence on sediment, 540b
 paleoproductivity with variations in, 300b-301b
 Oman margin N: Site 725, 423a-424a, 433a, 579b-580b, 586b
 accumulation rate, 429a, 432a, 500b
 comparison, Oman margin N: Site 723, 434a
 lithologic Unit I vs. Unit III, 424a
 Oman margin S: Site 726, 456a-457a
 accumulation rate, 455a-456a, 500b
 bottom-water oxygen and, 464a
 hydrogen index and, 463a
 Pliocene/Pleistocene boundary, 456a
 Oman margin S: Site 727, 474a, 475a, 488a
 accumulation rate, 481a, 500b
 amount, type, and preservation, 591b
 dissolved organic carbon and, 480a-481a
 index properties and, 476a
 Pliocene/Pleistocene boundary, 474a
 Oman margin S: Site 728, 227b, 240b, 448b, 502a-503a, 508a, 524a, 536a-537a
 accumulation rate, 500b
 amount, type, and preservation, 591b
 biogenic sediments, 228b
 biogenic silica and, 249b
 burial diagenesis, 229b
 correlation, Oman margin N: Site 723, 530a
 increased monsoonal upwelling, 252b-253b
 marine type II vs. terrestrial type III, 549b
 movement through oxygen-minimum zone, 225b
 pyrolysis gas chromatography, 556b-560b
 sediment color and, 251b-252b
 vs. calcium carbonate, 242b-243b
 vs. density, 241b, 242b, 246b, 247b-248b
 Oman margin S: Site 729, 551a
 accumulation rate, 500b, 553a
 Oman margin S: Site 730, 560a
 accumulation rate, 500b
 amount, type, and preservation, 591b
 hydrogen index and, 580a
 index properties, 569a
 sulfate content and, 578a
 Owen Ridge, 26a-27a, 40a, 448b
 color density relationship, 155b
 immaturity, 563b-564b
 marine vs. terrigenous origin, 563b
 vitrinite reflectance value, 563b-564b
 Owen Ridge: Site 721, 203a-206a, 243a
 accumulation rate, 222a, 243a, 500b
 amount, type, and preservation, 590b-591b
 immaturity, 234a
 origin, 234a-235a, 237a
 sediment color cycles and, 447b
 vs. carbonate content, 234a
 Owen Ridge: Site 722, 264a-265a, 297a, 298a
 accumulation rate, 274a, 349b-350b, 352b, 500b
 monsoonal strength and, 354b
 amount, type, and preservation, 590b-591b
 biogenic sediments, 228b
 glacial/interglacial cycles, 348b-349b
 immaturity, 285a-286a
 increased monsoonal upwelling, 252b-253b
 marine origin, 349b
 marine type II vs. terrestrial type III, 549b
 pyrolysis-gas chromatography, 556b-560b
 sediment color and, 242b, 248b, 251b-252b, 284a-285a
 sulfate reduction and nature of, 523b
 vs. calcium carbonate, 242b-243b
 vs. carbonate content, 287a
 vs. density, 242b, 246b, 247b-248b
 vs. terrigenous component variations, 354b
 vs. total inorganic reduced sulfur, 521b, 522b
 Owen Ridge: Site 731, 448b, 593a, 595a
 accumulation rate, 500b, 606a, 609a
 amount, type, and preservation, 590b-591b
 uranium log and, 623a
 S2/S3 ratio, 27a-28a
 Carbon, total, Oman margin N: Site 723, 524b
 Carbon, total organic
 Oman margin N: Site 723, 352a-353a, 522b, 531b
 Pliocene-Pleistocene peak, 520b
 vs. calcium carbonate, 525b
 vs. hydrogen index, 522b
 vs. total nitrogen, 533b
 Oman margin N: Site 724, 533b
 Owen Ridge: Site 721, 588b
 Owen Ridge: Site 722, 520b, 522b, 526b, 588b
 vs. hydrogen index, 522b
 Owen Ridge: Site 731, 588b
 Carbon/sulfur ratio
 Oman margin N, 522b, 524b
 factors influencing, 523b, 525b
 upwelling vs. normal marine sediments, 526b
 Owen Ridge, 522b, 526b
 factors influencing, 523b, 525b
 organic-rich vs. normal marine sediments, 526b
 Carbonate
 Arabian Sea, deep waters, 6a
 Indus Fan, correlation, Owen Ridge, 52a
 Indus Fan: Site 720, 159a-160a, 163a
 glacial/interglacial cycles, 190a
 magnetic susceptibility and, 166a, 168a
 sea-level effects on deposition, 186b
 Oman margin N: Site 723, accumulation rate, 368a
 Oman margin N: Site 724, calcareous clayey silt, 388a, 389a-390a
 Oman margin S: Site 726, 448a
 uplift, 449a
 Oman margin S: Site 727, 474a
 Oman margin S: Site 728
 burial transformations, 236b
 magnetic susceptibility and, 312b, 313b
 Oman margin S: Site 729, 551a
 foraminifer- to algae-bearing, 548a
 Oman margin S: Site 730
 alternating rich-poor layers, 556a, 559a-561a
 decreasing Miocene trend, 563a
 Owen Ridge
 correlation, Indus Fan, 52a
 preservation, 35a
 Owen Ridge: Site 721
 accumulation rate, 243a
 decreasing Miocene trend, 563a
 vs. carbon content, 234a
 Owen Ridge: Site 722
 accumulation rate, 304a
 decreasing Miocene trend, 563a
 lithogenic component dilution, 371b
 terrigenous control, 438b
 Owen Ridge: Site 731, decreasing Miocene trend, 563a
 Pakistan N, isotopic composition, 259b
 Carbonate accumulation rate, Owen Ridge, 35a, 40a
 Carbonate, biogenic
 Oman margin N: Site 723, variation in flux, 325a
 Owen Ridge: Site 731, vs. silica production, 595a
 Carbonate, detrital, Owen Ridge: Site 731, 215b
 Carbonate dissolution
 Owen Ridge: Site 722
 foraminifers fragmentation and, 354b
 glacial/interglacial cycles, 348b
 Carbonate, pelagic, Owen Ridge, 35a
 Carbonate, platform, Misarah Island, 49a
 Caribbean Sea, strontium isotopes, 462b
 Carlsberg Ridge
 spreading, 54a
 tectonic history, 5a, 61a
 Chagos-Laccadive ridge, Indus Fan sediments, 51a
 Chalk, foraminifer-nannofossil
 Oman margin S: Site 730, 582a
 Owen Ridge
 Miocene, 38a
 upwelling and, 40a
 Chalk, marly, Oman margin S: Site 730, 561a
 Chalk, marly nannofossil, Owen Ridge: Site 722, grain-size analysis, 219b
 Chalk, nannofossil
 Oman margin S: Site 730, 561a, 562a
 magnetic susceptibility, 569a
 velocity, 571a
 Owen Ridge
 clay mineralogy, 186b
 Eocene-Oligocene, 55a
 Miocene, 38a
 Owen Ridge: Site 721, 202a, 241a-242a
 compressional-wave velocity, 224a
 magnetic susceptibility, 220a
 Owen Ridge: Site 722, 259a-260a
 physical properties, 301a-302a
 porosity, 295a
 resistivity log, 292a
 Owen Ridge: Site 731, 591a-592a
 sedimentation rate, 606a
 Chalk, Oman margin S: Site 730, diagenesis, 565a
 Chloride
 Indus Fan: Site 720, 177a
 Oman margin, glacial/interglacial cycles, 504b
 Oman margin N: Site 723, 346a, 504b
 alkalinity and, 507b
 Oman margin N: Site 724, 504b
 Oman margin N: Site 725, 431a-432a, 504b
 Oman margin S: Site 726, 458a, 466a
 Oman margin S: Site 727, 478a, 504b
 Oman margin S: Site 728, 520a
 Oman margin S: Site 730, 578a
 Owen Ridge, comparison, Oman margin sites, 617a
 Owen Ridge: Site 731, 616a-617a

SUBJECT INDEX

- Chlorine, Oman margin N: Site 723, 358a
 Chlorine/hydrogen ratio, 358a
 Oman margin N: Site 723, 366a
 Chlorinity
 Owen Ridge: Site 721, 228a
 Owen Ridge: Site 722, 278a
 Chlorite
 Arabian Sea, source area, 198b
 Indus Fan: Site 720, 181a, 188a, 189a
 source area, 185b
 Oman margin, Iran-Makran source area, 193b,
 198b
 Oman margin N: Site 724, 412b
 Owen Ridge, 187b
 source, 35a
 Owen Ridge: Site 722, 39a, 282a-283a, 412b
 chemical weathering effects, 206b
 source area, 202b
 Chlorite-quartz assemblage, Owen Ridge: Site
 722, associated Milankovitch frequency, 205b
 Chromium, geochemical pathway, 413b
 Chromium/aluminum ratio
 Oman margin N: Site 724, 432b
 monsoonal influence, 413b
 Owen Ridge: Site 722, 432b, 437b
 aridity and, 438b-439b
 periodogram, 415b
 wind velocity and, 434b, 435b
 Circumpolar Deepwater (CD), global circulation,
 6a
 Clastic-turbidite facies, Owen Ridge: Site 722,
 Oligocene-Miocene, 277a
 Clay
 Oman margin N: Site 723, uranium content,
 360a
 Owen Ridge: Site 722, 240b, 258a, 293a
 Clay, diatomaceous, Oman margin N: Site 723,
 361a
 Clay mineralogy
 Arabian Sea
 Himalayan source, 198b
 lithologic vs. weathering influences, 183b,
 198b
 Owen Ridge vs. Indus Fan turbidites, 193b-
 194b
 Indus Fan
 turbidite, 187b
 turbiditic vs. pelagic sedimentation, 193b
 vs. Owen Ridge, 187b
 Indus Fan: Site 720, 229b
 climatic effects, 186b
 principal components analysis, 187a
 terrigenous sediments, 231b
 turbidites vs. pelagic deposits, 185b-186b
 Oman margin
 bathymetry and abundance patterns, 193b
 correlation, Socotra margin, 192b, 194b
 intermediate oxygen-minimum zone, 192b
 lithologic correlation, 191b-192b
 lower oxygen-minimum zone, 191b-192b
 Miocene climatic/tectonic/eustatic events,
 193b
 upper oxygen-minimum zone, 192b-193b
 vs. Owen Ridge, 193b
 Oman margin N: Site 723, 229b
 biogenic sediments, 228b
 burial transformations, 236b
 Oman margin N: Site 724, aluminosilicate
 detritus factor, 412b-414b
 Oman margin N: Site 725, Pleistocene
 sediments, 192b-193b
 Oman margin S: Site 726, Pleistocene
 sediments, 192b-193b
 Oman margin S: Site 728, 229b, 531a
 biogenic sediments, 228b
 burial transformations, 236b
 Pliocene-Pleistocene, 192b
 Owen Ridge, 186b-187b
 abundances, 188b-191b
 effect of uplift on, 187b-188b
 eolian sediments, temporal variation
 cross-spectral analysis, 205b-207b
 non-Milankovitch frequencies, 205b
 light/dark color cycles, 188b
 sea-level fluctuation and Indus River supply,
 187b
 source area weathering, 187b-188b
 turbidites, 187b
 vs. Oman margin, 193b
 Owen Ridge: Site 722, 212b-213b, 229b
 aluminosilicate detritus factor, 412b-413b,
 414b
 biogenic sediments, 228b
 burial transformations, 236b
 change in transport patterns, 202b
 chemical weathering effects, 203b
 climatic indices, phase wheel summaries, 210b
 eolian sediments, temporal variation, 201b-
 205b
 lag effects, 204b
 factor analysis, 202b-203b, 208b
 glacial/interglacial cycles, 202b, 204b, 208b
 mineral weathering effects, 205b
 monsoonal effects, 202b
 productivity, arid assemblages, 205b
 short-term variability, 204b
 source areas, climatic changes in, 205b-207b,
 207b-208b
 terrigenous sediments, 231b
 Owen Ridge: Site 731, 229b
 logging data, 623a
 terrigenous sediments, 231b
 turbiditic-pelagic transition, 218b, 219b-220b
 Clay, silty
 Oman margin N: Site 725, 422a
 Oman margin S: Site 726, 442a
 magnetic properties, 172b
 Oman margin S: Site 730, magnetic
 susceptibility, 569a
 Clay/claystone, silty, Owen Ridge: Site 731,
 589a-591a
 Claystone, silty
 Owen Ridge: Site 722, 259a-260a, 267a
 Owen Ridge: Site 731, 224b
 fissility, 237b
 Claystone, tuffaceous, Owen Ridge, 35a
 Coal layers, Owen Ridge: Site 722, 288a
 Cobb Mountain Subchron
 Oman margin S: Site 726, 172b, 454a
 Owen Ridge: Site 721, 163b
 Cochiti Subchron, Oman margin S: Site 728,
 132b, 175b
 Color. *See* Sediment color
 Color density
 Indus Fan, 155b
 Oman margin, 155b
 Owen Ridge, 155b
 Conoco test well, geochemistry, X-ray fluores-
 cence vs. geochemical log values, 483b, 484b
 Copper/aluminum ratio, Owen Ridge: Site 722,
 biological productivity and, 434b
 Coral, Oman margin S: Site 730, 560a
 Crust, oceanic
 Indus Fan, age, 51a
 Owen Basin, age, 54a
 Dead Sea
 lake levels, glacial/interglacial fluctuation, 339b
 lake sediments, humid climate, last glacial
 stage, 156b
 Deccan Traps, smectite, 185b
 Deep-water circulation
 Arabian Sea, carbonate, 6a
 effect on intermediate waters, 6a
 Degree of pyritization (DOP)
 Oman margin N, 524b
 Oman margin N: Site 723, 523b
 Owen Ridge: Site 722, 523b
 Deltas, U.S. Gulf Coast, undercompacted se-
 quences, 360a
 Density
 Indus Fan: Site 720, 169a-170a, 176a
 correlation, magnetic susceptibility, 166a-
 169a
 North Indian Intermediate Water, 6a
 Oman margin N: Site 723, 337a-338a, 339a,
 340a
 logging data, 360a-361a, 367a, 368a
 siliceous microfossils and, 338a, 361a
 Oman margin N: Site 724, 407a
 grain size and, 400a-401a
 organic matter and, 401a
 Oman margin N: Site 725, 430a-431a, 435a
 Oman margin S: Site 726, 456a-457a, 459a
 Oman margin S: Site 727, 476a, 483a
 vs. thermal conductivity, 485a
 Oman margin S: Site 728, 509a-510a, 517a
 between oxygen isotope stages, 244b
 color changes with, 241b-243b
 glacial/interglacial cycles, 244b-245b
 grain size relationship, 242b
 sediment color and, 249b-250b
 cyclicality, 250b-253b
 origin, 247b-250b
 spectral analysis, 245b-247b
 vs. organic carbon, 241b, 246b, 247b-248b
 vs. thermal conductivity, 520a
 wet-bulk vs. optical, 241b-242b
 spectral analysis, 251b
 time series, 243b-245b, 248b
 Oman margin S: Site 730, vs. velocity, 575a
 Owen Ridge: Site 721, 222a-224a, 232a
 Owen Ridge: Site 722, 274a-275a, 286a, 293a
 between oxygen isotope stages, 244b
 burial transformation, 240b
 cyclicality, 292a, 302a
 glacial/interglacial cycles, 243b-244b, 244b-
 245b
 grain size relationship, 242b
 sediment color and, 249b-250b
 cyclicality, 250b-253b
 origin, 247b-250b
 spectral analysis, 245b-247b
 vs. organic carbon, 246b, 247b-248b
 vs. velocity, 275a, 287a
 wet-bulk vs. optical, 241b-242b
 periodicities, 245b-247b
 spectral analysis, 250b
 time series, 243b-245b, 248b
 Owen Ridge: Site 731, 606a-607a, 609a, 614a
 vs. thermal conductivity, 614a, 616a
 vs. velocity, 609a, 612a, 615a
 Dewatering structures
 Owen Ridge: Site 722, 258a, 266a
 Owen Ridge: Site 731, 215b
 Diagenesis
 Oman margin, laminated sediments, 48a
 Oman margin S: Site 726, Unit II, 447a-448a
 Owen Ridge, effect on magnetic susceptibility,
 390b-391b, 392b
 See also Burial diagenesis

- Diatomite, Oman margin, intersite correlation, 500a
- Dolomite
- Indus Fan: Site 720, 160a
continental source, 181a-182a
formation, 180a
- Oman margin
formation, 508b-509b
precipitation, 508b
- Oman margin N: Site 723, 325a-326a, 351a-352a, 508b
chlorinity/hydrogen ratio, 358a
compaction pattern, 357a
formation, 347a, 509b-510b
geochemistry, 369a-370a
hard streaks, 356a-357a
magnesium depletion with dolomitization, 511b
organic content and formation of, 326a
seismic profiling, 343a, 345a
- Oman margin N: Site 725, 434a
- Oman margin S: Site 726
palygorskite association, 192b
source area, 192b
- Owen Ridge, precipitation, 508b
- Owen Ridge: Site 721, 240a
eolian source, 244a
quartz relationship, 233a, 241a
- Owen Ridge: Site 722, 282a
source area, 202b
- Peru Margin, sulfate and precipitation of, 510b
- Peru upwelling system, 325a
- Dolomite, biogenic, Oman margin S: Site 726, 446a-447a, 450a
- Dolomite, calcareous, Oman margin S: Site 726, 450a
- Dolomite, diagenetic, Oman margin N: Site 723, 49a
- Dolomitization, Owen Ridge: Site 721, 229a-230a
- Ekman transport, Arabian Sea, as monsoonal driving mechanism, 5a, 45a, 265b
- El Niño Southern Oscillation events, alkenone unsaturation index and, 446b
- Eolian sediment
- Owen Ridge
clay mineralogy, 201b-207b
mass accumulation rate, aridity and, 205b
- Ethane
- Oman margin N: Site 723, 353a, 356a, 357a, 358a
- Oman margin N: Site 724, 406a, 412a, 413a
- Owen Ridge: Site 721, 237a, 244a
- Owen Ridge: Site 722, 298a
- Ethane, thermogenic, Oman margin S: Site 728, 524a
- Ethiopian Highlands, rainfall maxima, 277b
- Faulting
- Oman margin, seismic profiling, 58a
- Oman margin N: Site 723, 342a-343a
- Oman margin S: Site 730, 563a
- Faulting, normal, Oman margin S: Site 728, seismic reflection profiling, 516a
- Feldspar
- Owen Ridge, 187b
light vs. dark sediment layers, 189b
- Owen Ridge: Site 731, calcium depletion, 508b
- Findlater jet, wind stress gradient resulting from, 271b
- Fissility, Owen Ridge: Site 731, organic content and, 237b
- Fluorapatite
- Oman margin N: Site 723, 351a
phosphate concentration and, 347a
- Oman margin S: Site 726, 459a
- Fluorapatite, authigenic carbonate, Oman margin, 511b
- Fluorapatite, carbonate, Oman margin S: Site 726, 462a
- Fluvial sediment, Oman margin, glacial-aged, 156b, 157b
- Foraminifer-wackestone, Oman margin S: Site 729, 548a
- Fractures, Owen Ridge: Site 731, 591a, 592a, 594a
- Gadab, palynology, 397b-398b
- Ganges Fan, depositional history, vs. Indus Fan, 192a
- Gas hydrate, Oman margin, 49a
- Gas, thermogenic
- Oman margin N, 49a
- Oman margin S, 49a
- Gauss Chron
- Oman margin N: Site 724, 396a
- Oman margin S: Site 728, 175b
- Owen Ridge: Site 722, 268a
- Gauss/Gilbert chron boundary, Oman margin S: Site 728, 131b
- Geochemistry, Arabian Sea, W, monsoonal effects, 9a
- Geochemistry, inorganic
- Arabian Sea, oxygen deficiency effects, 499b
- Indus Fan: Site 720, 177a, 179a-182a, 183a
mineralogy and, 473b
- Oman margin, 28a
bottom-water salinity and, 499b
- Oman margin N: Site 723, 346a-352a
dolomite layers, 369a-370a
upward fluid migration effects, 507b, 511b
variability and calcite dilution, 495b
- X-ray fluorescence data, 476b-477b
- X-ray fluorescence vs. geochemical log values, 483b-493b
principal components analysis, 493b-498b
- Oman margin N: Site 724, 410a, 425b-429b
aluminosilicate detritus factor, 412b-414b
biogenic component, 414b-417b
correlation matrix, 411b-412b
major elements, 429b
phosphatic factor, 418b-419b
Pleistocene sediments, 410b
- Oman margin N: Site 725, 431a-432a, 434a
- Oman margin S: Site 726, 458a-462a
lithologic Unit II, 449a
sediment mineralogy, 462a
- Oman margin S: Site 728, 520a-524a
variability and calcite dilution, 496b
- X-ray fluorescence data, 478b-479b
- X-ray fluorescence vs. geochemical log values, 483b-493b
principal components analysis, 493b-498b
- Oman margin S: Site 729, 552a-553a
- Oman margin S: Site 730, 578a-579a
- Owen Ridge, 28a
- Owen Ridge: Site 721, 239a
- Owen Ridge: Site 722, 294a, 421b-424b
aluminosilicate detritus factor, 412b-414b
biogenic component, 414b-417b
correlation matrix, 411b-412b
major elements, 429b
phosphatic factor, 418b-419b
Pleistocene sediments, 410b
principal component factor, 413b
trace elements, 429b
- Owen Ridge: Site 731, 616a-618a, 619a
geochemical log indicators, 482b
turbiditic-pelagic transition, 483b
variability and calcite dilution, 497b
- X-ray fluorescence data, 480b-481b
- X-ray fluorescence vs. geochemical log values, 483b-493b
methods, 474b-475b
principal components analysis, 493b-498b
- Geochemistry, organic
- Indus Fan: Site 720, Rock-Eval pyrolysis, 184a, 562b-563b
- Oman margin, 26a-28a
Rock-eval pyrolysis, 27a-28a
- Oman margin N, Rock-Eval pyrolysis, 352a-353a, 354a-355a, 411a, 438a
- Oman margin N: Site 723, 352a-353a
lithologic correlation, 589b
sediments, 531b
- Oman margin N: Site 724, lithologic correlation, 589b
- Oman margin N: Site 725, 433a
- Oman margin S, Rock-Eval pyrolysis, 463a, 488a, 524a, 580a
- Oman margin S: Site 726, lithologic correlation, 589b
- Oman margin S: Site 727, 481a
- Oman margin S: Site 728, lithologic correlation, 589b
- Oman margin S: Site 729, 553a
lithologic correlation, 589b
- Oman margin S: Site 730, 579a-581a
lithologic correlation, 589b
- Owen Ridge, 26a-28a
Rock-Eval pyrolysis, 27a-28a, 242a, 295a, 563b-564b
- Owen Ridge: Site 721, lithologic correlation, 589b
- Owen Ridge: Site 722
lithologic correlation, 589b
sediments, 531b
- Owen Ridge: Site 731, 618a
lithologic correlation, 589b
- Gibbsite, Owen Ridge, 187b
- Gilbert Chron
- Oman margin S: Site 728, 175b, 507a
- Owen Ridge: Site 722, 165b
- Glacial/interglacial cycles
- Africa, 339b
- Arabian Sea, 155b
sedimentation rate and, 155b-156b
- Dead Sea, lake levels, 339b
- Indian Ocean, carbon isotopes, 436b
- Indus Fan: Site 720, 170a-171a, 190a
- Lake Mundafan, 339b
- Oman margin, 504b
sediment color and, 157b, 338b
upwelling and, 339b-340b
- Oman margin N: Site 723, 324b, 337b, 338b
- Oman margin N: Site 724, 293b, 295b, 299b, 300b, 301b
- Oman margin S: Site 728, 244b-245b
- Owen Ridge: Site 721, 237a
- Owen Ridge: Site 722, 202b, 204b, 208b, 243b-244b, 244b-245b, 346b, 348b, 353b, 414b-415b
- Glycine, Oman margin, 538b
- Gondwanaland, separation of east and west, 55a, 61a
- Grain size
- Arabian Sea, coherence, central equatorial Pacific, 380b, 383b
- Oman margin N: Site 723, biogenic sediments, 228b
- Oman margin N: Site 724, physical properties with variation of, 400a-401a
- Oman margin S: Site 728
biogenic sediments, 228b

SUBJECT INDEX

- density changes with, 242b, 249b
porosity relationship, 247b-248b
Owen Ridge, correlation, monsoonal upwelling, 205b
Owen Ridge: Site 722
biogenic sediments, 228b
coherence, central equatorial Pacific, 384b-385b, 387b
density changes with, 242b, 249b
fining-upward unit, 219b
global ice volume association, 371b
lithogenic component, 368b-371b, 371b-372b
Milankovitch periodicities, 380b, 382b, 383b, 387b
monsoonal effects, 371b, 373b, 386b
orbital-insolation forcing, 383b
oxygen isotopic correlation, 383b, 386b
porosity relationship, 247b-248b
sediment color and, 219b
sedimentation rate and, 373b
source changes, 373b
spectral analysis, 387b
time lag factor, 435b
vs. RC11-210, 384b-385b
vs. RC27-61, 371b, 373b
Owen Ridge: Site 731, 217b-218b
fining-upward sequence, 218b-219b
terrigenous sediments, burial diagenesis, 237b
- GRAPE**
Oman margin, 25a-26a
Owen Ridge, 25a-26a
- GRAPE density**
Indus Fan: Site 720, 177a
glacial-interglacial fluctuations, 170a-171a
magnetic susceptibility and, 172a
Oman margin N: Site 723, 339a, 343a
Oman margin N: Site 724, 295b-296b, 297b, 401a, 408a
Oman margin N: Site 725, 431a, 436a
Oman margin S: Site 726, 457a, 460a
Oman margin S: Site 727, 476a, 484a
Oman margin S: Site 728, 511a, 519a
Oman margin S: Site 730, 571a, 576a
Owen Ridge: Site 721, 224a-225a, 233a, 234a
Owen Ridge: Site 722, 275a-276a, 288a
Owen Ridge: Site 731, 614a, 616a
- Heat flow**
Indus Fan, 151a
Oman continental margin, 151a
Owen Ridge, 151a
Himalayas, uplift, climatic and sea-level changes, 9a, 41a
- Hydrocarbon gases**
Indus Fan: Site 720, 182a
Oman margin, 28a
Oman margin N: Site 723, 352a, 353a
Oman margin N: Site 724, 406a
Oman margin N: Site 725, 433a, 439a
Oman margin S: Site 726, 464a
Oman margin S: Site 727, 481a, 489a, 490a
Oman margin S: Site 728, 524a-525a
Oman margin S: Site 730, 579a, 581a
Owen Ridge, 28a
Owen Ridge: Site 721, 235a, 237a
Owen Ridge: Site 722, 288a
- Hydrocarbons**
Indus Fan: Site 720, kerogen characteristics, 551b
Oman margin N, kerogen characteristics, 551b
Oman margin N: Site 723
factor analysis, 553b-555b
kerogen characteristics, 548b, 555b
pristenes and alkylbenzenes, 552b
pyrolysate molecular composition, 549b-552b
Oman margin S, kerogen characteristics, 551b
Oman margin S: Site 728
factor analysis, 553b-555b
pyrolysate molecular composition, 549b-552b
Owen Ridge: Site 722
kerogen characteristics, 548b, 551b
pyrolysate molecular composition, 549b-552b
- Hydrogen index**
Indus Fan: Site 720, 182a
Oman margin, 588b, 590b
vs. Owen Ridge sites, 565b
Oman margin N: Site 723, 353a, 524b, 548b-549b
vs. oxygen index, 355a, 522b, 551b
vs. total organic carbon, 520b, 523b
Oman margin N: Site 724, 406a
vs. oxygen index, 411a
Oman margin S: Site 726
organic carbon and, 463a
vs. oxygen index, 463a
Oman margin S: Site 727, 481a, 488a
vs. oxygen index, 488a
Oman margin S: Site 728, 524a, 548b-549b
vs. oxygen index, 526a, 551b
Oman margin S: Site 730, 579a
organic carbon and, 580a
vs. oxygen index, 581a
Owen Ridge, 588b, 590b
vs. Oman margin sites, 565b
Owen Ridge: Site 721, 234a-235a, 243a
Owen Ridge: Site 722, 296a, 297a, 526b, 548b-549b
vs. oxygen index, 522b, 551b
vs. total organic carbon, 523b
- Hydrography, intermediate-water**
Oman margin N: Site 724
benthic isotope record, 299b-300b
coastal upwelling effects, 299b
- Hypersaline water, Oman margin S: Site 726, 466a**
- Ice sheets, Northern Hemisphere**
Neogene expansion, 390b
climatic effects, 397b
oxygen isotopic correlation, 397b
shift in Asian monsoon dust source during, 396b-397b
See also Glacial/interglacial cycles
- Ice volume, global**
Arabian Sea, isotopic measurement, 432b
Oman margin N: Site 724, upwelling relationship, 432b
Owen Ridge: Site 722
aridity effects of, 371b
grain size and, 371b
upwelling relationship, 432b
- Illite**
Arabian Sea, source area, 183b, 198b
Indus Fan: Site 720, source area, 185b
Oman margin, Iran-Makran source area, 193b
Oman margin N, 351a, 412b
Owen Ridge, 187b, 233a, 240a, 283a, 412b
source, 35a
source area, 202b
- Illite/plagioclase/kaolinite assemblage, Owen Ridge: Site 722, associated Milankovitch frequency, 205b**
- India**
continental collision, Asia, 5a
separation from Madagascar, 5a
- Indian Ocean Monsoon**
climatic effects, western Arabian Sea, 5a
evolution, 5a
sea-surface temperature and, 8a
seasonal variation, causes of, 6a
Indian Ocean N, tectonic history, 5a
Indian Ocean NW, bathymetry, 36a, 52a
- Indus Fan**
abutment with Owen Ridge, 35a
after Owen Ridge uplift, 215b
bathymetry, 51a-52a
meandering channel, 54a
channel width, 52a
deposition, lower vs. middle fan, 220b
depositional history
vs. Bengal Fan, 169a
vs. Ganges Fan, 192a
episode I development, 219b
Himalayan uplift changes, 9a
levee crests, 52a
marker horizons, interhole correlation, 156b
Owen Ridge turbidite source, 260a
radiolarians
displaced middle latitude species, 95b, 98b
enhanced tropical species, 98b-99b
upwelling species, 94b-95b
sediments, extent and thickness, 51a
seismic stratigraphy, 52a
tectonic history, 5a
- Indus Fan: Site 720**
accumulation rates, 169a
bathymetry, 65a, 67a-68a, 90b
beryllium, 455b-457b
biostratigraphy, 164a-166a
calcareous nannofossils, 38b-41b
chronostratigraphy, 132b
clay mineralogy, 185b-186b
depositional history, 157a, 164a, 189a, 190a-192a
clastic influx, 190a
inorganic geochemistry, 177a, 179a-182a
interstitial-water sample, 499b-512b
lipids, 561b-562b, 562b-563b
lithostratigraphy, 222b, 500b
cyclicality, 163a
depositional environment, 188a-189a
depth-age diagram, 191a, 192a
fining-upward sequence, 177a, 190a-191a, 222b
lithologic Unit I, 159a, 190a
lithologic Unit II, 159a-161a, 190a
pelagic deposits, 176a-177a
summary, 162a, 163a, 223b
terrigenous sedimentation, 163a
thick-bedded facies, 160a-161a
thin- to thick-bedded facies, 160a, 164a
location, 41b, 148b, 157a-159a, 189a, 282b
logging, 182a
mineralogy, 186a-188a
operations, 184a
porosity, 185a-186a, 187a
summary, 194a-195a
velocity, 186a, 187a
magnetic properties, 65a, 67a-68a
coring/corer induced remanence, 166a
susceptibility, 166a-168a
terrigenous influx, 169a
magnetostratigraphy, 166a
marker horizons
nomenclature, 147b
shipboard determination, 147b-148b
morphology, 189a-190a
navigation, 65a, 66a
objectives, 159a, 182a, 190a
operations, 159a
organic geochemistry, 182
organic petrology, 587b-591b
pelagic sediment, 164a

- cyclic color changes, 190a
formation, 162a
physical properties, 169a–171a, 175a
consolidation, 169a
pollen, 281b–288b, 593b
radiolarians, 90b
seismic stratigraphy
depth-to-time conversion, 174a–176a
reflection profiling, 65a–66a, 69a, 70a–73a
tectonic history, 157a
terrigenous sediment, 231b–234b
- Indus River
runoff, 366b
transport of minerals to Fan, 198b
- Intermediate-water circulation
Indian Ocean N, sources, 300b, 302b
Oman margin
carbon isotope values, 301b, 302b
oxygen demand, seasonal variation, 291b
See also Hydrography, intermediate-water
- Interstitial-water chemistry
Indus Fan: Site 720, 177a, 179a–180a, 182a
Oman margin N: Site 723, 532b, 533b
in-situ samples, 348a–349a, 351a
Oman margin N: Site 724, 402a–404a, 409a, 532b
Oman margin N: Site 725, 431a–432a, 436a, 437a
Oman margin S: Site 726, 458a–462a
thermal gradient and, 153a
Oman margin S: Site 727, 478a, 480a–481a, 486a
Oman margin S: Site 728, 520a–522a, 524a, 526a
Oman margin S: Site 730, 578a–579a
Owen Ridge: Site 721, 228a–231a, 233a, 240a
Owen Ridge: Site 722, 277a–282a, 293a
Owen Ridge: Site 731, 616a–618a
- Intertropical Convergence Zone, latitudinal migration, 277b
- Irano-Turanian region, climate, 278b
- Iron
Oman margin N: Site 723, 524b
geochemical log accuracy, 490b
pyrite formation, 523b
X-ray fluorescence vs. geochemical log values, 490b, 491b
Oman margin N: Site 724, terrigenous component, 412b
Oman margin S: Site 728
geochemical log accuracy, 490b
sediment color and oxidation of, 249b
X-ray fluorescence vs. geochemical log values, 490b, 491b
Owen Ridge: Site 722
pyrite formation, 523b
sediment color and oxidation of, 249b
terrigenous component, 412b
Owen Ridge: Site 731
geochemical log accuracy, 490b
X-ray fluorescence vs. geochemical log values, 490b, 491b
- Iron sulfide
Oman margin N: Site 723, formation, 517b, 519b
Owen Ridge: Site 722, formation, 517b, 519b
- Jaramillo Subchron
Oman margin N, 131b, 167b, 172b, 396a, 428a
Oman margin S, 131b, 172b, 175b, 454a, 507a
Owen Ridge, 162b, 165b, 218a, 603a
Jaramillo/Matuyama subchron boundary, Owen Ridge: Site 722, depth tabulations, 272a
- Kaena Subchron, Oman margin S: Site 728, 131b
- Kaolinite
Arabian Sea, source area, 183b, 198b
Indus Fan: Site 720, 181a
Owen Ridge, 187b
Owen Ridge: Site 721, 233a, 240a
Owen Ridge: Site 722, source area, 202b
- Kaolinite/chlorite ratio
Indus Fan: Site 720, 186b
Owen Ridge, 187b
chemical vs. physical weathering effects, 187b
- Labrador Sea, carbon isotopes, marine planktonic influence, 572b
- Lag deposits
Oman margin S: Site 726, 445a–446a, 448a, 449a, 464a
magnetic properties, 455a
Oman margin S: Site 730, 569a
- Lake Mundafan
glacial/interglacial fluctuation, 339b
humid climate, last glacial stage, 156b
- Lake Turkana, climatic change, 2.4 Ma, 398b
- Lakshmi ridge, Indus Fan sediments, 51a
- Lignaceous fragment, Indus Fan: Site 720, 593b
- Limestone
Oman margin S: Site 726, 446a
cementation, 447a
ophiolitic basement and, 466a
Oman margin S: Site 729, shallow-water, 553a
- Limestone, dolomitic
Oman margin N: Site 723, 225b, 322a
Oman margin S: Site 726, magnetic susceptibility, 455a
- Limestone, foraminifers, Oman margin, Eocene, 47a
- Limestone, nummulitic, Oman margin S: Site 726, 441a
- Limestone, oncolithic, Oman margin S: Site 726, 450a
- Lipids
Oman margin, 28a
Oman margin N, 353a
gas chromatograms, 565b–566b, 568b
Oman margin S, gas chromatograms, 447b, 565b–566b, 568b
Owen Ridge, 28a, 237a
gas chromatograms, 564b–565b, 566b
- Lysocline, carbonate, Owen Ridge, 35a
- Magnesium
Indus Fan: Site 720, 179a–180a
Oman margin, in sulfate reduction zone, 508b
Oman margin N, 347a, 403a, 432a
depletion, 508b
dolomite layers, 357a
interstitial-water sample, 507b–510b
Oman margin N: Site 723, correlation, calcium oxide, 357a
Oman margin S, 462a, 480a, 521a, 578a
interstitial-water sample, 507b–510b
Owen Ridge, 229a–230a, 281a, 617a–618a
interstitial-water sample, 507b–510b
sulfate reduction zone, 508b
- Magnesium/calcium ratio
Indus Fan: Site 720, 179a
Oman margin N, 403a
interstitial-water sample, 507b–510b
Oman margin S, interstitial-water sample, 507b–510b
- Owen Ridge
ash layers, 617a
interstitial-water sample, 507b–510b
- Magnetic properties
Arabian Sea, W, anomalies, 6a
Indus Fan, susceptibility, sediment supply and, 155b–156b
Indus Fan: Site 720, 65a, 67a–68a, 170a, 171a
alternating-field demagnetization results, 168a–169a
coring/corer-induced remanence, 166a
magnetic susceptibility, 166a–169a
susceptibility, 171a, 172a, 173a, 337a
Oman margin, 21a–22a
anomalies, 61a
lithostratigraphic correlation, 23a, 25a
low NRM intensity, 176b–177b
natural remanent magnetization, 49a
susceptibility, 49a
sediment supply and, 155b–156b
Oman margin N: Site 723, 65a, 67a–68a
alternating-field demagnetization results, 165b, 166b, 170b, 332a, 334a
core orientation, 335a
correlation, Owen Ridge sites, 335a–336a, 337a
logging data, 370a
position of marker horizons and, 365a–366a, 372a, 536a
shallow inclination zone, 332a, 333a
susceptibility, 325b, 335a–336a, 337a
glacial/interglacial cycles, 338b
thermal demagnetization results, 170b
tool-deviation excursions, 363a–364a
Oman margin N: Site 724, 65a, 67a–68a, 399a, 400a
alternating-field demagnetization results, 167b, 170b, 395a–396a, 397a, 398a
paleomagnetic reversals, 397a
position of marker horizons and, 406a–408a, 414a
susceptibility, 396a, 398a, 401a, 402a, 414a, 415a
thermal demagnetization results, 170b
Oman margin N: Site 725, 65a, 67a–68a, 427a–429a
alternating-field demagnetization results, 168b, 170b
lithobiostratigraphic correlation, 173b
magnetic concentrates, 430a, 431a
pitting and dissolution, 429a
susceptibility, 428a–429a
thermal demagnetization results, 170b
uniformity of particle size, 429a
Oman margin S: Site 726, 65a, 67a–68a
alternating-field demagnetization results, 172b, 174b, 453a–454a
lithobiostratigraphic correlation, 175b
paleomagnetic reversals, faunal events and, 451a
susceptibility, 455a, 456a
thermal demagnetization results, 174b
Oman margin S: Site 727, 65a, 67a–68a, 477a
alternating-field demagnetization results, 172b, 174b, 476a
correlation, Owen Ridge sites, 474a
lithobiostratigraphic correlation, 176b
paleomagnetic reversals, faunal events and, 476a
position of marker horizons and, 481a, 491a
susceptibility, 473a–474a, 478a, 479a
thermal demagnetization results, 174b
Oman margin S: Site 728, 65a, 67a–68a, 527a
alternating-field demagnetization results, 174b–175b, 507a
biostratigraphic events and, 144b
lithobiostratigraphic correlation, 177b

SUBJECT INDEX

- paleomagnetic reversals, faunal events and, 506a
 position of marker horizons and, 531a–532a, 536a
 susceptibility, 310b, 507a–508a, 511a
 glacial/interglacial cycles, 312b, 314b
 terrigenous influx, 312b, 339b, 386b
 thermal demagnetization results, 174b–175b
 Oman margin S: Site 729, 65a
 Oman margin S: Site 730, 65a, 67a–68a
 alternating-field demagnetization results, 175b–176b, 568a
 lithobiostratigraphic correlation, 179b
 Miocene-Pleistocene hiatus, 568a
 position of marker horizons and, 581a, 583a
 susceptibility, 568a–569a, 570a
 Owen Basin, anomalies, 58a
 Owen Ridge, 21a–22a
 anomalies, 54a
 intersite differences, 396a
 lithostratigraphic correlation, 23a, 25a
 low NRM intensity, 176b–177b
 susceptibility, 24a, 42a
 sediment supply and, 155b–156b
 terrigenous influx, 390b, 392b
 Owen Ridge: Site 721, 65a, 67a–68a, 216a–221a
 alternating-field demagnetization results, 162b–163b, 217a
 lithobiostratigraphic correlation, 164b
 orbital-insolation forcing, 394b–396b, 402b
 susceptibility, 218a–220a, 221a, 222a, 223a, 224a, 238a, 244a, 337a, 405b
 age model, 399b
 composite depth model, 392b, 395b, 403b
 diagenetic effects, 390b–391b, 392b–393b
 interhole correlation, 391b–393b
 shift, 2.4-Ma, 396b–398b
 spectral analysis, 400b, 404b
 terrigenous influx, 396b
 X-ray diffraction, 220a–221a, 225a, 226a
 Owen Ridge: Site 722, 65a, 67a–68a, 274a
 alternating-field demagnetization results, 163b
 anhysteretic remanent magnetization, 165b
 comparison, Site 731, 607a
 core orientation, 269a
 inclination logs, 296a
 interhole correlation, 345b
 lithobiostratigraphic correlation, 166b
 logging data, 304a
 low NRM intensity, 167b
 orbital-insolation forcing, 394b–396b
 position of marker horizons and, 307a
 spectral analysis, 272a–273a, 280a
 susceptibility, 269a, 272a, 276a, 277a, 278a, 279a, 337a, 347b, 375b–380b, 405b
 age model, 346b, 399b
 composite depth model, 345b–346b, 392b, 395b
 cyclicity, 305a
 diagenetic effects, 390b–391b, 392b–393b
 interhole correlation, 391b–393b
 lithogenic percent and, 374b, 380b–382b, 386b
 periodicities, 272a–273a
 position of marker horizons and, 297a
 shift, 2.4-Ma, 396b–398b
 vs. noncarbonated percent, 348b, 351b
 terrigenous influx, 396b, 397b
 Owen Ridge: Site 731, 65a, 67a–68a
 alternating-field demagnetization results, 163b, 165b, 603a, 605a, 606a
 lithobiostratigraphic correlation, 168b
 lithologic Units I–IV, 604a
- paleomagnetic reversals, faunal events and, 598a–599a
 susceptibility, 604a, 607a, 608a
 Magnetostratigraphy
 Indus Fan, 127b
 Neogene, 131b–132b
 Quaternary, 131b
 Indus Fan: Site 720, 166a
 faunal events and, 165a
 Oman margin, 127b, 131b
 Neogene, 131b–132b
 Oman margin N: Site 723, lithobiostratigraphic correlation, 169b
 Oman margin N: Site 724, 167b
 biostratigraphic events and, 141b
 datums, 172b
 interhole correlation, 396a, 397a
 Oman margin N: Site 725, 168b, 170b, 172b, 427a–428a
 Oman margin S: Site 726, 453a–455a
 Pliocene-Pleistocene hiatus, 172b
 reversed interval, 131b–132b
 Oman margin S: Site 727, 172b–173b, 473a
 biostratigraphic events and, 141b
 datums, 175b
 magnetozone boundaries, 478a
 Oman margin S: Site 728, 173b–175b, 507a
 chron boundaries, 510a
 datums, 178b
 magnetozone boundaries, 509a
 reversal stratigraphy, 178b
 Oman margin S: Site 730, Miocene-Pleistocene hiatus, 175b
 Owen Ridge, 127b
 Neogene, 131b–132b
 Quaternary, 131b
 Owen Ridge: Site 721
 biostratigraphic events and, 135b–136b
 datums, 163b
 faunal events and, 213a
 Miocene-Holocene, 162b
 reversal boundaries, 218a, 220a
 time series analysis, 392b, 394b
 Owen Ridge: Site 722, 268a–269a
 biostratigraphic events and, 137b–138b
 datums, 167b
 faunal events and, 270a
 Miocene-Pleistocene, 163b, 165b
 polarity transitions, 268a, 275a
 reversal stratigraphy, 178b
 time series analysis, 392b, 394b
 Owen Ridge: Site 731, 603a–604a
 biostratigraphic events and, 140b
 datums, 168b
 Miocene-Pliocene hiatuses, 165b
 Mammoth Subchron, Oman margin S: Site 728, 131b
 Masirah Fault, 57a
 Masirah Island
 obduction, 61a
 ophiolites, 43a
 Semail ophiolites, emplacement, 5a
 shallow-water limestones, Oman margin limestones and, 553a
 Matuyama Chron
 Oman margin N: Site 723, 165b, 332a
 Oman margin N: Site 725, datums, 172b
 Oman margin S: Site 727, 131b
 Matuyama/Gauss chron boundary
 Oman margin N: Site 724, 131b, 167b
 Oman margin S: Site 728, 131b
 Owen Ridge: Site 721, 162b–163b, 218a
 Owen Ridge: Site 722, 165b
 depth tabulations, 272a
- Melanoidins, Oman margin, formation, 538b
 Metal distribution, Pacific, eastern equatorial, organic carbon and, 418b
 Methane
 Indus Fan: Site 720, 182a, 185a
 Oman margin N: Site 723, 353a, 356a, 357a, 358a
 Oman margin N: Site 724, 406a, 412a, 413a
 Owen Ridge: Site 721, 235a, 244a
 Owen Ridge: Site 722, 288a, 298a
 Methane, biogenic
 Oman margin, 49a
 Oman margin S: Site 728, 524a
 Methane/ethane ratio
 Indus Fan: Site 720, 185a
 Owen Ridge: Site 721, 237a, 244a
 Methanogenesis, Oman margin S: Site 730, 578a
 Mexico, Gulf of, carbon isotopes, marine vs. terrigenous environments, 571b
 Microfaulting
 Owen Ridge: Site 721, 209a
 Owen Ridge: Site 731, 591a, 592a, 594a
 Milankovitch cycles
 effect on hydrologic budget, 8a
 Owen Ridge, 9a
 eolian sediment MAR, 205b, 209b
 monsoonal effects, 42a
 Owen Ridge: Site 721
 lithologic correlation, 242a
 sediment color cycles and, 211a
 Owen Ridge: Site 722
 changes in monsoonal intensity with, 303a
 climatic variation, 205b–206b
 Mineral/boehmite peak area ratios, Owen Ridge: Site 722, 200b–201b
 Mineralogy
 Arabian Peninsula, 35a
 Indus Fan: Site 720, 180a–182a
 Indus Ridge deposits, 39a
 logging, 186a–188a
 Oman margin N: Site 723, 349a, 351a–352a
 Oman margin S: Site 726, 462a
 Oman margin S: Site 728, logging data, 529a–530a
 Owen Ridge
 elastic fraction, 42a
 lithostratigraphic correlation, 39a
 Owen Ridge: Site 721
 magnetic susceptibility and, 392b
 turbidites vs. nannofossil ooze, 233a
 Owen Ridge: Site 722, 282a–283a
 Somali Peninsula, 35a
 See also Clay mineralogy
 Mississippi Delta, terrigenous sediments, fabric transformation, 237b
 Mississippi River, Gulf of Mexico influence, 572b
 Monsoon
 Africa N, aridity effects, 339b
 Arabian desert, aridity effects, 339b
 Arabian Sea
 driving mechanisms, 265b
 ecologic response, 303a
 forcing mechanisms, 197b
 Himalayan uplift and, 41a
 orbital-insolation forcing, 390b
 organic carbon and increased circulation of, 189b
 pressure gradient, seasonal variation, 277b
 seasonal variation
 solar radiation effects, 309b–310b, 351b–352b
 wind direction, 309b
 transportation of terrigenous matter, 339b
 upwelling and initiation of, 189b

- upwelling changes, grain-size indicators, 205b
- Arabian Sea W
 climatic effects, 5a
 environmental effects, 8a-9a
 floral and faunal changes with, 9a
 glacial/interglacial cycles, 198b
 seasonal reversal, 6a
- Indian Ocean, global link, Pacific paleotrade
 winds, 380b, 383b
- Indian Ocean NW
 causes of, 5a
 climatic effects, 5a
 summer, 5a, 7a
 winter, 6a-7a
- Indian-African, Milankovitch mechanism and
 summer, 9a
- Oman margin
 organic content with, 580b-581b
 tectonic evolution and, 49a
- Oman margin N: Site 723
 pressure gradient, 271b
 comparison, general circulation model,
 271b-272b
- Oman margin N: Site 724, organic carbon
 accumulation and strength of, 301b
- Owen Ridge
 environmental effects, 40a
 mineralogical influence, 35a-36a
 orbital-insolation forcing, 395b
 strength of and pelagic sediment properties,
 343b
- Owen Ridge: Site 721, intensity, and
 Milankovitch cycles, 244a
- Owen Ridge: Site 722
 dust transport, glacial/interglacial cycles, 371b
 forcing mechanisms, 351b-352b, 386b
 intensity, and Milankovitch cycles, 303a
 orbital-insolation forcing, 383b
 regional insolation forcing, 435b
- Monsoon, southwest
- Arabian Sea
 dust transport, 419b
 Himalayan-Tibetan ascending current control,
 156b
 terrigenous fluxes, 198b
- Monsoon, summer
- Arabian Sea
 atmospheric circulation model, 397b
 dust transport, 390b
 effect on sediment composition, 389b
 Himalayan-Tibetan orographic effects, 389b
 lower tropospheric wind fields, 389b
- Arabian Sea NW
 dust transport, 365b-366b
 forcing mechanisms, 365b
- Owen Ridge: Site 721, dust sources, 397b
- Owen Ridge: Site 722
 aridity and strength of, 366b, 386b
 dust sources, 397b
 forcing mechanisms, climatic, 367b
 lag effects, 366b
 source areas, 366b
- Mozambique Basin, spreading anomalies, 55a
- Mud, diatomaceous, Oman margin N: Site 725,
 434a
- Mud, foraminiferal, Oman margin S: Site 726,
 442a, 445a, 448a
- Mud, nannofossil-foraminifer-rich, Oman margin
 S: Site 729, 547a-548a
- Mud/mudstone, diatomaceous, Owen Ridge: Site
 731, 589a-591a
- Mudstone, calcareous, Oman margin, mineralogy,
 49a
- Murray Ridge, intersection. Owen Ridge, 35a
- Nickel/aluminum ratio
- Oman margin N: Site 724, organic matter
 complexation and, 432b
- Owen Ridge: Site 722
 biological productivity and, 434b, 435b
 organic matter complexation and, 432b
- Niger River, deltaic sediments, stable isotopes,
 571b
- Nitrogen isotopes
- Oman margin N: Site 724, 573b-579b, 581b
- Oman margin N: Site 725, 580b, 585b
 terrigenous vs. marine sediments, 572b
- Nitrogen, total
- Oman margin N: Site 723, 533b
 vs. total organic carbon, 533b
- Oman margin N: Site 724, 533b
 vs. total organic carbon, 533b
- North Atlantic Deep Water (NADW), global cir-
 culation, 6a
- North Indian Intermediate Water (NIIW)
 characteristics, 6a
 density, 6a
 oxygen concentration, 6a
 sources, 45a
 sources of, 6a
- Nunivak Subchron, Oman margin S: Site 728,
 132b, 175b
- Olduvai Subchron
- Oman margin N: Site 724, 131b, 167b, 396a
- Oman margin S: Site 726, 172b
- Oman margin S: Site 727, 131b
- Oman margin S: Site 728, correlation, Sites 724
 and 727, 175b
- Owen Ridge: Site 731, 165b
- Oman margin
 age, 43a
 bathymetry, 57a-58a, 59a
 biostratigraphy, 18a-21a
 calcareous nannofossils
 magnetostratigraphic correlation, 23b-24b
 paleoecological implications, 22b-23b
 chronostratigraphy, 132b
 deformation structures, 43a
 depositional history, tectonic evolution and, 48a
 geological history, 55b
 geomagnetic polarity time scale, 22a
 high surface productivity, 48a
 intermediate-depth hydrography, influence of
 Red Sea evaporation on, 291b-292b
- laminated facies
 organic carbon abundance, 48a
 Pliocene, 48a
- laminated sediments, Pliocene-Pleistocene,
 49a-50a
- lithology, intersite correlation, 22a-23a, 25a
- lithostratigraphy, intersite correlation, 48a-49a
- magnetic properties, 22a
- marker horizons
 glacial vs. interglacial stages, 155b
 interhole correlation, 156b
 intersite correlation, 151b, 531a, 532a-533a
 stratigraphic depths, oxygen isotopic correla-
 tion, 159b
 thickness of, oxygen isotopic correlation, 155b
- midslope terrace, 58a
- morphology, 43a
- oceanography, 5b, 45a-46a
- ophiolites, 57a
- physical properties, 25a-26a
- radiolarians
 displaced middle latitude species, 95b, 98b
 enhanced tropical species, 98b-99b
 upwelling species, 94b-95b
- sediment accumulation rate, Holocene, 43a
- sediment terraces, 43a
- sediment thickness, 43a
- submarine canyons, formation mechanism, 57a
- submarine topography
 control of sedimentation rate, 154b
 glacial/interglacial stages, 155b
- tectonic history, monsoonal circulation and, 49a
- terrigenous flux, comparison, Owen Ridge,
 324a-325a
- terrigenous sediment, fluvial transport, 432b
- Oman margin N: Site 723
 accumulation rates, 336a
 alkenone unsaturation index, sea-surface
 temperature effects, 445b-449b
- bathymetry, 65a, 67a-68a, 90b, 321a
- biostratigraphy, 329a-332a
- calcareous nannofossils, 6b-8b
 distribution, 10b-11b
- clay mineralogy, 192b-193b
- hydrocarbons, pyrolytic character, 547b-552b
- inorganic geochemistry, 346a-352a
 interstitial-water sample, 499b-512b
 X-ray fluorescence vs. geochemical log val-
 ues, 473b-498b
- iron sulfide formation, 517b, 519b, 522b-523b
- laminated intervals, 323a, 325a, 369a
 formation and preservation, 326a-327a, 329a
- lipids, 561b-566b
- lithostratigraphy, 225b, 500b
 dolomite facies, 325a-326a
 effect of gas expansion on, 323a-324a
 fine-grained matrix, 229b
- lithologic Unit I, 322a-329a, 368a-369a, 530b
- Pliocene-Pleistocene deposition, 324a
 summary, 223b, 325a, 519b
- location, 148b, 319a, 321a, 322b, 366a
 relation to oxygen-minimum zone, 8b
- logging
 borehole deviation, 362a-363a, 369a
 density, 360a-362a, 367a
 gamma ray, 368a
 geochemical, 364a-365a, 475b, 482b, 498b
 porosity, 360a-362a
 principal component, 367a
 quality and processing, 353a, 355a-356a
 resistivity, 362a, 367a, 368a
 velocity, 360a-362a
- magnetic properties, 65a, 67a-68a, 332a-336a
- magnetostratigraphy, 165b
- marker horizons
 interhole correlation, 150b-151b, 373a
 layer-by-layer correlation, 154b
 magnetic susceptibility and position of, 365a-
 366a, 372a, 537a
- nomenclature, 147b
- shipboard determination, 147b-148b
- stratigraphic depths, 374a, 416a, 492a, 538a,
 582a
 thickness between, 366a
 visual identification, 365a
- organic geochemistry, 352a-353a, 517b-527b
- sediment vs. pore waters, 531b-544b
- organic petrology, 587b-591b
- oxygen isotope stratigraphy, 323b-337b
- physical properties, 336a-339a, 341a-342a
 correlation, Oman margin S: Site 727, 476a
 correlation, uranium cycles, 359a-360a
 logging data, 363a
- pollen, transport, 277b-280b
- radiolarians, 92b-93b, 108b, 110b-111b
- sedimentary cycles, interhole correlation,
 364a-366a
- sedimentary facies, 46a

SUBJECT INDEX

- sedimentation rate, correlation, Oman margin S:
Site 727, 474a
- seismic stratigraphy, 340a, 342a–346a
reflection profiling, 65a–66a, 69a, 82a–84a
- stratigraphic datums, age-depth relationship,
338a
- summary chart, 375a
- summary logs, 376a–384a
- terrigenous sediment
fluvial transport and fluctuation of, 339b
glacial/interglacial cycles, 339b
- upwelling
pressure gradient, Pleistocene, 265b–272b
sediment influence, 48a
- Oman margin N: Site 724
accumulation rates, 398a, 400a
bathymetry, 65a, 67a–68a, 90b, 387a
benthic foraminifers, stable isotopes, 291b–302b
biostratigraphy, 390a–395a
calcareous nannofossils, 8b–9b
distribution, 12b–13b
depositional environment, climate-related
changes, 413a
inorganic geochemistry, 402a–404a
interstitial-water sample, 499b–512b
laminated intervals
oxygen content, 389a
physical properties, 411a
lithostratigraphy, 500b
lithologic Unit I, 388a–390a, 411a, 530b
summary, 391a
location, 148b, 385a, 387a, 410b
relation to oxygen-minimum zone, 8b
magnetic properties, 65a, 66a, 395a–398a
magnetostratigraphy, 167b
marker horizons
interhole correlation, 150b–151b, 406a–408a
magnetic susceptibility and position of, 406a–
408a, 414a, 415a
nomenclature, 147b
shipboard determination, 147b–148b
stratigraphic depths, 414a, 416a, 492a, 538a,
582a
thickness of, 408a
morphology, 385a–386a
navigation, 65a, 66a
objectives, 386a
operations, 386a, 388a
organic geochemistry, 406a
sediment vs. pore waters, 33b
organic petrology, 587b–591b
physical properties, 400a–402a, 405a–406a
correlation, Oman margin S: Site 727, 476a
planktonic foraminifers, stable isotopes,
291b–302b
radiolarians, 93b, 109b
sand-sized detritus, 48a
sedimentary facies, 46a
seismic stratigraphy, reflection profiling,
65a–66a, 69a, 85a–92a
stable isotopes, 571b–583b
summary chart, 417a
upwelling
geochemical variations, 431b–443b
inorganic geochemical record, 409b–430b
sediment influence, 48a
- Oman margin N: Site 725
accumulation rates, 429a
bathymetry, 65a, 67a–68a, 90b, 421a
benthic foraminifers, 57b, 58b–60b
biostratigraphy, 425a–427a
calcareous nannofossils, 9b
distribution, 14b
clay mineralogy, 192b–193b
- depositional environment, Pleistocene, 434a
inorganic geochemistry, 431a–432a
interstitial-water sample, 499b–512b
laminated intervals, diatomaceous, 422a
lipids, 561b–566b
lithostratigraphy, 500b
lithologic Unit I, 422a, 424a, 434a
lithologic Unit II, 422a–423a, 434a
lithologic Unit III, 423a, 434a
summary, 424a
location, 148b, 419a, 421a
relation to oxygen-minimum zone, 8b
magnetic properties, 65a, 67a–68a, 427a–429a
magnetostratigraphy, 168b, 170b, 172b
marker horizons
nomenclature, 147b
shipboard determination, 147b–148b
navigation, 65a, 66a
objectives, 420a
operations, 420a
organic geochemistry, 433a
organic petrology, 587b–591b
physical properties, 429a–431a, 433a, 434a
lithologic Unit I, 430a–431a
lithologic Units II and III, 430a–431a
radiolarians, 93b, 109b
sand-sized detritus, 48a
sedimentary facies, 46a
seismic stratigraphy, reflection profiling,
65a–66a, 69a, 85a–92a
stable isotopes, 571b–583b
summary chart, 439a
upwelling, sediment influence, 48a
- Oman margin S: Site 726
accumulation rates, 455a–456a
bathymetry, 65a, 67a–68a, 90b, 443a
benthic foraminifers, 57b, 62b–63b
biostratigraphy, 450a–453a
calcareous nannofossils, 9b, 15b
distribution, 16b–17b
clay mineralogy, 192b–193b
depositional environment, 449a–450a
inorganic geochemistry, 458a–462a
interstitial-water sample, 499b–512b
laminated interval, 445a, 464a, 466a
lithostratigraphy, 500b
correlation, Oman margin S: Site 729, 548a
Eocene-Miocene hiatus, 447a, 455a, 464a
lithification, 447a, 448a
lithologic Unit I, 442a, 445a–446a, 449a–
450a, 456a–457a, 464a
lithologic Unit II, 446a–449a, 457a, 464a
Pliocene-Pleistocene hiatus, 464a
location, 148b, 441a, 443a
relation to oxygen-minimum zone, 8b
magnetic properties, 65a, 67a–68a, 453a–455a
magnetostratigraphy, 172b
marker horizons
nomenclature, 147b
shipboard determination, 147b–148b
navigation, 65a, 66a
objectives, 441a, 464a
operations, 441a–442a
organic petrology, 587b–591b
physical properties, 456a–458a
lithologic Unit I, 456a–457a
lithologic Unit II, 457a
radiolarians, 93b, 109b
sand-sized detritus, 48a
sedimentary facies, 46a
seismic stratigraphy, reflection profiling,
65a–66a, 69a, 93a–99a
summary chart, 465a
upwelling, sediment influence, 48a
- Oman margin S: Site 727
accumulation rates, 474a
bathymetry, 65a, 67a–68a, 90b, 469a
biostratigraphy, 472a
calcareous nannofossils, 15b
distribution, 18b–19b
depositional environment, 471a
inorganic geochemistry, 478a
interstitial-water sample, 499b–512b
laminated intervals, 471a–472a
lithostratigraphy, 500b
lithologic Unit I, 468a, 471a
summary, 473a
location, 148b, 467a, 469a
relation to oxygen-minimum zone, 8b
magnetic properties, 65a, 67a–68a, 473a–474a
magnetostratigraphy, 172b–173b
marker horizons
correlation, Sites 723 and 724, 484a
interhole correlation, 481a–484a
magnetic susceptibility and position of, 481a,
491a
nomenclature, 147b
shipboard determination, 147b–148b
stratigraphic depths, 490a, 492a, 582a
thickness of, 481a, 483a–484a
navigation, 65a, 66a
objectives, 467a
operations, 468a
organic geochemistry, 481a
organic petrology, 587b–591b
physical properties, 475a–476a, 478a, 482a
radiolarians, 93b
sedimentary facies, 46a
seismic stratigraphy, reflection profiling,
65a–66a, 69a, 100a–102a
summary chart, 493a
- Oman margin S: Site 728
accumulation rates, 508a
alkenone unsaturation index, sea-surface
temperature effects, 445b–449b
bathymetry, 65a, 67a–68a, 90b, 497a
benthic foraminifers, 57b, 61b, 64b–73b
beryllium, 455b–457b
biostratigraphy, 501a, 503a–507a
calcareous nannofossils, 15b–17b
calcium carbonate, Pleistocene periodicities,
311b–319b
clay mineralogy, 191b–192b
depositional environment, correlation, Oman
margin N: Site 723, 518a
hydrocarbons, pyrolytic character, 547b–552b
inorganic chemistry, 520a–524a
inorganic geochemistry
interstitial-water sample, 499b–512b
X-ray fluorescence vs. geochemical log val-
ues, 473b–198b
lipids, 561b–566b
lithostratigraphy, 225b, 228b, 500b
biogenic vs. terrigenous sediments, 500a
fine-grained matrix, 229b
lithologic Unit I, 496a, 499a–500a, 509a–
510a, 536a
summary, 223b, 501a
location, 148b, 494a, 497a
relation to oxygen-minimum zone, 8b
logging
gamma ray, 30a
geochemical, 475b, 482b, 498b, 534a–535a
operations, 525a–526a
processing and editing, 526a, 528a–529a
resistivity, 528a–529a, 530a
sonic, 528a–529a
summary, 540a–545a

- magnetic properties, 65a, 67a-68a, 507a-508a
magnetic susceptibility, Pleistocene
periodicities, 311b-319b
magnetostratigraphy, 173b-175b
marker horizons
interhole correlation, 531a-533a
magnetic susceptibility and position of, 531a-532a, 536a, 537a
nomenclature, 147b
shipboard determination, 147b-148b
stratigraphic depths, 538a, 582a
thickness of, 532a-533a
navigation, 65a, 66a
objectives, 495a-496a
operations, 496a
organic petrology, 587b-591b
oxygen isotopes, Pleistocene periodicities, 311b-319b
physical properties, 241b, 509a-511a, 514a-516a
radiolarians, 93b
events, 122b
sediment color, density and, 241b-253b
sedimentary facies, 46a
seismic stratigraphy, 511a-519a
reflection profiling, 65a-66a, 69a, 103a-107a
summary chart, 539a
terrigenous sediment, accumulation rate, color changes and, 250b-251b
Oman margin S: Site 729
accumulation rates, 552a
bathymetry, 65a, 67a-68a, 90b, 549a
biostratigraphy, 551a-552a
calcareous nannofossils, 20b
distribution, 21b
inorganic geochemistry, 552a-553a
interstitial-water sample, 499b-512b
lithostratigraphy, 500b
lithologic Unit I, 547a-548a
lithologic Unit II, 548a
summary, 551a
location, 148b, 547a, 549a
relation to oxygen-minimum zone, 8b
magnetic properties, 65a, 67a-68a
marker horizons
nomenclature, 147b
shipboard determination, 147b-148b
navigation, 65a, 66a
objectives, 547a
operations, 547a
organic geochemistry, 553a
organic petrology, 587b-591b
physical properties, 552a, 553a
seismic stratigraphy, reflection profiling, 65a-66a, 69a, 103a-107a
Oman margin S: Site 730
accumulation rates, 569a
bathymetry, 65a, 67a-68a, 90b, 557a
biostratigraphy, 563a-568a
bioturbation, 556a, 559a, 561a, 562a, 565a
calcareous nannofossils, 20b, 22b
clay mineralogy, 191b
inorganic geochemistry, 578a-579a
interstitial-water sample, 499b-512b
lithostratigraphy, 500b
color changes, 561a
lithologic Unit I, 556a, 568a, 569a, 582a
lithologic Unit II, 556a, 559a-561a, 568a, 569a, 571a, 582a
lithologic Unit III, 561a-562a, 568a, 571a, 582a
Miocene-Pleistocene hiatus, 563a, 582a
summary, 559a
location, 148b, 555a, 557a
relation to oxygen-minimum zone, 8b
magnetic properties, 65a, 67a-68a, 568a-569a
magnetostratigraphy, 175b-176b
marker horizons
interhole correlation, 581a
magnetic susceptibility and position of, 581a, 583a
nomenclature, 147b
shipboard determination, 147b-148b
stratigraphic depths, 582a
navigation, 65a, 66a
objectives, 555a
operations, 555a-556a
organic geochemistry, 579a-581a
organic petrology, 587b-591b
physical properties, 569a, 571a-575a
lithologic Unit I, 569a
lithologic Unit II, 569a, 571a
lithologic Unit III, 571a
radiolarians, 93b, 112b
events, 123b
seismic stratigraphy, 575a-578a
reflection profiling, 65a-66a, 69a, 108a-112a
summary chart, 584a
Omo, palynology, 398b
Ooze, calcareous
calcareous marly, Oman margin S: Site 727, 468a
Oman margin, 47a-48a
Oman margin N: Site 725, 422a, 434a
Ooze, diatom, Oman margin N: Site 723, physical properties, 361a
Ooze, foraminifer-nannofossil
Owen Ridge
Miocene, 38a
Miocene-Holocene, 39a
upwelling and, 40a
Owen Ridge: Site 731, 588a
Ooze, marly calcareous, Oman margin S: Site 726, 442a
Ooze, marly nannofossil
Oman margin N, 322a
Oman margin N: Site 723, 225b
Oman margin S, 468a, 496a, 499a, 547a-548a
magnetic susceptibility, 455a
Ooze, nannofossil
Indus Fan: Site 720, 159a, 222b
clay mineralogy, 185b-186b
diagenetic activity, 179a, 180a
Oman margin N: Site 723, 368a
Oman margin N: Site 725, 422a, 423a, 434a
Oman margin S: Site 726, clay mineralogy, 192b
Oman margin S: Site 727, physical properties, 476a
Oman margin S: Site 728, 225b
color cycles, 240b-241b
mineralogy, 529a
Oman margin S: Site 730
magnetic susceptibility, 569a
organic carbon content, 579a
velocity, 571a
Owen Ridge
clay mineralogy, 186b
Miocene, 38a
Miocene-Holocene, 39a
Owen Ridge: Site 721, 199a-200a
mineralogy, 233a
Owen Ridge: Site 722, 257a-258a
color cycles, 239b-240b
compressional-wave velocity, 275a
Owen Ridge: Site 731, 588a-589a
logging data, 623a
magnetic properties, 604a
physical properties, 606a
Ooze, nannofossil-foraminifer, Oman margin S: Site 730, 556a
Ooze/chalk, nannofossil
Oman margin S: Site 730, index properties, 571a
Owen Ridge: Site 722, 223b, 257a-258a
glacial/interglacial cycles, 260a
vs. clay-rich sequences, 275a
Owen Ridge: Site 731, 589a-591a
Opal
Owen Ridge, 36a
Owen Ridge: Site 721, deposition, 242a-243a
Owen Ridge: Site 722, deposition of and upwelling onset, 303a-304a
Owen Ridge: Site 731, 628a
Opal, biogenic
Oman margin S: Site 728, porosity fluctuations with, 31a
Owen Ridge, 38a, 186b
microfossil accumulation rate and, 40a
and silica precipitation, 504b
Owen Ridge: Site 722
accumulation, Miocene, 304a
accumulation rate, monsoonal strength and, 354b
effect on Si/Al ratio, 417b
magnetic properties, 303a-304a
Miocene increase, 259b
time series analysis, 351b
vs. silicon/aluminum ratios, 348b-349b
Owen Ridge: Site 731, physical property influence, 629a
Opal, diatomaceous, Oman margin, 43a-44a
Opaline microfossils, Oman margin, organic preservation and, 48a
Ophiolites
Masirah Island, 49a, 57a, 61a
Oman margin, 43a, 57a
oxygen-minimum zone and, 420a, 442a, 468a, 496a, 548a, 556a
Oman margin N: Site 723, 319a-320a
Oman margin N: Site 724, 386a
Oman margin S: Site 726, 441a
shallow-water limestones and, 466a
Oman margin S: Site 728, seismic reflection profiling, 495a
Oman margin S: Site 729, 547a
Ra's Madrasah, 57a, 61a
Ophiolites, Semail
Gulf of Oman, 61a
Masirah Island, emplacement, 5a
Omithine, Oman margin, 538b
Owen Basin
basement, 5a
bathymetry, 58a
formation, 55a
origin, Jurassic, 61a
ridge, 35a
tectonic history, 5a, 61a
Owen Fracture Zone
intersection, Owen Ridge, 35a
intersection, Sharbithat Ridge, 35a
Owen Ridge
age, 35a
alignment, Owen Transform Fault, 52a
along-strike depth variability, 52a
basement, 5a
bathymetry, 7a, 55a, 377a
biostratigraphy, 18a-21a
bioturbation, 207a, 262a
chronostratigraphy, 132b
depositional history, 36a, 38a
pelagic deposits, 38a
silica deposits and monsoonal upwelling, 40a
eolian transport, 35a-36a

SUBJECT INDEX

- sedimentary cycles and, 42a
 geomagnetic polarity time scale, 22a
 hemipelagic sediments, source area, 193b
 lithology, intersite correlation, 22a-23a, 25a
 lithostratigraphic unconformity, 55a
 lithostratigraphy
 cyclicality, 39a
 Units I-IV, 38a-39a
 location, 35a
 magnetic properties, 22a
 marker horizons
 interhole correlation, 156b
 intersite correlation, 151b
 stratigraphic depths, 158b
 thickness of, oxygen isotopic correlation, 155b
 monsoon strength and sediment properties, 343b
 morphology, 35a
 orientation, 35a
 origin, 35a
 physical properties, 25a-26a
 plate boundary, 54a
 radiolarians
 displaced middle latitude species, 95b, 98b
 enhanced tropical species, 98b-99b
 upwelling species, 94b-95b
 regional seismic stratigraphy, 277a
 sedimentary cycles
 monsoonal influence, 40a
 short-term variability, 41a-42a
 sedimentation, Neogene, 35a
 sediments, turbidite/pelagic transition, 55a
 stratigraphic hiatus, sediment color correlation, 152b
 tectonic history, 5a, 61a
 correlation, Gulf of Aden, 9a
 terrigenous flux, comparison, Oman margin, 324a-325a
 terrigenous sediment
 eolian supply, 390b
 Pliocene evolution, 394b-396b
 wind transport, 432b
 turbiditic-pelagic transition, uplift history and, 186b
 uplifting, 5a, 35a, 55a, 177a, 300a-303a
 correlation, turbidite sequences, 260a
 lithofacies variations, 241a-242a
 lithostratigraphic correlation, 39a-40a
 turbidite deposition and, 209a
 Owen Ridge: Site 721
 accumulation rates, 221a-222a, 227a, 406b
 alkenone unsaturation index, sea-surface temperature effects, 445b-449b
 bathymetry, 65a, 67a-68a, 90b
 biostratigraphy, 211a-217a
 calcareous nannofossils, 41b, 42b-44b, 46b, 49b
 clay mineralogy, 186b-190b
 gas chromatography, 246a-247a, 248a
 inorganic geochemistry, 228a-234a
 interstitial-water sample, 499b-512b
 interhole correlation, 237a-241a
 visual and magnetic susceptibility, 238a, 251a
 lithostratigraphy, 39a, 216b, 500b
 disturbance structures, 200a, 202a
 lithologic Unit I, 199a-200a, 202a
 lithologic Unit II, 202a
 lithologic Unit III, 202a, 207a
 lithologic Unit IV, 207a-209a
 lithologic Units I-IV, 197a
 Miocene hiatus, 38a, 242a
 sediment cycles, 210a-211a
 soft-sediment deformation, 38a-39a
 summary, 201a, 202a
 unconformity, 209a-210a
 location, 41b, 148b, 198a, 235a, 391b
 magnetic properties, 65a, 67a-68a
 susceptibility, 218a-220a
 interhole correlation, 391b-400b
 magnetostratigraphy, 162b-163b, 217a-218a
 marker horizons
 depth, 253a
 interhole correlation, 149b-150b, 249a
 layer-by-layer correlation, 150b-151b
 nomenclature, 147b
 shipboard determination, 147b-148b
 stratigraphic depths, 152b-153b, 631a
 thickness between, 238a, 240a-241a
 navigation, 65a, 66a
 objectives, 198a
 operations, 198a-199a
 organic geochemistry, 234a-237a
 hydrocarbon gases, 235a, 237a
 lipids, 237a
 organic petrology, 587b-591b
 physical properties, 222a-225a, 229a, 230a-231a
 lithologic Unit I, 222a-223a
 lithologic Unit II, 223a-224a
 lithologic Unit III, 224a
 lithologic Unit IV, 224a
 pollen transport, 277b-280b
 radiolarians, 90b, 92b, 104b-105b
 events, 118b-119b
 upwelling species, 115b
 sediment cycles, monsoonal influence, 244a
 seismic stratigraphy, 225a-228a
 reflection profiling, 65a-66a, 69a, 73a-81a
 shear strength, 225a
 summary chart, 254a
 terrigenous sediment, accumulation rate, 406b, 407b
 Owen Ridge: Site 722
 accumulation rates, 273a-274a, 349b-350b, 406b
 terrigenous control, 438b
 bathymetry, 65a, 67a-68a, 90b, 256a, 344b
 beryllium, 455b-457b
 biogenic opal, glacial/interglacial cycles, 343b-363b
 biostratigraphy, 260a-268a
 calcareous nannofossils, 45b, 47b-48b
 calcium carbonate, glacial/interglacial cycles, 343b-363b
 clay mineralogy, 186b-190b
 pelagic sediment, 196b
 hydrocarbons, pyrolytic character, 547b-552b
 inorganic geochemistry, 277a-283a
 interstitial-water sample, 499b-512b
 iron sulfide formation, 517b, 519b, 522b-523b
 lipids, 561b-566b
 lithogenic component
 correlation, oxygen isotope record, 369b, 371b, 383b, 386b
 mass accumulation rate, 368b-371b, 372b, 386b
 lithostratigraphy, 39a, 216b, 222b-223b, 500b
 coarsening-upward trend, 260a
 correlation, magnetic susceptibility, 272a
 cyclicality, 293a
 fine-grained matrix, 229b
 lithologic Unit I, 239b-240b, 240b-241b, 257a-258a, 292a-293a
 lithologic Unit II, 258a-259a, 293a
 lithologic Unit III, 259a, 266a, 295a
 lithologic Unit IV, 259a-260a, 295a-296a
 lithologic Units I-IV, 255a
 Miocene hiatus, 38a, 302a
 summary, 223b, 260a, 261a
 turbidite to pelagic transition, 260a
 location, 41b, 148b, 216b, 255a, 256a, 289a, 366b, 391b, 410b
 logging
 borehole deviation, 296a, 304a
 downhole magnetometer, 296a
 gamma ray, 292a, 300a
 inclination, 296a
 operations, 288a-290a
 resistivity, 291a-292a
 summary, 312a-317a
 magnetic properties, 65a, 67a-68a, 268a-273a
 susceptibility, interhole correlation, 391b-400b
 magnetostratigraphy, 163b, 165b
 marker horizons
 depth of core top, 309a
 interhole correlation, 149b-150b
 layer-by-layer correlation, 150b-151b
 magnetic susceptibility and position of, 307a
 nomenclature, 147b
 shipboard determination, 147b-148b
 stratigraphic depths, 152b-153b, 306a, 310a-311a, 631a
 thickness between, 297a-298a
 visual identification, 297a
 navigation, 65a, 66a
 objectives, 297a-299a
 operations, 256a-257a
 organic carbon, glacial/interglacial cycles, 343b-363b
 organic geochemistry, 283a-288a, 517b-527b
 organic petrology, 587b-591b
 physical properties, 274a-276a, 282a-283a, 284a-285a
 lithologic Units I-IV, 274a-275a
 radiolarians, 106b-107b
 events, 120b-121b
 upwelling species, 116b
 sediment color, density and, 241b-253b
 sedimentary cycles
 interhole correlation, 296a-297a
 Milankovitch association, 303a
 short-term variability, 304a-305a
 seismic stratigraphy, 276a-277a
 reflection profiling, 65a-66a, 69a, 73a-81a
 strontium isotopes, 459b-463b
 summary chart, 308a
 summer monsoon, one million year record, 365b-387b
 terrigenous sediment, 231b-234b
 accumulation rate, 406b, 407b
 accumulation rate, color changes and, 250b-251b
 aridity and amount of flux, 435b
 geochemistry, 433b-436b
 uplift history, turbiditic-pelagic transition and, 300a-301a
 upwelling
 geochemical variations, 431b-443b
 inorganic geochemical record, 409b-430b
 planktonic foraminifers productivity with, 259b-260b
 uranium, series disequilibrium, 465b-472b
 Owen Ridge: Site 731, 231b-234b
 accumulation rates, 604a-606a
 alkenone unsaturation index, sea-surface temperature effects, 445b-449b
 bathymetry, 65a, 67a-68a, 90b, 586a
 biostratigraphy, 595a-603a
 calcareous nannofossils, 48b-50b
 clay mineralogy, 186b-190b
 inorganic geochemistry, 616a-618a
 interstitial-water sample, 499b-512b
 X-ray fluorescence vs. geochemical log values, 473b-498b

- laminated intervals, 591a
 lipids, 561b-566b
 lithostratigraphy, 39a, 216b, 223b-224b, 500b
 fining-upward sequence, 217b, 594a
 fining-upward unit, deposition, 218b-219b
 lithologic Unit I, 588a-589a, 627a-628a
 lithologic Unit II, 589a-591a, 629a
 lithologic Unit III, 591a-592a, 629a-630a
 lithologic Unit IV, 594a, 630a
 Miocene-Pliocene hiatus, 38a, 628a
 Pliocene unconformity, 589a
 summary, 223b, 590a-591a, 592a
 tectonic uplift and, 595a
 Unit III-IV transition zone, 630a, 634a
 location, 41b, 148b, 216b, 585a, 586a
 logging
 borehole deviation, 620a, 622a, 623a
 geochemical, 475b, 482b, 498b, 624a-626a, 628a-631a
 lithologic Unit I, 623a
 lithologic Unit II, 623a
 lithologic Unit III, 623a
 lithologic Unit IV, 623a, 625a-627a
 operations, 618a, 620a
 porosity, 621a
 quality and editing, 620a
 resistivity, 620a, 621a, 624a-626a
 sonic, 620a
 summary, 635a-652a
 velocity, 621a, 624a-626a
 magnetic properties, 65a, 67a-68a, 603a-604a
 magnetostratigraphy, 165b
 marker horizons
 interhole correlation, 149b-150b, 627a
 layer-by-layer correlation, 150b-151b
 nomenclature, 147b
 shipboard determination, 147b-148b
 stratigraphic depths, 152b-153b, 631a
 navigation, 65a, 66a
 objectives, 627a
 operations, 588a
 organic geochemistry, 618a
 organic petrology, 587b-591b
 pelagic sediment, 223b-224b
 physical properties, 606a-615a
 lithologic Units I-IV, 606a-607a, 609a
 radiolarians, 93b-94b, 113b-114b
 events, 124b-125b
 upwelling species, 117b
 seismic stratigraphy, reflection profiling, 65a, 68a, 69a, 113a-115a
 summary chart, 632a-633a
 Owens Transform Fault
 alignment, Owen Ridge, 52a
 offset, East Sheba and Carlsberg ridges, 54a
 Oxygen
 North Indian Intermediate Water, 6a
 Oman margin, bottom water, 57a
 Oxygen index
 Indus Fan: Site 720, 182a, 185a
 Oman margin N, 353a, 406a, 524b
 vs. hydrogen index, 355a, 411a, 522b, 551b
 Oman margin S, 481a, 524a, 579a
 vs. hydrogen index, 489a, 526a, 551b, 581a
 Oman margin S: Site 726, vs. hydrogen index, 463a
 Owen Ridge, 243a, 296a, 526b
 vs. hydrogen index, 522b, 551b
 Oxygen isotopes
 Indus Fan: Site 720, magnetic susceptibility and, 190a
 Oman margin, correlation, marker horizon depths, 159b
 Oman margin N: Site 723, 448b
 effect of sea-level changes on, 323b-324b
 glacial/interglacial cycles, 324b
 interhole correlation, 149b
 magnetic susceptibility and, 339b
 planktonic vs. benthic foraminifers, 323b-324b, 325b, 326b-336b
 response to glacio-eustatic sea level changes, 337b
 sea-surface temperature effects, 323b, 446b-447b
 stratigraphy, 323b
 upwelling effects, 338b
 upwelling indicator, 337b, 338b-339b
 Oman margin N: Site 724, 441b
 benthic foraminifers, 292b-295b, 300b-301b
 glacial/interglacial cycles, 293b, 295b, 300b
 long-period variations, 437b
 planktonic foraminifers, 292b-295b, 296b-299b, 410b
 sedimentation rate and, 293b
 vs. Owen Ridge sites, 436b
 Oman margin S: Site 728, 310b, 448b
 glacial/interglacial cycles, 314b
 interhole correlation, 149b
 magnetic susceptibility correlation, 311b-312b
 Pleistocene periodicities, 316b-317b
 sea-surface temperature effects, 446b-447b, 449b
 sediment accumulation rates and, 312b
 sediment color cycle correlation, 244b
 spectral analysis, 312b, 313b
 Owen Ridge: Site 721, 448b
 composite depth model, 394b
 Owen Ridge: Site 722
 age model, 346b, 368b-369b
 composite depth model, 394b
 cyclicality, 437b-438b
 interhole correlation, 149b
 planktonic foraminifers, 350b, 410b
 sediment color cycle correlation, 244b
 time series analysis, 351b, 352b-354b
 Owen Ridge: Site 731, 448b
 sea-surface temperature effects, 446b-447b, 447b-449b, 452b
 Oxygen-minimum zone (OMZ)
 Arabian margin, 9a
 Arabian Sea, 6a
 biochemical processes, 45a-46a
 Arabian Sea N, cause, 291b
 Arabian Sea W, upwelling intensity and, 9a
 Indian Ocean N, 6a
 Oman margin, 50a, 320a
 clay mineralogy, 191b-192b
 laminated sediments, 43a
 ophiolitic complex and, 420a, 442a, 468a, 496a, 548a, 556a
 organic carbon content, 155b
 Oman margin N: Site 724, 386a
 Oman margin N: Site 725, regional vs. local origin, 434a-435a
 Oman margin S: Site 726, 464a
 Oman margin S: Site 728, 548b
 dissolution processes, 314b-315b
 Owen Ridge, organic carbon content, 155b
 Owen Ridge: Site 722, 548b
 P-wave velocity
 Oman margin N: Site 723, 339a, 343a
 Oman margin N: Site 724, 401a-402a, 408a
 Oman margin N: Site 725, 431a
 Oman margin S: Site 726, 457a-458a
 Oman margin S: Site 727, 476a, 484a
 Oman margin S: Site 728, 511a, 519a, 530a-531a
 Oman margin S: Site 730, 571a, 574a-575a
 Owen Ridge: Site 721, 225a, 234a
 Owen Ridge: Site 722, 275a-276a
 Owen Ridge: Site 731, 614a, 617a
 Pacific Ocean, equatorial, grain size, coherence, Arabian Sea, 380b, 383b, 384b-385b, 387b
 Pacific Ocean, SW, strontium isotopes, 462b
 Palygorskite
 Arabian Sea, source area, 183b, 198b
 Indus Fan: Site 720, 196b
 Oman margin
 Miocene decrease, 193b
 western source, 193b
 Oman margin N: Site 723, 351a, 362a
 Oman margin N: Site 724, 412b
 Oman margin N: Site 725, 424a
 Oman margin S: Site 726
 dolomite association, 192b
 Miocene/Pliocene boundary, 192b
 source area, 192b
 Owen Ridge, 187b
 monsoonal circulation and, 188b-189b
 turbiditic-pelagic transition, 187b, 193b
 uplift and abundance of, 187b-188b, 194b
 Owen Ridge: Site 722, 196b, 412b
 aridity cycles and formation of, 207b
 eolian transport, 283a
 source area, 202b-203b
 Palygorskite, eolian
 Arabian Peninsula, transport to Owen Ridge, 35a
 Owen Ridge, source, 35a
 Somali Peninsula, transport to Owen Ridge, 35a
 Pedernales River, deltaic sediments, stable isotopes, 571b
 Persian Gulf
 outflow waters, influence on dissolution, 315b
 overflow, as NIIW source, 45a
 Peru Margin
 organic carbon, 534b
 radiolarians, correlation, Arabian Sea assemblages, 138b
 Peru Upwelling region
 nitrogen isotopes, 581b-582b
 organic carbon enrichment with enrichment of, 582b
 pH
 Indus Fan: Site 720, 177a
 Oman margin N, 346a, 431a-432a
 Oman margin S, 458a, 478a, 520a, 578a
 Owen Ridge, 228a, 278a-279a, 617a
 Phosphate
 Indus Fan: Site 720, 180a
 nodules, Oman margin N: Site 724, 388a, 436b
 Oman margin N, 347a, 348a, 403a, 432a
 Oman margin S, 458a-459a, 480a, 521a, 578a
 Owen Ridge, 230a-231a, 281a, 618a
 Phosphorite
 Oman margin S: Site 726, 459a
 concretion, 448a
 distribution, 462a
 Oman margin S: Site 728, 530a
 Phosphorus
 Oman margin N: Site 723, interstitial-water sample, 510b
 Oman margin S: Site 726, interstitial-water sample, 510b
 Phosphorus/aluminum ratio
 Oman margin N: Site 724, 418b-419b, 441b
 productivity and, 432b
 vs. Owen Ridge sites, 436b
 Owen Ridge: Site 722, 418b-419b
 biological productivity and, 432b, 434b, 435b
 Photoelectric effect

- Oman margin N: Site 723, logging data, 367a, 368a
- Owen Ridge: Site 722, logging, 292a
- Plagioclase, Owen Ridge: Site 722, source area, 202b
- Plate tectonics, Indian Ocean, barium indicators, 417b
- Porosity
- Indus Fan: Site 720, 169a, 176a, 224b logging, 185a-186a pelagics vs. turbidites, 186a
- Oman margin N: Site 723, 227b, 337a-338a, 339a logging data, 368a organic content and, 225b, 229b, 231b, 236b photoelectric effect and, 360a siliceous microfossil productivity and, 361a
- Oman margin N: Site 724, 407a grain size and, 400a-401a
- Oman margin N: Site 725, 430a-431a, 435a
- Oman margin S: Site 726, 456a-457a, 459a
- Oman margin S: Site 727, 476a, 483a
- Oman margin S: Site 728, 227b, 509a-510a, 517a, 528a-529a grain size relationship, 247b-248b organic content and, 227b, 229b, 231b, 236b short- vs. long-wavelength variations, 531a velocity and, 530a
- Oman margin S: Site 730, 569a, 571a
- Owen Ridge: Site 721, 222a-224a, 232a
- Owen Ridge: Site 722, 223b, 274a-275a, 286a clay content and, 293a, 295a grain size relationship, 247b-248b
- Owen Ridge: Site 731, 224b, 225b, 606a-607a, 614a logging data, 621a, 623a turbidites, 623a
- Potassium
- Oman margin N: Site 723 geochemical log accuracy, 490b X-ray fluorescence vs. geochemical log values, 485b, 488b
- Oman margin N: Site 724, terrigenous component, 412b
- Oman margin S: Site 728 geochemical log accuracy, 490b logging data, 526a, 528a, 530a, 532a-533a X-ray fluorescence vs. geochemical log values, 485b, 488b
- Owen Ridge: Site 722 diatom abundance and, 293a logging data, 303a terrigenous component, 412b
- Owen Ridge: Site 731 geochemical log accuracy, 490b lithologic Unit I, 623a turbidites, 623a X-ray fluorescence vs. geochemical log values, 485b, 488b
- Productivity
- Arabian Sea, global vs. regional causes, 243a
- Arabian Sea W, monsoonal effects, 6a, 8a-9a
- Oman margin, upwelling zones, 571b
- Owen Ridge: Site 722 effect of nutrient supply by runoff, 436b ice volume control on, 439b
- Propane
- Oman margin N: Site 723, 353a, 356a, 357a, 358a
- Oman margin N: Site 724, 406a, 412a, 413a
- Propane, thermogenic, Oman margin S: Site 728, 524a
- Pyrite
- factors in formation of, 17b
- Indus Fan: Site 720, formation, 179a
- Oman margin N: Site 723, 167b, 349a degree of pyritization, 523b iron in formation of, 523b organic carbon and, 525b-526b sulfate reduction and, 522b-523b
- Owen Ridge: Site 721, 208a, 209a
- Owen Ridge: Site 722, 282a, 349a degree of pyritization, 523b iron in formation of, 523b organic carbon and, 525b-526b sulfate reduction and, 522b-523b
- Pyrite, authigenic, Indus Fan: Site 720, 160a, 182a
- Quartz
- Oman margin S: Site 728, 501a
- Owen Ridge, 187b light vs. dark sediment layers, 189b
- Owen Ridge: Site 721, 240a dolomite relationship, 233a, 241a eolian source, 244a
- Owen Ridge: Site 722, source area, 202b
- Ra's Madrakah, ophiolites, 43a
- Red Sea
- carbon isotope values, 299b
- evaporation, influence on Oman margin hydrography, 291b-292b
- outflow waters
- glacial/interglacial cycles, 300b
- influence on dissolution, 311b, 315b
- Oman margin productivity and, 292b, 299b
- Red Sea overflow, as NIIW source, 45a
- Ribose, Oman margin N: Site 724, 540b
- Rubidium
- Oman margin N: Site 724, terrigenous component, 412b
- Owen Ridge: Site 722, terrigenous component, 412b
- Saharo-Arabian region, climate, 278b
- Salinity
- Indus Fan: Site 720, 177a interstitial-water sample, 503b
- Oman margin, glacial/interglacial cycles, 504b
- Oman margin N, 346a, 431a-432a interstitial-water sample, 504b
- Oman margin S, 458a, 478a, 520a, 578a interstitial-water sample, 504b
- Owen Ridge, 228a, 278a, 616a
- Sandstone
- Owen Ridge: Site 731, 224b density-velocity relationship, 612a index properties, 607a
- Sargasso Sea, metal distribution, organic carbon and, 418b-419b
- Sea-surface temperature
- Arabian Sea, pressure gradient created by, 265b, 291b
- Arabian Sea W
- monsoonal effects, 9a
- upwelling productivity and, 303a
- Indian Ocean, monsoon strength and, 8a
- Oman margin
- alkenone unsaturation index and, 445b-449b
- glacial/interglacial cycles, 449b
- monsoonal effects, 45a
- Oman margin N: Site 723, 352a, 448b
- alkenone unsaturation and, 353a
- coastal upwelling and, 271b
- effect on isotope stratigraphy, 323b
- glacial/interglacial cycles, 324b, 337b
- magnetic susceptibility correlation, 451b
- pressure gradient created by, 271b
- upwelling effects, 324b, 338b
- Oman margin N: Site 724
- carbon accumulation rate and, 299b, 302b
- deviations from modern, 298b
- glacial/interglacial cycles, 299b
- planktonic isotope record with variation, 296b-299b
- Oman margin N: Site 725, carbon fluctuation with, 581b
- Oman margin S: Site 728, 448b
- magnetic susceptibility correlation, 451b
- Owen Ridge, alkenone unsaturation index and, 445b-449b
- Owen Ridge: Site 721, 448b
- alkenones and, 237a
- Owen Ridge: Site 731, 448b
- Sediment accumulation rate, Indus Fan: Site 720, 157a, 169a
- Sediment color
- density pattern, Oman margin vs. Owen Ridge, 155b
- Indus Fan, comparison, oxygen isotope stratigraphy, 160b
- Oman margin
- comparison, oxygen isotope stratigraphy, 160b
- glacial/interglacial cycles, 157b
- Oman margin N: Site 723
- calcium carbonate and, 337b
- glacial/interglacial cycles, 338b
- organic contents and, 337b
- Oman margin S: Site 728
- density and, 241b-243b, 249b-250b
- cyclicality, 250b-253b
- spectral analysis, 245b-247b
- isotopic stage correlation, 244b-245b
- organic content and, 242b, 251b-252b
- oxidation of iron, 249b
- terrigenous abundance and changes in, 249b, 250b
- Owen Ridge
- comparison, oxygen isotope stratigraphy, 160b
- light/dark clay mineralogy, 188b, 195b
- monsoonal influence, 194b
- variation with time, 190b
- Owen Ridge: Site 722
- density and, 241b-243b, 249b-250b
- cyclicality, 250b-253b
- spectral analysis, 245b-247b
- grain size distribution and, 219b
- isotopic stage correlation, 244b-245b
- organic content and, 242b, 251b-252b
- oxidation of iron, 249b
- terrigenous abundance and changes in, 249b, 250b
- Sediment-accumulation rate
- Owen Ridge: Site 721, 221a-222a, 227a
- upwelling influence, 243a-244a
- Owen Ridge: Site 722, 273a-274a, 279a, 281a
- Sedimentation rate
- Indus Fan, glacial/interglacial cycles and, 155b-156b
- Indus Fan: Site 720, 132b, 190a
- Oman margin
- climatic influence, slope vs. sill, 155b
- glacial/interglacial cycles, 157b
- hiatuses, submarine slides and, 156b-157b
- sediment supply and, 155b
- glacial/interglacial cycles, 155b-156b
- submarine topographical control, 154b
- tectonic setting and, 508a
- Oman margin N: Site 723, 133b, 141b, 325b, 336a, 337a, 338a
- glacial/interglacial cycles, 338b
- organic content and, 347a

- spatial changes, 153b-155b
 subsidence history and, 340a
 Oman margin N: Site 724, 133b, 141b, 398a, 400a, 404a
 oxygen isotope stage boundaries, 293b, 295b
 Pleistocene, 177b-178b
 spatial changes, 153b-155b
 Oman margin N: Site 725, 56b, 133b, 142b, 429a, 432a, 433a
 seasonal variation, 424a
 Oman margin S: Site 726, 57b, 133b-134b, 142b, 455a, 457a
 Oman margin S: Site 727, 57b, 134b, 142b, 474a, 480a, 481a
 interhole correlation, 481a
 Pleistocene, 177b-178b
 spatial changes, 153b-155b
 Oman margin S: Site 728, 13a, 134b, 143b
 dark vs. light sediment layers, 245b
 glacial/interglacial cycles, 314b
 monsoonal influence, 252b
 Pleistocene, 175b
 spatial changes, 153b-155b
 Oman margin S: Site 729, 134b, 144b, 552a, 553a
 Oman margin S: Site 730, 144b, 569a
 Miocene-Pleistocene hiatus, 134b
 spatial changes, 153b-155b
 Owen Ridge, sediment supply and, glacial/interglacial cycles, 155b-156b
 Owen Ridge: Site 721, 132b-133b, 134b, 227a, 228a
 hiatus, 151b-153b
 lithologic Units I-IV, 221a-222a
 Miocene/Pliocene boundary, 221a
 Owen Ridge: Site 722, 133b, 136b, 279a, 281a
 comparison, Site 731, 605a-606a
 dark vs. light sediment layers, 245b
 glacial/interglacial cycles, 351b
 hiatus, 151b-153b, 273a-274a
 linear model, 373b
 monsoonal influence, 252b
 upwelling effects, 349b
 vs. thorium flux, 469b
 Owen Ridge: Site 731, 133b, 139b, 604a-606a, 608a, 609a
 hiatus, 151b-153b
 lithologic Unit IV, 218b
 Site 721 comparison, 605a-606a
 Seismic stratigraphy
 Indus Fan, reflection profiling, 52a, 54a
 Indus Fan: Site 720, 160a
 channel migration, 171a-172a
 channel switching, 171a, 177a
 lithostratigraphic correlation, 177a-178a
 reflection profiling, 65a-66a, 69a, 70a-73a
 sequences A-C, 171a-172a, 174a, 178a, 179a, 181a
 subsurface levee/channel complexes, 171a
 surface channels, 171a
 synthetic seismogram, 174a-176a, 181a
 Oman margin
 basement high, 61a
 depocenter boundaries, 58a, 60a, 61a
 reflection profiling, 43a, 58a, 61a
 Oman margin N: Site 723
 correlation, Oman margin S: Site 728, 512a
 reflection profiling, 65a-66a, 69a, 82a-84a, 322a
 reflector peaks, 34a
 synclinal morphology, 340a, 342a
 synthetic seismogram, 343a-345a
 traveltime/core depth relationship, 345a-346a
 Oman margin N: Site 724, reflection profiling, 65a-66a, 69a, 85a-92a
 Oman margin N: Site 725, reflection profiling, 65a-66a, 69a, 85a-92a, 419a-420a, 422a
 Oman margin S: Site 726, reflection profiling, 65a-66a, 69a, 93a-99a, 444a
 Oman margin S: Site 727, reflection profiling, 65a-66a, 69a, 100a-102a, 467a, 470a
 Oman margin S: Site 728, 511a-519a
 channels, 19a, 516a
 depositional environment, 519a
 drag folding, 516a
 reflection profiling, 65a-66a, 69a, 103a-107a, 498a, 513a, 515a-519a
 synthetic seismogram, 512a-513a, 521a
 topographic high, 518a-519a
 traveltime/core depth relationship, 345a-346a
 Oman margin S: Site 729, reflection profiling, 65a-66a, 69a, 103a-107a, 547a, 550a
 Oman margin S: Site 730, 575a-578a
 reflection profiling, 55a, 65a-66a, 69a, 108a-112a, 558a, 576a-577a
 turbidite-chalk sequence, 577a-578a
 Owen Basin, 61a
 Owen Ridge, 38a, 277a
 reflection profiling, 55a
 syndepositional uplift, 55a
 Owen Ridge: Site 721, 235a
 clastic-turbidite facies, 228a
 comparison, Site 722, 226a-227a
 hiatus, 227a
 lithostratigraphic correlation, 227a
 reflection profiling, 65a-66a, 69a, 73a-81a, 199a, 226a-228a, 236a, 238a
 SCS tracks, 289a
 submarine slide surfaces, 153b
 Owen Ridge: Site 722, 39a, 289a
 reflection profiling, 65a-66a, 69a, 73a-81a, 257a, 290a, 291a, 292a
 reflector OR-A, 255a
 reflector OR-B, 255a-256a
 reflectors A-C, 277a
 SCS tracks, 289a
 submarine slide surfaces, 153b
 synthetic seismogram, 276a-277a
 Owen Ridge: Site 731
 reflection profiling, 65a, 67a, 69a, 113a-115a, 585a, 587a, 588a
 submarine slide surfaces, 153b
 RC2704, 344a
 reflection profiling, 520a
 Sepiolite, formation, 183b
 Sharbithat Ridge, intersection, Owen Fracture Zone, 35a
 Shear strength
 Indus Fan: Site 720, 170a, 176a
 Oman margin, 26a
 Oman margin N, 339a, 402a
 Oman margin S, 478a, 510a, 518a, 575a
 Owen Ridge, 26a, 233a, 276a, 612a
 Sheba Ridge, East, spreading, 54a
 Shell fragments, comminuted, Oman margin N: Site 723, 351a
 Sidufjall Subchron, Oman margin S: Site 728, 132b, 175b
 Silica
 Oman margin, intersite correlation, 500a
 Oman margin N, 361a, 389a, 403a-404a, 432a
 Oman margin S, 459a, 462a, 480a, 521a, 578a-579a
 Owen Ridge, 281a-282a
 dissolved to solid-phase, 282a
 vs. Oman margin preservation, 500a-501a
 Owen Ridge: Site 731, 618a
 Silica, biogenic
 Oman margin N: Site 725, 424a
 Oman margin S: Site 728
 density effects of, 249b, 252b
 organic carbon and, 248b-249b
 Owen Ridge, during monsoonal upwelling, 138b
 Owen Ridge: Site 722, 240b, 258a
 density effects of, 249b, 252b
 Owen Ridge: Site 731, vs. carbonate production, 595a
 Silicate
 Indus Fan: Site 720, 180a
 Owen Ridge
 biogenic opal and precipitation of, 504b
 interstitial-water sample, 504b
 Owen Ridge: Site 721, 231a, 233a
 Silicon
 Oman margin N: Site 723
 geochemical log accuracy, 490b
 X-ray fluorescence vs. geochemical log values, 484b-485b, 487b
 Oman margin N: Site 724, vs. Owen Ridge: Site 722, 416b
 Oman margin S: Site 728
 geochemical log accuracy, 490b
 X-ray fluorescence vs. geochemical log values, 484b-485b, 487b
 Owen Ridge: Site 722
 oxygen isotopic record, 436b
 vs. Oman margin N: Site 724, 416b
 Owen Ridge: Site 731
 geochemical log accuracy, 490b
 logging data, 623a
 X-ray fluorescence vs. geochemical log values, 484b-485b, 487b
 Silicon/aluminum ratio
 Oman margin N: Site 724, 416b, 432b, 442b
 quartz effect, 417b
 vs. Owen Ridge sites, 437b
 Owen Ridge: Site 722, 416b-417b, 432b, 434b, 440b
 biogenic opal effect, 417b
 vs. opal variations, 349b
 Silt, calcareous clayey, Oman margin N: Site 723, 225b
 Silt, clayey
 calcareous, Oman margin N: Site 724, 388a, 400a
 diatomaceous
 Oman margin N: Site 724, 388a-389a, 400a
 Oman margin N: Site 725, 434a
 Oman margin, 47a-48a
 Oman margin N: Site 724
 index properties, 400a-401a
 stratigraphic occurrence, 391a
 Siltstone
 Owen Ridge: Site 722, grain-size analysis, 219b
 Owen Ridge: Site 731, 224b
 grain-size analysis, 217b
 laminations, 215b
 Siltstone, clayey
 Owen Ridge: Site 731
 clay mineralogy, 218b
 deposition, 219b
 grain-size analysis, 217b
 possible eolian origin, 218b
 Siquirah Fault
 acoustic basement, 61a
 Oman margin, 58a
 seismic reflection profiling, 43a
 Slump fault
 Owen Ridge: Site 721
 seismic profiling, 228a
 uplift history and, 242a

SUBJECT INDEX

- Slumping
 Indus Fan, 52a
 Oman margin, 58a
 Oman margin S: Site 728, seismic reflection profiling, 517a-518a
 Oman margin S: Site 730, 561a, 563a, 564a, 565a
 Owen Ridge, seismic profiling, 55a
 Owen Ridge: Site 721, 39a
 Owen Ridge: Site 731, 215b
- Smectite
 Arabian Sea, source area, 183b, 198b
 Indus Fan, source area, 185b, 193b
 Oman margin, source area, 192b
 Oman margin S: Site 730, 193b
 Owen Ridge, 187b
 Owen Ridge: Site 722, 282a
 source area, 202b
- Smectite/kaolinite ratio
 Indus Fan: Site 720, 186b
 Owen Ridge, 187b
 chemical vs. physical weathering effects, 187b-188b
- Smectite/palygorskite ratio
 Indus Fan: Site 720, 186b
 Owen Ridge, chemical vs. physical weathering effects, 187b-188b
- Socotra margin, clay mineral assemblage, 192b
- Solar radiation, seasonal variation, Ice Ages and, 7a-8a
- Somali Basin, N, formation, 55a
- Somali Basin, W
 magnetic properties, anomalies, 61a
 spreading anomalies, 55a
- Somalia, rainfall maxima, 277b
- Strontium, Owen Ridge: Site 722, 415b
- Strontium isotopes
 Owen Ridge: Site 722, 459b-463b
 continental radiogenic vs. mid-oceanic hydrothermal input, 459b
 foraminifer vs. bulk sample, 461b
 glacial/interglacial sea-level cycles, 462b-463b
 riverine flux variation, 462b
- Strontium/calcium ratio, Owen Ridge: Site 722, oxygen isotope comparison, 415b
- Subsidence
 Oman margin N: Site 723, sedimentation rate and, 340a
 Oman margin N: Site 724, 139b
 Oman margin S: Site 728, 139b
- Sudanian region
 Eritreo-Arabian province, vegetation, 277b-278b
 Nubo-Sindian province, 277b
- Sulfate
 Indus Fan: Site 720, 179a
 reduction, 182a
 Oman margin
 bacterial reduction, 506b
 comparison, Owen Ridge sites, 617a
 comparison, Peru Margin, 510b, 511b-512b
 sedimentation rate and depletion of, 510b, 512b
 Oman margin N, 49a, 346a, 349a, 402a, 432a
 alkalinity and, 370a
 interstitial-water sample, 504b-507b
 reduction, 434a
 Oman margin S, 458a, 478a, 520a-521a, 578a
 fluid source, 480a
 interstitial-water sample, 504b-507b
 Owen Ridge, 229a, 279a-281a
 comparison, Oman margin sites, 617a
 depletion, 617a
 interstitial-water sample, 504b-507b
 methane production and, 288a
- Sulfate reduction
 Oman margin, low NRM intensity with, 176b-177b
 Owen Ridge, low NRM intensity with, 176b-177b
- Sulfate, total inorganic reduced
 Oman margin N: Site 723, 524b
 Owen Ridge: Site 722, 526b
- Sulfur
 Oman margin N: Site 723, 567b
 X-ray fluorescence vs. geochemical log values, 490b, 492b
 Oman margin S: Site 728, 567b
 X-ray fluorescence vs. geochemical log values, 490b, 492b
 Owen Ridge: Site 722, 567b
 Owen Ridge: Site 731, X-ray fluorescence vs. geochemical log values, 490b, 492b
- Sulfur, total inorganic reduced
 Oman margin N: Site 723, calcium carbonate content and, 520b, 522b
 Owen Ridge: Site 722, calcium carbonate content and, 520b, 522b
- Surface water, Oman margin, 45a
- Surface water circulation
 Arabian Sea, monsoon and seasonal variation of, 291b
 Arabian Sea W, Ekman transport, 5a-6a, 45a
- Tasman Sea, strontium isotopes, 462b
- Tectonic evolution
 Indian Ocean N, 6a
 Indus Fan: Site 720, 157a
 Oman margin, 154b
 monsoonal circulation and, 49a
 Owen Basin, 5a
 Owen Ridge, 5a
 turbidite deposition and, 209a, 260a
- Temperature
 Indus Fan, 151a
 Oman margin, 26a, 151a
 Oman margin N, 152a
 Oman margin S, 151a-153a
 Owen Ridge, 26a, 151a, 152a
- Temperature-salinity field, Arabian Sea W, 292b
- Terrigenous sediment, Arabian Sea W, during southwest monsoon, 198b
- Thermal conductivity
 Indus Fan, 151a
 Indus Fan: Site 720, 170a, 176a
 Oman continental margin, 151a
 Oman margin, 26a
 Oman margin S: Site 727, 476a, 478a
 vs. density, 485a
 Oman margin S: Site 728, 510a, 518a
 vs. density, 520a
 Owen Ridge, 26a, 151a
 Owen Ridge: Site 731, 612a, 614a, 615a
 vs. density, 612a, 616a
- Thermal gradient
 Indus Fan, 151a
 Oman continental margin, 151a
 Owen Ridge, 151a
- Thorium
 Oman margin N: Site 724, terrigenous component, 412b
 Oman margin S: Site 728, logging data, 526a, 528a, 530a, 532a-533a
 Owen Ridge: Site 722, 293a
 activity and flux, 465b
 depositional flux through time, 466b-468b, 469b
 logging data, 303a
 particle scavenging, 467b-468b
 sources, 466b
 terrigenous component, 412b
 Owen Ridge: Site 731
 lithologic Unit I, 623a
 turbidites, 623a
- Thorium/potassium ratio
 Indus Fan: Site 720, 186a
 Oman margin S: Site 728, 530a
- Thvera Subchiron
 Oman margin S: Site 728, 132b, 175b
 Owen Ridge: Site 722, 268a
- Tibet-Himalaya complex, Owen Ridge, effect on monsoonal intensity, 303a
- Tibetan Plateau
 glacial/interglacial cycles, 8a
 high-pressure cell, 6a
 low-pressure cell, 7a
- Titanium
 Oman margin N: Site 723
 geochemical log accuracy, 490b
 X-ray fluorescence vs. geochemical log values, 485b, 489b, 490b
 Oman margin S: Site 726, X-ray fluorescence vs. geochemical log values, 490b
 Oman margin S: Site 728
 geochemical log accuracy, 490b
 X-ray fluorescence vs. geochemical log values, 489b
 Owen Ridge: Site 731
 geochemical log accuracy, 490b
 turbiditic-pelagic transition, 485b
 X-ray fluorescence vs. geochemical log values, 489b, 490b
- Titanium/aluminum ratio
 Oman margin N: Site 724, 432b, 442b
 monsoonal influence, 413b
 vs. Owen Ridge sites, 436b-437b
 Owen Ridge: Site 722, 413b, 432b, 437b
 aridity and, 438b-439b
 periodogram, 415b
 wind velocity and, 434b, 435b
- Titanomagnetite, reduction to iron sulfide, organic carbon role, 167b
- Trachybasalt, Owen Ridge, 35a
- Triterpenoids, terrigenous
 Indus Fan: Site 720, 563b
 Owen Ridge: Site 722, 564b
- Tropical Easterly Jet
 Arabian Peninsula, arid climatic effect, 157b, 339b
 North Africa, arid climatic effect, 157b
 southwest monsoon and, 156b
- Turbidite-carbonate lithofacies
 Owen Ridge
 change to pelagic carbonates, 39a
 thickness and rate of uplift, 39a-40a
 Owen Ridge: Site 721, 39a
 Owen Ridge: Site 731, 594a
- Turbidites
 Indus Fan
 correlation, Owen Ridge, 39a
 Owen Ridge correlation, 187b
 Indus Fan: Site 720
 Bouma sequence, 164a
 clay mineralogy, 185b, 196b
 depositional history, 189a, 192a
 fining-upward sequence, 187a-188a
 index properties, 169a
 lithofacies, 222b
 magnetic susceptibility, 168a
 provenance, 300a
 transport and deposition mechanism, 164a
 Oman margin S: Site 730, 561a-562a, 563a
 Owen Ridge

- age of uplift, 39a
 clay mineralogy, 186b, 187b
 fining-upward trend, 38a
 Indus Fan source area, 215b, 219b
 Miocene, 54a
 provenance, 39a
 seismic profiling, 55a
 silica precipitation, 504b
 uplift, 35a, 209a
- Owen Ridge: Site 721
 depositional environment, 241a
 fining-upward sequence, 207a–209a, 241a
 mineralogy, 233a
- Owen Ridge: Site 722
 clay mineralogy, 196b
 formation magnetization, 296a
 mineralogy, 295a–296a
 provenance, 300a
 reflection profiling, 277a
 terrigenous sources, 260a
 uplift history and, 260a
- Owen Ridge: Site 731
 calcium carbonate content, 484b
 coarse-grained, 594a–595a
 deposition, 595a
 index properties, 607a
 lithofacies, 224b
 magnetic properties, 603a
 mineralogy, 623a
 velocity, 623a–627a
 velocity anisotropy, 612a
- Turbidites, mud
 Owen Ridge, 38a
 Owen Ridge: Site 722, 219b
 Owen Ridge: Site 731, 594a
 depositional environment, 218b
 grain-size analysis, 217b–218b
 sedimentation from, 218b
- Turbidites, nummulitic, Oman margin S: Site 730, 562a
- Turbidites, sand, Owen Ridge, 38a
- Turbidites, silt, Owen Ridge, 38a
- Turbidites, terrigenous
 Owen Ridge: Site 722, 39a
 Owen Ridge: Site 731, 39a
- Tyrrhenian Sea, strontium isotopes, 462b
- United States, Gulf Coast, deltaic environments, 360a
- uplifting
 Oman margin N: Site 725, 139b
 Owen Ridge
 effect on clay mineralogy, 187b–188b
 monsoonal upwelling and, 138b
 turbiditic-pelagic transition, 186b, 220b
 Owen Ridge: Site 722, turbiditic-pelagic transition and, 300a–301a
 Owen Ridge: Site 731, lithostratigraphic transition during, 595a
- Upwelling
 Arabian Peninsula, humid glacial climate and weak, 156b
 Arabian Sea W, 5a–6a
 Ekman transport and, 6a
 monsoonal effects, 6a, 9a
- Oman margin
 biological productivity with, 55b, 419b
 flora and fauna, 49a
 glacial/interglacial cycles, 156b, 339b–340b
 Miocene-Holocene, 47a
 sediment influence, 47a
- Oman margin N: Site 723
 biological productivity with, 338b–339b
 calcium carbonate, 338b
 carbon/sulfur ratio, 526b
- indicators, 338b–339b
 magnetic susceptibility, 338b
 organic carbon, 338b
 sediment color, 338b
 sedimentation rate, 338b
 stable isotopes, 337b
- Oman margin N: Site 724, planktonic isotope record with variation in, 296b–299b
- Oman margin N: Site 725, Pleistocene vs. modern, 425a
- Oman margin S: Site 728, biological productivity with, 315b, 318b
- Owen Ridge
 cyclicity, Quaternary, 36a
 ecologic response, 40a
 floral and faunal indicators, 9a, 40a
 Miocene-Pleistocene productivity, 40a–41a
 monsoonal variability, 40a
 onset, 40a
 Pliocene-Pleistocene transition, 139b
- Owen Ridge: Site 722
 carbon/sulfur ratio, 526b
 onset of and opal deposition, 303a–304a
- Upwelling, monsoonal
 Arabian Sea
 seasonal variation, 291b
 sediment cyclicity induced by, 239b
- Oman margin
 biological productivity and, 139b
 glacial/interglacial cycles, 571b
 history, sedimentary components, 45a
 productivity and, 4a
 seasonal variation, 4a, 529b
- Oman margin N: Site 723
 gradient signal, pollen index and, 271b
 planktonic foraminifers abundance with, seasonal variation, 265b
 pressure gradient, 26b
 glacial/interglacial stages, 269b
- Oman margin S: Site 728, organic content with increased, 252b–253b
- Owen Ridge
 biological productivity and, 138b–139b
 Himalayan uplift and, 243a
 silica production with, 138b–139b
- Owen Ridge: Site 721
 ecologic response, 243a
 Milankovitch mechanism and, 241a
 Miocene, 197a
 onset, 242a–244a
 sedimentary cycles and, 244a
- Owen Ridge: Site 722
 initiation of, 260b
 Milankovitch mechanism and, 298a
 organic content with increased, 252b–253b
 planktonic foraminifers abundance with, 259b
- Uranium
 Oman margin N: Site 723, logging data, 358a–360a, 368a
 Oman margin S: Site 728, logging data, 526a, 528a, 530a, 532a–533a
 Owen Ridge: Site 722, 293a
 logging data, 303a
 series disequilibrium, 465b–472b
 Owen Ridge: Site 731, organic carbon content and, 623a
- Uranium/potassium ratio, Oman margin S: Site 728, 530a
- Uranium/thorium ratio
 Oman margin S: Site 728, 530a
 Owen Ridge: Site 722
 disequilibrium, 465b–468b
 productivity correlation, 466b, 468b
 winnowing effects, 468b–469b
- Vanadium/aluminum ratio
 Oman margin N: Site 724, 412b–413b
 Owen Ridge: Site 722, 412b–413b
- Vein structures, Owen Ridge: Site 722, 302a–303a
- Vein structures, sigmoidal
 Owen Ridge: Site 722, 39a
 Owen Ridge: Site 731, 39a
- Velocity
 Indus Fan: Site 720, 170a, 176a
 logging, 186a
 Oman margin, 26a
 Oman margin N: Site 723, 339a
 compaction trend, 360a
 siliceous microfossil productivity and, 361a
 Oman margin N: Site 725, 436a
 Oman margin S: Site 726, 457a, 460a
 Oman margin S: Site 728, 510a, 518a, 528a–529a
 Oman margin S: Site 730, 571a
 vs. density, 575a
 Owen Ridge, 26a
 Owen Ridge: Site 721, 224a, 233a
 Owen Ridge: Site 722, 274a, 287a, 299a
 correlation, Site 731, 626a
 density relationship, 275a, 287a
 Owen Ridge: Site 731, 224b, 226b, 609a, 612a
 correlation, resistivity and geochemical logs, 624a–626a
 density relationship, 609a, 612a, 615a
 logging data, 621a, 623a
 turbidites, 623a–627a
- Velocity anisotropy, Owen Ridge: Site 731, particle alignment with depth, 237b
- Wackestone, algae-dominated
 Oman margin S: Site 726, 446a
 Oman margin S: Site 729, 548a
- Wackestone, calcareous dolomitic, Oman margin S: Site 726, 450a
- Wackestone to packstone
 Oman margin S: Site 726
 foraminifer-bearing, 446a
 nummulitic, 449a
- Walsh color spectrum, Owen Ridge, periodicity, 42a
- Water content
 Indus Fan: Site 720, 169a
 Oman margin N: Site 723, 337a–338a, 339a
 Oman margin N: Site 724
 grain size and, 400a–401a
 organic matter and, 401a
 Oman margin N: Site 725, 430a–431a, 435a
 Oman margin S: Site 727, 476a
 Oman margin S: Site 728, 509a–510a, 517a
 Oman margin S: Site 730, 569a, 571a
 Owen Ridge: Site 721, 222a–224a
 Owen Ridge: Site 722, 274a–275a, 286a
 Owen Ridge: Site 731, 606a–607a, 614a
- Weddell Sea, carbon isotopes, marine planktonic influence, 572b
- Winnowing
 Oman margin S: Site 726, 48a
 Owen Ridge: Site 722, thorium modifications by, 468b–469b
- Zagros Mountains, Pliocene-Pleistocene orogeny, influence on Arabian Sea lithology, 373b
- Zeribar
 lake levels, glacial/interglacial fluctuation, 339b
 lake sediments, humid climate, last glacial stage, 156b
- Zirconium/aluminum ratio
 Oman margin N: Site 724, 412b
 Owen Ridge: Site 722, 412b

SITE INDEX

- Site 132, calcareous nannofossils, 22b
- Site 214, radiolarians, biostratigraphic events, 94b
- Site 219, calcareous nannofossils, 22b, 23b
- Site 220, calcareous nannofossils, 22b
- Site 221
calcareous nannofossils, 22b
tectonic history, 157a
- Site 222
calcareous nannofossils, 23b, 38b
carbon, organic, 182a
sediment accumulation rate, 157a
seismic stratigraphy, 172a
turbidites, 164a
- Site 223
calcareous nannofossils, 22b, 23b
igneous basement, 5a, 35a
radiolarians, 217a
silica, Miocene increase, 259b
siliceous microfossils, 36a
- Site 224
bathymetry, 37a, 90b
clastic-turbidite facies, 228a, 277a
depositional history, 215b
Eocene sediments, 35a
igneous basement, 5a
lithostratigraphy, 216b
location, 37b
seismic stratigraphy, 55a, 63a, 198a, 255a, 276a, 585a, 588a
silica, Miocene increase, 259b
siliceous microfossils, 36a
tectonic history, 61a
turbidites, 54a
uplift history, 35a
- Site 231
calcareous nannofossils, 22b
Globigerina bulloides, 259b
- Site 232, calcareous nannofossils, 22b
- Site 233, calcareous nannofossils, 22b
- Site 241, tectonic history, 61a
- Site 502, strontium isotopes, 462b
- Site 519, strontium isotopes, 462b
- Site 532
carbon, organic, 520b
vs. reduced sulfur, 521b
carbon, total organic, 520b
carbon/nitrogen ratio, 520b
carbon/sulfur ratio, 522b, 523b, 525b
degree of pyritization, 522b
hydrogen vs. oxygen index, 520b
iron sulfide formation, 517b
location, 518b
pyrite formation, 520b, 523b
organic carbon in, 525b-526b
total inorganic reduced sulfate, 520b
- Site 552, oxygen isotopes, ice-rafted detritus and, 397b
- Site 586, radiolarians, 98b
- Site 588, strontium isotopes, 462b
- Site 590, strontium isotopes, 459b, 462b
- Site 593, strontium isotopes, 462b
- Site 606
calcareous nannofossils, 38b
magnetostratigraphic correlation, 39b
- Site 607
calcareous nannofossils, 38b
distribution, 40b
magnetostratigraphic correlation, 39b
composite depth model, 345b
oxygen isotopes, 371b, 397b
- Site 608, calcareous nannofossils, 38b
- Site 609
calcareous nannofossils, 38b
magnetostratigraphic correlation, 39b
composite depth model, 345b
- Site 610
calcareous nannofossils, 38b
distribution, 38b
magnetostratigraphic correlation, 39b
- Site 611, calcareous nannofossils, magnetostratigraphic correlation, 39b
- Site 646, thermal gradient, 186a
- Site 647, porosity, diatom ooze, 361a
- Site 653, strontium isotopes, 462b
- Site 683, radiolarians, 98b
- Site 685, radiolarians, 98b
- Site 717, depositional history, 169a
- Site 719, depositional history, 169a
- Site 720
bathymetry, 7a, 51a-52a, 65a, 90b, 184b, 222b
benthic foraminifers
magnetostratigraphic correlation, 129b-130b
zonation, 128b-129b
beryllium, 455b-457b
biostratigraphy, 18a-21a, 165a-166a
calcareous facies, 159a-160a
calcareous nannofossils
biostratigraphy, 38b-411b, 42b, 133b
distribution, 43b
magnetostratigraphic correlation, 129b-130b
zonation, 127b-128b
calcium carbonate, 229b
carbon, organic, 163a, 229b
carbonate, 163a
chloride, 503b-504b
chronostratigraphy, 132b
clay mineralogy, 185b-186b, 193b, 229b
- color density pattern, 160b
coring summary, 162a
density, 177a
depositional environment, 188a-189a
depositional history, 190a, 221b-222b
geochemistry, inorganic, 28a-29a, 177a, 179a-182a, 183a, 521a
sediment mineralogy, 180a-182a, 283a
geochemistry, organic, 26a-28a, 182a
Rock-Eval pyrolysis, 184a
grain size, 228b
hydrocarbon gases, 28a, 182a, 185a
interstitial-water chemistry, 177a, 179a-180a, 182a, 501b-512b
lipids, 28a
Rock-Eval pyrolysis, 562b-563b
lithologic summary, 223b, 500b
lithostratigraphy, 159a-164a, 190a-191a
location, 7a, 157a-159a, 162b, 184b, 282b, 720b
logging, 29a-32a, 182a, 184a-189a
lithology, 186a-188a
mineralogy, 186a-188a
summary logs, 194a-195a
velocity, 185a-186a
magnetic properties, 21a-22a, 65a, 166a-169a, 170a, 171a
magnetic susceptibility, 166a, 168a, 172a, 173a
magnetostratigraphy, 127b
marker horizons, 147b-148b
intersite correlation, 159b
monsoon
environmental effects, 8a-9a
seasonal variability, 6a-8a
navigation, 65a, 66a-68a
objectives, 159a
oceanography, 5a-6a
operations, 159a
organic petrology, 590b
oxygen index, 185a
oxygen isotopes
glacial/interglacial cycles, 323b
intersite correlation, 159b
palynology, 281b, 283b
physical properties, 25a-26a, 169a-170a, 175a, 176a, 228b
physiography, 189a-190a
planktonic foraminifers
magnetostratigraphic correlation, 129b-130b
zonation, 128b
porosity, 224b
radiolarians
biostratigraphy, 90b
magnetostratigraphic correlation, 129b-130b
zonation, 129b
salinity, 503b-504b
sediment-accumulation rate, 169a
sedimentation rate, 132b, 133b, 174a
vs. beryllium content, 458b
sediments, 51a
seismic stratigraphy, 160a, 171a-176a, 178a, 179a
lithostratigraphic correlation, 176a-177a
reflection profiling, 52a, 66a, 70a-72a, 171a-172a, 174a
synthetic seismogram, 174a-175a, 181a
silicate, 504b
tectonic history, 5a
temperature, 151a
terrigenous sediments
burial diagenesis, 231b-234b, 236b-237b

- particle orientation, 234b, 236b
 thermal conductivity, 151a
 thick-bedded facies, 161a–162a
 thin- to thick-bedded facies, 160a
 turbidites, 164a, 190a–192a
- Site 721
 alkalinity, 504b–507b
 alkenone unsaturation index, 448b
 alkenones, 246a–247a, 248a
 as sea-surface temperature indicators, 445b–449b
 ammonia, 510b, 511b
 bathymetry, 7a, 37a, 55a, 56a, 59a, 65a, 90b, 184b, 222b
 benthic foraminifers
 biostratigraphic events, 135b
 magnetostratigraphic correlation, 130b
 zonation, 128b–129b
 biostratigraphy, 18a–21a, 211a–217a
 bulk mineralogy, magnetic susceptibility and, 392b
 calcareous nannofossils, 139b
 biostratigraphy, 41b, 42b, 44b–45b, 135b
 distribution, 44b
 magnetostratigraphic correlation, 130b
 zonation, 127b–128b
 calcium, 507b–510b
 calcium carbonate, 203a–206a, 207a, 252a, 448b
 carbon isotopes, 448b
 carbon, organic, 203a–206a, 448b
 carbon, total organic, 588b
 carbonate, 563a
 chronostratigraphy, 132b
 clay mineralogy, 186b–190b, 193b, 240a
 light-dark sediment alternations, 195b
 paleoenvironmental record, 187b–190b
 color density pattern, 155b, 160b
 coring summary, 201a
 depositional history, 36b, 38a
 fining-upward sequence, 207a–208a, 209a
 geochemistry, inorganic, 28a–29a, 228a–234a, 239a, 521a, 617a
 sediment mineralogy, 233a–234a, 282a
 geochemistry, organic, 26a–28a, 234a, 237a
 lithology and, 589b
 Rock-Eval pyrolysis, 242a
 hydrocarbon gases, 28a, 235a, 237a, 244a
 hydrogen index
 elevated temperature and, 588b
 vs. oxygen index, 237a
 interhole correlation, 243a–240a
 intersite correlation, 249a
 interstitial-water chemistry, 228a–231a, 233a, 240a, 501b–512b
 lipids, 28a, 237a, 353a
 lithologic summary, 500b
 lithostratigraphy, 38a–39a, 197a, 199a–202a, 216b
 sedimentary hiatus, 274a
 location, 7a, 37a, 162b, 184b, 198a, 216b, 391b, 446b, 720b
 magnesium, 507b–510b
 magnesium/calcium ratio, 507b–510b
 magnetic properties, 21a–22a, 65a, 217a–221a, 605a
 lithobiostratigraphic correlation, 164b
 mineralogy and, 225a, 226a
 susceptibility, 24a
 magnetic susceptibility, 218a, 220a, 221a, 222a, 223a, 224a, 396a
 age model, 399b
 composite depth model, 398b
 frequency cycles, 404b
 insolation forcing and climatic response, 402b
 interhole correlation, 391b–392b, 393b
 precession, 405b
 terrigenous sediments, 390b–391b
 terrigenous vs. biogenic component flux, 396b, 406b, 407b
 time-series analysis, 399b
 magnetostratigraphy, 127b, 162b–163b, 217a–218a
 datums, 392b, 394b
 polarity reversals, 136b
 marker horizons, 147b–148b
 interhole correlation, 22a–23a, 25a, 627a
 intersite correlation, 25a, 159b
 magnetic susceptibility, 251a, 252a
 sedimentation rates, 151b–153b
 stratigraphic depths, 152b–153b, 250a, 253a, 631a
 microfaulting, 209a
 monsoon
 2.4-Ma shift, paleoclimatic origin, 396b–397b
 atmospheric general circulation model, 397b
 environmental effects, 8a–9a
 seasonal variability, 6a–8a
 monsoon, summer, Pleistocene variability, 390b
 navigation, 65a, 66a–68a
 objectives, 36a, 198a
 oceanography, 5a–6a
 opal, deposition, 40a–41a, 242a–244a
 operations, 198a–199a
 organic petrology, 590b–591b
 oxygen isotopes, 448b
 composite depth model, 394b
 intersite correlation, 159b
 palynology, 279b–280b
 environmental setting, 277b
 geographical plants regions, 277b
 phosphorus, 510b
 physical properties, 25a–26a, 222a–225a, 229a, 230a–233a, 234a
 planktonic foraminifers, 138b–139b
 biostratigraphic events, 135b
 magnetostratigraphic correlation, 130b
 zonation, 128b
 pyrite, 208a, 209a
 radiolarians
 biostratigraphy, 90b, 92b, 96b, 118b–119b, 135b–136b
 distribution, 104b–105b
 magnetostratigraphic correlation, 130b
 range chart, 102b
 upwelling species, 115b
 zonation, 129b
 sea-surface temperature, 448b
 sediment color, cyclicity, 210a–211a
 sediment core description forms, 13a–15a
 sediment-accumulation rate, 221a–222a, 227a, 228a
 sedimentary cycles, short-term variability, 41a–42a, 244a
 sedimentation rate, 132b–133b, 134b, 227a, 228a
 sediments, 53a–55a
 seismic stratigraphy, 38a, 199a, 212a, 225a–228a, 235a, 236a, 289a
 lithologic correlation, 237a
 reflection profiling, 55a, 66a, 73a–81a, 226a–227a, 585a, 588a
 silicate, 504b
 sulfate, 504b–507b
 comparison, Peru Margin, 510b, 512b
 sulfate depletion, 617a
 summary chart, 254a
 tectonic history, 5a, 39a–40a, 61a, 241a–242a
 temperature, 151a, 154a
 terrigenous sediments
 accumulation rate, 406b
 burial diagenesis, 231b–234b, 236b–237b
 Pliocene evolution, 394b–396b
 thermal conductivity, 151a
 turbidites, clay mineralogy, 187b
 unconformity, 209a–210a
 upwelling onset, 40a–41a, 242a–243a
- Site 722
 age model, 247b
 alkalinity, 504b–507b
 ammonia, 510b, 511b
 bathymetry, 7a, 37a, 55a, 56a, 59a, 65a, 90b, 184b, 222b, 256a, 344b
 benthic foraminifers
 biostratigraphic events, 137b
 magnetostratigraphic correlation, 130b
 zonation, 128b–129b
 beryllium, 455b–457b
 biogenic sediments, burial diagenesis, 228b–231b, 234b–236b
 biostratigraphy, 18a–21a, 260a–268a
 Brunhes Chron, 508a
 bulk mineralogy, magnetic susceptibility and, 392b
 calcareous nannofossils, 139b
 biostratigraphy, 42b, 45b, 47b–48b, 137b
 datums, 349b
 distribution, 46b
 magnetostratigraphic correlation, 130b
 zonation, 127b–128b
 calcium, 507b–510b
 calcium carbonate, 229b, 264a–265a, 297a, 298a
 glacial/interglacial cycles, 346b–354b
 time-series, 352b
 variance spectra, 353b
 carbon, organic, 229b, 264a–265a, 297a, 298a, 350b, 448b
 time-series, 352b
 vs. reduced sulfur, 521
 carbon, total organic, 520b, 522b–523b, 588b
 carbon/sulfur ratio, 522b, 523b, 525b
 carbonate, 350b, 563a
 chronostratigraphy, 132b
 clay mineralogy, 186b–190b, 193b, 212b–213b, 229b
 frequency domain analysis, 205b–207b
 light-dark sediment alternations, 195b
 paleoenvironmental record, 187b–190b
 Pleistocene, 197b–198b
 time-series analysis, 201b–205b, 207b–209b
 climatic indices and insolation variations, 210b
 color density pattern, 155b, 160b
 composite depth model, 356b–363b
 coring summary, 258a–259a
 degree of pyritization, 522b
 density, 288a
 color variation and, 241b–243b
 sediment color and, 247b–252b
 spectral analysis, 245b–247b
 wet-bulk vs. optical, 243b–245b, 248b
 depositional history, 36a, 38a, 222b
 dewatering structures, 266a
 geochemistry, inorganic, 28a–29a, 277a–283a, 421b–424b, 443b, 617a
 aluminosilicate detritus factor, 412b–413b
 biogenic component, 414b–417b
 bottom-water redox state record, 434b
 heavy mineral record, 434b
 major elements, 429b
 organic matter factor, 417b–418b
 phosphatic factor, 418b–419b

SITE INDEX

- Pleistocene productivity and, 410b-419b
 productivity record, 434b
 proxy-paleoceanographic record, 432b
 sediment mineralogy, 282a-283a, 351a-352a
 silicon record, 434b, 440b
 terrigenous sediments, 433b-434b
 trace elements, 429b
 upwelling and productivity variations, 435 b-436b, 437b-439b
- geochemistry, organic, 26a-28a, 283a-288a, 481a
 lithology and, 589b
 pyrolysis, 547b-560b
- grain size
 interocean coherence, 383b, 387b
 Milankovitch periodicities, 380b, 383b, 387b
 mud turbidites, 219b-220b
 ringin of periodicities, 383b-387b
 time-series analysis, 372b
 vs. planktonic upwelling record, 386b
- hydrocarbon gases, 28a, 288a, 298a
- hydrogen index, 297a, 298a
 elevated temperature and, 588b
 vs. oxygen index, 489a, 522b, 551b
- interstitial-water chemistry, 277a-282a, 293a, 501b-512b
- iron sulfide formation, 517b
- lipids, 28a
 Rock-Eval pyrolysis, 563b-565b
- lithogenic component
 grain size, 371b, 373b
 intercore reproducibility, 373b-374b
 mass accumulation rate, 369b, 371b
 time-series analysis, 368b-373b, 372b
- lithologic summary, 223b, 500b
- lithostratigraphy, 38a-39a, 216b, 255a, 257a-260a
 summary, 261a
- location, 7a, 37a, 41b, 162b, 184b, 199b, 216b, 255a, 256a, 366b, 391b, 410b, 431b, 465b, 518b
- logging, 29a-32a, 288a-296a
 gamma ray, 300a
 lithologic unit response, 292a-293a, 295a-296a
 magnetic properties, 304a
 physical properties, 299a, 301a, 302a
 summary logs, 312a-317a
- logging, geochemical, 303a
 reprocessing, 31a-32a
- magnesium, 507b-510b
- magnesium/calcium ratio, 507b-510b
- magnetic properties, 21a-22a, 65a, 268a-273a, 274a, 605a
 lithobiostratigraphic correlation, 166b
 susceptibility, 24a
- magnetic susceptibility, 269a, 272a, 277a, 278a, 279a, 337a, 375b-380b, 396a, 607a
 age model, 346b
 composite depth model, 345b-346b
 glacial/interglacial cycles, 346b-354b
 interhole correlation, 391b-392b, 393b
 paleoclimatic implications, 374b, 380b
 precession, 405b
 terrigenous fraction correlation, 390b-391b, 392b
- terrigenous vs. biogenic component flux, 396b, 406b
 time-series analysis, 372b
 vs. lithogenic percent, 380b-382b, 386b
- magnetostratigraphy, 127b, 163b, 165b, 268a-269a
 datums, 167b, 349b, 392b, 394b
 polarity reversals, 138b, 177b, 275a
- variance spectra, 353b
- marker horizons
 interhole correlation, 22a-23a, 25a, 627a
 intersite correlation, 25a, 159b
 magnetic susceptibility, 307a
 sedimentation rates, 151b-153b
 stratigraphic depths, 152b-153b, 306a, 310a-311a, 631a
- mineral/boehmite record, 200b
- monsoon
 2.4-Ma shift, paleoclimatic origin, 396b-397b
 atmospheric general circulation model, 397b
 environmental effects, 8a-9a
 Milankovitch mechanism, 298a
 seasonal variability, 6a-8a
- monsoon, summer, Pleistocene variability, 390b
- monsoonal upwelling, planktonic foraminifers record, 257b-260b
- mud turbidites, 219b-220b
 navigation, 65a, 66a-68a
 objectives, 36a, 255a-256a, 299a-300a
- oceanography, 5a-6a
- opal, deposition, 40a-41a, 303a-304a
- operations, 256a-257a
- organic petrology, 590b-591b
 organic sulfur compounds, 67b
- oxygen isotopes, 350b, 410b
 age model, 368b-369b
 composite depth model, 394b
 intersite correlation, 159b
 time-series analysis, 352b, 372b
 variance spectra, 353b
- palynology, modern atmospheric content, 278b-279b
- phosphorus, 510b
- physical properties, 25a-26a, 228b, 275a-276a, 282a-283a, 284a-285a, 286a
- planktonic foraminifers
 biostratigraphic events, 137b
 magnetostratigraphic correlation, 130b
 zonation, 128b
- porosity, 224b
- pyrite formation, 523b
 organic carbon in, 525b-526b
- radiolarians
 biostratigraphy, 92b, 96b, 120b-121b, 137b-138b
 distribution, 106b-107b
 magnetostratigraphic correlation, 130b
 range chart, 102b
 upwelling species, 116b
 zonation, 91b, 129b
- sediment color
 density variations and, 241b-243b, 247b-252b
 spectral analysis, 245b-247b
- sediment-accumulation rate, 221a, 273a-274a, 279a, 281a
- sedimentary cycles, short-term variability, 41a-42a, 304a-305a
- sedimentation rate, 133b, 136b, 279a, 281a, 373b
 vs. beryllium content, 458b
- sediments, 53a-55a
- seismic stratigraphy, 38a, 200a, 235a, 276a-277a, 289a
 reflection profiling, 55a, 66a, 73a-81a, 226a-227a, 255a, 257a, 290a-291a, 585a, 588a
 synthetic seismogram, 276a-277a
- silicate, 504b
- site summary, 239b-240b
- strontium isotopes, 459b-463b
- sulfate, 504b-507b
 comparison, Peru Margin, 510b, 512b
 depletion, 617a
- summary chart, 308a
- tectonic history, 5a, 39a-40a, 61a, 300a-303a
- temperature, 151a, 154a
- terrigenous sediments
 accumulation rate, 406b
 burial diagenesis, 231b-234b, 236b-237b
 Pliocene evolution, 394b-396b
- thermal conductivity, 151a
- total inorganic reduced sulfate, 520b, 522b
- turbidites, clay mineralogy, 187a
- upwelling onset, 40a-41a, 303a-304a
- uranium-series disequilibrium, 465b-472b
- Site 723
 alkalinity, 504b-507b
 alkenone unsaturation index, 359a, 360a, 448b
 alkenones, 569b
 as sea-surface temperature indicators, 445b-449b
 aluminum, X-ray fluorescence vs. logging data, 490b, 493b
 amino acids, dissolved hydrolyzable, 533b
 contribution to DOC, 539b
 amino acids, total hydrolyzable, 533b
 amino compounds
 comparison, Site 724, 538b, 540b
 pore waters, 538b-539b
 sediments vs. pore waters, 534b-538b
 amino sugars, dissolved hydrolyzable, 533b
 amino sugars, total hydrolyzable, 533b
 ammonia, 510b, 511b
 from amino compound degradation, 543b
 basement structures, 43a
 bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 321a
 benthic foraminifers, 138b
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b-129b
 biogenic sediments, burial diagenesis, 228b-231b, 234b-236b
 biostratigraphy, 18a-21a, 329a-332a
 Brunhes Chron, 508a
 calcareous nannofossils
 biostratigraphic horizons, 325b
 biostratigraphy, 6b-8b, 26b, 141b
 distribution, 10b-11b
 magnetostratigraphic correlation, 23b-24b, 130b-131b
 paleoecological implications, 22b-23b
 upwelling species, 134b
 zonation, 127b-128b
 calcium, 507b-510b
 X-ray fluorescence vs. logging data, 484b, 486b
 calcium carbonate, 229b, 327a-329a, 359a, 360a, 448b
 carbohydrates, 536b, 537b
 facies I vs. facies III, 543b
 pore waters, 541b
 sediments vs. pore waters, 534b-535b
 carbohydrates, dissolved hydrolyzable, 533b
 carbohydrates, total hydrolyzable, 533b
 carbon, dissolved organic, 352a, 533b
 sediments vs. pore waters, 533b-534b
 carbon isotopes, 448b
 planktonic vs. benthic foraminifers, 325b-337b
 carbon, organic, 229b, 327a-329a, 359a, 360a
 preservation, 500a
 vs. reduced sulfur, 521b
 carbon, total organic, 520b, 522b-523b, 531b
 sediments vs. pore waters, 533b-534b
 carbon, total organic/total nitrogen ratio, 533b
 carbon/sulfur ratio, 522b, 523b, 525b

- chloride, 504b
 chronostratigraphy, 132b
 clay mineralogy, 191b, 192b, 193b, 194b
 color density pattern, 155b, 160b
 core expansion, 13a
 coring summary, 324a
 deformation structures, 43a
 degree of pyritization, 522b
 density, 342a, 408a
 depositional history, 225b
 diatomite, 500a
 dolomite, 369a, 509b-510b
 logging data, 356a-357a
 dolomitic limestone, 326a
 geochemistry, inorganic, 28a-29a, 346a-332a, 369a-370a
 logging data, 475b, 482b
 principal components analysis, 493b-498b
 sediment mineralogy, 349a, 351a-352a
 X-ray fluorescence, 474b-475b, 476b-477b
 X-ray fluorescence vs. geochemical logs, 483b-498b
 geochemistry, organic, 26a-28a, 352a-353a, 531b, 533b
 lithological influence, 540b-541b, 543b
 lithology and, 589b
 pore waters, 532b, 533b
 pyrolysis, 547b-560b
 Rock-Eval pyrolysis, 354a-355a
 grain size, 228b
 heat flow, 154a
 hydrocarbon gases, 28a, 353a, 356a, 357a, 359a
 hydrogen vs. oxygen index, 355a, 522b, 551b
 interstitial-water chemistry, 348a-349a, 351a, 501b-512b, 532b, 533b
 iron, X-ray fluorescence vs. logging data, 490b, 491b
 iron sulfide formation, 517b
 laminated facies, 369a
 lipids, 28a, 353a, 568b
 Rock-Eval pyrolysis, 565b-566b
 lithologic summary, 223b, 500b, 519b
 lithostratigraphy, 322a-329a, 390a, 519b, 530b
 summary, 325a
 location, 6b, 7a, 162b, 184b, 319a, 321a, 322b, 446b, 518b, 530b
 logging, 29a-32a, 353a, 355a-364a
 chlorinity, 358a
 magnetic properties, 370a
 physical properties, 360a-362a, 363a
 summary logs, 376a-384a
 uranium, 358a-360a
 logging, geochemical, 364a-365a, 366a, 475b, 530a
 accuracy, 490b, 493b
 reprocessing, 31a-32a
 magnesium, 507b-510b
 magnesium/calcium ratio, 507b-510b
 magnetic properties, 21a-22a, 65a, 332a-336a
 AF and thermal demagnetization results, 170b
 lithostratigraphic correlation, 169b
 magnetic susceptibility, 335a-336a, 337a, 536a
 sea-surface temperature and, 451b
 terrigenous sediments, 339b
 magnetostratigraphy, 127b, 165b, 167b
 Quaternary, 131b
 marker horizons, 147b-148b
 interhole correlation, 22a-23a, 25a, 364a-366a, 373a, 484a, 531a-533a, 581a
 intersite correlation, 25a, 159b
 magnetic susceptibility, 372a, 414a
 oxygen isotopic correlation, 159b
 sedimentation rates, 153b-155b
 stratigraphic depths, 156b, 374a, 416a, 492a, 538a, 582a
 monsoon
 environmental effects, 8a-9a
 seasonal variability, 6a-8a, 529b-530b
 monsoonal upwelling, planktonic foraminifers
 record, 265b-272b
 nannofossil ooze, 368a-369a
 navigation, 65a, 66a-68a
 nitrogen, total, 533b
 objectives, 47a, 320a
 oceanography, 5a-6a, 45a-46a
 operations, 320a
 ophiolitic complex, 319a-320a
 organic petrology, 591b
 organic sulfur compounds, 67b
 oxygen isotopes, 448b
 glacial/interglacial cycles, 323b-324b
 intersite correlation, 159b
 planktonic vs. benthic foraminifers, 323b-337b
 palynology, 279b-280b
 environmental setting, 277b
 geographical plant regions, 277b
 modern atmospheric content, 278b-279b
 upwelling area, 271b
 phosphorus, 510b
 physical properties, 25a-26a, 336a-339a, 340a, 341a-342a, 401a
 planktonic foraminifers
 abundance, 266b, 267b, 273b-274b
 glacial/interglacial cycles, 269b-271b
 biostratigraphic events, 141b
 factor analysis, 266b-268b, 268b-269b, 275b-276b
 magnetostratigraphic correlation, 130b-131b
 preservation, 268b
 sea-surface temperature gradient and, 271b
 tropical assemblage, 271b
 zonation, 128b
 potassium, X-ray fluorescence vs. logging data, 485b, 488b
 pyrite formation, 523b
 organic carbon in, 525b-526b
 radiolarians
 biostratigraphy, 92b-93b
 displaced middle latitude species, 95b, 98b
 distribution, 108b
 magnetostratigraphic correlation, 130b-131b
 upwelling species, 94b-95b, 98b-99b
 zonation, 91b, 129b
 salinity, 504b
 sea-surface temperature, 271b, 448b, 451b
 sediment-accumulation rate, 336a, 337a, 338a
 sedimentation rate, 133b, 141b, 337a
 glacial/interglacial cycles, 155b-156b
 sedimentation rate, 338a
 sediments, 43a, 57a
 upwelling-influenced, 47a-50a
 seismic stratigraphy, 340a, 342a-346a, 512a
 reflection profiling, 58a, 61a, 66a, 82a-84a, 322a, 518a
 synthetic seismogram, 343a-345a
 silica, preservation, 500a
 silicate, 504b
 silicon, X-ray fluorescence vs. logging data, 484b-485b, 487b
 sulfate, 504b-507b
 comparison, Peru Margin, 510b, 512b
 sulfur, X-ray fluorescence vs. logging data, 490b, 492b
 summary chart, 375a
 tectonic history, 5a
 temperature, 151a, 152a-153a, 154a
 dissolved oxygen and, 323b
 terrigenous sediments, magnetic susceptibility, 339b
 thermal conductivity, 151a
 thermogenic gas, 49a
 titanium, X-ray fluorescence vs. logging data, 485b, 489b, 490b
 total inorganic reduced sulfate, 520b, 522b
 upwelling
 history, 337b-338b, 339b-340b
 indicators, 338b-339b
 velocity, 342a
 Site 724
 alkalinity, 504b-507b
 amino acids, dissolved hydrolyzable, 533b
 contribution to DOC, 539b
 amino acids, total hydrolyzable, 533b
 amino compounds
 comparison, Site 723, 538b, 540b
 pore waters, 540b-541b
 sediments vs. pore waters, 534b-538b
 amino sugars, dissolved hydrolyzable, 533b
 amino sugars, total hydrolyzable, 533b
 ammonia, 510b, 511b
 from amino compound degradation, 543b
 apatite nodule, 394a, 395a
 basement structures, 43a
 bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 387a
 benthic foraminifers
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b-129b
 benthic isotope record, intermediate waters, 299b-300b
 biostratigraphy, 18a-21a, 390a-395a
 calcareous nannofossils
 biostratigraphy, 8b-9b, 26b, 141b
 distribution, 12b-13b
 magnetostratigraphic correlation, 23b-24b, 130b-131b
 paleoecological implications, 22b-23b
 upwelling species, 138b
 zonation, 127b-128b
 calcium, 507b-510b
 calcium carbonate, 393a-395a
 carbohydrates, 536b, 537b
 pore waters, 541b
 sediments vs. pore waters, 534b-535b
 carbohydrates, dissolved hydrolyzable, 533b
 carbohydrates, total hydrolyzable, 533b
 carbon, dissolved organic, 411a, 533b
 sediments vs. pore waters, 533b-534b
 carbon isotopes, 573b-579b, 580b
 planktonic vs. benthic foraminifers, 295b, 296b, 300b-302b, 304b-306b
 carbon, organic, 297b, 306b-308b, 394a, 573b-579b, 582b
 glacial-interglacial cycles, 295b-296b
 monsoon and productivity of, 580b-582b
 preservation, 500a
 carbon, total organic, 531b
 sediments vs. pore waters, 533b-534b
 carbon, total organic/total nitrogen ratio, 533b
 chloride, 504b
 chronostratigraphy, 132b
 color density pattern, 155b, 160b
 core expansion, 13a
 coring summary, 390a
 deformation structures, 43a
 density, 297b, 306b-308b, 408a
 diatomite, 500a
 geochemistry, inorganic, 28a-29a, 402a-404a, 410a, 441b, 442b, 443b

SITE INDEX

- aluminosilicate detritus factor, 412b-413b
 biogenic component, 414b-417b
 major elements, 425b-429b
 organic matter factor, 417b-418b
 phosphatic factor, 418b-419b
 Pleistocene productivity and, 410b-419b
 proxy-paleoceanographic record, 432b
 upwelling and productivity variations, 436b-437b
 geochemistry, organic, 26a-28a, 406a-408a, 531b
 lithological influence, 540b-541b, 543b
 lithology and, 589b
 pore waters, 532b
 Rock-Eval pyrolysis, 411a
 hydrocarbon gases, 28a, 406a, 412a, 413a
 hydrogen vs. oxygen index, 411a
 interstitial-water chemistry, 402a-404a, 409a, 501b-512b, 532b
 laminated diatomaceous clayey silt, 388a-389a
 lipids, 28a
 Rock-Eval pyrolysis, 565b-566b
 lithologic summary, 500b
 lithostratigraphy, 388a-390a, 530b
 summary, 391a
 location, 6b, 7a, 162b, 184b, 385a, 387a, 410b, 431b, 530b
 magnesium, 507b-510b
 magnesium/calcium ratio, 507b-510b
 magnetic properties, 21a-22a, 65a, 395a-398a, 399a, 400a
 AF and thermal demagnetization results, 170b
 lithobiostratigraphic correlation, 171b
 magnetic susceptibility, 396a, 398a, 401a, 402a, 403a
 magnetostratigraphy, 127b, 167b
 datums, 172b
 Neogene, 131b-132b
 polarity reversals, 141b, 177b
 Quaternary, 131b
 marker horizons, 147b-148b
 interhole correlation, 22a-23a, 25a, 406a-408a, 484a, 531a, 581a
 intersite correlation, 25a
 magnetic susceptibility, 414a, 415a
 oxygen isotopic correlation, 159b
 sedimentation rates, 153b-155b
 stratigraphic depths, 414a, 416a, 492a, 538a, 582a
 monsoon
 environmental effects, 8a-9a
 organic productivity effects, 580b-582b
 seasonal variability, 6a-8a, 529b-530b
 navigation, 65a, 66a-68a
 nitrogen isotopes, 573b-579b, 581b
 nitrogen, total, 533b
 objectives, 47a, 386a
 oceanography, 5a-6a, 45a-46a
 operations, 386a, 388a
 organic petrology, 591b
 oxygen isotopes, 410b
 intersite correlation, 159b
 planktonic vs. benthic foraminifers, 292b-295b, 300b-302b, 304b-306b
 phosphorus, 510b
 physical properties, 25a-26a, 400a-402a, 405a-406a, 407a
 physiography, 385a-386a
 planktonic foraminifers
 biostratigraphic events, 141b
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b
 planktonic isotope record, with upwelling and changing SST, 296b-299b
 radiolarians
 biostratigraphy, 93b
 displaced middle latitude species, 95b, 98b
 distribution, 108b
 magnetostratigraphic correlation, 130b-131b
 upwelling species, 94b-95b, 98b-99b
 zonation, 129b
 salinity, 504b
 sea-surface temperature, planktonic variation with, 296b-299b
 sediment-accumulation rate, 398a, 400a, 404a, 508a
 sedimentation rate, 133b, 141b, 398a, 404a
 glacial/interglacial cycles, 155b-156b
 sediments, 43a, 57a
 upwelling-influenced, 47a-50a
 seismic stratigraphy, reflection profiling, 58a, 61a, 66a, 85a-92a, 388a
 silica, preservation, 500a
 silicate, 504b
 subsidence history, 139b
 sulfate, 504b-507b
 comparison, Peru Margin, 510b, 512b
 summary chart, 417a
 tectonic history, 5a
 temperature, 151a
 thermal conductivity, 151a
 thermogenic gas, 49a
 upwelling, changing SST with, 296b-299b
 velocity, 408a
 Site 725
 alkalinity, 504b-507b
 ammonia, 510b, 511b
 basement structures, 43a
 bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 421a
 benthic foraminifers
 abundance, 77b
 age models, 56b
 biostratigraphy, 57b
 frequencies, 58b-60b
 magnetostratigraphic correlation, 74b, 130b-131b
 zonation, 128b-129b
 biostratigraphy, 18a-21a, 425a-427a
 calcareous nannofossils
 biostratigraphy, 9b, 27b
 distribution, 14b
 magnetostratigraphic correlation, 23b-24b, 130b-131b
 paleoecological implications, 22b-23b
 zonation, 127b-128b
 calcium, 507b-510b
 carbon, dissolved organic, 436a, 438a
 carbon isotopes, 579b-580b, 583b
 carbon, organic, 425a, 426a, 579b, 586b
 carbonate, 425a, 426a
 chloride, 504b
 chronostratigraphy, 132b
 clay mineralogy, 191b, 192b, 193b, 194b, 195b
 coring summary, 423a
 deformation structures, 43a
 density, 436a
 geochemistry, inorganic, 28a-29a, 431a-432a, 434a, 435a
 geochemistry, organic, 26a-28a, 433a
 Rock-Eval pyrolysis, 438a
 hydrocarbon gases, 28a, 433a, 439a
 interstitial-water chemistry, 431a-432a, 436a, 437a, 501b-512b
 lipids, 28a
 Rock-Eval pyrolysis, 565b-566b
 lithologic summary, 500b
 lithostratigraphy, 422a-425a, 434a
 summary, 423a, 424a
 location, 6b, 7a, 56b, 162b, 184b, 419a, 421a
 magnesium, 507b-510b
 magnesium/calcium ratio, 507b-510b
 magnetic concentrates, 430a
 magnetic properties, 21a-22a, 65a, 427a-429a
 AF and thermal demagnetization results, 170b
 lithologic correlation, 173b
 magnetic susceptibility, 428a-429a
 magnetostratigraphy, 127b, 168b, 170b, 172b, 427a-428a
 Quaternary, 131b
 monsoon
 environmental effects, 8a-9a
 organic productivity effects, 580b-582b
 seasonal variability, 6a-8a
 navigation, 65a, 66a-68a
 nitrogen isotopes, 580b, 585b
 objectives, 47a, 420a
 oceanography, 5a-6a, 45a-46a
 operations, 420a
 phosphorus, 510b
 physical properties, 25a-26a, 429a-431a, 433a, 434a
 planktonic foraminifers
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b
 radiolarians
 biostratigraphy, 93b
 displaced middle latitude species, 95b, 98b
 distribution, 108b
 magnetostratigraphic correlation, 130b-131b
 upwelling species, 94b-95b, 98b-99b
 zonation, 91b, 129b
 salinity, 504b
 sediment-accumulation rate, 429a, 432a, 433a, 434a
 sedimentation rate, 56b, 133b, 142b, 429a, 432a, 433a
 sediments, 43a, 57a
 upwelling-influenced, 47a-50a
 seismic stratigraphy, reflection profiling, 58a, 61a, 66a, 85a-92a, 419a-420a
 silicate, 504b
 subsidence history, 139b
 sulfate, 504b-507b
 comparison, Peru Margin, 510b, 512b
 summary chart, 439a
 tectonic history, 5a
 temperature, 151a
 thermal conductivity, 151a
 thermogenic gas, 49a
 velocity, 436a
 Site 726
 alkalinity, 504b-507b
 ammonia, 510b, 511b
 basement structures, 43a
 bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 443a
 benthic foraminifers
 abundance, 79b
 age models, 56b
 biostratigraphy, 57b
 frequencies, 62b-63b, 64b-73b
 magnetostratigraphic correlation, 74b, 75b, 130b-131b
 time-series, 78b
 zonation, 128b-129b
 biomoldic dolomite, 450a
 biostratigraphy, 18a-21a, 450a-452a
 calcareous nannofossils
 biostratigraphy, 9b, 15b, 27b, 142b

- distribution, 16b-17b
magnetostratigraphic correlation, 23b-24b, 130b-131b
paleoecological implications, 22b-23b
upwelling species, 135b, 138b
zonation, 127b-128b
- calcium, 507b-510b
- carbon, dissolved organic, 462a
- carbon, organic, 448a
preservation, 500a
- carbonate, 448a
- chronostratigraphy, 132b
- clay mineralogy, 191b, 192b, 193b, 194b
- coring summary, 446a
- deformation structures, 43a
- density, 460a
- depositional environment, 449a-450a
- diatomite, 500a
- dolomitic wackestone, 450a
- geochemistry, inorganic, 28a-29a, 458a-462a
- geochemistry, organic, 26a-28a, 462a-463a, 481a
lithology and, 589b
- heat flow, 154a
- hydrocarbon gases, 28a, 464a
- hydrogen vs. oxygen index, 489a
- hypersaline water, 153a, 466a
- interstitial-water chemistry, 458a-462a, 501b-512b
- lag deposits, 48a, 445a-446a, 449a, 464a
- laminated sequence, 464a
- lipids, 28a
Rock-Eval pyrolysis, 565b-566b
- lithologic summary, 500b
- lithostratigraphy, 442a, 445a-450a, 464a, 548a
- location, 6b, 7a, 56b, 162b, 184b, 443a
- magnesium, 507b-510b
- magnesium/calcium ratio, 507b-510b
- magnetic properties, 21a-22a, 65a, 453a-455a
AF and thermal demagnetization results, 174b
lithobiostratigraphic correlation, 175b
- magnetic susceptibility, 455a
- magnetostratigraphy, 127b, 172b, 453a-454a
Neogene, 131b-132b
Quaternary, 131b
- marker horizons, oxygen isotopic correlation, 159b
- monsoon
environmental effects, 8a-9a
seasonal variability, 6a-8a
- navigation, 65a, 66a-68a
- objectives, 47a, 441a
- oceanography, 5a-6a, 45a-46a
- oncolithic limestone, 450a
- operations, 441a-442a
- organic petrology, 591b
- palygorskite, 193b
- phosphorite concretions, 448a
- phosphorus, 510b
- physical properties, 25a-26a, 456a-458a
- planktonic foraminifers
biostratigraphic events, 142b
magnetostratigraphic correlation, 130b-131b
zonation, 128b
- radiolarians
biostratigraphy, 93b
displaced middle latitude species, 95b, 98b
distribution, 108b
magnetostratigraphic correlation, 130b-131b
upwelling species, 94b-95b, 98b-99b
zonation, 91b, 129b
- sediment-accumulation rate, 455a-456a, 457a
- sedimentation rate, 57b, 133b-134b, 142b, 456a, 457a
- sediments, 43a, 57a
upwelling-influenced, 47a-50a
- seismic stratigraphy, reflection profiling, 58a, 61a, 66a, 93a-99a, 444a
- shallow-water limestone, 466a
- silica, preservation, 500a
- silicate, 504b
- sulfate, 504b-507b
comparison, Peru Margin, 510b, 512b
summary chart, 465a
- tectonic history, 5a
- temperature, 151a, 152a-153a, 154a
- thermal conductivity, 151a
- thermal gradient, 152a-153a
- velocity, 460a
- Site 727
alkalinity, 504b-507b
ammonia, 510b, 511b
basement structures, 43a
- bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 469a
- benthic foraminifers
magnetostratigraphic correlation, 130b-131b
zonation, 128b-129b
- biostratigraphy, 18a-21a, 472a-473a
- calcareous nannofossils
biostratigraphy, 15b, 26b, 143b
distribution, 18b-19b
- magnetostratigraphic correlation, 23b-24b, 28b, 130b-131b
- paleoecological implications, 22b-23b
- upwelling species, 135b, 138b
zonation, 127b-128b
- calcium, 507b-510b
- calcium carbonate, 475a
- carbon, dissolved organic, 487a
- carbon, organic, 474a, 475a, 488a
- carbonate, 474a
- chloride, 504b
- chronostratigraphy, 132b
- color density pattern, 155b, 160b
- coring summary, 472a
- deformation structures, 43a
- density, 484a
vs. thermal conductivity, 485a
- geochemistry, inorganic, 28a-29a, 478a, 480a-481a, 486a
- geochemistry, organic, 26a-28a, 481a
Rock-Eval pyrolysis, 488a
- heat flow, 154a
- hydrocarbon gases, 28a, 481a, 489a, 490a
- hydrogen index, 488a
vs. oxygen index, 489a
- inorganic carbon, 474a
- interhole correlation, 22a-23a
- interstitial-water chemistry, 478a, 480a-481a, 486a, 501b-512b
- lipids, 28a
- lithologic summary, 500b
- lithostratigraphy, 468a, 471a-472a
summary, 473a
- location, 6b, 7a, 56b, 162b, 184b, 467a, 469a
- magnesium, 507b-510b
- magnesium/calcium ratio, 507b-510b
- magnetic properties, 21a-22a, 65a, 473a-474a, 477a, 478a
AF and thermal demagnetization results, 174b
lithobiostratigraphic correlation, 176b
- magnetic susceptibility, 473a-474a, 479a
- magnetostratigraphy, 127b, 172b-173b, 473a
- datums, 175b
- polarity reversals, 143b, 177b
- Quaternary, 131b
- marker horizons, 147b-148b
correlation, Sites 723 and 724, 151b
interhole correlation, 25a, 481a, 483a-484a, 581a
intersite correlation, 25a, 159b
magnetic susceptibility, 491a
sedimentation rates, 153b-155b
stratigraphic depths, 156b, 490a, 492a, 582a
- monsoon
environmental effects, 8a-9a
seasonal variability, 6a-8a
- navigation, 65a, 66a-68a
- objectives, 47a, 467a
- oceanography, 5a-6a, 45a-46a
- operations, 468a
- oxygen isotopes, intersite correlation, 159b
- phosphorus, 510b
- physical properties, 25a-26a, 475a-476a, 478a, 482a
- planktonic foraminifers
biostratigraphic events, 143b
magnetostratigraphic correlation, 130b-131b
zonation, 128b
- radiolarians
biostratigraphy, 93b
displaced middle latitude species, 95b, 98b
magnetostratigraphic correlation, 130b-131b
upwelling species, 94b-95b, 98b-99b
zonation, 129b
- salinity, 504b
- sediment-accumulation rate, 474a, 480a, 481a
- sedimentation rate, 133b, 142b, 474a, 480a, 481a
glacial/interglacial cycles, 155b-156b
- sediments, 43a, 57a
upwelling-influenced, 47a-50a
- seismic stratigraphy, reflection profiling, 58a, 61a, 66a-67a, 100a-102a, 467a, 470a
- silicate, 504b
- sulfate, 504b-507b
comparison, Peru Margin, 510b, 512b
summary chart, 493a
- tectonic history, 5a
- temperature, 151a, 152a-153a, 154a
- thermal conductivity, 151a, 485a
- thermogenic gas, 49a
- velocity, 484a
- Site 728
age model, 247b
- alkalinity, 504b-507b
- alkenone unsaturation index, 448b, 449b
- alkenones, as sea-surface temperature
indicators, 445b-419b
- aluminum, X-ray fluorescence vs. logging data, 490b, 493b
- ammonia, 510b, 511b
- basement structures, 43a
- bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 309b, 497a
- benthic foraminifers
abundance, 81b
age models, 56b
biostratigraphy, 57b, 61b
magnetostratigraphic correlation, 74b, 76b, 130b-131b
- Miocene assemblage, 82b
- Pliocene assemblage, 83b
- Pliocene/Pleistocene assemblage, 84b
- time-series, 80b
zonation, 128b-129b
- beryllium, 455b-457b
- biogenic sediments, burial diagenesis, 228b-231b, 234b-236b
- biostratigraphy, 18a-21a, 501a-507a

SITE INDEX

- calcareous nannofossils
 biostratigraphy, 15b-17b, 20b, 26b, 144b
 magnetostratigraphic correlation, 23b-24b, 28b, 130b-131b
 paleoecological implications, 22b-23b
 upwelling species, 135b, 138b
 zonation, 127b-128b
- calcium, 507b-510b
 X-ray fluorescence vs. logging data, 484b, 486b
- calcium carbonate, 448b, 449b, 503a
- carbon isotopes, 448b
- carbon, organic, 448b, 449b, 503a, 524a, 536a
 preservation, 500a
- chronostratigraphy, 132b
- clay mineralogy, 191b-192b, 193b, 194b
- color density pattern, 155b, 160b
- coring summary, 500a
- deformation structures, 43a
- density, 519a, 520a
 color variation and, 241b-243b
 sediment color and, 247b-252b
 spectral analysis, 245b-247b
 wet-bulk vs. optical, 243b-245b, 248b
- depositional history, 225b, 227b
- diatomite, 500a
- geochemistry, inorganic, 28a-29a, 520a-524a
 logging data, 475b, 482b
 principal components analysis, 493b-498b
 X-ray fluorescence, 474b-475b, 478b-479b
 X-ray fluorescence vs. geochemical logs, 483b-498b
- geochemistry, organic, 26a-28a, 524a-525a
 lithology and, 589b
 pyrolysis, 547b-560b
 grain size, 228b
- heat flow, 151a, 154a
- hydrocarbon gases, 28a, 524a-525a
- hydrogen vs. oxygen index, 524a, 526a, 551b
- interstitial-water chemistry, 501b-512b, 520a-522a, 522a-523a, 524a, 526a
- iron, X-ray fluorescence vs. logging data, 490b, 491b
- lipids, 28a, 447b, 568b
- lithologic summary, 223b, 500b
- lithostratigraphy, 496a, 499a-500a, 536a
- location, 6b, 7a, 162b, 184b, 309b, 446b, 495a, 497a
- logging, 29a-32a, 525a-531a
 magnetic properties, 527a
 mineralogical variation, 529a-530a
 physical properties, 530a-531a
 summary logs, 540a-545a
- logging, geochemical, 475b, 532a-533a, 534a-535a
 reprocessing, 31a-32a
- logging, geochemical, accuracy, 490b, 493b
- magnesium, 507b-510b
- magnesium/calcium ratio, 507b-510b
- magnetic properties, 21a-22a, 65a, 507a-508a, 509a
 AF and thermal demagnetization results, 174b
 geomagnetic polarity time scale, 22a
 lithobiostratigraphic correlation, 177b
 magnetic susceptibility, 507a-508a, 536a, 511a
 sea-surface temperature and, 451b
- magnetostratigraphy, 127b, 173b-175b, 507a
 datums, 178b
 Neogene, 131b-132b
 polarity reversals, 144b, 177b
 Quaternary, 131b
- marker horizons
 interhole correlation, 22a-23a, 25a, 531a-533a, 581a
- intersite correlation, 25a, 159b
- oxygen isotopic correlation, 159b
- sedimentation rates, 153b-155b
- stratigraphic depths, 156b, 538a, 582a
- monsoon
 environmental effects, 8a-9a
 seasonal variability, 6a-8a
- navigation, 65a, 66a-68a
- objectives, 47a, 495a-496a
- oceanography, 5a-6a, 45a-46a
 operations, 496a
- ophiolitic complex, 495a
- organic petrology, 591b
- organic sulfur compounds, 67b
- oxygen isotopes, 448b, 449b
 intersite correlation, 159b
 magnetic susceptibility and, 311b-312b, 313b
 Pleistocene periodicities, 312b
- oxygen-minimum zone, planktonic foraminifer
 preservation in, 314b-319b
- phosphorus, 510b
- physical properties, 25a-26a, 228b, 509a-511a, 514a-515a, 516a, 517a, 518a
- planktonic foraminifers
 biostratigraphic events, 144b
 dissolution, oxygen minimum zone, 314b-319b
 fragmentation record, 313b-314b
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b
- potassium, X-ray fluorescence vs. logging data, 485b, 488b
- radiolarians
 biostratigraphy, 93b, 96b, 122b, 144b
 displaced middle latitude species, 95b, 98b
 distribution, 110b-111b
 magnetostratigraphic correlation, 130b-131b
 upwelling species, 94b-95b, 98b-99b
 zonation, 91b, 129b
- sea-surface temperature, 448b, 449b
- sediment color
 density variations and, 241b-243b, 247b-252b
 spectral analysis, 245b-247b
- sediment-accumulation rate, 508a, 513a
- sedimentation rate, 57b, 133b, 143b, 508a, 513a
 glacial/interglacial cycles, 155b-156b, 314b
 vs. beryllium content, 458b
- sediments, 43a, 57a
 upwelling-influenced, 47a-50a
- seismic stratigraphy, 345a-346a, 511a-513a
 reflection profiling, 58a, 61a, 67a, 103a-107a, 498a, 515a-519a
 synthetic seismogram, 521a
- silica, preservation, 500a-501a
- silicate, 504b
- siliceous microfossils, 536a
- silicon, X-ray fluorescence vs. logging data, 484b-485b, 487b
- site summary, 240b-241b
- subsidence history, 139b
- sulfate, 504b-507b
 comparison, Peru Margin, 510b, 512b
- sulfur, X-ray fluorescence vs. logging data, 490b, 492b
- summary chart, 539a
- tectonic history, 5a
- temperature, 151a, 152a-153a, 154a
- thermal conductivity, 151a, 520a
- thermal gradient, 151a
- thermogenic gas, 49a
- titanium, X-ray fluorescence vs. logging data, 485b, 489b, 490b
- upwelling, biological indicators, 315b
- velocity, 519a
- Site 729
 basement structures, 43a
 bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 549a
 benthic foraminifers
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b-129b
- biostratigraphy, 18a-21a, 551a-552a
- calcareous nannofossils
 biostratigraphy, 144b, 720b
 distribution, 21b
 magnetostratigraphic correlation, 23b-24b, 28b, 130b-131b
 paleoecological implications, 22b-23b
 zonation, 127b-128b
- carbon, organic, 551a
- carbonate, 551a
- chronostratigraphy, 132b
- coring summary, 551a
- deformation structures, 43a
- geochemistry, inorganic, 28a-29a, 552a-553a
 geochemistry, organic, 26a-28a, 553a
 lithology and, 589b
- hydrocarbon gases, 28a
- interstitial-water chemistry, 501b-512b
- lipids, 28a
- lithologic summary, 500b
- lithostratigraphy, 547a-548a
 summary, 551a
- location, 6b, 7a, 162b, 184b, 547a, 549a
- magnetic properties, 21a-22a, 65a
- magnetostratigraphy, 127b
- marker horizons, stratigraphic depths, 582a
- monsoon
 environmental effects, 8a-9a
 seasonal variability, 6a-8a
- navigation, 65a, 66a-68a
- objectives, 47a, 547a
- oceanography, 5a-6a, 45a-46a
 operations, 547a
- ophiolite complex, 547a
- organic petrology, 591b
- physical properties, 25a-26a, 53a, 552a
- planktonic foraminifers
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b
- radiolarians
 magnetostratigraphic correlation, 130b-131b
 zonation, 129b
- sediment-accumulation rate, 552a, 553a
- sedimentation rate, 133b, 144b, 553a
- sediments, 43a, 57a
 upwelling-influenced, 47a-50a
- seismic stratigraphy, reflection profiling, 58a, 61a, 67a, 103a-107a, 547a, 550a
- shallow-water limestones, 553a
- silicate, 504b
- tectonic history, 5a
- temperature, 151a
- thermal conductivity, 151a
- Site 730
 alkalinity, 504b-507b
 ammonia, 510b, 511b
 basement structures, 43a
 bathymetry, 7a, 57a-58a, 59a, 65a, 90b, 184b, 222b, 557a
 benthic foraminifers
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b-129b
- biostratigraphy, 18a-21a, 563a-568a
- burrowing, 565a
- calcareous nannofossils
 biostratigraphy, 22b, 145b, 720b

- magnetostratigraphic correlation, 23b-24b, 130b-131b
 paleoecological implications, 22b-23b
 zonation, 127b-128b
 calcium, 507b-510b
 calcium carbonate, 560a
 carbon, dissolved organic, 580a
 carbon, organic, 560a, 580a
 carbonate, 563a
 chronostratigraphy, 132b
 clay mineralogy, 191b-192b, 193b, 194b
 color density pattern, 155b
 coral, 560a
 coring summary, 559a
 deformation structures, 43a
 density, 575a, 576a
 faulting, 563a
 geochemistry, inorganic, 28a-29a, 578a-579a
 geochemistry, organic, 26a-28a, 579a-581a
 lithology and, 589b
 hydrocarbon gases, 28a, 581a
 hydrogen vs. oxygen index, 580a
 interstitial-water chemistry, 501b-512b, 578a-579a
 lipids, 28a
 lithologic summary, 500b
 lithostratigraphy, 556a, 559a-561a
 summary, 559a
 location, 6b, 7a, 162b, 184b, 555a, 557a
 magnesium, 507b-510b
 magnesium/calcium ratio, 507b-510b
 magnetic properties, 21a-22a, 65a, 568a-569a
 lithobiostratigraphic correlation, 179b
 magnetic susceptibility, 568a-569a, 570a, 583a
 magnetostratigraphy, 127b, 175b-176b
 marker horizons
 interhole correlation, 22a-23a, 25a, 581a
 oxygen isotopic correlation, 159b
 sedimentation rates, 153b-155b
 stratigraphic depths, 156b
 monsoon
 environmental effects, 8a-9a
 seasonal variability, 6a-8a
 navigation, 65a, 66a-68a
 objectives, 47a, 555a
 oceanography, 5a-6a
 operations, 555a-556a
 organic petrology, 591b
 palygorskite, 193b
 phosphorus, 510b
 physical properties, 25a-26a, 569a, 571a-575a
 planktonic foraminifers
 biostratigraphic events, 145b
 magnetostratigraphic correlation, 130b-131b
 zonation, 128b
 radiolarians
 biostratigraphy, 93b, 96b, 145b, 730b
 displaced middle latitude species, 98b, 99b
 distribution, 112b
 magnetostratigraphic correlation, 130b-131b
 upwelling species, 94b-95b, 98b-99b
 zonation, 91b, 129b
 sediment-accumulation rate, 569a
 sedimentation rate, 144b, 569a
 glacial/interglacial cycles, 155b-156b
 sediments, 43a, 57a
 upwelling-influenced, 47a-50a
 seismic stratigraphy, 575a-578a
 reflection profiling, 58a, 61a, 67a-68a, 108a-112a, 555a, 558a, 576a-577a
 silicate, 504b
 slumping, 564a, 565a
 smectite, 193b
 sulfate, 504b-507b
 comparison, Peru Margin, 510b, 512b
 summary chart, 584a
 tectonic history, 5a
 temperature, 151a
 thermal conductivity, 151a
 turbidites, 561a-562a, 563a
 seismic stratigraphy, 577a-578a
 velocity, 575a, 576a
 Site 731
 alkenone unsaturation index, 448b, 452b
 alkenones, as sea-surface temperature indicators, 445b-449b
 aluminum, X-ray fluorescence vs. logging data, 490b, 493b
 bathymetry, 7a, 37a, 55a, 56a, 65a, 90b, 184b, 222b, 586a
 benthic foraminifers
 magnetostratigraphic correlation, 130b
 zonation, 128b-129b
 biogenic sediments, burial diagenesis, 228b-231b, 234b-236b
 biostratigraphy, 18a-21a, 595a-603a
 calcareous nannofossils
 biostratigraphy, 42b, 48b-50b, 140b
 distribution, 49b
 magnetostratigraphic correlation, 130b
 zonation, 127b-128b
 calcium, X-ray fluorescence vs. logging data, 484b, 486b
 calcium carbonate, 229b, 448b, 452b, 592a, 593a, 620a
 carbon isotopes, 448b
 carbon, organic, 229b, 448b, 452b, 593a, 620a
 carbon, total organic, 588b
 carbonate, 563a
 chronostratigraphy, 132b
 clay mineralogy, 186b-190b, 193b
 paleoenvironmental record, 187b-190b
 color density pattern, 155b, 160b
 coring summary, 588a-589a
 density, 617a
 depositional history, 36a, 38a, 223b-224b
 geochemistry, inorganic, 28a-29a, 616a-618a, 619a
 logging data, 475b, 482b
 principal components analysis, 493b-498b
 turbiditic-pelagic transition, 483b
 X-ray fluorescence, 474b-475b, 480b-481b
 X-ray fluorescence vs. geochemical logs, 483b-498b
 geochemistry, organic, 26a-28a, 618a
 lithology and, 589b
 Rock-Eval pyrolysis, 620a
 grain size, 228b
 mud turbidites, 218b
 heat flow, 154a
 hydrocarbon gases, 28a
 hydrogen index, elevated temperature and, 588b
 interstitial-water chemistry, 501b-512b, 616a-618a
 iron, X-ray fluorescence vs. logging data, 490b, 491b
 lipids, 28a
 Rock-Eval pyrolysis, 563b-565b
 lithologic summary, 223b, 500b
 lithostratigraphy, 38a-39a, 216b, 588a-595a, 627a-630a
 summary, 590a-591a, 592a
 location, 7a, 37a, 41b, 162b, 184b, 446b, 585a, 586a
 logging, 29a-32a, 618a
 lithologic unit response, 623a, 625a-627a
 physical properties, 621a, 624a-626a
 summary logs, 635a-652a
 logging, geochemical, 475b, 628a-630a
 accuracy, 490b, 493b
 reprocessing, 31a-32a
 magnetic properties, 21a-22a, 65a, 603a-604a, 605a, 606a
 lithobiostratigraphic correlation, 168b
 magnetic susceptibility, 604a, 607a, 608a
 magnetostratigraphy, 127b, 165b, 603a-604a
 datums, 168b
 polarity reversals, 140b
 marker horizons, 147b-148b
 correlation, Sites 721 and 722, 151b
 interhole correlation, 22a-23a, 627a
 intersite correlation, 25a, 159b
 sedimentation rates, 151b-153b
 stratigraphic depths, 152b-153b, 631a
 microfaulting, 591a
 monsoon
 environmental effects, 8a-9a
 seasonal variability, 6a-8a
 mud turbidites, 215b-219b, 594a
 navigation, 65a, 66a-68a
 objectives, 36a, 627a
 oceanography, 5a-6a
 opal deposition, 40a-41a
 operations, 588a
 organic petrology, 590b-591b
 oxygen isotopes, 448b, 452b
 intersite correlation, 159b
 physical properties, 25a-26a, 228b, 606a-616a
 planktonic foraminifers
 biostratigraphic events, 140b
 magnetostratigraphic correlation, 130b
 zonation, 128b
 porosity, 225b
 potassium, X-ray fluorescence vs. logging data, 485b, 488b
 radiolarians
 biostratigraphy, 93b-94b, 96b, 124b-125b, 140b
 distribution, 113b-114b
 magnetostratigraphic correlation, 130b
 range chart, 102b
 upwelling species, 117b
 zonation, 91b, 129b
 sea-surface temperature, 448b, 452b
 sediment-accumulation rate, 604a-606a, 608a, 609a
 sedimentary cycles, short-term variability, 41a-42a
 sedimentation rate, 133b, 139b, 604a-606a, 608a, 609a
 sediments, 53a-55a
 seismic stratigraphy, 38a
 reflection profiling, 55a, 68a, 113a-115a, 585a, 587a, 588a
 silicate, 504b
 silicon, X-ray fluorescence vs. logging data, 484b-485b, 487b
 slumping, 591a
 sulfate, 504b-507b
 sulfur, X-ray fluorescence vs. logging data, 490b, 492b
 summary chart, 632a-633a
 tectonic history, 5a, 39a-40a, 61a
 lithostratigraphic correlation, 595a
 temperature, 151a, 152a-153a, 154a
 terrigenous sediments
 burial diagenesis, 231b-234b, 236b-237b
 particle orientation, 235b
 thermal conductivity, 151a
 titanium, X-ray fluorescence vs. logging data, 485b, 489b, 490b

PALEONTOLOGICAL INDEX

turbidite-carbonate lithofacies, 594a
turbidites, 594a
 clay mineralogy, 187
 upwelling onset, 40a-41a
 velocity, 226b, 609a, 612a, 616a

Site RC11-210, grain size, periodicities, 383b-387b

Site RC2704
 bathymetry, 52a, 54a, 55a
 location, 198a
 monsoonal upwelling, planktonic foraminifers record, 265b-272b
 planktonic foraminifers, factor analysis, 268b

seismic stratigraphy, 38a, 63a, 180a, 344a, 520a, 585a
 station summary, 53a

Site RC2709, oxygen minimum zone, 548b

Site RC2712, oxygen minimum zone, 548b

Site RC2723, oxygen minimum zone, 548b

Site RC2724, oxygen minimum zone, 548b

Site RC2761
 bathymetry, 344b
 biogenic opal, accumulation rate, 349b, 351b

calcium carbonate, 252a, 351b
 dust accumulation, with glacial aridity, 371b
 grain size, glacial/interglacial cycles, 371b
 lithogenic component, intercore reproducibility, 373b-374b
 monsoon, aridity and strength of, 366b
 oxygen isotopes, 351b
 planktonic foraminifers
 abundance, 266b, 267b
 abundance, glacial/interglacial cycles, 269b-271b
 factor analysis, 266b-268b, 268b-269b
 preservation, 268b

PALEONTOLOGICAL INDEX

Abies
 Arabian Sea, transport, 281b
 Indus Fan: Site 720, 285b

abies, *Sphenolithus*
 Oman margin, magnetostratigraphic correlation, 24b
 Oman margin N: Site 724, last appearance datum, 9b
 Oman margin S: Site 726, 33b
 Owen Ridge: Site 722, last appearance datum, 47b

acostaensis, *Globorotalia*, Owen Ridge: Site 722, first appearance datum, 262a

acostaensis, *Neogloboquadrina*
 Owen Ridge: Site 721, first appearance datum, 2113a
 Owen Ridge: Site 722
 abundance, 262b
 Miocene, 258b, 259b

Actinocyclus, Oman margin S: Site 726, 57b, 452a

Actinornna spp., Owen Ridge: Site 722, 126b

Actinomma spp. group, Oman margin, 95b

aculeata, *Bulimina*
 Oman margin S: Site 728, 85b, 503a
 abundance, 84b
 Owen Ridge: Site 722, 263a

acuminatum, *Eucyrtidium*, Indus Fan: Site 720, 90b

alata, *Bolivina*
 Oman margin S: Site 728, 85b
 abundance, 84b

Alnus, Indus Fan: Site 720, 286b

Altingia, Indus Fan: Site 720, 286b

altispira, *Globoquadrina*, Owen Ridge: Site 722, abundance, 262b

Amaurolithus tricorniculatus Zone
 Oman margin S: Site 726, 452a
 Owen Ridge: Site 721, 215a

Amphirhopalum ypsilon Zone
 Owen Ridge: Site 721, 216a
 Owen Ridge: Site 722, 92b, 266a
 Owen Ridge: Site 731, 94b, 602a

Amphirhopalum ypsilon/Anthocyrtidium angulare zonal boundary, Owen Ridge: Site 731, 94b, 602a

ampla, *Reticulofenestra*, n.sp.
 Owen Ridge, 50b
 Owen Ridge: Site 721, 45b
 Owen Ridge: Site 722, 47b
 Site 607, 53b

ampliaperta, *Helicosphaera*

Oman margin S: Site 730, last appearance datum, 20b

Owen Ridge: Site 722, 265a

angulare, *Anthocyrtidium*
 Indus Fan: Site 720, 90b, 166a
 Oman margin N: Site 725, 93b

angulosa, *Trifarina*
 Oman margin N: Site 725, abundance, 77b
 Oman margin S: Site 726, abundance, 79b

angustiforata, *Cretarhabdus*, Oman margin S: Site 726, 36b

Anthocyrtidium angulare Zone
 Indus Fan: Site 720, 90b, 166a
 Oman margin N: Site 725, 93b, 427a
 Owen Ridge: Site 721, 92b, 216a-217a
 Owen Ridge: Site 722, 92b, 266a
 Owen Ridge: Site 731, 94b

Anthocyrtidium sp.
 Oman margin, 95b, 99b
 Owen Ridge: Site 722, 126b

armatus, *Ceratolithus*, Owen Ridge: Site 721, 216a

Artemisia
 Arabian Sea, seasonal variation, 278b
 Indus Fan: Site 720, 287b
 Oman margin N: Site 723, 280b
 Owen Ridge: Site 721, 279b

asanoi, *Reticulofenestra*
 Boso Peninsula, Japan, 53b
 Indus Fan: Site 720, 39b
 Oman margin S: Site 726, last appearance datum, 172b
 Owen Ridge: Site 721, 162b
 Owen Ridge: Site 722, 54b
 last appearance datum, 47b
 Owen Ridge: Site 731, 48b

asymmetricus, *Discoaster*, Oman margin S: Site 728, 35b

auberiana, *Uvigerina*
 Oman margin S: Site 728, 87b
 abundance, 81b
 Owen Ridge: Site 722, 263a

balthica, *Hyalinea*
 Oman margin N: Site 723, 130b, 138b, 332a
 Oman margin N: Site 724, 130b, 131b, 138b, 392a
 Oman margin N: Site 725, 87b, 130b
 abundance, 77b
 Oman margin S: Site 728, 131b
 abundance, 84b

barleeaanum, *Melonis*

Oman margin N: Site 725, 61b

Oman margin S: Site 728, 87b
 abundance, 82b

barnesae, *Watznaueria*, Oman margin S: Site 727, 36b

Barringtonia, Indus Fan: Site 720, 286b

beccarii, *Ammonia*
 Indus Fan: Site 720, in turbidites, 130b

Oman margin N: Site 724, 392a
 subsidence history and, 395a

Oman margin N: Site 725, 131b, 426a
 depositional environment, 427a

Oman margin S: Site 728, 85b
 abundance, 83b
 Pliocene-Pleistocene assemblage, 61b

belemnos, *Sphenolithus*, Owen Ridge: Site 731, 50b, 601a

Benthic foraminifers
 Arabian Sea, assemblages, depositional environment, 55b-56b
 Gulf of Oman, characteristic assemblage, 55b
 Indus Fan, characteristic assemblage, 55b
 Indus Fan: Site 720, 129b-130b, 165a
 magnetostratigraphic correlation, 129b-130b
 turbidites, 130b

Miocene/Pliocene boundary, Oman margin S: Site 726, 57b

Oman margin N: Site 723, 130b-131b, 330a-331a
 carbon isotope record, 337b
 oxygen isotope stratigraphy, 323b-337b
 oxygen isotope stratigraphy, upwelling and, 338b-340b
 Pliocene-Pleistocene, 49a

Oman margin N: Site 724, 130b-131b, 392a
 carbon isotope record, 295b, 296b
 ice volume effect, 294b
 oxygen isotope stratigraphy, 292b-295b, 302b
 oxygen isotope stratigraphy, intermediate waters, 299b-300b
 Pliocene-Pleistocene, 49a
 shallow-water species, 413a

Oman margin N: Site 725, 57b, 130b-131b
 abundance, 58b-60b, 76b, 77b
 assemblages I and II, 425a-426a
 biostratigraphic events, 74b
 Miocene-Pliocene assemblages, 61b
 pliocene-Pleistocene, 49a, 61b

Oman margin S: Site 726, 57b, 130b-131b
 abundance, 62b-63b, 64b-73b, 78b, 79b
 assemblages I-III, 452a
 biostratigraphic events, 75b

- Eocene-Miocene hiatus, 57b
lag deposits, 57b, 61b
Miocene-Pliocene assemblage, 61b
phosphorite effects, 452a
planktonic/benthic ratio, 61b, 452a
Pleistocene assemblage, 61b
preservation, 452a
shallow-water deposition, 453a
- Oman margin S: Site 727, 130b-131b
planktonic/benthic ratio, 472a
Pliocene-Pleistocene, 49a
- Oman margin S: Site 728, 57b, 61b, 130b-131b
abundance, 80b
assemblages I-III, 503a-504a
bathyal environment, 536a
biostratigraphic events, 76b
Miocene-Pliocene assemblages, 81b-83b
neritic deposition, 519a
planktonic/benthic ratio, 503a
Pliocene-Pleistocene assemblage, 84b
- Oman margin S: Site 729, 130b-131b, 551a-552a
planktonic/benthic ratio, 130b, 552a
- Oman margin S: Site 730, 130b-131b
biostratigraphy, 565a-566a
planktonic/benthic ratio, 566a
- Owen Basin, characteristic assemblage, 55b
- Owen Ridge: Site 721, 130b, 213a-214a
- Owen Ridge: Site 722, 130b, 262a-263a
calcitic recrystallization, 263a
pyritization, 263a
- Owen Ridge: Site 731, 130b
assemblages I-III, 596a
planktonic/benthic ratio, 596a
preservation, 595a, 596a
- Pliocene/Pleistocene boundary, Arabian Sea, 128b-129b
- berggrenii*, *Discoaster*
Oman margin S: Site 726, 15b
Owen Ridge: Site 721, 45b
- bigelowi*, *Braarudosphaera*
Indus Fan: Site 720, 41b, 130b
Oman margin N: Site 723, 331a
- Bolivina* sp., Oman margin N: Site 725, abundance, 77b
- bramlettei*, *Botryostrobus*, Arabian Sea, last appearance datum, 94b
- bramlettei pretumidulus*, *Botryostrobus*
Oman margin, 95b
Peru margin, 95b
- bramlettei tumidulus*, *Botryostrobus*
Oman margin, 95b, 98b
Peru margin, 95b
- brouweri*, *Discoaster*
Oman margin, magnetostratigraphic correlation, 24b
Oman margin N: Site 723, last appearance datum, 7b
Oman margin N: Site 724, 394a
Oman margin S: Site 726, 452a
last appearance datum, 9b, 454a
Oman margin S: Site 727, 472a
last appearance datum, 15b
Oman margin S: Site 728, 34b
last appearance datum, 16b, 175b
Owen Ridge: Site 721, 215a
last appearance datum, 45a
Owen Ridge: Site 722, 263a
last appearance datum, 47b
Owen Ridge: Site 731, last appearance datum, 48b
- Bulimina* sp., Arabian Sea, 55b
bulloides, *Globigerina*
- Arabian Sea, sea-surface temperature effects, 257b
- Oman margin N: Site 723
abundance, 266b
factor analysis, 269b-271b
monsoonal effects, 265b, 270b-271b
- Oman margin N: Site 724
ice volume effect, 432b
oxygen isotope stratigraphy, 297b
- Oman margin S: Site 728
fragmentation, 313b-314b, 315b, 318b
oxygen isotope stratigraphy, 311b-312b
- Oman margin S: Site 730, upwelling association, 568a
- Owen Ridge: Site 722
abundance, 262b
ecological preference, 258b
ice volume effect, 432b
upwelling response, 258b, 386b
vs. *Globigerinoides* sp., 263b
- bulloides*, *Pullenia*
Oman margin S: Site 728, 87b
abundance, 83b
- bursa*, *Dendrospyrus*, Arabian Sea, last appearance datum, 94b
- Calcareous nannofossils
Arabian Sea
datums, 22a, 37b-38b, 41b
zonation, 7b, 37b-38b
- Indus Fan: Site 720, 129b-130b
biostratigraphy, 38b-41b, 129b, 133b, 165a
datums, 42b
distribution, 42b
magnetostratigraphic correlation, 129b-130b
reworked Cretaceous-Tertiary species, 40b-41b, 130b
turbidites, 130b
zonation, 164a
- Oman margin
biostratigraphic events, 22b
magnetostratigraphic correlation, 23b-24b
reworked Cretaceous-Tertiary species, 23b, 128b
upwelling vs. nonupwelling areas, 22b
- Oman margin N: Site 723, 130b-131b
biostratigraphic horizons, 324b, 325b, 326b-336b
biostratigraphy, 6b-8b, 18a, 26b, 129b, 141b, 330a-331a
distribution, 10b-11b
Pliocene-Pleistocene, 49a
zonation, 330a
- Oman margin N: Site 724, 130b-131b
abundance pattern, 411a
biostratigraphy, 8b-9b, 25b, 26b, 129b, 141b
datums, 394a
distribution, 12b-13b
oxygen-minimum zone effects, 39a
Pliocene-Pleistocene, 49a
preservation, 392a, 394a
reworked Cretaceous-Paleogene species, 394a
zonation, 396a, 397a
- Oman margin N: Site 725, 130b-131b
biostratigraphy, 9b, 27b, 129b, 426a-427a
datums, 427a
distribution, 14b
Pliocene-Pleistocene, 49a
- Oman margin S: Site 726, 130b-131b
biostratigraphy, 9b, 15b, 27b, 129b, 142b
distribution, 16b-17b
Pliocene hiatus, 452a
Pliocene/Pleistocene boundary, 452a
winnowing effects, 452a
- Oman margin S: Site 727, 130b-131b
biostratigraphy, 15b, 25b, 28b, 129b, 143b
distribution, 18b-19b
Pliocene-Pleistocene, 49a
- Oman margin S: Site 728, 130b-131b
biostratigraphy, 15b-17b, 20b, 25b, 28b, 129b, 144b, 504a, 506a
datums, 504a
reworked species, 506a
zonation, 507a
- Oman margin S: Site 729, 130b-131b
biostratigraphy, 20b, 29b, 129b, 144b, 552a
distribution, 21b
- Oman margin S: Site 730, 130b-131b
biostratigraphy, 20b, 22b, 129b, 145b, 566a-567a
Pleistocene hiatus, 20b
- Owen Ridge, upwelling species, 40a
- Owen Ridge: Site 721, 130b, 139b
biostratigraphy, 41b, 44b-45b, 129b, 135b, 214a-215a
datums, 42b, 212a
distribution, 44b
Miocene hiatus, 45b, 216a
upwelling species, 243a
- Owen Ridge: Site 722, 130b, 139b
biostratigraphy, 45b, 47b-48b, 129b, 137b
datums, 42b, 263a, 349b
discontinuity, 265a
distribution, 46b
Pleistocene hiatus, 47b
Pliocene/Pleistocene boundary, 263a
uplift history and, 267a
- Owen Ridge: Site 731, 130b
biostratigraphy, 48b-50b, 129b, 140b, 600a-602a
datums, 42b
distribution, 49b
preservation, 595a
reworked Miocene-Pliocene species, 600a
reworked Paleogene species, 50b, 601a
temperature control, 602a
tropical flora, 603a
- Pliocene/Pleistocene boundary
Arabian Sea, 127b-128b
Oman margin N: Site 723, 7b, 331a
Oman margin N: Site 724, 394a
Oman margin S: Site 727, 15b, 472a
Oman margin S: Site 728, 504a, 536a
Owen Ridge: Site 721, 215a
Owen Ridge: Site 731, 601a
- calida calida*, *Globigerinella*
Oman margin N: Site 723, 330a
Oman margin N: Site 725, 425a
Oman margin S: Site 726, 451a
Oman margin S: Site 728, 503a
Oman margin S: Site 730, 551a
Owen Ridge: Site 722, 262a
- Callosphaera tuberosa* Zone, Owen Ridge: Site 722, 92b
- calvertense*, *Eucyrtidium*
Indus Fan: Site 720, 90b, 166a
Oman margin, 95b
Owen Ridge: Site 722, 126b
- caribbeanica*, *Gephyrocapsa*
Indus Fan: Site 720
first appearance datum, 165a
last appearance datum, 40b
Oman margin N: Site 723, 7b
Oman margin N: Site 724, first appearance datum, 8b-9b
Oman margin N: Site 725, 32b
Oman margin S: Site 726, first appearance datum, 9b, 15b

PALEONTOLOGICAL INDEX

- Oman margin S: Site 727, 33b
first appearance datum, 15b
- Oman margin S: Site 728, first appearance datum, 175b
- Owen Ridge: Site 721, 215a
first appearance datum, 45b
- Owen Ridge: Site 722, first appearance datum, 47b
- Owen Ridge: Site 731, first appearance datum, 48b
- carinata*, *Cassidulina*
Oman margin S: Site 728, 503a
Owen Ridge: Site 722, 263a
- Catinaster coalitus* Zone
Oman margin S: Site 730, 20b, 566a-567a
Owen Ridge: Site 721, 45b
Owen Ridge: Site 722, 47b, 265a
Owen Ridge: Site 731, 49b, 601a
- Ceratolithus rugosus* Zone
Oman margin S: Site 726, 452a
Owen Ridge: Site 721, 215a
- Chenopodiaceae
Arabian Sea, seasonal variation, 278b
Indus Fan: Site 720, 287b
Oman margin N: Site 723, 280b
Owen Ridge: Site 721, 279b
- Chiasmolithus* sp.
Owen Ridge: Site 731
reworked Eocene, 601a
zonation, 602a
- Cibicidoides* spp.
Oman margin N: Site 724
carbon isotope record, 301b-302b, 304b-306b
oxygen isotope stratigraphy, 292b-295b, 304b-306b
- circumtexta*, *Streblacantha*
Mediterranean Sea, 98b
Norwegian Sea, 98b
Oman margin, 98b
Peru margin, 98b
- coalitus*, *Catinaster*
Oman margin S: Site 730, 33b, 566a
Owen Ridge: Site 722, 47b
- Coccolithus* sp., Site 732, 8b
- Collosphaera tuberosa* Zone
Owen Ridge: Site 721, 92b, 216a
Owen Ridge: Site 722, 266a
- concentric*, *Hanzawaia*
Oman margin N: Site 725, abundance, 77b
Oman margin S: Site 726, 86b
- crassipons*, *Coccolithus*
Oman margin N: Site 723, 130b, 131b
Oman margin N: Site 724, 9b, 130b, 131b
Oman margin S: Site 726, 130b, 131b
Oman margin S: Site 727, 15b, 36b, 130b, 131b
Oman margin S: Site 728, 130b, 131b
- cremastoplegma*, *Plectacantha*, Peru margin, 95b
- crustula*, *Phormostichoartus*
Oman margin, 99b
Peru margin, 99b
- Cyperaceae
Arabian Sea, seasonal variation, 278b
Oman margin N: Site 723, 280b
Owen Ridge: Site 721, 279b
- cyrtodon*, *Acrosphaera*
Oman margin, 95b
Peru margin, 95b
- daniellae*, *Lamprocyrtis*
Oman margin, 98b
Peru margin, 98b
- davisiana*, *Cycladophora*
Oman margin, 98b, 99b
Peru margin, 98b
- decorata*, *Globocassidulina*, Owen Ridge: Site 722, 263a
- deflandrei*, *Discoaster*, Owen Ridge: Site 731, 50b
- dehiscens*, *Sphaeroidinella*, Owen Ridge: Site 721, first appearance datum, 211a
- delmontensis*, *Stichocorys*, Owen Ridge: Site 721, 217a
- denudata*, *Bulimina*
Oman margin N: Site 725, abundance, 77b
Oman margin S: Site 726, abundance, 77b
Oman margin S: Site 728, 85b
- deodora*, *Cedrus*
Arabian Sea, transport, 281b
Indus Fan: Site 720, 284b
- Diartus petterssoni* Zone
Oman margin S: Site 730, 93b, 567a
Owen Ridge: Site 721, 217a
Owen Ridge: Site 722, 92b, 267a
Owen Ridge: Site 731, 94b, 602a
- Diartus petterssoni/Dorcadospyris alata* zonal boundary, Oman margin S: Site 730, 93b, 567a
- Diatoms
Oman margin, 43a, 45a
Oman margin N: Site 723, 92b
Oman margin N: Site 724, abundance pattern, 411a
Oman margin S: Site 730, 559a-560a, 567a
Owen Ridge: Site 721, 92b
Owen Ridge: Site 722, 92b
cyclicality, 293a, 295a
productivity, 304a
Owen Ridge: Site 731, 623a
- Didymocyrtis antepenultima* Zone
Oman margin S: Site 728, 93b, 507a
Owen Ridge: Site 722, 92b, 266a-267a
Owen Ridge: Site 731, 94b, 602a
- Didymocyrtis penultima* Zone
Oman margin S: Site 728, 93b, 507a
Owen Ridge: Site 721, 217a
Owen Ridge: Site 722, 266a
Owen Ridge: Site 731, 94b, 602a
- Dinoflagellates
Oman margin N: Site 723, 594b
Oman margin N: Site 724, 593b, 594b
- Discoaster asymmetricus* Zone
Oman margin S: Site 726, 452a
Owen Ridge: Site 721, 215a
- Discoaster brouweri* Zone
Oman margin N: Site 723, 7b, 331a
Oman margin N: Site 724, 9b, 394a
Oman margin S: Site 726, 15b
Oman margin S: Site 727, 15b, 472a
Oman margin S: Site 728, 16b, 504a
Owen Ridge: Site 721, 215a
Owen Ridge: Site 722, 263a
- Discoaster brouweri/Discoaster pentaradiatus* zonal boundary, Oman margin S: Site 726, 452a
- Discoaster calcaris* Zone
Oman margin S: Site 726, 15b, 452a
Oman margin S: Site 730, 20b, 566a
Owen Ridge: Site 721, 45b, 216a
Owen Ridge: Site 722, 47b, 265a
Owen Ridge: Site 731, 49b, 601a
- Discoaster druggii* Zone, Owen Ridge: Site 731, 601a
- Discoaster exilis* Zone
Oman margin S: Site 730, 20b
Owen Ridge: Site 722, 47b, 265a
Owen Ridge: Site 731, 601a
- Discoaster hamatus* Zone
Oman margin S: Site 726, 15b
Oman margin S: Site 730, 20b, 566a
Owen Ridge: Site 721, 45b, 216a
Owen Ridge: Site 722, 47b, 265a
- Owen Ridge: Site 731, 49b, 601a
- Discoaster kugleri* Zone
Oman margin S: Site 730, 20b, 566a-567a
Owen Ridge: Site 722, 47b, 265a
Owen Ridge: Site 731, 49b-50b, 601a
- Discoaster kugleri/Discoaster exilis* zonal boundary, Oman margin S: Site 730, 567a
- Discoaster pentaradiatus* Zone
Oman margin N: Site 723, 8b
Oman margin N: Site 724, 9b
Oman margin S: Site 726, 15b
Oman margin S: Site 728, 504a
Owen Ridge: Site 721, 215a
Owen Ridge: Site 722, 263a
Owen Ridge: Site 731, 601a
- Discoaster quinqueramus* Zone
Oman margin S: Site 728, 17b, 504a
Owen Ridge: Site 721, 45b, 216a
Owen Ridge: Site 731, 48b-49b, 601a
- Discoaster surculus* Zone
Oman margin N: Site 724, 9b
Oman margin S: Site 726, 452a
Oman margin S: Site 728, 17b, 504a
Owen Ridge: Site 722, 263a
- Discoaster surculus/Reticulo fenestra pseudumbilica* zonal boundary, Oman margin S: Site 726, 452a
- doliolum*, *Phormostichoartus*, Oman margin S: Site 728, last appearance datum, 175b
- Dorcadospyris alata* Zone, Oman margin S: Site 730, 93b, 567a
- doronicoides*, *Crenalithus*
Owen Ridge: Site 721, 45b
Owen Ridge: Site 722, 47b
Owen Ridge: Site 731, 48b, 50b
- druggii*, *Discoaster*, Owen Ridge: Site 731, 601a
- dutertrei*, *Neogloboquadrina*
Arabian Sea, sea-surface temperature effects, 257b
Oman margin N: Site 723, abundance, 266b
Oman margin N: Site 725, 425a
Oman margin S: Site 728, oxygen isotope stratigraphy, 311b-312b, 314b
Owen Ridge: Site 722
abundance, 262b
upwelling response, 258b-259b
- ehrenbergii*, *Cribrosphaerella*, Oman margin N: Site 725, 36b
- Elaegnis*, Indus Fan: Site 720, 286b
- elegans*, *Hoeglundina*
Arabian Sea, modern, 61b
Oman margin S: Site 726, 86b
Oman margin S: Site 728, abundance, 81b
- elegantissima*, *Buliminella*
Oman margin N: Site 725, abundance, 77b
Oman margin S: Site 726, abundance, 78b
Oman margin S: Site 728, 86b
- Emiliania huxleyi* Zone
Oman margin N: Site 723, 6b, 331a
Oman margin N: Site 724, 8b, 394a
Oman margin N: Site 725, 9b, 426a, 427a
Oman margin S: Site 726, 9b, 452a
Oman margin S: Site 727, 15b, 472a
Oman margin S: Site 728, 16b, 504a
Oman margin S: Site 729, 20b, 552a
Oman margin S: Site 730, 20b, 566a
Owen Ridge: Site 721, 214a
Owen Ridge: Site 722, 263a
- Emiliania huxleyi/Gephyrocapsa oceanica* zonal boundary, Oman margin N: Site 723, 331a
- Ephedra*, Indus Fan: Site 720, 287b
- Epiderm fragment, Oman margin N: Site 724, 594b

- Eucyrtidium* sp.
Oman margin, 95b
Owen Ridge: Site 721, 126b
Owen Ridge: Site 722, 126b
- Eucyrtidium teuscheri* group
Oman margin, 95b
Peru margin, 95b
- Euphorbiaceae, Indus Fan: Site 720, 286b
- excellens*, *Uvigerina*
Oman margin N: Site 723
carbon isotope record, 324b, 325b, 326b-336b
oxygen isotope stratigraphy, 324b, 325b, 326b-336b
- exilis*, *Bulimina*, Owen Ridge: Site 722, 263a
exilis, *Discoaster*, Oman margin S: Site 730, 35b
eximius, *Eiffelithus*, Oman margin N: Site 723, 36b
- falconensis*, *Globigerina*
Oman margin N: Site 723, 271b
abundance, 266b
- fistulosus*, *Globigerinoides*, Oman margin N: Site 725, 425a
- floridanus*, *Cyclicargolithus*
Oman margin S: Site 730, 20b, 33b
last appearance datum, 567a
Owen Ridge: Site 731, 50b, 601a
- Foraminifers. *See* Benthic foraminifers
Planktonic foraminifers
- fossilis*, *Scapholithus*, Owen Ridge: Site 721, 41b
- gelida*, *Reticulofenestra*
Oman margin, *Reticulofenestra pseudumbilica* association, 23b
Oman margin S: Site 726, 33b
Oman margin S: Site 728, 20b
Oman margin S: Site 730, 22b
- Gephyrocapsa oceanica* Zone
Indus Fan: Site 720, 165a
Oman margin N: Site 723, 6b, 331a
Oman margin N: Site 724, 8b, 394a
Oman margin N: Site 725, 9b, 426a, 427a
Oman margin S: Site 726, 9b, 452a
Oman margin S: Site 727, 15b, 472a
Oman margin S: Site 728, 16b, 504a
Oman margin S: Site 729, 20b, 552a
Owen Ridge: Site 721, 214a
Owen Ridge: Site 722, 263a
Owen Ridge: Site 731, 600a
- Gephyrocapsa* sp., large
Indus Fan: Site 720, 39b-40b
Oman margin, magnetostratigraphic correlation, 24b
Oman margin S: Site 727, last appearance datum, 15b
Oman margin S: Site 729, last appearance datum, 20b
Owen Ridge: Site 721, 41b, 44b
Owen Ridge: Site 722, 47b
Owen Ridge: Site 731, 48b
- Gephyrocapsa* sp., small
Indus Fan: Site 720, 39b
Owen Ridge: Site 721, 41b
Owen Ridge: Site 722, 47b
Owen Ridge: Site 731, 48b
- Gephyrocapsa* spp.
Oman margin, 26b
Oman margin N: Site 723, last appearance datum, 7b
Oman margin S: Site 726, last appearance datum, 9b
- Globigerinoides* sp.
Owen Ridge: Site 722, 259b
vs. *Globigerina bulloides*, 263b
- Globobulimina* spp.
Oman margin N: Site 725, abundance, 77b
Oman margin S: Site 726, abundance, 79b
- Globorotalia fohsi* evolutionary lineage, Oman margin S: Site 730, 564a-565a
- glutinata*, *Globigerinata*
Oman margin N: Site 723
abundance, 266b
factor analysis, 266b
Owen Ridge: Site 722
abundance, 262b
upwelling response, 258b
Site RC2761, factor analysis, 266b
- Gramineae
Arabian Sea, seasonal variation, 278b
Indus Fan: Site 720, 287b
Oman margin N: Site 723, 280b
Owen Ridge: Site 721, 279b
- grandiporus*, *Pterocanium*, Peru margin, 95b
- hamatus*, *Discoaster*
Oman margin S: Site 726, 15b
Oman margin S: Site 730, 35b, 566a
Owen Ridge: Site 721, 45b
Owen Ridge: Site 722, 47b, 265a
Owen Ridge: Site 731, 601a
- haysi*, *Actinomma*, Oman margin, 95b
- Helicosphaera ampliapertura* Zone
Owen Ridge: Site 721, 45b, 216a
Owen Ridge: Site 722, 48b, 265a
Owen Ridge: Site 731, 601a
- Helicosphaera* sp.
Oman margin N: Site 723, 131b, 331a
paleoenvironmental implications, 332a
Oman margin N: Site 724, 131b
upwelling association, 395a
Oman margin N: Site 725, 131b
upwelling association, 427a
Oman margin S: Site 728, 131b
- hertwigii*, *Pterocorys*, Indus Fan: Site 720, 90b, 165a
- heteromorphus*, *Sphenolithus*
Oman margin S: Site 730, 34b
Owen Ridge: Site 721, 45b, 216a
Owen Ridge: Site 722, 265a
Owen Ridge: Site 731, 50b, 601a
- hexagonalis*, *Lithostrobilus*
Oman margin, 99b
Peru margin, 99b
- Holodiscolithus* sp.
Oman margin, 26b-27b
Oman margin S: Site 728, 34b
- hughesi*, *Diartus*
Owen Ridge: Site 722, 92b
Owen Ridge: Site 731, last appearance datum, 94b
- huxleyi*, *Collosphaera*, Oman margin, 95b
- huxleyi*, *Emiliania*
Arabian Sea, alkenone unsaturation index correlation, 445b, 447b
Indus Fan: Site 720, 165a
first appearance datum, 39b
Oman margin N: Site 723, 32b, 331a
Oman margin N: Site 724, 394a
Oman margin N: Site 725, 426a
Oman margin S: Site 726, 452a
Oman margin S: Site 728, 16b, 504a
Oman margin S: Site 729, 20b, 552a
Oman margin S: Site 730, 20b
Owen Ridge: Site 721, 214a
first appearance datum, 41b
Owen Ridge: Site 722, 45b, 47b, 263a
Owen Ridge: Site 731, 600a
first appearance datum, 48b
- hystrix*, *Ehrenbergina*, Owen Ridge: Site 722, 263a
- indoceanica*, *Pontosphaera*, Oman margin S: Site 727, 36b
- infabricatus*, *Dictyophimus*
Oman margin N: Site 725, 93b, 95b
Owen Ridge: Site 731, 95b
Peru margin, 95b
- infundibulum*, *Eucyrtidium*
Oman margin, 99b
Peru margin, 99b
- inversa*, *Helicosphaera*
Indus Fan: Site 720, 39b
Oman margin S: Site 727, first appearance datum, 15b
Owen Ridge: Site 721, 41b
Owen Ridge: Site 722, 45b
Owen Ridge: Site 731, last appearance datum, 48b
- iota*, *Lenticulina*
Arabian Sea, 55b
Oman margin N: Site 725, 87b
abundance, 77b
Oman margin S: Site 726, abundance, 79b
- irregulars*, *Cypassis*
Oman margin, 94b
Peru margin, 94b
- Juncaceae*, Indus Fan: Site 720, 286b
- kugleri*, *Discoaster*
Oman margin S: Site 730, 35b, 567a
Owen Ridge: Site 722, 265a
- lacunosa*, *Pseudoemiliania*
Indus Fan: Site 720, 39b, 165a
last appearance datum, 39b
Oman margin N: Site 723, 6b, 32b
Oman margin N: Site 725, 426a
Oman margin S: Site 726, 452a
Oman margin S: Site 727, 472a
last appearance datum, 15b, 474a
Oman margin S: Site 728, 504a
Oman margin S: Site 729, 552a
Owen Ridge: Site 721, 214a
last appearance datum, 41b
Owen Ridge: Site 722, 47b, 263a
Owen Ridge: Site 731, last appearance datum, 48b
- laevigata*, *Cassidulina*
Oman margin N: Site 725, abundance, 77b
Oman margin S: Site 728, 86b
abundance, 84b
- Liguliflorae, Indus Fan: Site 720, 287b
- lobatulus*, *Gavelinopsis*, Oman margin S: Site 728, abundance, 84b
- macintyreii*, *Calcidiscus*
Indus Fan: Site 720, last appearance datum, 40b
Oman margin N: Site 723, last appearance datum, 7b
Oman margin N: Site 724, last appearance datum, 8b
Oman margin S: Site 726, 32b
last appearance datum, 9b
Oman margin S: Site 727, last appearance datum, 15b
Oman margin S: Site 728, last appearance datum, 16b
Owen Ridge: Site 722, last appearance datum, 47b
Owen Ridge: Site 731, last appearance datum, 48b

PALEONTOLOGICAL INDEX

- marginata*, *Bulimina*
Oman margin N: Site 725, abundance, 77b
Oman margin S: Site 728, 85b
- maritalis ventricosa*, *Lamprocyclus*
Owen Ridge: Site 722, 95b
Owen Ridge: Site 731, 95b
Pacific, E tropical, 95b
- mayeri*, *Globorotalia*
Owen Ridge: Site 722, 258b
abundance, 262b
- menardii*, *Globorotalia*
Oman margin S: Site 728, fragmentation,
313b-314b, 318b, 319b
Owen Ridge: Site 722, abundance, 262b
Microforaminifer, Oman margin S: Site 730, 594b
Microplankton, alveolate, Oman margin N: Site
724, 593b
- minyathorax*, *Pterocorys*
Oman margin, 98b-99b
Peru margin, 98b-99b
- miopelagicus*, *Coccolithus*, Oman margin S: Site
730, 567a
- mirabilis*, *Umbilicosphaera*, Indus Fan: Site 720,
39b
- Monolete spore, Indus Fan: Site 720, 287b
- moriformis*, *Sphenolithus*, Owen Ridge: Site 731,
50b
- murrayana*, *Acrosphaera*, Oman margin, 95b
murrayana, *Acrosphaera*, group, Oman margin,
95b, 99b
- Myrtaceae*, Indus Fan: Site 720, 286b
- Nannofossils. See Calcareous nannofossils
- Neogloboquadrina pachyderma-dutertrei* inter-
grade
Benguela Current upwelling region, 271b
Oman margin N: Site 723, 266b
factor analysis, 270b
Site RC2761, factor analysis, 270b
- neoheteroporos*, *Lamprocyrtis*
Indus Fan: Site 720, 90b, 166a
Oman Margin, 98b
Oman margin N: Site 725, 93b, 427a
Peru margin, 98b
- nigrinae*, *Lamprocyrtis*
Indus Fan: Site 720, 90b, 165a
Oman margin, 98b
Peru margin, 98b
- nigrinae*, *Neogloboquadrina*
Owen Ridge: Site 722
abundance, 262b
upwelling response, 259b
- obliquiloculata*, *Pulleniatina*
Oman margin N: Site 723
carbon isotope record, 324b, 325b, 326b-336b
oxygen isotope stratigraphy, 324b, 325b,
326b-336b
Owen Ridge: Site 721, coiling change, 21 la
- obliquus*, *Globigerinoides*
Owen Ridge: Site 721, last appearance datum,
211a
Owen Ridge: Site 722, 262a
abundance, 262b
- oceanica*, *Gephyrocapsa*
Indus Fan: Site 720, first appearance datum,
40b, 165a
Oman margin N: Site 723, first appearance
datum, 7b
Oman margin N: Site 724, first appearance
datum, 8b
Oman margin S: Site 726, first appearance
datum, 454a
Oman margin S: Site 727, 33b
- first appearance datum, 15b
Oman margin S: Site 728, first appearance
datum, 16b
Owen Ridge: Site 721, first appearance datum,
45b, 215a
Owen Ridge: Site 722, 47b
Owen Ridge: Site 731, first appearance datum,
48b
- omanica*, *Helicosphaera*, n. sp.
Indus Fan: Site 720, 39b
Owen Ridge, 50b
Owen Ridge: Site 721, 41b, 45b, 53b
Owen Ridge: Site 722, 47b
Owen Ridge: Site 731, 48b
- omnitubus*, *Solenosphaera*
Oman margin S: Site 728, 93b
Owen Ridge: Site 722, last appearance datum,
92b
- oolina*, *Chilostomella*, Owen Ridge: Site 722,
263a
- ordinaria*, *Bolivina*
Oman margin N: Site 724, 392a
Oman margin N: Site 725, abundance, 77b
Oman margin S: Site 726, abundance, 79b
Oman margin S: Site 727, 57b
Oman margin S: Site 728, 85b
abundance, 84b
- pachyderm*, *Neogloboquadrina*
Benguela Current upwelling region,
right-coiling species, 271b
Oman margin S: Site 728, fragmentation, 314b,
318b
Owen Ridge: Site 722, abundance, 262b
- Palynology
Arabian Sea, modern atmosphere, 278b-279b
Indus Fan: Site 720, 281b, 283b
Oman margin N: Site 723
Monsoon Pollen Index, 280b
monsoonal variation, 271b, 277b-280b
Owen Ridge: Site 721
geographical plants region, 277b
Monsoon Pollen Index, 279b
monsoonal variation, 277b-280b
Owen Ridge: Site 722, geographical plants
region, 277b
- parallela*, *Gephyrocapsa*
Indus Fan: Site 720, first appearance datum, 39b
Oman margin, magnetostratigraphic correlation,
23b-24b
Oman margin N: Site 723, first appearance
datum, 7b
Oman margin N: Site 724, first appearance
datum, 8b
Oman margin N: Site 725, first appearance
datum, 9b
Oman margin S: Site 726, first appearance
datum, 9b, 172b, 454a
Oman margin S: Site 727, 32b
first appearance datum, 15b
Oman margin S: Site 728, first appearance
datum, 16b
Oman margin S: Site 729, first appearance
datum, 20b
Oman margin S: Site 730, 20b
Owen Ridge: Site 721, first appearance datum,
41b, 162b, 215a
Owen Ridge: Site 722, 47b
Owen Ridge: Site 731, first appearance datum,
48b
- pelagicus*, *Coccolithus*
Oman margin
correlation, discoasters and sphenoliths, 23b
Pliocene-Pleistocene variation, 22b
- Oman margin N: Site 723, 130b, 131b, 138b,
331a
Oman margin N: Site 724, 9b, 130b, 131b, 138b
cold-water association, 395a
Oman margin N: Site 725, cold-water
association, 427a
Oman margin S: Site 726, 130b, 131b
Oman margin S: Site 727, 15b, 36b, 130b, 131b
Oman margin S: Site 728, 17b, 20b, 130b, 131b
cold-water association, 507a
Oman margin S: Site 730, 20b, 22b
Owen Ridge: Site 731, 50b
temperature control, 602a
Pacific Ocean W equatorial, 22b
Pliocene/Pleistocene boundary, Atlantic
Ocean-Mediterranean Sea area, 23b
- pentaradiatus*, *Discoaster*
Oman margin, magnetostratigraphic correlation,
24b
Oman margin N: Site 723, 7b-8b
Oman margin N: Site 724, last appearance
datum, 9b
Oman margin S: Site 726, 452a
last appearance datum, 15b
Oman margin S: Site 730, 34b
Owen Ridge: Site 721, 215a
last appearance datum, 45b
Owen Ridge: Site 722, last appearance datum,
47b
Owen Ridge: Site 731, last appearance datum,
48b
- pentas*, *Spongaster*, Owen Ridge: Site 722, 92b
- peregrina*, *Stichocorys*
Oman margin N: Site 724, 93b
last appearance datum, 394a
Owen Ridge: Site 722, 92b
- peregrina*, *Uvigerina*
Oman margin N: Site 725, 61b
abundance, 77b
Oman margin S: Site 726, abundance, 79b
Oman margin S: Site 727, 57b
Oman margin S: Site 728, 87b
abundance, 82b
- peterssoni*, *Diartus*, Oman margin S: Site 730,
93b
- Picea*
Arabian Sea, transport, 281b
Indus Fan: Site 720, 285b
- Pinus*
Arabian Sea, transport, 281b
Indus Fan: Site 720, 285b
- Planktonic foraminifers
Arabian Sea, upwelling response, 257b-260b
Indus Fan: Site 720, 129b-130b
magnetostratigraphic correlation, 129b-130b
turbidites, 130b
zonation, 164a
Magellan Rise, temperature control, 602a
Miocene/Pliocene boundary, Owen Ridge: Site
722, 262a
Oman margin, vs. Owen Ridge sites, 267b-268b
Oman margin N: Site 723, 130b-131b
abundance, 267b, 273b-274b
biostratigraphy, 141b, 320a-330a
carbon isotope record, 337b
factor analysis, 268b-271b
glacial/interglacial cycles, 268b-269b
oxygen isotope stratigraphy, 323b-337b
oxygen isotope stratigraphy, upwelling and,
338b-340b
paleoenvironmental implications, 332a
Pliocene-Pleistocene, 49a
preservation, 236b, 268b
sea-surface temperature effect, 271b

- tropical assemblage, 271b
zonation, 330a
- Oman margin N: Site 724, 130b-131b
abundance pattern, 411a
biostratigraphic events, 141b
carbon isotope record, 295b, 296b
ice volume effect, 294b
low productivity zone, 389a
oxygen isotope stratigraphy, 292b-295b, 302b
oxygen-minimum zone effects, 39a
Pliocene-Pleistocene, 49a
sea-surface temperature effect, 296b-299b, 302b
zonation, 396a
- Oman margin N: Site 725, 130b-131b
Pliocene-Pleistocene, 49a
- Oman margin S: Site 726, 130b-131b
biostratigraphic events, 142b
winnowing effects, 452a
- Oman margin S: Site 727, 130b-131b
biostratigraphy, 143b, 472a
Pliocene-Pleistocene, 49a
zonation, 475a
- Oman margin S: Site 728, 130b-131b
biostratigraphic events, 144b
fragmentation, 313b-314b
oxygen isotope stratigraphy, 311b-318b
zonation, 504a
- Oman margin S: Site 729, 130b-131b
biostratigraphy, 551a
- Oman margin S: Site 730, 130b-131b
biostratigraphic events, 145b
Miocene hiatus, 564a
zonation, 566a
- Owen Ridge
glacial/interglacial cycles, 268b-269b
as upwelling indices, 9a, 36a
upwelling species, 40a
vs. Oman margin sites, 267b-268b
- Owen Ridge: Site 721, 130b
biostratigraphic events, 135b
datums, 212a
faunal change, upwelling onset and, 138b
upwelling species, 243a
zonation, 215a, 216a
- Owen Ridge: Site 722, 130b
abundances, 260b-261b
biostratigraphic events, 137b
oxygen isotope stratigraphy, 352b
preservation, 236b
productivity, 304a
response to global climate changes, 259b
strontium isotopes, 462b
uplift history and, 267a
- Owen Ridge: Site 731, 130b
biostratigraphic events, 140b
preservation, 595a
temperature control, 602a
zonation, 596a
- Pliocene/Pleistocene boundary
Arabian Sea, 128b
Oman margin N: Site 723, 330a
Oman margin N: Site 724, 391a
Oman margin S: Site 726, 451a
Oman margin S: Site 728, 503a
Owen Ridge: Site 722, 262a
Owen Ridge: Site 731, 596a
- Zones N7–N8, Owen Ridge: Site 721, 213a
Zones N8–N9, Oman margin S: Site 730, 565a
Zones N10–N11, Owen Ridge: Site 722, 262a
Zones N13–N14, Oman margin S: Site 730, 564a
Zone N15, Owen Ridge: Site 721, 213a
- Zone N15/N16 boundary, Owen Ridge: Site 721, 213a
- Zones N16–N17, Owen Ridge: Site 731, 596a
- Zone N16/N17 boundary
Owen Ridge: Site 721, 211a–212a
Oman margin S: Site 730, 564a
- Zone N17, Oman margin S: Site 726, 451a
- Zones N19–N21, Owen Ridge: Site 731, 596a
- Zones N19–N23, Oman margin N: Site 723, 330a
- Zone N20, Indus Fan: Site 720, 164a
- Zones N21–N23, Oman margin S: Site 726, 451a
- Zone N21
Owen Ridge: Site 721, 211a
Owen Ridge: Site 722, 262a
- Zones N22–N23
Oman margin N: Site 724, 391a
Owen Ridge: Site 731, 596a
- Zone N23
Indus Fan: Site 720, 164a
Oman margin N: Site 725, 425a
Owen Ridge: Site 721, 211a
- Zone N23/N22 boundary, Owen Ridge: Site 722, 262a
- planulatus*, *Nummulites*, Oman margin S: Site 726, 57b
- Polygonum*, Indus Fan: Site 720, 286b
- pompilioides*, *Melonis*
Oman margin N: Site 725, 61b
Oman margin S: Site 728, 87b
abundance, 82b
Owen Ridge: Site 722, 263a
- Pontosphaera* sp.
Oman margin, 27b-28b
Oman margin S: Site 727, 36b
- praebulloides*, *Globigerina*, Owen Ridge: Site 722, ecological preference, 259b
- praetextum eucolpum*, *Pterocanium*, Indus Fan: Site 720, 90b
- pratti*, *Nummulites*, Oman margin S: Site 726, 57b
- prismatium*, *Pterocanium*
Owen Ridge: Site 721, 216a–217a
Owen Ridge: Site 731, 94b
- Pseudoemiliania huxleyi* Zone, Owen Ridge: Site 731, 600a-601a
- Pseudoemiliania lacunosa* Zone
Indus Fan: Site 720, 165a
Oman margin N: Site 723, 6b, 331a
Oman margin N: Site 724, 8b, 394a
Oman margin N: Site 725, 9b, 426a
Oman margin S: Site 726, 452a
Oman margin S: Site 727, 472a
last appearance datum, 15b
Oman margin S: Site 728, 16b, 504a
Oman margin S: Site 729, 20b, 552a
Oman margin S: Site 730, 20b, 566a
Owen Ridge: Site 721, 214a–215a
Owen Ridge: Site 722, 263a
- Pseudoemiliania lacunosa/Discoaster brouweri*
zonal boundary, Owen Ridge: Site 721, 215a
- pseudoubilica*, *Reticulofenestra*
Oman margin
magnetostratigraphic correlation, 24b
Reticulofenestra gelida association, 23b
Oman margin N: Site 724, last appearance datum, 9b
Oman margin S: Site 726, 15b, 33b, 452a
Oman margin S: Site 728, 20b
last appearance datum, 175b
Oman margin S: Site 730, 22b
Owen Ridge: Site 721, 45b
Owen Ridge: Site 722, 263a
last appearance datum, 47b
- Owen Ridge: Site 731, last appearance datum, 48b
- Pterocanium prismatium* Zone
Oman margin, faunal changes, 99b
Oman margin N: Site 723, 92b
Owen Ridge: Site 721, 92b, 216a–217a
Owen Ridge: Site 722, 92b, 266a
Owen Ridge: Site 731, 94b, 602a
- Pulleniatina*, Oman margin N: Site 723, oxygen isotope stratigraphy, 323b
- Pulleniatina* group, Owen Ridge: Site 722, abundance, 262b
- pygmaea*, *Bolivina*, Arabian Sea, 55b
- Quercus*, Indus Fan: Site 720, 286b
- quinqueramus*, *Discoaster*
Oman margin S: Site 726, 15b
Oman margin S: Site 728, 35b, 504a
last appearance datum, 17b
Owen Ridge: Site 721, 45b
Owen Ridge: Site 722, 263a
- Radiolarians
Arabian Sea
biostratigraphic events, 23a
intersite comparison, 94b
comparison, Peru margin, 138b
upwelling species, 94b
Indus Fan: Site 720, 129b-130b
biostratigraphy, 90b, 165a–166a
turbidites; 130b
zonation, 164a
Oman margin
upwelling species, 98b
displaced middle latitude, 95b, 98b
endemic, 94b-95b
enhanced tropical, 98b-99b
Oman margin N: Site 723, 130b-131b
Arabian Upwelling Assemblage, 92b-93b, 130b, 332a
biostratigraphy, 92b-93b, 331a–332a
distribution, 108b
Pliocene-Pleistocene, 49a
zonation, 91b
Oman margin N: Site 724, 130b-131b
abundance pattern, 411a
biostratigraphy, 93b, 394a
distribution, 109b
Pliocene-Pleistocene, 49a
zonation, 91b, 396a
Oman margin N: Site 725, 130b-131b
biostratigraphy, 93b, 427a
distribution, 109b
Pliocene-Pleistocene, 49a
zonation, 91b
Oman margin S: Site 726, 130b-131b
biostratigraphy, 93b, 453a
distribution, 109b
zonation, 91b
Oman margin S: Site 727, 130b-131b
biostratigraphy, 93b, 472a
Pliocene-Pleistocene assemblage, 49a
Oman margin S: Site 728, 130b-131b
biostratigraphy, 93b, 97b, 122b, 144b, 506a-507a
distribution, 110b-111b
zonation, 91b
Oman margin S: Site 729, 130b-131b
Oman margin S: Site 730, 130b-131b
biostratigraphy, 93b, 97b, 123b, 145b, 567a
distribution, 112b
zonation, 91b
Owen Ridge, upwelling species, 40a
Owen Ridge: Site 721, 130b

PALEONTOLOGICAL INDEX

- biostratigraphy, 90b, 92b, 96b-97b, 118b-119b, 135b-136b, 216a-217a
 datums, 212a
 distribution, 104b-105b
 reworked Miocene species, 92b
 upwelling species, 115b, 243a
 range chart, 102b
 zonation, 91b
 Owen Ridge: Site 722, 130b
 biostratigraphy, 92b, 96b, 120b-121b, 137b-138b, 266a-267a
 distribution, 106b-107b
 productivity, 304a
 upwelling species, 116b
 range chart, 102b
 zonation, 91b
 Owen Ridge: Site 731, 130b
 biostratigraphy, 93b-94b, 97b, 124b-125b, 140b, 602a
 distribution, 113b-114b
 Miocene-Pliocene hiatuses, 94b, 596a, 602a
 preservation, 595a-596a
 upwelling species, 117b
 range chart, 102b
 zonation, 91b
 Peru Current, upwelling species, 94b-95b
 Peru margin
 upwelling species, 98b
 displaced middle latitude, 95b, 98b
 upwelling stratigraphy, 99b
- Reticulofenestra pseudumbilica* Zone
 Oman margin N: Site 724, 9b
 Oman margin S: Site 726, 452a
 Oman margin S: Site 728, 17b
 Owen Ridge: Site 721, 215a
 Owen Ridge: Site 722, 263a
- Reticulofenestra* sp.
 Oman margin, 28a-29a
 acme, magnetostratigraphic correlation, 23b
 Oman margin N: Site 723, acme, 6b
 Oman margin N: Site 724, acme, 8b
 Oman margin N: Site 725, acme, 9b
 Oman margin S: Site 726
 acme, 9b
 magnetostratigraphic correlation, 454a
 Oman margin S: Site 727, 15b, 32b
 Oman margin S: Site 728, acme, 16b
 Oman margin S: Site 729, acme, 20b
 Oman margin S: Site 730, acme, 20b
 Owen Ridge: Site 721, acme, 215a
- ruber*, *Globigerinoides*
 Oman margin N: Site 723
 abundance, 266b
 factor analysis, 270b
 Oman margin N: Site 724
 carbon isotope record, 295b, 304b-306b
 oxygen isotope stratigraphy, 292b-293b, 297b-298b, 304b-306b
 SST signal, 297b
 Oman margin S: Site 728, oxygen isotope stratigraphy, 311b-312b
 Owen Ridge: Site 722, abundance, 262b
 Site RC2761, factor analysis, 270b
- sacculifera*, *Globigerinoides*, Owen Ridge: Site 722, oxygen isotopes, 350b, 352b-354b, 466b
- sagittula*, *Fronidularia*
 Arabian Sea, 61b
 Oman margin N: Site 725, abundance, 77b
 Oman margin S: Site 728, 86b
 abundance, 81b
- schlumbergeri*, *Sigmoilinopsis*, Oman margin S: Site 728, abundance, 81b
- Scolecodont, Oman margin S: Site 730, 594b
- sellii*, *Helicosphaera*
 Indus Fan: Site 720, last appearance datum, 40b
 Oman margin, magnetostratigraphic correlation, 24b
 Oman margin N: Site 723, last appearance datum, 7b
 Oman margin N: Site 724, last appearance datum, 8b
 Oman margin N: Site 725, 32b
 Oman margin S: Site 726, last appearance datum, 9b
 Oman margin S: Site 727, last appearance datum, 15b
 Oman margin S: Site 728, last appearance datum, 16b
 Owen Ridge: Site 721, last appearance datum, 44b-45b, 215a
 Owen Ridge: Site 722, 47b
 Owen Ridge: Site 731, last appearance datum, 48b
- semicribratus*, *Anomalinoides*, Owen Ridge: Site 722, 263a
- seminuda*, *Bolivina*
 Oman margin N: Site 725, abundance, 77b
 Oman margin S: Site 726, 131b
 abundance, 79b
 Oman margin S: Site 727, 57b
 Oman margin S: Site 728, 85b
- spathulata*, *Bolivina*, Oman margin S: Site 726, abundance, 79b
- Sphenolithus*, Oman margin S: Site 728, 20b
- Sphenolithus belemnoides* Zone
 Owen Ridge: Site 722, 48b
 Owen Ridge: Site 731, 50b, 601a
- Sphenolithus ciperoensis* Zone, Owen Ridge: Site 731, 50b, 601a-602a
- Sphenolithus heteromorphus* Zone
 Owen Ridge: Site 721, 45b, 216a
 Owen Ridge: Site 722, 48b, 265a
 Owen Ridge: Site 731, 601a
- Sphenolithus heteromorphus/Helicosphaera ampliaperta* Zone, Owen Ridge: Site 731, 50b
- spincostata*, *Uvigerina*
 Oman margin S: Site 728, 87b
 abundance, 81b
- splendens*, *Dictyophimus*, Arabian Sea, last appearance datum, 94b
- Spongaster pentas* Zone
 Oman margin, 99b
 Oman margin N: Site 724, 93b, 394a
 Oman margin S: Site 726, 93b, 453a
 Oman margin S: Site 728, 93b, 507a
 Owen Ridge: Site 721, 92b, 217a
 Owen Ridge: Site 722, 92b, 266a
 Owen Ridge: Site 731, 94b, 602a
- Spongaster pentas/Stichocorys peregrina* zonal boundary
 Oman margin S: Site 728, 93b, 507a
 Owen Ridge: Site 722, 92b, 266a
- Sponge spicules, Oman margin S: Site 730, 567a
- Stichocorys peregrina* Zone
 Oman margin S: Site 728, 507a
 Owen Ridge: Site 721, 217a
 Owen Ridge: Site 722, 92b, 266a
- Stichocorys peregrina/Didymocorytis penultima* zonal boundary, Owen Ridge: Site 722, 92b, 266a
- subacuminata*, *Bulimina*, Oman margin N: Site 725, abundance, 77b
- subglobosa*, *Globocassidulina*
 Oman margin S: Site 728, 86b
 abundance, 84b
- surculus*, *Discoaster*
 Oman margin, magnetostratigraphic correlation, 24b
 Oman margin N: Site 724, 9b
 Oman margin S: Site 726, 34b, 452a
 Oman margin S: Site 728, 504a
 last appearance datum, 17b
 Owen Ridge: Site 721, 216a
 last appearance datum, 45b
 Owen Ridge: Site 722, last appearance datum, 47b
- tamalis*, *Discoaster*
 Oman margin, magnetostratigraphic correlation, 24b
 Oman margin S: Site 728, 35b
 last appearance datum, 17b
 Owen Ridge: Site 722, last appearance datum, 47b
- Tetrapyle octacantha-Octopyle stenozone* group, Arabian Sea, 94b
- teuscheri teuscheri*, *Eucyrtidium*
 Crozet Basin, 95b
 Oman margin, 95b
 Pacific Ocean central equatorial, 95b
 Peru margin, 95b
- Thalicttrum*, Indus Fan: Site 720, 287b
- tosaensis*, *Globorotalia*
 Indus Fan: Site 720, 164a
 Owen Ridge: Site 722, 262a
- trachelium*, *Theocorythium*, Arabian Sea, first appearance datum, 94b
- trepanata*, *Acrosphaera*
 Oman margin, 95b
 Peru margin, 95b
- trigona*, *Ehrenbergina*
 Arabian Sea, modern, 61b
 Oman margin S: Site 728, abundance, 83b
 Owen Ridge: Site 722, 263a
- Trilete spore, Indus Fan: Site 720, 286b
- trilobus*, *Globigerinoides*, Owen Ridge: Site 722, abundance, 262b
- truncana*, *Bulimina*
 Oman margin S: Site 728, 85b
 abundance, 84b
- truncatulinoidea*, *Globorotalia*
 Indus Fan: Site 720, 164a
 Oman margin N: Site 723, 330a
 Oman margin N: Site 725, 425a
 Oman margin S: Site 727, 472a
 Oman margin S: Site 728, 503a
 Oman margin S: Site 729, 551a
 Owen Ridge: Site 722, 262a
- tumida*, *Globorotalia*, Oman margin S: Site 728, subsidence and, 507a
- tumida*, *Globorotalia*, group, Owen Ridge: Site 722, abundance, 262b
- tumida tumida*, *Globorotalia*
 Oman margin N: Site 725, 425a
 Oman margin S: Site 726, 451a
 Oman margin S: Site 728, 131b, 503a
 Owen Ridge: Site 722, 262a
- Typha*, Indus Fan: Site 720, 287b
- universa*, *Orbulina*, Oman margin S: Site 730, first appearance datum, 565a
- Uvigerina* spp.
 Oman margin N: Site 724
 carbon isotope record, 295b, 300b-301b, 304b-306b
 organic carbon variations, 300b-301b
 oxygen isotope stratigraphy, 292b-295b, 304b-306b
- warreni*, *Pseudocubus*, Peru margin, 95b