

## INDEX TO VOLUME 120

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 120 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as a further elaboration on the main entry followed by a page reference,

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes taxonomic entries above the generic level, as well as broad fossil groups such as foraminifers and radiolarians. The notation "ff" following a page listing indicates that reference to a topic continues beyond the last page given but is not sequential. This would be the case where one or more figures or tables follow a principal topic of discussion that makes up a major section. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 747, for example, is given as "Site 747, A:89–156."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names per se. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus.

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

AABW. *See* Antarctic Bottom Water  
 ACC. *See* Antarctic Circumpolar Current  
 accumulation rates  
   carbonate, B:1075  
   Cretaceous/Paleocene boundary, B:968-969  
   noncarbonated, Site 751, B:189  
   Site 751, B:182, 188-189  
 acoustic basement. *See also* basement  
   Site 747, A:92, 143; B:883-884  
   Site 748, A:158, 225-227  
   Site 749, A:240, 270-273  
   Site 750, A:280  
   Site 751, A:342  
 acoustic stratigraphy  
   Site 747, A:91  
   Site 748, A:159  
   Site 749, A:240  
   Site 750, A:281  
   Site 751, A:340  
 Africa  
   biostratigraphy, B:1083  
   spreading and, B:920  
 age determination. *See* K-Ar age  
 age models, B:5-7  
 alkalinity  
   Site 747, A:117  
   Site 748, A:208  
   Site 749, A:260  
   Site 750, A:309ff  
   Site 751, A:357  
 alkalis, ash layers and, B:153ff  
 alnoite, Prince Charles Mountains, B:39  
 alteration  
   basalt, B:25, 27, 38, 55-56, 79  
   degree, B:73-74  
   seawater, B:75  
   Site 747, A:135  
   Site 748, A:208, 222ff  
   Site 749, A:80, 268, 273  
   Site 750, A:321-323  
   well logs and, B:1055-1056  
   zeolites and, B:64ff  
 Amsterdam-Saint Paul Zone, B:933  
 amygdules  
   Site 747, A:129ff  
   zeolites and, B:64  
 analcime, Site 748, A:220ff  
 angiosperms, Site 750, B:258  
 anhysteretic remanent magnetization (ARM),  
   B:234ff  
 anisochela, Site 748, B:837  
 Antarctic Bottom Water (AABW)  
   circulation, B:875  
   ice-rafted debris and, B:216ff  
   Kerguelen Plateau and, B:650, 868  
   Site 748, A:185  
   taxa, B:661  
 Antarctic Circumpolar Current (ACC), A:84;  
   B:179  
   biogenic productivity and, B:192-194  
   definition, B:179  
   effect of, A:84  
   ice-rafted debris and, B:216  
   Kerguelen Plateau and, B:7, 650, 867  
   Site 751, A:369-370; B:657  
 Antarctic Convergence, A: 106, 191; B:541  
 Antarctic Divergence (AD), B:179-180  
 Antarctic Plate, Kerguelen Plateau and, B:917  
 Antarctic Polar Front. *See* Polar Front  
 Antarctic Sea, B:684, 734, 785ff

Antarctic Surface Water, B:180  
 Antarctic Water Mass, Site 747, A:151  
 Antarctica  
   apparent polar wander path, A:258-259;  
   B:94-95  
   break from Australia, B:7  
   continental extension, B:922  
   forests, B:273, 276, 1002  
   glaciation, B:161ff, 174, 1001-1007  
   ice sheets, B:991ff  
   ice-volume changes, B:207  
   nannofossils, B:1109ff  
   paleovegetation, B:263  
   palynology, B:263  
   sites drilled, B:162, 1002  
   spreading and, B:920ff  
   subglacial geography, B:1009  
   apparent polar wander path (APWP), A:258-259;  
   B:94-95  
 APWP. *See* apparent polar wander path  
 aragonite, B:1065  
 Argo Abyssal Plain, biostratigraphy, B:1087  
 ARM. *See* anhysteretic remanent magnetization  
 ash, volcanic  
   chemical composition, B:140-144  
   chronology, B:156ff  
   evolution, B:146-147  
   geotectonic significance, B:144-145  
   Kerguelen Plateau, B:138-139, 153ff  
   magnetic properties, B:238-239  
   Site 747, A:103  
   Site 751, A:348  
   source regions, B:145-146, 153-154  
   well logs and, B:1056-1059  
 asteroid isochela, Site 748, B:837  
 Atlantic Ocean  
   benthic foraminifers, B:610, 1004-1005  
   isotopes, B:851  
   nannofossils, B:361  
   taxa, B:527  
 Atlantic Ocean N  
   circulation, B:876  
   isotopes, B:855-858  
   planktonic foraminifers, B:639-640  
   taxa, B:526-527  
 Atlantic Ocean S  
   benthic foraminifers, A:109-110; B:393-394  
   nannofossils, B:989ff  
   stable isotope stratigraphy, B:859  
   water temperature, B:1008  
 austral biostratigraphic events, B:358-359  
 Australia  
   break from Antarctica, B:7  
   continental extension, B:922  
   ice-rafted debris, B:1099  
   oceanic crust and, B:918  
   palynology, B:263  
   podocarps, B:276  
   pollen, B:288  
   spreading and, B:920ff  
   taxa, B:598  
   tectonic movements and, B:95-96  
 Australia W  
   foraminifers, A:109, 111, 302  
   sites drilled, B:36  
 Australian-Antarctic Basin, Kerguelen Plateau/Broken Ridge breakup and, B:935ff  
 Banzare Bank, A:82; B:20, 24-25. *See also* Site  
   749

barium, B:56  
 basalt. *See also* Bunbury basalts; mid-ocean-ridge basalts (MORB); ocean-island basalt (OIB)  
   age, B:55, 89  
   alteration, A:135ff, 268; B:55-56  
   aphyric, A:133ff, 267, 321; B:73  
   basement nature, B:55, 73-74  
   brecciated. *See* breccia, basaltic  
   clay in, B:64ff  
   composition, B:79  
   dikes, B:25  
   element analyses, B:38  
   erosion, A:229; B:126-127  
   flows, A:74, 79-82; B:19-27, 63  
   fluid conditions, B:68  
   genesis, B:146  
   geochemistry, A:136ff, 224-225, 268, 322ff;  
   B:39ff  
   glomeroporphyritic, A:267-268  
   hydrothermal circulation and, B:73  
   Indian Ocean Ridge, B:59-60  
   K-Ar ages, B:74-76  
   Kerguelen Plateau evolution and, B:903  
   logging and, A:139  
   ophitic, B:73  
   petrography, A:267-268, 321ff; B:118  
   petrology, A:265ff, 318ff  
   phyric, A:266-268, 319-320; B:73  
   pressure and, B:67  
   pseudotachytic, B:74  
   remanent magnetization, A:200ff, 255ff, 306ff  
   seismic stratigraphy and, A: 143ff, 226, 229  
   Site 747, A:147ff  
   Site 748, A:175ff  
   Site 749, A:247  
   Site 750, A:295, 332-333  
   temperature and, B:67-68  
   tholeiitic, A:268-269  
   trace elements and, B:56ff  
   velocity, A:216  
   weathering, B:103-105  
   well logs and, B:1055-1056  
 basement  
   age, B:55, 63-64  
   erosion, A:151  
   Kerguelen Plateau and, B:14, 883-884, 903,  
   935-937, 951  
   nature, B:73-74  
   petrology, A:265ff  
   seismic stratigraphy and, A:225-227  
   Site 747, A:105ff, 151; B:21-22, 883-884  
   Site 748, A:225-227; B:23  
   Site 749, A:265ff; B:24-25  
   Site 750, B:26  
   subsidence and, B:945ff  
   well logs and, B:1055-1056  
 basement, acoustic  
 Bengal Basin, B:38  
 biogenic productivity. *See* productivity, biogenic  
 biostratigraphy. *See* Taxonomic Index; Subject Index under particular fossil groups and sites  
 bioturbation  
   ice-rafted debris and, B:171-172  
   physical properties and, B:187  
   Site 748, A:192  
 bottom water, B:617ff, 649ff, 840. *See also* Antarctic Bottom Water (AABW)  
   benthic foraminifers and, B:617, 649

## bottom water (cont.)

source, B:840  
breccia, basaltic  
Site 747, A:102ff, 129ff  
Site 749, A:267  
Broken Ridge  
age, B:7  
biostratigraphy, B:1084  
breakup with Kerguelen Plateau, B:129, 931ff  
carbon isotopes, B:968ff  
Cretaceous reconstruction, B:1060  
emplacement, B:921ff  
glauconitic sediment, B:113  
hotspots, A:82  
location, B:5ff  
sites drilled, B:14  
spreading and, A:83; B:9, 921, 933ff  
Bunbury basalts  
age, B:35, 76  
element analyses, B:44  
geochemistry, inorganic, B:39  
geologic setting, B:35ff  
hotspots, B:921  
isotope geochemistry, B:42  
calcispheres, Site 750, A:305  
calcite  
Site 747, A:135ff  
Site 748, A:175ff, 222; B:126ff  
Site 749, A:268  
calcium  
Site 747, A:117-118  
Site 748, A:208-209  
Site 749, A:260ff  
Site 750, A:312-313  
Site 751, A:357  
calcium carbonate  
Cretaceous/Paleocene boundary, B:968-969  
dissolution, B:661  
physical properties and, A:213ff; B:184ff  
Site 748, A:210-212, 228; B:119, 843ff  
Site 749, A:263  
Site 750, A:313-315  
Site 751, B:1073ff  
water temperature and, B:528  
well logs and, B: 1058  
Campanian/Santonian boundary, B:384  
Campbell Plateau, B:164, 1002  
carbon, inorganic  
Site 747, A:119, 125-126  
Site 748, A:210-211  
Site 749, A:263  
Site 750, A:313-315  
Site 751, A:358; B:873ff  
carbon, organic  
Site 747, A:119, 125-126  
Site 748, A:210-211  
Site 750, A:313-315  
Site 751, A:358  
carbon isotopes  
benthic foraminifers and, B:841ff, 870-874, 1018ff  
Cretaceous/Paleocene boundary, B:964ff  
planktonic foraminifers and, B:543ff, 842ff, 875, 1018ff  
Site 747, B:857ff  
stratigraphy, B:856  
surface- to deep-water gradient, B:971-972  
carbonate mounds, B:900, 903  
Carnarvon Basin, B:113  
cation exchange, Site 750, A:312-313  
CDW. *See* Circumpolar Deep Water  
celadonite, Site 747, A:135  
Central Kerguelen Plateau, B:881-888. *See also* Kerguelen Plateau

## SUBJECT INDEX

chabazite, B:64, 66  
chalcedony, Site 748, B:99, 111  
chalk  
logging and, A:139; B:1056-1058  
Site 747, A:104, 139  
Site 749, A:246  
Site 750, A:288ff, 291ff  
chalk, nannofossil  
Site 747, A:57-58, 68, 98ff, 147  
Site 748, A:169-170  
Site 750, A:288ff  
chaotic structures, Site 748, B:900  
charcoal, B:275ff  
chert  
ice-raftered debris and, B:208  
magnetic properties, B:231  
nannofossils and, A:302-303  
silica and, A:209  
Site 747, A:104ff  
Site 748, A:169-170, 193  
Site 749, A:246-248  
Site 750, A:288ff  
Site 751, A:346  
velocity, A:216  
chert, black, Site 747, A:104  
Chichonal Volcano, B:260  
chlorine  
Site 747, A:117  
Site 748, A:208  
Site 749, A:260  
Site 750, A:309  
Site 751, A:356-357  
chromium, Site 748, B:23  
chromium-spinel. *See* spinel, chromium  
circulation patterns  
Antarctic ice sheets and, B:1001  
benthic foraminifers and, B:839-840  
Indian Ocean, B:867ff  
Oligocene ice sheet and, B:1019ff  
Circumpolar Deep Water (CDW)  
biogenic productivity and, B:193  
ice-raftered debris and, B:219  
Kerguelen Plateau and, B:650, 868  
Site 751, A:370  
CIROS-1  
glacial sediments, B:162, 1010  
icebergs, B:173  
nannofossils, B:1105  
stratigraphy, B:1013  
clay  
in basalt, B:64  
diagenesis, B:105  
ferruginous, A:82  
glauconite and, B:121-122  
kaolinitic, A:82  
logging and, A:139  
mineral chemistry, B:67  
Site 747, A:139  
Site 748, A:173; B:102-103, 111  
Site 750, A:320-321; B:27, 105-106  
clay minerals  
ice sheets and, B:1010  
Site 747, A:135ff  
Site 748, A:222; B:118  
X-ray diffraction, B:1067ff  
claystone  
Site 747, A:98  
Site 748, A:173-177  
Site 750, A:293, 319; B:100  
climate  
Antarctic ice sheets and, B:1001  
circulation and, B:875-876  
Eocene, B:839ff  
Eocene/Oligocene boundary, B:979-980

forest and, B:276-277  
glaciation and, B:162-164  
ice-raftered debris and, B:216ff, 1099  
Raggatt Basin, B:107  
sporomorphs and, B:260  
clinoptilolite  
glauconite and, B:121ff  
Site 748, B:102  
weathering and, B:105  
clinopyroxene  
chemical composition, B:141  
Site 747, A:133-136  
Site 748, A:222  
Site 749, A:267-268  
Site 750, A:321  
coal  
Kerguelen Plateau, B:273  
Site 741, A:82  
Site 750, A:293-295  
cobbles  
biostratigraphy, B:952-953  
petrology, A:220ff  
seismic stratigraphy, A:225  
Site 747, A:102ff  
Site 748, A:175, 228; B:100, 133  
collosphaerid spp., B:805  
compressional wave velocity  
Site 747, A:123  
Site 748, A:216ff  
Site 749, A:264ff  
Site 750, A:317ff  
Site 751, A:360ff  
conglomerate, Site 748, B:140, 144. *See also* cobbles  
conifers  
Raggatt Basin, B:275ff  
Site 750, B:258ff  
consolidation, Site 751, B:182, 184  
continental extension, Gondwana and, B:918  
continental fragment, Kerguelen Plateau as, B:33, 55  
continental lithosphere, isotope geochemistry and, B:42-44  
continental shelf  
Site 748, B:316, 401  
Site 750, B:406-407  
Cretaceous/Paleocene boundary, Site 750, B:451-456, 961-965  
Cretaceous/Tertiary boundary  
lithology, A:290ff  
logging, A:139, 329  
magnetic properties, A:306ff  
planktonic foraminifers, B:384  
Site 216, B:1081  
Site 747, A:139; B:386-387  
Site 748, A:230  
Site 750, A:80-81, 290ff, 306ff, 329  
tectonic event, B:424  
well logs, B:1058-1059  
Crozet Basin, B:71  
Crozet Islands, B:154  
crust, oceanic  
age, B:7  
Indian Ocean, B:918  
Kerguelen Plateau and, B:33-35, 55  
Southeast Indian Ridge, B:935-936  
structure, B:7ff, 34-35  
crystallization  
age determination and, B:76  
fractional, B:146-147  
low-pressure, A:134  
Site 747, A:135, 150  
Site 748, B:118  
Site 749, A:268

## SUBJECT INDEX

glaciation

- Site 750, A:322–323  
 crystals, Kerguelen Plateau, B:138  
 Curie point, B:81ff  
*Cuvier Abyssal Plain*, biostratigraphy, B:1087–1088
- Dakota Formation, B:106  
 Damodar Valley, B:38  
 Darjeeling, B:38  
 Dauki lineament, B:36  
 debris flows, Site 747, A:151; B:20–21  
 density  
   Site 747, A:122–123  
   Site 748, A:213ff  
   Site 749, A:263ff  
   Site 750, A:317ff  
   Site 751, A:360; B:210  
 denudation, Kerguelen Plateau, B:949  
 depleted end-member mantle (DMM), Kerguelen Island basalts, B:59–61
- deposition  
   Kerguelen Plateau, B:105–107, 903  
   Site 747, A:150–151  
   Site 748, A:229–231  
   Wilkes-Pensacola basins, B:1010  
 detrital components, Site 748, B:118  
 diactinal monaxons, B:833–834  
 diagenesis  
   of clay, B:105  
   isotope stratigraphy and, B:846, 856  
 Diamantina Zone, B:935ff  
 diamictites, Leg 119, B:1010–1011  
 diancistrans, B:834  
 diatoms  
   glaciation and, B:175  
   physical properties and, B:187ff  
   Site 747, A:113; B:693, 1038  
   Site 748, A:191–193, 195; B:693–694  
   Site 749, A:253–254; B:694  
   Site 750, A:304–305  
   Site 751, A:352–354; B:694  
   zonations, B:683–693, 1032ff  
 digital sonic tool, B:907ff  
 dike, basalt, Site 749, A:266; B:25  
 dinocysts, Raggatt Basin, B:285–286, 288  
 dinoflagellates  
   paleoenvironment and, B:312–316  
   provincialism, B:316  
   Site 748, A:193; B:24  
   Site 749, A:254  
   Site 750, A:305  
   Southern Hemisphere, B:307  
   stratigraphy, B:308ff  
 disconformities  
   Leg 120, B:956–958  
   Site 748, A:196–197  
 discordabds, B:834  
   Site 748, B:837  
 DMM. *See* depleted end-member mantle  
 dropstones, A:168; B:210  
 DUPAL component, B:60
- EAIS. *See* East Antarctic Ice Sheet  
 East Antarctic Ice Sheet (EAIS), B:216  
 easterlies, Oligocene ice sheet and, B:1019ff  
 ebriodians  
   Site 748, A:193–194  
   Site 749, A:254  
   Site 750, A:305  
 Elan Bank, B:34  
*Eltanin* cruise  
   chert, A:346  
   dredge samples, B:35–37  
   ice-rafted debris, B:1023
- location, B:1094  
 EMI. *See* enriched mantle component  
 Enderby Basin  
   magnetic anomalies and, B:71  
   spreading and, B:920  
 enriched mantle component (EMI), B:59–61  
 Eocene/Oligocene boundary  
   benthic foraminifers, B:616–617  
   extinctions, B:979  
   faunal diversity, B:982ff  
   lithology, B:981  
   magnetobiostatigraphy and, B:562  
   nannofossils, B:488  
   Site 748, B:843ff  
 epiclastic rocks, Kerguelen Plateau, B:139–140, 144  
 erosion  
   biogenic productivity and, B:188–190  
   chromium-spinel and, B:126–127  
   ice-rafted debris and, B:216  
   Kerguelen Plateau evolution and, B:885, 903  
   Site 747, A:151  
   Site 748, A:229; B:24  
   subsidence and, B:948–949  
 extinctions  
   Cretaceous/Paleocene boundary, B:961–962  
   Eocene/Oligocene boundary, B:979, 982ff  
   water temperature and, B:584
- Falkland Plateau  
   austral nannofossils, B:361  
   geologic setting, B:164  
   glaciation and, B:174  
   ice-rafted debris, B:207, 216ff  
   ice sheets and, B:1005–1006  
   planktonic foraminifers, A:109
- faulting  
   Raggatt Basin, B:129–130  
   Site 747, B:884–885
- Site 748, A:227
- Fe-Ti oxides  
   magnetic properties, B:238ff  
   Site 747, B:81–82  
   Site 748, A:222
- feldspar  
   chemical composition, B:140ff  
   glass evolution and, B:146–147  
   in ice-rafted debris, B:218  
   Site 748, A:173–174; B:126ff
- fern spores, Raggatt Basin, B:286ff  
 ferns, Site 750, B:257ff  
 fish otoliths, B:1065  
 floral colonization, Kerguelen Plateau, B:952  
 fluid circulation, Site 748, A:218  
 fluid conditions, zeolite-facies metamorphism and, B:68  
 fluvial formation, Site 750, B:105–106  
 foraminifers, benthic  
   bottom-water circulation and, B:617ff, 649ff  
   carbon isotopes and, B:841ff, 873ff, 1018ff  
   chronology, B:847–848  
   circulation patterns and, B:839–840  
   Cretaceous/Paleocene boundary, B:969ff  
   diversity, B:395, 613  
   glaciation and, B:174  
   high-frequency signal in, B:857  
   ice sheets and, B:1004ff  
   Indian Ocean, B:1081ff  
   migration, B:605ff  
   oxygen isotopes and, B:541–543, 617, 841ff, 857, 873, 1003  
   preservation, B:613, 651  
   provincialism, B:393
- Site 747, A:59–64, 110–111; B:395ff, 603ff, 649ff  
 Site 748, A:184–190, 194–195; B:399ff, 603ff, 649ff, 841ff  
 Site 749, A:250–252  
 Site 750, A:301–302; B:401ff  
 Site 751, A:351; B:649ff, 867–880  
 Southern Hemisphere, B:393–394  
 foraminifers, planktonic  
   carbon isotopes and, B:543ff, 842ff, 875, 1018ff  
   chronology, B:847–848  
   Cretaceous, B:374ff  
   Cretaceous/Paleocene boundary, B:961, 964ff  
   ice sheets and, B:1004ff  
   Indian Ocean, B:1081ff  
   latitudinal gradients, B:991  
   magnetobiostatigraphy, B:552ff  
   microperforate, B:569ff  
   oxygen isotopes and, B:543ff, 842ff, 873, 1003ff  
 Site 747, A:59–64, 83, 107–110, 150; B:21, 373ff, 631ff  
 Site 748, A:83, 179–184, 194; B:24, 631ff, 842ff  
 Site 749, A:248–250  
 Site 750, A:83, 297–301; B:375ff  
 Site 751, A:349–351; B:631ff  
 strontium isotopes and, B:846ff  
 trace elements and, B:846ff  
 water temperature and, B:379  
 zonations, B:579–581, 631–633
- forests  
   Antarctica, B:273, 276, 1002  
   Kerguelen Plateau, B:952, 958  
   Raggatt Basin, B:276  
   Site 750, B:27, 261ff
- fracture zones, Southeast Indian Ridge, B:934
- gamma-ray log  
   Site 747, A:139ff; B:1053ff  
   Site 750, A:325ff
- garnet, in ice-rafted debris, B:167ff
- geochemistry, inorganic  
   basalt, A:136ff, 268ff, 322ff
- Bunbury basalts, B:39  
   of glauconite, B:122ff
- Kerguelen Plateau, B:38
- Naturalist Plateau, B:39, 42
- Rajmahal Volcanic Formation, B:39
- Site 747, A:116–119
- Site 748, A:208–209, 224–225
- Site 749, A:259–262
- Site 750, A:308ff
- Site 751, A:356–358
- geochemistry, organic  
   Site 747, A:119
- Site 748, A:210–213
- Site 749, A:263
- Site 750, A:313–316
- Site 751, A:358–359
- geophysics  
   Site 747, A:147
- Site 748, A:160–163, 227
- Site 749, A:238–241, 272–273
- Site 750, A:281ff
- Georgia Basin, ice-rafted debris, B:216
- geotechnical stratigraphy  
   Site 748, A:213
- Site 751, B:179ff
- geothermal activity, zeolite assemblages and, B:68
- gibbsite, B:103–104
- glaciation  
   alpine, B:1010, 1023

## glaciation (cont.)

Antarctica, B:161–164, 207–208

circulation and, B:876

Eocene, B:1023

nannofossils and, B:532

Paleogene, B:1002ff, 1111

Pliocene, B:216

Site 751, A:370

glass

chemical composition, B:142

chronology, B:157ff

evolution, B:146–147

in ice-raftered debris, B:210ff, 1098

Kerguelen Plateau, B:153ff

magnetic properties, B:238ff

Site 748, B:118

glauconite

definition, B:115

global significance, B:130

in ice-raftered debris, B:167, 175–176

sand fraction, B: 117–118

Site 748, A:172ff, 228; B:23–24, 99ff, 1045

weathering and, B:105

X-ray diffraction, B:119–122

glauconitic sediment, A:170ff; B:113ff

goethite, Site 747, A:135

Gondwana

breakup, B:917ff, 1079

continental extension, B:918

isotope geochemistry, B:42–44

magmatism, B:33–34

palyontology, B:263ff

plateau origin and, B:76

podocarps, B:276

sporomorphs, B:288

grabens

Site 747, A:145; B:884–885

Site 748, A:230

grain density

carbonate content and, B:184ff

Site 747, A:122–123

Site 749, A:263ff

Site 750, A:317ff

Site 751, A:360

grainstone

biostratigraphy and, A:197–198

Site 747, A:104–105

Site 748, A:172ff

velocity, A:216

GRAPE density

Site 747, A:128

Site 749, A:265ff

Site 751, A:365–366

Guinea, Gulf of, B:129

hafnium, B:58ff

half-grabens, Site 747, B:885

hardgrounds, Site 747, A:98ff

Hawaii, B:103–104

Heard Island

ash layers and, B:145–146, 154ff

basalt, A:271; B:42

lead, B:60

neodymium, B:60

seismic stratigraphy, B:888–889

strontium, B:60

heat flow

Site 747, A:126ff, 150

Site 748, A:218ff, 228–229

hematite, B:239

heulandite, B:64

hiatuses

biogenic productivity and, B:189ff

calcium carbonate and, B:1074

Cretaceous/Paleocene boundary, B:965

## SUBJECT INDEX

ice-raftered debris and, B:211ff

Kerguelen Plateau evolution and, B:888ff

sedimentation rates and, A:205; B:1040

Site 747, A:146–147; B:882–883

Site 748, A:229–230; B:900, 1038

Site 750, B:1038

hornblende, B:167ff

hotspots

Amsterdam–Saint Paul Zone and, B:933

Broken Ridge, A:82; B:921–922

Bunbury basalts, B:921

isotope geochemistry and, B:42

Kerguelen Plateau and, A:82; B:34, 55,

60–61, 921–922

Naturalist Plateau, B:921

thermal conductivity and, A:219

well logs and, B:1059

hydrocarbon gases

Site 747, A:119–120

Site 748, A:213

Site 749, A:263

Site 750, A:316

Site 751, A:358–359

hydrogen index

Site 748, A:212–213

Site 750, A:316

hydrothermal circulation, B:73

ice-raftered debris

age, B:211ff

Antarctic Circumpolar Current, A:84; B:216

apparent accumulation rate, B:166, 169,

190ff, 208ff

ash layers and, B:154ff

density and, B:210

*Eltanin*, B:1113

Georgia Basin, B:216

glaciation and, B:161ff

index, B:208

Leg 119, B:1093

magnetic properties, B:214

Maud Rise, B:1009

nannofossils and, B:1111ff

Neogene, B:207ff

Oligocene, B:1009ff

oxygen isotopes and, B:848–849

Paleogene, B:1020, 1111ff

Site 747, A:98, 103

Site 748, A:83–84, 168, 230–231; B:24

Site 749, A:246

Site 750, A:295

Site 751, A:348

source, B:172

transport methods, B:172, 848–849

ice sheets

Antarctica, B:207, 867, 1093

benthic foraminifers and, B:542

carbonate dissolution and, B:665

circulation and, B:875

Eocene, B:1023

ice-raftered debris and, B:1096–1097

Oligocene, B:24, 161ff, 174, 1004ff,

1018–1020

oxygen isotopes and, B:852, 991ff, 1004

Site 748, A:79, 83–84, 230; B:24

sources, B:1019, 1022–1023

ice shelves, B:175, 657

ice volume

changes in, B:849–852

circulation and, B:876

Eocene/Oligocene boundary, B:979

oxygen isotopes and, B:990–991, 1003

icebergs

ice-raftered debris and, B:1096–1097

Oligocene ice sheet and, B:1019ff

Site 748, B:849

Iceland, B:68

ichthyoliths

glaciation and, B:175

in ice-raftered debris, B:167ff

igneous rocks

remanent magnetization, A:200ff, 255ff

Site 747, A:129ff

Site 748, A:220–225, 228

Site 749, A:265ff

Site 750, A:318ff

subsidence and, B:945ff

illite, ice sheets and, B:1010

ilmenite

in ice-raftered debris, B:167ff

magnetic investigations and, B:82ff

Site 748, B:118, 125ff

impedance

Site 747, A:143

Southern Kerguelen Plateau, B:897–898

incompatible element ratio, Kerguelen Plateau,

B:38–39

India, Greater, spreading and, B:920

Indian Ocean

austral nannofossils, B:361

circulation patterns, B:867

cruises in, B:1080

dinoflagellates, B:310

element analyses, B:40–41

evolution, B:1079

features, B:1079–1080

kaolinite, B:110

magmatism, B:33

morphotectonic units, B:114

oceanic crust and, B:918

paleolatitudes, B:1079

plate kinematic history, B:917ff

sediments, B:113ff, 1081ff

sites drilled, B:980

tectonics, B:95, 919

Indian Ocean E, taxa, B:598

Indian Ocean Ridge, basalt geochemistry, B:59–60

Indian Ocean S

basalt genesis, B:146

ice-raftered debris, B:215

nannofossils, B:523ff

sites drilled, B:14

taxa, B:527, 543

Indian Ocean SE, bathymetry, B:932

Indian Plate, transform motion, B:921–922

Indo-Australian Plate, B:917

interstitial-water chemistry

Site 747, A:116–119, 123–124

Site 748, A:208ff

Site 749, A:259–262

Site 750, A:308ff

Site 751, A:358–359, 362–363

IRM. See isothermal remanent magnetization

iron, magnetic properties, B:238

iron oxides, Site 747, A:135

islands

Central Kerguelen Plateau, B:952

Indian Ocean, B:1079

Kerguelen Plateau, B:958

*Islas Orcadas* cores, B:215–220

isochela, Site 748, B:837

isothermal remanent magnetization (IRM),

B:234ff

K-Ar ages, Kerguelen Plateau basalts, B:74–76

kaolinite

Site 748, B:23, 118

## SUBJECT INDEX

micrite

weathering and, B:104–105  
 Kerguelen-Heard Plateau. *See* Kerguelen Plateau  
 Kerguelen Island  
 ash layers, B:146, 153ff  
 basalt, B:42  
 neodymium, B:59–60  
 strontium, B:59–60  
 volcanism, B:941  
 Kerguelen-Ninetyeast hotspot, A:82  
 Kerguelen Plateau. *See also* Banzare Bank; Central Kerguelen Plateau; Raggatt Basin; Southern Kerguelen Plateau  
 age, B:7, 35, 73  
 basalts, B:19–22, 59–61  
 basement, B:21–22  
 bathymetry, A:73; B:13  
 breakup with Broken Ridge, B:129, 931ff  
 carbonate percentages, B:8  
 crustal structure, B:9, 34–35  
 debris flows, B:20–21  
 denudation, B:949  
 deposition, B:105–107, 903  
 development, B:7ff  
 drill sites, B:35  
 element analyses, B:40–41  
 emplacement, B:921ff, 947  
 environment, B:948–949  
 evolution, A:82–84; B:12  
 flooding, B:290  
 geochemistry, B:38–40  
 geologic setting, B:34–35, 273–274  
 glass, B:153  
 isolation, B:207  
 latitudes and, B:9  
 lead isotopes, B:39ff  
 lithology, B:8, 10, 19  
 location, B:5ff  
 magnetic properties, B:35, 71  
 morphotectonic map, B:16, 136  
 nannofossils, B:21  
 neodymium isotopes, B:39ff  
 oceanographic setting, B:650  
 origin, B:33–34, 44–45, 55, 71  
 planktonic foraminifers, B:21  
 plateau-building stage, B:135ff  
 reflectors, B:22  
 sedimentation rates, B:11  
 sediments, B:945ff  
 seismic reflection profiling, B:14ff  
 sites drilled, B:14, 72, 152, 180, 208, 282, 372, 394, 495, 510, 684, 758, 786, 812, 840, 856, 946, 952, 962, 1032, 1054, 1067  
 spreading, B:9, 921, 933ff  
 stratigraphic relations, B:64  
 strontium isotopes, B:39ff  
 structure, B:12, 100  
 subsidence, B:945–949  
 taxa, B:525–526  
 terrestrial material, B:290–292  
 volcanism, B:151ff  
 water depth, B:9  
 wood, B:275ff  
 zeolite, B:139  
 kerogen  
 Raggatt Basin, B:282ff  
 Site 748, B:953  
 Site 750, B:256  
 King George Island, B:162, 1023, 1097  
 Labrador Sea  
 benthic foraminifers, A:250  
 sites drilled, B:494  
 Labuan Basin

Kerguelen Plateau/Broken Ridge breakup and, B:935ff  
 location, B:881  
 magnetic anomalies, B:71  
 lag deposits, Site 750, A:287ff  
 lamprophyres, B:38–39, 76  
 laumontite, B:64, 66–67  
 lava flows, A:220ff  
 lead, basalt origin and, B:58ff  
 lead isotopes, Kerguelen Plateau, B:39ff  
 Leg 28  
 glacial sediments, B:1002  
 radiolarians, B:735, 758  
 Leg 29  
 glacial sediments, B:1002  
 radiolarians, B:735, 758  
 Leg 38, glauconite, B:130  
 Leg 71, ice-raftered debris, B:215ff  
 Leg 93, sponge spicules, B:833  
 Leg 104, glauconite, B:130  
 Leg 113  
 ice-raftered debris, B:1009  
 nannofossils, B:523ff  
 radiolarians, B:735, 758ff  
 sponge spicules, B:833  
 taxa, B:527  
 Leg 119  
 diamictites, B:1010–1011  
 nannofossils, B:523ff  
 radiolarians, B:735, 741  
 taxa, B:527  
 limestone, silicified, Site 750, A:291ff  
 lithic clasts  
 Kerguelen Plateau, B:138–139  
 Site 748, B:118  
 lithology  
 Cretaceous/Paleocene boundary, B:962  
 Eocene/Oligocene boundary, B:981  
 glaciation and, B:164ff  
 isotopes and, B:843ff  
 logging and, A:139ff, 325ff  
 marine environments and, B:315–316  
 physical properties and, B:180ff  
 Raggatt Basin, B:23, 26, 281ff  
 seismic reflection profiling and, B:885  
 seismic stratigraphy and, B:899–903  
 Site 747, A:73–74, 95ff, 147ff; B:19  
 Site 748, A:76–79, 166–167, 227–228; B:23, 115–117, 309  
 Site 749, A:80, 241ff, 273; B:25  
 Site 750, A:80–81, 286ff, 331–332; B:26, 255ff  
 Site 751, A:81–82, 345–349; B:28, 208ff, 1068  
 well logs and, B:1054  
 wood and, B:275  
 liverworts, Site 750, B:257  
 logging  
 lithology and, B:1054  
 noise during, B:907ff  
 Site 747, A:74, 137ff, 150; B:1053–1060  
 Site 750, A:324–329  
 microfossils  
 Leg 120, B:445–446  
 Site 748, A:195–196  
 Site 749, A:254  
 Site 750, A:305  
 Madagascar/Seychelles/Greater India, B:920–922  
 maghemite, Site 749, A:258  
 magma evolution, Kerguelen Plateau, B:145–146, 151  
 magmatism, Indian Ocean, B:33  
 magnesium  
 Site 747, A:117–118, 136  
 Kerguelen Plateau/Broken Ridge breakup and, B:935ff  
 location, B:881  
 magnetic anomalies, B:71  
 lag deposits, Site 750, A:287ff  
 lamprophyres, B:38–39, 76  
 laumontite, B:64, 66–67  
 lava flows, A:220ff  
 lead, basalt origin and, B:58ff  
 lead isotopes, Kerguelen Plateau, B:39ff  
 Site 748, A:79, 176, 198–204, 230; B:24, 82, 91ff  
 Site 749, A:255, 273; B:82–83  
 Site 750, A:306ff; B:83–84, 93ff  
 Site 751, A:355ff  
 spreading and, B:920  
 tectonic movements and, B:95  
 magnetite  
 magnetic properties, B:238–239  
 Site 748, B:118, 125ff  
 magnetobiostratigraphy  
 planktonic foraminifers, B:638ff  
 Site 747, A:114; B:552, 633ff, 1037–1038  
 Site 748, B:556ff, 636ff, 1038  
 Site 749, B:558ff  
 Site 751, B:637ff, 1038ff  
 magnetostratigraphy. *See also* magnetobiostratigraphy  
 biostratigraphy and, B:1035ff  
 Cretaceous/Paleocene boundary, B:962–963  
 Eocene/Oligocene boundary, B:982ff  
 radiolarians and, B:773–774  
 Raggatt Basin, B:248ff  
 Site 747, B:226ff  
 Site 748, B:249ff  
 Site 749, B:231  
 Site 750, B:249ff  
 Site 751, B:231ff  
 stable isotope stratigraphy and, B:859ff  
 major elements, differentiation index, B:147  
 mantle  
 heterogeneities, B:59, 61  
 isotope geochemistry, B:42  
 plateau origin and, B:76  
 Marine Plain, glaciation, B:216  
*Marion Dufresne* cruise, B:10ff  
 marl beds, Site 750, A:293  
 marsh, Site 750, B:106  
 mass flow, B:140, 144  
 Maud Rise  
 benthic foraminifers, A:110, 185; B:612–613  
 carbon isotopes, B:970ff  
 carbonate dissolution, B:661  
 compressional wave velocity, A:123  
 ice-raftered debris, B:1009  
 nannofossils, B:361, 528  
 oxygen isotopes, B:840, 850–852  
 Transitional Faunal Province, B:957  
 Maurice Ewing Bank, ice-raftered debris, B:216  
 McMurdo Sound, B:1105–1106  
 melting  
 basalt origin and, B:56, 59  
 isotope geochemistry and, B:42  
 Kerguelen Plateau, B:146  
 mesolite, B:64  
 metamorphism, zeolite, B:63–64  
 mica  
 in ice-raftered debris, B:172  
 Site 748, A:230  
 micrite, Site 748, A:173

## microfabric

microfabric, Site 751, B:186-188  
 microfossils  
   in ice-rafter debris, B:217-218  
   physical properties and, B:185-186  
   Site 748, A:209  
 mid-ocean-ridge basalts (MORB), B:56-59, 79  
   chromium-spinel and, B:127  
   Raggatt Basin, B:129  
   Site 747, A:135-137  
   Site 748, A:225  
   Site 749, A:268-269  
   volcanism and, B:135ff  
 minerals, heavy  
   in ice-rafter debris, B:167  
   Site 748, A:230  
 Miocene/Pliocene boundary  
   calcium carbonate and, B:1075  
   planktonic foraminifers, B:641  
 Molecap Greensand, glauconitic sediment, B:113  
 monactinal monaxons, B:834  
 monaxons, B:833-834  
 MORB. *See* mid-ocean-ridge basalts  
 mosses, Site 750, B:257-258  
  
 NADW. *See* North Atlantic Deep Water  
 nannofossils, calcareous  
   abundance patterns, B:985ff, 1006ff, 1017  
   cosmopolitan events, B:359-360  
   Cretaceous/Paleocene boundary, B:455ff, 961,  
 963ff  
*Eltanin*, B:1093ff  
 Eocene/Oligocene boundary, B:488, 982ff  
 glaciation and, B:162-163  
 global diachrony, B:485ff  
 in ice-rafter debris, B: 1093ff, 1111ff  
 Indian Ocean, B:1081ff  
 latitudinal gradients, B:490, 523ff  
 Leg 119, B:1109ff  
 local diachrony, B:488  
 magnetostratigraphy and, B:982ff  
 McMurdo Sound, B:1105ff  
 paleobiogeographic/paleoceanographic  
   implications, B:488ff  
 Paleogene, B:473ff  
 physical properties, B:187ff  
 provincialism, B:361  
 Site 747, A:57-59, 69, 83, 111-112, 150;  
 B:21, 344ff, 474ff, 510ff, 539ff  
 Site 748, A:83, 190, 195; B:24, 347ff, 478ff,  
 511ff  
 Site 749, A:252-253; B:482ff  
 Site 750, A:302-304; B:349ff, 963ff  
 Site 751, A:351-352; B:511ff  
 water temperature and, B:523ff  
 zonations, B:1033ff  
 natrolite, B:64, 66  
 Naturalist Plateau  
   age, B:35  
   biostratigraphy, B:1085, 1088  
   clay, A:82  
   element analyses, B:44  
   geochemistry, B:39, 42  
   geologic setting, B:35ff  
   hotspots, B:921  
   sediment, B:113  
 Nauru Basin, basalt, A:80, 271; B:25  
 neodymium  
   basalt origin and, B:57ff  
   Kerguelen Plateau, B:39ff  
     Rajmahal Volcanic Formation, B:42  
   neritic environment, Site 748, B:313  
 New Zealand, paleovegetation, B:263  
 Niger Delta, B:595  
 Ninetyeast Ridge

## SUBJECT INDEX

Kerguelen Plateau/Broken Ridge breakup and,  
 B:940  
 sediment, B:113  
 niobium, basalt origin and, B:56ff  
 North Atlantic Deep Water (NADW), B:661, 876  
 Northern Kerguelen Plateau. *See* Kerguelen Plateau  
 Norwegian Sea, B:679  
  
 Ob Trench, B:937  
 oceanic-island basalt (OIB)  
   chromium-spinel and, B:127  
   Raggatt Basin, B:129-130  
   Site 749, A:269  
   trace elements, B:56-59, 79  
   volcanism and, B:135ff  
 OIB. *See* oceanic-island basalt  
 Oligocene/Miocene boundary  
   benthic foraminifers, B:542  
   magnetobiostratigraphy, B:562  
   planktonic foraminifers, B:641  
   olivine  
     Site 747, A:133ff, 136ff  
     Site 748, A:222  
     Site 749, A:268-269  
 ooze, diatom  
   ice-rafter debris and, B:208  
   magnetic properties, B:237  
   physical properties and, B:180ff  
   Site 747, A:97-98, 147  
   Site 748, A:168  
   Site 749, A:243  
   Site 750, A:287ff  
   Site 751, A:346ff  
   velocity, A:216  
 ooze, foraminifers, Site 747, A:97-98  
 ooze, nannofossil  
   glaciation and, B:164ff  
   ice-rafter debris in, B:1015-1016  
   magnetic properties, B:231  
   physical properties and, B:180  
   Site 747, A:98, 147  
   Site 748, A:169  
   Site 749, A:246-248  
   Site 750, A:288  
   Site 751, A:348  
   velocity, A:216  
 ooze, siliceous, B:189ff  
 opaline tests, Site 751, B:185  
 open-sea environment, Site 748, B:313  
 organic matter, Site 750, A:316  
 Osborne Formation, glauconitic sediment, B:113  
 ostracodes, oxygen isotopes and, B:844ff  
 overburden stress, Site 751, B:184ff  
 oxeas, B:833-834  
 oxidation  
   chromium-spinel and, B:128  
   remanent magnetizations and, B:84, 90-94  
     of titanomagnetite, B:81ff  
 oxyaster, Site 748, B:837  
 oxygen index  
   Site 748, A:212-213  
   Site 750, A:316  
 oxygen isotopes  
   age estimates, B:859ff  
   benthic foraminifers and, B:541-543, 617,  
 841ff, 857, 873, 1003ff  
 Campbell Plateau, B:164  
 Cretaceous/Paleocene boundary, B:964ff  
 Eocene/Oligocene boundary, B:979  
 glaciation and, B:163-164, 849-852  
 ice sheets and, B:852, 991, 1004ff  
 latitudinal gradients, B:990-991, 1021-1022  
 magnetostratigraphy and, B:982ff  
  
 Oligocene, B:839  
 planktonic foraminifers and, B:543ff, 842ff,  
 873, 1003ff  
 radiolarians, B:1004  
 Site 747, B:855-858  
 Site 748, B:502-503  
 water temperature and, B:528, 657, 839ff,  
 1003  
  
 P-wave velocity  
   Site 747, A:128  
   Site 749, A:265ff  
   Site 751, A:365-366  
 Pacific Ocean  
   benthic foraminifers, B:1004-1005  
   carbon isotopes, B:851  
   circulation and, B:876  
   oxygen isotopes, B:855  
   taxa, B:526  
 Pacific Ocean SE  
   glacial sediments, B:162  
   taxa, B:527  
 packstone  
   biostratigraphy and, A:198  
   Site 748, A:172ff; B:133  
 Paleocene/Eocene boundary  
   benthic foraminifers, B:616  
   biostratigraphy and, B:552  
   magnetobiostratigraphy and, B:561  
   well logs and, B:1059  
 paleoenvironment  
   benthic foraminifers and, B:395ff, 605ff  
   dinoflagellates and, B:312-316  
 paleolatitude, B:9, 523  
   Site 747, B:91  
   Site 748, B:92  
   Site 749, A:259; B:93  
   Site 750, B:94  
 paleosol, Site 750, B:106  
 palynology, Site 750, B:256ff, 281  
 paleynomorphs  
   Central Kerguelen Plateau, B:952  
   glaciation and, B:175  
   paleoceanographic implications, B:289  
   Site 748, A:196  
   Site 750, A:305  
 Pangaea, breakup, B:255  
 pebbles, in ice-rafter debris, B:210  
 peridotite, chromium-spinel and, B:126-127  
 permeability, sediment microfabric and, B:185-  
 186  
 Perth Abyssal Plain, biostratigraphy, B:1084-1088  
 Perth Basin, sediment, glauconitic, B:113  
 petrography  
   of secondary minerals, B:64ff  
   Site 747, A:133ff  
 pH  
   Site 747, A:117  
   Site 748, A:208  
   Site 749, A:260  
   Site 750, A:309ff  
   Site 751, A:357  
 phasor induction logs, Site 747, B:1054ff  
 phosphatic matter, Site 748, B:119  
 phosphorus, basalt origin and, B:56ff  
 physical properties  
   sediment microfabric and, B:180ff  
   Site 747, A:120ff, 150  
   Site 748, A:176, 213ff, 228-229  
   Site 749, A:263ff, 273  
   Site 750, A:316ff  
   Site 751, A:359ff  
 plagioclase  
   Site 747, A:133

SUBJECT	INDEX	sedimentation rates
Site 748, A:222; B:118, 125–126		
Site 749, A:267–268; B:25		
Site 750, A:321		
plagoniid, B:744		dipping, B:95
Site 748, B:750		Kerguelen Plateau evolution and, B:884ff
planktonic foraminifers. <i>See</i> foraminifers, planktonic		paleolatitudes and, B:95
plate kinematic history, B:917ff		seismic stratigraphy and, A:143ff, 225–227
plate tectonics		Site 747, A:82, 91ff; B:22
Kerguelen Plateau, B:95–96, 135		Site 748, A:158; B:23, 900–902
Oligocene ice sheet, B:1022		Site 749, A:240, 270–273; B:24
Pliocene/Pleistocene boundary, planktonic foraminifers, B:641		Site 750, A:82, 280ff, 329–330, 332; B:26
podocarps		Site 751, A:340ff, 366ff
Kerguelen Plateau, B:952, 958		Southern Kerguelen Plateau, B:895ff
Site 750, B:261ff		synthetic seismogram and, A:143ff; B:913
Polar Front		regression, Site 748, B:316ff
biogenic productivity and, B:192–193		remanent magnetization. <i>See also</i> anhysteretic re-
Kerguelen Plateau and, B:7, 650, 867		manent magnetization (ARM); isothermal remanent magnetization (IRM)
nannofossils, B:532		oxidation and, B:84, 90–94
Site 748, A:191–192		Site 748, A:198–200
taxa, B:541		Site 749, A:255
polar ice caps, B:867, 1001		resistivity
polarity reversals, B:227ff, 248		Site 747, A:132–133, 139ff
Polenz glaciation		Site 750, A:325
Antarctica, B:162–163		reworking
Weddell Sea, B:1009		glauconite sand, B:117
pollen. <i>See also</i> sporomorphs		Site 747, B:555, 953–954
Raggatt Basin, B:286ff		Site 748, A:191
Site 750, B:258ff		Site 750, B:953–954
polyaxons, B:834		ridge segmentation, Southeast Indian Ridge,
polymorphinid, B:416		B:933–934
Site 747, B:432		rift units, Site 747, B:885
porcellanite		rifting
Site 748, A:169–170		Kerguelen Plateau, B:943
Site 749, A:246		plateau origin and, B:71
Site 751, B:28		Site 747, A:151
porosity		Rig Seismic cruise, Kerguelen Plateau and, B:9–10
Kerguelen Plateau evolution and, B:897ff		Rimini, A:108
sediment microfabric and, B:185ff		Rio Grande Rise
Site 747, A:122–123		biostratigraphy, A:66
Site 748, A:213ff		planktonic foraminifers, B:639
Site 749, A:263ff		rip-up clasts, Site 748, B:118
Site 750, A:317ff		Rock-Eval pyrolysis
Site 751, A:360		Site 748, A:212–213
prehnite, Site 747, A:135		Site 750, A:315–316
pressure, zeolite facies and, B:67		Ross Sea
Prince Charles Mountains		glacial sediments, B:162, 1002, 1010
age determination, B:76		ice-rafted debris, B:1111
element analyses, B:51		ice sheet and, A:230
geochemistry, inorganic, B:39		icebergs and, B:173, 1019ff
hotspots, B:921		nannofossils, B:1105ff
lamprophyres, B:38		rubidium, basalt origin and, B:57ff
productivity, biogenic		rudstones, Site 748, A:172–173
circulation and, B:875		rutile, in ice-rafted debris, B:172
Cretaceous/Paleocene boundary, B:966ff		salinity
Site 748, A:229–230; B:23		ice sheets and, B:1005–1007
Site 751, B:188–190		Site 747, A:117
Southern Ocean, B:175		Site 748, A:208
Prydz Bay		Site 749, A:260
diamictites, B:1010–1011		Site 750, A:309
Eocene glaciation and, B:1023		Site 751, A:356–357
glacial sediments, B:163, 991ff		sand
ice-rafted debris and, B:848–849		in ice-rafted debris, B:210
ice sheet and, A:84, 230		Site 747, A:102ff
icebergs and, B:173, 1019ff		Site 748, B:102
lithology, B:1014		sandstone, Site 748, A:173–175, 228; B:115ff
nannofossils, B:1109ff		sandstone, glauconitic, Site 748, A:173–175
nonmarine sediments, A:82		SDT. <i>See</i> digital sonic tool
paleogeographic reconstruction, B:1021		sea ice, Oligocene, B:1003–1004
sites drilled, B:840		sea level
taxa, B:524		circulation and, B:876
pumice, Kerguelen Plateau, B:138		glaciation and, B:162, 174–175
pyrite		seawater, age determination and, B:75
	reflectors	seaways, interior, Antarctica, B:1018–1019
		sedimentation, open-ocean, B:953
		sedimentation rates

sedimentation rates (cont.)

hiatuses and, B:1040  
 ice rafted debris and, B:209-210  
 Kerguelen Plateau evolution and, A:226-227; B:892  
 Site 747, A:64-66, 74, 115-116, 121-122, 150-151; B:882-883  
 Site 748, A:79, 204-207, 229-230  
 Site 749, A:80, 259ff, 273-274; B:25  
 Site 750, A:308ff, 332; B:27, 460  
 Site 751, A:82, 355-356, 361; B:28  
 terrestrial material and, B:292  
 seismic reflection profiling  
 Kerguelen Plateau/Broken Ridge breakup and, B:939  
 lithology and, B:885  
 paleolatitudes and, B:95  
 Site 747, A:91ff, 147; B:18-19, 882ff  
 Site 748, A:158ff; B:20  
 Site 749, A:239ff; B:20  
 Site 750, A:279ff; B:21  
 Site 751, B:22  
 Southern Kerguelen Plateau, B:895ff  
 synthetic seismogram and, B:913  
 seismic stratigraphy  
 Kerguelen Plateau, B:885ff  
 lithology and, B:899-903  
 Site 747, A:143ff, 150ff  
 Site 748, A:225-227, 229-231  
 Site 749, A:270-273  
 Site 750, A:329-330, 332  
 Site 751, A:366ff  
 Shatsky Rise, carbon isotopes, B:970ff  
 shear strength  
 sediment microfabric and, B:184ff  
 Site 747, A:123ff  
 Site 749, A:264ff  
 Site 751, A:362ff  
 shelf conditions, Site 748, B:107, 900  
 Shillong Plateau, B:38  
 siderite  
 Site 748, A:174, 228; B:99-100, 119, 126ff  
 Site 750, B:103  
 sigmas, B:834  
 silcrete, weathering and, B:104  
 silica  
 ash layers and, B:153ff  
 glauconite and, B:120ff  
 Site 747, A:118  
 Site 748, A:209; B:102, 119  
 Site 749, A:262  
 Site 750, A:313  
 Site 751, A:357  
 weathering and, B: 104  
 silicification, Site 748, A:217-218  
 silicoflagellates  
 Site 747, B:813ff  
 Site 748, A:193-194; B:814ff  
 Site 749, A:254; B:816ff  
 Site 750, A:305  
 Site 751, B:202-204, 816ff  
 zonation, B:811ff, 1035  
 siltstone  
 Site 748, A:173ff, 228; B:99-100, 133  
 Site 750, A:294; B:100  
 Sirius Group, glacial sediments, B:1007  
 Site 207, austral nannofossils, B:361  
 Site 211, biostratigraphy, B:1080-1081  
 Site 212, biostratigraphy, B:1081  
 Site 216  
 biostratigraphy, B:1081  
 sediment, glauconitic, B:113  
 Site 217  
 biostratigraphy, B:1082  
 dinoflagellates, B:310

## SUBJECT INDEX

Site 235, biostratigraphy, B:1082  
 Site 239, biostratigraphy, B:1083  
 Site 241, biostratigraphy, B:1083  
 Site 249, biostratigraphy, B:1083-1084  
 Site 250, biostratigraphy, B:1084  
 Site 255  
 biostratigraphy, B:1084  
 sediment, glauconitic, B:113  
 Site 256, biostratigraphy, B:1084  
 Site 257, biostratigraphy, B:1084  
 Site 258  
 biostratigraphy, B:1085  
 clay, ferruginous, A:82  
 geologic setting, B:35  
 sediment, glauconitic, B:113  
 Site 259, biostratigraphy, B:1085-1086  
 Site 261, biostratigraphy, B:1087  
 Site 263, biostratigraphy, B:1087-1088  
 Site 264  
 biostratigraphy, B:1088  
 geologic setting, B:35  
 radiolarians, A:253  
 Site 270  
 glacial sediments, B:162  
 ice rafted debris, B:1111  
 Site 277, oxygen isotopes, B:164  
 Site 327, planktonic foraminifers, A:109  
 Site 356, nannofossils, B:457  
 Site 384, nannofossils, B:457  
 Site 511  
 diatoms, A:192  
 glaciation and, B:174  
 ice sheets and, B:1005-1006  
 Site 513, diatoms, A:192  
 Site 516  
 biostratigraphic events, A:66  
 oxygen isotopes, B:1006  
 planktonic foraminifers, B:639  
 Site 522  
 carbon isotopes, B:851  
 oxygen isotopes, B:851, 1006  
 stable isotope stratigraphy, B:859  
 Site 527, carbon isotopes, B:968  
 Site 552, oxygen isotopes, B:855  
 Site 563  
 carbon isotopes, B:851  
 oxygen isotopes, B:851  
 stable isotope stratigraphy, B:857ff  
 Site 574  
 carbon isotopes, B:851  
 high-frequency signal at, B:857ff  
 oxygen isotopes, B:855  
 Site 577  
 carbon isotopes, B:970ff  
 Cretaceous/Tertiary boundary, A:307  
 Site 607, oxygen isotopes, B:855  
 Site 608  
 planktonic foraminifers, B:639-640  
 stable isotope stratigraphy, B:857ff  
 Site 642, basement, B:884  
 Site 646, location, B:494  
 Site 647  
 age-depth curve, B:497  
 biostratigraphy, B:497  
 location, B:494  
 taxa, A:250; B:499  
 Site 677, oxygen isotopes, B:855  
 Site 689  
 abundance changes, B:993ff, 1006  
 benthic foraminifers, A:110; B:612-613  
 ice rafted debris, B:1009  
 nannofossils, B:989ff, 1006  
 oxygen isotopes, B:850-852, 1020  
 taxa, A:187-188; B:531, 598  
 Site 690  
 benthic foraminifers, A:110; B:612-613  
 carbon isotopes, B:970ff  
 icebergs, B:173  
 nannofossils, B:457  
 oxygen isotopes, B:851-852  
 taxa, B:531  
 Site 693  
 glacial sediments, B:163  
 ice rafted debris, B:176, 1009-1010, 1012, 1093  
 icebergs, B:173  
 lithology, B:1011  
 taxa, B:524  
 Site 699  
 physical properties, A:360  
 taxa, A:71  
 Site 700, taxa, A:71  
 Site 701  
 ash layers, B:157  
 physical properties, A:360  
 Site 702, taxa, A:71  
 Site 703, taxa, A:71  
 Site 704, oxygen isotopes, B:859  
 Site 711  
 lithology, B:981  
 taxa, B:892  
 Site 736, ash layers, B:138-139  
 Site 737  
 radiolarians, B:788ff  
 sedimentation rates, A:160, 280  
 Site 738  
 age-depth relationships, B:1029  
 biostratigraphy, B:1088-1089  
 calcispheres, A:305  
 carbonate dissolution, B:661  
 geochemistry, inorganic, B:38  
 glacial sediments, B:163  
 ice rafted debris, B:1011-1012  
 isotope geochemistry, B:39  
 nannofossils, B:1109  
 sediments, B:113, 163  
 Site 739  
 nannofossils, B:1109ff  
 taxa, B:524  
 Site 741, nonmarine sediments, A:82  
 Site 744  
 age-depth relationships, B:1030  
 carbonate dissolution, B:661  
 glacial sediments, B:163  
 ice rafted debris, B:1011-1012  
 nannofossils, B:1109  
 radiolarians, B:788  
 taxa, A:71; B:525, 529  
 Site 745, radiolarians, B:789ff  
 Site 746, radiolarians, B:789ff  
 Site 747, A:89-156  
 age-depth relationships, B:1036-1037  
 biostratigraphy, A:73-74, 105-113, 122; B:569-570, 953-957  
 chalk, nannofossil, A:57-58, 68  
 Cretaceous/Tertiary boundary, B:386-387  
 evolution, B:881ff  
 gamma-ray logs, B:1053ff  
 lithology, A:66; B:481ff  
 location, B:18-19, 55  
 logging noise, B:908-910  
 open-ocean sedimentation, B:953  
 Paleocene/Eocene boundary, B:616  
 paleodepth, B:650  
 phasor induction logs, B:1054ff  
 polarity reversals, B:227ff  
 sedimentation rates, A:64-66  
 sediments, B:881, 953-957

## SUBJECT INDEX

thermal conductivity

SUBJECT INDEX	SUBJECT INDEX	SUBJECT INDEX
<p>site summary, B:18–22 stable isotope stratigraphy, B:857ff summary logs, A:156 synthetic seismogram, B:912–913 taxa, B:679 tectonic history, B:884–885 volcaniclastic mass flow, A:57–69; B:139 <b>Site 748, A:157–235</b> age-depth relationships, B:498, 1029,     1043–1044 basal conglomerate, B:140 biostratigraphy, A:79, 177–198, 227–228;     B:952–953, 957 carbon isotopes, B:841ff carbonate contents, B:843ff deposition, B:106–107 diversity, B:982ff environment, A:229 Eocene/Oligocene boundary, B:616–617, 981 extinctions, B:982ff geographic setting, B:281–282 geologic setting, B:164 glauconite, B:1045 ice rafted debris, B:1011–1012 impedance log, B:897–898 lithology, B:99–100 location, B:20, 308 microfossils, A:229; B:23 oxygen isotopes, B:841ff, 1020 Paleocene/Eocene boundary, B:616 paleodepth, B:650 polarity reversals, B:249ff sedimentation, A:170; B:113, 484, 953 site summary, B:22–24 sponge spicules, B:833–835 taxa, A:71–72; B:501, 528, 530, 677 weathering, B:106–107 <b>Site 749, A:237–274</b> biostratigraphy, A:248–255; B:570 lithology, B:484 location, B:20, 55 magnetic properties, B:92ff site summary, B:24–25 taxa, A:71–72; B:595ff, 678 <b>Site 750, A:277–337</b> Cretaceous/Paleocene boundary, B:451, 963ff deposition, B:105–106 forests, B:261ff geographic setting, B:282 geologic setting, B:255–265 impedance log, B:897–898 lithology, B:100ff, 484–485 location, B:21, 55, 452 logging noise, B:908–910 open-ocean sedimentation, B:953 polarity reversals, B:249ff sedimentation rate, B:460 sediments, B:953–957 site summary, B:25–28 summary logs, A:335–337 volcanogenic epiclastic rocks, B:139 weathering, B:105–106 wood, B:275 <b>Site 751, A:339–373</b> age-depth relationships, B:1047–1049 age model, B:868ff clay minerals, B:1067ff geotechnical stratigraphy, B:179ff ice rafted debris, B:207ff location, B:22 paleodepth, B:650 polarity reversals, B:231ff site summary, B:28 water temperature, B:657</p>	<p>X-ray diffraction, B:1067ff <b>Site 752</b>     carbon isotopes, B:968ff     well logs, B:1059–1060 smectite     Site 747, A:135     Site 748, A:174, 224     Site 749, A:268     Site 750, A:321–323     weathering and, B:103–104 solution features, Site 750, A:291 Somali Basin, spreading, B:920 sonic logs     Site 747, A:138–139     Site 750, A:325ff sorting     ash layers and, B:138     glauconite sand, B:117 South Australian Basin, Kerguelen Plateau/Broken Ridge breakup and, B:936–937 South Sandwich Islands, ash layers, B:157 South Tasman Rise, glacial sediments, B:1002 Southeast Indian Ridge     description, B:933–935     magnetic properties, B:932ff     spreading, B:892     transient offsets, B:934 Southern Hemisphere     benthic foraminifers, B:393–394     palyontology, B:281 Southern Indian Ocean. <i>See</i> Indian Ocean S Southern Kerguelen Plateau     biostratigraphy, B:1088–1089     crustal structure, B:7ff     evolution, A:146, 226–227; B:12ff, 895ff     glauconitic sediment, B:113ff     location, B:255     seismic reflection profiling, B:17, 895     sinking, B:129     structure, B:12ff     taxa, B:595 Southern Ocean     austral nanofossils, B:361     bottom-water circulation and, B:649     cooling, B:174     diatoms, B:684ff     disconformity, B:958     ecological change in, B:1075     oxygen isotopes, B:840, 859     plate kinematic history, B:917ff     radiolarians, B:758     surface-water masses, B:12, 472     taxa, B:528     spinel, Site 748, A:222     spinel, chromium, B:118, 125–127     sponge spicules, Site 748, B:833–835     sporomorphs, Site 750, B:257ff     spreading         Gondwana and, B:917ff         Indian Ocean, B:917ff     Kerguelen Plateau and, B:9, 95, 892, 933ff     rate changes, B:942     Somali Basin, B:920 stable isotopes     Cretaceous/Paleocene boundary, B:962     Site 747, B:855, 859 STC. <i>See</i> Subtropical Convergence stilbite, B:64, 66 strontium, basalt origin and, B:57ff strontium isotopes     Kerguelen Plateau, B:39ff     planktonic foraminifers and, B:846ff Rajmahal Volcanic Formation, B:42</p>	<p>Subantarctic Front, Kerguelen Plateau and, B:650, 867 Subantarctic Surface Water, B:180 subduction, Indian Ocean, B:1079 submarine channel, Site 747, B:888 subsidence     age, B:75     age-depth relationships and, B:945     Kerguelen Plateau and, B:407, 892, 945–949     plateau origin and, B:71     Raggatt Basin, B:129–130     Site 747, A:146, 150–151; B:882     Site 748, A:230–231; B:24, 900     Site 750, B:27     thermal conductivity and, A:219 Subtropical Convergence (STC), B:180 sulfate     Site 748, A:208     Site 749, A:260     Site 750, A:312     Site 751, A:357 surface water     circulation, B:875     oxygen isotopes and, B:850     Southern Ocean, B:12, 472 synform, Southern Kerguelen Plateau, B:895 synthetic seismogram     digital sonic tool and, B:907 reflectors, A:143ff; B:913 Site 747, A:143ff Site 750, A:329 Southern Kerguelen Plateau, B:897–899 velocity log and, B:910</p> <p>Table Nunatak, forests, B:276 tachylite, magnetic properties, B:239 Tau Zone, B:788 tectonic episodes     Kerguelen Plateau evolution and, B:892, 905     magnetic properties and, B:94–95     Raggatt Basin, B:129–130     Site 747, A:143, 150–151; B:884–885, 913     Site 748, A:227, 229–231 temperature     Site 747, A:126     Site 748, A:218ff, 229     zeolite-facies metamorphism and, B:67–68 temperature, water     abundance changes and, B:993ff     Atlantic Ocean S, B:1008     carbonate dissolution and, B:661ff     Eocene, B:839ff     Eocene/Oligocene boundary and, B:980, 983ff     extinctions and, B:989–991     faunal diversity and, B:983ff     glaciation and, B:164     ice sheets and, B:1001ff     nanofossils and, B:192, 523ff, 1096     oxygen isotopes and, B:850–851     Paleogene, B:1004–1005     planktonic foraminifers and, B:379, 583–584     Site 748, B:502–503     Site 750, A:298     taxa, B:528, 540, 598, 657 terrestrial material     CIROS-1, B:1010     Kerguelen Plateau, B:290–292     Site 750, B:27, 103, 256, 261ff tetraxons, B:834 theoperid, B:747     Site 748, B:753 thermal anomalies, Kerguelen Plateau, B:9 thermal conductivity     Site 747, A:126ff, 150</p>

thermal conductivity (cont.)

Site 748, A:218ff  
 Site 749, A:264ff  
 Site 750, A:318ff  
 tholeiite  
   isotope geochemistry, B:42-43  
   olivine-normative, B:38, 73  
   quartz-normative, B:39  
   Site 747, A:135  
   Site 749, A:268-269  
 thomsonite, B:64, 66  
 thorium, Site 747, B:1057ff  
 tilted blocks, Site 747, B:884-885  
 titanium, magnetic properties, B:238  
 titanomaghemite, B:79, 82ff  
 titanomagnetic, magnetic anomalies and, B:79, 81, 238  
 tourmaline, in ice-raftered debris, B:172  
 toxon, Site 748, B:837  
 Transantarctic Mountains, glacial sediments, B:164, 1007  
 transform faults  
   Indian and Madagascar plates, B:921  
   Kerguelen Plateau and, B:892  
   Southeast Indian Ridge, B:934  
 Transitional Faunal Province, B:378, 957  
 triaxons, B:834  
 turbidity, ice-raftered debris and, B:172, 1098  
 tylostye, Site 748, B:837  
  
 uplift  
   Kerguelen Plateau evolution and, B:892  
   Site 747, B:885  
 Upsilon Zone, B:788  
 upwelling, B:175, 598, 867  
 uranium, Site 747, B:1058  
  
 vegetation. *See* terrestrial material  
 velocity. *See also* compressional wave velocity  
   Kerguelen Plateau evolution and, B:897ff  
   peaks, B:909-910  
   seismic stratigraphy and, A:143  
   Site 747, B:910ff  
   Site 748, B:898-899  
   Site 750, B:898-899, 912ff  
 vertebrates, evolution, B:175  
 VGP. *See* virtual geomagnetic pole

## SUBJECT INDEX

virtual geomagnetic pole (VGP), Kerguelen Plateau, B:95  
 volcanic rocks, Rajmahal, B:36  
 volcanoclastics  
   classification, B:137-138  
   seismic stratigraphy and, A:143  
   Site 747, A:102ff, 147  
   well logs and, B: 1056-1058  
 volcanism  
   age determination and, B:75  
   ash layers and, B:153ff  
   geotectonic significance, B:144-145  
   Gondwana, B:43  
   Kerguelen Island, B:941  
   Kerguelen Plateau, B:60-61, 135ff, 903  
   magnetic properties and, B:238-239  
   plateau origin and, B:71, 76  
   Raggatt Basin, B:129-130  
   sporomorphs and, B:260  
 Vørning Plateau, B:130, 884  
  
 wackestone, velocity, A:216  
 WAIS. *See* West Antarctic Ice Sheet  
 Walvis Ridge  
   carbon isotopes, B:968ff  
   mantle components, B:61  
 water content  
   sediment microfabric and, B:185ff  
   Site 747, A:122-123  
   Site 748, A:213ff  
   Site 749, A:263ff  
   Site 750, A:317  
   Site 751, A:360  
 water depth  
   benthic foraminifers and, B:616  
   calcium carbonate and, B:1074-1075  
   Cretaceous, B:958  
   dinoflagellates and, B:315-316  
   Site 747, B:399  
   Site 750, B:406-407  
 water masses  
   biogenic productivity and, B:192  
   circulation, B:867ff  
 water-rock interaction, age determination and, B:74-75  
 water temperature. *See* temperature, water  
 weathering  
  
 chromium-spinel and, B:127-128  
 ice sheets and, B:1010  
 Site 748, A:229  
 Site 750, A:332; B:27  
 Weddell Abyssal Plain, ice-raftered debris, B:216  
 Weddell Deep Water, Site 748, A:185  
 Weddell Sea  
   abundance changes, B:993ff, 1006  
   benthic foraminifers, A:110, 185, 250; B:612  
   circulation and, B:875  
   compressional wave velocity, A:123  
   glacial sediments, B:163  
   ice-raftered debris, B:1009, 1012, 1093  
   ice sheet and, A:84, 230  
   icebergs, B:173  
   magnetobiostigraphy, B:561-562  
   nanofossils, B:523-525, 657, 1006  
   radiolarians, A:112-113  
 West Antarctic Ice Sheet (WAIS), ice-raftered debris and, B:216  
 westerlies, Oligocene ice sheet and, B:1019ff  
 Wilkes-Pensacola basins, deposition, B:1010  
 Williams Ridge, location, B:881  
 winds  
   ice-raftered debris and, B:1098  
   ice sheets and, A:84; B:1023  
 wood  
   Antarctica, B:273  
   Site 748, A:175, 229; B:409-410  
   subsidence and, B:949  
  
 yttrium, B:56  
  
 zeolite  
   age determination and, B:74-75  
   chemical composition, B:141ff  
   geothermal activity and, B:68  
   glauconite and, B:121  
   Kerguelen Plateau, B:139  
   metamorphism timing, B:63-64  
   mineral chemistry, B:66-67  
   petrography, B:64  
   Site 747, A:135ff  
   Site 748, A:174ff, 222ff, 228; B:100  
   Site 749, A:268  
   subsidence and, B:948  
 zirconium, B:56ff

## TAXONOMIC INDEX

- Abathomphalus intermedius*, Site 750, B:392  
*Abathomphalus mayaroensis*, Site 750, B:392  
*Abathomphalus mayaroensis* Zone, B:372  
 Site 750, A:299-300  
*Abratopodium cardioforme* n. sp., Site 748, B:318, 331  
*Abratopodium kerguelense* n. gen. n. sp., Site 748, B:317-318, 331  
*Abyssamina poagi*, Site 747, B:630  
*Acarinina angulosa*, Site 748, B:566  
*Acarinina bullbrookii*, Site 748, B:566  
*Acarinina coalingensis*, Site 749, B:566  
*Acarinina collectae*, Site 748, B:566  
*Acarinina matthewsae*, B:563  
 Site 749, B:566  
*Acarinina primitiva*, B:563  
 Site 748, B:566  
*Acarinina pseudotipilensis*, Site 749, B:566  
*Acarinina wilcoxensis*, B:563-564  
 Site 749, B:566  
*acephala*, *Siphocampae*, Site 748, B:755  
*aceras*, *Nelsoniella*, Site 748, B:335, 341  
*Achomosphaera triangulata*, Site 748, B:296  
*acrophorum*, *Ascondinium*, Site 748, B:296  
*Acrosphaera australis* Zone, B:788  
*Acrosphaera? labrata* n. sp., B:793-794  
 Site 746, B:801  
 Site 751, B:801  
*Acrosphaera? mercurius* n. sp., B:794, 801  
*Acrosphaera spinosa echinoides*, Site 744, B:805  
*actinochilus*, *Actinocyclus*, B:699  
 Site 751, B:726  
*Actinocyclus actinochilus*, Site 751, B:726  
*Actinocyclus curvatus*, Site 751, B:726  
*Actinocyclus dimorphus* n. comb., Site 751, B:726-727, 731  
*Actinocyclus fasciculatus* n. sp., B:700  
 Site 751, B:727  
*Actinocyclus ingens*  
 Site 748, B:725  
 Site 751, B:722, 725-726  
*Actinocyclus ingens* Partial Range Zone, B:686-687  
*Actinocyclus ingens* var. A, B:700  
 Site 751, B:726  
*Actinocyclus ingens* var. *nodus* Partial Range Zone, B:691  
*Actinocyclus ingens-Denticulopsis maccollumii*  
 Partial Range Zone, B:691-692  
*Actinocyclus karstenii*, B:700  
 Site 751, B:727  
*Actinocyclus maccollumii* n. sp., B:700  
 Site 751, B:731  
*Actinocyclus* sp., Site 751, B:726  
*Actinocyclus* sp. A, Site 747, B:719  
*Actinocyclus* sp. B, Site 751, B:727  
*Actinocyclus* sp. C, Site 751, B:726  
*Actinocyclus* sp. cf. *A. actinochilus*, B:699  
*Actinomma golowini*, Site 751, B:779  
*Actinomma golowini* Zone, B:759-760  
*Actinomma? magnifrenestra* n. sp., B:795  
 Site 747, B:803  
*Actinomma? magnifrenestra?* n. sp., Site 744, B:803  
*Actinomma* sp., Site 751, B:804  
*Actinomma* sp. A, Site 751, B:779  
*Actinomma* sp. B, Site 747, B:779  
*aculeata*, *Bulimina*, Site 751, B:669  
*acuminatum*, *Isabelidinium*, Site 748, B:333  
*acutauricula*, *Lenticulina*, Site 747, B:430
- acuticosta*, *Lagena*, Site 748, B:432  
*acutulum*, *Alterbidinium*, Site 748, B:334  
*adhaerens*, *Guttulina*, Site 750, B:432  
*affinis*, *Nodosaria*, Site 747, B:428  
*affinis*, *Nodosaria* aff., B:415  
*Alabamina australis*, B:419  
 Site 748, B:400, 438  
*Alabamina dissontana*, Site 747, B:630  
*Alabamina dorsoplana*, Site 747, B:438  
*alata*, *Rhizosolenia*, Site 751, B:732  
*alaticonformis*, *Sulcosaccispora*, B:258  
 Site 750, B:270  
*alazanensis*, *Anomalinoidea*, Site 751, B:673  
*alazanensis*, *Bulimina*  
 Site 748, B:626  
 Site 751, B:669  
*albertii*, *Dinogymnum*, Site 748, B:334  
*alexanderi*, *Stilosomella*, Site 750, B:436  
*algeriana*, *Concavatotruncana*, B:382  
 Site 750, B:390  
*Alisporites similis*, B:258  
 Site 748, B:306  
 Site 750, B:270  
*allomorphinoides*, *Quadrimorphina*, Site 747, B:436  
*Alnipollenites* sp., Site 748, B:336  
*alsatica*, *Turritina*, Site 749, A:250  
*Alterbidinium acutulum*, Site 748, B:334  
*Alterbidinium minus*, Site 748, B:339  
*alternata*, *Dentalina*, Site 750, B:428  
*altus*, *Chiasmolithus*, B:495-497  
 CIROS-I, B:1117  
 description, B:505-506  
 Site 647, B:499-501, 507-508  
 Site 748, B:501-502, 507  
 variance, B:502  
*altus*, *Velicucullus*, Site 748, B:781  
*amabilis*, *Hedbergella*, B:381  
 Site 750, B:389  
*amekiensis*, *Cassigerinelloita*  
 apertural features, B:596  
 cooling mode, B:596  
 description, B:599  
 evolution, B:597  
 occurrence, B:598  
 Site 749, B:601-602  
 size, B:595  
 wall texture, B:595  
*americana*, *Arenobulimina*, Site 747, B:428  
*americana*, *Arenobulimina* aff., B:414  
*americana*, *Pullenia*, Site 747, B:436  
*Ammodochium rectangulare*, Site 748, A:194  
*Amphidiadema denticulata*, Site 748, B:333  
*Amphidiadema* sp., Site 748, B:333  
*Amphipyndax stocki*, B:743  
 Site 748, B:755  
*Amphistylus angelinus*, Site 748, B:750  
*Amphistylus?* sp., B:741  
 Site 748, B:754  
*amphirite*, *Lychinocanoma*, Site 748, B:756  
*Amphytmium challengerae*, B:796  
 Site 745, B:806  
 Site 747, B:806  
*anceps*, *Micromarsupium*, Site 748, A:194  
*ancoriferum*, *Cleistosphaeridium*, Site 748, B:296  
*angelinus*, *Amphistylus*, Site 748, B:750  
*angiporoides*, *Subbotina* cf., Site 747, B:644  
*angulosa*, *Acarinina*, Site 748, B:566  
*angulosa*, *Trifarina*, Site 751, B:669  
*angustiumbilicata*, *Tenuitellinata*, B:579  
 Site 749, B:591  
*annulatus*, *Cyatheacidites*, B:258  
 Site 748, B:304  
 Site 750, B:268  
*anoectum*, *Lithapium*, Site 748, B:756  
*"Anomalina" nelsoni*, B:423  
 Site 748, B:442  
*Anomalinoidea* alazanensis, Site 751, B:673  
*Anomalinoidea capitatus*, Site 748, B:629  
*Anomalinoidea semicribriatus*, Site 748, B:629  
*Anomalinoidea* sp., B:420  
 Site 747, B:438  
 Site 748, B:629  
*Anomalinoidea spissiformis*  
 Site 747, B:630  
 Site 751, B:673  
*antarctica*, *Bolboforma*  
 Leg 113, B:676  
 Site 749, B:682  
*antarctica*, *Eucampia*, B:703  
*antarctica*, *Rouxia*, Site 751, B:731  
*antarctica*, *Triceraspis*, B:797  
*antarcticum*, *Spongoplegma* aff., Site 748, B:751  
*antarcticus*, *Dactyliosolen*, Site 751, B:732  
*antarcticus*, *Dictyococcites*  
 occurrences, B:527  
 size distribution, B:528  
*antarcticus*, *Microcachryidites*, Site 750, B:271  
*Antarctissa robusta*, B:797  
*Antarctissa strelkovi*, B:797  
*Anthocystidium* sp., B:781  
*antiquasporites*, *Stereisporites*, Site 750, B:270  
*apiculata*, *Bachmannocena*, B:819  
 Site 748, B:828  
*apiculata*, *Oolina*, Site 747, B:432  
*apiculata*, *Pyrulina*, Site 747, B:432  
*apiculata*, *Pyrulina* aff., B:416  
*Appendicisporites* cf. *jansonii*, Site 748, B:304  
*Appendicisporites* sp., Site 748, B:303  
*ragonensis*, *Aragonia*, Site 747, B:627  
*Aragonia aragonensis*, Site 747, B:627  
*Aragonia* sp. 1, B:417  
 Site 747, B:434  
*Aragonia* sp. 2, B:417  
 Site 750, B:434  
*Aragonia velascoensis*, Site 748, B:627  
*area*, *Globotruncana*, Site 750, B:390  
*archaeocretacea*, *Whiteinella*, B:381-382  
 Site 750, B:389  
*Archaeodictyonitra?* sp., B:744-745  
 Site 748, B:752  
*Archaeoglobigerina* aff. *blowi*, B:383  
 Site 750, B:392  
*Archaeoglobigerina australis*, Site 747, B:392  
*Archaeoglobigerina bosquensis*, B:383  
 Site 750, B:392  
*Archaeoglobigerina pilula*, Site 750, B:392  
*Archaeoglobigerina* sp., Site 747, B:375  
*Arcaeoglobigerina* sp. 1, B:383  
 Site 747, B:392  
*archangelskiana*, *Corbisema*, B:821  
 Site 748, B:828  
*archiaciana*, *Frondicularia*, Site 747, B:430  
*articum*, *Diconodontium* cf., Site 748, B:334  
*Arenobulimina* aff. *americana*, B:414  
*Arenobulimina americana*, Site 747, B:428

## Areoligera senonensis

*Areoligera senonensis*, Site 748, B:338  
*Artostrobus?* cf. *pretabulatus*, Site 748, B:754  
*Ascondinium acrophorum*, Site 748, B:296  
*Ashmoripollis woodywisi* n. sp., B:258, 260, 266  
  Site 750, B:270  
*asper*, *Cyathidites*, Site 750, B:269  
*aspera*, *Dictyocha*, Site 751, B:829  
*aspera*, *Nodosaria*, Site 747, B:428  
*aspera*, *Praebulimina*, Site 750, B:434  
*Astacolus* aff. *richteri*, Site 747, B:430  
*Asterolampra tela*, B:700  
  Site 748, B:718  
*Asterolampra vulgaris* var. *cellulosa*, Site 749, B:715  
*Asterolampra vulgaris* var. *hyalina*, Site 748, B:716  
*Asteromphalus concavus* n. sp., B:700-701  
  Site 751, B:733  
*Asteromphalus inaequabilis*, Site 748, B:719  
*Asteromphalus kennettii*, Site 751, B:725  
*Asteromphalus oligocenicus*, Site 748, B:718-719  
*Asteromphalus parvulus*, Site 751, B:733  
*Asteromphalus* sp. A, Site 748, B:719  
*Asteromphalus symmetricus*, Site 748, B:718  
*astigerum*, *Oligosphaeridium*, Site 748, B:300  
*Astronion pusillum*, B:653  
  Site 751, B:670  
*Astronion pusillum* Assemblage, B:653  
  paleoecology and, B:661  
  Site 751, B:873, 875-876  
*aurica*, *Nitzschia*, Site 751, B:731  
*austinana*, *Marginulina*, Site 748, B:430  
*australiensis*, *Cicatricosporites*, Site 748, B:304  
*australiensis*, *Pterospermella*, Site 748, B:335  
*australiformis*, *Globanomalina*, B:563  
*australis*, *Alabamina*, B:419  
  Site 748, B:400, 438  
*australis*, *Archaeoglobigerina*, Site 747, B:392  
*australis*, *Cyathidites*, Site 748, B:304  
*australis*, *Xenikoon*, Site 748, B:335  
*austroclavatidites*, *Retitrites*, Site 748, B:305  
*Axoprunum bispiculum* n. comb., B:741-742  
  Site 748, B:750  
*Axoprunum?* *irregularis* n. sp., B:742  
  Site 748, B:752  
*Axoprunum?* *irregularis* Zone, B:740-741  
*Axoprunum pierinae*, B:742  
  Site 748, B:755  
*Azpeitia endoi*, Site 751, B:725  
*Azpeitia gombosi* n. sp., B:701, 717  
*Azpeitia gombosi* Partial Range Zone, B:692  
*Azpeitia oligocenica*, Site 748, B:717  
  
*babylonis*, *Lychnocanoma*, Site 748, B:756  
*Bachmannocena apiculata*, B:819  
  Site 748, B:828  
*Bachmannocena circulus*, B:819ff  
  Site 751, B:829  
*Bachmannocena paulschulzii*, B:821  
  Site 748, B:829  
*Bachmannocena paulschulzii* Interval Zone, B:812  
*Bachmannocena quadrangula*, Site 751, B:829  
*Baculatisporites comauensis*, Site 748, B:304  
*Balmeiopsis limbata*, Site 750, B:270  
*Balmeiopsis robusta*, Site 750, B:270  
*baltica*, *Pseudopyxilla*, Site 747, B:716  
*baltica*, *Whiteinella*, Site 750, B:389  
*bondyi*, *Gyroidinoides*, Site 750, B:438  
*barbadiensis*, *Discoaster*, B: 1102-1103  
*barboi*, *Simonseniella*, B:706  
  Site 748, B:725  
*barleanus*, *Melonis*, Site 751, B:673  
*barronii*, *Nitzschia*, Site 751, B:731  
*basiplanata*, *Dentalina*, Site 750, B:428

## TAXONOMIC INDEX

*basitorta*, *Dentalina*, Site 747, B:428  
*Bathysiphon brosgei*, Site 748, B:428  
*Batiacasphaera* sp.  
  Site 748, B:303  
  Site 750, B:302  
*Baxteriopsis brunii*, Site 749, B:716  
*beaumontianus*, *Cibicides*, B:418  
  Site 748, B:436  
*beccariiformis*, *Stensiocina*, B:422  
  Site 747, B:397, 440  
*beccariiformis*, *Stensiocina*  
  abundance change, B:613ff  
  isotopic data and, B:964ff  
  Site 747, A:110-111  
  Site 748, B:629  
*belfastense*, *Isabelidinium*, Site 748, B:299, 334  
*belfordii*, *Laevigatosporites*, Site 750, B:269  
*bengalense*, *Satyrodinium*, Site 748, B:332  
*Berthelinella* sp., B:415  
  Site 748, B:430  
*biapiculata*, *Naviculopsis*, B:825  
  Site 748, B:828  
*biaurita*, *Lophocyrtis*, Site 748, B:756  
*bicorn?*, *Stichopileum*, B:809  
  Site 744, B:809  
*bicornis*, *Cycladophora*, Site 748, B:751  
*bigelowii*, *Braarudosphaera*  
  CIROS-I, B:1110  
  Site 750, B:457  
*Biglobigerinella* sp., B:380  
  Site 747, B:388  
*binaria*, *Pleurostomella*, Site 750, B:436  
*Biscutum castrorum*, Site 750, B:455  
*Biscutum kerguelensis*, Site 750, B:455  
*Biscutum magnum*, Site 750, B:370  
*bisecta*, *Reticulofenestra*, B:1104  
*bispiculum*, *Axoprunum*, n. comb., B:741-742  
  Site 748, B:750  
*blowi*, *Archaeoglobigerina* aff., B:383  
  Site 750, B:392  
*Bolboforma antarctica*  
  Leg 113, B:676  
  Site 749, B:682  
*Bolboforma antarctica* Zone, B:677-678ff  
*Bolboforma capsula*, Site 747, B:681  
*Bolboforma* cf. *subfragori*, Site 747, B:681  
*Bolboforma clodiusi*, Site 747, B:681  
*Bolboforma compressispinosa*, Site 751, B:681  
*Bolboforma compressispinosa* Zone, B:678ff  
*Bolboforma geomari*, Site 748, B:682  
*Bolboforma geomari* Zone, B:678ff  
*Bolboforma indistincta*, Site 749, B:682  
*Bolboforma indistincta* Zone, B:677ff  
*Bolboforma intermedia* Interval Zone, B:679  
*Bolboforma laevis*, Site 747, B:681  
*Bolboforma lamari* n. sp.  
  Site 748, B:682  
  Sites 748-749, A:71-72  
*Bolboforma latdorfensis*, Site 748, B:681  
*Bolboforma latdorfensis* Zone, B:678ff  
*Bolboforma metzmacheri*, Site 747, B:681  
*Bolboforma metzmacheri* Zone, B:678ff  
*Bolboforma* sp. 1, Site 748, B:682  
*Bolboforma* sp. B, Site 749, B:682  
*Bolboforma spinosa*, Site 751, B:681  
*Bolboforma* spp., as algal vegetative state, B:675  
*Bolboforma subfragori*, Site 747, B:681  
*boliviensis*, *Distephanus*, B:824  
  Site 751, B:830  
*Bolivina* aff. *pondi*, B:416  
  Site 750, B:434  
*Bolivinoides delicatulus*, Site 747, B:627  
*Bolivinoides draco draco*, Site 750, B:434  
*Bolivinoides granulatus*, B:434

*Bolivinoides laevigatus*, B:417  
  Site 748, B:434  
*Bolivinoides sirticus*, Site 747, B:434  
*Bolivinoides strigillatus*, Site 747, B:434  
*Bolivinopsis rosula*, B:413  
  Site 747, B:428  
*Bolivinopsis spectabilis*, Site 748, B:428  
*bosquensis*, *Archaeoglobigerina*, B:383  
  Site 750, B:392  
*Botryopyle dictyocephalus*, B:743-744  
  Site 748, B:752  
*botuliformis*, *Cyatheacidites*, Site 748, B:304  
*bownei*, *Globigerinita*, B:581  
  Site 749, B:592  
*Braarudosphaera bigelowii*  
  CIROS-I, B:1110  
  Site 750, B:457  
*bradburyi*, *Bulimina*  
  Site 747, B:626  
  Site 748, B:626  
*bradyi*, *Eggerella*, Site 751, B:672  
*bradyi*, *Karreriella*, Site 751, B:672  
*brazieri*, *Globoturborotalita*, Site 748, B:644  
*brevis*, *Subbotina*, B:563  
  Site 748, B:567  
*brevispinosa*, *Hovasseribia*, Site 748, A:194  
*brevispinosa*, *Turrilina*, Site 747, B:628  
*Brightwellia coronata*, Site 748, B:715  
*broedermannii*, *Igorina*, Site 749, B:566  
*brosgei*, *Bathysiphon*, Site 748, B:428  
*brunii*, *Baxteriopsis*, Site 749, B:716  
*bukryi?*, *Thalassiosira*, B:706-707  
  Site 748, B:716  
*Bulimina aculeata*, Site 751, B:669  
*Bulimina aculeata* Assemblage, A:185; B:653  
  paleoecology and, B:657  
  Site 751, B:873, 876  
*Bulimina alazanensis*  
  Site 748, B:626  
  Site 751, B:669  
*Bulimina bradburyi*, B:626  
*Bulimina cf. semicostata*, Site 747, B:626  
*Bulimina elongata*  
  Paleogene, B:612-613  
  Site 748, B:626  
*Bulimina macilenta*, Site 748, B:626  
*Bulimina semicostata*, Site 747, B:626  
*Bulimina striata*, Site 751, B:669  
*Bulimina trinitatis*, Site 747, B:626  
*Buliminella grata*, Site 747, B:628  
*bullata*, *Marginulina*, Site 750, B:430  
*bullbrookii*, *Acarinina*, Site 748, B:566  
*bulletta*, *Dorothia*, Site 748, B:428  
*bulloides*, *Globigerina*  
  Site 747, B:647  
  Site 748, B:646  
*bulloides*, *Globotruncana*, Site 747, B:390  
*bulloides*, *Pullenia*, Site 751, B:670  
*bulloides antarctica*, *Globigerina*, Site 747, B:592  
*bütchli*, *Zygocircus*, Site 748, B:754

*Calamospora mesozoica*, Site 750, B:268  
*Calamospora* sp., Site 748, B:304  
*Calcidiscus leptoporus*, B:525-527  
  Site 747, B:536  
  Weddell Sea, B:525  
*Calcidiscus leptoporus?*, Site 744, B:537  
*Calcidiscus macintyreii*, B:525-527  
  Site 744, B:536  
  Weddell Sea, B:525  
*calida*, *Globigerinella*, Site 747, B:647  
*californica*, *Pseudouvigerina* cf., Site 748, B:434  
*callahani*, *Praebulimina*, Site 747, B:434  
*Calocyclus* cf. *semipolita*, B:745

## TAXONOMIC INDEX

*Conorboides* sp.

- Site 748, B:753, 783  
*Calocyclas* sp. A, B:745  
 Site 748, B:750  
*Calocyclas* sp. B, B:745  
 Site 748, B:754  
*Calocyclas* sp. C, B:745  
 Site 748, B:756  
*calvertense*, *Eucyrtidium*, Site 747, B:782  
*Camarozonosporites* sp., Site 750, B:268  
*camerata*, *Quadriflorina*, Site 748, B:438  
*Camponectes* (*Camptonectes*) sp., B:445  
 Site 748, B:448  
*canaliculata*, *Concavatotruncana*, B:382  
 Site 747, B:390  
*canaliculatus*, *Microfoveolatosporites*, Site 748, B:305  
*canalis*, *Foveosporites*, Site 750, B:269  
*Canningia reticulata*, Site 748, B:337  
*Canningia* sp., Site 748, B:339  
*Canninginopsis colliveri*, Site 750, B:302  
*capitatus*, *Anomalinoidea*, Site 748, B:629  
*capsula*, *Bolboforma*, Site 747, B:681  
*cardioforme*, *Abratopdinium*, n. sp., Site 748, B:318, 331  
*carlsbadensis*, *Heterolepa*, Site 748, B:438  
*Carpocanistrum* spp., Site 748, B:752  
*careyae*, *Praebulimina*, Site 750, B:434  
*Cassiculosphaeridia reticulata*, Site 748, B:296  
*Cassigerinella* spp., *Cassigerinelloita amekiensis* and, B:597–598  
*Cassigerinelloita amekiensis*  
 apertural features, B:596  
 coiling mode, B:596  
 description, B:599  
 evolution, B:597  
 occurrence, B:598  
 Site 749, B:601–602  
 size, B:595  
 wall texture, B:595  
*castellanosii*, *Podosporites*, Site 750, B:271  
*castelliferum*, *Triceratium*, Site 749, B:715  
*castrorum*, *Biscutum*, Site 750, B:455  
*Catapsydrax dissimilis*, B:644  
*Catapsydrax unicavus*, B:564, 642  
 Site 748, B:644  
*catenula*, *Dentalina*, Site 747, B:428  
*Cenosphaera* sp. A, Site 748, B:779  
*ceratioides*, *Xenascus*, Site 748, B:336, 340  
*ceratioides*, *Xenascus* cf., Site 748, B:303  
*Ceratobulimina cretacea*, Site 750, B:432  
*Ceratocyrtis* sp., B:798, 807  
 Site 746, B:807  
*Ceratosporites distalgranulatus*  
 Site 748, B:304  
 Site 750, B:268  
*cercinidites*, *Gleicheniidites*, Site 750, B:269  
*Cerodinium diebelii*, Site 748, B:333  
*Cestodiscus pulchellus*, Site 747, B:717  
*Cestodiscus pulchellus?*, Site 748, B:717  
*Cestodiscus pulchellus* var. *novazealandica*, Site 748, B:715  
*Cestodiscus reticulatus*, Site 748, B:717  
*Cestodiscus* sp., Site 748, B:715  
*Chaetoceros* (*Dicladia*) *lorenzianus*, Site 751, B:732  
*Chaetoceros* sp. A, Site 751, B:733  
*challengerae*, *Amphymenium*, B:796, 806  
*challengerae*, *Lithomelissa*, Site 748, B:753  
*chapapotensis*, *Karreriella*, Site 747, B:627  
*Charltonina ripleyensis*, B:420  
 Site 750, B:438  
*Chatangiella ditissima*, Site 748, B:333  
*Chatangiella serratula*, Site 748, B:334  
*Chatangiella tripartita*, Site 748, B:296, 333–334
- Chatangiella verrucosa*, Site 748, B:333  
*Chatangiella victoriensis*, Site 748, B:296, 334  
*cheni*, *Eucyrtidium*, n. sp., B:746  
 Site 748, B:753  
*Chiasmolithus altus*, B:495–497  
*CIROS-1*, B:1117  
 description, B:505–506  
 Site 647, B:499–501, 507–508  
 Site 748, B:501–502, 507  
 variance, B:502  
*Chiasmolithus* cf. *expansus*, B:1104  
*Chiasmolithus* cf. *oamaruensis*, *CIROS-1*, B:1117  
*Chiasmolithus eogradis*, B:1103  
*Chiasmolithus expansus*, B:494–497  
 description, B:505–506  
*Eltanin*, B:1104  
 Site 647, B:499–501, 507  
 Site 748, B:501–502, 507  
 variance, B:502  
*Chiasmolithus grandis*, B:1103  
*Chiasmolithus oamaruensis*, B:494–497  
*CIROS-1*, B:1117  
 description, B:505–506  
 Site 647, B:499–501, 508  
 Site 748, B:501–502  
 variance, B:502  
*Chiasmolithus solitus*, B:1102–1104  
*Chiasmolithus* sp.  
 Site 647, B:507–508  
 Site 748, B:507  
*Chiasmolithus* spp.  
 description, B:493–497  
 evolutionary development, B:500, 502  
*Chiloguembelina cubensis*, Site 748, B:568  
*Chiloguembelina cubensis* Interval Zone, B:553  
*Chiloguembelina* spp.  
 carbon isotopes and, B:846ff  
 oxygen isotopes and, B:844ff  
*Chlamydophorella discreta*, Site 748, B:336  
*chytra*, *Fromea*, Site 748, B:336  
*Cibicides beaumontianus*, B:418  
 Site 748, B:436  
*Cibicides ribbingi*, B:419  
 Site 747, B:436  
*Cibicides* sp., B:419  
 Site 747, B:436  
*Cibicidoides* Assemblage, B:653  
 paleoecology and, B:657ff  
*Cibicidoides laurisae*, Site 748, B:628  
*Cibicidoides mundulus*, Site 751, B:671  
*Cibicidoides* sp., Site 748, B:628  
*Cibicidoides* spp.  
 carbon isotopes and, B:846ff, 858–859  
 oxygen isotopes and, B:844ff, 858–859  
*Cibicidoides wuellerstorfi*, Site 751, B:671  
*Cibicidoides–Astronionion pusillum* Assemblage, B:613  
*Cibotiumspora juriensis*, Site 750, B:268  
*Cicatricosporites australiensis*, Site 748, B:304  
*Cicatricosporites hughesi*  
 Site 748, B:304  
 Site 750, B:268  
*cienkowskii*, *Eucyrtidium*, Site 751, B:782  
*cingulatum granulatum*, *Pterodinium*, Site 750, B:302  
*Circulodinium distinctum*, Site 748, B:297  
*Circulodinium distinctum distinctum*, Site 748, B:337, 339  
*Circulodinium distinctum longispinatum*, Site 748, B:337  
*circulus*, *Bachmannocena*, B:819ff  
 Site 751, B:829  
*circumnodifer*, *Rugotruncana*, B:383  
 Site 747, B:391
- citae*, *Globotruncanella*, B:383  
 Site 750, B:391  
*Clamydophorella nyei*, Site 748, B:296  
*Clathrocyclus universa*, Site 748, B:756  
*clausa*, *Thrysocystis*, B:774  
 Site 751, B:781  
*Clavatipollenites hughesi*  
 Site 748, B:306  
 Site 750, B:271  
? *Clavatipollenites* sp., Site 750, B:271  
*Clavatipollenites* sp. A, B:266  
*Clavatipollenites* sp. 8, Site 748, B:306  
*Clavifera triplex*, Site 748, B:304  
*clavus*, *Polycingulatisporites*  
 Site 748, B:305  
 Site 750, B:269  
*clavus*, *Spinidinium*?, Site 748, B:339, 341  
*Cleistosphaeridium ancoriferum*, Site 748, B:296  
*Cleistosphaeridium* sp.  
 Site 748, B:297  
 Site 750, B:302  
*clemenciae*, *Tenuitella*, B:579  
 Site 747, B:593  
*dementia*, *Nitzschia*, Site 751, B:731  
*clodiussi*, *Bolboforma*, Site 747, B:681  
*coalingensis*, *Acarinina*, Site 749, B:566  
*Coccolithus formosus*, B: 1102–1104  
*Coccolithus pelagicus*  
 abundance change, B:528ff, 540–541ff  
*CIROS-1*, B:1117  
*Eltanin*, B:1104  
 isotopic record and, B:541–543ff  
 Site 747, B:520  
 Southern Ocean, B:525  
 water-mass movements and, B:543  
*Coccolithus pelagicus floralis* n. ssp., B:514ff  
 Site 747, B:521  
*collecta*, *Acarinina*, Site 748, B:566  
*colliveri*, *Canninginopsis*, Site 750, B:302  
*comatum*, *Cometodinium*, Site 750, B:302  
*comaumensis*, *Baculatisporites*, Site 748, B:304  
*Cometodinium comatum*, Site 750, B:302  
*communis*, *Stauropiphos*, Site 747, B:780  
*compactum*, *Cyclonephelium*, Site 748, B:337  
*complex*, *Dictyotosporites*  
 Site 748, B:305  
 Site 750, B:269  
*complicata*, *Thalassiosira*, Site 751, B:728  
*compressa*, *Globanomalina*, Site 747, B:565  
*compressa*, *Notoplanulina*, Site 750, B:440  
*compressa*, *Notoplanulina* aff., B:421  
*compressispinosa*, *Bolboforma*, Site 751, B:681  
*Concavatotruncana algeriana*, B:382  
 Site 750, B:390  
*Concavatotruncana canaliculata*, B:382  
 Site 747, B:390  
*Concavatotruncana imbricata*, B:382  
 Site 750, B:390  
*Concavissimus sporites infirmus*, Site 750, B:268  
*concavus*, *Asteromphalus*, n. sp., B:700–701  
 Site 751, B:733  
*concinna*, *Gyroidinoides*, B:420  
 Site 750, B:438  
*confluens*, *Dentalina*, Site 750, B:428  
*confossus*, *Foveogleicheniidites*, Site 748, B:305  
*confraga*, *Dorothia*, Site 750, B:428  
*conica*, *Cycladophora*, Site 748, B:751  
*conica*, *Lychnocanoma*, B:747  
 Site 748, B:751  
*conicula*, *Dorothia*, Site 747, B:428  
*conjunctum*, *Heterosphaeridium*, Site 748, B:338  
*connects*, *Globoturborotalita*, Site 748, B:644  
*Conorboides* sp., B:416  
 Site 747, B:434

Conorboides sp. (cont.)

Site 747, B:434  
*Conosphaeridium striatoconus*, Site 748, B:296  
*constricta*, *Naviculopsis*, Site 748, B:828  
*Contignisporites cooksonae*, Site 750, B:268  
*Contignisporites forniciatus*, Site 748, B:304  
*Contignisporites glebulentus*, Site 750, B:268  
*continuosa*, *Neogloboquadrina*, Site 747, B:647  
*Contusotruncana fornicata*, Site 750, B:390  
*conulum*, *Prolixosphaeridium*, Site 748, B:300  
*cooksonae*, *Contignisporites*, Site 750, B:268  
*cooksoniae*, *Crioproteridinium*, Site 748, B:298  
*cooksoniae*, *Isabelidinium*, Site 748, B:333  
*Corbisema archangelskiana*, B:821  
 Site 748, B:828  
*Corbisema archangelskiana* Range Zone, B:812  
*Corbisema triacantha*, Site 751, B:828  
*cordieriana*, *Osangularia*, B:420  
 Site 747, B:438  
*Corethron criophilum*, B:701  
 Site 748, B:719  
 Site 751, B:733  
*coriiceps*, *Notothenia*, B:1066  
*Corollina* sp.  
 Site 748, B:306  
 Site 750, B:271  
*coronata*, *Brightwellia*, Site 748, B:715  
*coronata*, *Triceraspyris*, B:797, 807  
*Coronifera oceanica*, Site 748, B:297  
*coronula*, *Nuttallinella*, Site 747, B:436  
*coryelli*, *Pullenia*, Site 747, B:630  
*Coryphostoma midwayensis*, Site 747, B:436  
*corystus*, *Nephrolithus*, Site 750, A:303, B:369  
*Corythomelissa horrida*, Site 748, B:752  
*Corythomelissa*? sp., B:744  
 Site 748, B:751  
*Corythospyris* aff. *jubata*, B:743  
 Site 748, B:752  
*Corythospyris fiscella*, Site 748, B:782  
*Coscinodiscus lewisiyanus*, B:702  
 Site 751, B:720  
*Coscinodiscus lewisiyanus* var. *levis* n. comb., B:702, 717  
*Coscinodiscus lewisiyanus* var. *robustus*, Site 748, B:717  
*Coscinodiscus rhombicus*  
 Site 747, B:717  
 Site 748, B:725  
 Site 751, B:722  
*costata*, *Rhizosolenia*, Site 751, B:732  
*costata* var. A, *Rhizosolenia*, Site 751, B:732  
*Craspedodinium* cf. *indistinctum*, Raggatt Basin, B:286  
*Craspedodinium* sp., Site 748, B:298  
*crassimarginatum*, *Cyclonephelium*, Site 748, B:337, 339  
*crenulata*, *Ebriopsis*, Site 748, A:194  
*cretacea*, *Ceratobulimina*, Site 750, B:432  
*cretacea*, *Deflandrea*, Site 748, B:318  
*cretacea*, *Guembelitria*, Site 750, B:388  
*cretacea*, *Pullenia*, B:419  
 Site 747, B:436  
*cretaceum*, *cretaceum*, *Isabelidinium*, Site 748, B:319, 331, 340-341  
*cretaceum* *gravidum*, *Isabelidinium*, n. ssp., Site 748, B:311, 319, 331  
*cretaceum* *oviforme*, *Isabelidinium*, n. ssp., Site 748, B:319-320, 331, 340-341  
*Crioproteridinium cooksoniae*, Site 748, B:298  
*Crioproteridinium edwardsii*, Site 748, B:297  
*Crioproteridinium muderongense*, Site 748, B:297  
*criopoda*, *Odontochitina*, Site 748, B:336, 340  
*criophilum*, *Corethron*, B:701  
 Site 748, B:719  
 Site 751, B:733

## TAXONOMIC INDEX

*Crudicenticula kanayae*, Site 751, B:721  
*Crudicenticula kanayae* Partial Range Zone, B:692  
*crux hawaii*, *Distephanus*, B:824  
*Cryptocapsella longithorax* Zone, B:774  
*cubensis*, *Chiloguembelia*, Site 748, B:568  
*cuneiformis*, *Hemidiscus*, Site 751, B:725  
*Cupressacates* sp.  
 Site 748, B:306  
 Site 750, B:271  
*curta*, *Nitzschia*, Site 751, B:731  
*curvatus*, *Actinocyclus*, Site 751, B:726  
*curvatura*, *Marginulina*, Site 748, B:430  
*cushmani*, *Hanzawaia*, Site 748, B:628  
*cuspidata*, *Guttulina*, Site 748, B:432  
*Cyatheacidites annulatus*, B:258  
 Site 748, B:304  
 Site 750, B:268  
*Cyatheacidites botuliformis*, Site 748, B:304  
*Cyatheacidites* sp. A, Site 748, B:304  
*Cyathidites asper*, Site 750, B:269  
*Cyathidites australis*, Site 748, B:304  
*Cyathidites minor*, B:258  
 Site 748, B:304  
 Site 750, B:269  
*Cycladophora antiqua* Zone, B:760ff  
*Cycladophora bicornis*, Site 748, B:751  
*Cycladophora conica*, Site 748, B:751  
*Cycladophora golli regipileus* Zone, B:760  
*Cycladophora humerus* Zone, B:760  
*Cycladophora* sp., Site 748, B:783  
*Cycladophora spongeothorax*, Site 747, B:1038  
*Cycladophora spongeothorax* Zone, B:787-788  
*Cyclampterium?* *milowii*, Site 748, B:754  
*Cyclcargolithus floridanus*  
 occurrences, B:527  
 Site 744, B:537  
 Site 747, B:521  
*Cyclonephelium compactum*, Site 748, B:337  
*Cyclonephelium crassimarginatum*, Site 748, B:337, 339  
*Cyclonephelium membraniphorum*, Site 748, A:196  
*Cyclonephelium* sp., Site 748, B:298  
*Cylusphaera psilata*, Site 750, B:271  
*cylindroides*, *Pyruleina*, Site 747, B:432  
*Cyrtocapsella* aff. *japonica*, B:746  
 Site 748, B:750  
*Cyrtocapsella antiqua* Zone, B:774  
*Cyrtocapsella japonica*, B:798  
 Site 747, B:809  
*Cyrtocapsella longithorax* Zone, B:760  
*Cyrtocapsella robusta*, B:746  
 Site 748, B:750, 783  
*Cyrtocapsella tetrapera*, B:774, 1035  
 Site 747, B:809  
*Dacrycarpidites* sp., Site 750, B:271  
*Dacrydiumites florinii*, Site 750, B:271  
*Dactyliosolen antarcticus*, Site 751, B:732  
*dailyi*, *Nevesisporites*, Site 750, B:269  
*Dainita* sp., B:416  
 Site 747, B:432  
*daubjergensis*, *Globoconusa*, Site 747, B:565  
*daviesii*, *Reticulofenestra*  
 CIROS-1, B:1106-1107, 1117  
*Eltanin*, B:1104  
 Site 747, B:521  
*decora*, *Peripaena*, Site 748, B:755  
*decorata*, *Marginulina*, B:415  
*decussata*, *Micula*, Site 750, B:368  
*Deflandrea cretacea*, Site 748, B:318  
*deflandrei*, *Psaligonyaulax*, Site 750, B:302  
*deformis*, *Pseudotextularia*, Site 750, B:388  
*delicata*, *Oolina*, Site 748, B:432  
*delicatulus*, *Bolivinoides*, Site 747, B:627  
*delrioensis*, *Praeglobotruncana*, B:382  
 Site 750, B:389  
*delrioensis*, *Praeglobotruncana* cf., Site 750, B:390  
*Dendrosyrpis megalcephalis*, Site 751, B:783  
*Dendrosyrpis megalcephalis?*, Site 747, B:807  
*Dendrosyrpis stabilis*, Site 748, B:753  
*Densoisporites velatus*, Site 750, B:269  
*Dentalina alternata*, Site 750, B:428  
*Dentalina basiplanata*, Site 750, B:428  
*Dentalina basitorta*, Site 747, B:428  
*Dentalina catenula*, Site 747, B:428  
*Dentalina confluens*, Site 750, B:428  
*Dentalina gracilis*, Site 750, B:428  
*Dentalina inornata*, B:414  
 Site 750, B:428  
*Dentalina legumen*, Site 747, B:428  
*Dentalina lorneiana*, B:414  
 Site 748, B:428  
*Dentalina luma*, B:414-415  
 Site 747, B:428  
*Dentalina marcki*, B:415  
 Site 747, B:428  
*Dentalina reflexa*, Site 747, B:428  
*Dentalina sororia*, Site 747, B:428  
*Dentalina* sp. 1, B:415  
 Site 747, B:428  
*Dentalina* sp. 2, Site 750, B:428  
*Dentalina* sp. A, Site 747, B:428  
*Dentalina* sp. indet., B:415  
*dentata*, *Heterohelix*, B:379  
 Site 750, B:388  
*Denticula norwegia*, Site 748, B:719  
*denticulata*, *Amphidiadema*, Site 748, B:333  
*denticuloides*, *Nitzschia*  
 Site 748, B:724  
 Site 751, B:722-723  
*Denticulopsis* cf. *hustedtii*, Site 751, B:725  
*Denticulopsis* cf. *praedimorpha*, B:703  
 Site 751, B:720  
*Denticulopsis dimorpha*  
 Site 748, B:724  
 Site 751, B:720-721, 723-724  
*Denticulopsis dimorpha* Partial Range Zone, B:691  
*Denticulopsis hustedtii*, B:702  
 Site 751, B:721-724  
*Denticulopsis hustedtii*-*Denticulopsis dimorpha* Zone, Site 747, A:113  
*Denticulopsis hustedtii* Interval Zone, B:691  
*Denticulopsis hustedtii* var. *aspera*, var. nov., B:702  
 Site 751, B:724  
*Denticulopsis hustedtii* var. *ovata*, B:702  
 Site 751, B:721-722  
*Denticulopsis hustedtii*-*Nitzschia grossepunctata* Partial Range Zone, B:691  
*Denticulopsis hyalina*, Site 751, B:724  
*Denticulopsis lauta*, B:702  
*Denticulopsis maccollumii*, Site 751, B:720-721, 723  
*Denticulopsis maccollumii* Partial Range Zone, B:692  
*Denticulopsis maccollumii* Zone, Site 751, A:354  
*Denticulopsis meridionalis* n. sp., B:702-703  
 Site 748, B:724  
 Site 751, B:720-721, 723  
*Denticulopsis praedimorpha*, Site 751, B:720  
*Denticulopsis praedimorpha* Partial Range Zone, B:691  
*Denticulopsis praedimorpha*-*N. denticuloides* Partial Range Zone, B:691

## TAXONOMIC INDEX

*Desmospyris rhodospyroides*  
Site 278, B:807  
Site 329, B:807

*Diartus* sp., Site 737, B:806

*Dicolocapsa microcephala*, Site 748, B:753

*Diconodinium cf. arcticum*, Site 748, B:334

*Diconodinium multispinum*, Site 748, B:297

*Diconodinium multispinum* Zone, Raggatt Basin, B:286

*Diconodinium psilatum*, Site 748, B:303

*Diconodinium* sp., Site 748, B:333-334

*dictyocephalus*, *Botryopyle*, B:743-744  
Site 748, B:752

*Dictyocha aspera*, Site 751, B:829

*Dictyocha fibula*, B:821

*Dictyocha fibula* var. *pumila*, Site 751, B:829

*Dictyocha grandis*, B:824  
Site 748, B:830-831  
Site 749, B:831

*Dictyocha grandis* Partial Range Zone, B:812

*Dictyocha messanensis stapedia*, B:824  
Site 751, B:829

*Dictyocha pumila*, B:824

*Dictyocha stelliformis*, B:824

*Dictyococcites antarcticus*  
occurrences, B:527  
size distribution, B:528

*Dictyophyllidites equiexinus*, Site 748, B:305

*Dictyoprora mongolfieri*, Site 748, B:756

*Dictyoprora pirum*, Site 748, B:754

*Dictyotosporites complex*  
Site 748, B:305  
Site 750, B:269

*Dictyotosporites speciosus*, B:260-261  
Site 750, B:269

*Didymocystis* sp., B:796-797  
Site 737, B:806  
Site 747, B:806

*diebelii*, *Cerodinium*, Site 748, B:333

*digitus*, *Dinogymnum*, Site 748, B:331

*dilli*, *Spongomelissa*, Site 751, B:783

*dimorpha*, *Denticulopsis*  
Site 748, B:724  
Site 751, B:720-721, 723

*dimorphus*, *Actinocyclus*, n. comb., Site 751, B:727

*dimorphous?*, *Actinocyclus*, n. comb., Site 751, B:726, 731

*Dinogymnum albertii*, Site 748, B:334

*Dinogymnum digitus*, Site 748, B:331

*Dinogymnum undulosum*, Site 748, B:341

*Diplocyclas* sp., Site 748, B:752

*diploneides*, *Rouxia*, Site 751, B:731

*Discoaster barbadiensis*, B:1102-1103

*Discoaster kuepperi*, B:1102

*Discoaster lodoensis*, B:1102-1103

*Discoaster saipanensis*, B:1103

*Discoaster* sp., B:1103-1104

*Discoaster sublodoensis*, B:1102-1103

*discrepans*, *Lenticulina*, Site 747, B:430

*discreta*, *Chlamydophorella*, Site 748, B:336

*Disphaeria macropyla*, Site 750, B:302

*dissimilis*, *Catapsydrax*, B:644

*dissona*, *Planularia*, Site 750, B:432

*dissonna*, *Alabama*, Site 747, B:630

*distalgranulatus*, *Ceratosporites*  
Site 748, B:304  
Site 750, B:268

*Distaltriangulisporites* sp., Site 748, B:305

*Distephanus boliviensis*, B:824  
Site 751, B:830

*Distephanus crux hannai*, B:824

*Distephanus longispinus*, B:824-825  
Site 751, B:831

*Distephanus raupii*, B:825

*Distephanus speculum speculum*, Site 751, B:830-831

*Distephanus speculum speculum* f. *notabilis*, Site 751, B:830

*Distephanus speculum speculum* f. *varians*, Site 751, B:830

*distinctum*, *Circulodinium*, Site 748, B:297

*distinctum distinctum*, *Circulodinium*, Site 748, B:337, 339

*distinctum longispinatum*, *Circulodinium*, Site 748, B:337

*ditissima*, *Chatangiella*, Site 748, B:333

*diversum*, *Ovoidinium*, Site 748, B:300

*diversus*, *Gyroidinoides*, B:420  
Site 747, B:438

*Dorothea bulletta*, Site 748, B:428

*Dorothea confragata*, Site 750, B:428

*Dorothea conicula*, Site 747, B:428

*dorsoplana*, *Alabama*, Site 747, B:483

*draco draco*, *Bolivinoides*, Site 750, B:434

*druggii*, *Elytrocysta*, Site 748, B:335, 339

*dubius*, *Neococcolithus*, B:1103

*Ebriopsis crenulata*, Site 748, A:194

*edita*, *Eoglobigerina*, Site 747, B:565

*edwardsii*, *Cribroperidinium*, Site 748, B:297

*Eggerella bradyi*, Site 751, B:672

*Ehrenbergina glabra*, Site 751, B:672

*eleyi*, *Loxostomum*, Site 747, B:434

*Ellipsoscristellaria* sp., Site 750, B:432

*Ellipsoglandulina velascoensis*, Site 750, B:436

*Ellipsoidella gracillima*, Site 747, B:436

*Ellipsoidella pleurostomelloides*, Site 750, B:436

*Ellipsoidella soliada*, Site 750, B:436

*Ellipsoidomorphina* sp., B:418  
Site 747, B:436

*ellipticum*, *Eurydinium*, n. sp., Site 748, B:311, 318, 332, 340

*ellipticus*, *Podocarpidites*, B:258  
Site 750, B:271

*elliptipora*, *Thalassiosira*, B:707  
Site 751, B:730

*elongata*, *Bulimina*  
Paleogene, B:612-613  
Site 748, B:626

*elongata*, *Plectina*, Site 748, B:627

*elongata*, *Uvigerina*, Site 748, B:627

*Elytrocysta druggii*, Site 748, B:335, 339

*Emiliania huxleyi*  
Site 747, B:520  
water temperature and, B:532

*Emiliania huxleyi* Acme Zone, Site 747, B:510

*eminatus*, *Retitriletes*, Site 750, B:269

*endoi*, *Azeptia*, Site 751, B:725

*Entolium* sp., B:445-446  
Site 748, B:448

*eobiapiculata*, *Naviculopsis*, Site 749, B:828

*eobulloides*, *Eoglobigerina*, isotopic data and, B:965ff

*eoecaena*, *Subbotina*, Site 748, B:567

*Eoglobigerina edita*, Site 747, B:565

*Eoglobigerina eobulloides*, isotopic data and, B:965ff

*Eoglobigerina fringa*, B:563  
Site 747, B:565

*Eoglobigerina trivalis*, Site 747, B:565

*eogradis*, *Chiasmolithus*, B:1103

*Eouvigerina hispida*, Site 747, B:434  
Site 747, B:434

*Ephedripites* sp., Site 748, B:306

*Ephedripites* spp., Gondwana, B:263, 267

*Epistominella exigua*

*floridanus*, *Cyclicargolithus*  
occurrences, B:527  
Site 744, B:537  
Site 747, B:521

*floridanus*, *Cyclicargolithus*

*florinii*, *Dacrydiumites*

*florinii*, *Dacrydiumites*, Site 750, B:271  
*formosus*, *Coccolithus*, B:1102-1104  
*fornicata*, *Contusotruncana*, Site 750, B:390  
*fornicates*, *Contignisporites*, Site 748, B:304  
*Foveogleicheniidites confossum*, Site 748, B:305  
*Foveosporesites canalis*, Site 750, B:269  
*fraga*, *Thalassiosira*, B:774, 1035  
    Site 748, B:725  
*fragile*, *Trityrodinium*, Site 748, B:336  
*frequens*, *Nephrolithus*, B:360  
    Site 750, B:369  
*fringa*, *Eoglobigerina*, B:563  
    Site 747, B:565  
*Fromea chytra*, Site 748, B:336  
*Frondicularia* aff. *lanceola*  
    Site 747, B:430  
    Site 750, B:430  
*Frondicularia archiaciana*, Site 747, B:430  
*Frondicularia intermittent*, Site 747, B:430  
*Frondicularia inversa*, Site 748, B:430  
*Frondicularia striatula*, Site 748, B:430  
*fructicosa*, *Racemiguembelina*, B:380  
    Site 750, B:388  
*furcatus*, *Marthasterites*, B:360  
    Site 747, B:370

*Gallitellia vivans*, water temperature and, B:598  
*gambangense*, *Eucladinium*, Site 748, B:335  
*Gansserina gansseri* Zone, B:373-374  
*gartneri*, *Quadrum*, Site 747, B:368  
*Gaudryina rugosa*, Site 747, B:428  
*Gavelinella trujillo*, Site 750, B:442  
*Gavelinella* aff. *velascoensis*, Site 747, B:442  
*Gavelinella eriksdaensis*, B:422  
    Site 747, B:442  
*Gavelinella excavatus*, Site 747, B:442  
*Gavelinella harperi*, B:422  
    Site 748, B:442  
*Gavelinella insculpta*, Site 747, B:442  
*Gavelinella nacatochensis*, B:422  
    Site 748, B:442  
*Gavelinella sandigei*, B:422  
    Site 748, B:400, 442  
    Site 750, B:442  
*Gavelinella* sp., Site 750, B:442  
*Gavelinella* sp. 1, B:422-423  
*Gavelinella* sp. 2, B:423  
    Site 750, B:442  
*Gavelinella stellula*, B:422  
    Site 747, B:442  
*Gavelinella stephsoni*, B:422  
    Site 747, B:442  
*Gavelinella velascoensis*, B:422  
    Site 750, B:442  
*gelida*, *Reticulofenestra*  
    Site 744, B:537  
    Site 747, B:520, 537  
*gemma*, *Tenuitella*, B:579  
    Site 747, B:591  
    Site 748, B:568  
*geomari*, *Bolboforma*, Site 748, B:682  
*Gephyrocapsa oceanica*, Site 747, B:520  
*Gillinia hymenophora*, Site 748, B:335  
*glabra*, *Ehrenbergina*, Site 751, B:672  
*Glandulina manifesta*, Site 750, B:432  
*glebulentus*, *Contignisporites*, Site 750, B:268  
*Gleicheniidites cercinidites*, Site 750, B:269  
*Gleicheniidites* spp., B:258  
*Gleicheniidites umbonatus*, Site 750, B:266, 269  
*Globanomalina australiformis*, B:563  
*Globanomalina compressa*, Site 747, B:565  
*Globigerina brazieri* Partial Range Zone, B:632  
*Globigerina bulloides*  
    Site 747, B:647

## TAXONOMIC INDEX

Site 748, B:646  
*Globigerina bulloides antarctica*, Site 747, B:592  
*Globigerina euapertura*, Site 748, B:568  
*Globigerina euapertura* Interval Zone, B:553  
*Globigerina falconensis*, B:641  
*Globigerina labiacrassata*, B:563  
*Globigerina labiacrassata* Interval Zone, B:553  
*Globigerinatella* sp., Site 747, B:594  
*Globigerinatheka* index, B:564  
    Site 748, B:567  
*Globigerinella calida*, Site 747, B:647  
*Globigerinelloides impensus*, B:380  
    Site 747, B:388  
*Globigerinelloides impensus* Zone, B:374  
*Globigerinelloides multispinatus*, B:380  
    Site 747, B:388  
*Globigerinelloides prairiehillensis*, Site 750,  
    B:388  
*Globigerinelloides* sp.  
    Site 747, B:375  
    Site 751, B:378  
*Globigerinelloides* sp. 1, B:380  
    Site 747, B:388  
*Globigerinelloides* sp. 2, B:380  
    Site 747, B:388  
*Globigerinelloides* spp., isotopic data and, B:965ff  
*Globigerinelloides subcarinatus*, B:380  
    Site 750, B:388  
*Globigerinelloides ultramicroscopic*, Site 750, B:388  
*Globigerinita boweni*, B:581  
    Site 749, B:592  
*Globigerinita glutinata*, B:581  
    Site 747, B:592  
*Globigerinita naparimaensis*, B:581  
    Site 747, B:592  
*Globigerinita praestainforthi*, B:581  
    Site 747, B:593, 645  
*Globigerinita* spp., distribution, B:571  
*Globigerinita uvula*, Site 747, B:647  
*globigerinoides*, *Marginotruncana*, Site 750,  
    B:391  
*Globimorphina* sp., Site 750, B:436  
*Globocassidulina subglobosa*, Site 751, B:671  
*Globoconusa daubjergensis*, Site 747, B:565  
*Globorotalia miozea*, Site 748, B:645  
*Globorotalia miozea* Partial Range Zone, B:632  
*Globorotalia panda*, B:633ff  
    Site 747, B:646  
*Globorotalia praescitula*, Site 748, B:645  
*Globorotalia praescitula* Partial Range Zone,  
    B:632  
*Globorotalia puncticulata*, B:633, 641  
    Site 747, A:107-108, B:647  
*Globorotalia scitula*, Site 748, B:646  
*Globorotalia scitula* Partial Range Zone, B:632-  
    633  
*Globorotalia sphericomiozea*, Site 747, B:647  
*Globorotalia zealandica*, B:641, 645  
    Site 751, B:646  
*Globorotalites spineus*, Site 750, B:419, 438  
*Globorotalites umbilicata*, B:419-420  
*Globorotalites umbilicatus*, Site 747, B:438  
*Globorotaloides* sp. 1, Site 748, B:568  
*Globorotaloides suteri*  
    Site 747, B:644  
    Site 748, B:568  
*Globorotaloides variabilis*, Site 747, B:645  
*globosa*, *Gyroidinoides*, B:421  
    Site 747, B:440  
*globosa*, *Oolina*, Site 747, B:432  
*globosaccus*, *Pinuspollenites*, Site 750, B:271  
*Globotruncana arca*, Site 750, B:390  
*Globotruncana bulloides*, Site 747, B:390  
*Globotruncana falsostuarti*, B:382  
    Site 747, B:391  
*Globotruncana linneiana*, B:382  
    Site 750, B:391  
*Globotruncana* sp., B:382  
*Globotruncanella citae*, B:383  
    Site 750, B:391  
*Globotruncanella havanensis*, Site 750, B:391  
*Globotruncanella havanensis* Zone, B:372-373  
*Globotruncanella petaloidea*, Site 750, B:392  
*Globoturborotalita woodi*, Site 747, B:646  
*Globoturborotalita brazieri*, Site 748, B:644  
*Globoturborotalita* cf. *labiacrassata*, Site 748,  
    B:644  
*Globoturborotalita connecta*, Site 748, B:644  
*Globoturborotalita labiacrassata*, Site 749, B:568  
*Globoturborotalita* sp., Site 748, B:644  
*Globoturborotalita* sp. cf. *G. labiacrassata*, B:641  
*Globulina lacrima*, Site 747, B:432  
*Globulins prisca*, Site 747, B:432  
*globulosa*, *Heterohelix*, B:379  
    isotopic data and, B:965ff  
    Site 747, B:388  
*glutinata*, *Globigerinita*, B:581  
    Site 747, B:592  
*golownini*, *Actinomma*, Site 751, B:779  
*gombosi*, *Azpeitia*, n. sp., B:701  
    Site 747, B:717  
    Site 748, B:717  
*goudkoffi*, *Gyroidinoides*, Site 750, B:440  
*gracilis*, *Dentalina*, Site 750, B:428  
*gracillima*, *Ellipsoideilla*, Site 747, B:436  
*gracillima*, *Stilostomella*, Site 748, B:627  
*grahami*, *Lagena*, Site 750, B:432  
*grandis*, *Chiasmolithus*, B:1103  
*grandis*, *Dictyocha*, B:824  
    Site 748, B:830-831  
    Site 749, B:831  
*granulatum*, ?*Kallosphaeridium*, Site 748, B:300  
*granulatus*, *Bolivinoides*  
    Site 747, B:434  
    Site 750, B:434  
*grata*, *Buliminella*, Site 747, B:628  
*grifus*, *Valensiella*, Site 748, B:301  
*grosssepunctata*, *Nitzschia*, Site 751, B:724  
*grzybowskii*, *Spirolectammina*, B:413  
    Site 747, B:428  
*Gublerina* sp., B:380  
    Site 750, B:388  
*Guembelitria cretacea*, Site 750, B:388  
*Guembelitria triseriata*  
    *Cassigerinelloita amekiensis* and, B:596-597  
    Site 749, B:602  
    water temperature and, B:598  
*Guttulina adhaerens*, Site 750, B:432  
*Guttulina cuspidata*, Site 748, B:432  
*Guttulina subsphaerica*, Site 747, B:432  
*Gyroidina* sp., Site 751, B:673  
*Gyroidina* spp.  
    carbon isotopes and, B:846ff  
    oxygen isotopes and, B:844ff  
*Gyroidinoides* aff. *haidingerii*, B:421  
    Site 750, B:440  
*Gyroidinoides* aff. *nonionoides*, Site 750, B:440  
*Gyroidinoides* bandyi, Site 750, B:438  
*Gyroidinoides concinna*, B:420  
    Site 750, B:438  
*Gyroidinoides diversus*, B:420  
    Site 747, B:438  
*Gyroidinoides exsertus*, Site 750, B:440  
*Gyroidinoides globosa*, B:421  
    Site 747, B:440  
*Gyroidinoides* goudkoffi, Site 750, B:440  
*Gyroidinoides nitidus*, B:421  
    Site 747, B:440

## TAXONOMIC INDEX

*Gyroidinoides quadratus*, B:421  
 Site 747, B:440  
*Gyroidinoides soldanii*, Site 751, B:673  
*Gyroidinoides* sp., B:421  
 Site 750, B:440  
 Site 751, B:673  
*Gyroidinoides* sp. 1, B:421  
 Site 750, B:440  
*haidingerii*, *Gyroidinoides* aff., B:421  
 Site 750, B:440  
*halli*, *Quadrimorphina*, B:419  
 Site 750, B:436  
*hannai*, *Lamprocyritis*? cf., B:781  
*Hanzawaia cushmani*, Site 748, B:628  
*harperi*, *Gavelinella*, B:422  
 Site 748, B:442  
*Hastigerinoides subdigitata*, Site 750, B:388  
*haumuriense*, *Satyrodinium*, Site 748, B:332, 339  
*havanensis*, *Globotruncanella*, Site 750, B:391  
*haysi*, *Helotholus*? n. sp., B:797  
 Site 746, B:808  
*haysi*, *Prunopyle*, Site 748, B:742, 750  
*hebetata* f. *hiemalis*, *Rhizosolenia*, Site 751, B:725  
*Hedbergella* aff. *monmouthensis*, B:381  
 Site 747, B:389  
*Hedbergella amabilis*, B:381  
 Site 750, B:389  
*Hedbergella holmdelensis*, B:381  
 Site 747, B:389  
*Hedbergella silteri*, B:381  
 Site 747, B:389  
*Hedbergella* sp.  
 Site 747, B:375  
 Site 751, B:378  
*Hedbergella* sp. 1, B:381  
 Site 747, B:389  
*helbyi*, *Kellosphaeridium*, Site 748, B:334  
*heliasteriscus*, *Periphrena*, Site 748, B:753  
*Helicolithus trabeculatus*, B:360  
*Heliodiscus*? sp. B, Site 747, B:779  
*Heliolithus universus*, B:476  
*Heliosytulus* sp., B:742–743  
 Site 748, B:755  
*Helotholus*? *haysi* n. sp., B:797  
 Site 746, B:808  
*Helvetoglobotruncana* sp., B:382  
 Site 750, B:390  
*Hemiaulus* sp. A, Site 748, B:719  
*Hemidiscus cuneiformis*, Site 751, B:725  
*Hemidiscus ovalis* n. comb., B:703  
 Site 751, B:725–726  
*Hemidiscus ovalis* Partial Range zone, B:690  
*Hemidiscus* sp. 1, Site 751, B:726  
*Hemidiscus* sp. 2, Site 751, B:726  
*heslandii*, *Reticulofenestra*, Site 747, B:521  
*heteracanthum*, *Heterosphaeridium*? Site 748, B:338  
*Heteraster* sp., B:446  
 Site 748, B:448  
*Heterohelix* aff. *moremani*, B:379  
 Site 750, B:388  
*Heterohelix dentata*, B:379  
 Site 750, B:388  
*Heterohelix globulosa*, B:379  
 isotopic data and, B:965ff  
 Site 747, B:388  
*Heterohelix navarroana*, Site 747, B:388  
*Heterohelix vorroensis*, B:379  
*Heterohelix planata*, B:379  
 Site 747, B:388  
*Heterohelix reussi*, B:379  
 Site 747, B:388

*Heterohelix semicostata*, B:379–380  
 Site 750, B:388  
*Heterohelix* sp., B:380  
 Site 747, B:375  
 Site 750, B:388  
 Site 751, B:378  
*Heterolepa carlsbadensis*, Site 748, B:438  
*heteropolara* var. A, *Rouxia*, B:706  
 Site 751, B:731  
*Heterospaeridium conjunctum*, Site 748, B:338  
*Heterospaeridium?* *heteracanthum*, Site 748, B:338  
*Heterospaeridium* sp., Site 748, B:341  
*Hexalonche philosophic?* B:795–796, 804  
*hillae*, *Reticulofenestra*, Site 739, B:1110  
*hispida*, *Eouvigerina*, Site 747, B:434  
*hispidocostata*, *Uvigerina*, Site 751, B:669  
*holmdelensis*, *Hedbergella*, B:381  
 Site 747, B:389  
*Hornbrookina* sp. cf. *H. teuriensis*, Site 750, B:456–457  
*horrida*, *Corythomelissa*, Site 748, B:752  
*Hovasserbida brevispinosa*, Site 748, A:194  
*hughesii*, *Cicatricosporites*  
 Site 748, B:304  
 Site 750, B:268  
*hughesii*, *Clavatipollenites*  
 Site 748, B:306  
 Site 750, B:271  
*hustedtii*, *Denticulopsis*, B:702  
 Site 751, B:721–724  
*hustedtii*, *Denticulopsis* cf., Site 751, B:725  
*hustedtii* var. *aspera*, *Denticulopsis*, var. nov., B:702  
 Site 751, B:724  
*hustedtii* var. *ovata*, *Denticulopsis*, B:702  
 Site 751, B:721–722  
*huxleyi*, *Emiliania*  
 Site 747, B:520  
 water temperature and, B:532  
*hyalina*, *Denticulopsis*, Site 751, B:724  
*hydra*, *Taleisphaera*, Site 748, B:300  
*hymenophora*, *Gillinia*, Site 748, B:335  
*Hystrichodinium pulchrum*, Site 748, B:299, 338  
*Igorina broeckmanni*, Site 749, B:566  
*imbricata*, *Concavatotruncana*, B:382  
 Site 750, B:390  
*Impardecispora trioreticulosus*, Site 750, B:269  
*impensus*, *Globigerinelloides*, B:380  
 Site 747, B:388  
*inaequabilis*, *Asteromphalus*, Site 748, B:719  
*incognita*, *Paragloborotalia*, Site 748, B:645  
*inconstans*, *Morozovella*, Site 747, B:565  
*inconstantia*, *Marginulina*, Site 750, B:430  
*index*, *Globigerinatheca*, B:564  
 Site 748, B:567  
*indistincta*, *Bolboforma*, Site 749, B:682  
*indistinctum*, *Craspedodinium* cf., Raggatt Basin, B:286  
*infirmus*, *Concavissimisporites*, Site 750, B:268  
*infusorioides*, *Palaeohystrichophora*, Site 748, B:301, 337  
*ingens*, *Actinocyclus*  
 Site 748, B:725  
 Site 751, B:722, 725–726  
*ingens* var. A, *Actinocyclus*, Site 751, B:700, 726  
*ingramii*, *Eurydinium*, Site 748, B:333  
*Inoceramus*, Site 748, A:196  
*inornata*, *Dentalina*, B:414  
 Site 750, B:428  
*inornata*, *Whiteinella*, Site 750, B:389  
*insculpta*, *Gavelinella*, Site 747, B:442  
*insigna*, *Thalassiosira*, n. comb., B:707  
 Site 751, B:728  
*insolita*, *Praetenuitella*, B:579  
 Site 749, B:591  
*intermedius*, *Abathomphalus*, Site 750, B:392  
*intermittens*, *Frondicularia*, Site 747, B:430  
*Interulobites intraverrucatus*  
 Site 748, B:305  
 Site 750, B:269  
*intraverrucatus*, *Interulobites*  
 Site 748, B:305  
 Site 750, B:269  
*inura*, *Thalassiosira*, B:707  
 Site 747, B:719  
 Site 751, B:728  
*inversa*, *Frondicularia*, Site 748, B:430  
*inversus*, *Markalius*, B:1102–1103  
*irregularis*, *Axoprunum*? n. sp., B:742  
 Site 748, B:752  
*Isabelidinium acuminatum*, Site 748, B:333  
*Isabelidinium belfastense*, Site 748, B:299, 334  
*Isabelidinium cooksoniae*, Site 748, B:333  
*Isabelidinium cretaceum cretaceum*, Site 748, B:319, 331, 340–341  
*Isabelidinium cretaceum gravidum* n. sp., Site 748, B:311, 319, 331  
*Isabelidinium cretaceum oviforme* n. sp., Site 748, B:319–320, 331, 340–341  
*Isabelidinium microarmatum*, Site 748, B:333  
*Isabelidinium pellucidum*, Site 748, B:334  
*Isabelidinium* sp. A, Site 748, B:320, 334  
*isopollica*, *Rouxia*, Site 751, B:731  
*Isthmolithus recurvus*  
 CIROS-1, B:1107ff, 1117  
*Eltanin*, B:1103  
 magnetobiostratigraphy and, B:990  
 Site 696, B:1110  
*jamesi*, *Tenuitella*, n. sp., B:579ff  
 Site 747, B:594  
*jansonii*, *Appendiscisporites* cf., Site 748, B:304  
*japonica*, *Cyrtocapsella*, B:798  
 Site 747, B:809  
*japonica*, *Cyrtocapsella* aff., B:746  
 Site 748, B:750  
*jouseana*, *Synedra*, Site 748, B:725  
*jubata*, *Corythospyris* aff., B:743  
 Site 748, B:752  
*juriensis*, *Cibotiumspora*, Site 750, B:268  
*juvenilis*, *Tenuitellinata*, B:579, 592  
*Kallosphaeridium granulatum*, Site 748, B:300  
*Kallosphaeridium helbyi*, Site 748, B:334  
*kanayae*, *Crucidenticula*, Site 751, B:721  
*Karreriella bradyi*, Site 751, B:672  
*Karreriella chapapotensis*, Site 747, B:627  
*karstenii*, *Actinocyclus*, B:700  
 Site 751, B:727  
*kennettii*, *Asteromphalus*, Site 751, B:725  
*kerguelensis*, *Abratopdinium*, n. gen. n. sp., Site 748, B:317–318, 331  
*kerguelensis*, *Biscutum*, Site 750, B:455  
*kerguelensis*, *Nitzschia*, Site 749, A:253  
*Kiokansium polypes*, Site 748, B:299  
*Kleithriaspaeidium* sp., Site 748, B:303  
*Kleithriaspaeidium tubulosum*, Site 748, B:299  
*Kozloviella minor*, Site 749, B:717  
*kuepperi*, *Discoaster*, B:1102  
*labiacrassata*, *Globigerina*, B:563  
*labiacrassata*, *Globoturborotalita*, B:641  
 Site 749, B:568

*labiacrassata*, *Globoturborotalita* (cont.)

*labiacrassata*, *Globoturborotalita* cf., Site 748, B:644  
*labrata*, *Acrosphaera?*, n. sp., B:793–794, 801  
*Laciadiniun firmum*, Site 748, B:334  
*lacrima*, *Globulins*, Site 747, B:432  
*Laevigatosporites belfordii*, Site 750, B:269  
*Laevigatosporites ovatus*, Site 748, B:305  
*laevigatus*, *Bolivinoides*, B:417  
    Site 748, B:434  
*laevis*, *Bolboforma*, Site 747, B:681  
*laevis*, *Spiroplectammina*, B:414  
    Site 747, B:428  
*Lagena acuticosta*, Site 748, B:432  
*Lagena aff. plumigera*, B:416  
    Site 747, B:432  
*Lagena exculta*, B:416  
    Site 747, B:432  
*Lagena grahami*, Site 750, B:432  
*Lagena semiinterrupta*, Site 747, B:432  
*Lagena* sp.  
    Site 747, B:432  
    Site 748, B:432  
*Lagena* sp. C, Site 748, B:432  
*Lagena substriata*, Site 748, B:432  
*lamari*, *Bolboforma*, n. sp.  
    Site 748, B:682  
    Sites 748–749, A:71–72  
*Lamprocyclas* sp., Site 748, B:781  
*Lamprocyrtis?* cf. *hannai*  
    Site 748, B:781  
    Site 751, B:781  
*lanceola* *Frondicularia*, aff., B:430  
*lanosus*, *Nyssapollenites*, Site 748, B:306  
*Ianternum*, *Spinidinium*, Site 748, B:337, 339  
*Lapideacassias tricornis*, Site 750, B:370  
*lata*, *Naviculopsis*, Site 751, B:828  
*latdorfensis*, *Bolboforma*, Site 748, B:681  
*Laticarinina pauperata*, Site 751, B:670  
*laurisae*, *Cibicidoides*, Site 748, B:628  
*lauta*, *Denticulopsis*, B:702  
*legumen*, *Dentalina*, Site 747, B:428  
*lenticula*, *Valvularia*, B:418  
    Site 747, B:436  
*Lenticulina acutauricula*, Site 747, B:430  
*Lenticulina discrepans*, Site 747, B:430  
*Lenticulina macrodiscus*, Site 747, B:430  
*Lenticulina navicula*, Site 747, B:430  
*Lenticulina* sp. 1, B:415, 430  
*Lenticulina* sp. 2, B:415  
    Site 750, B:430  
*lentiginosa*, *Thalassiosira*, Site 751, B:733  
*lepidula*, *Stilostomella*, Site 751, B:673  
*Leptolepidites major*, Site 748, B:305  
*Leptolepidites verrucatus*, Site 748, B:305  
*leptoporus*, *Calcidiscus*, B:525–527  
    Site 747, B:536  
    Weddell Sea, B:525  
*leptoporus?*, *Calcidiscus*, Site 744, B:537  
*levis*, *Reinhardtites*, B:360  
    Site 750, B:369  
*lewisiatus*, *Coscinodiscus*, B:702  
    Site 751, B:720  
*lewisiatus* var. *levis*, *Coscinodiscus*, n. comb., B:702, 717  
*lewisiatus* var. *robustus*, *Coscinodiscus*, Site 748, B:717  
*Liliacidites* sp., Site 748, B:306  
*limbata*, *Balmeiopsis*, Site 750, B:270  
*limbata*, *Nodosaria*, Site 750, B:430  
*linaperta*, *Subbotina*, B:563  
    Site 748, B:567  
*linearis*, *Perotrilites*, Site 750, B:270  
*Lingulina* sp. 1, Site 750, B:430  
*Lingulina* sp. 14, B:415

## TAXONOMIC INDEX

*linneiana*, *Globotruncana*, B:382  
    Site 750, B:391  
*Lisitzinia ornata*, Site 747, B:718  
*Lisitzinia ornata* Partial Range Zone, B:692  
*Lithapium anoectum*, Site 748, B:756  
*Lithapium* cf. *mitra*, B:742  
*Lithapium mitra*, Site 748, B:756  
*Lithastrinus septenarius*, Site 747, B:368  
*Lithatractus timmsi?*, B:796  
    Site 746, B:804  
*Lithomelissa challengerae*, Site 748, B:753  
*Lithomelissa* sp., B:744  
    Site 748, B:751  
*Lithomelissa sphaerocephalis*, Site 748, B:753  
*Lithomelissa tricornis*, Site 748, B:751  
*Litosphaeridium siphoniphorum*, Site 750, B:302  
*lodoensis*, *Discoaster*, B:1102–1103  
*longispinus*, *Distephanus*, B:824–825  
    Site 751, B:831  
*longissima*, *Thalassiothrix*, Site 748, B:725  
*Lophoconus titanothericerous*, Site 748, B:752  
*Lophocyrta biaurita*, Site 748, B:756  
*Lophosoria quadripinnata*, B:258  
*lorenzianus*, *Chaetoceros (Diadria)*, Site 751, B:732  
*lorneiana*, *Dentalina*, B:414  
    Site 748, B:428  
*Loxostomum eleyi*, Site 747, B:434  
*Loxostomum* sp. 1, B:417  
    Site 747, B:434  
*Loxostomum* sp. 2, B:417  
    Site 747, B:434  
*luma*, *Dentalina*, B:414–415  
    Site 747, B:428  
*Lychnocanoma amphitrite*, Site 748, B:756  
*Lychnocanoma babylonis*, Site 748, B:756  
*Lychnocanoma conica*, B:747  
    Site 748, B:751  
*Lychnocanoma conica* Zone, B:740  
*Lychnocanoma* sp. B, Site 751, B:783  
*Lychnocanoma* sp. C, Site 748, B:783  
*maccollumii*, *Actinocyclus*, n. sp., B:700  
    Site 751, B:731  
*maccollumii*, *Denticulopsis*, Site 751, B:720–721, 723  
*macilenta*, *Bulimina*, Site 748, B:626  
*macintyrei*, *Calcidiscus*, B:525–527  
    Site 744, B:536  
    Weddell Sea, B:525  
*macrodiscus*, *Lenticulina*, Site 747, B:430  
*macropyla*, *Disphaeria*, Site 750, B:302  
*maculeata*, *Thalassiosira*, B:708  
*?Maduradinium* sp., Site 748, B:299  
*madurensis*, *Eucladinium*, Site 748, B:335  
*Maghrebinia membraniphora*, Site 748, B:299  
*magnicrassus*, *Towenia*, B: 1099, 1102  
*magnifenum*, *Actinomma?*, n. sp., B:795  
    Site 747, B:803  
*magnifera?*, *Actinomma?*, n. sp., Site 744, B:803  
*magnifica*, *Scampanella*, Site 750, B:370  
*magnisphaera*, *Siphonosphaera*, Site 751, B:802  
*magnisphaera?*, *Siphonosphaera*, B:795  
*magnisphaera*, *Solenosphaera*, Site 751, B:805  
*magnum*, *Biscutum*, Site 750, B:370  
*major*, *Leptolepidites*, Site 748, B:305  
*majus*, *Perotrilites*, Site 748, B:305  
*maleinterpretaria*, *Nitzschia*, Site 751, B:720  
*manifesta*, *Glandulina*, Site 750, B:432  
*mantelli*, *Florentinia*, Site 748, B:298  
*Manumiella* cf. sp. 2, Site 748, B:334  
*Manumiella* sp., Site 748, B:334  
*marcki*, *Dentalina*, B:415  
    Site 747, B:428  
*Marginotruncana globigerinoides*, Site 750, B:391  
*Marginotruncana* sp., B:382–383  
*Marginotruncana stephensonii*, B:382  
    Site 750, B:391  
*Marginulina austinana*, Site 748, B:430  
*Marginulina bullata*, Site 750, B:430  
*Marginulina* cf. *decorata*, B:415  
*Marginulina curvatura*, Site 748, B:430  
*Marginulina inconstans*, Site 750, B:430  
*Marginulina* sp. 1, Site 747, B:430  
*Marginulinasp.* 2, B:416  
    Site 747, B:432  
*Marginulinopsis*, B:416  
*Marginulinopsis* sp., B:416  
    Site 750, B:430  
*Marginulinopsis striatocarinata*, Site 748, B:430  
*Markalius inversus*, B:1102–1103  
*Marssonella oxycona*, B:414  
    Site 747, B:428  
*Marthasterites furcatus*, B:360  
    Site 747, B:370  
*Martinotiella nodulosa*, Site 751, B:671  
*marwickii*, *Podocarpidites*, Site 750, B:271  
*matthewsae*, *Acarinina*, B:563  
    Site 749, B:566  
*mayaroensis*, *Abathomphalus*, Site 750, B:392  
*mayeri*, *Paragloborotalia*, Site 747, B:646  
*megalococephalis*, *Dendrospyris*, Site 751, B:783  
*megalococephalis?*, *Dendrospyris*, Site 747, B:807  
*Melonis barleeanus*, Site 751, B:673  
*Melonis pomilioides*, Site 751, B:670  
*membraniphora*, *Maghrebinia*, Site 748, B:299  
*membraniphorum*, *Cyclonephelium*, Site 748, A:196  
*mercurius*, *Acrosphaera?*, n. sp., B:794, 801  
*meridionalis*, *Denticulopsis*, n. sp., B:702–703  
    Site 748, B:724  
    Site 751, B:720–721, 723  
*mesozoica*, *Calamospora*, Site 750, B:268  
*messanensis stapedia*, *Dictyocha*, B:824  
    Site 751, B:829  
*metzmacheri*, *Bolboforma*, Site 747, B:681  
*micra*, *Pseudohastigerina*, Site 748, B:567  
*microarmum*, *Isabelidinium*, Site 748, B:333  
*Microcachrydites antarcticus*, Site 750, B:271  
*Microcachrydites parvus*  
    Site 748, B:306  
    Site 750, B:271  
*microcephala*, *Dicocolapsa*, Site 748, B:753  
*Microdinium ornatum*, Site 748, B:300  
*Microdinium setosum*, Site 748, B:299  
*Microfoveolatosporites canaliculatus*, Site 748, B:305  
*Micromarsupium anceps*, Site 748, A:194  
*microverrucatus*, *Stoverisporites*, Site 748, B:306  
*Micula decussata*, Site 750, B:368  
*midwayensis*, *Coryphostoma*, Site 747, B:436  
*midwayensis*, *Stilostomella*, Site 748, B:627  
*milowii*, *Cyclampterium?*, Site 748, B:754  
*minima*, *Ornamentifera*, Site 750, B:269  
*minor*, *Cyathidites*, B:258  
    Site 748, B:304  
    Site 750, B:269  
*minor*, *Kozloviella*, Site 749, B:717  
*minus*, *Alterbidinium*, Site 748, B:339  
*minutissima*, *Tenuitella*, Site 747, B:593  
*miozea*, *Globorotalia*, Site 748, B:645  
*mitra*, *Lithapium*, Site 748, B:756  
*mitra*, *Lithapium* cf., B:742

## TAXONOMIC INDEX

- mongolfieri*, *Dictyoprora*, Site 748, B:756  
*monmouthensis*, *Hedbergella* aff., B:381  
 Site 747, B:389  
*moremani*, *Heterohelix* aff., B:379  
 Site 750, B:388  
*moriformis*, *Sphenolithus*, B:1104  
*Morozovella inconstans*, Site 747, B:565  
*Morozovella taurica*, B:564  
 Site 747, B:565  
*morulosa*, *Palambages*, Site 748, B:335  
*muderongense*, *Cribroperidinium*, Site 748, B:297  
*muelleri*, *Exochosphaeridium*, Site 748, B:298  
*multispinata*, *Schackoinea*, B:381  
 Site 747, B:389  
*multispinatus*, *Globigerinelloides*, B:380  
 Site 747, B:388  
*multispinum*, *Diconodinium*, Site 748, B:297  
*munda*, *Tenuitella*, B:579  
*mundulus*, *Cibicidoides*, Site 751, B:671  
*murrhina*, *Pyrgo*, Site 751, B:672
- nacatochensis*, *Gavelinella*, B:422  
 Site 748, B:442  
*nana*, *Paragloborotalia*, Site 748, B:568, 645  
*naparimaensis*, *Globigerinita*, B:581  
 Site 747, B:592  
*navarroana*, *Heterohelix*, Site 747, B:388  
*navarroensis*, *Heterohelix*, B:379  
*navicula*, *Lenticulina*, Site 747, B:430  
*Navicula udintsevii*, Site 749, B:716  
*Navicula wisei* n. sp., B:704  
 Site 751, B:731  
*Naviculopsis biapiculata*, B:825  
 Site 748, B:828  
*Naviculopsis biapiculata* Partial Range Zone, B:812  
*Naviculopsis constricta*, Site 748, B:828  
*Naviculopsis eobiaculata*, Site 749, B:828  
*Naviculopsis lata*, Site 751, B:828  
*Naviculopsis trispinosa*, Site 748, B:828  
*Naviculopsis trispinosa* Partial Range Zone, B:812  
*nebulosa*, *Eyreia*, Site 748, B:297  
*nelsoni*, "Anomalina," B:423  
 Site 748, B:442  
*Nelsoniella aceras*, Site 748, B:335, 341  
*Nelsoniella* sp., Site 748, B:331  
*Nelsoniella tuberculata*, Site 748, B:335, 339  
*Necoccolithus dubius*, B:1103  
*Neoflabellina rugosa*, Site 747, B:430  
*Neogloboquadrina continuosa*, Site 747, B:647  
*Neogloboquadrina nympha*, B:642  
 Site 747, B:647  
 Site 748, B:647  
*Neogloboquadrina nympha* Total Range Zone, B:632  
*Neogloboquadrina nympha* Zone, B:570  
*Neogloboquadrina pachyderma*, B:642  
 Site 747, B:547  
 water temperature and, B:532  
*Neogloboquadrina pachyderma* Total Range Zone, B:633  
*Neoraistrickia equalis*, Site 748, B:305  
*Neoraistrickia truncata*  
 Site 748, B:305  
 Site 750, B:269  
*Nephrolithus corystus*, Site 750, A:303, B:369  
*Nephrolithus frequens*, B:360  
 Site 750, B:369  
*Nephrolithus* sp., Site 750, B:369  
*Nevesisporites dailyi*, Site 750, B:269  
*nitidus*, *Gyroidinoides*, B:421  
 Site 747, B:440  
*Nitzschia aurica*, Site 751, B:731  
*Nitzschia barronii*, Site 751, B:731
- Nitzschia barronii* Partial Range Zone, B:690  
*Nitzschia clementia*, Site 751, B:731  
*Nitzschia curta*, Site 751, B:731  
*Nitzschia denticuloides*  
 Site 748, B:724  
 Site 751, B:722-723  
*Nitzschia denticuloides* Partial Range Zone, B:691  
*Nitzschia evenescens*, Site 747, B:718  
*Nitzschia grossepunctata*, Site 751, B:724  
*Nitzschia grossepunctata* Partial Range Zone, B:691  
*Nitzschia interfrigidaria* Partial Range Zone, B:690  
*Nitzschia keruelensis*, Site 749, A:253  
*Nitzschia keruelensis* Partial Range Zone, B:687  
*Nitzschia maleinterpretaria*, Site 751, B:720  
*Nitzschia maleinterpretaria* Zone, Site 751, A:354  
*Nitzschia praecurta*, Site 751, B:731  
*Nitzschia reinholdii* Partial Range Zone, B:690  
*Nitzschia* sp. 17, Site 751, B:721  
*Nitzschia* sp. A, Site 748, B:719  
*nodosaria*, *Siphocampe*, Site 748, B:752  
*Nodosaria* aff. *affinis*, B:415  
*Nodosaria affinis*, Site 747, B:428  
*Nodosaria aspera*, Site 747, B:428  
*Nodosaria* cf. *proboscidea*, B:415  
*Nodosaria limbata*, Site 750, B:430  
*Nodosaria prismatica*, Site 750, B:430  
*Nodosaria proboscidea*, Site 747, B:430  
*Nodosaria septemcostata*, Site 750, B:430  
*Nodosaria* sp., B:415  
 Site 750, B:430  
*nodulosa*, *Martinottiella*, Site 751, B:671  
*nonionoides*, *Gyroidinoides* aff., Site 750, B:440  
*norwegia*, *Denticula*, Site 748, B:719  
*Nothofagidites* sp., Site 748, B:335  
*Notoplanulina* aff. *compressa*, B:421  
*Notoplanulina* *compressa*, Site 750, B:440  
*Notoplanulina* n. sp., Site 748, B:440  
*Notoplanulina* *rakauroana*, B:421  
 Site 747, B:440  
*Notoplanulina* sp. 1, B:422  
*Notothenia corriceps*, B:1066  
*Nuttallides truempyi*  
 abundance change, B:613ff  
 isotopic data and, B:964ff  
 Paleogene, B:612  
 Site 747, A:110-111; B:629  
 Site 748, A:187  
 Site 750, A:251, 301  
*Nuttallides truempyi* Assemblage, B:613  
*Nuttallides umbonifera*  
 Paleogene, B:612  
 Site 747, A:110  
 Site 751, A:351; B:672  
*Nuttallides umbonifera* Assemblage, B:651ff  
 paleoecology and, B:661  
 Site 751, B:873, 875  
*Nuttallinella coronula*, Site 747, B:436  
*Nuttallinella florealis*, B:419  
 Site 747, B:436  
*nyei*, *Clamydophorella*, Site 748, B:296  
*nymphs*, *Neogloboquadrina*, B:642  
 Site 747, B:647  
 Site 748, B:647  
*Nyssapollenites lanosus*, Site 748, B:306
- oamaruensis*, *Chiasmolithus*, B:494-497  
 CIROS-1, B:1117  
 description, B:505-506  
 Site 647, B:499-501, 508  
 Site 748, B:501-502  
 variance, B:502
- Paragloborotalia* sp.
- oamaruensis*, *Chiasmolithus* cf., CIROS-1, B:1117  
*oamaruensis*, *Reticulofenestra*, magnetobiostatigraphy and, B:989  
*oceania*, *Coronifera*, Site 748, B:297  
*oceania*, *Gephyrocapsa*, Site 747, B:520  
*oddgurneri*, *Velicucullus* cf., Site 748, B:751, 781  
*Odontochitina cribropoda*, Site 748, B:336, 340  
*Odontochitina operculata*  
 Site 748, B:336  
 Site 750, B:302  
*Odontochitina porifera*, Site 748, B:332, 336  
*oestrupii*, *Thalassiosira*, Site 751, B:730  
*oligocaenica*, *Rhizosolenia*, Site 748, B:717  
*oligocenicus*, *Azpeitia*, Site 748, B:717  
*Oligosphaeridium astigerum*, Site 748, B:300  
*Oligosphaeridium pulcherrimum*, Site 748, B:337  
*oliverana*, *Thalassiosira*, B:708  
 Site 751, B:728  
*oliverana* var. *sparsa*, *Thalassiosira*, var. nov., B:708  
 Site 751, B:730  
*Oolina apiculata*, Site 747, B:432  
*Oolina delicata*, Site 748, B:432  
*Oolina globosa*, Site 747, B:432  
*Oolina* sp., Site 750, B:432  
*operculata*, *Odontochitina*  
 Site 748, B:336  
 Site 750, B:302  
*Oridorsalis umbonatus*, Site 751, B:671  
*Ornamentifera minima*, Site 750, B:269  
*ornata*, *Lisitzinia*, Site 747, B:718  
*ornata*, *Stephanopyxis*, Site 749, B:716  
*ornatum*, *Microdinium*, Site 748, B:300  
*orthostylus*, *Tribrachiatus*, B:1096, 1103  
*Osangularia cordieriana*, B:420  
 Site 747, B:438  
*Osangularia* sp., B:420  
 Site 747, B:438  
*Osangularia texana*, B:420  
 Site 747, B:438  
*Osangularia velascoensis*, Site 747, B:438, 630  
*Osmundacidites wellmanii*, Site 750, B:269  
*ovalis*, *Hemidiscus*, n. comb., B:703  
 Site 751, B:725-726  
*ovatus*, *Laevigatosporites*, Site 748, B:305  
*Ovoidinium diversum*, Site 748, B:300  
*oxycona*, *Marssonella*, B:414  
 Site 747, B:428
- pachyderma*, *Neogloboquadrina*, B:542  
 Site 747, B:647  
 water temperature and, B:532  
*Palaeocystodinium* cf. *scabratum*, Site 748, B:332  
*Palaeocystodinium* sp., Site 748, B:332  
*Palaeohystrichophora infusorioides*, Site 748, B:301, 337  
*Palaeohystrichophora infusorioides* Zone, Raggatt Basin, B:286  
*Palambages morulosa*, Site 748, B:335  
*pallidus*, *Vitreisporites*, B:258  
 Site 748, B:306  
 Site 750, B:270  
*panda*, *Globorotalia*, B:633ff  
 Site 747, B:646  
*?Panopea* sp., B:446  
*Paragloborotalia* cf. *siakensis*, Site 747, B:645  
*Paragloborotalia incognita*, Site 748, B:645  
*Paragloborotalia incognita* Partial Range Zone, B:632  
*Paragloborotalia mayeri*, Site 747, B:646  
*Paragloborotalia nana*, Site 748, B:568, 645  
*Paragloborotalia* sp., Site 747, B:645

*Paralia sulcata* var. *crenulata*

*Paralia sulcata* var. *crenulata*, B:715  
*Pararotalia praenaheolensis*, Site 748, B:442  
*parvulus*, *Asteromphalus*, Site 751, B:733  
*parvus*, *Microcachrydites*  
 Site 748, B:306  
 Site 750, B:271  
*patagonica*, *Subbotina*, Site 748, B:566  
*Patellina subcretacea*, Site 750, B:428  
*paucistriata*, *Vaginulina*, Site 750, B:432  
*paula*, *Spiroplectammina*, Site 747, B:428  
*paulschulzii*, *Bachmannocena*, B:821  
 Site 748, B:829  
*pauperata*, *Laticarinina*, Site 751, B:670  
*pelagicus*, *Coccolithus*  
 abundance change, B:528ff, 540–541ff  
*CIROS-I*, B:1117  
*Eltanin*, B: 1104  
 isotopic record and, B:541–543ff  
 Site 747, B:520  
 Southern Ocean, B:525  
 water-mass movements and, B:543  
*pelagicus floralis*, *Coccolithus*, n. ssp., B:514ff  
 Site 747, B:521  
*pellucidum*, *Isabelidinium*, Site 748, B:334  
*peregrina?*, *Stichocorys*, B:798  
*Peripaena decora*, Site 748, B:755  
*Peripaena heliasteriscus*, Site 748, B:753  
*peroreticulatus*, *Retimonocolpites*, Site 748, B:306  
*Perotrilites linearis*, Site 750, B:270  
*Perotrilites majus*, Site 748, B:305  
*perplexa*, *Reticulofenestra*  
 abundance change, B:528ff  
 CCD fluctuations and, B:528ff  
 occurrences, B:527–528  
 Site 265, B:536  
 Site 744, B:537  
 Site 747, B:521  
 size distribution, B:528ff  
 Southern Ocean, B:523–525  
 water temperatures and, B:192ff  
*Pervosphaeridium pseudohystrichodinium*, Site 748, B:300  
*petaloidea*, *Globotruncanella*, Site 750, B:392  
*philosophica?*, *Hexalonche*, B:795–796, 804  
*Pierceites schizocystis*, Site 748, B:339  
*pierinae*, *Axoprunum*, B:742  
 Site 748, B:755  
*pilula*, *Archaeoglobigerina*, Site 750, B:392  
*Pinuspollenites globosaccus*, Site 750, B:271  
*pirum*, *Dictyoprra*, Site 748, B:754  
*plana*, *Praebulimina*, B:417  
 Site 747, B:434  
*planata*, *Heterohelix*, B:379  
 Site 747, B:388  
*Planularia dissona*, Site 750, B:432  
*Planularia tricarinella*, B:416  
 Site 747, B:432  
*Plectina elongata*, Site 748, B:627  
*Pleurostomella binaria*, Site 750, B:436  
*Pleurostomella* sp., Site 747, B:628  
*Pleurostomella subnodosata*, Site 747, B:436  
*Pleurostomella zuberi*, B:418  
 Site 750, B:436  
*pleurostomelloides*, *Ellipsoidella*, Site 750, B:436  
*plumigera*, *Lagena* aff., B:416  
 Site 747, B:432  
*poagi*, *Abyssamina*, Site 747, B:630  
*pocockii*, *Stereisporites*, Site 748, B:306  
*Podocarpidites ellipticus*, B:258  
 Site 750, B:271  
*Podocarpidites marwickii*, Site 750, B:271  
*Podocarpidites* sp. A, Site 748, B:306  
*Podocarpidites* sp. B, Site 748, B:306  
*Podocarpoxylon* sp., Site 750, B:276

## TAXONOMIC INDEX

*Podosporites castellanosi*, Site 750, B:271  
*Polycingulatisporites clavus*  
 Site 748, B:305  
 Site 750, B:269  
*Polycingulatisporites reducens*, Site 750, B:269  
*polymorphus*, *Triceratium*, n. sp., B:708–709  
 Site 748, B:715  
*polytes*, *Kiokansium*, Site 748, B:299  
*pompilioides*, *Melonis*, Site 751, B:670  
*pondi*, *Bolivinaaff.*, B:416  
 Site 750, B:434  
*porifera*, *Odontochitina*, Site 748, B:332, 336  
*Porosira* sp., Site 751, B:730  
*praearboi*, *Simonsenilla*, B:706  
*Praebulimina* aff. *prolixa*, B:417  
 Site 747, B:434  
*Praebulimina aspera*, Site 750, B:434  
*Praebulimina callahani*, Site 747, B:434  
*Praebulimina carseyae*, Site 750, B:434  
*Praebulimina plana*, B:417  
 Site 747, B:434  
*Praebulimina reussi*, B:417–418  
 Site 747, B:434  
*Praebulimina* sp. 1, B:418  
 Site 747, B:434  
*Praebulimina* sp. 2, B:418  
 Site 747, B:434  
*Praebulimina* sp. 3, Site 748, B:434  
*praecurta*, *Nitzschia*, Site 751, B:731  
*praedimorpha*, *Denticulopsis*, Site 751, B:720  
*praedimorpha*, *Denticulopsis* cf., B:703  
 Site 751, B:720  
*praegemma*, *Praetenuitella*, Site 749, B:591  
*Praeglobotruncana* cf. *delrioensis*, Site 750,  
 B:390  
*Praeglobotruncana* *delrioensis*, B:382  
 Site 750, B:389  
*praelineata*, *Thalassiosira*  
 Site 747, B:719  
 Site 748, B:719  
*praenita*, *Rocella*, Site 747, B:718  
*praescitula*, *Globorotalia*, Site 748, B:645  
*praestainforthi*, *Globigerinita*, B:581  
 Site 747, B:593, 645  
*Praetenuitella insolita*, B:579  
 Site 749, B:591  
*Praetenuitella* Total Range Zone, B:583  
*Praetenuitella praegemma*, Site 749, B:591  
*Praetenuitella* spp., distribution, B:571  
*prairiehillensis*, *Globigerinelloides*, Site 750,  
 B:388  
*pretabulatus*, *Artostrobos*? cf., Site 748, B:754  
*primitiva*, *Acarinina*, B:563  
 Site 748, B:566  
*primitivum*, *Seribiscutum*, B:360  
*Prinsius* spp., Site 750, B:451, 469–470  
*Prinsius tenicum*, abundance change, B:969  
*prisca*, *Globulina*, Site 747, B:432  
*prismatica*, *Nodosaria*, Site 750, B:430  
*proboscidea*, *Nodosaria*, Site 747, B:430  
*proboscidea*, *Nodosaria* cf., B:415  
*products*, *Reticulofenestra* sp. cf., Site 747, B:520  
*prolixa*, *Praebulimina* aff., B:417  
 Site 747, B:434  
*Prolixosphaeridium conulum*, Site 748, B:300  
*Proteacitides* sp., Site 748, B:335  
*Prunopyle haysi*, Site 748, B:742, 750  
*Prunopyle tetrapila*, Site 748, B:751  
*Psaligonyaulax deflandrei*, Site 750, B:302  
*Pseudammochodium sphericum*, Site 748, A:194  
*pseudohystrichodinium*, *Pervosphaeridium*, Site 748, B:300  
*pseudoalveolatus*, *Sestrosorites*, Site 750, B:270  
*pseudobulloides*, *Subbotina*, B:563  
 Site 747, B:565  
*pseudoedita*, *Tenuitellinata*, B:579  
 Site 747, B:593  
“*pseudofibula plexus*” Range Zone, B:813  
*Pseudohastigerina micra*, Site 748, B:567  
*Pseudohastigerina wilcoxensis*, B:563  
*Pseudopyxilla baltica*, Site 747, B:716  
*pseudodescripta*, *Stilosomella*, B:418  
 Site 747, B:436  
*Pseudotextularia deformis*, Site 750, B:388  
*pseudotipilensis*, *Acarinina*, Site 749, B:566  
*pseudoumbilica*, *Reticulofenestra*, latitudes and,  
 B:540  
*Pseudowigerina* cf. *californica*, Site 748, B:434  
*psilata*, *Cyclusphaera*, Site 750, B:271  
*psilatum*, *Diconodinium*, Site 748, B:303  
*Pterocanium* sp., Site 747, B:783  
*Pterocanium?* sp., Site 748, B:750  
*Pterodinium cingulatum granulatum*, Site 750,  
 B:302  
*Pterospermella australiensis*, Site 748, B:335  
*Pterotheca* sp., Site 749, B:716  
*pulchellus*, *Cestodiscus*, Site 747, B:717  
*pulchellus?*, *Cestodiscus*, Site 748, B:717  
*pulchellus* var. *novazealandica*, *Cestodiscus*, Site 748, B:715  
*pulcherrimum*, *Oligosphaeridium*, Site 748, B:337  
*pulchrum*, *Hystrichodinium*, Site 748, B:299, 338  
*Pullenia americana*, Site 747, B:436  
*Pullenia bulloides*, Site 751, B:670  
*Pullenia coryelli*, Site 747, B:630  
*Pullenia cretacea*, B:419  
 Site 747, B:436  
*Pullenia simplex*, Site 751, B:670  
*Pullenia subcarinata*, Site 751, B:670  
*pumila*, *Dictyocha*, B:824  
*punctatum*, *Eucyrtidium*, Site 748, B:782  
*puncticulata*, *Globorotalia*, B:633, 641  
 Site 747, A:107–108; B:647  
*pusillum*, *Astrononion*, B:653  
 Site 751, B:670  
*Pycnodonte* (*Crenostrea*) sp., B:446  
 Site 749, B:448  
*Pyramidina rudita*, Site 747, B:434  
*Pyramidina* sp. 1, Site 750, B:434  
*Pyramidina* sp. 2, B:418  
 Site 750, B:434  
*Pyramidina* sp. 3, B:418  
 Site 747, B:436  
*Pyramidina* szajnochae, Site 747, B:434  
*Pyramidina triangularis*, Site 747, B:434  
*Pyrgo murrhina*, Site 751, B:672  
*Pyrulina* aff. *apiculata*, B:416  
*Pyrulina apiculata*, Site 747, B:432  
*Pyrulina cylindroides*, Site 747, B:432  
*quadrangula*, *Bachmannocena*, Site 751, B:829  
*quadrata*, *Siphocampe?*, Site 748, B:756  
*quadratus*, *Gyroidinooides*, B:421  
 Site 747, B:440  
*Quadrimerphina allomorphinoides*, Site 747,  
 B:436  
*Quadrimerphina camerata*, Site 748, B:438  
*Quadrimerphina halli*, B:419  
 Site 750, B:436  
*Quadrimerphina* sp., B:419  
 Site 747, B:438  
*Quadrimerphina spirata*, B:419  
*quadripinnata*, *Lophosoria*, B:258  
*Quadrum gartneri*, Site 747, B:368

## TAXONOMIC INDEX

*speculum speculum, Distephanus*

- Quadrum trifidum*, Site 747, A:112  
*quinqueloba*, *Turborotalita*, Site 747, B:594, 647  
*Quinqueloculina* sp., B:414
- Racemiguembelina fructicosa*, B:380  
 Site 750, B:388  
*radiculata*, *Florentinia*, Site 748, B:298  
*radiosa*, *Stylosphaera*, B:780  
*rakauana*, *Notoplanaulina*, B:421  
 Site 747, B:440  
*Ramulina* sp., B:416  
 Site 747, B:432  
*raupii*, *Distephanus*, B:825  
*rectangulare*, *Ammodochium*, Site 748, A:194  
*Rectobolivina* sp., B:418  
 Site 748, B:436  
*recurvus*, *Isthmolithus*  
 CIROS-1, B:1107ff, 1117  
*Eltanin*, B:1103  
 magnetobiostratigraphy and, B:990  
 Site 696, B:1110  
*reducens*, *Polycingulatisporites*, Site 750, B:269  
*reflexa*, *Dentalina*, Site 747, B:428  
*reicheli*, *Rugoglobigerina*, B:383  
 Site 750, B:392  
*Reinhardtites levius*, B:360  
 Site 750, B:369  
*reticulata*, *Canningia*, Site 748, B:337  
*reticulata*, *Cassiculosphaeridia*, Site 748, B:296  
*reticulata*, *Reticulofenestra*, abundance change,  
 B:989  
*reticulatus*, *Cestodiscus*, Site 748, B:717  
*Reticulispores* sp. A, Site 748, B:305  
*Reticulispores* sp. B, Site 748, B:305  
*Reticulofenestra bisecta*, B:1104  
*Reliculofenestra daviesii*  
 CIROS-1, B:1106-1107, 1117  
*Eltanin*, B:1104  
 Site 747, B:521  
*Reticulofenestra gelida*  
 Site 744, B:537  
 Site 747, B:520, 537  
*Reticulofenestra hesslandii*, Site 747, B:521  
*Reticulofenestra hillae*, Site 739, B:1110  
*Reticulofenestra oamaruensis*, magnetobiostrati -  
 graphy and, B:989  
*Reticulofenestra perplexa*  
 abundance change, B:528ff  
 CCD fluctuations and, B:528ff  
 occurrences, B:527-528  
 Site 265, B:536  
 Site 744, B:537  
 Site 747, B:521  
 size distribution, B:528ff  
 Southern Ocean, B:523-525  
 water temperatures and, B:192ff  
*Reticulofenestra pseudoumbilica*, latitudes and,  
 B:540  
*Reticulofenestra reticulata*, abundance change,  
 B:989  
*Reticulofenestra samodurovii*, B:1104  
*Reticulofenestra* sp. cf. products, Site 747, B:520  
*Reticulofenestra* spp., abundance change, B:540-  
 541ff  
*Reticulofenestra umbilica*, B:1104  
*Retimonocolpites peroreticulatus*, Site 748, B:306  
*Retitrites austroclavatidites*, Site 748, B:305  
*Retitrites eminatus*, Site 750, B:269  
*reussi*, *Heterohelix*, B:379  
 Site 747, B:388  
*reussi*, *Praebulimina*, B:417-418  
 Site 747, B:434  
*Rhizosolenia alata*, Site 751, B:732  
*Rhizosolenia costata*, Site 751, B:732
- Rhizosolenia costata* var. A, Site 751, B:732  
*Rhizosolenia hebetata* f. *hiemalis*, Site 751, B:725  
*Rhizosolenia oligocaenica*, Site 748, B:717  
*Rhizosolenia oligocaenica* Partial Range Zone,  
 B:693  
*Rhizosolenia* sp. A  
 Site 749, B:716  
 Site 751, B:732  
*Rhizosolenia* sp. B, Site 751, B:732  
*Rhizosolenia* sp. C, Site 751, B:732  
*Rhizosolenia* sp. D, Site 751, B:732  
*Rhizosolenia styliformis*, Site 751, B:732  
*rhodospyroides*, *Desmospyris*  
 Site 278, B:807  
 Site 329, B:807  
*rhombicus*, *Coscinodiscus*  
 Site 747, B:717  
 Site 748, B:725  
 Site 751, B:722  
*Rhopalastrum* sp. 1  
 Site 737, B:806  
 Site 747, B:806  
*Rhopalastrum* spp., B:796  
*Rhopalodictyum* sp., Site 747, B:781  
*ribbingi*, *Cibicides*, B:419  
 Site 747, B:436  
*richteri*, *Astacolus* aff., Site 747, B:430  
*ripleyensis*, *Charltonina*, B:420  
 Site 750, B:438  
*ritscherii*, *Thalassiosira*, Site 751, B:730  
*robusta*, *Antarctissa*, B:797  
*robusta*, *Balmeopsis*, Site 750, B:270  
*robusta*, *Cyrtocapsella*, B:746  
 Site 748, B:750, 783  
*Rocella gelida* Partial Range Zone, B:692  
*Rocella praenitida*  
 Site 748, B:718  
 Site 749, B:718  
*Rocella praenitida?*, Site 747, B:718  
*Rocella semigelida?*, Site 749, B:718  
*Rocella vigilans*, B:705  
*Rocella vigilans* Partial Range Zone, B:692  
*Rocella vigilans* var. A, B:705, 718  
*Rocella vigilans* var. B, Site 747, B:718  
*Rocella vigilans* Zone, Site 749, A:254  
*rosula*, *Bolivinopsis*, B:413  
 Site 747, B:428  
*Rouxia antarctica*, Site 751, B:731  
*Rouxia diploeneides*, Site 751, B:731  
*Rouxia heteropolaris* var. A, B:706  
 Site 751, B:731  
*Rouxia isopatica*, Site 751, B:731  
*Rouxia* sp. A, Site 751, B:731  
*rudita*, *Pyramidina*, Site 747, B:434  
*Rugoglobigerina* aff. *rugosa*, B:383-384  
 Site 750, B:392  
*Rugoglobigerina reicheli*, B:383  
 Site 750, B:392  
*Rugoglobigerina tradinghouseensis*, B:384  
 Site 747, B:392  
*rugosa*, *Epistominella*, Site 751, B:672  
*rugosa*, *Gaudryina*, Site 747, B:428  
*rugosa*, *Neoflabbellina*, Site 747, B:430  
*rugosa*, *Rugoglobigerina* aff., B:383-384  
 Site 750, B:392  
*Rugotruncana* aff. *subpennyi*, Site 750, B:391  
*Rugotruncana circumnoderif*, B:383  
 Site 747, B:391  
*Rugotruncana subpennyi*, B:383  
*Rugubivesiculites* sp., Site 750, B:271  
*sabulum*, *Trityrodinium* cf.  
 Raggatt Basin, B:286  
 Site 748, B:303
- Saccammina* sp. 1, Site 748, B:428  
*Saccammina* sp. indet., Site 748, B:428  
*Saccammina* spp., B:413  
*saipanensis*, *Discoaster*, B:1103  
*salpinx*, *Tanyosphaeridium*, Site 750, B:302  
*samodurovii*, *Reticulofenestra*, B: 1104  
*sandidgei*, *Gavelinella*, B:422  
 Site 748, B:400, 442  
 Site 750, B:442  
*santaennae*, *Stylatractus*, Site 747, B:804  
*Satyrodinium bengalense*, Site 748, B:332  
*Satyrodinium haumuriense*, Site 748, B:332, 339  
*scabratum*, *Palaeocystodinium* cf., Site 748,  
 B:332  
*Scampanella magnifica*, Site 750, B:370  
*Schackoina multispinata*, B:381  
 Site 747, B:389  
*Schackoina* sp., B:381  
 Site 750, B:389  
*schizocystis*, *Pierceites*, Site 748, B:339  
*scitula*, *Globorotalia*, Site 748, B:646  
*sculptura*, *Eouvigerina*, B:417  
 Site 747, B:434  
*selleyi*, *Tenuitellinata*, n. sp., B:579ff  
 Site 747, B:594  
*selmensis*, *Tappanina*, Site 748, B:627  
*semicostata*, *Bulimina*, Site 747, B:626  
*semicostata*, *Bulimina* cf., Site 747, B:626  
*semicostata*, *Heterohelix*, B:379-380  
 Site 750, B:388  
*semicribratus*, *Anomalinoidea*, Site 748, B:629  
*semigelida?*, *Rocella*, Site 749, B:718  
*semiinterrupta*, *Lagena*, Site 747, B:432  
*semipolita*, *Calocyclus* cf., B:745  
 Site 748, B:753, 783  
*senonensis*, *Areoligera*, Site 748, B:338  
*Sentusidinium* sp., Site 748, B:303  
*septemcostata*, *Nodosaria*, Site 750, B:430  
*septenarius*, *Lithastrinus*, Site 747, B:368  
*Seribiscutum primitivum*, B:360  
*serratula*, *Chatangiella*, Site 748, B:334  
*Sestrosporites pseudoalveolatus*, Site 750, B:270  
*Sethocyritis* sp., Site 748, B:756  
*setosum*, *Microdinium*, Site 748, B:299  
*siakensis*, *Paragloborotalia* cf., Site 747, B:645  
*silteri*, *Hedbergella*, B:381  
*similis*, *Altisporites*, B:258  
 Site 748, B:306  
 Site 750, B:270  
*Simonsenilla harboi*, B:706  
 Site 748, B:725  
*Simonsenilla praearbaroi*, B:706  
*simplex*, *Pullenia*, Site 751, B:670  
*Siphocampe acephala*, Site 748, B:755  
*Siphocampe nodosaria*, Site 748, B:752  
*Siphocampe?* quadrata, Site 748, B:756  
*siphoniphorum*, *Litosphaeridium*, Site 750, B:302  
*Siphonosphaera magnisphaera*, Site 751, B:802  
*Siphonosphaera magnisphaera?*, B:795  
*Siphonosphaera vesuvius* n. sp., B:794-795  
 Site 747, B:802  
*sirticus*, *Bolivinoides*, Site 747, B:434  
*sliteri*, *Hedbergella*, Site 747, B:389  
*soldanii*, *Gyroidinoides*, Site 751, B:673  
*Solenosphaera magnisphaera*, Site 751, B:805  
*solida*, *Ellipsoidella*, Site 750, B:436  
*solutus*, *Chiastolithus*, B:1102-1104  
*sororia*, *Dentalina*, Site 747, B:428  
*speciosus*, *Dictyotospores*, B:260-261  
 Site 750, B:269  
*spectabilis*, *Bolivinopsis*, Site 748, B:428  
*speculum speculum*, *Distephanus*, Site 751,  
 B:830-831

speculum speculum f. notabilis, *Distephanus*

*speculum speculum f. notabilis, Distephanus*, Site 751, B:830  
*speculum speculum f. varians, Distephanus*, Site 751, B:830  
*sphaerocephalis, Lithomelissa*, Site 748, B:753  
*Sphenolithus moriformis*, B:1104  
*Sphenolithus* sp., B:1104  
*sphericomiozea, Globorotalia*, Site 747, B:647  
*sphericum, Pseudammochium*, Site 748, A:194  
*spineus, Globorotalites*, Site 750, B:419, 438  
*Spinidinium? clavus*, Site 748, B:339, 341  
*Spinidinium lanturnum*, Site 748, B:337, 339  
*Spinidinium uncinatum*, Site 748, B:336  
*Spiniferites wetzelii*, Site 748, B:300  
*spinosa, Bolboforma*, Site 751, B:681  
*spinosa, Vulvulina*, Site 748, B:627  
*spinosa echinoides, Acrosphaera* Site 744, B:805  
*spinosum, Eucyrtidium* n. sp., B:746  
Site 748, B:754  
*spirata, Quadrimorphina*, B:419  
*Spirillina* sp., Site 748, B:428  
*Spirolectammina grzybowskii*, B:413  
Site 747, B:428  
*Spirolectammina laevis*, B:414  
Site 747, B:428  
*Spirolectammina paula*, Site 747, B:428  
*Spirolectammina* sp., B:414  
Site 748, B:428  
*Spirorbula* sp., B:446  
Site 748, B:448  
*spissiformis, Anomalinoidea*  
Site 747, B:630  
Site 751, B:673  
*splendidus, Stephanopyxis*, B:706  
*spongithorax, Cycladophora*, Site 747, B:1038  
*Spongamelissa dilli*, Site 751, B:783  
*Spongoplegma aff. antarcticum*, Site 748, B:751  
*Spongoplegma* sp., Site 747, B:805  
*stabilis, Dendrospyris*, Site 748, B:753  
*Stauroxiphos communis*, Site 747, B:780  
*stelliformis, Dictyoche*, B:824  
*stellula, Gavelinella*, B:422  
Site 747, B:442  
*Stensioeina beccariiformis*, B:422  
Site 747, B:397, 440  
*Stensioeina* sp. 1, B:422  
Site 750, B:442  
*Stensioeina beccariiformis*  
abundance change, B:613ff  
isotopic data and, B:964ff  
Site 747, A:110-111  
Site 748, B:629  
*Stensioeina beccariiformis* Assemblage, B:613  
*Stephanopyxis ornata*, Site 749, B:716  
*Stephanopyxis splendidus*, B:706  
*stephensi*, *Gavelinella*, B:422  
Site 747, B:442  
*stephensi*, *Marginotruncana*, B:382  
Site 750, B:391  
*stephensi*, *Stilostomella*, Site 750, B:436  
*Stereisporites antiqua sporites*, Site 750, B:270  
*Stereisporites pocockii*, Site 748, B:306  
*Stethocyrtis* sp., B:747  
*Stichocorys peregrina?*, B:798  
*Stichophormis* sp., Site 751, B:782  
*Stichopileum bicornis?*, B:809  
Site 744, B: 809  
Site 746, B:809  
*Stilostomella alexanderi*, Site 750, B:436  
*Stilostomella gracillima*, Site 748, B:627  
*Stilostomella lepidula*, Site 751, B:673  
*Stilostomella midwayensis*, Site 748, B:627  
*Stilostomella pseudoscripta*, B:418  
Site 747, B:436

## TAXONOMIC INDEX

*Stilostomella stephensi*, Site 750, B:436  
*Stilostomella-Lenticulina* Assemblage, B:613  
*stocki, Amphipyndax*, B:743  
Site 748, B:755  
*Stoverisporites microverrucatus*, Site 748, B:306  
*strelkovi, Antarctissa*, B:797  
*striata, Bulimina*, Site 751, B:669  
*striata, Thalassiosira* n. sp., B:708  
Site 751, B:729  
*striata* var., *Thalassiosira*, B:708  
Site 751, B:730  
*striatocarinata, Marginulinopsis*, Site 748, B:430  
*striatoconus, Conosphaeridium*, Site 748, B:296  
*striatula, Frondicularia*, Site 748, B:430  
*strigillatus, Bolivinoides*, Site 747, B:434  
*Stylatractus santaenae*, Site 747, B:804  
*styliformis, Rhizosolenia*, Site 751, B:732  
*Stylosphaera radios*  
Site 747, B:780  
Site 748, B:780  
*Stylosphaera radios* Zone, B:764  
*Stylosphaera* sp. A, Site 747, B:780  
*Stylosphaera* sp. B, Site 747, B:780  
*Stylosphaera* sp. C, Site 748, B:780  
*Stylosphaera* spp., B:742  
*Subbotina angiporoidea*, B:563  
carbon isotopes and, B:846ff  
oxygen isotopes and, B:844ff  
Site 748, B:568  
*Subbotina brevis*, B:563  
Site 748, B:567  
*Subbotina* cf. *angiporoidea*, Site 747, B:644  
*Subbotina eocaena*, Site 748, B:567  
*Subbotina linaperta*, B:563  
*Subbotina linaperta*, s.s., Site 748, B:567  
*Subbotina patagonica*, Site 748, B:566  
*Subbotina pseudobulloides*, B:563  
Site 747, B:565  
*Subbotina* sp., Site 747, B:644  
*Subbotina varianta*, Site 747, B:565  
*subcarinata, Pullenia*, Site 751, B:670  
*subcarinatus, Globigerinelloides*, B:380  
Site 750, B:388  
*subcretacea, Patellina*, Site 750, B:428  
*subdigitata, Hastigerinoides*, Site 750, B:388  
*subfragori, Bolboforma*, Site 747, B:681  
*subfragori, Bolboforma* cf., Site 747, B:681  
*subglobosa, Globocassidulina*, Site 751, B:671  
*subgranulatus, Trichotomosulcites*, Site 750,  
B:271  
*sublodoensis, Discoaster*, B:1102-1103  
*subnodosa, Pleurostomella*, Site 747, B:436  
*subpennyi, Rugotruncana*, B:383  
*subpennyi, Rugotruncana* aff., Site 750, B:391  
*subsphaerica, Guttulina*, Site 747, B:432  
*substriata, Lagena*, Site 748, B:432  
*sulcata* var. *crenulata, Paralia*, B:715  
*Sulcosaccispora alaticonformis*, B:258  
Site 750, B:270  
*susppectum, Trityrodinium*, Site 748, B:336, 338-  
339  
*suteri, Globorotaloides*  
Site 747, B:644  
Site 748, B:568  
*symmetricus, Asteromphalus*, Site 748, B:718  
*Synedra jouseana*, Site 748, B:725  
*Synedra jouseana* Partial Range Zone, B:692-693  
*Synedra* sp. 1, Site 751, B:731  
*Synedra* sp. 2, Site 751, B:731  
*szajnochae, Pyramidina*, Site 747, B:434  
*Taleisphaera hydra*, Site 748, B:300  
*Tanyosphaeridium salpinx*, Site 750, B:302  
*Tanyosphaeridium xanthiopyxides*, Site 748,  
B:336  
*Tappanina selmensis*, Site 748, B:627  
*taurica, Morozovella*, B:564  
Site 747, B:565  
*Tehamadinium* sp. A  
Raggatt Basin, B:286  
Site 748, B:301  
*tela, Asterolampra*, B:700  
Site 748, B:718  
*tenuiculum, Prinsius*, abundance change, B:969  
*Tenuitella clemenciae*, B:579  
Site 747, B:593  
*Tenuitella clemenciae* Partial Range Zone, B:583  
*Tenuitella gemma*, B:579  
Site 747, B:591  
Site 748, B:568  
*Tenuitella gemma* Partial Range Zone, B:590  
*Tenuitella jamesi* n. sp., B:579ff  
Site 747, B:594  
*Tenuitella minutissima*, Site 747, B:593  
*Tenuitella minutissima* Partial Range Zone, B:583  
*Tenuitella munda*, B:579  
*Tenuitella munda* Partial Range Zone, B:583  
*Tenuitella pseudoedita* Partial Range Zone, B:583  
*Tenuitella* spp., distribution, B:571  
*Tenuitellinata angustumbilicata*, B:579  
Site 749, B:591  
*Tenuitellinata angustumbilicata* Partial Range  
Zone, B:583  
*Tenuitellinata juvenilis*, B:579, 592  
*Tenuitellinata juvenilis* Partial Range Zone, B:583  
*Tenuitellinata pseudoedita*, B:579  
Site 747, B:593  
*Tenuitellinata selleyi* n. sp., B:579ff  
Site 747, B:594  
*Tenuitellinata* spp., distribution, B:571  
*Tenuitellinata uvula*, B:579ff  
Site 747, B:593  
*tetrapera, Cyrtocapsella*, B:774, 1035  
Site 747, B:809  
*tetrapila, Prunopyle*, Site 748, B:751  
*teuriensis, Hornbrookina* sp. cf., Site 750, B:456-  
457  
*texana, Osangularia*, B:420  
Site 747, B:438  
*texensis, Marginulina*, Site 747, B:430  
*Thalassiosira bukryi?*, B:706-707  
Site 748, B:716  
*Thalassiosira complicata*, Site 751, B:728  
*Thalassiosira elliptipora*, B:707  
Site 751, B:730  
*Thalassiosira fasciculata* n. sp., B:707  
Site 751, B:729  
*Thalassiosira fraga*, B:774, 1035  
Site 748, B:725  
*Thalassiosira fraga* Partial Range Zone, B:692  
*Thalassiosira fraga* Zone, Site 751, A:354  
*Thalassiosira insigna* n. comb., B:707  
Site 751, B:728  
*Thalassiosira insigna-Thalassiosira vulnifica*  
Concurrent Range Zone, B:687ff  
*Thalassiosira inura*, B:707  
Site 747, B:719  
Site 751, B:728  
*Thalassiosira inura* Partial Range Zone, B:690  
*Thalassiosira kolbei* Partial Range Zone, B:687  
*Thalassiosira lentiginosa*, Site 751, B:733  
*Thalassiosira lentiginosa* Partial Range Zone,  
B:686  
*Thalassiosira maculeata*, B:708  
*Thalassiosira oestrupii*, Site 751, B:730  
*Thalassiosira oestrupii* Partial Range Zone, B:690  
*Thalassiosira oliveriana*, B:708

## TAXONOMIC INDEX

Zygocircus bütchli

- Site 751, B:728  
*Thalassiosira oliverana* var. *sparsa*, var. nov.,  
 B:708  
 Site 751, B:730  
*Thalassiosira praelineata*, B:719  
*Thalassiosira ritscherii*, Site 751, B:730  
*Thalassiosira* sp. A, Site 751, B:730  
*Thalassiosira* sp. B  
 Site 747, B:733  
 Site 748, B:733  
*Thalassiosira* sp. C, Site 751, B:730  
*Thalassiosira sumpellaroides* Partial Range Zone,  
 B:692  
*Thalassiosira striata* n. sp., B:708  
 Site 751, B:729  
*Thalassiosira striata* var., B:708  
 Site 751, B:730  
*Thalassiosira torokina* Partial Range Zone,  
 B:690-691  
*Thalassiosira vulnifica*, Site 751, B:729  
*Thalassiosira vulnifica* Partial Range Zone, B:687  
*Thalassiosira webbi* n. sp., B:708  
 Site 751, B:729  
*Thalassiothrix longissima*, Site 748, B:725  
*Theocyrtis tuberosa*, B:744  
 Site 748, B:739, 755  
*Thoracosphaera* spp., Site 750, B:469-470  
*Thrysoscytis clausa*, B:774  
 Site 751, B:781  
*timmsi?*, *Lithatractus*, B:796  
 Site 746, B:804  
*titanothericerao*, *Lophocoetus*, Site 748, B:752  
*Towleus magnicrassus*, B:1099, 1102  
*trabeculatus*, *Helioclinthus*, B:360  
*tradinghousensis*, *Rugoglobigerina*, B:384  
 Site 747, B:392  
*triangularis*, *Corbisema*, Site 751, B:828  
*triangularis*, *Pyramidina*, Site 747, B:434  
*triangulata*, *Achomosphaera*, Site 748, B:296  
*tribrachiatius orthostylus*, B:1096, 1103  
*tricarinella*, *Planularia*, B:416  
 Site 747, B:432  
*Triceraspyris Antarctica*, B:797  
*Triceraspyris coronata*, B:797, 807  
*Triceratium castelliferum*, Site 749, B:715  
*Triceratium polymorphous* n. sp., B:708-709  
 Site 748, B:715  
*Trichotomosulcites subgranulatus*, Site 750,  
 B:271  
*Tricolporopollenites* sp. A, Site 748, B:306  
*Tricolporopollenites* sp. B, Site 748, B:306  
*tricornis*, *Lithomelissa*, Site 748, B:751  
*tricornis*, *Lapidaeacassis*, Site 750, B:370  
*Trifarina angulosa*, Site 751, B:669  
*Trifarina angulosa* Assemblage, B:653  
 paleoecology and, B:657  
 Site 751, B:873, 876  
*trifidum*, *Quadrum*, Site 747, A:112  
*trihedra*, *Triloculina*, Site 751, B:672  
*Triletes tuberculiformis*  
 Site 748, B:306  
 Site 750, B:270  
*trilobata*, *Marginulina*, B:415  
 Site 747, B:430  
*Triloculina trihedra*, Site 751, B:672  
*trinitatis*, *Bulimina*, Site 747, B:626  
*trioreticulosus*, *Impardecispora*, Site 750, B:269  
*tripartita*, *Chatangiella*, Site 748, B:296, 333-334
- triplex*, *Clavifera*, Site 748, B:304  
*triseriata*, *Guembelitria*  
*Cassigerinelloita amekiensis* and, B:596-597  
 Site 749, B:602  
 water temperature and, B:598  
*trispinosa*, *Naviculopsis*, Site 748, B:828  
*Tristix excavata*, Site 748, B:430  
*Trityrodinium* cf. *sabulum*  
 Raggatt Basin, B:286  
 Site 748, B:303  
*Trityrodinium fragile*, Site 748, B:336  
*Trityrodinium suspectum*, Site 748, B:336, 338-  
 339  
*trivialis*, *Eoglobigerina*, Site 747, B:565  
*truempyi*, *Nuttallides*  
 abundance change, B:613ff  
 isotopic data and, B:964ff  
 Paleogene, B:612  
 Site 747, A:110-111; B:629  
 Site 748, A:187  
 Site 750, A:251, 301  
*trujillo*, *Gavelinella*, Site 750, B:442  
*truncata*, *Neorastrickia*  
 Site 748, B:305  
 Site 750, B:269  
*tuberulata*, *Nelsoniella*, Site 748, B:335, 339  
*Tuberculatosporites* sp., Site 748, B:306  
*tuberculiformis*, *Triletes*  
 Site 748, B:306  
 Site 750, B:270  
*tuberosa*, *Theocyrtis*, B:744  
 Site 748, B:739, 755  
*tubulosum*, *Klethriaspaenidium*, Site 748, B:299  
*Turborotalita quinqueloba*, Site 747, B:594, 647  
*Turrilina alsatica*, Site 749, A:250  
*Turrilina brevispira*, Site 747, B:628  
*uditsevii*, *Navicula*, Site 749, B:716  
*ultramicro*, *Globigerinelloides*, Site 750, B:388  
*umbilica*, *Reticulofenestra*, B:1104  
*umbilicata*, *Globorotalites*, B:419-420  
*umbilicatus*, *Globorotalites*, Site 747, B:438  
*umbonatus*, *Gleicheniidites*, Site 750, B:266, 269  
*umbonatus*, *Oridorsalis*, Site 751, B:671  
*umbonifera*, *Nuttallides*  
 Paleogene, B:612  
 Site 747, A:110  
 Site 751, A:351; B:672  
*uncinatum*, *Spinidinium*, Site 748, B:336  
*undulosum*, *Dinogymnum*, Site 748, B:341  
*unicavus*, *Capasydrax*, B:564, 642  
 Site 748, B:644  
*universa*, *Clathrocyclas*, Site 748, B:756  
*universus*, *Heliolithus*, B:476  
*Uvigerina elongata*, Site 748, B:627  
*Uvigerina hispidocostata*, Site 751, B:669  
*Uvigerina hispidocostata* Assemblage, B:651ff  
 paleoecology and, B:665  
 Site 751, B:873, 875  
*Uvigerina* sp., Site 751, B:669  
*uvula*, *Globigerinita*, Site 747, B:647  
*uvula*, *Tenuitellinata*, B:579ff  
 Site 747, B:593  
*Vaginulina* aff. *wadei*, Site 750, B:432  
*Vaginulina paucistrigata*, Site 750, B:432  
*Vaginulina* sp., Site 750, B:432  
*Valensiella griphus*, Site 748, B:301
- Valvulinaria lenticula*, B:418  
 Site 747, B:436  
*Valvulinaria* sp., B:418  
 Site 747, B:436  
*variabilis*, *Globorotaloides*, Site 747, B:645  
*varianta*, *Subbotina*, Site 747, B:565  
*velascoensis*, *Aragonia*, Site 748, B:627  
*velascoensis*, *Ellipsoglandulina*, Site 750, B:436  
*velascoensis*, *Gavelinella*, B:422  
 Site 750, B:442  
*velascoensis*, *Gavelinella* aff., Site 747, B:442  
*velascoensis*, *Osangularia*, Site 747, B:438, 630  
*velatus*, *Densoisporites*, Site 750, B:269  
*Velicucullus altus*, Site 748, B:781  
*Velicucullus* cf. *oddgurneri*, Site 748, B:751, 781  
*verrucosidites*, *Leptolepidites*, Site 748, B:305  
*verrucosa*, *Chatangiella*, Site 748, B:333  
*Veryhachium* sp., Site 748, B:335  
*vesuvius*, *Siphonosphaera*, n. sp., B:794-795  
 Site 747, B:802  
*victoriensis*, *Chatangiella*, Site 748, B:296, 334  
*vigilans*, *Rocella*, B:705  
*vigilans* var. A, *Rocella*, B:705, 718  
*vigilans* var. B, *Rocella*, Site 747, B:718  
*Vitreisporites pallidus*, B:258  
 Site 748, B:306  
 Site 750, B:270  
*vivans*, *Gallitella*, water temperature and, B:598  
*vulgaris* var. *cellulosa*, *Asterolampra*, Site 749,  
 B:715  
*vulgaris* var. *hyalina*, *Asterolampra*, Site 748,  
 B:716  
*vulnifica*, *Thalassiosira*, Site 751, B:729  
*Vulvulina spinosa*, Site 748, B:627  
*wadei*, *Vaginulina* aff., Site 750, B:432  
*webbi*, *Thalassiosira*, n. sp., B:708  
 Site 751, B:729  
*wellmanii*, *Osmundacidites*, Site 750, B:269  
*wetzelii*, *Spiniferites*, Site 748, B:300  
*Whiteinella archaeocretacea*, B:381-382  
 Site 750, B:389  
*Whiteinella baltica*, Site 750, B:389  
*Whiteinella inornata*, Site 750, B:389  
*wilcoxensis*, *Acarinina*, B:563-564  
 Site 749, B:566  
*wilcoxensis*, *Pseudohastigerina*, B:563  
*wisei*, *Navicula*, n. sp., B:704  
 Site 751, B:731  
*woodi*, *Globoturborotalia*, Site 747, B:646  
*woodywisei*, *Ashmoripollis*, n. sp., B:258, 260,  
 266  
 Site 750, B:270  
*wuellerstorfi*, *Cibicidoides*, Site 751, B:671  
*xanthiopyxides*, *Tanyosphaeridium*, Site 748,  
 B:336  
*Xenascus ceratioides*, Site 748, B:336, 340  
*Xenascus* cf. *ceratioides*, Site 748, B:303  
*Xenikoon australis*, Site 748, B:335  
*zealandica*, *Globorotalia*, B:641, 645  
 Site 751, B:646  
*Zeugrhabdotus kerguelensis* n. sp., B:363  
 Site 747, B:366-367  
*zuberi*, *Pleurostomella*, B:418  
 Site 750, B:436  
*Zygocircus bütchli*, Site 748, B:754