

INDEX TO VOLUME 122

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 122 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as a further elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes taxonomic entries above the generic level, as well as broad fossil groups such as foraminifers and radiolarians. The notation "ff" following a page listing indicates that reference to a topic continues beyond the last page given but is not sequential. This would be the case where one or more figures or tables follow a principal topic of discussion that makes up a major section. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 762, for example, is given as "Site 762, A:213-288."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

SUBJECT INDEX

- acoustic basement, Exmouth Plateau, B:75–76.
See also basement
- Adenet limestone, Northern Calcareous Alps, B:782
- Africa N, tectonic map, B:84
- Alabama, Cretaceous marl-limestone sequence, B:259
- Albian/Cenomanian boundary, calcareous nannofossils, A:240
- algae, Rhaetian, B:166
- algal mats, A:206; B:114, 200. *See also* sedimentary structures
- alkalinity, A:106, 150, 194, 261, 333
 calcite dissolution and, B:306–307
 Exmouth Plateau, B:297
 organic carbon content and, B:303
- alkanes
 Cenomanian/Turonian boundary, B:323, 332
 Exmouth Plateau, B: 322, 331
 marine-dominated vs. land-derived, B:856–857, 859
 Site 759, B:327
 Site 765, B:333
 Wombat Plateau, B:319, 327
- Alpine Orogeny, B:86
- Alps, Northern Calcareous, B:782
- Alps, Western, paleostress reorientation, B:209
- alteration, diagenetic. *See also* diagenesis
 Cretaceous cyclic sediments, B:262–263, 268
 oxygen isotopes, B:576, 658
 post-depositional uplift, B:150
 syn-Rhaetian cyclic emersion, B:149–150
- Althgarh basin, Aptian–Albian sedimentation, B:98
- alumina, B:866–867, 873–875, 878–879
- aluminum
 in ferromanganese deposits, B:339–341
 geophysical well logging, A:202–203, 284–285; B:384
- aluminum oxide. *See* alumina
- Alxa basin, Jurassic sedimentation, B:96
- Alxa block, Triassic fluviolacustrine sediments, B:93
- Alxa–North China block, Permian sedimentation, B:88
- ammonite, Site 763, A:303, 305–306
- anastomosing seams, Site 762, A:233–234, 281
- anisotropy, A:107, 371
- Annamia block, B:92, 93, 96
- Antarctic Bottom Water (AABW), erosional effects of, B:792
- apatite, euhedral, B:231
- Argo Abyssal Plain. *See also* Indian Ocean
 formation, B:3, 6, 13, 803
 lithostratigraphy, A:376
 magnetic anomaly, B:784
 north-south cross section, B:767
 ocean crust, A:9
 organic geochemistry, B:324
 seafloor spreading, A:5, 207; B:786–787
 tectonic influences, B:224
- Argo Landmass
 breakup from Exmouth Plateau, B:805, 814
 Laurasian accretion, B:787, 789
- ash, Cretaceous post-breakup, B:225
- ash layer, B:226–227
- Ashmore platform, B:93
- astrophorids, B:559
- Ataxophragmiidae, Site 764, B:435
- Atlantic Ocean North, A:240
- Atlantic Ocean South, A:240; B:659, 661
- Australia
 Barrow Island, A:236
 Carnarvon Basin, B:221, 233–237, 803
 Cretaceous–Cenozoic hiatuses, B:289
 plate tectonics, B:272
 rifting, B:11
 separation from Greater India, B:224
- Australian margin
 Aptian–Albian sedimentation, B:101
 breakup history, B:83, 85
 Cenozoic–Cretaceous sediments, B:766
 collision, Indonesian crustal collage, B:57
 depositional environment, B:92
 fluviodeltaic sediments, B:225
 Jurassic marine sediments, B:96
 paleogeography, B:215, 788–789, 791
 rifting, B:56–57, 101–102
 seafloor spreading, B:768
 Tethyan evolution, B:766–768
 Triassic sedimentation, B:93, 96
- Australian Northwest Shelf
 carbonate dissolution, B:51
 carbonate reefal platforms, B:35
 heat flow, B:363
 mudstones, B:6
 regression, B:253
 sandstones, B:6
 Triassic sedimentation, B:10
- authigenesis, noncalcareous, B:146. *See also* diagenesis
- bafflestone, B:156, 186
- Banggong Co–Nu Jiang ocean, B:88
- Banggong Co–Nu Jiang suture, B:96
- barium
 anoxic reducing condition, B:305
 in ferromanganese deposits, B:339–341
 in Leg 122 sediments, B:302
- Barranco del Gredero (Spain), Cretaceous/Tertiary boundary, B:743
- Barrow–Dampier basin, Callovian–Tithonian unconformity, B:207
- Barrow delta system, B:77, 79–80
- Barrow Group
 age, A:241, 318; B:40, 539–540
 alkalinity, A:261
 bentonite, B:225, 242
 coarse fraction components, B:238, 239, 241, 244
 deposition, B:559, 561, 806
 Exmouth Plateau, B:9, 238–239
 formation, B:13, 253, 814
 geologic setting, B:236
 geophysical well logging, A:286; B:245, 385
 high-molecular-weight hydrocarbons, A:250
 microfossils, B:559–560
 mudstones, B:255, 257
 organic matter, B:312
 petrology, B:242, 244, 246
 progradation, B:805
 salinity, B:306
 sedimentation rate, B:815
 seismic reflection profiling, B:47, 70
 seismic sequence correlation, A:271, 345–346
 shallow-marine to intertidal environment, B:825
 Site 762, A:216–217, 236, 348–349
 Site 763, A:289–291
 source region, B:40, 244, 251–252, 803
- terrigenous origin, A:261
 thermal maturity, A:248; B:312
 truncation, B:77
 volcanic detritus, B:252
- Barrow Island, A:236
- basalts, Wallaby Plateau, B:225–226
- basement
 Argo Abyssal Plain, B:787
 Exmouth Plateau, B:75–76
- basement, volcanic, B:70–71, 73–74, 77, 79
- belemnites
 age, B:220, 789
 origin, B:576–577
 paleoecological implications, B:573, 575
 Site 761, A:179; B:584–585
 Site 763, A:304, 306
 stable isotopes, B:572–576
- Benguela Upwelling System, salinity, B:662
- Bentong–Raub suture, age, B:86
- bentonite
 Barrow Group, B: 225, 242
 biostratigraphic age, B:220
 with calcispheres, B:232
 definition, B:213
 deposition as ash turbidites, B:226
 distance from source area, B:227
 Exmouth Plateau, B:13
 genetic origin, B:222, 224
 geochemistry, B:218–219, 222, 224
 horizons B1–B6, B:216, 220–221, 789
 horizons B2–B6, B:229–230
 mineralogy, B:222
 pure vs. impure, B:221
 sedimentary and tectonic settings, B:224–225
 sedimentary fabric, B:221
 in silty claystone, B:220
 Site 761, A:167, 179, 208; B:229
 Site 763, A:306, 349
 smectite, B:222, 231–232, 789
 stratigraphic context, B:215–216, 220
 volcanoclastic origin, B:224, 225, 789
- benzofluoranthene, Wombat Plateau, B:321
- Berriasian/Valanginian boundary, B:807
- bindstone, B:147, 155
- biocalcarenite, sparry, B:464
- biolithite facies, microfacies types, B:143
- biostratigraphy. *See* Taxonomic Index for genera and species; Subject Index under particular fossil groups and sites
- biotite, Site 761, B:231
- Birdrong Sandstone, B:216, 252–253
- birdseye structures, in Rhaetian limestones, B:114, 187
- bitumens, compounds in extractable, B:329–330
- bituminite. *See* torbanite
- Black Sea, A:240; B:661
- Bonaparte Gulf Basin, B:92
- Bongthol Tangla block, B:96
- boundstone
 coral, A:360; B:156, 166, 177, 186
 coralline red algae, B:175
 diagenesis, B:149
 hematite-stained, B:164, 166
 red sponge, B:183–186, 839
 tabulozoan/bryozoan, B:186
 vermiform texture, B:168
- boundstone, calcisponge-brachiopod, B:202
- boundstone, coral, B:202
- boundstone/rudstone, with coral and coralline algae, B:178

- Braarudosphaera*. See Taxonomic Index
braided stream deposits, in delta systems, B:775
Brazos River, Cretaceous/Tertiary boundary, B:743
breccia, conglomerate/shell, Carnian/Norian boundary, B:772
breccia, tectonic, Wombat Plateau, B:133
Brianconnais Zone, Wombat and Exmouth Plateau compared, B:208
Brigadier Formation, B:39, 46, 314
Brunhes Chronozone, Site 763, A:318
Burma, volcanism, B:784
- calcarene
coral-rich, B:186
crinoidal, B:183, 188
dolomitic, A:87
parallel-laminated, A:94
- calcareous nannofossils
abundance and preservation, B:442
Albian/Cenomanian boundary, A:240
Aptian-Albian hiatus, A:241
biochronology, B:679
biohorizon order, B:531, 534, 541-542
Campanian-Maestrichtian hiatus, A:240, 367
Carnian-Rhaetian, A:7
Cenomanian/Turonian boundary, A:240, 311
correlation, foraminifer stratigraphy, A:313, 317-318; B:543-544
Cretaceous/Tertiary boundary, A:180-182, 186; B:738-741, 743-745, 792
Cretaceous unconformities, A:182
diachroneity, B:541-543
Eocene/Oligocene hiatus, A:186
expanded temperate sequence, B:540
first and last occurrences, B:621-624, 679-680
Hauterivian-Barremian hiatus, A:241
light vs. dark beds, B:262
lithostratigraphic correlation, B:441
magnetostratigraphic correlation, B:543-544
Miocene hiatus, A:239, 310
Oligocene hiatus, A:137
orbital forcing and preservation, B:286
paleoenvironment, A:240-242; B:442, 445-446
Pliocene hiatus, A:137
Santonian/Campanian boundary, A:310-311
secondary markers, B:679
sideritization, B:442, 446
Site 759, A:94-95; B:488, 610
Site 760, A:134, 136-137, 180-181; B:488, 491, 602, 610
Site 761, A:182-183; B:491, 536, 538-539, 603, 610-611, 738, 743
Site 762, A:238-242; B:536-537, 604-607, 611
Site 763, A:308-312, 367; B:537-538, 608-612, 615
Site 764, B:443, 491, 612
stable isotopes, B:445-446
stage boundary definitions, B:535
survivor species, B:738, 740, 743
syn-rift/post-rift evolution, A:350
taxonomy, B:439-440, 601-603, 608
vs. sideritic forms, B:446
zonation, A:28-29, 32; B:283, 442, 487-488, 531-535, 608-610, 618-620, 625-626
- calcareous pelagic sediments. See pelagic sediments
- Calcioidinelloideae, Site 761, B:498
- calcispheres
depositional environment, A:179
Mesozoic/Cenozoic boundary, B:497
origin, B:576-577
paleoecological implications, B:573, 575
Site 761, B:581
stable isotopes, B:572-574
- calcisponges, B:140, 142, 190-191
- calcite deposits
clear, isotopic composition, B:846
cloudy, in *Megalodon* shell, B:848-849
Cretaceous/Tertiary boundary, B:758
in ferromanganese deposits, B:337
geomorphic, in *Megalodon* shell, B:849
- calcium
calcite precipitation and, B:305, 307
carbonate diagenesis and, A:332; B:302
clay content and, B:169
in ferromanganese deposits, B:339
geophysical well logging, A:202-203, 284-285; B:169, 384
lithologic variation in, A:192
Site 759, A:104
Site 760, A:146-148
Site 761, A:191-192
Site 762, A:257-258
Site 763, A:332
vertical gradient, B:296
- calcium carbonate
claystones vs. recrystallized limestones, B:169
color changes and, A:297, 299
core vs. logged measurements, B:865
Cretaceous cyclic sediments, B:261, 264-266
geophysical well logging, B:866-867, 873-875
lithologic variation in, A:276-277, 320
Site 761, A:190, 193-194
Site 762, A:252-255; B:888
Site 763, A:297, 324
Site 764, A:371
Turonian/Campanian, A:350
- Callovian/Oxfordian boundary, block-faulting event, B:794
- Campanian/Maestrichtian boundary, calcareous nannofossils, A:240
- Campanian/Santonian boundary, magnetostratigraphy, A:245
- Canadian Arctic Archipelago, marine sedimentary rocks, B:170
- Cape Range Fracture Zone
fracture zones parallel to, B:79
Levant Transform compared, B:77
Miocene folding, B:57
shear zone, B:77
uplift, B:12-13, 57, 77
- carbon, inorganic
Site 759, A:101
Site 760, A:141-142
Site 761, A:190, 193-194
Site 762, A:247, 252-255
Site 763, A:320
Site 764, A:369, 371
- carbon, organic
Carnian-Norian sediments, B:117, 119
Cretaceous/Tertiary boundary, B:882-884
lithologic variation, B:310-311
maceral analysis, B:319, 321, 323
Site 759, A:101; B:320
Site 760, B:320
Site 761, A:190; B:320
Site 762, A:247; B:320
Site 763, A:320; B:320
Site 764, A:369; B:320
Site 765, B:320-321
Site 766, B:321
vs. calcium carbonate, B:884
vs. carbonate carbon, B:312
- carbon, total organic
Cenomanian/Turonian boundary, B:312
in glauconitic grains, B:852
light vs. dark beds, B:261, 267
Site 759, A:101
Site 760, A:142
Site 761, A:190, 193-195
Site 762, A:248, 252-258, 283; B:313
Site 763, A:321, 325; B:313
sulfate content and, B:303
vs. hydrogen index, B:311-312, 314
carbon dioxide, Exmouth Plateau, A:249-250, 324
- carbon isotopes
belemnites, B:572-576
Braarudosphaera-rich sediments, B:656-658
calcispheres, B:572-574
Paleogene, B:897-901
shallow-water carbonates, B:844-846
Triassic nannofossils, B:445-446
- carbon/nitrogen ratio, Cretaceous/Tertiary boundary, B:884
- carbonaceous fragments, distributary channel facies, B:115
- carbonates
calcareous algae-dominated facies, B:132-133
calcite-cemented cavities, A:179
calcium gradient with diagenesis of, A:258
Carnian deposition, A:5
Carnian/Norian boundary, B:118
Cenomanian/Turonian boundary, B:540-541
clay content, A:302
climatic control, B:170
Cretaceous sediments, B:239, 250-251
deltaic sandstone/oolitic limestone transition, B:133
density and, A:107
deposition, A:112, 129, 132, 157-158
dissolution, B:147, 148
European Tethyan margins compared, B:207
in fluviodeltaic-dominated sequences, B:132, 144
grain size and, B:239, 241
hemipelagic deposition, A:179
Jurassic, B:205
keep-up to catch-up system, B:141, 773, 779
keep-up to give-up system, B:774
lagoonal, B:778
laminated, B:186
marine, B:383-384
microfacies types, A:206-207
negative anisotropy, A:371
orbital control, B:286
organic carbon content and, A:101
pelagic, A:5; B:249-250
reefal, B:778
Rhaetian, A:368-369, 383; B:771, 839-840
shallow-water, B:186, 797
Site 759, A:87
tectono-eustatic control, B:170-172
Triassic, B:6-7, 131-132, 144-148
velocity, A:152
- carbonate compensation depth (CCD), Site 762, A:243
- carbonate platforms
deposition, B:131-144, 778-779, 782
facies, B:144-145, 778-779
Tethys Ocean, B:23
Wombat Plateau, A:5-6, 206-207
- Cardabia Group, seismic sequence correlation, A:273
- Carnarvon Basin
bentonite, B:221
Gearle Siltstone, B:236
geologic setting, B:233-234
Haycock Marl, B:236-237, 803

- Muderong Shale, B:236
 subsidence, B:252–253, 814
 Windalia Radiolarite, B:236, 803
- Carnian/Norian boundary
 block-faulting event, B:777
 conglomeratic limestone, A:157
 marine flooding stage, B:118
 paleogeography, B:775
 rifting, B:784
 sediment dips, B:117
- Caucasus, Triassic foraminifers, B:430
- cement
 acicular, B:186
 blocky calcite, B:157, 159
 cloudy, B:846
 dogtooth, B:186
 dolomite, B:147
 gravitational, B:158
 marine, B:145, 148
 post-depositional, B:147
 scalenohedral, B:145–146, 157
 vadose, B:145
 within moldic porosity, B:159
- cement, calcite
 blocky, B:157, 159
 dogtooth, B:845, 848
- cementation, physical properties, B:351, 356–357
- Cenomanian/Turonian boundary
 anoxic event, A:300, 350; B:51, 57, 249–250, 792, 805
 black shale, A:5, 7; B:324–325, 792
 calcareous nannofossils, A:240, 311; B:536, 538, 540–541
 clay enrichment, A:348
 density, A:339
 erosional unconformity, B:52–53
 Exmouth Plateau, B:389
 geophysical well logging, B:390
 hiatus, B:249
 organic geochemistry, B:322–325
 paleoenvironment, A:281
 planktonic foraminifers, A:243–244, 314–315; B:589, 592
 pollen and spores, B:512
 sedimentary cycles, B:280
 seismic reflection profiling, B:403
 total organic carbon, B:312
- cerium anomaly, B:341–342, 754–755
- chalk
 Albian deposition, B:290, 292
 colors, A:290; B:737
 Cretaceous/Tertiary boundary, B:737
 Cretaceous–Cenozoic, A:5
 geophysical well logging, B:381
 hemipelagic-eupelagic transition, B:814
 Paleocene, A:209
 physical properties, A:265, 285–286
 resistivity vs. frequency, B:351, 354–355
 velocity, A:341
- chalk, calcisphere
 Berriasian–Valanginian, B:789
 deposition, B:577
 lithology, B:579
 microfossil assemblages, B:571–572
 stable isotopes, B:576
 Tethyan taxa, B:575
- chalk, carbonate
 density, A:339
 paleoenvironment, A:368
- chalk, clayey calcareous, Site 762, A:234, 302
- chalk, foraminifer-nannofossil
 Cenozoic, B:813
 Cretaceous, B:251
 deposition, A: 281, 350
- organic geochemistry, A:322
 Paleocene–Miocene, B:55
 seismic reflection profiling, B:55
 Site 763, A:295, 297, 299–300
 Turonian–Coniacian, B:792
- chalk, nannofossil
 bentonite, B:225
 bioturbation, A:167, 229–231, 298
 calcisphere, A:167–168
 clay content, A:347–348
 colors, A:237, 298–299
 Cretaceous, B:250–251, 279–291
 cyclic color changes, A:237
 deposition, A:350, 383
 eupelagic, B:220
 Gearle Siltstone, B:248–249
 geophysical well logging, A:275–276, 347–348
 hemipelagic calcisphere, B:216
 inorganic components, A:230
 light vs. dark beds, B:269
 magnetic properties, B:700–702
 Paleocene, B:813
 Santonian, B:813
 Site 761, A:166–167
 Site 762, A:228–229, 231–235
 Site 764, A:356
- chalk, pelagic
 Cretaceous deposition, A:208
 electrical resistivity, A:347
 seismic sequence correlation, A:273
- chalk/claystone transition, A:262, 341
- chalk/ooze transition, seismic reflection profiling, A:273, 347
- chalkification, Site 764, B:146, 149
- channelization, B:51, 55, 57
- Chasa suture, B:87
- chert, porcellanitic, A:165, 208–209
- China
 Cretaceous deposits, B:96, 98
 Triassic foraminifers, B:430
- China block, N, B:92–93, 96
- Chinle Formation (New Mexico), B:690
- chlorinity
 with freshwater infusion, B:307–308
 lateral transport, B:304
 lithologic variation in, A:260–261
 salinity and, B:169
 Site 759, A:104, 106
 Site 760, A:149–150
 Site 761, A:194
 Site 763, A:334
- Chola Shan arc, B:87, 93
- chromium, Cretaceous/Tertiary boundary, B:754–755
- chronostratigraphic units, definition, A:17
- Cimmeride sutures, origin, B:86
- clastic sediments, A:152; B:57
 water content, A:152
- clastic wedges
 Berriasian–Valanginian progradation, A:6, 278–279
 deposition, B:384
 northward thinning, B:803
 Site 763, A:307–308
 Tithonian–Valangian progradation, A:5
- clay
 bentonitic, B:223
 deposition, A: 207, 358
 geophysical well logging, A:111, 200–201; B:287
 nannofossil, A:207
 physical properties, A:179, 198, 349
 Site 761, A:166
- Site 762, A:275
- clay mineralogy
 chalks, A:295
 Cretaceous, B:261–262, 264–266, 883
 silty claystones, A:279
- claystone
 Barremian–Aptian, B:790, 812
 Berriasian–Valanginian, B:53
 bioturbation, A:302
 Cenomanian/Turonian boundary, B:249, 813
 compaction, A:349
 deposition, A:90–91, 132
 distributary bay facies, B:115
 geophysical well logging, A:111
 Hauterivian–Aptian, B:75
 hemipelagic deposition, A:5
 limestone interbedding, A:179
 organic matter type, B:312
 paleoenvironment, A:179
 porosity, A:152
 prograding prodelta, A:290, 349
 pyrograms, B:859
 Rhaetian, A:204–205
 seismic reflection profiling, B:55
 siltstone and, A:302
 Site 759, A:87
 Site 760, A:119, 121
 Turonian–Maestrichtian, B:55
 velocity, A:337, 339
- claystone, bentonitic
 facies association, B:221
 geochemistry, B:222
 geophysical well logging, B:217
 Kimmeridgian–Neocomian, B:220
 mineralogy, B:222
 physical properties, B:789
 Site 763, B:220, 231
 Site 765, B:220
 volcanoclastic origin, B:227
- claystone, calcareous
 colors, A:179, 281
 deposition, A:349, 383
 Haycock Marl, B:257
 Muderong Shale, B:248
 organic geochemistry, A:322–323
 Rhaetian, B:164, 168–169, 186–187, 204–205
 Site 761, A:161, 173–174, 176
 Site 762, A:235–237
 Site 764, A:357–358
- claystone, carbonaceous silty, paleoenvironment, A:177, 179
- claystone, deltaic, Neocomian, A:5
- claystone, laminated, A:379; B:111
 geophysical well logging, A:379
- claystone, marine, grain size, B:242
- claystone, nannofossil
 bioturbation, A:232
 magnetic properties, B:701–702
 Site 762, A:232–234
 Site 763, A:300–302
- claystone, pelagic, bentonite, B:225
- claystone, recrystallized, A:378–379
- claystone, sandy, Site 761, A:168
- claystone, sandy and silty, Site 763, A:306–307
- claystone, silty
 Barrow Group, A:277–278, B:242, 244
 bentonite, B:221–222
 bioturbated, B:124–125
 with carbonate concretions, B:126
 Carnian, B:111, 776–777
 delta front deposits, B:122–123
 deposition, A:5, 207, 305–306, 349
 distal bar facies, B:114
 geophysical well logging, A:155

- Norian, B:133
 organic carbon content, A:279
 organic geochemistry, A:323
 physical properties, A:341
 Site 759, A:88–90, 99
 Site 760, A:121, 126–129
 Site 761, A:168, 173–174, 176
 Site 762, A:236
 Site 763, A:304
- claystone, smectitic, Site 765, B:221
 claystone, zeolitic, deposition, A:350
 clinoptilolite
 Albian deposition, B:290, 292
 in bentonite, B:224
 Cretaceous/Tertiary boundary, B:758, 762
 reprecipitation, B:792
 Site 761, A:166
- coal
 classification, A:27–28
 Jurassic, B:771, 777, 784, 786
 paleoenvironment, A:112–113; B:771, 777, 784, 786
 seismic reflection profiling, B:46
 Site 759, A:88
 Site 760, A:129, 131
 Wombat Plateau, B:142
- coal seams, seismic reflection profiling, B:46
 coarsening-upward sequence
 Carnian–Norian, B:115, 137
 prodelta facies, B:111
 Site 759, A:91
- cobalt, B:338–340, 754–755
 coccoliths, B:572–573, 575
 color cycles
 calcareous chalks and claystones, A:281
 Campanian–Turonian chalks, A:290
 Cenozoic, B:283–286
 chalk-to-claystone transition, A:276–277
 clay/carbonate cycles, B:248, 251
 clay content correlation, A:302; B:284, 287
 continental-pelagic flux variations, A:302
 couplet colors, B:285
 Cretaceous chalks, B:280
 Cretaceous/Tertiary boundary, A:356
 duration, B:274–275
 eupelagic chalks, A:350
 Gearle Siltstone, B:812
 Milankovitch cyclicity, A:237
 nannofossil chalks, A:228, 275, 298–300
 origin, B:263, 275, 286
 pelagic oozes, A:118–119, 209, 220, 295
 rhythmic, A:165, 167, 208, 231–234, 348
 sea level control, B:274–275
 Site 762, A:230, 238
- compressional quality factor, Site 762, B:351–354
 continental margin
 Exmouth Plateau, A:9
 formation mechanisms, A:11
 passive, A:214
 Triassic history, B:11
- copper, B:659–650
 coprolites, B:467, 853
 coral
 bafflestone, B:186
 in boundstone, B:177, 360
 branching hermatypic, A:174
 calcite-replaced, A:94
 deposition, B:384
 hexacorals, B:25
 Rhaetian, B:168, 188–190
 silicification, B:146, 157
 wackestone-packstone association, A:179
 Cretaceous/Tertiary boundary
 aromatic hydrocarbons, B:883
- Australian Northwest Shelf, B:253
 biotic change, B:884
 calcareous nannofossils, A:180–182, 186;
 B:536, 538, 610
 clay mineralogy, B:883
 color cycles, A:356
 cyclic sediments, B:286
 dark-to-light chalk transition, B:280
 erosional unconformity, A:347
 geophysical well logging, A:200, 276, 286,
 347, 378; B:280, 381
 inorganic geochemistry, B:756–757
 iridium vs. nannofossil positions, B:758
 lithostratigraphy, A:298; B:736–737
 magnetostratigraphy, B:755–756
 mineralogy, B:755
 organic carbon, B:882–884
 paleoenvironment, A:209, 282
 paleoproductivity, B:884
 physical properties, A:341
 planktonic foraminifers, A:367
 rare earth elements, B:754–755
 sedimentary hiatus, A:320
 sedimentation rate, A:188; B:756–758
 seismic reflection profiling, A:272–273, 374;
 B:403
 siderophile elements, B:754
 Site 761, A:166, 170
 Site 762, B:530
 Site 763, B:530
 unconformity, B:745
- crinoids, A:383; B:25–26, 146, 183
 crust, oceanic, Phanerozoic sediments, B:5
 Cuvier Abyssal Plain
 bathymetry, B:63
 formation, A:280; B:3, 11, 768, 803, 805, 814
 seismic stratigraphy, B:75
- Cuvier Rift, Greater India continental breakup,
 B:57
- cyclic sediments
 biogenic vs. terrestrial input, B:263–264
 bioturbation, B:261, 263
 Campanian–Maestrichtian lithostratigraphy,
 B:262
 Cenozoic thickness, B:283–285
 clay vs. carbonate content, B:813
 climatic control, B:272, 274
 color alternations, B:260–261
 compaction and porosity variations,
 B:262–263, 266
 compositional differences, B:261–262, 266
 core analysis, B:283–286
 Cretaceous, B:248, 251, 259–276, 279–291
 Cretaceous–Eocene, B:286–290
 diagenetic vs. climatic origin, B:259
 geological implications, B:263
 geophysical well logging, B:265
 Mesozoic thickness, B:284–286
 orbital control, B:276
 origin, B:270, 272, 274
 periodicity, B:263, 265
 Rhaetian, B:781
 sedimentation rate, B:260
 spectral analysis, B:265–270ff, 286–290
 supercycle hiatuses compared, B:289–290
 time series 1–3, B:265, 266, 270
- Cygnat Canyon Subarea, foraminifers, B:466
 Cygnat Spur, horsts, A:82
- Dachstein reef limestone, B:782
 Dachsteinkalk facies, foraminifers, B:466
 Dampier sub-basin, Toolonga Calcilitite, B:803
 Deccan Traps, Cretaceous/Tertiary boundary,
 B:758
- dedolomitization, B:148–149, 158
 Delambre-1 well, coal-measure sequence, B:786
 delta front deposits
 distal bar, B:114
 ichnofabric, B:480
 Wombat Plateau, A:132
 delta plain facies, B:114–115, 132, 776–777
 delta platform, northwest-prograding lobe, B:53
 delta sequence. *See also* delta front deposits; delta
 plain facies
 Barrow Group, B:252
 deposition, A:112, 132, 134; B:557, 559, 561
 foraminiferal distribution, B:566
 prodelta environment, A:132
 progradation, B:390
 sediment source, B:803
- delta system
 basal deposits, B:117
 Carnian–Norian sediment dips, B:117, 119
 deposition, B:118–119
 lateral lobe migration, B:777, 794
 regression and progradation, A:91
 siliciclastic/carbonate cycles, B:118, 121
 transgression-regression cycle, B:118
 upward-shoaling cycles, B:776
- density
 Cretaceous/Tertiary boundary, A:341
 geophysical well logging, B:389
 lithologic variation in, A:107, 152, 285–286
 shipboard vs. laboratory, B:351–358, 401
 silty claystones, A:341
 Site 761, A:196–198
 Site 762, A:262–263
 Site 764, A:371
 units 1–3, A:339, 341
 vs. velocity, A:155; B:359–360
- dewatering structures, Site 760, A:130
 diagenesis
 isotopic effects of, B:576
 syn-Rhaetian, B:786
- diagenesis, limestone
 cation mobility, B:148
 cementation, B:145–146
 diagenetic model, B:148–149
 noncalcareous authigenesis, B:146
 porosity development, B:146–147
 diagenesis, meteoric, B:146–147, 149, 846
 diamagnetic minerals, magnetic property effect,
 B:727–728
- Dingo Claystone
 deposition, B:39
 seismic reflection profiling, B:46, 70
 seismic sequence correlation, A:271; B:64
 Site 762, A:217
 Site 763, A:291
- dinoflagellates
 Cretaceous, B:498, 513–521
 Triassic, B:416–421
- dissolution, aragonitic, B:445, 845
 dolomite
 in fossiliferous wackestones, B:166
 secondary, B:169
 Triassic, B:147–148
 velocity, A:107
- dolomitization
 Rhaetian carbonates, B:164, 186
 Triassic carbonates, B:147–148
- dolospars, porosities, B:158
 drape, shaly-crinoidal, Site 764, B:186–187
 Duostominidae, B:429, 434–435
- eccentricity, climatic control, B:260, 274, 290
 Echidna Spur, Mesozoic strata, B:8
 echinoderms, Triassic, B:464

- Eendracht-1 well
 Barrow Group, B:246
 delta sequence, B:252
 heat flow, B:366-367, 370
 palynology, B:252
 seismic stratigraphy, B:52-53
- El Kef (Tunisia), B:743, 881-882, 884
- Emei Shan, basalt eruptions, B:92
- Emu Escarpment Subarea, foraminifers, B:466-467
- Emu Spur, Mesozoic strata, B:8
- Endothyridae, B:434, 436
- erosion
 Cretaceous–Paleogene, B:813
 Eocene, B:792
 Maestrichtian–Eocene, B:251
 post-depositional, B:786
- Esso Vinck-1 well, lithologic log, B:65
- ethane volubility, A:262
- Eurasia, tectonic map, B:84
- Europe, NW, volcanism, B:225
- europium, B:342
- eustatic sea level
 color cycles and changes in, A:237
 Neocomian–Aptian transgression and, B:253
 Norian–Rhaetian, B:35, 205
 sedimentary effects, B:253, 797, 816
 transgressive-regressive cycles and, B:170
- Exmouth Plateau. *See also* tectonics
 acoustic basement, B:75–76
 alkalinity, B:297
 Aptian hiatus, B:805
 Aptian–Albian transgression, B:789–790, 792
Braarudosphaera-rich sediments, B:661
 breakup between Greater India and, B:11
 calcareous nannofossils, B:541
 Callovian–Oxfordian hiatus, B:786
 chronostratigraphy, B:379
 clastic-to-carbonate transition, B:389–390
 climatic variation, B:274, 276, 794
 coal-measure sequence, B:786
 continent/ocean boundary, B:161
 deformation, A:11, 214, 216
 deposition, A:216; B:51–52, 110-111
 dinoflagellate cysts, B:523
 erosional unconformity, B:50-51
 fragmentation, B:805, 814
 geologic setting, B:3, 61, 234, 364-365, 654, 801-805
 geologic model, B:79
 geophysical well logging, B:389
 Hauterivian, A:6
 heating and uplift event, B:57
 latitudinal migration, B:274
 lithostratigraphy, A:376; B:4-5, 41-42
 magnetic properties, B:727, 729
 Neocomian sediment body, B:71, 73, 79
 north-south cross section, B:767
 northern margin, A:10, 82; B:109
 paleogeography, B:11-13, 18, 224-225, 252, 782, 784, 803, 805
 Paleozoic configuration, B:8
 petroleum exploration, B:6-7
 post-rift unconformity, B:771
 progradation, B:46-47, 57
 rift-drift transition, B:390-391
 sedimental sequence, B:805–807
 sedimentation, B:6
 seismic stratigraphy, B:7–8, 50
 southern margin, A: 10
 submarine erosion, Cenozoic, B:52, 57
 synrift sedimentary succession, B:39-40
 Tertiary sequence, B:771
 thermal geohistory, B:367-368
- Valanginian–Barremian hiatus, B:806
- Valanginian breakup, B:9, 79, 814
- water depths, Cretaceous, B:241–242
- western margin, A:10; B:109
- Wombat Plateau, separation, A:5
- Exmouth Plateau C, B:9
- Exmouth Plateau N, B:768–769, 771
- Exmouth Plateau S, B:39-40, 66
- Exmouth Plateau W, B:63-64, 67, 76-77
- faulting
 Cretaceous, B:172
 detachment, B:802-803
 high-angle, B:801-802
 Miocene reactivation, B:57
 North Exmouth Hinge Zone, B:7
 Tertiary reactivation, B:41-42
 two-directional, A:81
- faulting, block
 Callovian–Oxfordian, B:6
 horst and graben creation, B:814
 Jurassic, A:6; B:771
 restructuring from, B:786
- faulting, normal
 Cretaceous, A:267–268; B:52
 Exmouth Plateau, A:10
 reactivation, A:267–268; B:52, 225
 sedimentary effects of, B:207
 trend and throw, B:42, 52, 67, 70
 Wombat Plateau, B:207
- faulting, rift
 north-to-northwest directional change, A:351
 reactivation, A:287, 345
- faulting, transform, Exmouth Plateau, B:43
- fecal pellets, origin, B:325
- feldspar
 Site 763, A:306-307
 tectonic movement and increase in, B:117
- ferromanganese deposits, B:336-345
- fining-upward sequence
 delta plain sandstones, B:114
 Neocomian, B:216
 Site 760, A:126-127
 Site 764, A:357
- Flacourt Formation, B:236
- floatstone, B:147, 168, 185
- fluviodeltaic sediments
 Carnian–Norian, B:149
 organic carbon, B:312
 paleoenvironment, B:775, 777
 progradation, B:130, 777, 805
 seismic reflection profiling, B:46
 Triassic deposition, B:6
- fluviodeltaic-marine facies transition, seismic reflection profiling, B:46
- fluviolacustrine sediments, Triassic, B:93
- foraminifers
 Cretaceous, B:284
 Exmouth Plateau, B:464-465
 in ferromanganese deposits, B:337–338
 Indonesian vs. Australian sites, B:430
 orbital forcing and preservation of, B:286
 paleoecological significance, B:430
 in shallow-marine carbonates, B:463
 Site 759, B:488
 Site 760, A:157, B:488, 491
 Site 761, B:427, 429, 491
 Site 764, B:427, 429, 491
 Wombat Plateau, B:466
 zonation, B:487-488
- foraminifers, benthic
 anoxic, B:559, 561
 Barrow Group, A:315; B:246, 550, 557, 559, 561, 565
- in grainstones, B:166
- morphogroups, B:566
- planktonic/benthic ratios, A:312
- Site 761, A:184
- zonation, A:29–30
- foraminifers, planktonic
 abundance changes, A:231
 Campanian/Eocene unconformity, A:312
 Cenomanian/Turonian boundary, A:243–244, 314-315
 cool-water incursions, B:669-670
 Cretaceous/Tertiary boundary, A:367
 low-diversity interval, B:592
 Miocene hiatus, A:244, 312
 Miocene/Pliocene boundary, A:312
 nannofossil stratigraphy, A:313, 317-318; B:543–544
 Oligocene/Miocene boundary, A:137, 312
 Paleocene/Eocene boundary, A:242
 paleoenvironment, A:243-244, 314-315; B:669-670
 planktonic/benthic ratios, A:312
 Pliocene faunal mixing, B:666
 Pliocene/Pleistocene boundary, A:242
 reefal complex, B:143
 Site 759, A:95–96
 Site 760, A:137–138
 Site 761, A:183-184; B:588-589, 665-666, 668-669
 Site 762, A:242-244; B:589, 665-667
 Site 763, A:312, 314-315, 367–368; B:589
 syn-rift/post-rift evolution, A:350
 Tethyan, A:315; B:592
 zonation, A:29; B:587, 592, 670
- formation factor
 claystones vs. chalks, B:359
 Site 760, A:152–153, 155
 Site 761, A:198, 202
 Site 762, A:263, 273
 Site 763, A:341, 343
 Site 764, A:371
 vs. porosity, B:356-359
- fossil communities, Rhaetian, B:187-190
- framestone, coral, B:186
- gadolinium anomaly, B:342. *See also* rare earth elements
- gas, hydrocarbon. *See also* hydrocarbons
 biogenic vs. thermogenic, A:104
 Cretaceous chalks, A:7
 Exmouth Plateau, B:313-314
 lithification/cementation effects, B:314
 pore water saturation, A:250-251, 255
 Site 759, A:113
 Site 760, A:159
 Site 761, A:209
 Site 763, A:351; B:813
 source rock potential, B:326
 thermogenic origin, A:146
 vertical migration, A:250; B:314
- Gascoyne Abyssal Plain
 ash layers, B:226
 bathymetry, B:63
 bentonite, B:221
 formation, A:280; B:3, 11, 768, 803, 814
 seafloor-spreading anomalies, A:10
 Valanginian sandstone and siltstones, B:221
- Gascoyne Rift, Greater India continental breakup, B:57
- Gauss Chronozone, polarity reversal, A:139
- Gearle Siltstone
 biogenic component, B:812
 position, B:75, 253
 geologic setting, B:236

- geophysical well logging, B:245
 nannofossil stratigraphy, B:540
 paleoenvironment, A:349
 pelagic influence, B:249
 petrography, B:803
 petrology, B:248-249
 seismic sequence correlation, A:272, 347
 Site 762, A:216, 234, 276
 Site 763, A:291
- geochemistry, inorganic
 lithoporosity variations, B:307-308
 major element concentrations, B:296-301
 major elements, B:296
 Site 759, A:104, 106; B:300
 Site 760, A:146-150, 159; B:300
 Site 761, A:191-196, 209
 Site 762, A:255-262, 285; B:300-301
 Site 763, A:331-335, 351; B:301
 Site 764, A:370
 X-ray diffraction, A:194-195, 261
- geochemistry, organic
 Cenomanian/Turonian boundary shales,
 B:324-325
 Site 759, A:100-104, 113
 Site 760, A:141-146, 159
 Site 761, A:190, 209
 Site 762, A:247-255, 283, 285; B:321-324
 Site 763, A:320-331, 351; B:321-324
 Site 764, A:369-370
 Wombat Plateau, B:319-321
- geophysical well logging
 clastic-to-carbonate transition, B:387, 389-390
 Cretaceous sediments, B:238-240, 385-387
 data processing, B:862-863
 lithostratigraphic correlation, A:110-111,
 154ff, 275ff, 347-348, 378ff;
 B:169ff, 280ff, 381ff, 861ff
 open-hole, A:200
 physical properties correlation, A:107
 pipe effects, A:378
 Rhaetian sediments, B:163-165, 167,
 169-170, 199-203
 seismic stratigraphic correlation, B:170, 172
 Site 759, A:85, 109-110, 113; B:378-380
 Site 760, A:153-154, 157; B:379, 381-382
 Site 761, A:198, 200, 205-207, 210; B:381,
 383
 Site 762, A:273-275, 278-280, 283-284
 Site 763, A:293-294, 346-347, 351
 Site 764, A:355, 376, 378, 381-382, 384;
 B:381, 385
 through drill pipe, A:201-202
 Units A-K, A:347-348
- glass
 basaltic, Site 761, B:231
 silicic, B:224, 227, 232
 volcanic, B:231-232
- glass shards, A:91
- glauconite
 in sand fraction, B:247
 Site 763, A:304, 306-307
- glauconitic grains
 age, B:852-853
 argon retention, B:852
 genesis, B:851-852
 geochemistry, B:851-853
 isotopic rejuvenation, B:853
 mineralogy, B:852
 radiogenic isotope trapping, B:852
- goethite, in ferromanganese deposits, B:337
- Gondwana
 breakup, B:11, 766
 eastern margin, B:766
 Jurassic margin, B:96, 766
- northeastern margin, B:803, 805
 northern margin, B:162
 southward drift, B:787
- grabens, Exmouth Plateau, B:7, 52
 graded bedding, A:306
- grain, ooid, with foraminifers, B:200
- grain size
 Barrow Group, B:238-239
 carbonate content and, B:239, 241
 claystone/siltstone layer, A:302, 305-306
 Cretaceous sequence, B:242
 organic terrigenous particles, B:319, 321, 324
 pre-rift vs. post-rift sediments, B:321
- grainstone
 codiacean, B:156
 crinoidal, B:142, 202
 dasycladacean, B:155
 diagenesis, B:149
 foraminifer, B:155, 175, 200
 hematite-stained, B:164, 166
 moldic and interparticle porosity, B:158
 oncologic, B:156
 ooid-foraminifer, A:172-173, 207
 ooid quartz, B:200
 paleoenvironment, A:179
 peloidal, B:175
 with quartz and feldspar, B:175
 Site 759, A:87
 with sorted carbonate grains and foraminifers,
 B:200
- grainstone, carbonate, A:175-176, 362; B:164
- grainstone, fossiliferous, A:383
- grainstone, lagoonal, Carnian-Rhaetian, B:131-
 132
- grainstone, oolitic, B:147, 155
 Site 761, B:155
- grainstone, peloidal, with keystone vugs, B:155
- grainstone-rudstone, skeletal, B:202
- GRAPE density
 Site 760, A:153, 156
 Site 761, A:198
 Site 762, A:264, 274
 Site 763, A:341-343
- Gulf of Mexico. *See* Mexico, Gulf of
- Hainan Island, B:88-89, 102
- Hawaiian Archipelago, B:340, 342
- Haycock Marl
 age, B:249
 Albian-Turonian, B:812-813
 calcareous claystones, B:257
 color cycles, B:813
 deposition, B:75, 253
 geologic setting, B:236-237
 petrography, B:803
 petrology, B:249-250
 seismic sequence equivalent, B:51, 53
- heat flow
 Barrow Group, B:312-313
 calculated vs. projected values, B:367-368
 geothermal gradient, B:363-364, 369-370
 lateral variation, B:370
 pore fluid convection, B:364, 368
 Site 760, A:153
 Site 761, A:198
 Site 762, A:264-265; B:365-367
 Site 763, A:342-343; B:365-367
 surface, B:364
 surface-basement difference, B:366-367
 thermal models, B:365, 367
- Hierlatz limestone, Northern Calcareous Alps,
 B:782
- highstand systems tract
 Carnian-Norian, B:390
- progradation, B:806-807
 Site 759, B:772
 Site 760, B:773
 Site 764, B:774
 Triassic, B:773
- Himalayas, extensional tectonism, B:102
- Hoh Xil Shan/Jinsha Jiang ocean, B:93
- hopanoids, bacterial, B:323-324
- horsts, B:7, 52, 130-131
- Huanan block, B:92, 96
- hydrocarbons, B:6, 857-860
- hydrocarbons, aromatic, B:321, 883
- hydrocarbons, high-molecular-weight
 Site 762, A:251, 283
 Site 763, A:325, 330-331
 thermal maturity, A:250
- hydrocarbons, hopanoid, A:319-320
- hydrocarbons, low-molecular-weight
 diffusion migration, A:146
 Site 759, A:103-104
 Site 760, A:142, 147
 Site 761, A:190, 196
 Site 762, A:248-250, 259
 Site 763, A:321, 324-325, 329-330
 Site 764, A:370, 372
 source, A:250
 vertical migration, A:324
- hydrocarbons, saturated, A:332
- hydrocarbons, steroid, B:323
- hydrogen index
 Cretaceous sediments, B:321, 859
 Site 759, A:103
 Site 760, A:142-143
 Site 762, A:258
 Site 763, A:325
 vs. total organic carbon, B:311-312, 314
- hydrogen sulfide, Site 763, A:324, 333
- hydrozoan-tabulozoan community, Rhaetian,
 B:188
- ichnofabric, B:477-478, 480-481
 indexes 1-6, B:477
- Indarung Formation, volcanics, B:102
- India, Aptian-Albian sedimentation, B:98
- Indian margin, NW, Aptian-Albian shelf sedi-
 ments, B:98
- Indian Ocean
 opening, Aptian-Albian, B:98
 physiography, B:182, 840
 proto-, juvenile ocean sediments, B:224, 789
- Indian plate, northward movement, B:274
- Indian-Australian breakup, sedimentary effects
 of, B:391
- Indonesia E, reefal carbonate, B:25
- Indus/Yarlung-Zangbo suture zone, B:93, 96, 98
- interstitial-water chemistry
 intersite correlations, B:307-308
 lithostratigraphic correlation, B:303
 Site 759, A:106; B:296-298, 301-304
 Site 760, A:146, 148-149; B:296-298,
 301-304
 Site 761, A:191-194, 197; B:296-298,
 301-304
 Site 762, A:257-263; B:298-299, 304-307
 Site 763, A:331-335; B:299, 304-307
 Site 764, A:373
- intraclasts, volcanic origin, A:129
- intrusion, volcanic, seismic reflection profiling,
 B:226
- iridium
 anomaly duration, B:758
 cosmic origin, B:758-760
 Cretaceous/Tertiary boundary, B:754,
 757-759, 792, 883

- iron
 aluminum and, B:725-726, 728
 clay content and, B:170
 Cretaceous/Tertiary boundary, B:754-755
 diagenetic remobilization, B:146
 in ferromanganese deposits, B:338
 geophysical well logging, B:169
 lithostratigraphic variation, B:304
 magnetic susceptibility correlation,
 B:725-728, 733
 Site 762, B:297, 299
 Site 763, B:297, 299
 in surface waters, B:307
 vertical gradient, B:296
- iron oxide
 in calcarenite, B:188
 in carbonate packstone/wackestone, B:198
 diagenetic banding, A:360
 geophysical well logging, B:866-867,
 873-875, 878-879
 lamination, B:146, 159
 magnetic susceptibility and, A:319
 in recrystallized limestones, A:358
 in Rhaetian sponge boundstone, B:183-184
 in sandstones, A:168
 Site 762, A:232, 237
 vs. manganese oxide, B:148
- Java Trench, northern Australian plate margin,
 B:41-42
- Joey Rise, B:13, 225
- Jurassic/Cretaceous boundary, Wombat Plateau,
 B:152
- juvenile ocean sediments
 Exmouth Plateau, B:13
 formation, B:213
 lithostratigraphic evolution, B:789
 mature ocean transition, B:290, 292, 771
 onset, A:280
 paleoenvironment, B:224, 787, 789, 794
 post-rift unconformity, B:215
 Site 763, A:349
 Wombat Plateau, A:5
- Kaena Subchronozone, Site 763, A:318
- Kangaroo Trough, B:40-42
- karstification, dolomitization and, B:147
- Kayenta Formation, magnetostratigraphy, B:689-
 690
- Khorat Group, Phu Phan Formation, B:98
- Khorat Plateau, Triassic sedimentation, B:93
- Kossen Beds, Alpine, crinoidal marls, B:469
- Kossen facies, Wombat Plateau reefal series com-
 pared, B:143
- Kossner Schichten, intraplateau marl, B:465
- Kuen-Lun accretionary complex, B:86, 87
- Kuta Limestone (New Guinea), foraminifers,
 B:465
- Ladakh block, Jurassic sedimentation, B:96
- lag deposits, hemipelagic, A:113
- laminations
 beach rock formation, B:186
 bottom-water circulation and, A:236-237
 in clayey siltstone, A:90
 color, A:220
 post-depositional, B:169
 siltstone-sandstone layers, A:88
 in silty claystone, A:98
 laminations, cross-, distal bar facies, B:114
 laminations, hematitic, A:359
 laminations, iron-oxide, B:146, 159
 laminations, parallel
 calcarenite, A:94
 distal bar facies, B:114
 prodelta siltstones, B:122-123
 Site 763, A:302
 laminations, ripple-cross, B:122-123
 lanthanum/ytterbium ratio, Cretaceous/Tertiary
 boundary, B:755, 760
 Lau Basin, ash turbidites, B:227
 Laurasia, Jurassic accretions, B:96
 Leg 3, *Braarudosphaera* chalk, B:653
 Leg 10, radiolarians, B:635
 Leg 24, *Braarudosphaera*- rich sediments, B:653
 Leg 26, planktonic foraminifers, B:587
 Leg 27, planktonic foraminifers, B:587
 Leg 39, *Braarudosphaera* chalk, B:653
 Leg 40, *Braarudosphaera* chalk, B:653
 Leg 74, *Braarudosphaera* chalk, B:653
 Leg 77, *Braarudosphaera*- rich sediments, B:653
 Leg 82, *Braarudosphaera*- rich sediments, B:653
 Leg 103, grain size, B:321
 Leg 113, planktonic foraminifers, B:587-588
 Lhasa block, B:87-88, 102
 Lhasa-Central Burma block, B:92-93, 96, 98
 Lhasa-south Pamir block, B:92, 96
 limestone
 Berrasian-Valanginian, B:53
 biogenic allochems, B:132
 calcareous algae dominated facies, B:778
 carbonate-cemented, A:305
 claystone interbedding, A:179
 deposition, A:5, 361; B:169, 390
 diagenesis, B:145-149
 dissolution, A:170
 fossil abundance, A:357, 359-360
 geophysical well logging, A:110-111; B:381,
 383
 Jurassic, B:782
 matrix material, A:360
 microfacies, B:134-136, 138-139, 143
 mollusk-coraline-algal association, A:206
 non-reef model, B:191
 oolitic facies, B:132-133, 778
 oxygen-depleted environment, B:137
 peloidal-skeletal, B:186
 Rhaetian, A:161
 siliciclastic-carbonate detrital mixing, B:114
 Site 759, A:87
 Site 761, A:168, 170-173
 Site 762, A:236, 279-280
 Site 763, A:302
 storm deposits, B:132, 778
 subaerial exposure, B:168, 173
 tidal flat facies, B:114
 Triassic, A:357
 velocity, A:107
 limestone, algal, A:157
 limestone, bioclastic, B:183, 839
 Rhaetian, B:183
 limestone, clayey
 deposition, A:383
 recrystallized, A:357-358, 360
 Rhaetian, B:186-187
 limestone, conglomeratic, A:157
 limestone, coralgal, Rhaetian, A:383
 limestone, crinoidal, A:179, 204-205; B:136
 limestone, marly, Rhaetian, B:640
 limestone, micritic, B:184, 186
 limestone, neritic
 delta front deposits, B:117-118
 distal bar facies, B:114
 Site 761, A:206
 Triassic, B:773
 limestone, recrystallized
 Barrow Group, B:244
 geophysical well logging, A:378-379
 sequence boundary, B:812
 limestone, reefal, Triassic, B:149
 limestone, shallow-water
 carbonate components, B:844
 Norian-Rhaetian, A:382; B:446
 limestone, vuggy, Rhaetian, B:168
 limonitic zone, in low-calcium zone, B:170
 liptinite, Site 759, A:101, 103
 lithium, B:304, 306, 307
 lithospheric extension
 during Permo-Carboniferous rifting, B:76
 Exmouth-Wombat Plateau, A:5
 Paleozoic, B:813-814
 lithostratigraphy. *See also under specific sites*
 angular unconformity, A:91
 biostratigraphic correlation, A:318
 Campanian-Eocene unconformity, A:290, 298
 Eocene-Oligocene unconformity, A:119, 165,
 384
 foraminifers, A:231
 magnetostratigraphic correlation, A:139
 Mesozoic unconformity, A:381, 383
 Miocene unconformity, A:165, 220, 295, 304
 Miocene-Pliocene unconformity, A:165, 364
 nonbiogenic constituents, A:294
 Norian-Miocene hiatus, A:113
 Paleocene-Eocene unconformity, A:364
 physical property correlation, A:198, 341, 344
 Quaternary/Miocene contact, A:86-87
 Rhaetian-Berrasian unconformity, A:179,
 207, 364
 Santonian-Coniacian hiatus, A:350
 seismic correlation, A:131
 Site 759, A:81, 91
 Site 760, A:115, 121
 Site 761, A:161, 170, 364-366; B:281, 738,
 789, 841
 Site 762, A:213-214, 222, 296, 298
 Site 763, A:289-290, 296
 Site 764, A:353, 358, 364-366; B:184, 842
 summary, A:223-227
 Triassic-Eocene angular unconformity,
 A:131; B:133
 Unit I/Unit II contact, Site 763, A:295
 Unit II/Unit III contact, Site 763, A:298
 Unit III/Unit IV contact, Site 763, A:300
 Unit IV/Unit V boundary, Site 761, A:205
 Unit V/Unit VI boundary, Site 761, A:178
 Unit VI/Unit VII contact, Site 763, A:306
 units, definition, A:17
 vertical facies distribution, A:170-173
 Lituolidae, Site 761, B:434
 Locker Shale, B:6, 775
 lowstand systems tract, B:806-807
- Maestrichtian/Danian boundary, B:760
- magnesium
 calcite recrystallization, B:307
 carbonate content and, B:304-305
 effects of carbonate diagenesis on, A:332;
 B:302
 in ferromanganese deposits, B:339
 lithologic variation, A:147, 192; B:303
 potassium correlation, B:306
 Site 759, A:104
 Site 760, A:146-148
 Site 761, A:191-192
 Site 762, A:257-258
 Site 763, A:331-332
 vertical gradient, B:296
 vs. silica, A:149
 vs. silicon dioxide, B:304
 vs. strontium, B:305
 magnesium/calcium ratio

- Site 759, A:104, 107
 Site 760, A:149, 159
 Site 761, A:192
 zones of, A:147–148
 magnetic anomaly, Hauterivian, B:40–41
 magnetic properties
 characteristic magnetization direction,
 B:686–687, 689, 695–698, 702,
 711–716, 759
 Cretaceous/Tertiary boundary, B:759
 demagnetization, B:686–687, 689, 692,
 700–702, 704, 718, 723, 759
 inclination and intensity spikes, A:141
 lithostratigraphic correlation, B:724–727
 natural remanent magnetization, A:187, 245,
 318–319
 NRM intensity, B:687, 700, 722, 724–727
 paleo-inclination values, B:705
 secondary component, B:702
 Site 759, A:100; B:686–687
 Site 760, A:139–141; B:687, 689
 Site 761, A:187–188ff; B:689, 700–701
 Site 762, A:245–246ff; B:701–702, 718–719,
 722, 724–726
 Site 763, A:317; B:718, 720–722, 726–727
 Site 764, A:369
 susceptibility, A:187–188, 190, 245–246, 249,
 319; B:724–727
 viscous overprinting, A:245
 magnetite, nickel-rich, B:755, 759, 762
 extraterrestrial origin, B:759
 magnetostratigraphy, B:689–690, 692, 694
 Chronozone 26–29, B:756
 Chronozone 29R, B:737
 Chronozone C29–C30, A:245
 Chronozone C32–C33, A:245
 Cretaceous/Tertiary boundary, B:755–756
 geomagnetic reversal time scale correlated,
 A:245
 lithostratigraphic correlation, B:731
 Maestrichtian/Danian boundary, B:760
 magnetic polarity time scale correlation,
 B:710, 726–727, 756
 nannofossil stratigraphy correlated, B:543–544
 Site 759, B:387, 692
 Site 760, A:139, 159; B:688, 690–692
 Site 761, A:187, 209–210; B:692–693, 703
 Site 762, A:286–287; B:679, 702, 707–710,
 718, 722
 Site 763, A:318, 351; B:722
 Subchronozones C32N–C17R, B:701
 Mahakam Delta Plain, B:557
 Malouet Formation, B:236
 Mammoth Subchronozone, Site 763, A:318
 Mandalay suture, B:87, 96
 manganese
 diagenetic remobilization, B:146
 in ferromanganese deposits, B:338
 lithostratigraphic variation, B:304
 Site 762, B:297, 299
 Site 763, B:297, 299
 in surface waters, B:307
 vertical gradient, B:29
 manganese deposits
 diagenetic origin, B:146
 geologic setting, B:335
 physical description, B:335–336
 in silty claystone/sandstone, B:789
 manganese oxide
 Site 764, A:357, 359–360; B:169
 vs. calcium oxide, B:148
 vs. iron oxide, B:148
 manganese oxide crust
 deposition, A:158–159, 384
 Site 760, A:119, 121, 127
 Site 764, A:356
 velocity, A:152
 manganese sulfide, precipitation, B:307
 Mardie sandstone, deposition, B:252–253
 marine flooding surfaces, delta system, B:117
 marl, calcisphere, Berriasian–Valanginian, B:789
 marl, Cretaceous–Cenozoic, A:5
 microfossils, B:464
 marl, nannofossil, B:216, 225
 marl/limestone alternation, Rhaetian, B:137, 143–
 144
 marlstone/wackestone, Rhaetian, B:25–26
 Marshall Islands, B:340, 342
 mature ocean sediments
 Cretaceous–Cenozoic paleoenvironment,
 B:792
 Site 763, A:350
 Wombat Plateau, A:5
 Matuyama/Gauss Chronozone boundary, Site
 763, A:318
 maximum flooding surface
 Carnian–Norian, B:777
 delta sequence, B:390
 prodelta facies, B:812
 seismic reflection profiling, B:811–812
 Site 759, B:772
 Site 760, B:773
 Site 764, B:774
 megalodontid shells, B:845, 848–849
 Meratus suture, southeast Borneo, B:88
 metasedimentary rock, in sandstone petrofacies,
 B:115
 methane
 in Cretaceous–Paleocene chalk, B:806
 gas-to-water volume ratio, A:255
 pore water saturation, A:251, 255
 Site 762, A:260
 Site 763, A:331, 350
 volubility in distilled water, A:262
 methane/ethane ratio
 Exmouth Plateau, B:313–315
 Site 760, A:146
 Site 762, A:248, 250
 Site 763, A:324, 331
 from Type III breakdown, B:314
 Mexico, Gulf of, A:240
 mica, in Carnian–Norian sandstones, B:115
 micrite, geopetal, dolomitization, B:147
 micritic bridges, in grainstone, B:158
 micritization, B:168, 186
 microdolomite inclusions, in *Megalodon* shells,
 B:845
 microfossils
 Barrow Group, B:244
 Gearle Siltstone, B:248
 Muderong Shale, B:246
 Milankovitch cycles
 clay/carbonate alternation, B:250–251
 Cretaceous sediments, B:269–270, 274, 283
 definition, B:260
 Miliolidae, Site 764, B:436
 mineralogy
 Exmouth Plateau, B:888
 Site 759, A:105; B:889, 895
 Site 760, A:105; B:889–890, 895
 Site 761, A:105; B:890, 895
 Site 762, B:890–892, 896
 Site 763, B:892–893, 896
 Site 764, B:893–894, 896
 Wombat Plateau, B:888
 Miocene/Pliocene boundary, planktonic fo-
 raminifers, A:312
 Mississippi Delta Plain
 depositional environment, B:557
 pre-modern and modern, A:135
 molybdenum, in ferromanganese deposits, B:339
 Mongolian suture, Inner, Laurasian-China block
 welding, B:93
 Montebello submarine canyon, geologic setting,
 B:181
 Mount Saint Helens, ash volume, B:227
 Mount Victoria Land Block
 position, Burma, B:87–88
 rifting, B:102, 768
 mud, Berriasian–Valanginian, B:71
 Muderong Shale
 age, A:318
 Aptian anoxic event, B:812–813
 Barrow Group contact, B:248
 calcareous nannofossils, B:537–538
 coarse fraction components, B:239, 241,
 246–247
 deposition, B:41, 75, 253
 Exmouth Plateau, B:13
 geologic setting, B:236
 geophysical well logging, A:286; B:245
 mudstones, B:256
 paleoenvironment, A:280, 349
 petrology, B:246–248
 sedimentation rate, A:319–320
 seismic sequence correlation, A:271, 347;
 B:51, 53
 Site 762, A:216, 236, 241
 Site 763, A:291
 thickness of, B:803
 mudstone
 Barrow Group, B:246, 255
 burrowing, A:87
 Carnian–Norian, geophysical well logging,
 B:381
 geophysical well logging, A:379; B:387, 389
 magnetic properties, A:100
 Muderong Shale, B:246–248, 256
 physical properties, A:197–198
 mudstone, calcareous, B:202, 384
 depositional environment, B:384
 mudstone, carbonate
 with clay, A:363–364
 deposition, A:382–383
 geophysical well logging, B:383
 hematitic laminations, A:359
 paleoenvironment, A:368
 Rhaetian, B:164, 169, 202
 Site 761, A:170–171, 173–174, 176
 Site 764, A:364
 mudstone, clayey carbonate, A:362, 364
 mudstone, dolomitic, geophysical well logging,
 A:379
 mudstone, pebbly, Site 761, A:205
 mudstone, prodelta, Barrow Group, B:255–256
 mudstone, shallow-marine, Aptian sequence,
 B:790
 mudstone/wackestone
 bioturbation, A:364
 Rhaetian, B:168
 Site 764, A:360–361, 363
 with wood fragments, B:413
 Mungaroo Formation
 Exmouth Plateau, B:6
 organic matter type, B:311
 seismic sequence correlation, A:271, 345;
 B:46
 seismic sequence equivalent, B:64
 Site 762, A:217
 Mungaroo Sand/Locker Shale Facies, B:39
 Nagqu sub-block, Permian sedimentation, B:92

- nannofossils. *See* calcareous nannofossils
 Natal fragments, origin, B:88
 Negev Desert (Israel), Cretaceous/Tertiary boundary, B:881–883
 New Guinea, Rhaetian foraminifers, B:430
 Newark Basin (Pennsylvania), magnetostratigraphy, B:690
 nickel
 in *Braarudosphaera*-rich sediments, B:659–660
 Cretaceous/Tertiary boundary, B:754–755
 in ferromanganese deposits, B:338–340
 Niger Delta, benthic foraminifers, B:559
 nitrogen/hydrogen ratio, Cretaceous/Tertiary boundary, B:884
 Nodosariidae, Site 761, B:434
 Norian/Carnian boundary, Site 760, A:128
 Norian/Rhaetian boundary
 fossil groups, B:491
 lithostratigraphy, A:179
 Site 764, A:382
 Oates Canyon, volcanism, B:225
 Oberrharriffkalk facies, Site 764 reefal complex compared, B:143
 objectives of Leg 122, B:8–9, 213, 377, 453, 633, 699
 obliquity, B:260, 268, 274
 Oligocene/Miocene boundary, planktonic foraminifers, A:137, 312
 Ontong-Java Plateau, velocity, B:358
 oolites, Site 764, B:140
 ooze, carbonate
 density, A:339
 paleoenvironment, A:368
 physical properties, A:152
 ooze, foraminifer-nannofossil
 Cenozoic, B:813
 deposition, A:113, 283
 geophysical well logging, A:378
 magnetic properties, A:100; B:725
 organic geochemistry, A:322
 Paleocene–Miocene, B:55
 Site 759, A:86–87
 Site 760, A:117–119, 126
 Site 761, A:163, 165–166
 Site 762, A:219–220, 229
 Site 763, A:294–295
 Site 764, A:355–356
 ooze, nannofossil
 color banding, A:356
 depositional environment, A:113, 209, 350
 eupelagic, A:159
 geophysical well logging, A:154–155
 magnetic properties, B:700
 Site 759, A:86–87
 Site 760, A:117–119, 126–128
 Site 761, A:163, 165–166
 Site 762, A:220
 Site 763, A:294–295
 ooze, pelagic, A:347; B:381
 ooze/chalk, nannofossil, Site 762, A:220
 ooze/chalk transition
 paleoenvironment, A:350, 384
 physical properties, A:196, 339
 opal-CT
 density, A:339
 silica content and precipitation of, A:260; B:307
 opaque minerals, Site 759, A:90
 ophiurians, Triassic, B:464
 orbital forcing, climatic response, B:274, 286
 organic matter
 Cretaceous sediments, B:322
 land-derived, A:7
 maturation, B:852
 origin, Cretaceous rocks, B:859
 thermal maturity, A:101, 321; B:312
 Triassic sediments, B:310–311, 322
 Type II–Type III transition, B:311
 type of, A:101, 103, 251, 321, 330, 370; B:310–311, 776
 ostracode, *incertae sedis*, B:829–830
 ostracodes
 Barrow Group, B:246
 deposition, B:825
 Exmouth Plateau, B:464–466
 paleoecological implications, B:456–457
 sighted, B:559
 Site 759, B:454, 488
 Site 760, B:453–455, 488, 491
 Site 761, B:455, 491, 819–821
 Site 762, B:820–822, 836
 Site 763, B:821–825, 836
 Site 764, B:455–456, 491, 825
 stratigraphic distribution, B:835
 zonation, B:487–488
 oxygen, sediment cycles and bottom-water supply, B:263, 274
 oxygen index
 Cretaceous rocks, B:859
 Site 759, A:103
 Site 760, A:142–143
 Site 762, A:258
 oxygen isotopes
 belemnites, B:572–576
 Braarudosphaera-rich sediments, B:656–658
 calcispheres, B:572–574
 diagenetic alteration, B:576, 658
 ice volume and, B:657
 marine vs. fresh water, B:445, 569
 negative values, B:846
 paleolatitudes and, B:576, 657
 salinity and, B:576, 656–657
 shallow-water carbonates, B:844–846
 temperature and, B:576
 Triassic nannofossils, B:445–446
 P-wave velocity
 Site 760, A:153, 156
 Site 761, A:198
 Site 762, A:263–264, 274
 Site 763, A:341–343
 packstone
 dedolomitization, B:158
 dolomitization, A:357; B:147
 hematite-stained, B:164, 175
 peloid-skeletal, B:164
 packstone, carbonate, A:130, 175–176
 packstone, crinoidal, B:142, 202
 packstone, echinodermal, B:142
 packstone, encrinal, B:177
 packstone, fossiliferous, Rhaetian, A:383
 packstone, lagoonal, Carnian–Rhaetian, B:131–132
 packstone, marine, B:205
 packstone, skeletal-peloidal
 burrowing, A:95
 with foraminifers, B:200, 202
 Rhaetian, B:843
 Site 761, A:171–172
 packstone/grainstone
 dolomitized, B:178
 echinodermal, B:155
 oid-peloid-foraminifer, B:176, 179
 packstone/grainstone, peloidal, A:172, 207; B:200
 packstone/wackestone, A:175; B:169, 198
 Paleocene/Eocene boundary
 carbon isotope values, B:899
 planktonic foraminifers, A:242
 paleoenvironment
 Albian–Santonian, A:281
 Aptian, A:280–281
 Aptian–Cenomanian, A:349
 Berriasian–Valanginian, A:277–283, 348–349
 Campanian–Maestrichtian, A:282
 Carnian, A:112–113
 Carnian–Norian, A:157–158
 Cenozoic, A:384
 Cretaceous, A:158–159, 207–209, 383
 Cretaceous–Paleogene, A:113
 Eocene–Quaternary, A:209, 283, 350
 fluviodeltaic sediments, B:775–777
 Miocene–Quaternary, A:113
 Norian, A:204
 Paleocene–Eocene, A:282–283
 Rhaetian, A:204–207, 364, 366, 382–383
 Santonian–Campanian, A:282
 shallow-upward sequence, B:779
 shallow-water vs. intertidal fluctuations, A:157
 Site 761, A:177, 179
 Site 763, B:808–809
 transgressive event, A:158
 transgressive systems tract, B:779
 Triassic, B:774–775
 Turonian–Campanian, A:350
 paleolatitude
 Bathonian–Callovian, B:12–13
 Carnian–Norian, B:11, 18
 climatic variation with changes in, B:794
 Hettangian–Sinemurian, B:12–13
 Maestrichtian, B:272
 Rhaetian, B:11, 13
 Pamir C–Qangtang–Sibumasu block, B:92, 93, 96
 Pangaea, Jurassic split, B:11
 Panjal trap, Permian volcanism, B:92
 passive continental margins, evolutionary model, B:55–57
 patch reefs
 calcisponge formation, B:140, 142
 ecological significance, B:191
 lagoonal environment, B:137
 paleoenvironment, B:779
 pelagic sediments
 color alternations, Cretaceous, B:261
 Eocene–Quaternary, A:209
 sedimentation rates, A:141
 peloids, B:159, 164, 166
 Perth Abyssal Plain, B:11
 pH
 Site 759, A:106
 Site 760, A:150
 Site 761, A:194
 Site 762, A:261
 phillipsite, in bentonite, B:224
 phosphorus, in *Braarudosphaera*-rich sediments, B:659–660
 physical properties
 elastic vs. lithified carbonate sediments, A:107
 depositional hiatus, A:265
 light vs. dark beds, B:262–263, 270
 lithostratigraphic correlation, A:107, 198
 mineralogical correlation, B:360
 seismic stratigraphic correlation, B:56
 shipboard vs. laboratory measurements, B:354–356
 shore-based measurements, B:351–354
 Site 759, A:106–107ff, 113
 Site 760, A:150–154, 159–160
 Site 761, A:196–198ff, 209
 Site 762, A:262–265, 268–271, 285–286
 Site 763, A:335–344, 351

- Site 764, A:370-371ff
Triassic/Cretaceous unconformity, A:198
Units 1-4, A:341, 343-344
- Pilbara Block, and Barrow Group, B:77, 79, 244
placers, B:383, 390
- Plagioclase
in Carnian-Norian sandstones, B:115
Cretaceous source, B:244
- Platypus Spur, A:82
- Pliocene/Pleistocene boundary, planktonic foraminifers, A:242; B:666
- pollen. *See also* spores
biozones, B:491
Exmouth Plateau, B:252, 522
paleoenvironmental implications, B:488, 491
palynofacies, B:413
Site 759, A:96-97; B:414, 416-417, 423, 488, 777
Site 760, A:138-139; B:414-415, 418-421, 423, 488, 491, 777
Site 761, A:185; B:491
Site 762, A:245; B:511-512
Site 763, A:316-317, 368; B:512-513, 522, 807
Site 764, B:419, 421, 491
zonation, A:31-32; B:413-414, 487-488, 51
- porcellanite
Site 761, B:216, 220, 792
Site 762, A:283
Wombat Plateau, B:290, 292
- porosity
biomoldic, B:845
carbonates, B:146-147
chalks, A:286
claystones vs. chalks, B:359
compaction and, B:262-263
Cretaceous/Tertiary boundary, A:341
fenestral, B:146
formation factor and, B:356-359
geochemical effects of, B:307-308
geophysical well logging, A:276; B:389
intercrystal, B:147
interparticle, B:159
meteoric diagenesis and, B:146-147
microfacies types, B:147
microstructures and, B:359, 362
moldic, B:147, 158, 179
oomoldic, B:158
resistivity and, A:110, 347
salinity and, B:307
secondary, B:146-147
shipboard vs. laboratory measurements, B:354-359
shore-based measurements, B:351-354
silty claystones, A:341
Site 759, A:107
Site 760, A:152
Site 761, A:196-198
Site 762, A:262-263
Site 763, A:339, 341
Site 764, A:371
velocity and, A:265; B:359
vuggy, B:146
- potassium
geophysical well logging, A:281-283; B:866-867, 873-875, 878-879
lithologic variation, B:303
magnesium correlation, B:306
negative gradient, B:307
vertical gradient, B:296
- precession
climatic effects of, B:260
Cretaceous cyclic sediments, B:268, 274
- pristane/phytane ratio, Cretaceous rocks, B:857, 859
- prodelta facies
Carnian-Norian, B:111, 772-773, 776-777
depth, A:236
grain size, B:242
ichnofabric, B:477, 479-480
seismic reflection profiling, B:71
- prograding wedge
Carnian-Norian, B:794
depositional episodes, B: 47, 53, 57, 58
geometry, B:51
Liassic, A:381-382
seismic reflection profiling, B:46-47
source region, B:46, 53, 58
thickness distribution, B:47
Triassic, B:39
- pumice, rhyolitic, A:91
- pyrite
Barrow Group, B:244
Carnian prodelta facies, B:111
distal bar facies, B:114
framboidal, B:157
Site 759, A:90, 104
Site 760, A:130
Site 762, A:232, 237
Site 763, A:304, 306, 350
- Qaidam block
Jurassic sedimentation, B:96
Permian sedimentation, B:88
Triassic fluviolacustrine sediments, B:93
- Qangtang blocks, B:86-87, 92
- quartz
in Carnian-Norian sandstones, B:115, 117
Cretaceous cyclic sediments, B:261-262, 264-266
Cretaceous/Tertiary boundary, B:758
effect of marine processes on, B:117
Muderong Shale, B:246-247
in sand, B:244, 247
- radioactivity, clays and claystones, A:111
- radiolarians
in calcisphere nannofossil chalk, B:572
in Cretaceous cherts, B:643
depositional environment, A:139
nannofossil zonation correlated, B:635-637, 640-641
nasselline, B:557-558
Site 759, A:96
Site 760, A:138; B:635
Site 761, A:184-185, 209; B:611, 635-641
Site 762, A:244-245; B:641-642
Site 763, A:315-316, 368; B:642-643
Site 764, B:643
three- and four-rayed, A:138
zeolitized, B:813
zonation, A:30-31
- Rajmahal Hills, B:98
- Rankin Platform, marine claystone, B:12
- Rankin Trend, seismic stratigraphy, B:46
- rare earth elements
Cretaceous/Tertiary boundary, B:754-755
ferromanganese deposits, B:341-343
- Raton Basin (New Mexico), Cretaceous/Tertiary boundary, B:883-884
- reefs
algal-foraminiferal-detritus facies, B:143
basal pile, B:140
colonization, B:140, 142
deposition, B:26, 29, 35, 384
distribution, B:34-35
diversification and domination stages, B:142
- facies, A:383; B:143
fault-controlled position, B:170
foraminifers, B:143
geographic distribution, B:189
gravestone/oncoid facies, B:143
lithology, B:26
members 1-4, B:144
microfacies, A:383
microfossils, B:481
nannofossils, B:446
oolitic shale, B:144
paleoenvironment, A:383; B:779, 782
pinnacle type, B:191
Rhaetian, A:353, 364, 366, 375; B:25, 133, 136, 144, 774
seismic characteristics, B:29-30, 35-36
stabilization, B:140
stratigraphy, B:136-137, 140, 446
talus, A:361
truncation, B:35
- resistivity
clay content and, B:351
horizontal vs. vertical measurements, B:353
lithologic parameters, B:356
porosity and, A:110, 347
Site 762, B:354
velocity and, B:351
- Resolution-1 well, vitrinite reflectance, B:75
- Reunion Subchronozone, Site 763, A:318
- Rhaetian/Hettangian boundary, plate tectonics, B:784
- rhodochrosite, Site 764, A:360; B:159
- rifting
Asiatic Tethysides, B:101
Australian margin, NW, B:56-57, 101, 768
Australian Northwest Shelf, B:56
Exmouth Plateau, B:39, 42, 805, 814
Gondwana, B:803, 805
Indo-Australian phase, B:794
paleoenvironment, A:279
post-Rhaetian, A:5
Tethyside orogenic collage, B:86-87
Triassic, A:5
Wombat Plateau, A:6; B:131, 133, 172, 208, 784, 786, 794
- Rig Seismic Cruise 56, foraminifers, B:466
- Rock-Eval pyrolysis
Site 759, A:101-103; B:313
Site 760, A:142, 144-146; B:313
Site 761, A:190, 195; B:313
Site 762, A:247-248, 256-257, 283; B:312
Site 763, A:320-321, 326-329; B:312
Site 764, A:370, 372
- Roo Rise, B:13, 225
oceanic crust formation, B:13
- Rose Rise, Neocomian origin, A:208
- rubidium, vertical gradient, B:296
- rudstone
bioclastic, B:29
brecciated, A:360-362; B:168
skeletal, B:156
- Sagaing suture, B:87
- Sahul platform, B:93
- salinity
calcareous-to-terrigenous claystone transition, B:306
chlorine content and, B:169, 306
with freshwater infusion, B:306-308
lateral transport, B:304
lithologic variation in, A:260-261
oxygen isotopes and, B:576, 656-657
resistivity and, B:356
Site 759, A:104, 106

- Site 760, A:149-150
 Site 761, A:194
 Site 763, A:333-334
- Salt Spring (Isfahan), Rhaetian marls, B:469
- sand
 Berriasian-Valanginian, B:71, 151-152
 Cretaceous, A:91
 geophysical well logging, A:111
 Neocomian, B:151-152
 reworked Cretaceous, A:91
- sand, belemnite, A:182; B:151-152, 580
- sand, carbonate, Triassic, B:144
- sand, crinoidal, B:144, 782
- sand, ferruginous
 arkosic, B:789
 belemnite-rich, A:171, 207-208
- sand, quartz
 deposition, A:113, 349
 magnetic properties, A:100
 maturity cycles, B:244, 246
 Norian/Rhaetian boundary, A:179
 Rhaetian, B:164
 Site 759, A:87
- sandstone
 bioclastic, A:197
 carbonate-cemented, A:97; B:390
 cementation, A:111
 clayey, A:87-88, 96
 conglomeratic, B:133
 deposition, A:305-306
 facies, B:114-115
 framework composition, B:116-117
 geophysical well logging, A:111; B:381, 387, 389
 glauconitic, B:73, 75
 iron oxide in, A:168
 Muderong Shale, B:256
 parallel and ripple-cross laminations, B:124-126
 physical properties, A:341
 in prodelta mudstones, B:255
 provenance, B:115
 quartzose, A:176; B:127, 183, 839
 silty, A:99, 130, 155, 176
 Site 760, A:119-121, 126-128
 vertical changes, B:115, 117
- sandstone-siltstone, volcanoclastic, B:225
- sanidine, B:231-232
- Santonian/Campanian boundary, A:310-311; B:821
- Scott Plateau
 basaltic flow, B:784
 erosional unconformity, B:205, 207
 volcanoclastics, B:102
 volcanism, B:225
- sea level
 color alternation and, B:263, 274-275
 Cretaceous fluctuation, B:390
 depositional environment and changes in, B:51, 383, 389-390
 lithologic changes and relative rise in, A:112, 236
 Neocomian fall, B:40
 prodelta-marginal marine transition, B:383
 relative rise, A:112, 179, 236
 Rhaetian, B:143
 tectonic control, B:290
 Triassic, B:384
- seafloor spreading, Argo Abyssal Plain, A:5, 207; B:784, 786-787
- sediment gravity flow, Site 763, A:307
- sedimentary cycles, Triassic, A:131-132
- sedimentary facies, B:478-481
- sedimentary rock
 in sandstone petrofacies, B:115
 porcellanite, A:283; B:216, 220, 290, 292, 792
- sedimentary sequence
 belemnite-rich ferruginous sand, A:207-208
 black claystone, A:280-281
 deltaic sedimentation, A:204
 eupelagic chalk deposition, A:282, 350
 eupelagic sedimentation, A:113
 fluviodeltaic to carbonate, A:112-113
 hemipelagic calcareous claystone/chalk, A:281
 hemipelagic lag deposits, A:113
 hemipelagic marl sedimentation, A:349
 lagoonal to shallow-water carbonate, A:383
 manganese hardground, A:158-159
 nannofossil ooze deposition, A:283
 Neocomian, B:390
 open-shelf limestone/calcareous claystone, A:204-206
 pelagic, A:383
 pelagic deposition, A:208, 350
 pelagic sedimentation, A:282
 quiet-water carbonate mudstone, A:382-383
 reef complex, A:383
 restricted shelf margin prodeltaic, A:277-280, 348-349
 Rhaetian-Carnian, B:390
 shallow-water carbonate, A:157-158, 206-207
 siliciclastic deposition, A:157-158
 two-stage, B:390
 upward-shallowing prodeltaic, A:112
- sedimentary structures
 Site 760, A:132
 Site 763, A:294-295
- sedimentation rate
 Barrow Group, B:815
 Berriasian-Valanginian, A:208
 Cenozoic, A:191, 250, 350; B:284-285, 732
 Cretaceous, A:192, 251; B: 274, 285-286
 Cretaceous/Tertiary boundary, B:756-758
 Cretaceous-Eocene, B:283
 heat flow and, B:367-368, 373, 375
 magnetic susceptibility correlation, B:727, 729
 Muderong Shale, B:248
 Site 760, A:141-142, 160
 Site 761, A:188, 190
 Site 762, A:246-247
 Site 763, A:319-321
 Site 764, A:369-370
 subsidence and, B:796
- seismic reflection profiling
 Exmouth Plateau, B:5-8, 64, 68, 71-73, 226, 802
 Site 759, A:10, 39-40, 53, 372-373; B:15, 26
 Site 760, A:10, 39-40, 54, 373-374; B:15, 26
 Site 761, A:39-40, 55, 374; B:15, 26, 30-31, 34, 571
 Site 762, A:39-40, 56; B:13, 15, 64
 Site 763, A:39-40, 57; B:13, 64, 394-396
 Site 764, A:10, 39-40, 58-60, 374-375; B:11, 26, 28, 30-32, 35, 171, 182
 Site 765, A:10
 Site 766, A:10; B:64
 Wombat Plateau, B:7-8, 26, 29, 32-33
- seismic reflector 1, Kangaroo Trough, B:46
- seismic reflector 2, Exmouth Plateau, B:46
- seismic reflector 5, Exmouth Plateau, B:50-51
- seismic reflector 6, Exmouth Plateau, B:52
- seismic reflector 7, Exmouth Plateau, B:52
- seismic reflector 8, Exmouth Plateau, B:51
- seismic reflector b, Site 763, B:401, 403
- seismic reflector c, Site 763, B:403
- seismic reflector D, Sites 762 and 763, B:248
- seismic reflector e, Site 763, B:394, 401, 403
- seismic reflector f, Site 763, B:403-404
- seismic reflector g, Site 763, B:394, 401, 404
- seismic stratigraphy
 C unconformity, B:771
 Callovian unconformity, A:82-83
 Carnian-Norian, B:204
 confirmational structure, A:344-345
 correlation of data sets, B:405
 Cretaceous-Oligocene unconformity, A:82-83
 Cretaceous post-rift sequence, A:375
 Cretaceous-Tertiary "B" unconformity, B:771
 Cretaceous/Tertiary boundary, A:374
 downlapping zone, B:29, 35
 erosional unconformity, A:271-272
 Exmouth Plateau, B:55
 expanded spread profile, B:393-394, 396-401
 F unconformity, B:67
 finite receiver, B:408
 ghosting, B:397, 401, 409
 internal configurations, B:50-51
 intrabasement reflectors, B:75, 77, 80
 Jurassic-Cretaceous, B:71, 73
 lagoonal facies, B:778
 line 56-13, B:163
 line 122-6, B:67
 lithostratigraphic correlation, B:243
 low-velocity/density zones (LVZs), B:400
 map construction, B:70
 members A-B, B:199
 members C-F, B:199
 Mesozoic angular unconformity, A:374
 mid-Cretaceous sequence, B:73, 75
 negative amplitude anomaly, B:46
 Neocomian unconformity, A:82-83
 observed vs. synthetic seismogram, B:400, 405-406
 Oligocene "A" unconformity, B:771
 origin of reflectors, B:402-403, 405
 packages 1-8, B:43-55
 parallel/divergent configuration, B:46
 physical property correlation, A:276; B:56, 401-405
 post-Berriasian "D" unconformity, B:771
 profile 55/02, B:74
 progradational episodes, B:46-47, 53
 reefal complexes, B:29-30, 170, 172, 778
 regional unconformities, B:170
 Rhaetian, B:427
 sequence 1-5, B:64
 sequence 1-6, B:64
 sequence 1-8, A:345-347, 351
 sequence 1-10, A:271-273, 287
 sequence A, B:30-35
 sequence B, B:31, 35
 sequence C, B:31, 35
 sequence D-C, B:73, 75
 sequence F-D, B:71, 73, 76
 Site 761, A:210
 Site 762, A:265-273
 Site 764, A:372-376ff
 source directionality, B:408
 source stacking, B:408-409
 stratigraphic packages, B:807, 817
 structural configuration, A:267-268, 287
 tectonic structures, B:47
 Tertiary angular unconformity, A:374
 Triassic, B:67, 70
 Triassic unconformity, A:372, 374-375
 truncated sequence, B:32-33, 35
 wave tunneling, B:401
 Wombat Plateau, A:372-376
- Selli anoxic event, B:247, 248
- sequence boundaries
 eustatic factors determining, B:797
 global cycle agreement, A:5, 7

- Norian/Rhaetian, B:774
 seismic reflection profiling, B:811-812
 Site 759, B:772
 Site 760, B:773
 Site 761, B:773
- sequence stratigraphy
 basal boundary, B:202
 Cretaceous, B:807, 811-812
 depositional systems tracts, B:808-810
 geometrical relationships, B:204, 207
 intra-Rhaetian boundary, B:208
 members A-F, B:202, 205
 Neocomian pre-breakup, B:806
 Norian boundary, B:208, 778
 Rhaetian boundary, B:778
 systems tracts A-D, B:778-779, 782
 terminology, A:18-19
 Triassic, B:771-775, 792, 794
 Wombat Plateau, B:207-208
- shale
 bituminite enrichment, B:321-322
 Cenomanian/Turonian boundary, B:51, 257, 321, 324, 792, 813
 Hauterivian-Berremian, B:805
 hydrogen index, B:321
 Rhaetian, B:183
 rhythmic, B:186
- shale, black, A:5, 7, 301, 350
 shallowing-upward sequence
 paleoenvironment, B:779
 Rhaetian carbonates, B:166
 Site 760, A:157-158
 Site 761, A:206; B:142
- Shaluli Shari arc, B:87, 92
 Shaoxing-Pingxiang suture, B:86
- shear strength
 Site 760, A:152-153, 155
 Site 761, A:198, 202
 Site 762, A:263, 273
 Site 763, A:341, 343
 Site 764, A:371
- shear velocity, shore-based measurements, B:351
- shell hash
 Rhaetian, B:168
 Site 759, A:87, 95
 Site 763, A:306
- Sibumasu block, B:92, 101
- siderite
 Barrow Group, B:244
 Carnian prodelta facies, B:111
 diagenetic origin, A:90
 distal bar facies, B:114
 in prodelta mudstones, B:776
 Site 759, A:112
 Site 760, A:130
 Site 763, A:307
- siderophile elements, Cretaceous/Tertiary boundary, B:754
- Sikuleh-Natal fragment
 Aptian-Albian sedimentation, B:101
 biotite granite intrusions, B:96, 102
 origin, B:88
 rifting, B:96, 102
 Sumatran collision, B:768
 westerly extension, B:93
- silica
 calcium gradient with diagenesis of, A:258
 derivation, B:146
 diagenesis, A:33; B:304
 dissolution, A:33; B:306-307
 in ferromanganese deposits, B:339
 geophysical well logging, A:202-203; B:866-867, 873-875, 878-879
 lithium and, B:304, 306
- magnesium and, B:304
 lithologic variation in, A:332-333; B:304
 pore waters, B:302
 Site 759, A:104
 Site 760, A:148-149
 Site 761, A:194
 Site 762, A:260; B:297
 Site 763, B:296-297
- silica/aluminum ratio, B:384
- siliciclastics
 carbonate cycles, Carnian-Norian, B:118, 121, 133
 facies, Rhaetian, B:197-198
- sediments, Carnian, B:118, 777, 797
- silicon
 clay content and, B:169-170
 geophysical well logging, A:284-285; B:169, 384
 vs. terrigenous material, B:136
- silicon/aluminum ratio, A:277, 284-285
- sills, B:75, 79
- siltstone
 Barrow Group, A:244, 277-278
 Carnian prodelta facies, B:111
 claystone and, A:88
 delta front facies, B:128
 deposition, A:132, 305-306
 distal bar facies, B:114
 fossiliferous, B:128
 geophysical well logging, A:155
 glauconitic, B:73, 75
 mineralogy, A:89, 349
 organic geochemistry, A:323-324
 porosity, A:152
 prodelta facies, B:122-123
 sideritic, A:98
 Site 759, A:88
 Site 760, A:121, 126-130
 Site 761, A:176-177
 Site 762, A:236
 Site 763, A:302, 304
 Valanginian-Hauterivian, B:73, 75
- simonellite, Berriasian-Valanginian sediments, B:322
- Site 122, paleoenvironmental evolution, B:800
 Site 123, paleoenvironmental evolution, B:800
 Site 241, freshwater offshore, B:307
 Site 258, planktonic foraminifers, B:587
 Site 259
Braarudosphaera bigelowii, A:240
Osangularia utaturensis, A:243
 planktonic foraminifers, B:587
- Site 260
 age, A:14
 Albian radiolarian claystone and nannofossil ooze, A:11
Osangularia utaturensis, A:243
 planktonic foraminifers, B:587
- Site 261
 age, A:14
 bentonite, B:220-221, 225, 789
 location, B:182
 magnetic anomalies, B:768
 magnetic lineations, A:10
 Oxfordian/Kimmeridgian nannofossil claystone, A:11
 paleogeography, B:791
 seafloor spreading, B:786-787
 seismic stratigraphy, B:75
- Site 263
 age, A:14
 Albian-Hauterivian silty claystone, A:11
Braaradosphaera bigelowii, A:240
 location, B:182
- neritic claystone, B:57
 Site 270, B:307
 Site 327, B:538
 Site 339, B:307
 Site 356, A:182
 Site 384, A:182; B:543, 737
 Site 387, B:543
 Site 474, B:306
 Site 482, B:306
 Site 485, B:306
 Site 511, B:538, 575
 Site 524, B:543, 745
 Site 525, B:543, 897
 Site 527, B:543, 897
 Site 528, B:897
 Site 530, B:543
 Site 577, A:182; B:760, 883
 Site 603, B:321
 Site 605, B:883
 Site 641, B:321
 Site 689, B:897, 899
 Site 690, B:543, 743, 897, 899
 Site 692, B:575
 Site 738, B:740, 743, 897
 Site 750, B:740, 743
 Site 752, B:740, 743, 745
 Site 759, A:81-114. *See also under* geochemistry, inorganic; geochemistry, organic; interstitial-water chemistry; lithostratigraphy; magnetic properties; particular fossil groups
 bathymetry, A:39; B:110, 336, 686
 biostratigraphy, B:489
 Carnian-Norian sedimentation, B:112
 Carnian-Norian unconformity, A:6
 deposition, B:117-118, 383-384
 facies, B:114-115
 ferromanganese deposits, B:337-342
 fluviodeltaic sediments, B:109, 775-777
 geophysical well logging, B:378-380
 lithostratigraphy, A:86-92ff; B:133, 801
 location, B:24, 130, 162, 182, 377
 manganese deposits, B:335-336
 mature ocean stage, A:5
 mineralogy, B:888-889, 895
 navigation, A:39, 41-42, 61-77
 objectives, A:5, 9, 11-12
 organic matter, B:310-312
 petrography, B:319-321
 post-rift unconformity, B:773
 prodelta deposits, B:111, 776-777
 sandstone petrofacies, B:115, 117
 seismic reflection profiling, A:39-40, 53
 sequence boundaries, A:5, 7
 sequence stratigraphy, B:771-773, 783, 794, 801
 sonobuoy seismic recording, A:40, 60
 stratigraphic sequences, B:183
 Triassic sediments, B:204
 Site 760, A:115-160. *See also under* interstitial-water chemistry; lithostratigraphy; magnetic properties; paleoenvironment; particular fossil groups
 bathymetry, A:39; B:110, 336, 686
 biostratigraphy, B:490
 Carnian-Norian sedimentation, B:113
 Carnian-Norian unconformity, A:6
 delta plain facies, B:114-115
 deposition, B:117-118, 383-384
 ferromanganese deposits, B:337-342
 fluviodeltaic sediments, B:109, 775-777
 geophysical well logging, B:379, 381
 lithostratigraphy, A:117-134ff; B:16, 801
 location, B:24, 130, 162, 182, 377

- manganese deposits, B:335-336
 mature ocean stage, A:5
 mineralogy, B:888-890, 895
 navigation, A:39, 43-44, 61-77
 objectives, A:5, 9, 11-12
 organic matter, B:310-312
 paleoenvironment, B:801
 paleogeography, B:778
 petrography, B:319-321
 post-rift unconformity, B:207
 prodelta facies, B:111
 sandstone petrofacies, B:115, 117
 seismic reflection profiling, A:39-40, 54
 sequence boundaries, A:5, 7
 sequence stratigraphy, B:773, 783, 794, 801
 sonobuoy seismic recording, A:40, 60
 stratigraphic sequences, B:183
 Triassic sediments, B:204, 207
- Site 761, A:161-211. *See also under* interstitial-water chemistry; lithostratigraphy; magnetic properties; paleoenvironment; particular fossil groups
 Aptian transgression, B:790
 bathymetry, A:39, B:110, 686
 bentonite, B:215-216, 220
 biostratigraphy, B:492
 Campanian-Santonian hiatus, B:819-820
 Carnian-Norian unconformity, A:6
 chemostratigraphy, B:737
 Cretaceous/Tertiary boundary, B:754-757, 881, 883-884
 deposition, B:166, 383-384
 dinoflagellate cysts, B:498-501
 Eocene-Oligocene hiatus, B:792
 fossil communities, B:187-190
 geologic setting, B:839
 geophysical well logging, B:169-170, 381, 383, 790, 861-865
 inorganic geochemistry, B:300
 juvenile ocean sediments, A:5; B:789
 lagoonal carbonates, B:778, 782
 lagoonal facies, B:143
 lithologic column, B:184, 738, 789, 841
 lithostratigraphy, A:163-179; B:16, 137, 164, 166, 182-187, 216, 529-530, 570, 572, 736-737, 790, 801, 865
 location, B:24-25, 130, 162, 182, 377, 428, 736
 marl/limestone alternation, B:779, 782
 mature ocean stage, A:5
 mineralogy, B:888, 890, 895
 Miocene hiatuses, B:666, 669, 671
 navigation, A:39, 45-46, 61-77
 objectives, A:5, 9, 11-12
 organic carbon, B:882-883
 organic geochemistry, B:319-321
 organic matter, B:310-312
 Paleocene biostratigraphy, B:792
 paleogeography, B:791
 petrography, B:319-321
 petrology, B:164, 166
 post-rift unconformity, B:773-774
 Rhaetian sediments, B:143, 183-187, 199-203, 205, 211
 sedimentary structures, B:201
 seismic reflection profiling, A:39-40, 55
 sequence boundaries, A:5, 7
 sequence stratigraphy, B:773-774, 783, 794, 801
 shallow marine shelf-to-lagoonal transition, B:137
 shallow-water carbonates, B:839-840, 844-846
 sonobuoy seismic recording, A:40, 60
- stratigraphic sequences, B:183
 subaerial exposure, B:172
 Tithonian/Berriasian transgression, B:771
 Triassic sediments, B:207
 Valanginian-Aptian hiatus, B:790
- Site 762, A:213-288. *See also under* heat flow; interstitial water chemistry; lithostratigraphy; magnetic properties; particular fossil groups
 aromatic hydrocarbons, B:883
 bathymetry, A:39; B:63, 110, 686
 bentonite, B:221-223
 biomagnetochronology, B:679-680
 black shale, A:5
Braarudosphaera-rich sediments, B:654-662
 carbon isotopes, B:897-899
 Cenomanian/Turonian boundary, B:53
 clastic wedge, A:5-6
 Cretaceous sedimentology, B:236-242, 251-253
 Cretaceous/Tertiary boundary, B:805, 881, 883-884
 cyclic sediments, B:259-276, 279-290
 deposition, B:389-390
 erosional unconformity, A:5
 geologic setting, A:9; B:677-678, 717
 geophysical well logging, B:238-239, 386-387, 865, 868-872
 glauconitic grains, B:851-853
 Hauterivian-Valanginian unconformity, B:253
 hydrocarbon gases, A:7
 hydrocarbons, B:856-860
 lithologic column, B:281
 Lithologic log, B:65, 235
 lithostratigraphy, A:219-237ff; B:14, 64, 243, 246, 250-251, 279-280, 282-283, 285, 530, 804, 812, 865, 872
 location, B:24, 62, 130, 162, 182, 260, 377, 717
 Maestrichtian-Eocene hiatus, B:251
 mineralogy, B:888, 890-892, 896
 Miocene hiatuses, B:666, 669, 671
 navigation, A:39, 47, 61-77
 Norian-Rhaetian sediments, B:52-53
 normal faulting, A:10
 objectives, A:5, 9, 11-12; B:42
 organic carbon, B:882-883
 organic geochemistry, B:321-324
 organic matter, B:312-314
 paleobathymetry, B:559, 561
 petrography, B:321-324
 petrology, B:246, 248-250
 physical properties, B:351-356
 planktonic foraminifers, B:589, 665-666, 669-670
 post-break unconformity, B:390
 sedimentary sequence, B:812-813
 seismic reflection profiling, A:39-40, 56
 seismic stratigraphy, B:48-49, 51-55
 sequence boundaries, A:5, 7
 sequence stratigraphy, B:811
 shale layer, A:7
 sonobuoy seismic recording, A:40, 60
 structural configuration, A:9-10
 tectonic evolution, B:52
 Tithonian/Berriasian transgression, B:771
 Valanginian-Aptian hiatus, B:790
 Valanginian-Hauterivian hiatus, B:57, 79-80, 812
- Site 763, A:289-352. *See also under* heat flow; interstitial-water chemistry; lithostratigraphy; magnetic properties; particular fossil groups
 bathymetry, A:39; B:63, 110, 686
- bentonite, B:220-223
 biostratigraphy, B:808-810
 black shale, A:5
Braarudosphaera-rich sediments, B:654-662
 Campanian hiatus, B:537
 Campanian-Eocene unconformity, A:5
 Cenomanian/Turonian boundary, B:53
 clastic wedge, A:5-6, 307-308
 Cretaceous sedimentology, B:236-242, 251-253
 deposition, B:389-390
 Eocene unconformity, A:6
 erosional unconformity, A:5
 geologic setting, A:9; B:717
 geophysical well logging, B:54, 238-240, 385-387
 Hauterivian-Valanginian unconformity, B:253
 hydrocarbon gases, A:7
 hydrocarbons, B:856-860
 lithologic log, B:65, 235
 lithostratigraphy, A:294-308; B:14, 64, 242-244, 251, 530, 804, 806, 808-810
 location, B:24, 62, 162, 182, 377, 717
 mineralogy, B:888, 892-893, 896
 navigation, A:39, 48, 61-77
 Norian-Rhaetian sediments, B:53
 normal faulting, A:10
 objectives, A:5, 9, 11-12; B:42
 organic geochemistry, B:321-324
 organic matter, B:312-314
 paleobathymetry, B:557-559
 paleoenvironment, B:808-810
 paleogeography, B:791
 petrography, B:321-324
 petrology, B:242, 244, 246-250
 physical properties, B:401-405
 planktonic foraminifers, B:589
 post-break unconformity, B:390
 Santonian-Coniacian hiatus, B:821
 sedimentary sequence, B:812-813
 seismic reflection profiling, A:39-40, 57; B:394-401
 seismic stratigraphy, B:44-45, 52-55, 401-405
 sequence boundaries, A:5, 7
 sequence stratigraphy, B:807, 811-812
 sonobuoy seismic recording, A:40, 60
 structural configuration, A:9-10
 tectonic evolution, B:52
 Valanginian-Aptian hiatus, B:790
 Valanginian-Barremian hiatus, B:812
 Valanginian breakup unconformity, B:807, 811
 Valanginian/Hauterivian boundary, B:57
 Valanginian-Hauterivian hiatus, B:79-80
- Site 764, A:353-384. *See also under* interstitial-water chemistry; lithostratigraphy; paleoenvironment; particular fossil groups
 bathymetry, A:39; B:110, 686
 biostratigraphy, B:493
 Campanian-Rhaetian unconformity, B:170
 Carnian-Norian unconformity, A:6
 deposition, B:169, 383-384
 fossil communities, B:187-190
 geologic setting, B:839
 geophysical well logging, B:169-170, 381, 385, 872, 876-877
 limestone, A:5; B:146
 lithologic column, B:184, 842
 lithostratigraphy, A:355-366; B:16, 137, 140, 142, 168-169, 182-187, 801, 872
 location, B:24-25, 162, 182, 377, 428
 mature ocean stage, A:5
 mineralogy, B:888, 893-894, 896

- navigation, A:39, 49–50, 61–77
 objectives, A:5, 9, 11–12
 organic geochemistry, B:319–321
 organic matter, B:310–312
 petrography, B:319–321
 petrology, B:166, 168–169
 post-rift unconformity, B:774–775
 reefal complex, B:29–35, 778, 782
 Rhaetian sediments, B:143, 183–186, 199–203, 205
 sedimentary structures, B:201
 seismic reflection profiling, A:39–40, 58–60
 sequence boundaries, A:5, 7
 sequence stratigraphy, B:774–775, 783, 794, 801
 shallow-water carbonates, B:839–840, 844–846
 sonobuoy seismic recording, A:40
 stratigraphic sequences, B:183
 subaerial exposure, B:172
 transgressive facies, B:29
- Site 765
 bentonite, B:220, 789
 bentonitic claystones, B:221
 Cenomanian/Turonian boundary, B:792
 Eocene/Oligocene hiatus, B:792
 location, B:182
 opal-CT/quartz transition, B:792
 organic geochemistry, B:324
 paleogeography, B:791
 paleotectonic reconstruction, B:17
 salinity, B:307
 seafloor spreading, B:786–787
 volcanoclastics, B:102
- Site 766
 bathymetry, B:63
 bentonite, B:220–221
 lithologic log, B:65
 lithostratigraphy, B:64
 location, B:24, 62, 162
 neritic claystone, B:57
 paleogeography, B:791
 paleotectonic reconstruction, B:17
 seismic stratigraphy, B:73
 volcanic rock, B:71
 volcanoclastics, B:102
- Site 767, B:859
 Site 768, B:859
 slumping, B:51, 806
 smectite, B:222, 302, 758
 solar insolation, B:272, 274
 Song Da suture, B:86
 Songpan-Ganzi system, B:86, 87
 Sonne Cruise 8, B:464
 sonobuoy seismic recording, A:40, 60
 sponge community, Rhaetian, B:187–190
 spores. *See also* pollen
 biozones, B:491
 Exmouth Plateau, B:252, 522
 paleoenvironmental implications, B:488, 491
 palynofacies, B:413
 Site 759, A:96–97; B:414, 416–417, 423, 488, 777
 Site 760, A:138–139; B:414–415, 418–421, 423, 488, 491, 777
 Site 761, A:185; B:491
 Site 762, A:245; B:511–512
 Site 763, A:316–317, 368; B:512–513, 522, 807
 Site 764, B:419, 421, 491
 zonation, A:31–32; B:413–414, 487–488, 511
- St. Helens, Mount. *See* Mount Saint Helens
 sterane, B:858
 storm deposits, A:91; B:118
- strontium, B:148, 302, 305–307
 subsidence
 Cretaceous, B:6
 Cretaceous–Holocene, B:814–815
 Exmouth Plateau, A:10; B:6
 history, B:796–797
 Jurassic, B:784
 lithologic changes with, A:158
 Neocomian, A:5; B:805
 rifting-associated, B:784
 sea level and, B:144, 253
 sedimentation rate and, B:815
 volcanism associated with, B:789
 Wombat Plateau, B:794
- sulfate
 diffusion effects, B:302
 lithostratigraphic variation, B:302–303
 porosity and reduction of, B:306
 Site 759, A:104
 Site 760, A:148
 Site 761, A:192, 194
 Site 762, A:258, 260
 Site 763, A:332
- Sunda arc, A:91
 Suolun-Xilamulun suture, B:93
 Sverdrup Basin, B:170
 Swan Canyon, A:82
- talus, Site 764, A:361
 Tamky-Phuerson suture, B:86
 Tarfaya basin, B:322
- tectonics
 Australian margin NW, B:208–209
 Cretaceous events, B:808–810
 Exmouth Plateau, A:5–6, 9–10; B:6, 39–43, 46, 63, 78, 224–225, 227, 771, 784, 786, 813–814
 Rhaeto–Liassic rift, B:784
 sea-level influence, B:290
 Wombat Plateau, A:82; B:109–110, 129–130, 162, 205, 378, 786–787, 789, 797
- temperature
 Exmouth Plateau, B:363
 Site 760, A:156
 Site 761, A:204
 Site 762, A:275; B:365–366, 369
 Site 763, A:341, 344; B:365–367, 372
- terra rossa terrain, Site 761, B:169
 terrigenous clastics, transport variation, B:35
 terrigenous sediment
 Cretaceous, B:321
 grain size, organic particles, B:319, 321, 324
 magnetic property correlation, B:727–728, 733
 Site 759, A:91
- Tethyan marls, Rhaetian, B:465
 Tethys Himalayas
 Permian shelf environment, B:92
 volcanism, B:225
- Tethys Ocean
 carbonate, A:6; B:170–171
 origin, A:5
 paleotectonic reconstruction, B:17
 southward transgression, B:149
- Tethys Ocean, Neo-
 Aptian–Albian extension, B:98
 Mesozoic paleogeography, B:182
 Triassic–Jurassic opening, B:766
- Tethys Ocean, Paleo-, B:92
 Tethyside orogeny, B:86–88
- Tethysides, Asiatic
 Cretaceous sedimentation, B:96, 98, 101
 Jurassic sedimentation, B:96
 Permian sedimentation, B:88, 92–93
 rifting, B:101
- suturing, B:101
 tectonics, B:85436
 Triassic sedimentation, B:93, 96
- Tethysides, eastern
 paleogeography, B:90, 94, 97, 99
 pre-Tembeling deformation, B:86
 tectonics, B:91, 94, 97, 99
- Tethysides, sequence stratigraphy, B:784
- Thailand, B:98
- thermal conductivity
 Exmouth Plateau, B:367–368, 803
 Site 759, A:107
 Site 760, A:152–153
 Site 761, A:198, 200, 202
 Site 762, A:263, 272–273; B:365
 Site 763, A:341–342; B:365
- thorium, A:281–283
 Tianyang suture, B:86
 Timor Trench, B:57
- titanium
 in ferromanganese deposits, B:339
 in geophysical well logging, B:866–867, 873–875, 878–879
- todorokite, B:337. *See also* ferromanganese deposits
- Tooolonga Calcilitite
 geologic setting, B:237–238
 limestone equivalent, B:813
 petrography, B:803
 petrology, B:250
 seismic sequence correlation, A:272, 347
 Site 762, A:216
 Site 763, A:291
- torbanite, B:321–322, 325
- trace fossils, B:480
- transgressive systems tracts
 Carnian–Norian, B:117–118, 772, 777
 Neocomian–Aptian, B:252–253
 paleoenvironment, B:779
 post-Neocomian, B:384
 Rhaetian, B:142, 202, 205, 390, 778, 782
 Site 760, B:773
 Site 761, B:773
 Site 764, B:774
- transgressive–regressive cycles, B:170
 Triasininae, Site 761, B:429
 Triassic/Jurassic boundary, volcanism, B:76, 172
 triterpane, Cretaceous rocks, B:858
 tuff, Cretaceous post-breakup, B:225
- turbidites
 ash, Wombat Plateau, B:227
 calcisphere-rich, B:220
 Eocene–Holocene, B:52
 quartzose, in Carnian sedimentary rocks, B:88
 shingled, B:807, 811
- Turonian/Campanian boundary, A:276
 Turonian/Cenomanian boundary, A:234, 272, 347
- uplift
 Jurassic, A:5–6
 Jurassic–Cretaceous, B:77
 Neocomian, B:77
 post-depositional, B:786
- upward-shallowing sequence
 Site 759, A:91
 Site 761, A:179
 Wombat Plateau, A:5
- upwelling
 asthenospheric, B:77
 ferromanganese deposition with, B:339
 isotopic effects of, B:576
 mid-ocean, B:661–662
- Valanginian/Hauterivian boundary, A:280; B:57

- vanadium, B:148, 340-341
- velocity
 anisotropy, A:339; B35
 calcareous sediment gradient, B:358-359
 chalks, A:286
 expanded spread profile, B:397, 404
 horizontal vs. vertical measurements, B:351-352
 lithologic correlation, A:107, 152, 262
 logging vs. measured, A:107
 negative gradient, B:359, 379
 porosity and, A:110, 265; B:359
 resistivity and, B:351
 shipboard vs. shore-based measurements, B:354-356, 402-403
 Site 761, A:196
 Site 763, A:337, 339
 Site 764, A:371
 sonic logs, B:402
 vs. density, A:155; B:359-360
 Site 763, A:339
- vernadite, B:337
- Vietnam, Cretaceous continental deposition, B:98
- Vinck-1 well
 delta sequence, B:252
 geophysical well logging, B:54
 heat flow, B:367-368, 370, 375
 palynology, B:252
 seismic stratigraphy, B:817
 temperature, B:374
- vitritinite reflectance values
 Cretaceous sediments, B:326
 Exmouth Plateau, B:75, 326
 pre-Cretaceous sediments, B:364
 Site 759, B:312
 Site 760, B:312
 Triassic sediments, B:319, 326
 Wombat Plateau sediments, B:319, 326
- volcanic rock
 Carnian/Norian boundary, B:777
 in sandstone petrofacies, B:115
 uplift, B:73
- volcaniclastics, Cretaceous, B:102
- volcanism
 Australian margin, NW, B:102
 with continental breakup, B:789
 Jurassic-Neocomian, B:225
 post-breakup, B:225-226
 rhyolitic, B:101
 southern transform margin, B:47
 submarine basaltic, B:225
 syn-rift, B:784
 Triassic/Jurassic boundary, B:76, 172
 Triassic-Liassic, B:797
- vugs, B:114
- wackestone
 argillaceous, B:164
 bioturbated, B:156
 burrowing, A:87
 dolomitization, A:357; B:147, 164
 echinodermal, B:176
 parallel-laminated, B:164
- wackestone, carbonate
 Rhaetian, B:164, 169
 Site 759, A:97
 Site 761, A:174, 176
 Site 764, A:358
- wackestone, crinoid, recrystallization, B:205
- wackestone, fossiliferous
 Rhaetian, A:383; B:166
- wackestone, lagoonal, Carnian-Rhaetian, B:131-132
- wackestone, skeletal
 with coral and sponge fragments, B:202
 Rhaetian, B:839
 Site 761, A:171
- wackestone, skeletal peloidal, A:95
- wackestone/boundstone, coral-algal, B:177
- wackestone/packstone, fossiliferous, Site 761, B:166
- wackestone/packstone, in coral boundstone, B:178
- wackestone-packstone, skeletal, Site 761, A:206-207
- wackestone/packstone/grainstone, depositional environment, B:29
- Wallaby Plateau, A:208; B:225
- Walvis Ridge, A:237
- Wandalia Radiolarite, B:253
- water content
 Cretaceous/Tertiary boundary, A:341
 silty claystones, A:341
 Site 759, A:107
 Site 760, A:152
 Site 761, A:196-198
 Site 762, A:262-263
 Site 763, A:339, 341
 Site 764, A:371
- West Australian Current, cool water transport, B:669
- Westralian Superbasin
 Carboniferous-Permian inception, B:102
 evolution, B:234
 geologic setting, B:161
 Jurassic segmentation, B:801
 Mungaroo Sand/Locker Shale, B:805
- Windalia Radiolarite, B:53, 236, 803
- Winning Group, B:41, 64, 71, 73
- Wombat Plateau. *See also* tectonics
 Albian transgression, B:790, 792
 angular unconformity, B:32
- Aptian-Albian transgression, B:790, 792
- calcareous nannofossils, B:442, 445
- Carnian-Norian sequence, B:780
- Carnian-Norian unconformity, B:101
- chronology, B:206, 785
- coral-bearing formations, B:189
- deposition, A:132, 134, 158; B:110-111, 480
- facies, B:111, 114-115
- foraminifers, Triassic, B:429-430
- geochronology, B:206
- geodynamic evolution, B:208
- geologic history, B:149-152
- geologic setting, B:24-25, 161-162, 181-182
- geophysical well logging, B:383
- juvenile ocean sediments, B:787, 789
- limestone, B:145-146
- lithostratigraphy, A:376, B:8, 10, 25, 27, 197-199, 494
- Miocene-Pleistocene, B:792
- Neocomian angular unconformity, B:162
- north-south cross section, B:767
- paleoceanography, B:789
- paleoenvironment, B:149, 775-778, 782-786, 792
- paleogeography, B:25, 224-225, 786-787, 789
- pollen and spores, B:422
- post-rift unconformity, B:130, 150, 205, 207, 786
- Rhaetian carbonates, B:778
- Rhaetian sediments, B:143, 205, 207-208
- sedimentary facies I-VI, B:477-480, 483-484
- sequence stratigraphy, B:776, 784
- stratigraphic evolution, B:794
- structural evolution, B:794-795
- subaerial exposure, B:150
- transgressive-highstand systems transition, B:144
- Triassic-Jurassic carbonates, B:142-143
- Triassic sediments, B:207, 390-391
- Woodside Delambre-1 well, B:770-771
- Woyla suture, B:88
- X-ray analysis, Site 762, A:266-267
- Xiang-ganzhe ocean, B:86
- Yangtze block, B:87, 92-93, 96
- Zeepaard-1 well, B:75
- zinc, B:340-341, 659-660
- zircon, Site 761, B:231
- zirconium/titanium oxide ratio, B:224
- Zlambachmergel facies, B:465
- zones, fossil. *See in* Taxonomic Index under zones (for letter prefixes) and alphabetically (for generic-specific designations)

TAXONOMIC INDEX

- aachena*, *Vagalapilla*, B:553, 751
Abathomphalus mayaroensis
 stratigraphy, A:184, 243, 367; B:588–590, 825
abies, *Sphenolithus*, Site 762, B:627
Acaeniotype diaphorogona, Site 763, A:316; B:642
Acaeniotype umbilicata Zone
 stratigraphy, A:185, 316; B:640, 642, 643
Acanthocircus sp., Site 759, A:96; B:635
acanthodes, *Chiphragmalithus*, Site 762, B:627
Acarinina spp., Site 762, A:244
acostaensis, *Neogloboquadrina*, B:670–675
Actinocythereis orientalis n.s. sp., Site 762, B:835, 838
Actinocythereis orientalis orientalis, Site 762, B:835, 838
aculeus, *Ceratolithoides*, B:546, 555
acuta, *Cytherella*, B:454–455, 460, 491
acutus, *Ceratolithus*, Site 762, B:627
Agathammina austroalpina, Site 760, A:138
alamedaensis, *Stichomitra*, Site 761, B:649
albianus, *Axopodorhabdus*, Site 763, B:551–552
albiensis, *Hayesites*, Site 763, B:555
alta, *Cyclagelosphaera*, Site 761, B:740, 749
altus, *Chiasmolithus*, B:602, 627
alveatus, *Stylotrochus*, Site 761, B:651
Amaurolithus amplificus, Site 762, B:627
Amaurolithus delicatus, Site 762, B:628
Amaurolithus primus, Site 762, B:630
Amaurolithus tricorniculatus, Site 762, B:631
Ammobaculites reophacoides, B:559, 562, 567
Ammobaculites spp., A:315; B:434
Ammodiscus–Dentalina assemblage, B:558
Ammodiscus sp., Site 763, B:567
Ammomarginulina sp., Site 763, B:567
amphipons, *Chiastozygus*, B:546, 553
Amphipternis sp., Site 761, B:649
Amphirhopalum ypsilon Zone, B:635, 642
Amphisphaera minor, Site 761, B:650
Amphorula sp., B:524, 528
Amphymenium splendarmatum, B:643, 649
ampla, *Pterocodon*, B:637, 645, 649
ampliaperta, *Helicosphaera*, Site 759, A:94
amplificus, *Amaurolithus*, Site 762, B:627
andersoni, *Dictyomitra*, Site 761, B:648
andrusovi, *Judahella*, Site 761, B:462
angustiforatus, *Cretarhabdus*, Site 763, B:551
angustus, *Parhabdololithus*, B:546, 553
anistica, *Bairdia*, Site 761, B:458
Annullithus arkellii Zone, B:442
anteplana, *Trachyleberis*, 13:828, 833
anthoporus, *Reinhardtites*, B:546, 553, 554
Anthrocyrtidium angulare Zone
 stratigraphy, A:138, 185, 244; B:635, 642
Apateloschizocythere geniculata, B: 820, 826, 831
apertus, *Markalius*, Site 761, B:749
apiara, *Archaeodictyomitra*, Site 763, B:743
arachnea, *Siphocampe*, B:645, 648
area, *Globotruncana*, B:591, 595–596
archaeocretacea, *Whiteinella*, B:591, 821
Archaeodictyomitra apiara, Site 763, B:743
Archaeozygodiscus koessenensis, B:440, 451
archeomendarii, *Globorotalia*, Site 761, B:666
Arculicythere sp., B:827–828, 833
Arculicythere tumida, B:822, 827, 833
areolata, *Systematophora*, Site 763, B:513
Arkhangelskiella cymbiformis, B:541, 547, 549
Arkhangelskiella cymbiformis Zone, B:532
arkhangelskiyi, *Prediscosphaera*, B:546, 551
articulata, *Ceratospyrus*, Site 761, B:649
Ascodinium parvum, Site 763, B:512
Ashmoripollis reducta Zone, A:185, 368; B:415
asiatica, *Hasibuana* n. gen. n. sp., B:468, 474
asper, *Parhabdololithus*, B:553–554, 575
aspericava, *Karsteneis*, B:825, 828, 833
Aspidolithus parvus Zone, B:533
aspinata, *Ogmoconchella*, B:469, 474
Astaculus sp., B:563, 568
Astreomorpha, Site 764, B:149
Astreomorpha confusa, Site 764, B:195
Astreomorpha crassisepta, Site 764, B:195
astroporus, *Markalius*, Site 761, A:182
Astrosphaerin, B:643
Astrosphaerin sp., B:644, 651
asymetrica, *Dicarinella*, B:590
asymetricus, *Discoaster*, Site 762, B:627
atlantica, *Neogloboquadrina*, evolution, B:671
Atlantodinium sp., B:524, 528
atypica, *Cytherella*, B:825, 831
Auloconus permoldiscooides, Site 764, B:429, 435
Auloconus sp., Site 761, B:432
Aulotortidae, B:428–429
Aulotortus communis, B:433, 435
Aulotortus friedli, B:432–433, 435
Aulotortus sinosus pragsoides, Site 761, B:433
Aulotortus sp., Site 764, B:435
Aulotortus tenuis, Site 761, B:433
Aulotortus tumidus, Site 761, B:433
austracretacea, *Bairdia*, B:826, 831
austrica, *Coronipora*, B:471
austroalpina, *Agathammina*, Site 760, A:138
Axopodorhabdus albianus, Site 763, B:551–552
Axopodorhabdus decorus, B:547
Bairdia austra, Site 761, B:458
Bairdia austracretacea, B:826, 831
Bairdia cassiana n. sp., B:458
Bairdia sp., B:631, 826
Bairdiacypris sp., Site 761, B:458
Bairdiacypris triassica, Site 761, B:458
Balcattia sp., B:524, 527
balmei, *Heibergella*, Site 759, B:414
barbadiensis, *Discoaster*, Site 762, B:627
barnesae, *Watznaueria*, B:537, 572, 575
Bathropyramis woodringi, B:644, 651
Bathysiphon sp., B:562, 567
Batioladinium micropodum, Site 762, B:527
Batioladinium reticulatum, B:512–513, 522
Batioladinium reticulatum–Dissimulidinium lo-
bispinosum Zone, Site 762, B:512
Batioladinium reticulatum Zone
 stratigraphy, A:245, 316; B:513, 522, 807
Batoladinium Zone, Site 763, B:825
Bekoma campechensis, B:634, 644, 651
Bekoma campechensis Zone, Site 761, B:634
Bekoma divaricata, Site 761, B:651
Belemnopsis jonkeri, Site 761, B:220
belemnos, *Sphenolithus*, A:134; B:627
bensonii, *Cytherella*, B:826, 831
Berthelinella rhaetica, B:472
Berthelinella rhaetica n. sp., B:467–468
bettenstaedti, *Textularia*, B:563, 567
Biantholithus sparsus, Site 761, A:182; B:743, 745, 748
bidens, *Chiasmolithus*, Site 762, B:627
bigelowii, *Braarudosphaera*
 environment, A:283; B:655–656, 661
 stratigraphy, A:240, 286
bijugatus, *Zygrahablihus*, Site 762, B:627
binitorulosa, *Ophiacantha*, B:468, 473
binodosus, *Discoaster*, Site 762, B:627
birmanica, *Duotaxis*, Site 761, B:434
birnageae, *Globorotalia*, B:665–666, 673
Biscutum castrorum, Site 761, B:740, 749
Biscutum coronum, B:546–547, 549
Biscutum sp., Site 761, B:750
bisectus, *Dictyococcites*, Site 762, B:627
Bitorus n. gen., B:500
Bitorus turbiformis n. gen. n. sp., B:500, 506–507
Blackites spinosus, Site 762, B:631
Blackites spinosus/Blackites tenuis, B:602
blackstockae, *Discoaster*, Site 762, B:627
blakei, *Ogmoconcha*, Site 760, B:461
Bomolithus elegans, Site 762, B:628
Braarudosphaera, A:240
Braarudosphaera bigelowii
 environment, A:283; B:655–656, 661
 stratigraphy, A:240, 286
Braarudosphaera rosa, B:655
Braarudosphaera stenorheta, Site 763, B:556
Bradleya johnsoni, Site 762, B:838
Bradleya ossa, Site 762, B:835, 838
Bradleya thomasi, Site 762, B:835, 838
bramlettei, *Tribrachiatas*, Site 762, B:627
Bramletteius serraculoides, Site 762, B:630
brevis, *Micrantholithus*, Site 763, B:540, 556
bristolensis, *Ogmoconcha*, B:455, 461
Broinsonia enormis, B:541, 547, 549
Broinsonia gammation, Site 763, B:549
Broinsonia orthocancellata, Site 763, B:538
Broinsonia parca, A:310; B:260, 535, 541–543
Broinsonia parca constricta, Site 761, B:549
Broinsonia parca parca, B:548–549
Broinsonia signata, Site 763, B:549
brotzeni, *Thalmaninella*, Site 763, A:314
brouweri, *Discoaster*, Site 762, B:627
Buccinosphaera invaginita Zone
 stratigraphy, A:185, 244, 368; B:635, 642–643
bulloides, *Globotruncana*, Site 763, B:597
Buryella clinata, Site 761, B:648
Buryella clinata Zone, Site 762, A:244; B:642
Buryella pentadica, Site 761, B:649
Buryella sp., B:644, 648
Buryella tetradica, B:644, 648
buxtorfi, *Planomalina*, B:591
 stratigraphy, A:243, 314; B:821, 823
 taxonomy, B:591–592
Bythocypris nodosa, B:825–826, 831
Bythocypris sp., Site 761, B:458
Bythocypris strogylae, B:825, 826, 831
caia, *Dictyoceras*, Site 761, B:637, 650
calathus, *Chiphragmalithus*, Site 762, B:627
Calcicalathina oblongata Zone, Site 761, B:220
Calculites obscurus Zone, B:533
Calculites ovalis Zone, B:533
californica, *Comutella*, Site 761, B:650
callidus, *Dictyococcites*, B:601–602, 627
Callosphaera tuberosa Zone, Site 763, A:316
calyculas, *Catinaster*, Site 762, B:627
campechensis, *Bekoma*, B:634, 644, 651
Campylosphaera dela, Site 762, B:628
Campylosphaera eodela, Site 762, B:628
Capnodoce, Site 759, B:635
Capnodoce sp., Site 759, A:96
caracolla, *Epistomina*
 stratigraphy, A:315; B:568, 825
caribbeanica, *Gephyrocapsa*, Site 762, B:627
carinata, *Planiinvoluta*, Site 764, B:436
carinatus, *Triquetrorhabdulus*, Site 762, B:627

- carnarvonensis*, *Cytherelloidea*, B:826, 831
cassiana, *Bairdia* n. sp., B:458
cassianus, *Tetralithus*, Site 759, A:94
Cassiculosphaeridia delicata Subzone, B:77
Cassiculosphaeridia delicata Zone, Site 763, A:316-317; B:522, 807
castrorum, *Biscutum*, Site 761, B:740, 749
Catapysdrax dissimilis, Site 761, B:666
Catinaster calyculus, Site 762, B:627
Catinaster coalitus, Site 762, B:627
cava, *Ericsonia*, B:601, 627
cavus, *Coccolithus*, Site 761, B:748
cayeuxii, *Lucianorhabdus*
 environment, A:242
 micrographs, B:556
 stratigraphy, A:182; B:537-538
 taxonomy, B:546
Cenosphaera, Site 762, B:561
Cenosphaera sp., Site 762, B:568
Ceratolithoides aculeus, B:546, 555
Ceratolithoides aculeus Zone, B:533
Ceratolithus acutus, Site 762, B:627
Ceratolithus rugosus, Site 762, B:630
Ceratolithus telesmus, Site 762, B:631
Ceratospyrus articulata, Site 761, B:649
cerviculum, *Dingodinium*, B:513, 522
chaenapium, *Entapium*, Site 761, B:651
challengeri, *Triquetrorhabdulus*, Site 763, B:627
charlyana, *Margarosmilia*, Site 764, B:195
Chiasmolithus altus, B:602, 627
Chiasmolithus bidens, Site 762, B:627
Chiasmolithus consuetus, Site 762, B:628
Chiasmolithus danicus, B:608, 628, 743
Chiasmolithus expansus, Site 762, B:628
Chiasmolithus gigas, Site 762, B:629
Chiasmolithus grandis, Site 762, B:629
Chiasmolithus oamaruensis, Site 762, B:629
Chiasmolithus solitus, Site 762, B:630
chiastius, *Microstaurus*, B:535, 540
Chiastozygus amphipons, B:546, 553
Chiastozygus garrisonii, Site 762, B:553
Chiastozygus litterarius, B:535
Chiastozygus litterarius Zone, A241; B:535
Chiastozygus sp., Site 761, B:750
Chiphragmalithus acanthodes, Site 762, B:627
Chiphragmalithus calathus, Site 762, B:627
Chondrites, B:480, 484
Cicatricosporites australiensis Zone, Site 763, A:316
ciperoensis, *Sphenolithus*, Site 762, B:627
circularis, *Xiphospira*, Site 761, B:651
Circulodinium colliveri, Site 763, B:512
Clathrocycloma parcum, Site 761, B:651
Clathrocycloma sp., B:644, 649
Clathrolithus ellipticus, Site 762, B:628
claviger, *Rhabdosphaera*, Site 762, B:627
clinata, *Buryella*, Site 761, B:648
coalitus, *Catinaster*, Site 762, B:627
Coccolithus, Site 761, B:743
Coccolithus cavus, Site 761, B:748
Coccolithus eopelagicus, Site 762, B:628
Coccolithus pelagicus, B:601, 630
Coccolithus subpertusus, Site 761, B:748
colemani, *Cytherelloidea*, B:826, 831
Collisaboris stanleyensis, B:822, 827, 832
colliveri, *Circulodinium*, Site 763, B:512
Collosphaera tuberosa Zone, A:185; B:642-643
columnata, *Prediscosphaera*, B:546
communis, *Aulotortus*, B:433, 435
compacta, *Helicosphaera*, Site 762, B:628
conara, *Cryptamphorella*, Site 761, B:572, 583
concava, *Micula*, B:546
concovata, *Dicarinella*, B:590-591
confusa, *Astreomorpha*, Site 764, B:195
conglobatus, *Globigerinoides*, Site 762, B:666
congruens, *Orthopithonella*, B:499, 503
conica, *Thanarla*, Site 763, B:643
conicus, *Cretarhabdus*, B:546, 552
coniforme, *Variostoma*, B:466, 471
conoidea, *Globorotalia*, Site 762, B:669
Conorboides valendisensis, Site 763, B:568
consuetus, *Chiasmolithus*, Site 762, B:628
continua, *Globorotalia*, Site 762, B:671
contortus, *Tribrachiatus*, Site 762, B:628
contusa, *Contusotruncana*, B:590, 592-593
Contusotruncana contusa, B:590, 592-593
Contusotruncana contusa Zone, B:589, 592
copulatus, *Petrarhabdus*, B:541, 546, 550
Corannulus germanicus, Site 762, B:628
Cornutella californica, Site 761, B:650
Cornutobairdia trinodosa, Site 761, B:458
Corollithion ellipticum, Site 763, B:552
Corollithion exiguum, Site 762, B:553
Corollithion kennedyi, B:535, 553
Corollithion madagaskarensis, Site 761, B:553, 750
coronadventis, *Cretarhabdus*, Site 763, B:551
coronata coronata, *Stylosphaera*, Site 761, B:648
Coronipora austriaca, B:471
Coronocylus nitescens, Site 762, B:629
coronum, *Biscutum*, B:546-547, 549
corrosum, *Eocytheropteron*, B:825, 829, 834
corystus, *Nephrolithus*, B:547, 551
crassa, *Gyroldinoides*, Site 763, A:315
crassa, *Trocholina*, B:466, 471
crassisepta, *Astreomorpha*, Site 764, B:195
cretacea, *Prediscosphaera*, B:551-552
Cretarhabdus angustiforatus, Site 763, B:551
Cretarhabdus angustiforatus Zone, Site 762, A:241
Cretarhabdus conicus, Site 761, B:546, 552
Cretarhabdus coronadventis, Site 763, B:551
Cretarhabdus loriei, Site 763, B:551
Cretarhabdus schizobrachiatus, Site 761, B:551
Cretarhabdus surirellus, Site 763, B:552
Cribrosphaerella ehrenbergii, B:547, 551-552
Cribrosphaerella primitiva, Site 763, B:538, 551
cristatum, *Ophiostellum*, B:468, 472
Crucibiscutum salebrosum
 micrographs, B:549
 stratigraphy, A:182, 241, 311; B:539, 575
Cruciellipsis cuvillieri, Site 762, A:241; B:539
Cruciplacolithus edwardsii, Site 762, B:608, 628
Cruciplacolithus primus, B:608, 630, 743, 748
Cruciplacolithus tenuis, B:631, 743, 745, 748
Crucirhabdus minutus, B:440, 451
Crucirhabdus primulus, B:440, 442, 451
Cryptamphorella conara, Site 761, B:572, 583
cushmani, *Haplophragmoides*, B:562-563, 567
cuvillieri, *Cruciellipsis*, Site 762, A:241; B:539
cuvillieri, *Gublerina*, B:591, 595
Cyclagelosphaera, Site 761, B:740
Cyclagelosphaera alta, Site 761, B:740, 749
Cyclagelosphaera reinhardtii, Site 761, B:740; 749
Cyclicargolithus floridanus, Site 762, B:728
Cylindralithus sp., Site 761, B:750
cymbiformis, *Arkhangelskiella*, B:541, 547, 549
Cytherella acuta, B:454-455, 460, 491
Cytherella atypica, B:825, 831
Cytherella bensoni, B:826, 831
Cytherella jonesi, B:826, 831
Cytherella spp., Site 762, B:835
Cytherelloidea, Site 761, B:825
Cytherelloidea carnarvonensis, B:826, 831
Cytherelloidea colemani, B:826, 831
Cytherelloidea sp., Site 761, B:460
Cytherelloidea unicostata, B:455, 460, 469, 474
Cytheropteron sp., B:829, 834
danicus, *Chiasmolithus*, B:608, 628, 743
daviesii, *Dictyococcites*, B:601-602
decora, *Periphaena*, Site 761, B:651
decora, *Periphaenadecora*, B:645
decoratus, *Microrhabdulus*, Site 762, B:556
decorus, *Axopodorhabdus*, B:547
decorus, *Discoaster*, Site 762, B:628
decussata, *Micula*, Site 761, B:750
deeckeri, *Thalminella*, Site 762, A:243
deflandrei, *Discoaster*, Site 762, B:628
deflandrei, *Orthopithonella*
 micrographs, B:504-505, 509, 581-582
 taxonomy, B:499
dehiscens, *Globoquadra*, B:669
dela, *Campylosphaera*, Site 762, B:628
delicatus, *Amaurolithus*, Site 762, B:628
densicostata, *Dictyomitra*, Site 762, B:642
Dentalina sp., Site 763, B:568
Diadorhombus rectus, Site 762, A:241; B:539
diaphorogona, *Acaeniotyle*, Site 763, A:316; B:642
Dicarinella asymetrica, B:590
Dicarinella asymetrica Zone, A:243, 368; B:589
Dicarinella concavata, B:590-591
Dicarinella hagni, Site 763, B:599
Dicarinella imbricata, A:184; B:598-599
Dicarinella primitiva Zone, A:243, 314
Diconodinium davidii Zone, Site 763, B:512
Dictyoceras caia, Site 761, B:637, 650
Dictyococcites bisectus, Site 762, B:627
Dictyococcites callidus, B:601-602, 627
Dictyococcites daviesii, B:601-602
dictyoda, *Reticulofenestra*, Site 762, B:628
Dictyomitra, Site 763, B:642
Dictyomitra andersoni, Site 761, B:648
Dictyomitra densicostata, Site 762, B:642
Dictyomitra spp., Site 761, A:185; B:637-638
dimorphosus, *Prinsium*, Site 761, B:743, 748
Dingodinium cerviculum, B:513, 522
Dinogymnium group, Site 763, B:512
Discoaster asymmetricus, Site 762, B:627
Discoaster barbadiensis, Site 762, B:627
Discoaster binodosus, Site 762, B:627
Discoaster blackstockae, Site 762, B:627
Discoaster brouweri, Site 762, B:627
Discoaster decorus, Site 762, B:628
Discoaster deflandrei, Site 762, B:628
Discoaster exilis, Site 762, B:628
Discoaster formosus, Site 759, A:94
Discoaster germanicus, Site 762, B:628
Discoaster hamatus, A:134; B:629
Discoaster hamatus Total Range Zone, Site 761, A:180
Discoaster kugleri Total Range Zone, Site 761, A:180
Discoaster lodoensis, Site 762, B:629
Discoaster mohleri, Site 762, B:629
Discoaster multiradiatus, Site 762, B:629
Discoaster neohamatus, Site 762, B:629
Discoaster nodifer, Site 762, B:629
Discoaster pentaradiatus, Site 762, B:630
Discoaster quinquaramus, Site 762, B:630
Discoaster quinquaramus Total Range Zone, A:180, 310
Discoaster saipanensis, Site 762, B:630
Discoaster salisburgensis, Site 762, B:630
Discoaster sublodoensis, Site 762, B:631
Discoaster surculus, Site 762, B:631
Discoaster tamalis, Site 762, B:631
Discoaster tani, Site 762, B:631
Discoaster variabilis, B:602-603, 631
Discoasteroides kuepperi, Site 762, B:629

- Disjunctopora* sp., Site 764, B:193
disjuncta, *Sphaeroidinellopsis*, Site 761, B:666
dissimilis, *Catapsydrax*, Site 761, B:666
dissimilis, *Sphenolithus*, Site 762, B:628
Dissimulidinium lobispinosum, A:316; B:512–513, 522
Dissimulidinium lobispinosum Zone, Site 763, B:522, 807
Dissimulidinium Zone, Site 763, B:825
divaricata, *Bekoma*, Site 761, B:651
docilis, *Lithomitra*, Site 761, B:648
Dorcadospyrus platycantha, B:644, 649
Dorcadospyrus sp., B:644, 648–649
Dorcadospyrus spp., Site 760, B:635
Duotaxis birmanica, Site 761, B:434
- edgarii*, *Obliquipithonella*, B:501, 509
edwardsii, *Cruciplacolithus*, Site 762, B:608, 628
Egmontodinium tornyum–*Dissimulidinium lobispinosum* Zone, Site 762, B:511–512
Egmontodinium tornyum Zone
 stratigraphy, A:245, 316; B:77, 513, 522, 807
ehrenbergii, *Cribrosphaerella*, B:547, 551–552
Eiffellithus eximius
 micrographs, B:553
 stratigraphy, B:260, 535, 541, 543
 taxonomy, B:547
Eiffellithus trabeculatus, Site 762, B:553
Eiffellithus turriseiffelii, Site 761, B:553
Eiffellithus turriseiffelii Zone, B:534–535
elegans, *Bomolithus*, Site 762, B:628
elegans, *Zygodiscus*, B:547
elevata, *Globotruncana*, Site 761, B:820
elevata, *Globotruncanita*, A:184, 243, 314; B:591
Ellipsolithus macellus, B:608
ellipticum, *Corollithion*, Site 763, B:552
ellipticus, *Clathrolithus*, Site 762, B:628
embergeri, *Parhabdololithus*, B:554, 575, 583
Emiliania huxleyi, Site 762, B:629
Emiliania huxleyi Zone, Site 759, A:94
eminens, *Toweius*, Site 762, B:628
enormis, *Broinsonia*, B:541, 547, 549
Entapium chaenapium, Site 761, B:651
Entapium regulare, Site 761, B:650
Entapium sp., B:644, 650
Enzonasporites vicens, Site 760, B:415
Eocaudina hexagona n. sp., B:468, 472
Eocaudina sp., B:472
Eoconusphaera zlbachensis, morphometry, B:442, 445–446
Eoconusphaera zlbachensis Subzone, B:442
Eocytheropteron corrosum, B:825, 829, 834
eodela, *Campylosphaera*, Site 762, B:628
Eoguttulina spp., Site 760, A:138
eopelagicus, *Coccolithus*, Site 762, B:628
Epistomina, Site 762, A:280
Epistomina caracolla, A:315; B:568, 825
Eprolithus floralis, B:541, 555
Eprolithus moratus, B:541, 555
Ericsonia cava, B:601, 627
Ericsonia formosa, Site 762, B:728
Ericsonia subpertusa, Site 762, B:631
Eucyrtis sp., B:564, 568
Eucytherura pyramidatus, B:829, 834
exiguum, *Corollithion*, Site 762, B:553
exilis, *Discoaster*, Site 762, B:628
eximius, *Eiffellithus*
 micrographs, B:553
 stratigraphy, B:260, 535, 540–541, 543
 taxonomy, B:547
exmouthensis, *Paramunseyella* n. sp., B:819, 825, 827, 832
expansus, *Chiasmolithus*, Site 762, B:628
- falklandensis*, *Robsoniella*, B:631, 826
falklandensis, *Sollasites*, Site 763, B:549
falsofriedlii, *Gandinella*, B:432, 435
Falsotruncana maslakovae, A:184; B:591–592, 598
Falsotruncana maslakovae Zone, B:588–589
Fasciculithus involutus, Site 762, B:629
Fasciculithus pileatus, Site 762, B:630
Fasciculithus tympaniformis, Site 762, B:631
Ferresium, Site 764, B:643
Ferresium sp., Site 764, A:368
Fissobractites subsymmetrica n. gen. n. sp., B:468, 472
fistulosus, *Globigerinoides*, Site 761, B:666, 669
Flabellites oblongus, Site 763, B:551
floralis, *Eprolithus*, B:541, 555
floralis, *Hayococcus*, Site 759, A:94
floridanus, *Cyclicargolithus*, Site 762, B:728
formosa, *Ericsonia*, Site 762, B:728
formosus, *Discoaster*, Site 759, A:94
fossus, *Neocrepidolithus*, Site 761, B:749
frequens, *Nephrolithus*
 micrographs, B:551
 stratigraphy, B:539, 541, 543
 taxonomy, B:547
frequens frequens, *Nephrolithus*, Site 761, B:750
frequens miniporus, *Nephrolithus*, Site 761, B:750
friedli, *Aulotortus*, B:432–433, 435
friedli, *Glomospirella*, A:368, B:466, 471
Fronicularia hastata, Site 763, B:568
Fronicularia rhaetica n. sp., B:467, 472
Fronicularia sp., Site 763, B:568
furcatolithoides, *Sphenolithus*, Site 762, B:628
furcatus, *Marthasterites*, B:547
Futyania petalosa, Site 761, B:743
- Galeanella laticarinata*, B:429–430, 436
Galeanella spp., Site 764, B:428
galli, *Judahella*, Site 764, B:462
gammation, *Broinsonia*, Site 763, B:549
gammation, *Toweius*, Site 762, B:628
Gandinella falsofriedlii, B:432, 435
Gandinella sp., B:428, 432, 435
garrisonii, *Chiastrygus*, Site 762, B:553
Gartnerago nanum, Site 763, B:549
Gartnerago obliquum, B:548–549
gartneri, *Quadrum*, Site 761, B:555
gaultina, *Glomospira*, Site 763, B:567
geniculata, *Apateloschizocythere*, B:820, 826, 831
geometrica, *Thoracosphaera*, B:440, 450–451
Gephyrocapsa caribbeanica, Site 762, B:627
Gephyrocapsa oceanica, Site 762, B:629
germanicus, *Corannulus*, Site 762, B:628
Gervillia-type pelecypods, Site 759, A:87
gibba, *Praeglobotruncana*, Site 763, B:599
gigas, *Chiasmolithus*, Site 762, B:629
Globigerina ciperoensis Zone, Site 761, B:666
Globigerinatella insueta Zone, B:665–666
Globigerinelloides blowi Zone, Site 762, A:243
Globigerinoides conglobatus, Site 762, B:666
Globigerinoides fistulosus, Site 761, B:666, 669
Globigerinoides sicanus–*Praeorbulina* lineage, Site 761, A:184
Globigerinoides sp., Site 759, A:95–96
Globoquadrina dehiscens, Sites 761 and 762, B:669
Globorotalia archeomenardii, Site 761, B:666
Globorotalia birnageae, Site 761, B:665–666, 673
Globorotalia conoidea, Site 762, B:669
Globorotalia conoidea group, Site 762, B:666
Globorotalia continuosa, Site 762, B:671
Globorotalia fohsi evolutionary lineage, Site 762, A:244; B:665
Globorotalia inflata, A:314; B:670
- Globorotalia kugleri*, Site 761, B:666
Globorotalia kugleri Zone, Site 761, B:666
Globorotalia menardii lineage, B:665–666
Globorotalia menardii Zone, Site 762, B:565–666
Globorotalia nympa, Site 762, B:671
Globorotalia partimlabiata, B:665, 669, 674–675
Globorotalia partimlabiata Zone, Site 762, B:665
Globorotalia peripheroronda, B:665–666, 673
Globorotalia truncatulinoides, Site 761, B:669
Globotruncana arca, B:591, 595–596
Globotruncana arca Zone, B:589
Globotruncana bulloides, Site 763, B:597
Globotruncana elevata, B:591, 820
Globotruncana linneiana, Site 761, B:595
Globotruncana linneiana obliqua, Site 763, A:314
Globotruncana ventricosa
 micrographs, B:597
 stratigraphy, A:184, 314–315; B:820
 taxonomy, B:591
Globotruncanella havanensis, Site 762, B:596
Globotruncanella pshadae, Site 761, B:595
Globotruncanella elevata, A:184, 243, 314; B:591
Globotruncanella stuartiformis, Site 763, B:597
Glomospira gaultina, Site 763, B:567
Glomospira sp., Site 763, B:567
Glomospirella friedli, A:368; B:466, 471
Glomospirella sp., Site 761, A:184
goruna, *Stylosphaera*, Site 761, B:634, 648
gothicum, *Quadrum*, B:260, 555, 547
grandis, *Chiasmolithus*, Site 762, B:629
grandis, *Prediscosphaera*, B:547, 551, 751
granulosa granulosa, *Umbria*, Site 763, B:825
grillii, *Lithastrinus*, B:541, 555
Gublerina cuvillieri, B:591, 595
Gublerina sp., Site 761, A:184; B:820
Gublerina spp., Site 762, B:821
gustafsonii, *Orthopithonella*, B:499, 503
Gyroidinoides crassa, Site 763, A:315
- hagni*, *Dicarinella*, Site 763, B:599
hamatus, *Discoaster*, A:134; B:629
hantkeni, *Triasina*
 biogeography, Tethyan, B:430
 environment, A:207, 209
 stratigraphy, A:184, 368; B:159, 428–430, 432
Haplophragmium inconstans, Site 763, B:567
Haplophragmoides cushmani, B:562–563, 567
Haplophragmoides infracallovienensis, B:563, 567
Hasibuana asiatica n. gen. n. sp., B:468, 474
hastata, *Fronicularia*, Site 763, B:568
hauptonensis, *Percivalia*, B:547, 554
havanensis, *Globotruncanella*, Site 762, B:596
Hayater perplexus, Site 762, B:630
Hayesites albiensis, Site 763, B:555
Hayococcus floralis, Site 759, A:94
Hedbergella planispira, B:592
Hedbergella planispira Zone, Site 763, B:589
Hedbergella spp., Site 762, A:243
Heibergella balmei, Site 759, B:414
Heibergella balmei Zone, Site 759, B:414, 488
heimii, *Thoracosphaera*, Site 761, B:498, 569, 575
Helicosphaera ampliapertura, Site 759, A:94
Helicosphaera compacta, Site 762, B:628
Helicosphaera reticulata, Site 762, B:630
Heliolithus kleinpelli, Site 762, B:629
Heliostylus sp., Site 761, B:637, 651
Heliostylus spp., B:644–645
helvetica, *Helvetoglobotruncana*, Site 763, B:598
Helvetoglobotruncana, B:592
Helvetoglobotruncana helvetica, Site 763, B:598
Helvetoglobotruncana helvetica Zone, Site 762, A:243, 314
Henryhowella reticulata, Site 762, B:838

- Herendeenia postprojecta*, Site 763, B:522
Heterohelix rajagopalani, B:595–596
Heterohelix rajagopalani Zone, B:589
heteromorphus, *Sphenolithus*, A:94, 134; B:629
hettangica, *Ptychobairdia*, B:469, 474
hexagona, *Eocaudina* n. sp., B:468, 472
Hiatobairdia subsymmetrica subsymmetrica,
 B:455, 458
Holocryptocanium sp., Site 761, B:641
Homeoparonaella, Site 760, B:635
Hormosina sp., Site 763, B:567
Hornibrookina, Site 761, B:743
humerosa, *Neogloboquadrina*, B:666, 669
humilis, *Pseudonodosaria*, B:563, 568
huxleyi, *Emiliana*, Site 762, B:629
Hyperammia sp., B:562, 567
Hystrichodinium Group, B:524–525
Hystricythere sp., B:829, 834

imbricata, *Dicarinella*, A:184; B:598–599
inconstans, *Haplophragmium*, Site 763, B:567
inflata, *Globorotalia*, A:314; B:670
inflata, *Rhabdosphaera*, Site 762, B:629
inflata, *Tetrataxis*, Site 764, B:436
infracallovienensis, *Haplophragmoides*, B:563, 567
Inoceramus fragments, Site 762, A:232, 234
inversus, *Markalius*, Site 761, B:549, 740, 749
inversus, *Triquetrorhabdulus*, Site 762, B:629
Involutina liassica, A:138; B:471, 491
Involutina sinuosa, Site 764, A:368
Involutina turgida, A:138; B:471
involutus, *Fasciculithus*, Site 762, B:629
irregularis, *Planiinvoluta*, Site 764, B:435
irregularis, *Rucinolithus*, B:535
Isthmolithus recurvus, Site 762, B:630

johnsoni, *Bradleya*, Site 762, B:838
joidesa, *Peritrachelina*, Site 762, B:629
jonesi, *Cytherella*, B:826, 831
jonkeri, *Belemnopsis*, Site 761, B:220
Judahella andrusovi, Site 761, B:462
Judahella galli, Site 764, B:462
Judahella n. sp., B:462

Kamptnerius magnificus, Site 763, B:549
Kapyptea wisemaniae Subzone, B:77
Karsteneis aspericava, B:825, 828, 833
kennedyi, *Corollithion*, B:535, 553
Kerocythere norica, Site 761, B:462
Kerocythere sp., Site 761, B:462
kleinPELLI, *Helolithus*, Site 762, B:629
koessenensis, *Archaeozygodiscus*, B:440, 451
Kozurium zingulai Zone, Site 761, A:185
Kriithe sp., B:828
Kriithe spp., Site 762, B:833, 835
kuepperi, *Discoasteroides*, Site 762, B:629
kugleri, *Globorotalia*, Site 761, B:666
kummi, *Protomarssonella*, B:563, 567

lacunosa, *Pseudoemiliana*, Site 762, B:629
laevis, *Trocholina*, B:471
Lagena neocomiana, B:563, 568
Lagena sp., B:563, 568
Lanterniithus minutus, Site 762, B:629
laticarinata, *Galeanella*, B:429–430, 436
Lenticulina muensteri, B:559, 563, 568
levis, *Reinhardtites*, B:547–548
liassica, *Involutina*, A:138; B:471, 491
Liesbergia sp., B:525, 527
Lingulina sp., B:564, 568
Lingulina tenera, Site 760, A:138
linneiana, *Globotruncana*, Site 761, B:595
linneiana obliqua, *Globotruncana*, Site 763,
 A:314

Lithastrinus grillii, B:541, 555
Lithochytris sp., B:645, 650
Lithomespilus mendosa, Site 761, B:649
Lithomitra docilis, B:645, 648
Lithraphidites praequadratus
 micrographs, B:552, 556
 stratigraphy, B:530, 541
 taxonomy, B:548
Lithraphidites quadratus
 micrographs, B:552, 556, 750
 stratigraphy, B:260, 543
litterarius, *Chiastozygus*, B:535
lobispinosum, *Dissimulidinium*, A:316; B:512–
 513, 522
lodoensis, *Discoaster*, Site 762, B:629
longiforma, *Triebelina*, Site 760, B:459
longistylus, *Rhabdosphaera*, Site 762, B:629
Lophodolithus nascens, Site 762, B:629
loriei, *Cretarhabdus*, Site 763, B:551
Lucianorhabdus cayeuxii
 environment, A:242
 micrographs, A:556
 stratigraphy, A:182; B:537–538
 taxonomy, B:546
Lucianorhabdus cayeuxii Zone, B:533
Lucianorhabdus maleformis, Site 762, B:556
Lucianorhabdus maleformis Zone, B:534
Lychnocanoma sp., B:645, 649–650

macellus, *Ellipsolithus*, B:608
maculata, *Meiourogonyaulax*, B:525, 527
madagaskarensis, *Corollithion*, Site 761, B:553,
 750
magnifica, *Mita*, Site 761, B:640
magnificus, *Kamptnerius*, Site 763, B:549
magnus, *Octocyclus*, Site 763, B:551–552
Majungaella, *nematis*, B:825, 827, 832
Majungaella sp., B:827, 832
maleformis, *Lucianorhabdus*, Site 762, B:556
mammilata, *Nodobairdia*, 455, 459
Mandawacythere sp., B:828–829, 834
Margarosmia charlyana, Site 764, B:195
Marginotruncana, B:592
Marginotruncana assemblage, Site 763, A:314
Marginotruncana marianosi, Site 763, B:598
Marginotruncana pseudolinneiana, A:184; B:597
Marginotruncana sigali Zone, A:243, 314
Marginotruncana spp., B:591
Marginotruncana spp. Zone, Site 762, B:589
Marginulinopsis robusta, Site 763, B:568
marianosi, *Marginotruncana*, Site 763, B:598
Markalius apertus, Site 761, B:749
Markalius astroporus, Site 761, A:182
Markalius inversus, Site 761, B:549, 740, 749
Marthasterites furcatus, B:547
Marthasterites furcatus Zone, B:533–534
martini, *Ogmoconcha*, B:455, 461
martini, *Ogmoconchella*, B:469, 474
maskakovae, *Falsotruncana*, A:184; B:591–592,
 598
matalosa, *Vagalapilla*, B:537, 553
mayaroensis, *Abathomphalus*, B:590, 825
mayeri, *Paragloborotalia*, B:649, 665, 669, 671
Megalodon
 environment, A:179, 207
 photomicrographs, A:173, 207; B:842, 843,
 849
Meiourogonyaulax maculata, B:525, 527
Meiourogonyaulax sp., B:525, 528
mendosa, *Lithomespilus*, Site 761, B:649
Micrantholithus brevis, Site 763, B:540, 556
Micrantholithus pinguis, Site 763, B:655
micropodum, *Batioladinium*, Site 762, B:527
Microrhabdulus decoratus, Site 762, B:556

Microrhabdulus decoratus Zone, B:534
Microstaurus chiastius, B:535, 540
Micula concava, B:546
Micula decussata, Site 761, B:750
Micula murus, B:548, 555, 750
Micula murus Total Range Zone, Site 761, A:181
Micula prinsii, B:745
Micula sp., A:242; B:751
Micula staurophora, Site 762, B:537, 555
Micula staurophora Zone, B:533
milowii, *Triquetrorhabdulus*, Site 762, B:629
minima, *Spirillina*, B:559, 564, 568
minus, *Tranolithus*, Site 761, B:751
minor, *Amphisphaera*, Site 761, B:650
Minutosaccus crenulatus Zone, A:96, 138; B:414
 415, 488, 491
minutus, *Crucirhabdus*, B:440, 451
minutus, *Lanterniithus*, Site 762, B:629
Mita magnifica, Site 761, B:640
mkuzensis, *Pirileberis*, B:828, 833
Mockella muelleri, B:462
mohleri, *Discoaster*, Site 762, B:629
Monoceratina seebergensis, B:474
moratus, *Eprolithus*, B:541, 555
moriformis, *Sphenolithus*, Site 762, B:629
mosellanum perforatum, *Plaesiodyctyon*, B:426
mosellanum sinusum, *Plaesiodyctyon*, B:426
mosstleri, *Noricythere* n. sp., Site 761, B:462
Mostlerella n. sp., B:462, 468, 474
Muderongia australis-Operculodinium opercu-
lata Zone, Site 763, B:512
Muderongia australis Zone, A:245; B:511, 513,
 522
Muderongia testudinaria Zone, A:316; B:511,
 513, 522
muelleri, *Mockella*, B:462
muensteri, *Lenticulina*, B:559, 563, 568
multiradiatus, *Discoaster*, Site 762, B:629
multistrata, *Obliquipithonella*, B:500–501, 508–
 509, 581
murus, *Micula*, B:548, 555, 750

Nannoconus steinmannii steinmannii Zone, Site
 762, A:241
Nannotetrina fulgens, Site 762, B:728
nanum, *Gartnerago*, Site 763, B:549
nascens, *Lophodolithus*, Site 762, B:629
nebulosus, *Rhagodiscus*, Site 761, A:182
nematis, *Majungaella*, B:825, 827, 832
Neochiastozygus sp., Site 761, B:748
neocomiana, *Lagena*, B:563, 568
neocomiensis, *Verneuilinoides*, B:563, 567
neocrassus, *Neocrepidolithus*, Site 761, B:749
Neocrepidolithus, Site 761, B:740
Neocrepidolithus fossus, Site 761, B:749
Neocrepidolithus neocrassus, Site 761, B:749
Neocrepidolithus watkinsii, B:548
Neogloboquadrina acostaensis, B:670–671, 674–
 675
Neogloboquadrina acostaensis Zone, Site 761,
 B:666, 669
Neogloboquadrina atlantica, evolution, B:671
Neogloboquadrina humerosa, B:666, 669
Neogloboquadrina humerosa Zone, Site 762,
 B:666
neohamatus, *Discoaster*, Site 762, B:629
Nephrolithus corystus, B:547, 551
Nephrolithus frequens
 micrographs, B:551
 stratigraphy, B:539, 541, 543
 taxonomy, B:547
Nephrolithus frequens frequens, Site 761, B:750
Nephrolithus frequens minorporus, Site 761, B:750
Nephrolithus frequens Zone, B:532

- nitescens*, *Coronocyclus*, Site 762, B:629
nitidus, *Stylotrachus*, Site 761, B:650
nodifer, *Discoaster*, Site 762, B:629
Nodobairdia mammilata, B:455, 459
nodosa, *Bythocypris*, B:825–826, 831
Nodosaria sceptrum, Site 763, B:568
norica, *Kerocythere*, Site 761, B:462
Noricysta sp., B:423, 425
Noricysthere mosstleri n. sp., Site 761, B:462
nuttalli, *Pseudotextularia*, Site 762, B:596
nympha, *Globorotalia*, Site 762, B:671
- oamaruensis*, *Chiasmolithus*, Site 762, B:629
oberhauseri, *Triasina*, A:368; B:429–430, 432, 435
Obesacapsula somphedia Zone, A:185, 316; B:642
Obesacapsula sp., Site 761, B:641
Obliquipithonella edgarii, B:501, 509
Obliquipithonella multistrata, B:500–501, 508–509, 581
Obliquipithonella quiltyi, B:501, 509
Obliquipithonella thayeri, B:501, 509
obliquum, *Gartnerago*, B:548–549
oblongus, *Flabellites*, Site 763, B:551
oceanica, *Gephyrocapsa*, Site 762, B:629
Octocyclus magnus, Site 763, B:551–552
occtoradiata, *Vagalapilla*, Site 762, B:553
Ocotriangulella septemtriangula, B:467, 471
Odontochitina operculata Zone, A:245, 316; B:512
Ogmoconcha blakei, Site 760, B:461
Ogmoconcha bristolensis, B:455, 461
Ogmoconcha martini, B:455, 461
Ogmoconcha owhorpenis, B:455
Ogmoconcha reticulata, Site 760, B:461
Ogmoconcha sp., Site 760, B:461
Ogmoconchella aspinata, B:469, 474
Ogmoconchella martini, B:469, 474
Ogmoconchella spp., B:465
Oligocythereis sp., B:828, 833
Oligosphaeridium sp., B:525, 527
Ophiacantha binitorulosa, B:468, 473
Ophiacantha subtilirugosa, B:468, 473
Ophioderma waliabadensis, B:468, 472
Ophioflabellum cristatum, B:468, 472
Ophthalmidium sp., B:434, 471
Ophthalmidium spp., Site 764, B:436
Orbulina suturalis, Site 761, A:183–184
orientalis, *Actinocythereis* n.s. sp., Site 762, B:835, 838
orientalis orientalis, *Actinocythereis*, Site 762, B:835, 838
orionatus, *Tranolithus*, Site 763, B:554
orthocancellata, *Broinsonia*, Site 763, B:538
Orthopithonella congruens, B:499, 503
Orthopithonella deflandrei
micrographs, B:504–505, 509, 581–582
taxonomy, B:499
Orthopithonella gustafsonii, B:499, B:503
Orthopithonella tessera, B:499–500
orthostylus, *Tribrachiatus*, Site 762, B:630
Osangularia utaturensis, A:243, 315
ossa, *Bradleya*, Site 762, B:835, 838
ovalis, *Pithonella*, B:501, 505
ovata, *Watznaueria*, Site 761, B:575, 583
owthorpenis, *Ogmoconcha*, B:455
- pachystylus*, *Spongattractus*, Site 760, A:138; B:635
paraclathrata, *Retiophyllia*, Site 764, B:195
Paragloborotalia mayeri, B:665, 669, 671
Paramunseyella exmouthensis n. sp., B:819, 825, 827, 832
parca, *Broinsonia*, A:310; B:535, 541–543
parca constricta, *Broinsonia*, Site 761, B:549
parca parca, *Broinsonia*, B:548–549
parcum, *Clathrocycloma*, Site 761, B:651
Parhabdolithus angustus, B:546, 553
Parhabdolithus asper, B:553–554, 575
Parhabdolithus embergeri, B:554, 575, 583
Parhabdolithus regularis, B:541–542, 553
Parhabdolithus splendens, Site 763, B:553
partimlabiata, *Globorotalia*, B:665, 669, 674–675
parvum, *Ascodinium*, Site 763, B:512
pelagicus, *Coccolithus*, B:601, 630
penarthensis, *Rhombocythere*, Site 760, B:455, 461
Pennyella sp., B:829, 834
pentadica, *Buryella*, Site 761, B:649
pentaradiatus, *Discoaster*, Site 762, B:630
Percivalia huxtonensis, B:547, 554
Periphaena decora, Site 761, B:651
Periphaena decora, B:645
peripheroronda, *Globorotalia*, B:665, 666, 673
Peritiviator sp.–*Diplophlegma sophum* Subzone, B:634
Peritrichelina joidesa, Site 762, B:629
perlongus, *Rhabdosphaera*, Site 762, B:630
permodiscoides, *Auloconus*, Site 764, B:429, 435
perplexus, *Hayaster*, Site 762, B:630
pertusus, *Toweius*, Site 762, B:630
petalosa, *Futyania*, Site 761, B:743
Petasisforma foremanae Zone, Site 761, A:185; B:643
Petrarhabdus copulatus, B:541, 546, 550
Phaseliforma, Site 762, B:642
Phaseliforma spp., Site 761, A:185; B:637–638
Phormocyrtis striata exquisita, Site 761, B:650
Phormocyrtis striata striata, Site 761, B:637, 649
phyzella, *Theocorys*, B:637, 646, 649
pileatus, *Fasciculithus*, Site 762, B:630
pinguis, *Micrantholithus*, Site 763, B:655
Pirileberis mkuzensis, B:828, 833
Pithonella ovalis, B:501, 505
Pithonella ssp., Site 761, B:498
Plaesiodyctyon mosellanum perforatum, B:426
Plaesiodyctyon mosellanum sinusum, B:426
Planiinvoluta carinata, Site 764, B:436
Planiinvoluta irregularis, Site 764, B:435
planispira, *Hedbergella*, B:592
Planolites, B:477, 479
Planomalina buxtoffi
stratigraphy, A:243, 315; B:821, 823
taxonomy, B:591–592
Planomalina buxtoffi Zone, B:589, 592
Planorotalites chapmani-type, A:244
Planorotalites pseudomenardii Zone, Site 762, A:244
platyacantha, *Dorcadospyrus*, B:644, 649
Podocyrtis ampla Zone, Site 761, A:185; B:635
Podocyrtis trachoides, Site 760, A:138; B:635
Pontosphaera sp., B:608
Poseidonamicus sp., Site 762, B:838
postprojecta, *Herendeenia*, Site 763, B:522
Praecystammia sp., B:563, 567
Praeglobotruncana gibba, Site 763, B:599
Praeorbulina glomerata Zone, B:665, 666
praequadratus, *Lithraphidites*
micrographs, B:552, 556
stratigraphy, B:530, 541
taxonomy, B:548
Prediscosphaera arhangelskyi, B:546, 551
Prediscosphaera columnata, B:546
Prediscosphaera cretacea, B:551, 552
Prediscosphaera cretacea Zone, B:535
Prediscosphaera grandis, B:547, 551, 751
Prediscosphaera spinosa, B:551–552
Prediscosphaera stoveri, B:740, 751
predistentus, *Sphenolithus*, Site 762, B:630
primitiva, *Cribrosphaerella*, Site 763, B:538, 551
primulus, *Crucirhabdus*, B:440, 442, 451
primus, *Amaurolithus*, Site 762, B:630
primus, *Cruciplacolithus*, B:608, 630, 743, 748
prinsii, *Micula*, absence of, B:745
Prinsiosphaera triassica, A:94; B:439–440, 442, 448–450
Prinsiosphaera Zone, B:442
Prinsium dimorphosus, Site 761, B:743, 748
Prinsius spp., B:601, 743
Prinsosphaera, Site 761, A:182
procera, *Rhabdosphaera*, B:603, 630
Procytherura sp., B:829, 834
prolata, *Thoracosphaera*, Site 762, B:630
Protomarsionella kummi, B:563, 567
Pseudoceratium iehiense Zone, B:47
Pseudocrucella, Site 760, B:635
Pseudodictyomitra, Site 762, B:642
Pseudodictyomitra pseudomacrocephala, Site 761, B:651
Pseudoemiliana lacunosa, Site 762, B:629
Pseudoemiliana lacunosa Zone, Site 759, A:94
pseudolinneiana, *Marginotruncana*, A:184; B:597
pseudomacrocephala, *Pseudodictyomitra*, Site 761, B:651
Pseudonodosaria humilis, B:563, 568
Pseudotextularia nuttalli, Site 762, B:596
pseudumbilica, *Reticulofenestra*, Site 762, B:630
pschadae, *Globotruncanella*, Site 761, B:595
Pterocodon ampla, B:637, 645, 649
Pterocodon sp.–*Stylotrachus nitidus* Subzone, B:634
ptomatas, *Thecosphaerella*, Site 761, B:650
Ptychobairdia hettangica, B:469, 474
pulchroides, *Transversopontis*, Site 762, B:630
pyramidatus, *Eucytherura*, B:829, 834
- quadratus*, *Lithraphidites*
micrographs, B:543, 552, 556, 750
stratigraphy, B:260, 543
quadratus, *Spongurus*, Site 761, B:650
Quadrum gartneri, Site 761, B:555
Quadrum gothicum, B:260, 547, 555
Quadrum trifidum, B:541, 548, 555
quiltyi, *Obliquipithonella*, B:501, 509
quinqueramus, *Discoaster*, Site 762, B:630
- radians*, *Sphenolithus*, Site 762, B:630
rajagopalani, *Heterohelix*, B:595–596
ramosa, *Spongionomorpha*, Site 764, B:193
rectus, *Diadorhombus*, Site 762, A:241; B:539
recurvus, *Isthmolithus*, Site 762, B:630
regulare, *Entapium*, Site 761, B:650
regularis, *Parhabdolithus*, B:541–542, 553
reinhardtii, *Cyclagelosphaera*, Site 761, B:740, 749
Reinhardtites anthophorus, B:546, 553–554
Reinhardtites anthophorus Zone, B:533
Reinhardtites levis, B:547
Reinhardtites levis Zone, B:532
reophacoides, *Ammobaculites*, B:559, 562, 567
reticulata, *Helicosphaera*, Site 762, B:630
reticulata, *Henryhowella*, Site 762, B:838
reticulata, *Ogmoconcha*, Site 760, B:461
reticulata, *Reticulofenestra*, Site 762, B:630
reticulatum, *Batioladinium*, B:512–513, 522
Reticulofenestra dictyoda, Site 762, B:628
Reticulofenestra haqii/R. minuta/R. minutula, B:608
Reticulofenestra pseudumbilica, Site 762, B:630
Reticulofenestra reticulata, Site 762, B:630
Reticulofenestra umbilica, Site 762, B:631
Retiophyllia, Site 764, B:149

- Retiophyllia paraclathrata*, Site 764, B:195
Reubenella n. sp., Site 760, B:460
Rhabdosphaera claviger, Site 762, B:627
Rhabdosphaera inflata, Site 762, B:629
Rhabdosphaera longistylus, Site 762, B:629
Rhabdosphaera perlongus, Site 762, B:630
Rhabdosphaera procera, B:603, 630
rhaetica, *Berthelinella* n. sp., B:467-468, 472
rhaetica, *Froncilina* n. sp., B:467, 472
rhaetica, *Rhaetogonyaulax*, B:415, 419, 421
Rhaetogonyaulax rhaetica, B:415, 419, 421
Rhaetogonyaulax rhaetica Zone, Site 761, A:185; B:415
Rhaetogonyaulax sp., B:423, 425
Rhagodiscus nebulosus, Site 761, A:182
Rhombocythere penarthensis, Site 760, B:455, 461
Robsoniella falklandensis, B:826, 631
robusta, *Marginulinopsis*, Site 763, B:568
rosa, *Braarudosphaera*, B:655
Rosita contusa Zone, A:184, 243; B:820
Rotaforma hessi Zone, Site 761, A:185; B:543
Rotalipora cushmani Zone, A:243, 315
Rotalipora sp., B:592
Rotalipora spp., B:589, 591
Rotalipora spp. Zone, B:589
Rucinolithus irregularis, B:535
Rugoglobigerina, Site 763, A:315
Rugoglobigerina rugosa, B:591, 595-596
rugosa, *Rugoglobigerina*, B:591, 595-596
rugosus, *Ceratolithus*, Site 762, B:630
rugosus, *Triquetrorhabdulus*, Site 762, B:630

sachena, *Vagalapilla*, B:546
saipanensis, *Discoaster*, Site 762, B:630
salebrosum, *Crucibiscutum*
 environment, B:575
 micrographs, B:549
 stratigraphy, A:182, 241, 311; B:539
salisburgensis, *Discoaster*, Site 762, B:630
Salzburgia sp., Site 764, B:193
Sarnaropollenites speciosus-Minutosaccus crenulatus Zone, B:414-415
Samaropollenites speciosus Zone, A:138; B:423, 488, 491
Saracenaria sp., Site 763, B:568
Saracenaria valanginiana, B:568
saturalis, *Orbulina*, Site 761, A:183-184
Saturnulus sp., Site 761, B:651
sceptrum, *Nodosaria*, Site 763, B:568
schizobrachiatus, *Cretarhabdus*, Site 761, B:551
seebergensis, *Monoceratina*, B:474
Sentusidinium sp., B:525, 527
septemtriangula, *Octotriangulella*, B:467, 471
serraculoides, *Bramletteius*, Site 762, B:630
Sestrostmella, Site 764, B:193
Shublikodinium-Heibergella group, Site 760, A:139
Shublikodinium wigginsii Zone, B:415, 488, 491
sigmoides, *Zygodiscus*, Site 761, B:740, 749
signata, *Broinsonia*, Site 763, B:549
Simeonella sp., Site 759, B:462
sinosus, *pragsoides*, *Aulotortus*, Site 761, B:433
sinuosa, *Involutina*, Site 764, A:368
Siphocampe arachnea, B:645, 648
solitus, *Chiasmolithus*, Site 762, B:630
Sollasites falklandensis, Site 763, B:549
sparsus, *Biantholithus*, Site 761, A:182; B:743, 745, 748
Sphaeroidinellopsis disjuncta, Site 761, B:666
Sphenolithus abies, Site 762, B:627
Sphenolithus abies/Sphenolithus neoabies, B:603
Sphenolithus belemnos, A:134; B:627
Sphenolithus belemnos Zone, A:180, 310

Sphenolithus ciperensis, Site 762, B:627
Sphenolithus dissimilis, Site 762, B:628
Sphenolithus distentus Zone, Site 762, A:240
Sphenolithus furcatolithoides, Site 762, B:628
Sphenolithus heteromorphus, A:94, 134; B:629
Sphenolithus moriformis, Site 762, B:629
Sphenolithus predistentus, Site 762, B:630
Sphenolithus radians, Site 762, B:630
spicularius, *Xitus*, Site 761, B:641
spinosa, *Prediscosphaera*, B:551-552
spinosus, *Blackites*, Site 762, B:631
spiralis, *Zygodiscus*, Site 761, B:553, 751
Spirillina minima, B:559, 564, 568
Spiroplectamina sp., Site 763, B:567
splendens, *Parhabdolithus*, Site 763, B:553
splendiaratum, *Amphymenium*, B:543, 649
Spongatractus pachystylus, Site 760, A:138; B:635
Spongimorpha ramosa, Site 764, B:193
Spongodiscus sp., Site 761, B:651
Spongurus quadratus, Site 761, B:650
Spongurus spp., B:645-646
stanleyensis, *Collisaboris*, B:827, 832
staurophora, *Micula*, Site 762, B:537, 555
stenorheta, *Braarudosphaera*, Site 763, B:556
Stichomitra, B:642
Stichomitra alamedaensis, Site 761, B:649
Stichomitra euganea Zone, Site 761, B:640
stoveri, *Prediscosphaera*, B:740, 751
Stradnerlithus, Site 763, B:540
striata exquisita, *Phormocyrtis*, Site 761, B:650
striata striata, *Phormocyrtis*, Site 761, B:637, 649
strogylae, *Bythocypris*, B:825-826, 831
stuartiformis, *Globotruncanita*, Site 763, B:597
Stylosphaera coronata coronata, Site 761, B:648
Stylosphaera goruna, Site 761, B:634, 648
Stylosphaera sp., B:646, 648
Stylotrochus alveatus, Site 761, B:651
Stylotrochus nitidus, Site 761, B:650
sublodoensis, *Discoaster*, Site 762, B:631
subpertusa, *Ericsonia*, Site 762, B:631
subpertus, *Coccolithus*, Site 761, B:748
subsymmetrica, *Fissobractites* n. gen. n. sp., B:468, 472
subsymmetrica subsymmetrica, *Hiatobairdia*, B:455, 458
subtilirugosa, *Ophiacantha*, B:468, 473
Suessia listeri Zone, Site 760, B:415, 488, 491
Suessia sp., B:423, 425
surculus, *Discoaster*, Site 762, B:631
surirellus, *Cretarhabdus*, Site 763, B:552
Systematophora areolata, Site 763, B:513
Systematophora areolata-Phoberocysta burgeri Zone, Site 763, B:513
Systematophora areolata Zone, B:47
Systematospaera areolata Zone, Site 763, B:807

tamalis, *Discoaster*, Site 762, B:631
tanii, *Discoaster*, Site 762, B:631
Teichichnus, B:477, 484
telesmus, *Ceratolithus*, Site 762, B:631
tenera, *Lingulina*, Site 760, A:138
tenuis, *Aulotortus*, Site 761, B:433
tenuis, *Cruciacolithus*, B:631, 743, 745, 748
tesserula, *Orthopithonella*, B:499-500, 503
Tetrachacysta sp., B:525, 527
tetradica, *Buryella*, B:544, 648
Tetralithus cassianus, Site 759, A:94
Tetralithus nitidus Zone, B:532-533
Tetralithus pyramidus Zone, B:534
Tetralithus sp., Site 760, A:137
Tetralithus trifidus Zone, B:532
Tetrataxis inflata, Site 764, B:436
Tetrataxis sp., Site 761, B:434

Textularia bettenstaedti, B:563, 567
Textularia sp., B:563
Textulariidae, Site 761, B:434
Thalmanninella appenninica Zone, Site 763, A:314
Thalmanninella brotzeni, Site 763, A:314
Thalmanninella brotzeni Zone, Site 762, A:243
Thalmanninella deeckei, Site 762, A:243
Thalmanninella Zone, Site 762, B:821
Thanarla conica, Site 763, B:643
Thanarla sp., A:96; B:642
thayeri, *Obliquipithonella*, B:501, 509
Thecosmilia, Site 764, B:190-191
Thecosphaerella ptomatus, Site 761, B:650
Theocorys physella, B:637, 646, 649
Theocotyle cryptocephala Zone, Site 761, A:185; B:635
Theocyrtis tuberosa, Site 762, B:642
thomasi, *Bradleya*, Site 762, B:835, 838
Thoracosphaera
 environment, B:445
 micrographs, B:749
 stratigraphy, A:182; B:740
 taxonomy, B:440, 445
Thoracosphaera geometrica, B:440, 450-451
Thoracosphaera geometrica Subzone, B:442
Thoracosphaera heimii, Site 761, B:498, 569, 575
Thoracosphaera prolata, Site 762, B:630
Thoracosphaera sp., B:608
Thoracosphaera wombatensis, B:440, 451
Thyrsoyrtis bromia Zone, Site 762, A:244; B:642
Toweius eminens, Site 762, B:628
Toweius gammatum, Site 762, B:628
trabeculatus, *Eiffellithus*, Site 762, B:553
trachoides, *Podocyrtis*, Site 760, A:138; B:635
Trachyleberis, Site 761, B:825
Trachyleberis antepiana, B:828, 833
Tranolithus minimus, Site 761, B:751
Tranolithus orionatus, Site 763, B:554
Tranolithus phacelosus Zone, B:532
Transversopontis pulcheroides, Site 762, B:630
Triasina hantkeni
 biogeography, B:430
 environment, A:207, 209
 micrographs, B:159, 432
 stratigraphy, A:184, 368; B:159, 428-430
Triasina oberhauseri, A:368; B:429-430, 432, 435
Triasina sp., Site 763, A:357
triassica, *Bairdiacypris*, Site 761, B:458
triassica, *Prinsiosphaera*
 micrographs, B:448-450
 stratigraphy, A:94; B:442, 446
 taxonomy, B:439-440
Tribrachiatus bramlettei, Site 762, B:627
Tribrachiatus contortus, Site 762, B:628
Tribrachiatus orthostylus, Site 762, B:630
tricorniculatus, *Amaurolithus*, Site 762, B:631
Triebelina longiforma, Site 760, B:459
Triebelina sp., B:459
trifidum, *Quadrum*, B:541, 548, 555
trinodosa, *Cornutobairdia*, Site 761, B:458
Triquetrorhabdulus carinatus, Site 762, B:627
Triquetrorhabdulus challengerii, Site 763, B:627
Triquetrorhabdulus inversus, Site 762, B:629
Triquetrorhabdulus milowii, Site 762, B:629
Triquetrorhabdulus rugosus, Site 762, B:630
Trochammina sp., B:563, 567
Trochamminidae, Site 761, B:434
Trocholina crassa, B:466, 471
Trocholina laevis, B:471
Trocholina sp., Site 764, A:369; B:436
Trocholina turris, B:471
Trocholina umbo, B:466

- truncatulinoidea*, *Globorotalia*, Site 761, B:669
tuberosa, *Theocyrtis*, Site 762, B:642
Tubodiscus veranae, B:539-540
Tubodiscus veranae Zone, Site 762, A:241
tumida, *Arculicythere*, B:822, 827, 833
tumidus, *Aulotortus*, Site 761, B:433
turbiformis, *Bitorus* n. gen. n. sp., B:500, 506-507
Turborotalia cerroazulensis group, Site 763, A:312
turgida, *Involutina*, A:138; B:471
turris, *Trocholina*, B:471
turriseiffelii, *Eiffellithus*, Site 761, B:553
tympaniformis, *Fasciculithus*, Site 762, B:631
- umbilica*, *Reticulofenestra*, Site 762, B:631
umbo, *Trocholina*, B:466
Umbria granulosa granulosa, Site 763, B:825
unicostata, *Cytherelloidea*, B:455, 460, 469, 474
utaturensis, *Osangularia*, A:243, 315
- Vagalapilla aachena*, B:553, 751
Vagalapilla matalosa, B:537, 553
Vagalapilla octoradiata, Site 762, B:553
Vagalapilla sachena, B:546
Vaginulina sp., Site 763, B:568
valanginiana, *Saracenaria*, B:568
valendisensis, *Conorboidea*, Site 763, B:568
variabilis, *Discoaster*, B:602-603, 631
Variostoma coniforme, B:466, 471
Velicucilius sp., Site 761, B:651
ventricosa, *Globotruncana*
 micrographs, B:597
 stratigraphy, A:184, 314-315; B:820
 taxonomy, B:591
veranae, *Tubodiscus*, B:539-540
Verneulinoides neocomiensis, B:563, 567
vigens, *Enzonalaspores*, Site 760, B:415
- waliabadensis*, *Ophioderma*, B:468, 472
watkinsii, *Neocrepidolithus*, B:548
Watznaueria barnesae, B:537, 572, 575
Watznaueria ovata, Site 761, B:575, 583
Whiteinella archaeocretacea, B:821, 591, 599
Whiteinella archaeocretacea Zone
 stratigraphy, A:243, 314; B:540, 589, 592
 taxonomy, B:591
wombatensis, *Thoracosphaera*, B:440, 451
woodringi, *Bathropyramis*, B:644, 651
- Xiphospira circularis*, Site 761, B:651
Xitus spicularius, Site 761, B:641
- Zebrashapka* sp., Site 763, B:555
zambachensis, *Eoconusphaera*, B:442, 445, 446
 zones (with letter prefixes)
 CC8, A:182
 CC18, A:367
 CC19, A:367
 CC20, A:367
 CC21, A:367
 CC25, A:367
 CC26, A:240; B:745
 CPI, B:745
- N4, A:137, 184, 242, 312, 367
 N4A, A:184
 N5, A:137, 184, 242, 312, 367
 N6, A:137, 312
 N7, A:96, 367
 N8, A:137, 184, 242, 312, 367
 N9, A:137, 242, 312, 367
 N10, A:242, 312, 367
 N11, A:137, 242
 N12, A:137, 242
 N13, A:137, 242
 N14, A:183, 242
 N15, A:183, B:671
 N16, A:183, 312
 N17, A:242
 N17A, A:137, 312
 N17B, A:312
 N18, A:312
 N19, A:137
 N21, A:137, 183, 312
 N22, A:95, 137, 183
 N23, A:183
 NK7, B:823
 NK8, B:821
 NK9, B:823
 NK12, B:821
 NK13, B:821
 NK14, B:820-821
 NK15, B:819-821
 NK16, B:819-820
 NK17, B:819-820
 NK18, B:819-820
 NN1, A:134, 180, 310
 NN1/NN2, A:239, 367; B:608
 NN2, A:134, 180, 310
 NN3, A:134, 180, 367
 NN4, A:180
 NN4/NN5, A:239, 367; B:608
 NN5, A:134, 180
 NN6, A:134, 180
 NN6/NN7, A:239; B:608
 NN7, A:134
 NN8, A:134, 180
 NN9, A:134, 180, 239, 310
 NN10, A:134, 308, 310
 NN11, A:134, 180, 239
 NN12, A:239, 310
 NN13, A:239, 308
 NN14, A:239, 308
 NN14/NN15, B:609
 NN15, A:239, 308
 NN16, A:134, 180, 239, 308
 NN17, A:239
 NN17/NN18, B:609
 NN18, A:239, 308
 NN19, A:134, 180, 239, 308, 367
 NN20, A:134, 308
 NN20/NN21, A:367; B:609-610
 NN21, A:134, 308
 NP1, A:181-182, 240
 NP1/NP2 boundary, B:608
 NP2, A:181, 240
 NP2-NP3/NP4 boundary, B:608
- NP3, A:181
 NP3/NP4, A:240
 NP3/NP4-NP4 boundary, Leg 12, B:608
 NP4, A:181
 NP5, A:181, 240
 NP6, A:181, 240
 NP7, A:181
 NP7/NP8, A:240; B:608
 NP8, A:181
 NP9, A:181, 240
 NP10, A:137, 240
 NP11, A:137, 240
 NP12, A:240
 NP14, A:181, 240
 NP15, A:180-181, 240, 310
 NP15/NP16 boundary, B:608
 NP16, A:180, 240, 310
 NP16/NP17 boundary, B:608
 NP17, A:239
 NP18, A:239, 310
 NP19, A:239
 NP19/NP20, A:310, 367; B:608
 NP20, A:136, 239
 NP21, A:239, 310
 NP22, A:239, 310
 NP23, A:134, 239, 310
 NP24, A:134, 310, 367
 NP24/NP25, B:608
 NP24/NP25-NN1/NN2 boundary, B:608
 NP25, A:134, 180, 239, 367
 P1, A:243
 P1C, A:184
 P2, A:243
 P3, A:184, 243
 P4, A:184, 242
 P5, A:242
 P6, A:242
 P7, A:242
 P8, A:242
 P9, A:184, 242
 P10, A:184
 P11, A:184, 242, 312
 P12, A:184, 312
 P14, A:242, 312
 P15, A:242, 312
 P16, A:242
 P17, A:242, 312
 P18, A:138, 242, 312
 P19, A:138, 312
 P20, A:138, 312
 P21, A:138, 184, 242, 312, 367
 P22, A:138, 184, 242, 312, 367
- Zoophycos*, Site 764, B:484
Zygodiscus bramlettei-*Zygodiscus herlynnii* Zone, B:601
Zygodiscus elegans, B:547
Zygodiscus sigmoides, Site 761, B:740, 749
Zygodiscus sp., Site 761, B:751
Zygodiscus spiralis, Site 761, B:553, 751
Zygrhablithus bijugatus, Site 762, B:627