

## INDEX TO VOLUME 123

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 123 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as a further elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes taxonomic entries above the generic level, as well as broad fossil groups such as foraminifers and radiolarians. The notation "ff" following a page listing indicates that reference to a topic continues beyond the last page given but is not sequential. This would be the case where one or more figures or tables follow a principal topic of discussion that makes up a major section. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 765, for example, is given as "Site 765, A:63-267."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names per se. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

- accretionary wedges, sediment subduction, B:167  
acoustic impedance  
  igneous rock, A:330  
  Site 766, A:311  
  vs. porosity, B:463  
Afar hot spot, Red Sea, B:797  
Afar Triangle–Bay of Aden Rift system, volcanism, B:210  
African margin W  
  palygorskite, B:785  
  palynology, B:434  
Agulhas Current, proto-, Falkland Plateau, B:755  
Albian/Aptian boundary, Site 765, A:85  
Albian/Cenomanian boundary  
  Site 765, B:727  
  Site 766, B:733  
Alexander Island, radiolarians, B:744  
alkali, total, vs. silica, B:100  
alkali elements, as crustal recycling tracers, B:184  
alkalinity  
  phosphate content and, A:147  
  Site 765, A:145–146; B:81  
  Site 766, A:303  
alkanes, branched, B:219–221  
*n*-alkanes, B:219  
Alpine-Mediterranean Tethys, carbonate sediment, B:751  
alteration  
  basaltic basement, A:189–190, 192–194  
  igneous rock, A:193, 321–322  
  stages, A:193–194  
  stratigraphy, A:193  
alteration, high-temperature, Site 765, B:197–198  
alteration, low-temperature  
  geochemistry, B:194–196, 793  
  patterns of, B:193–194  
  secondary mineralogy, B:191–193  
  Site 261, B:23  
  two-stage evolutionary model, B:191  
aluminosilicate, derivation, B:67  
aluminum  
  logging data, B:639  
  in palygorskite formation, B:70  
aluminum oxide  
  basement basalts, A:187, 189  
  Cretaceous, B:226  
  logging data, B:183–184, 188, 641  
  Site 766, A:323  
  vs. zirconium, A:195, 203  
ammonium  
  Site 765, A:147; B:80–81  
  Site 766, A:303  
Ammosphaeroidinidae, Site 766, B:273  
andesites, in Sunda ash, B:181  
anelastic strain recovery  
  analytical methods, B:472, 474  
  Blanton model, B:470–471  
  elastic properties affecting, B:477  
  equipment, B:471–473, 489  
  in low-permeability rocks, B:489  
  Poisson's ratio, B:471  
  Site 765, A:206, 209–211  
  Site 766, A:328–331  
  stress indicators, B:470  
  thermal azimuthal anisotropy, B:475–476, 488  
  thermal stabilization of core samples, B:474–475  
  Warpinski and Teufel model, B:471  
Angola Basin, turbidites, B:10  
ankerite, vs. calcian dolomite, B:79  
Antarctic-Australian continent, glaciation, B:316  
apatite  
  Site 765, A:101; B:180  
  in smectite, B:108  
Aptian/Albian boundary  
  Site 765, B:727, 730  
  Site 766, B:733  
  total organic carbon, B:218  
aragonite, A:100; B:78, 82–83, 87  
Argo Abyssal Plain  
  calcareous nannofossils, B:41–42, 369–371  
  depositional history, B:46–48  
  fan construction, A:106  
  fracture zones, B:666–668  
  geological setting, A:4, 65–67; B:151, 660, 662  
  geomagnetic isochrons, B:550  
  heat flow, B:515  
  hemipelagic clay-to-turbidite transition, B:805  
  igneous geochemistry, B:791  
  juvenile–mature ocean transition, B:487  
  magnetic lineations, B:659, 664–668, 792  
  oceanic crust, A:247  
  opening, B:46  
  paleowater depth, B:812  
  radiolarian claystone, B:101  
  seafloor spreading, B:102, 810  
  sediment source, B:168  
  sediment starvation, B:46  
  sedimentation history, A:6; B:48, 128, 788  
  tectonic subsidence, B:685, 687, 697  
  Tethyan sediment sequences correlated, B:47  
  volcanic basement, B:804  
Argo Basin  
  carbonate sedimentation, B:752  
  Cretaceous paleoclimatology, B:753–755  
  Indo-Australian breakup event, B:316  
  Jurassic opening, B:753  
  paleoceanographic events 1–6, B:752–755  
  proto-circumantarctic current, B:315  
  radiolarian-rich sediments, B:752  
  radiolarians, B:315–316  
Argo Ocean, paleogeographic reconstruction, A:3  
argon dating, B:558  
ash layers  
  alteration, A:94, 286  
  bentonites in, A:104  
  clay mineral composition, A:100  
  redeposited, B:104, 805  
  Site 765, A:91, 93  
Ashmore Platform, B:689, 693  
Astrorhizida  
  Australian distribution, B:278, 283  
  Site 766, B:272  
Ataxophragmiidae, absence of, in Australian fauna, B:284  
Atlantic Ocean N  
  benthic foraminifers, B:248–250  
  tectonic subsidence, B:697  
  tectono-stratigraphic evolution, B:672  
Atterberg limits, B:494–495  
augite, basement phenocrysts, A:189  
Austral Realm  
  evidence for, B:747ff  
  nannofossils, calcareous, B:41  
  radiolarians, B:313  
Australia  
  benthic foraminifers, B:283–285  
  palynology, B:423, 433–434  
  Australia NW  
  palynology, B:423  
  rain forest, B:423–425  
  seismicity, B:506  
Australia–Antarctica–India, paleogeography, B:533, 535  
Australian continental margin, rift-to-drift evolution, B:57  
Australian NW margin  
  Barremian–Aptian convergence zone, B:750  
  bathymetry, B:524  
  compressional stress state, B:512–513  
  continent-arc collision, B:693  
  Eurasian Plate conversion, B:683  
  evolution, A:3, 338–339; B:101, 299  
  geography, A:6; B:802, 740  
  magnetic lineations, B:661  
  Mesozoic sedimentation, B:807–812  
  mineralogy, B:788–789  
  Oligocene–Miocene unconformity, A:112  
  paleogeography, B:92, 103  
  progradation, B:159–160  
  seafloor spreading, B:662  
  sedimentation history, B:811–812  
  stratigraphic modeling, B:687–693  
  stratigraphic record, B:682–695  
  tectonic subsidence, B:684–687, 692–695  
  turbidite sequences, B:128  
  upwelling, B:127  
  volcanism, B:789  
Australian Plate. *See also* Indo-Australian Plate  
  Sunda Arc collision, A:3, 112  
Australian Polar Wander Path, A:3; B:552  
autobrecciation, Site 765, A:176  
Bachus-Naur-Form (BNF), B:609  
background pelagic and hemipelagic sedimentation (BPS), Site 765, A:111  
Bagginidae, Site 766, B:279  
barite  
  in bentonitic claystone, B:97–98  
  in radiolarian claystone, B:17–18  
  Site 765, A:101  
  in snarl turbidites, B:121, 125  
  sulfate in precipitation of, B:786  
barium  
  Site 765, A:160; B:177  
  vs. calcium carbonate, A:156–157  
baroid capillary suction test, Site 765, A:217  
Barremian/Aptian boundary  
  floral/faunal changes, B:740  
  juvenile-to-mature ocean transition, B:807  
  magnetic properties, A:138, 140  
  magnetostratigraphy, B:534  
  Ocean Anoxic Event (OAE-1), B:234  
  Site 766, A:288; B:733  
Barremian/Hauterivian boundary, Site 766, A:284  
Barrow-Dampier Sub-basin  
  location, B:689  
  stratigraphic modeling, B:688  
  tectonic subsidence, B:685, 696  
Barrow Group  
  Australian NW margin, B:683–684  
  Carnarvon Basin, B:127  
  Exmouth Plateau, B:127, 578  
basal sediments  
  age, A:269; B:804–805  
  Argo Abyssal Plain, B:3, 43, 46–48  
  mineralogy, B:93  
  Site 765, B:43  
basalt. *See also* basement, basalt

- geochemistry, B:805  
 low-temperature alteration, B:793  
 LREE depletion, B:795  
 magnesium oxide vs. titanium oxide, A:326  
 magnetic properties, A:138  
 mantle melting, B:791, 797  
 petrophysical logging, A:223–224, 248  
 physical properties, B:454  
 Site 766, A:323–324
- basalt, holocrystalline, radiometric age dating, B:558
- basalt, massive, A:176, 178–179  
 alteration, B:193  
 aphyric, A:174–176
- basalt, pillow  
 alteration, B:193  
 aphyric, A:178–179  
 brecciated, A:175, 179, 185  
 magnetic properties, B:551  
 phyrlic-aphyrlic, A:175–176  
 Site 765, A:173–174
- basalt flow  
 Site 765, A: 176, 178  
 Site 766, A:316–317
- basalt hyaloclastite, Site 765, A:94
- basalt intrusion  
 common parental magma, A:323  
 fractionated, A:323  
 geochemistry, A:322–323  
 Site 766, B:793  
 trace elements, A:323–324
- basalt pebbles  
 alteration, A:193  
 in conglomerates, B:203  
 in Cretaceous sediments, B:68  
 geochemistry, A:187, 189, 323; B:204–207  
 occurrence, A:185–186  
 petrography, A:64, 186–187, 192  
 Site 765, A:172  
 source, A:189  
 velocity, A:168
- basalt/sediment contact. *See* sediment/basalt contact
- basalt sill  
 clinopyroxene-olivine-plagioclase phyrlic, A:316  
 physical properties, A:326  
 Site 766, A:316–318; B:203
- basement  
 age, B:731, 739  
 alteration, A:193; B:191, 193–194  
 coring operations, A:74  
 geochemistry, A:194–200  
 geological models, A:272  
 lithologies, B:557, 793  
 lithostratigraphy, A:169, 172–181; B:203–204  
 magnetic vs. biostratigraphic age, B:662  
 minimum age of formation, B:559  
 petrography, A:179–189  
 radiometric age dating, B:191, 557
- basement, acoustic, Site 766, B:791
- basement, basalt  
 alteration, A:189–190, 192–193  
 geochemistry, A:194–201, 203; B:204–206  
 igneous units 1–24, B:201–203  
 magnetic properties, A:200–203ff  
 magnetostigraphy, A:201–202  
 megacrysts and gabbroic fragments, B:201–202, 204  
 mineral chemistry, B:207  
 N-MORB characteristics, B:204–205, 210  
 petrography, A:191–192; B:204  
 physical properties, A:203–206
- seismic reflection profiling, A:228  
 Site 765, A:195–198  
 stress, A:206–214
- basement, oceanic  
 chemical alteration, A:247–248  
 oxidative alteration, B:196–197  
 potassium-argon dating, B:805  
 Site 765, B:791
- basement, volcanic  
 initiation, A:7–8  
 lithologies, A:64; B:792  
 magnetic anomalies, B:804  
 seismic reflection profiling, A:4, 66; B:567, 804  
 Site 765, B:91–92  
 stress, A:50–52
- basement fault blocks, tectonics, A:248, 272
- belemnites  
 biogeography, B:446–448  
 Boreal/Tethyan affinities, B:446, 751  
 homeomorphies, B:446  
 Indian Ocean E, B:443–445  
 Indonesian affinities, B:446–447  
 Mediterranean vs. Indo-Pacific provinces, B:446  
 preservation, B:445–446  
 pseudo-apical channel, B:446  
 in sandy silt/clay, Site 761, B:95  
 Site 765, A:129; B:9  
 Site 766, A:297
- bentonites  
 age, B:95  
 ash turbidite thickness and, B:104  
 background sediment association, B:97–98  
 classification, B:91  
 color and chemical composition, B:94–95  
 definition, B:89  
 geographical and structural setting, B:94–95, 97  
 horizons B1–B6, B:95  
 in inoceramid sediments, B:9  
 mineralogy, B:98, 110, 785  
 in Neocomian claystone, A:104  
 in opal-A and -CT sediments, B:67–68  
 other sites correlated, A:343  
 Site 765, A:246  
 Site 766, A:283; B:806–807  
 smectite, B:98  
 source, B:47  
 tectonic-paleogeographic environments, B:101–102  
 transport distances, B:105  
 volcanic sources, B:102, 104
- beryllium isotopes, Indonesian volcanics, B:186
- bioclastic pebbles, displacement, A:289
- biomarker geochemistry, B:221–223, 232
- biostratigraphy. *See* zonation, probabilistic; *particular microfossil groups*; Taxonomic Index
- biozonation, calculating optimal, B:760, 762
- Blake Bahama Formation, pelagic limestones, B:751
- Blue Mountains, Oregon, *Parvicingula* sp., B:744
- Boliviniidae, Site 766, B:278
- Bonaparte Basin, Miocene uplift, B:693
- borehole televiewer (BHTV)  
 operations, A:74  
 Site 765, A:65, 210, 212–213, 248; B:504, 506  
 stick-slipping, A:213  
 temperature measurements, B:516, 519
- bottom currents  
 Indo-Australian straits, B:315  
 radiolarian assemblage effects, B:312
- Bouma sequences  
 in calcareous sediments, B:20, 28  
 in radiolarian claystones, B:15, 17  
 in turbidites, B:118–119, 125, 157, 601, 603
- Bowes Canyon, sediment dispersal role, B:128
- breccia calcite-cemented, Site 765, A:198
- breccia, pillow, A:174, 179
- breccia, tectonic, A:193
- Brigadier Beds, Australian NW margin, B:683
- Brigadier Trend, tectonic subsidence, B:685, 695
- British Geological Survey, stress measurement equipment, A:50–51
- Broome earthquake  
*P*-axis of focal mechanism, B:506  
 stress regime, B:511–512
- Browse Basin, normal fault reactivation, B:693
- Brunhes Chronozone, Site 765, A:132
- Brunhes/Matuyama boundary, Site 765, A:132; B:723
- Buliminida  
 Australian distribution, B:281, 284  
 Site 766, B:276, 278
- Cajon Pass, California, wellbore breakouts, B:505
- calcareous ooze, transition to chalk, B:784
- calcareous sediment  
 Albian–Miocene, B:18–19  
 Argo Abyssal Plain, B:46  
 Cretaceous–Holocene, B:805  
 depositional environment, B:19, 30–31, 34  
 Miocene–Pliocene, B:19–20, 33–34  
 Quaternary, B:20  
 redeposited, A:76, 80; B:19, 30  
 Site 765, A:90–91; B:45  
 sources, B:30, 788  
 Tithonian–Barremian, B:26–31  
 Valanginian–Barremian, B:15–17  
 velocity, B:590–591  
 vs. noncalcareous, B:751
- calcspheres  
 Argo Abyssal Plain, B:45  
 in inoceramid sediments, B:8–9, 11  
 in marl, B:24, 26  
 in nannofossil claystones, B:24–26  
 needle formation, B:11  
 Site 261, B:53  
 Site 765, A:94, 103, 129; B:53  
 in smarl turbidites, B:114  
 in smectite matrix, B:108  
 in turbidites, B:29
- calcite  
 in alteration veins, A:190, 193  
 burial diagenesis, B:83  
 degree of saturation, B:79, 82  
 in interbasalt limestones, B:23  
 precipitation, B:11  
 recrystallized, B:87  
 Site 765, A:98, 100, 149; B:192–193
- calcite, low-magnesium, Site 765, B:78
- calcite compensation depth (CCD)  
 Berriasian–Valanginian, A:113  
 Cretaceous, B:129  
 cyclic fluctuation, B:30  
 Jurassic, B:43  
 sedimentation rate and, B:810–811  
 Site 765, B:94  
 Tithonian, B:10–11  
 water/sediment interface, A:288
- calcite needles, Site 765, B:53
- calcium  
 dolomite precipitation and, B:82  
 pore-water, B:83  
 Site 765, A:147

- Site 766, A:303  
in smarl turbidites, B:120
- calcium carbonate  
in calcareous sediments, B:27–28  
Cretaceous sediments, B:226  
dilution, B:187  
lithologic distribution, A:305  
logging data, B:646–649, 656  
shear strength and percentage of, B:496  
Site 765, A:80, 102–103, 158–159; B:218  
stratigraphic variability, A:152  
in turbidites, B:493  
vs. magnesium oxide, A:159  
vs. silica, A:158  
vs. strontium, A:158
- calcium oxide  
in basement basalts, A:193, 204  
igneous rock, A:325  
vs. LOI, A:199  
vs. zirconium, A:195
- California continental margin N, palynology, B:421
- California current, high-latitude radiolarian transport, B:315
- Canadian Arctic Islands, continental lithosphere, B:681
- Canning Basin  
shale, B:181  
stress orientation, B:505–506
- canyons, submarine  
Cretaceous incision, B:20  
sediment transport, B:128, 578  
seismic reflection profiling, B:571
- Cape Range Fracture Zone, uplift, B:579
- carbon, inorganic  
Site 765, A:158–159  
Site 766, A:305
- carbon, organic  
accumulation rates, B:227, 231  
alkalinity and, A:303  
manganese content and, A:303  
methanogenic microbial degradation, B:232–233  
Site 765, A:64, 159–160, 162–164  
Site 766, A:308–309  
sulfate reduction and, A:147; B:79
- carbon, total. *See also* total organic carbon (TOC)  
Site 765, A:158–159  
Site 766, A:305
- carbon dioxide, Site 765, A:161
- carbon isotopes, Cretaceous sea level lowstands and, B:754
- carbon monoxide, Site 765, A:161, 164
- carbon/phosphorus ratios, B:232–233, 235
- carbonate  
alkalinity, B:80  
CCD and variation in, B:43, 47  
in Cretaceous sediments, B:15  
cross laminations, A:82  
graded sequence, A:89, 106, 279  
in inoceramid sediments, B:7  
Kimmeridgian–Tithonian deposition, B:751  
lithologic units L1–L3, B:24  
mineralogy, A:76, 149; B:78–79  
predicting petrophysical parameters, B:143–144  
in radiolarian claystones, B:15  
recrystallization, B:23  
recrystallized, B:74  
redeposition, A:40; B:789  
Site 765, A:84; B:47  
in turbidites, A:247; B:82, 114–116, 119–120, 124, 158, 164
- carbonate, authigenic  
in Cretaceous turbidites, B:120, 122, 125  
in radiolarian claystones, B:31–32
- carbonate, clay-rich, Site 765, A:88
- carbonate, diagenetic  
formation, B:786  
mineralogy, B:77  
origin, A:152  
in radiolarian claystones, B:14–15, 17  
rhombohedral crystals, B:78–79
- carbonate, manganese, isotopic composition, B:121
- carbonate, neritic, B:140–142, 144–145  
pore-system characteristics, B:140–142
- carbonate carbon  
Site 765, A:162–164  
Site 766, A:308–309
- carbonate micronodules, radiolarian tests and, B:31
- carbonate platform  
fragmentation, B:681  
Thakkhola, Nepal, vs. NW Australia, B:807, 810
- Caribbean Sea, palynology, B:434
- Carnarvon Basin  
Barrow Delta deposits, B:47  
Birdrong Sandstone, B:95  
*Marssonella* Association, B:283  
strike-slip faulting, B:693
- Carpathians, Polish, benthic foraminifers, B:246, 747
- Carpentaria Basin, *Ammobaculites* Association, B:283
- Casuarinaceae, Site 765, B:422
- celadonite  
oxygen isotopes, B:197  
radiometric age dating, B:558–559, 805  
saponite/iron-oxyhydroxide association, B:197  
Site 765, B:192
- celestite, Site 765, B:83
- Cenomanian/Albian boundary, Site 765, A:84
- Cenomanian/Turonian boundary  
calcareous nannofossils, B:383  
seismic reflection profiling, A:341  
Site 765, B:727  
Site 766, B:733
- Cenomanian/Turonian Boundary Event (CTBE), Site 765, A:107, 111
- cerium, anomalies, B:179, 181
- cesium, Site 765, A:161
- Chagos Bank, intraplate stress, B:681, 686–687
- chalcedony, in radiolarian-rich turbidites, B:125–126, 131
- chalk  
logging data, A:219  
Neocomian deposition, A:104–105  
physical properties, A:307–308
- chalk, calcareous  
biogenic components, B:147  
Site 765, A:80–81  
Site 766, A:283
- chalk, calcisphere-nannofossil, Site 761, B:95, 97, 102
- chalk, clayey, A:80, 83, 85, 107
- chalk, nannofossil  
Albian–Cenomanian, A:288  
magnetic properties, A:297–298  
Site 765, A:80, 83, 85  
Site 766, A:280–281
- Chenopodiaceae, Australian grassland pattern, B:423
- chert, radiolarian, Site 766, B:755
- chert layer, physical properties, A:308, 313
- claystone, greenish gray, magnetic properties
- chloride  
Cretaceous sediments, B:68  
Site 765, A:142–145  
Site 766, A:303
- chlorite, source, A:150–151
- chromium, basement basalts, A:195, 198–199
- chromium/aluminum oxide ratio, Site 765, B:177–178, 182
- Cieszyn Limestones, foraminifers, B:250
- Circumantarctic current, B:315–316, 754–755
- clasts  
Site 766, A:278–279  
in smarl turbidites, B:115–116, 127
- clay  
authigenic, B:147  
bentonitic, B:89, 91–94  
in Cretaceous turbidites, B:127  
magnesian, B:177–178  
silty, A:79  
Site 765, A:79, 84, 157; B:89  
Site 766, A:280  
terrigenous, B:64  
zeolitic, A:297–298; B:32–33, 551
- clay minerals  
assemblages A–E, A:99–101  
in bentonites, B:99, 110  
detrital, B:64–56  
diagenesis, B:66–70, 785–786  
elemental composition, B:59, 63–64, 67  
with low-temperature alteration, B:191–193  
Miocene–Pliocene, B:34  
in noncalcareous clay layers, B:20  
origin, A:150–152; B:64–70  
Site 765, A:84–85, 88–89, 149; B:178  
stratification, A:193
- claystone  
biogeographic implications, A:129–130  
bioturbation, A:282–283  
black, Site 261, B:32  
calcareous, A:91, 246  
calcareous vs. noncalcareous, A:91  
coloration, A:83, 106  
Cretaceous–Paleogene, A:107  
greenish-gray, B:529–530  
Hauterivian–Aptian, B:805  
hematite content, A:136, 138, 140  
magnetic properties, A:136, 138, 140, 299; B:551  
mineralogy, A:89, 93  
physical properties, A:165, 307–308  
radiolarian, B:31  
reddish brown, B:529  
seismic reflection profiling, A:341–342  
Site 261, B:32  
Site 765, A:80–81
- claystone, bentonitic  
age, B:97  
clay minerals, B:99  
diagenetic alteration, B:105  
geochemistry, B:100  
Site 765, B:107  
Site 766, B:93–94  
smectite-rich, B:97–98  
type 1–4 B:99–100  
volcanic sources, B:100, 105
- claystone, calcareous  
red/green color boundary, B:9  
Site 765, A:86, 90, 94, 104  
in smarl turbidites, B:116  
Valanginian–Barremian, B:15
- claystone, carbonate, Site 261, B:26
- claystone, greenish gray, magnetic properties, B:529–530

## SUBJECT INDEX

- claystone, nannofossil
- claystone, nannofossil  
depositional environment, B:26  
Site 261, B:43-45, 56  
Site 765, A:92, 103; B:35  
Tithonian, B:24-26
- claystone, noncalcareous  
depositional environment, B:30-31  
Site 261, B:26-31  
Site 765, B:15-16
- claystone, prodelta, Site 763, B:101
- claystone, radiolarian  
Barremian–Aptian, B:17-18, 31–32, 45  
colors, B:17, 45  
depositional environment, B:15, 17–18, 32  
graded layers, B:17  
Site 261, B:744  
Site 765, B:55, 102, 744  
Tithonian–Berriasian, B:13-15
- claystone, reddish brown, magnetic properties, B:529
- claystone, siliciclastic, Site 766, A:282
- claystone, silty  
calcareous vs. noncalcareous, B:92, 94  
with shell fragments, A:102–103  
Site 765, A:91–94  
Tithonian and older, B:5, 7, 43
- claystone, smectite-rich, Site 261, B:30
- claystone, zeolitic  
Albian–Miocene, B:18-19  
Site 261, B:45-46  
Site 765, A:83; B:45-46
- claystone/basalt contact, Site 765, A:95
- clinoptilolite, B:786  
in Eocene claystones, A:107  
Site 765, A:98, 100
- clinopyroxene  
basement basalts, B:207  
basement phenocrysts, A:179, 183  
low-pressure fractionation, B:794
- cluster analysis, B:603
- color banding  
calcareous vs. noncalcareous sediments, B:27  
ferrous iron correlation, B:234  
lithologic correlation, A:84-85  
Site 765, A:89  
Site 766, A:280-281
- compaction, inoceramide sediments, B:11
- compression index, measured vs. calculated values, B:497
- conductive reheating, oceanic crust, B:198
- conglomerate, A:38, 41
- conglomerate, matrix-supported  
Cretaceous/Tertiary boundary, A:107  
Miocene, B:19-20, 151–152  
physical properties, B:635  
Site 765, A:77-79, 81, 83
- conglomerate, polymictic, Site 766, A:280
- consolidation, B:494-498
- continent/ocean boundary (COB)  
Argo Abyssal Plain, B:660, 662  
Exmouth Plateau, B:575, 801  
magnetic anomalies, B:667  
Site 766, B:793
- copper, vs. calcium carbonate, A:156
- Cretaceous quiet zone, Site 765, A:136; B:534, 730
- Cretaceous/Tertiary boundary  
Australian NW margin, B:684  
calcareous nannofossils, B:398  
matrix-supported conglomerate, A:107  
Site 765, B:727  
Site 766, A:280, 341
- crust, continental
- extensional tectonics, B:801  
stress, B:503
- crust, oceanic  
age of formation, B:575, 577–578  
alteration, B:198  
conductive reheating, B:191, 198  
geochemistry, B:797  
permeability, B:521  
stress-induced vertical motion, B:673-676
- crest, transitional, Site 766, B:577
- crustal recycling  
Site 765, A:8  
tracers, B:184-185
- Cuvier Abyssal Plain  
marine magnetic anomalies, B:659  
opening, B:46  
sedimentation history, A:6
- debris flow, Site 765, A:125, 129, 165, 169
- deformation, stress-induced, B:680-682
- density  
basement basalts, A:204  
igneous rock, A:326, 329-330  
Site 765, A:164-165, 218, 222; B:456-459, 603-604  
Site 766, A:307–309, 315, 334, 336; B:460-462
- diabase  
anelastic strain recovery, A:328-330  
intrusion origin, A:331  
physical properties, A:326  
radiometric age dating, B:558  
Site 765, A:174-175, 190  
Site 766, A:270, 318-319
- diagenesis. *See also* silica diagenesis  
clay mineralogy, B:784-786  
Site 765, B:79-85  
smalr turbidites, B:120, 125-126
- Dingo Claystone, Australian NW margin, B:683
- dinoflagellates  
Neogene, B:432-434  
Site 765, B:429-432, 434  
zonation, B:747
- dolomite  
aragonite association, B:82  
authigenic mineral association, B:79  
calcian, B:79  
calcium content and, A:147; B:82  
carbonate derivation in, B:85  
composition, B:84-85  
degree of saturation, B:79  
Miocene, B:79, 786  
precipitation, B:77, 82  
rhombohedral crystals, B:87–88  
Site 765, A:98-100, 103; B:74-75  
sulfate concentration and, B:82
- Dupal anomaly, Indian Ocean, B:201, 796
- Dzong Formation, sedimentation, B:810
- earthquakes. *See* Broome earthquake
- earthquakes, normal-fault, B:681, 686-687
- Eggerellidae, Site 766, B:273
- elastic properties  
analytical methods, B:483-485  
*in-situ* confining pressure, B:484-485  
moduli, B:474, 488  
seismic velocities and, B:490
- Ellenburger Formation, recovery efficiency, B:144
- Eocene/Oligocene boundary, Site 765, B:725
- Eromanga Basin  
benthic foraminifers, B:283  
Bulldog Shale, B:754  
sulfur speciation, B:229
- erosion, Site 765, A:83; B:20
- erosional truncation, seismic reflection profiling, A:339-340
- Europe NW  
stress field orientation, B:672  
syn-breakup volcanism B:102
- eustatic sea level  
intraplate stress role, B:673-676  
third-order cycles, B:160  
turbidite deposition and, B:129, 158-160
- Exmouth Plateau  
Aptian–Berriasian unconformity, B:95  
Barrow Delta deposits, B:47  
bathymetry, A:271  
breakup, B:805  
geologic setting, B:801  
heat flow, B:515  
mineralogy, B:788  
paleowater depth, B:813, 815  
Rhaetian–Neocomian nondeposition, B:788  
stratigraphic modeling, B:688  
stress orientation, B:505  
structural setting, B:690-691  
submarine canyons, B:128  
tectonic history, A:274; B:685, 694  
uplift, B:578-579  
Valanginian–Aptian hiatus, A:288  
volcanic sediments, B:30
- Exmouth Plateau Arch, formation, A:67
- Exmouth Plateau C  
geologic evolution, A:5, 67  
sequence stratigraphy, B:805-806
- Exmouth Plateau N  
Aptian radiolarian chalks, B:127  
geologic evolution, A:5-6, 67
- Exmouth Plateau S  
bathymetry, B:566  
volcanic intrusions, B:104
- Falkland Plateau  
Neocomian sediments, B:752  
planktonic foraminifers, B:754
- faulting  
soft-sediment, A:80  
stress regimes and, B:510
- ferromanganese crust, in radiolarian claystone, B:13-15, 55
- folding, lithospheric  
compressional-stress levels, B:675, 680, 688  
duration, B:681
- foraminifers, aragonitic, Site 765, B:78
- foraminifers, benthic  
abyssal sediments, A:130  
agglutinated, A:104, 121, 139, 246; B:9, 11, 14, 722, 805  
*Ammobaculites* Association, B:284  
Argo Abyssal Plain, B:42  
Australia, B:283-285  
Biofacies B assemblage, B:246-247  
biogeography, A:139; B:284-285  
biostratigraphic summary, A:115-118, 292  
calcareous, A:120, 130; B:9  
Carpathian assemblages compared, B:246, 250  
chronostratigraphy, B:283  
deep-water agglutinated, B:239, 244-246, 248-250, 746  
depositional environment, B:245-246  
isotopic composition, B:84  
*Marssonella* Association, B:283-284, 747  
Nepalese assemblages compared, B:246-247  
paleodepth, A:294  
paleoenvironmental implications, A:129  
in radiolarian claystones, B:17

- sand fauna, B:245  
 Site 261, B:247  
 Site 765, A:120-122; B:135  
 Site 766, A:294-295, 342; B:271-273, 278-282
- size-sorting, A:121  
 zonation, A:44
- foraminifers, planktonic  
 analytic methods, A:45  
 Aptian/Albian boundary, A:294  
 biostratigraphic summary, A:119-118, 292  
 in calcareous chalk, B:147  
 chronostratigraphy, B:282-283  
 Cretaceous, B:721  
 datum events, A:302  
 Eocene-Pliocene unconformity, A:342  
 Mesozoic paleobiogeography, B:755  
 Neogene, A:42, 116-119, 246, 293; B:719  
 paleoceanography, B:742, 753-754  
 Paleocene/Eocene boundary, A:293  
 paleoenvironmental implications, A:129  
 Paleogene, A:43, 119-120, 293; B:720  
 reworking, A:117, 120  
 Site 765, A:120  
 Site 765, A:293-294; B:731-735  
 in turbidite sands, B:722  
 zonation, B:718, 722
- fractures  
 categories, B:477-478, 482-483  
 crack fillings, B:477  
 igneous rock, A:319  
 orientation, A:216, 331  
 strain recovery and, B:489  
 stress relationship, A:214, 248, 330-331; B:488-489  
 zones A-I, B:666-668  
 francolite, Site 765, B:79-80
- gabbroic layer  
 geochemist, A:323  
 grain size, A:318-319
- Gascoyne Abyssal plain  
 geologic setting, A:5, 270-272  
 geomagnetic isochrons, B:550  
 marine magnetic anomalies, B:659, 662  
 opening, B:46  
 seafloor spreading, B:668  
 sedimentation history, A:6; B:806-807  
 tectonic subsidence, B:685, 687, 697, 810
- geochemical logging  
 basement, B:644, 650, 652  
 data reduction, B:638-639  
 oxide zones 1-3, B:641, 644  
 Site 765, A:53-54; B:183, 637-644, 646-649  
 Site 766, A:53-54, 270; B:638, 654, 656
- geochemical stratigraphy, lithologic correlation, A:8
- geochemistry, inorganic  
 basement, A:194-200  
 bentonites, B:100  
 bulk composition, B:182-183  
 Cenozoic vs. Cretaceous sediments, B:188  
 cotectic control, A:200  
 igneous rock, A:322-324  
 lithologic variation, A:152, 322-324; B:169-182  
 major and trace elements, B:170-173  
 Mid-Indian Ocean Ridge (MIOR) and Red Sea rift lavas compared, B:794-797  
 sediment source, detrital phase, B:181-182  
 Site 765, A:64, 142-158, 247; B:174-175  
 Site 766, A:302-304
- vs. mature ocean MORBS and MIORBS, B:794-797  
 vs. Red Sea basalts, B:794-797
- geochemistry, organic  
 Site 765, A:158-164, 247  
 Site 766, A:304-306, 343-344
- geomagnetic polarity time scale, B:660, 667
- geophysical well logs. *See* logging
- George Creek, shale, B:181
- Gippsland Basin, sea-level, B:672-673
- glaciation  
 Antarctic-Australian continent, B:316  
 Australian continent, B:754
- glass, volcanic  
 alteration to smectite, B:67  
 bubble wall, B:110  
 geochemistry, B:205-206  
 potassium/argon dating, B:805  
 Site 765, B:202-203
- glauconite grains, Site 766, A:286
- global optimum zonation, minimum variance scheme, B:604
- Globigerinida  
 Australian distribution, B:282, 284  
 Site 766, B:277, 280
- Globotextulariidae, Site 766, B:273
- goethite, Site 765, A:101
- Gondwana  
 burial and subsidence trends, B:810  
 Cretaceous reconstruction, B:315, 809  
 du Toit-type reconstruction, B:753  
 fit and break-up history, B:314-315, 753  
 Jurassic/Cretaceous reconstruction, A:4; B:748-749  
 Mesozoic reconstruction, B:807  
 Tethys Ocean segment, B:299  
 volcanic evolution, B:89
- graded sequence  
 Aptian, A:105-106  
 calcareous sediments, A:283; B:19  
 cross-laminations, A:88  
 depositional environment, A:108, 111  
 depositional units, A:87-88  
 Markov chain analysis, A:106-107  
 Site 765, A:77-81, 83-84
- grain size  
 calcareous turbidites, B:153, 155-157  
 gabbroic layers, A:318-319
- GRAPE density  
 Site 765, A:169  
 Site 766, A:311, 313
- graphite, Site 765, A:101
- gravity-flow deposits  
 Cenozoic, B:788  
 seismic reflection profiling, B:570, 578
- Great Artesian Basin, foraminifers, A:294; B:283
- halo, alteration  
 development, B:196-197  
 distribution, B:196  
 geochemistry, B:195-197  
 mineralogy, A:183, 185; B:196-197  
 in radiolites, B:15  
 with rhodochrosite, A:105  
 Site 765, A:190, 193, 196-197; B:193, 197
- Hammersley Basin, Proterozoic sediments, B:181
- Hauterivian/Barremian boundary, Site 766, A:299; B:735
- heat flow  
 basalts, B:519  
 Bullard method, B:517-519  
 formation fluids and flow-back, B:520  
 Site 765, A:241-244; B:515-521
- Site 766, A:342
- Hedbergellidae, Site 766, B:282
- high field-strength elements (HFSE), as crustal recycling tracers, B:185
- hopanes, B:222
- Hunton Group carbonates, recovery efficiency, B:144
- hyaloclastite  
 alteration patterns, B:193  
 breccia, A:184, 193  
 Site 765, A:173-176
- hydrocarbon gases, B:219-221  
 Site 765, A:161, 164, 170-171  
 Site 766, A:305-306, 312-313
- hydrofracture experiments, A:52-53, 75
- hydrogen index  
 mineral matrix effect, B:217-219  
 Site 765, A:160
- hydrogen sulfide, Site 766, A:306
- hydrothermal convection, B:198
- igneous intrusion, Site 766, A:269
- igneous rocks  
 alteration, A:321-322  
 geochemistry, A:322-324  
 lithostratigraphy, A:313-319  
 magnetic properties, A:324ff  
 petrography, A:319-321  
 physical properties, A:325-328  
 stress, A:328-331
- illite, Site 765, A:99; B:64
- illite/smectite  
 detrital, B:64  
 diagenetic, B:66-68  
 origin, B:785  
 Site 765, B:58-59, 73-74  
 Site 766, B:780  
 structural formulas, B:67
- illitization, reaction temperature, B:785
- Indian Basin C, unconformities, B:681-682
- Indian Ocean  
 isotopic composition, B:798  
 juvenile-to-mature evolution, B:788-789  
 lithosphere, B:673-675  
 magnesium oxide vs. titanium oxide, A:326  
 opening, B:102, 345  
 pelagic sedimentation, B:789  
 sedimentation rates, B:129  
 volcanic basement, A:7-8
- Indian Ocean C, stress field, B:680-683
- Indian Ocean E, tectonic reorganization, B:668
- Indo-Australian Plate  
 breakup event, B:101, 316  
 counterclockwise rotation, A:136-138  
 deformation, B:503  
 evolution, B:673  
 intraplate stress, B:509, 513, 674-675, 680, 693  
 paleolatitude, B:531
- Indo-Pacific Province  
 belemnites, B:446-447  
 calcareous nannofossils, B:357, 359
- inoceramid sediment  
 bioturbation, B:7, 11  
 calcisphere-rich layer, B:54  
 CCD and deposition of, B:10-11  
 depositional environment, B:9-11, 13  
 microtextures, B:54  
 noncalcareous component, B:9  
 prism textures, B:8  
 Site 765, B:43-45, 52  
 Tithonian, B:7-13
- Inoceramidae, Site 765, B:10

## SUBJECT INDEX

- inoceramids
- inoceramids  
bipolar bivalve distribution, B:731  
Site 261, B:26  
Site 765, B:7-8, 10, 126
- interstitial-water chemistry, A:47  
Site 765, A:142-149, 247; B:80  
Site 766, A:302-306, 344
- intraplate deformation seismic reflection profiling, B:680
- intraplate stress  
Central Indian Ridge/Chagos Bank, B:686-687  
continental rheology models, B:675, 677-678  
deformation changes with, B:681  
elastic plate model, B:676-677  
in-plane force variation, B:674-675, 679  
Indian Ocean NE, B:696  
lithological effects, B:684  
sea level and, B:671, 673-679  
stratigraphic effects of, B:688-689, 692  
vertical motion effects of, B:673-676
- iron  
in Cretaceous clays, B:178  
logging data, B:641, 644  
Site 765, B:82-83  
iron, ferrous, B:233-234  
iron + manganese/aluminum + titanium ratios,  
Site 765, B:68  
iron, pyrite, B:233-234  
iron oxide  
alteration effects, B:194, 195  
aluminum ratio, Cretaceous/Tertiary boundary, B:178-179  
basaltic glasses, B:794  
basement basalts, A:194  
igneous rock, A:325; B:794  
magnesium oxide ratio, B:194  
Site 765, B:59, 64, 69  
Site 766, A:322-323  
iron oxyhydroxide, Site 765, B:193, 196  
Ivory Coast, palynology, B:434
- Jaramillo Chronozone, Site 765, A:126; B:723
- Joey Rise  
formation, B:104  
marine magnetic anomalies, B:666  
volcanic pile, B:578
- Jurassic/Cretaceous boundary  
calcareous nannofossils, B:369-371  
Site 261, B:40
- juvenile-to-mature ocean transition  
Exmouth Plateau, B:805  
Gascoyne Abyssal Plain, B:807  
Indian Ocean, B:788-789  
tectonic subsidence, B:803
- Kangaroo Syncline  
formation, A:67  
stratigraphic modeling, B:702-710  
tectonic subsidence, B:685, 694
- kaolinite  
in calcareous sediments, B:19  
detrital, B:64  
Site 765, A:99-100; B:608  
source, A:98, 150
- LAB-TEC 100, vs. pipette procedure, B:153, 155, 158-163
- laminations  
B division, B:117, 124, 133  
radiolarian-rich, B:118-119  
in sandy turbidites, B:122
- lanthanum/samarium ratio, basaltic rocks, B:206
- Lau Basin, ash turbidites, B:104  
lava, geochemistry, A:64  
lava/dike transition, albitization of plagioclase,  
B:198
- Le May Group, pelagic sedimentation, B:752
- lead isotopes  
basalts, B:794  
in Java volcanics, B:186  
vs. Red Sea basalts, B:798
- Leg 22  
geochemical stratigraphy, B:186  
lithostratigraphy, B:186
- Leg 27  
geochemical stratigraphy, B:186  
lithostratigraphy, B:186, 760  
mineralogy, B:788-789
- Leg 116, sea-level lowstands, B:694-695
- Leg 122  
mineralogy, B:788-789  
objectives, B:801  
paleoenvironment, B:808  
sea level lowstands, B:694-695
- limestone  
Argo Abyssal Plain, B:23, 43  
magnetic properties, A:298-299  
nannofossil, Cretaceous, B:752
- linear voltage-displacement transducer (LVDT),  
B:472
- lithosphere  
depth-dependent rheology, B:673-675, 684  
equivalent elastic thickness, B:687-688  
stretching models, B:688-689
- lithostates  
hand-specimen vs. wireline logs, B:602, 611  
transitions, B:604, 616-619
- lithostratigraphy. *See also under specific sites*  
basement, A:169, 172-179; B:201-204, 655  
Cretaceous, B:527  
depositional environment, A:113  
Eocene-Pliocene hiatus, A:289  
igneous rock, A:173-179, 182-183, 313-319;  
B:651  
Leg 27 compared, B:760  
mineralogical correlation, B:57-59, 62, 565-566, 568-570, 780, 783-784, 787  
Pliocene hiatuses, A:113  
sediment source, B:578-579  
seismic correlation, A:341-342; B:568-570  
Site 765, A:76-94, 109-110; B:96, 493  
Site 766, A:269, 276-286, 288; B:493, 655  
Unit I, A:76-79, 96, 112, 277-279; B:603, 605  
Unit II, A:80-82, 111-112, 219, 279-281;  
B:143-144, 572, 574, 603, 605-607  
Unit III, A:82-83, 96, 98, 107-111, 219-220,  
281-285, 287-288; B:570-572, 578,  
806-807  
Unit IV, Site 765, A:83-88, 96, 105-106, 219-220  
Unit V, Site 765, A:88-90, 105, 219-220  
Unit VI, Site 765, A:90-91, 104-105  
Unit VII, Site 765, A:91-94, 102-104
- Lituolida  
Australian distribution, B:279, 283  
Site 766, B:272-273
- Locker Shale Formation, Australian NW margin,  
B:683
- logging. *See also* geochemical logging; petrophysical logging  
basalt, A:222-223  
cased-hole section, A:222-223  
lithoporosity, A:217  
lithostratigraphic correlation, A:219-220  
log quality, A:221-222
- seismic correlation, A:217, 228-234  
Site 765, A:9, 53-54, 72-76, 215-221, 248, 253-267  
Site 766, A:53-54, 331-334, 346-352
- Londonderry Arch, location, B:689
- loss on ignition (LOI), basement basalts, A:199
- Lower Campanian Event (LCE), Indian Ocean,  
A:111
- lysocline, Quaternary fluctuation, B:30
- microfossils, Cretaceous, B:747
- Madeira Abyssal Plain, Quaternary turbidites,  
B:129
- magma  
geochemistry, B:796-797  
magnesium oxide-rich, A:7
- magnesium  
in palygorskite sediment, B:785-786  
replacement reaction, B:82  
Site 765, A:147; B:82-83  
Site 766, A:303, 308  
vs. calcium carbonate, A:156, 159
- magnesium oxide  
aluminum oxide ratio, B:177  
basement basalts, A:194  
igneous rock, A:325  
silica ratio, A:159  
titanium dioxide ratio, A:326; B:69  
Site 765, A:159, 160, 326; B:69, 177  
vs. LOI, A:199
- magnesium oxide/aluminum oxide ratio, Site 765,  
B:177
- magnesium oxide/silica ratio, Site 765, A:159
- magnesium oxide/titanium dioxide ratio, Site 765,  
A:326; B:69
- magnetic polarity time scale  
Cretaceous, B:523-525  
polarity chron nomenclature, B:524
- magnetic properties, A:46  
basement, A:200ff  
calcareous turbidites, B:152, 157, 164  
characteristic direction, B:525-526, 529, 542-548  
Cretaceous, B:529-530  
Cretaceous-Paleogene, A:133, 136-139  
demagnetization, B:528-529, 550-551  
igneous rock, A:324-325ff  
linear decay to the origin, B:529-530  
mean destructive field (MDF), A:200  
mean inclinations, A:139-140, 202-203, 207-209  
Neogene, A:130-133  
NRM intensity, A:132-133, 200, 299, 324  
Site 765, A:14-16, 130-140; B:529  
Site 766, A:14-16, 297-301; B:529-530  
susceptibility units, A:131-133, 136, 297-299, 325  
thermal demagnetization behavior, A:200; B:529  
viscous remanent magnetization (VRM), A:324
- magnetite, A:299; B:207
- magnetostratigraphy, A:42-43  
analytical methods, B:525-527  
Aptian polarity chronozones, B:534-538  
Barremian-Aptian hiatus, B:735  
basalt basement, A:201-202  
biostratigraphic correlation, B:525, 624  
Cenozoic, B:725, 727  
Chronozone C1-C9, A:132-133; B:723, 725  
Chronozone C12, A:133; B:725  
Chronozone C13, A:136  
Chronozone C21-C28, A:136

- Chronozone C32–C33, A:136  
 Chronozone M0, B:534, 730  
 Chronozone M1, B:534, 538, 730, 733  
 Chronozone M2, B:538  
 Chronozone M3, B:538, 730, 733  
 Chronozones M3–M11, B:538–539  
 Chronozone M5–M18, B:537  
 Chronozone M8, B:730  
 Chronozone M10, B:735  
 Cretaceous, A:299–301; B:534–539, 719, 727–731, 733–735  
 Cretaceous–Paleogene, A:133–139  
 Mesozoic, A:46  
 Neogene, A:132–133; B:719  
 Paleogene, B:719  
 Site 765, A:7, 136–138; B:96  
 Malita Graben, B:689  
 manganese  
 carbonate precipitation and, A:156–157; B:82  
 in Cretaceous clays, B:178  
 Site 765, A:147; B:83  
 Site 766, A:303  
 in smarl turbidites, B:120–121  
 manganese carbonate  
 mineralogy, B:17  
 in radiolarian claystone, B:18  
 manganese nodules  
 in claystone, A:105  
 in inoceramid sediments, B:9, 11, 54  
 manganese oxide  
 aluminum ratio, Cretaceous/Tertiary boundary, B:178–179  
 in calcareous sediments, B:19  
 Site 765, A:93–94, 160  
 manganese oxide/aluminum ratio, Cretaceous/Tertiary boundary, B:178–179  
 manganese oxide crust, Site 765, A:93–94  
 manganite, Site 765, A:99, 101, 103  
 mantle melting  
 continental rift margins, B:791  
 geochemical effects, B:797, 805  
 partial, B:209–210  
 Marin Headlands Terrane, radiolarians, B:744  
 marine magnetic anomalies  
 across fracture zone, B:666, 668  
 correlation, tectonic history, B:667–668  
 Hawaiian pattern, B:523  
 M-sequence, B:523–524, 664  
 Mesozoic, B:659  
 observed vs. calculated, B:66–  
 Site 765, A:4, 74, 15, 66, 138, 246–247;  
 B:46, 527, 665–667, 730–731, 804  
 Site 766, A:8, 299, 301; B:527, 577, 806  
 Markov chain analysis  
 cyclic sequences, A:95–97  
 graded carbonate sequence, A:106–107  
 self-transitions, B:608  
 Site 765, B:602  
 turbidites, A:111–112; B:144  
 marl, calcisphered-nannofossil  
 bentonitic, B:102  
 Site 761, B:95, 97  
 marl, calcite needle-rich, Site 261, B:26  
 marl, nannofossil, Site 261, B:23–25, 43  
 mercury porosimetry, B:138–139  
 metabentonites, clay mineralogy, B:68  
 metal, calcium carbonate and, A:152, 156  
 methane/ethane ratio, Site 766, A:306  
 methylsteranes, Site 766, B:221–222  
 Mexico, Gulf of, palynology, B:434  
 mica, Site 765, A:100, 103; B:64  
 micrite, Site 765, A:102–103  
 microcracks, B:482, 484–485  
 microfossils  
 abundances, B:745  
 assemblages 1–9, B:767  
 bipolar distribution, B:755  
 with lithologic changes, B:752  
 probabilistic zonation, B:759, 765–772  
 zones, B:764–767  
 Mid-Indian Ocean Ridge basalt (MIORB)  
 Atlantic and Pacific mid-oceanic ridge sites  
 compared, B:791–792, 796  
 Red Sea basalts compared, B:791  
 Site 765, A:194  
 mid-ocean ridge basalt (MORB)  
 isotopic composition, B:796  
 melting, B:791  
 oceanic comparisons, A:12  
 Site 765, A:187  
 Miliolida, Australian distribution, B:280, 283  
 mineralogy, A:47  
 Argo Abyssal Plain, B:786, 788  
 associations I–IV, B:780, 783  
 associations I–V, B:780, 783–784  
 associations I–VII, B:57–59  
 Australian NW margin, B:788–789  
 diagenetic effects, B:784–786  
 lithologic correlation, B:57–59, 62, 787–789  
 regional correlation, B:788–789  
 secondary, A:183, 185; B:191–193  
 Site 261, B:780, 782–784  
 Site 765, A:47, 149–152, 247; B:60–61, 603  
 Site 766, B:780–781  
 zeolitic clays, B:32–33  
 Miocene/Pliocene boundary  
 magnetic properties, A:133  
 stratigraphic hiatus, B:723  
 Monterey Formation, B:67, 70, 84  
 Muderong Shale, B:95, 97  
 Mungaroo Formation, B:683  
 Myrtaceae, Site 765, B:422  
 nannofossils, calcareous  
 Albian/Aptian boundary, A:124  
 analytic methods, A:44–45  
 Argo Abyssal Plain, B:42, 370–371  
 Austral Realm, B:41  
 Barremian–Albian homogenization, B:755  
 biogeography, A:130; B:34, 41–42, 48, 351,  
 355–356, 370–371, 740–741, 743, 755  
 biostratigraphy, A:115–118, 302; B:35–41,  
 382–383, 392–403  
 Boreal affinities, B:41, 350–351, 359  
 in calcareous chalk, B:147  
 Campanian/Maestrichtian boundary, A:123  
 Campanian–Santonian hiatus, A:124; B:727  
 Cenomanian/Albian boundary, A:124  
 Cenomanian/Turonian boundary, A:291;  
 B:383  
 Cenozoic, A:123–125, 289–291; B:731  
 in claystones, A:104; B:25  
 Cretaceous, A:291–293; B:344–355, 384–387,  
 392–398, 721, 731–735  
 Cretaceous/Tertiary boundary, B:398  
 Cretaceous unconformities, B:392, 397, 401  
 in debris flows, A:125, 129  
 distribution, B:346–349, 371–377  
 Eocene hiatus, A:289; B:394, 401  
 etching, A:103; B:36  
 Gault, B:356–357  
 in inoceramid sediments, B:11  
 Jurassic/Cretaceous boundary, B:40, 369–370  
 Mesozoic, A:124–125  
 Miocene unconformity, A:123  
 Neogene, A:42; B:719  
 Oligocene hiatus, B:395  
 Oligocene/Miocene boundary, B:395  
 paleoceanography, B:742, 752–754  
 Paleocene/Eocene boundary, B:399  
 paleoenvironmental implications, A:129, 289;  
 B:41–42, 351, 355–356  
 Paleogene, A:43; B:388–391, 399–404, 720  
 Paleogene/Eocene boundary, B:402–403  
 Pliocene hiatus, A:122; B:400  
 provincialism, A:130; B:740  
 recrystallized, B:135  
 regional correlation, B:351  
 reworking, A:122  
 Site 765, B:8–9  
 temperate assemblage, A:289  
 Tethyan affinities, B:41–42, 351, 357, 359,  
 741, 743, 755–756  
 Tithonian evolutionary radiation event, B:40  
 in turbidites, B:28–29, 114–115  
 Valanginian/Hauterivian boundary, A:342  
 zonation, A:41; B:357, 359–360, 717–718  
 Nassellarians, faunal provincialism, A:130  
 natural gamma-ray spectrometry, A:218, 222, 334  
 neodymium isotopes, B:794, 798  
 neutron porosity (NPHI), A:219, 222, 336; B:6CB–  
 604  
 New Zealand, taxa, B:744  
 nickel  
 in basement basalts, A:195, 198–199  
 in turbidites, A:161  
 Ninetyeast Ridge, stress-induced deformation,  
 B:680  
 niobium, Site 765, A:199–200  
 niobium/yttrium ratio, vs. zirconium/titanium di-  
 oxide, B:101  
 nitrogen gas, Site 765, A:161  
 Nodosariida  
 Australian distribution, B:280, 283–284  
 Site 766, B:273, 278  
 nontronite, B:197  
 North Sea, siltstone, B:471  
 Northwest Australian Shelf. *See* Australian NW  
 margin  
 Oates Canyon, B:104, 128  
 Olduvai Chronozone, Site 765, A:126  
 Oligocene/Miocene boundary, Site 765, B:395,  
 725  
 olivine, basement phenocrysts, A:179  
 Oman, radiolarites and claystones, B:751  
 ooze, bioclastic, B:140  
 ooze, calcareous  
 with clay, A:76  
 physical properties, A:165, 307  
 Site 766, A:280  
 ooze, nannofossil  
 Albian–Cenomanian, A:288  
 calcium carbonate content, A:305  
 clayey, A:78, 81  
 Site 765, A:78  
 Site 766, A:277–280, 282  
 ooze, siliceous  
 Argo Abyssal Plain, B:46, 48  
 Pliocene–Quaternary, B:34  
 Quaternary, B:20  
 opal-CT  
 lepispheres, B:74  
 Site 765, A:150  
 transformation from opal-A, A:148; B:784–  
 786  
 opaques, Site 765, B:5  
 organic carbon/total sulfur ratio (C/S), B:227–  
 232, 234–235



- organic matter  
 maturity, B:222  
 origin, B:788  
 terrestrial, B:219  
 orthopyroxene, basement basalts, B:207  
 overconsolidation ratio (OCR), B:494, 496, 498  
 oxides, major-element  
 basement basalts, A:201  
 sediment, A:154  
 oxygen index, Site 765, A:160; B:218  
 oxygen isotopes, alteration products, B:197
- P*-wave velocity, B:487-489  
 Site 765, A:169  
 vs. *in-situ*, B:633-634
- Pacific Ocean, dinoflagellates, B:433  
 Paleocene/Eocene boundary, Site 766, B:399, 402-403, 731  
 paleocurrents, Site 766, B:580-581  
 paleoenvironment, structural evolution and, B:808  
 paleolatitude, B:527  
 Aptian-Albian, B:755  
 Australian Polar Wander Path compared, B:531-533, 552-553  
 basement basalts vs. sediments, B:553  
 Jurassic, B:753  
 mean inclinations, B:530-531, 552  
 Mesozoic, A:46  
 Site 765, A:139-140  
 paleowater depths, Australian NW margin, B:810-813  
 palygorskite  
 mineral associations, B:69, 79, 785  
 ooze-to-chalk transformation, B:784  
 origin, B:70, 785  
 Site 765, A:98, 100; B:74-75  
 source, A:151-152  
 in zeolitic clays, B:33  
 palynology  
 abundance, B:422  
 Antarctic assemblages, B:747  
 Aptian-Albian source area, A:129  
 Aptian/Barremian boundary, A:125  
 Argo Abyssal Plain, B:42  
 Australia, B:423, 433-434  
 biostratigraphy, A:118, 292; B:407-410  
 Cenozoic, B:422-425  
 Cretaceous, A:125-126; B:232, 721  
 distribution, B:413-415  
 grassland species, B:423  
 in marine sediments, B:421  
 Neogene, A:125, 246; B:432-434  
 paleoenvironmental implications, A:129  
 Persian Gulf, B:434  
 Peru, B:434  
 in radiolarian claystones, B:17  
 reworking, A:126  
 Site 261, B:27  
 Site 765, A:118-119; B:424-426  
 Site 766, A:297  
 tropical, B:432-434  
 turbidity-current-deposited, B:421  
 zonation, A:44; B:722  
 pantanellids, Site 765, A:130  
 Papuan Basin  
*Favusella*, B:284  
 planktonic foraminifers, B:747  
 parent/daughter ratios, as crustal recycling tracers, B:185  
 parvicungulid spp., Site 765, B:323, 337  
 passive continental margins, magmatism, A:7  
 Patellinidae, Site 766, B:278  
 permeability  
 oceanic crust, A:56-57  
 Site 765, A:244  
 Persian Gulf, palynology, B:434  
 Perth Abyssal Plain, marine magnetic anomalies, B:659, 662  
 Peru, palynology, B:434  
 petrofacies, units I-IV, B:141-142  
 petrography  
 basement, A:179-189  
 groundmass, A:183, 185, 321  
 igneous rock, A:319-321  
 phenocrysts, A:179, 183, 319-320  
 xenocrysts and xenoliths, A:185  
 petrophysical logging  
 basalt, A:248  
 lithostratigraphic correlation, A:336  
 Site 765, A:64; B:604  
 Site 766, A:270, 344  
 units 1-8, Site 765, A:223-224  
 units 1-11, Site 766, A:336-337  
 pH, A:145-146, 303  
 phosphate  
 barite correlation, B:100, 102  
 diagenesis, B:79  
 in pelagic clays, B:180-181  
 rare earth element control by, B:179  
 Site 765, A:147, 160; B:81  
 Site 766, A:303  
 phosphorus, vs. calcium carbonate, A:156-157  
 photoelectric factor (PEF)  
 measured vs. calculated, B:637  
 Site 765, A:218-219  
 physical properties  
 basement basalts, A:203-206, 210-211  
 data discrepancies, B:454  
 igneous rock, A:325-328, 344  
 seismic correlation, A:168-169  
 Site 765, A:164, 168-169ff; B:494-496  
 Site 766, A:270, 307-313ff, 344; B:494-496  
 units A-E, A:165, 169, 248, 307-309, 313, 326, 344  
 plagioclase  
 albitization, B:197-198  
 alteration products, B:193  
 basement basalts, A:179, 182; B:195, 207  
 low-pressure fractionation, B:794  
 plagioclase-clinopyroxene pairs, anorthite-Mg# relationship, B:207, 211  
 plagioclase megacrysts  
 basement basalts, B:204  
 glass inclusions, B:207, 211, 213  
 plate tectonics  
 Argo Basin, B:315-316  
 Cretaceous models, B:753-755  
 Pliocene/Pleistocene boundary  
 seismic reflection profiling, B:589  
 Site 765, B:723  
 Poaceae, Australian grassland pattern, B:423  
 porcellanite, Site 761, B:97  
 pore-system characteristics  
 analytical methods, B:138  
 of lithified carbonates, B:137  
 petrophysical analysis, B:139  
 turbidites, B:140, 142-143  
 porosity  
 acoustic impedance predictions, B:463-465  
 basement basalts, A:204  
 calcareous chalk, B:149  
 density relationship, B:455  
 igneous rock, A:326, 330  
 physical property vs. logged values, A:222  
 recrystallized wackestone, B:149  
 Site 765, A:113, 164-165; B:456-459  
 Site 766, A:307-309; B:460-462  
 thermal conductivity relationship, B:464  
 porosity-velocity transforms  
 acoustic formation factor, B:463  
 compaction correction factor, B:461  
 linear regression equations, B:454-455, 459, 461-464  
 post-Archean Australian Shale (PAAS), B:181-183  
 potassium  
 Site 765, A:148-149; B:639, 641  
 Site 766, A:304; B:639  
 potassium/argon dating  
 basement, B:805  
 celadonite, B:559  
 rhyolitic rock, B:792, 803  
 volcanic sediments, A:7  
 potassium content logs, B:603-604  
 potassium oxide  
 alteration effects, B:194  
 basement basalts, A:193-194, 199; B:197  
 logging data, B:184, 188, 641  
 Site 765, A:161; B:178  
 vs. chromium, B:181-182  
 precision depth recorder (PDR), A:14, 21-22  
 preconsolidation stress, MGC vs. Casagrande methods, B:496-497, 501  
 pristane/phytane ratio, B:221  
 prodelta deposits, sea level lowstands and, B:805  
 progradational wedge, Site 766, A:286, 343  
 proto-Agulhas Current, Falkland Plateau, B:755  
 proto-circumantarctic current system, Argo Basin, B:746, 754  
 pyrite  
 formation, B:227-228, 786  
 Site 765, A:150; B:80, 87, 230-231  
 Site 766, A:284, 299; B:230-231  
 pyrite sulfur, vs. organic carbon, B:231  
 pyritization, degree of (DOP), total organic carbon and, B:233-234  
 pyroxene, basaltic rocks, B:208  
 quartz  
 detrital, B:87  
 in inoceramid sediments, B:9  
 Site 765, A:99, 101-102  
 radiolarians  
 abundance, B:302-303, 306-307  
 analytical methods, A:45; B:300-301, 303  
 Aptian-Albian, B:755  
 Argo Abyssal Plain, B:42-43, 744-746  
 Argo Basin, B:315-316  
 Austral Realm, B:313  
 Barremian-Albian homogenization, B:755  
 Barremian/Aptian boundary, A:295; B:311  
 biogeography, A:129-130; B:313, 315, 743-744, 755  
 biostratigraphy, A:115, 118, 292; B:303-305, 307-311  
 bipolar distribution, B:743  
 in calcareous chalk, B:147  
 carbonate replacement, B:27-30, 125-126  
 circumantarctic species, B:315  
 clay faunas, A:130; B:14, 17, 31, 311-312, 744  
 Cretaceous, B:721  
 current-deposited, B:300  
 Jurassic paleolatitude, B:743  
 lithology, B:311  
 Neogene, A:42; B:719  
 Northwest Australian Shelf, B:32  
 paleoceanography, B:47, 742, 752, 754

- paleoecology, B:311–312  
 Paleogene, A:43; B:720  
*Parvicingula* vs. *Ristola* type, B:313, 744  
 with pelagic carbonate influx, B:752  
 preservation, B:302–303, 306–307  
 proto-Antarctic Ocean migration, B:315  
 provincialism, B:313  
 Quaternary, A:126, 246, 295  
 recrystallized, B:55, 132, 134–135  
 reworking, A: 126  
 sand faunas, A:130; B:311–313, 315, 744  
 sea level lowstands, B:316  
 Site 765, A:126–129; B:9, 303–305  
 Site 766, A:295–297, 342; B:733, 735  
 Tethyan affinities, B:299–300, 311, 313, 759  
 756  
 thanatocenoses, B:743  
 in turbidites, B:115, 246  
 upwelling effects, B:127, 313, 315  
 zonation, A:44; B:722
- radiolarite  
 depositional environment, B:15, 746  
 permeability, B:31  
 sedimentary structures, B:312  
 Site 765, A:90ff, 105, 130; B:14, 94, 300, 311  
 in turbidites, B:111, 114
- rain forest, Australia NW, B:423–425
- Rankin Trend  
 stratigraphic modeling, B:702–710  
 tectonic subsidence, B:685, 695
- rare earth elements  
 basaltic rocks, B:206, 797  
 Cenozoic vs. Cretaceous samples, B:179–180  
 chondrite-normalized, B:180  
 Cretaceous sediments, B:178–181  
 as crustal recycling tracers, B:184–185  
 fractional crystallization, B:794, 796  
 shale-normalized, B:180
- recovery efficiency (RE), vs. pore-system characteristics, B:144
- Red Sea, B:794–797
- resistivity, A:219, 222, 336
- rhodochrosite  
 authigenic formation, B:121  
 Cretaceous, A:105, 246  
 elemental composition, B:84–85  
 ghosts, B:308  
 manganese and, A:147; B:83–84  
 Site 765, A:89–90, 98–100, 103, 127, 152;  
 B:82, 752–753  
 in smarl turbidites, B:120–121
- rhodochrosite, calcian, Site 765, B:79
- rhythmic sedimentation, Atlantic Ocean basins,  
 A:7
- rift-flank tilting, Wombat Plateau, B:803
- rifting history  
 Australian NW margin, B:792–793  
 Cretaceous, B:210, 212  
 Site 766, A:5
- Robertiniida, Australian distribution, B:281, 284
- Rock-Eval pyrolysis  
 Cretaceous sediments, B:232  
 Gascoyne Abyssal Plain, B:219  
 Site 765, A:160–161, 166–168; B:216–218  
 Site 766, A:305, 310–311; B:216
- Roo Rise  
 formation, B:104  
 fracture zones, B:667  
 volcanic pile, B:578
- Rotaliida  
 Australian distribution, B:281, 284  
 Site 766, B:276, 278–280
- rubidium  
 alteration effects, B:194  
 basement basalts, A:193, 199; B:197  
 rubidium/samarium ratio, carbonate content and,  
 B:185
- S-wave velocity, B:487–489
- salinity  
 Site 765, A:142–145, 147  
 Site 766, A:303
- samarium  
 in pelagic clays, B:180  
 vs. aluminum oxide, B:182
- samarium/neodymium ratio, carbonate content  
 and, B:185
- samarium/ytterbium ratio, Cenozoic vs. Cretaceous  
 samples, B:179, 183
- sand, ferruginous, transgressive, B:95
- sand, glauconitic, paleoceanographic correlation,  
 B:752
- sand, radiolarite, bottom current winnowing,  
 B:312
- sand, volcanic, shallow-water source, B:578
- sandstone, Site 766, A:283–284
- sandstone, calcareous, Valanginian–Barremian,  
 B:15
- sandstone, clayey, Site 765, A:94
- sandstone, glauconitic  
 physical properties, A:308–309  
 Site 766, A:284, 299; B:101
- sandstone, polymictic, B:141–144, 150
- sandstone, silty, Site 766, A:285–286; B:94
- sandstone, volcanoclastic, Site 766, B:101
- saponite  
 celadonite/iron oxyhydroxide association,  
 B:197  
 Site 765, B:59, 70, 74
- Scott Plateau  
 Argo Basin sediment contribution, B:47  
 pelagic marl, B:127  
 potassium/argon dating, B:792  
 stress orientation, B:505  
 submarine canyons, B:128  
 volcanic sediments, A:7; B:30  
 volcanism, B:104
- sea level  
 Australian NW margin, A:3  
 glacio-eustatic role, B:316, 671–673  
 tectonic subsidence and, B:693–695  
 Tertiary sedimentation rate and, A:113  
 third-order cycles, B:671–672, 693–694
- seafloor spreading  
 Argo Abyssal Plain, B:667–669  
 Australia and Greater India, B:810  
 Australian NW margin, B:682–683  
 Valanginian–Hauterivian, B:806
- seafloor weathering, Site 765, B:196
- seawater–rock interaction, water/rock ratios,  
 B:191
- sediment/basalt contact  
 Site 765, A:93, 102; B:173, 184, 201  
 Site 766, A:284  
 Tithonian, B:5
- sediment gravity flow  
 Neogene, A:111–112  
 tectonic influence, B:158
- sediment starvation  
 CCD position and, B:810–811  
 Miocene turbidites, B:612  
 Site 765, B:803–804
- sediment subduction  
 beryllium isotopes and, B:167  
 estimating fluxes, B:167  
 Sunda Trench, B:185–187
- sedimentary sequence, Argo Abyssal Plain, B:46  
 Site 765, B:43–46  
 Unit L1, B:5, 7, 23–24, 43  
 Unit L2, B:7–13, 24–26, 43–45  
 Unit L3, B:13–17, 26–31, 45  
 Unit L4, B:17–18, 31–32, 45, 48  
 Unit U1, B:18–19, 32–33, 45–46  
 Unit U2, B:19–20, 33–34  
 Unit U3, B:20, 34, 46
- sedimentation rate  
 Argo Abyssal Plain, B:43, 48, 129, 667–668,  
 810  
 Australian NW margin, B:789  
 Cretaceous, B:26  
 decompacted, A:113–114, 289  
 effect of vertical crest motion on, B:673–675,  
 688  
 inoceramid sediments, B:11  
 magnesium diffusion and, B:786  
 Site 261, B:12  
 Site 765, A:113, 140–143; B:12, 18, 129, 215,  
 601, 725  
 Site 766, A:270, 301–302; B:215  
 Valanginian–Hauterivian vs. Aptian tur-  
 bidites, B:127  
 zeolitic clays, B:33
- sedimentology. *See also* Maskov chain analysis  
 smear slide analysis, A:40, 101–102
- segregation vesicles, Site 765, A:183; B:204, 213
- seismic reflection profiling  
 A-reflector, B:684  
 B-reflector, B:684  
 Blue reflector, A:338  
 C-reflector, B:684  
 Green reflector, A:338–339  
 intrabasement, B:567, 577  
 Red reflector, A:338  
 Site 261, A:16  
 Site 765, A:16, 68  
 Site 766, A:16–17; B:807
- seismic stratigraphy  
 Aptian–Cenomanian sequence, B:572, 579  
 Barremian–Aptian unconformity, B:572  
 Barremian sequence, B:571–572, 578  
 Cenomanian–Turonian unconformity, B:574  
 Cenozoic sequence, B:574–575, 581  
 Cretaceous sequence, B:574, 580  
 erosional truncation, A:226  
 F-unconformity, B:683  
 lithostratigraphic correlation, A:248, 341–342,  
 344; B:565–566  
 Paleocene unconformity, B:574  
 regional unconformity, A:231  
 sequences 1–5, Site 766, A:339–342  
 sequences 1–7, Site 765, A:225–235; B:154  
 sequences 3–5, Site 765, B:152  
 sequence 4–6 hiatus, Site 261, B:788  
 sequence boundaries, B:565, 589, 597  
 Site 765, A:248  
 tectonic-stratigraphic correlation, A:338  
 Valanginian–Hauterivian sequence, B:567,  
 570–571, 577–579
- seismic velocity, B:483–485  
 air- vs. water-gun sources, B:584–585  
 elastic properties and, B:490  
 lithologic correlation, B:634–635  
 slant stacking, B:626, 628–629  
 t-p analyses, B:625  
 variation with pressure, B:485–487  
 X-T to t-p mapping, B:626, 628
- sepiolite  
 mineral associations, B:69, 79  
 source, A:151–152

- sequence analysis. *See also* syntax analysis  
 chaotic system, B:608  
 core-description data, B:609-610, 612, 614-615  
 entropy function, B:604  
 ergodicity, B:604, 608  
 exogenous subdivisions, B:604  
 predictability in, B:604  
 Site 765, B:602, 604-609  
 wireline-log data, B:610-611, 616-620
- shale, black  
 physical properties, A:326  
 Turonian/Cenomanian boundary, A:107
- shear strength  
 Site 765, A:169, 177; B:494, 496  
 Site 766, A:313-314, B:496
- shell debris, Site 765, A:94, 102-103  
 siderite, Site 765, B:79
- silica  
 ash layers, B:103  
 in bentonites, B:110  
 in clay, A:158  
 diagenesis, A:149-150, 152; B:70, 786  
 dilution, B:169, 177, 187  
 during sepiolite-palygorskite formation, B:69  
 logging data, B:641  
 in palygorskite sediment, B:785-786  
 in radiolarian tests, B:786  
 Site 765, A:148, 161  
 Site 766, A:304  
 stratigraphic variability, A:152  
 vs. calcium carbonate, A:158  
 vs. magnesium oxide, A:159  
 vs. strontium, A:158  
 vs. total alkali, B:100  
 vs. zirconium, A:195
- silica/aluminum oxide ratio, Site 765, B:177
- silica diagenesis, A:149-150, 152; B:786  
 radiolarian tests and, B:70  
 temperature, B:70
- siliciclastic sediment, Cretaceous, A:104-105
- silt, terrigenous, B:64
- siltstone  
 black, A:299, 301, 313  
 clayey, Site 765, A:91, 93-94, 103; B:92, 94  
 glauconitic, A:308-309; B:101, 752  
 sandy, Site 766, A:284, 286; B:94  
 volcaniclastic, Site 766, B:101
- Site 100, basal sediments, A:12
- Site 105  
 basal sediments, A:12  
 benthic foraminifers, A:44  
 biostratigraphic events, B:770, 776  
 microfossils, B:763
- Site 167, carbonate sediment, B:752
- Site 211, clastic turbidites, B:186-187
- Site 212, calcareous turbidites, B:186-187
- Site 213, siliceous oozes, B:186-187
- Site 249, Neocomian sediments, B:752
- Site 257  
*Ticinella*, B:747  
*Ticinella multiloculata*, B:284
- Site 258  
*Crucibiscutum salebrosum*, B:356  
 planktonic foraminifers, B:271, 285, 750, 754  
*Ticinella*, B:747
- Site 259  
 basalts, A:201  
 foraminifers, B:271  
 lithostratigraphy, B:787  
 mineralogy, B:788  
 palygorskite, B:785  
 titanium/zirconium ratio, B:210
- Site 260  
 basalts, A:200-201  
 basement, B:661  
 foraminifers, B:271  
 fracture zones, A:8  
 geomagnetic isochrons, A:8  
 lithostratigraphy, B:787  
 mid-ocean ridge depths, A:6, 67  
 mineralogy, B:788  
 palygorskite, B:785  
 planktonic foraminifers, A:294  
 tholeiitic basalt, A:5  
 titanium/zirconium ratio, B:210
- Site 261  
 basal sediments, A:7, 12, 64, 67; B:3, 43, 46, 48, 789  
 basalt, A:195, 200-201, 203, 205  
 basement, B:661-662  
 bathymetry, A:14, 18-20  
 benthic foraminifers, A:45; B:239, 247, 722  
 bio-magnetostratigraphy, A:6-7  
 biostratigraphic events, B:771, 777  
 calcareous nannofossils, B:37-41, 369-371, 373-377, 730  
 calcareous turbidites, B:186-187  
 carbonate banding, A:7  
 clay mineral diagenesis, B:785  
*Crucibiscutum salebrosum*, B:356  
 depositional history, B:46-48  
 fracture zones, A:8  
 geochemistry, MIOR basalts, A:199-200  
 geomagnetic isochrons, A:8  
 lithostratigraphy, A:70; B:44, 527, 787  
 location, A:69; B:4  
 magnetic properties, B:529  
 magnetostratigraphy, B:538-539  
 marine magnetic anomalies, A:66-67  
 mid-ocean ridge depths, A:67  
 mineralogy, B:780, 783-786, 788  
 oceanic crust, B:803  
 paleolatitude, B:530-533, 549-553  
 paleowater depth, B:810, 812  
 palygorskite, B:785  
 radiolarian sands, B:746  
 radiolarians, B:308, 311-312  
 reddish brown claystone, A:136  
 sedimentary sequence, B:20-34  
 smectite, B:47  
 titanium/zirconium ratio, B:210  
*Tubodiscus verena*, B:764  
 uplift, A:248
- Site 262, dolomite, calcian, B:79
- Site 263  
 basement, B:661  
 foraminifers, B:271  
 fracture zones, A:8  
 geomagnetic isochrons, A:8  
 lithostratigraphy, B:787  
 mineralogy, B:788
- Site 327  
*Nannoconus*, B:755  
*Ticinella*, B:755
- Site 330, basal sediments, A:12
- Site 335, temperature, B:519
- Site 367  
 basal sediments, A:12  
 biostratigraphic events, B:771, 777
- Site 370  
 biostratigraphic events, B:770, 776  
*Hedbergella delrioensis*, B:765  
*Lenticulina nodosa*, B:764
- Site 386  
 radiolarite sand, A:105; B:312
- rhodochrosite, A:105
- Site 387  
 basal sediments, A:12  
 biostratigraphic events, B:771, 777  
 microfossils, B:763
- Site 391  
 benthic foraminifers, B:246  
 biostratigraphic events, B:770  
 calcareous nannofossils, B:35  
 microfossils, B:763
- Site 395  
 oceanic crust, A:56; B:503, 521  
 temperature, B:519  
 wellbore breakouts, B:509
- Site 396  
 alteration halos, B:196-197  
 temperature, B:519
- Site 398, biostratigraphic events, B:771, 776
- Site 416  
 basal sediments, A:12  
 basement, B:791  
 benthic foraminifers, B:246  
 biostratigraphic events, B:770, 776  
 calcareous nannofossils, B:735
- Site 417  
 alteration halos, B:196  
 basement, B:791  
 lithostratigraphy, A:172
- Site 418  
 alteration halos, B:196  
 lithostratigraphy, A:172
- Site 454, temperature, B:519
- Site 504  
 basalts, B:511  
 crustal reheating, B:198  
 lithostratigraphy, A:172  
 oceanic crust, A:56; B:503, 521  
 temperature, B:519  
 wellbore breakouts, B:509
- Site 511  
*Corollithion silvaradion*, B:356  
*Crucibiscutum salebrosum*, B:356  
*Nannoconus*, B:741, 755  
*Ticinella*, B:747, 755
- Site 534  
 basal sediments, A:12  
 benthic foraminifers, A:44; B:246, 248-250, 747  
 biostratigraphy, B:759, 770, 775  
 calcareous nannofossils, B:35  
*Dorothyia praeauteriviana*, B:764  
 geomagnetic polarity study, B:763  
 microfossils, B:763
- Site 535  
 basal sediments, A:12  
 biostratigraphic events, B:770, 776
- Site 540, basal sediments, A:12
- Site 543  
 benthic foraminifers, B:246  
*Hormosina ovulum gigantea* Zone, B:727
- Site 544, basal sediments, A:12
- Site 545, basal sediments, A:12
- Site 546, basal sediments, A:12
- Site 547, basal sediments, A:12
- Site 548, basal sediments, A:12
- Site 603  
 basal sediments, A:12  
 benthic foraminifers, A:44; B:246, 722, 746  
 biostratigraphy, B:759, 770, 775  
 calcareous nannofossils, B:359  
 geomagnetic polarity study, B:763  
 microfossils, B:763, 764
- Site 638, calcareous nannofossils, B:359

- Site 639, basal sediments, A:12  
 Site 641, benthic foraminifers, A:44; B:246, 722, 746  
 Site 692, *Crucellipsis cuvillieri*, B:741  
 Site 693  
   *Crucibiscutum salebrosum*, B:356  
   radiolarians, B:313, 744, 746  
   *Ticinella*, B:747  
 Site 735, oceanic crust, A:56; B:521  
 Site 759, location, A:11; B:90  
 Site 760  
   basal sediments, A:12  
   location, A:11; B:90  
 Site 761  
   ash layers, A:104  
   basal sediments, A:4, 12  
   belemnites, B:443-448  
   bentonites, A:104; B:47, 95, 97  
   juvenile ocean sequence, B:89  
   lithostratigraphy, B:787  
   location, A:11; B:90  
   Neocomian chalk, B:94  
   Rhaetian lagoonal facies, B:802-803  
   Triassic neritic carbonates, B:141  
 Site 762  
   basal sediments, A:12  
   belemnites, B:443-448  
   location, A:11; B:90, 564  
   Valanginian-Hauterivian hiatus, B:579  
 Site 763  
   basal sediments, A:12  
   belemnites, B:443-448  
   bentonites, B:97  
   Cenomanian-Turonian boundary event, B:805  
   location, A:11; B:90, 564  
   Paleocene-Eocene unconformity, B:805-806  
   Valanginian-Hauterivian hiatus, B:579  
 Site 764  
   basal sediments, A:12  
   location, A:11; B:90  
   Rhaetian reef complex, B:801-802  
 Site 765, A:63-267  
   age dating, B:191  
   basal sediment, A:12; B:3, 43, 46, 48, 789  
   basalt, B:204-207  
   basement, A:4; B:201-203, 661-662  
   bathymetry, A:14, 18-20  
   benthic foraminifers, B:242-250, 722  
   biostratigraphic events, B:771, 777  
   calcareous nannofossils, B:35-37, 344-351, 355-356, 369-373, 382-395, 400-403, 717-718  
   chronostratigraphy, B:717, 722-731  
   depositional history, B:46-48  
   dinoflagellates, B:429-434  
   geochemical reference section, B:183-185, 188, 644  
   geochemistry, inorganic, A:64, 142-158, 247; B:167-175, 792-796  
   geochemistry, organic, A:158-164, 247; B:217-221, 226-235  
   geological setting, B:168-169, 191, 803-804  
   geological time scale, A:6-7  
   lithostratigraphy, B:44, 113, 527, 602-604, 787  
   location, A:3, 9; B:4, 112, 152, 168, 226, 504, 516, 792  
   magnetic lineations, B:659-669  
   mineralogy, B:57-64, 786, 788  
   navigation, A:13-14  
   objectives, A:3-4; B:225, 523, 584  
   paleolatitude, B:530-533, 549-553  
   paleowater depth, B:810, 812  
   palynology, B:407-410, 421-425, 432-434, 722  
   planktonic foraminifers, B:718, 722  
   radiolarians, B:302-305, 307-313, 315, 722  
   radiometric age dating, B:557-559  
   regional geology, A:4  
   sedimentary sequence, B:5-20  
   sedimentation history, A:102-113, 149  
   sequence analysis, B:604-611  
   vertical seismic profiling, B:589-600  
   wellbore breakouts, B:505-513  
 Site 766, A:269-352  
   basal sediments, A:12; B:789  
   basalt, B:204-207  
   basement, B:203-204, 661  
   bathymetry, A:14, 20; B:567  
   belemnites, B:443-448  
   benthic foraminifers, B:722  
   biostratigraphic events, B:771, 777  
   calcareous nannofossils, B:350-355, 392-404, 717-718  
   chronostratigraphy, B:717, 731-735  
   depositional history, B:580  
   foraminifers, B:271-285  
   geochemistry, inorganic, A:302-304; B:793-796  
   geochemistry, organic, A:304-306, 343-344; B:217-221, 226-235  
   geological time scale, A:6-7  
   juvenile ocean sequence, B:89  
   lithostratigraphy, B:527, 529, 787  
   location, A:3, 9; B:90, 226, 563-564, 793  
   navigation, A:13-14  
   objectives, A:34; B:225, 523, 563  
   paleolatitude, B:530-533, 549-553  
   paleowater depth, B:810, 813, 815  
   palynology, B:722  
   planktonic foraminifers, B:285, 722  
   radiolarians, B:306-307, 310-311, 722  
   radiometric age dating, B:557-559  
   regional bathymetry, B:563  
   regional geology, A:5  
   sedimentology, A:286-289, 343  
   seismic stratigraphy, B:565-575  
 smectite  
   in bentonitic claystones, B:99  
   Cretaceous, A:99  
   derivation, B:47  
   dioctahedric, B:108  
   honeycomb texture, B:108-109  
   illitization, B:68, 785, 789  
   Site 765, B:192  
   source, A:99-100, 151  
   in volcanoclastic sandstone, B:108  
   volcanogenic origin, B:17  
 smectite/kaolinite boundary, Site 765, B:608  
 sodium dioxide  
   basement basalts, A:204  
   vs. zirconium, A:195  
 sodium-montmorillonite  
   Site 765, B:99-100  
 sonic log, B:603-604  
   correlation, sonobuoy and VSP data, B:634-635  
   Site 765, A:218, 222; B:633-634  
   Site 766, A:334  
   VSP correlation, B:589-591, 600  
 sonobuoy seismic recording  
   correlation, VSP and sonic log, B:634-635  
   exact normal moveout, B:628-631  
   operations, A:75-76  
   Site 765, A:17, 20, 23, 25  
   Site 766, A:20, 23-24  
   *t-p* analyses, B:626  
   X-T to *t-p* mapping, B:626-628  
 spinel, B:207-208  
 spreading rate, magma fractionation and, B:210, 212  
 strain  
   principal orientation, B:472, 474-475, 478-481  
   temperature correlation, B:476  
 STRATCOR program, B:760-762  
 stratigraphic modeling, Northwest Australian Shelf, B:687-693, 697, 711-713  
 stress  
   anelastic strain recovery, A:50-51, 206, 209-211  
   basement basalts, A:206-214  
   circumferential, B:511-512  
   Cloetingh and Wortel model, B:506, 509  
   effective vertical, B:499-500  
   hydrofrac tests, A:52-53  
   igneous rock, A:328-331  
   *in-situ* directions, A:51-52, 210, 213-214  
   indicators, B:470  
   maximum horizontal compressive, B:505, 508, 512  
   oceanic crust, A:50-52  
   principal horizontal magnitudes, B:470-471  
   regime constraints, B:509-512  
   regional indicators, B:505-506  
   Richardson model, B:506, 509  
 strontium  
   aragonite content and, B:78  
   basement basalts, A:187, 189, 195  
   pore-water, B:83  
   Site 765, A:147-148, 160  
   Site 766, A:303-304, 323  
   vs. calcium carbonate, A:156, 158  
 strontium isotopes, basalts, B:207, 212, 794, 209  
 submarine fan deposition  
   models, B:128, 143-144  
   periodic oscillatory behavior, B:612  
   Site 765, B:601  
   Site 766, A:269  
 subsidence. *See* tectonic subsidence  
 sulfate  
   in barite precipitation, B:786  
   dolomite precipitation and, B:82  
   Site 765, A:146-147; B:81, 217  
   Site 766, A:303  
 sulfate reduction, organic carbon content and, B:79  
 Sunda-Banda Arc, Pliocene collision, Australian margin, B:151, 158  
 Sunda Shelf, continental lithosphere, B:681  
 Sunda Trench, crustal fluxes, B:167  
 Surat Eromanga, benthic foraminifers, B:283  
 Swan Canyon  
   incision, B:48  
   pelagic sediment, A:106  
   as sediment source, B:111, 151  
 syntax analysis, B:602  
   environmental model, B:609  
   parsed sequence, B:611  
   pattern recognition, B:608-609  
   Site 765, B:620-623  
 tectonic subsidence  
   Australian NW margin, A:3  
   basin formation effects, B:697  
   Indian Ocean, B:693  
   lithological effects, B:684-687  
   magnetic lineation correlation, B:667-668  
   Northwest Australian Shelf, B:693-695, 701

## tectonics, basement blocks

tectonics, basement blocks, A:248, 272  
 tectonics, extensional, Permian, B:801  
 temperature  
   logging data, A:241, 245  
   Site 765, B:515-518  
   thermal gradients, B:520-521  
 temperature logging tool (TLT), A:241, 342;  
   B:515-517  
 terrigenous-pelagic sediment transition, Site 766,  
   A:288, 343  
 Tethys Himalaya, syn-breakup volcanism, B:102  
 Tethys Ocean, radiolarians, B:299  
 Tethys Realm. *See also* nannofossils, calcareous;  
   radiolarians  
   NW Australian margin biostratigraphy corre-  
   lated, B:41-42, 739-755  
 Tethys Sea, tectonic history, A:3  
 Thakkhola, Nepal  
   benthic foraminifers, B:246-247  
   Mesozoic sedimentation, B:807-812  
   paleoenvironment, B:808  
   polar wander path, B:807  
   sedimentation rate, B:816  
 thermal conductivity  
   basement basalts, A:205  
   igneous rock, A:327, 329, 331  
   lithologic correlation, B:519  
   porosity predictions from, B:464  
   Site 765, A:169, 177-178, 210; B:466-467  
   Site 766, A:313, 315; B:464, 468  
 thermal equilibrium gradient, A:56  
 thermal subsidence, Australian NW margin, B:789  
 thorium, B:639  
 thorium/aluminum oxide, B:182  
 thorium log, B:604  
 thorium/uranium ratio  
   carbonate content and, B:185  
   Site 765, A:219  
 titanium dioxide/aluminum oxide ratio, Site 765,  
   B:182  
 titanium dioxide/zirconium ratio, altered basalts,  
   B:194  
 titanium oxide  
   iron oxide correlation, A:195  
   Site 765, A:180; B:796  
   Site 766, A:322-323, 325  
   vs. calcium carbonate, A:156  
   vs. carbonate, A:152  
   vs. major oxides, A:194, 203, 326  
 titanium oxide/aluminum oxide ratio, clinopy-  
   roxene, B:210  
 titanium oxide/zirconium ratio  
   basaltic rocks, B:205  
   Site 765, A:203  
 titanium oxide-iron oxide/magnesium oxide  
   correlation  
   fractional crystallization model, B:210  
   partial melting trend, B:209-210  
   Site 765, B:207, 209  
 titanium/zirconium ratio, basaltic rocks, B:210  
 Toolebuc Formation, Rock-Eval pyrolysis, B:218  
 total organic carbon (TOC)  
   Barremian-Albian Ocean Anoxic Event,  
   B:234  
   Site 765, A:159-160, 247; B:217-219, 227,  
   229-231  
   Site 766, A:311, 343-344; B:227, 229-231  
 transition-probability analysis, B:602  
   classification by information content, B:604  
 Troodos Ophiolite, basement, B:559  
 Tryal Rocks, tectonic subsidence, B:692-693  
 turbidites

## SUBJECT INDEX

Bouma sequences, A:111; B:118-119, 125,  
   157, 601, 603  
 calcium carbonate content and, A:159  
 carbonate mineralogy, B:78  
 derivation, A:104  
 ergodic mixed carbonate-siliciclastic cycle,  
   B:609-611  
 fan models, A:112  
 geochemical variation, A:157-158  
 metal content, A:157-158  
 microfossils, B:722  
 Miocene sedimentation rate, B:601  
 organic geochemistry, A:247; B:217-218  
 physical properties, A:165, 168-169  
 redeposition mechanism, B:806  
 sediment sources, A:106; B:94, 601  
 small-scale cycles, B:611-612  
 stacked, B:611  
 Tithonian-Barremian, B:27  
 turbidites, ash, thickness and volume, B:104-105  
 turbidites, calcareous  
   CCD and fluctuations in, B:48  
   classification, A:40-41  
   Cretaceous-Pleistocene, A:40-41  
   eustatic sea level and, B:47  
   magnetic properties, A:132-133; B:722  
   Miocene, B:157-161, 725  
   redeposition mechanism, B:30  
   seismic reflection profiling, A:231  
   Site 261, B:29  
   Site 765, A:111  
   source, B:18, 30-31, 34, 45, 47, 788, 805  
   Valanginian-Barremian, B:17  
 turbidites, calciclastic  
   analytical methods, B:152-156  
   effect of sea level on, B:158-160  
   lithology, B:151-152  
   logging data, B:152  
   seismic correlation, B:152  
   sequence boundaries, B:151-152  
 turbidites, carbonate  
   petrofacies analysis, B:141-144  
   pore-system characteristics, B:140, 142-143  
   recovery efficiency, B:144  
   Site 765, A:246  
 turbidites, greenish gray, depositional environ-  
   ment, B:527, 529  
 turbidites, mud, in radiolarian claystones, B:18, 32  
 turbidites, pelagic, sea level and influx of, B:754  
 turbidites, siliciclastic, source, B:805  
 turbidites, smart  
   Aptian, B:123-126  
   biogenic components, B:135  
   coarse-grained, B:115-122, 124-126, 134  
   compositional layering, B:117-118, 124  
   Cretaceous sediment sources, B:126-128  
   depositional models, B:115, 118-120, 124-  
   125, 128  
   diagenesis, B:120-121, 125-126  
   eustatic lowstand correlation, B:128  
   facies patterns, B:126  
   fine-grained, B:114-115, 123-124  
   radiolarian-rich intervals, B:131-132  
   sandy microtextures, B:119-121  
   thickness, B:126  
   Valanginian-Hauterivian, B:111, 114-122  
 turbidity current deposits, Site 765, A:106; B:610  
 Turonian/Cenomanian boundary  
   laminated shale, A:107  
   Site 766, A:280  
 Turrinilindae, Site 766, B:278  
 United States SE, palygorskite, B:785

upwelling, radiolarian assemblage effects, B:313,  
   315  
 uranium, B:639  
 uranium log, B:604  
 uranium/potassium ratio, logging data, A:219  
 Valanginian/Hauterivian boundary, Site 766,  
   A:301; B:735  
 vanadium/titanium ratio, intrusives, A:326  
 veins, clay mineralogy, A:322-323  
 veins, alteration, Site 765, A:173, 190, 192-193  
 velocity. *See also* seismic velocity  
   acoustic impedance predictions, B:463-464  
   basement basalts, A:205  
   igneous rock, A:326-327, 329-330  
   mud cake formation, B:591  
   Site 765, A:168-169; B:456-459  
   Site 766, A:309, 311, 314; B:460-462  
 velocity, interval  
   from semblance in X-T, B:630, 632  
   Site 765, B:588, 591  
   from VSP data, B:632-634  
   weighted-average, B:633, 635  
 velocity anisotropy, B:486-487  
   comparison, anelastic strain recovery, B:487-  
   488  
 vertical seismic profiling (VSP)  
   acquisition system, A:237-238  
   attenuation and dispersion, B:591  
   basement and sub-basement reflections, B:592  
   correlation, sonic log and lab velocities,  
   B:589-591, 597, 600  
   correlation, sonobuoy and sonic log data,  
   B:634-635  
   data processing, B:587-589  
   deconvolved seismogram, B:589, 598-599  
   operations, A:74-75  
   receivers, B:585-586, 593  
   recording, B:586-587  
   scientific applications, B:583  
   seismic sources, B:584-585  
   Site 765, A:65, 235-241ff, 248  
   summed traces, B:586  
   waveform processing, B:588-590, 592, 594-  
   596  
   zero-offset A:235-237  
 vesicle fillings  
   Site 765, A:193  
   Site 766, A:318, 321-322  
 vesicles, zeolite-filled, basement basalts, A:199  
 vesicularity, basement basalts, A:183  
 volcanic detritus, in inoceramid sediments, B:11  
 volcanic intrusion, magnetic properties, A:301  
 volcanic pebbles  
   Site 766, A:278-279  
   transportation, A:289  
 volcanic pile, Site 766, B:577-578  
 volcanic rocks  
   geochemistry, B:793-796  
   rhyolitic, potassium/argon dating, B:803  
 volcanism  
   Australian NW margin, A:7; B:789, 792-793  
   Cretaceous, mineralogic evidence, B:67  
   post-breakup, B:89, 102, 104  
 Wallaby Plateau  
   igneous geochemistry, B:792  
   origin, B:104  
 water content  
   basement basalts, A:204  
   igneous rock, A:326, 330  
   lithostratigraphic correlation, B:494-495  
   Site 765, A:164-165; B:454-459, 494

## TAXONOMIC INDEX

*Archaeodictyomitra slitera*

Site 766, A:307-309; B:460-462, 494  
 Weddell Sea  
 Neocomian sediments, B:752  
 planktonic foraminifers, B:754  
 radiolarians, B:746  
 wellbore breakouts  
 intervals 1-3, B:505  
 principles, B:503-504, 509-511  
 Site 765, B:512  
 Wharton Basin  
 manganese oxide-rich clay, B:187  
 stress-induced deformation, B:680  
 Whim Creek, shale, B:181  
 Windalia Radiolarite, B:744, 746, 755  
 Winning Group, mineralogy, B:788  
 wireline log  
 N-value, B:608  
 seismic correlation, B:805  
 Site 765, B:602, 616-623  
 vs. core-description lithostates, B:611  
 Wombat Plateau  
 alkaline rhyolites, B:792  
 bentonites, B:104  
 Callovian-Oxfordian tectonic event, B:810  
 juvenile ocean sediments, B:101

nannofossil-calcisphere chalk, B:45  
 Neocomian chalk, B:45, 127  
 paleowater depth, B:811  
 post-Rhaetian evolution, B:802-803  
 Rhaetian carbonate sequence, B:801  
 seafloor spreading, B:803  
 sedimentation history, B:801-803  
 seismic reflection profiling, B:803  
 tectonic subsidence, B:685, 696  
 volcanic basement, A:7  
 wood emulsion equation, B:461-462  
 World Stress Map Project, B:671-672

X-ray diffraction, A:98-101  
 X-ray fluorescence  
 intrusives, A:324  
 Site 765, A:150, 156  
 xenoliths, Site 765, A:185, 189  
 yttrium, Site 765, A:199-200

zeolite  
 formation, B:786  
 Site 765, A:103; B:19, 192  
 Site 766, A:280, 288

zinc, Site 765, A:161, 199  
 zirconium  
 in basement basalts, A:180, 195  
 lavas, B:796  
 Site 765, A:199-200  
 titanium oxide correlation, A:195  
 in turbidites, A:161  
 vs. major-element oxides, A:203-204  
 vs. trace elements, A:205  
 zirconium/titanium dioxide ratio, vs. niobium/yttrium, B:101  
 zirconium/titanium ratio, intrusives, A:326  
 zirconium/yttrium ratio, Site 765, A:200, 326  
 zonation, probabilistic  
 computation, B:764-767  
 correlation, Leg 27, B:759-772  
 Final Composite Standard Sequence (FCSS), B:764, 767, 769  
 RASC Optimum Sequence, B:765-766  
 smoothing factor, B:765  
 zones, fossil. *See in* Taxonomic Index under zones (for letter prefixes) and alphabetically (for genetic-specific designations)

## TAXONOMIC INDEX

*abrupta*, *Trochammina*, Site 765, A:122; B:250, 256, 261-262  
*Acacia* pollen, Site 765, A:125  
*Acaeniotyle diaphorogona*, B:317, 332  
*Acaeniotyle* sp., B:317, 332  
*Acaeniotyle umbilicata*, B:317  
 Site 765, B:332  
*Acanthocircus*, B:317  
*Acanthocircus trizonalis*, B:317  
*Acanthocircus trizonalis dicranacanthos*, B:317  
*Acarinina mckannai*, Site 766, A:293  
*Acarinina spinuloinflata/Acarinina bullbrookii* lineage, Site 765, A:120  
*Achomospaera neptuni*, Site 765, B:418  
*Achomospaera* sp., Site 765, B:438  
*achylosus*, *Corollithion*, Site 766, B:367  
*acostaensis*, *Neogloboquadrina*, coiling change, A:119  
*aculeata*, *Ramulina*, Site 765, B:264  
*aculeus*, *Ceratolithoides*, Site 765, A:124  
*acutiangulata*, *Tristix*  
 Site 416, A:295  
 Site 766, A:295  
*Adnatosphaeridium tutulosum*, Site 765, B:418  
*alazanensis*, *Cibicidoides*, Site 765, A:121  
*albiensis*, *Hayesites*  
 Site 765, A:124  
 Site 766, A:293  
*Aldorfia deflandrei*, Site 765, B:420  
*Aldorfia* sp., Site 765, B:417  
*Alievium helena*, B:317-318  
 Site 766, A:295

*allomorphinoides*, *Quadriformina*, Site 766, B:290, 294  
*altispira*, *Dentoglobigerina*, Site 765, A:117  
*Amaurolithus delicatus*, Site 766, A:289  
*Amaurolithus delicatus* Subzone  
 Leg 63, A:289  
 Site 766, A:289; B:731  
*Ammobaculites* Association  
 Australia, B:283  
 biogeography, B:283  
 global distribution, B:284  
*Ammobaculites* sp., Site 765, B:245, 251, 261  
*Ammobaculoides carpathicus*, Site 765, B:252, 261  
*Ammobaculoides* sp., Site 765, B:250  
*Ammodiscoides* sp., Site 765, B:252, 258  
*Ammodiscus cretaceus*, Site 765, B:252, 258  
*Ammodiscus* sp., Site 765, B:252, 258  
*Ammodiscus tenuissimus*, Site 765, B:252, 258  
*Ammolagena clavata*, Site 765, B:14, 245, 258  
*Ammosphaeroidina* sp., Site 766, B:292  
*Amphipyndax*, B:318  
*Amphipyndax mediocrix*, B:318  
*Amphirhopalum ypsilon* Zone, Site 765, A:126; B:723  
*amphitreptera*, *Podocapsa*, B:324  
 Site 765, A:128, 141-142; B:308-309, 339  
*Andamookia*, Eromanga Basin, B:284  
*andersoni*, *Gavelinella*, Site 766, B:279, 290, 295  
*angulare*, *Anthocyrtidium*, reworking, A:126  
*angulisuturalis*, *Globigerina*, Site 765, A:119  
*Angulobracchia media*, B:318  
 Site 765, B:332

*Angulobracchia* sp., B:318  
 Site 765, B:331-332  
*angustus*, *Rhagodiscus*  
 Site 765, B:359, 368  
 Site 766, B:351, 359, 366  
*Ansulospaera helvetica* Zone, Site 765, A:125  
*Anthocyrtidium angulare*, Site 765, A:126  
*Anthocyrtidium angulare* Zone  
 Site 765, A:126  
 Site 766, A:295  
*Anthocyrtis angulare* Zone, Site 765, B:723  
*apertura*, *Globigerina*, Site 765, A:117  
*apiarium*, *Archaeodictyomitra*, B:318  
 Site 765, B:332  
*apicopaucicum*, *Druggidium*, B:765  
*appenninica*, *Rotalipora*, Site 766, B:282, 291, 297  
*Aprobolocysta galeata*, Site 765, B:420  
*aptica*, *Hedbergella*, Site 766, B:281, 291, 296  
*aptiense*, *Globigerinelloides*, Site 766, B:280, 290, 295-296  
*aptiense*, *Globorotalites*, Site 766, B:290, 294  
*Aragonia semireticulata*, Site 766, A:294  
*Archaeodictyomitra apiarium*, B:318  
 Site 765, B:332  
*Archaeodictyomitra brouweri*, B:312, 318  
 Site 765, B:330, 332  
*Archaeodictyomitra brouweri alpha*, B:318  
 Site 765, B:332  
*Archaeodictyomitra brouweri gamma*, B:318  
*Archaeodictyomitra brouweri typica*, B:318  
 Site 765, B:332  
*Archaeodictyomitra slitera*, Site 765, B:730

## Archaeodictyomitra sp.

## TAXONOMIC INDEX

- Archaeodictyomitra* sp., B:318–319  
Site 765, B:332
- Arenobulimina-Voloshinoides* Complex, Site 766, B:273
- Arenoturispirillina jeletzkyi*, Site 765, B:252, 258
- areolata*, *Systematophora*, Site 765, B:416
- argoensis*, *Cyclagelosphaera*, n. sp., B:371  
Site 261, B:40, 378, 741  
Site 765, B:741
- argoi*, *Blysmatodinium*, gen. et sp. nov., Site 765, B:434, 440
- Arkhangel'skiella cymbiformis* Zone, Site 766, A:291; B:732
- arnace*, *Exochosphaeridium*, Site 765, B:418
- asarotum*, *Cribroperidinium*, Site 765, B:417–418
- Aschemocella* sp., Site 765, B:252, 259
- Ascodinium* sp., Site 765, B:407, 418
- asper*, *Rhagodiscus*, B:743
- Aspidolithus parvus constrictus*  
Site 765, A:123; B:727  
Site 766, A:291; B:732
- Aspidolithus parvus parvus*, Site 766, A:291
- Aspidolithus parvus* Zone  
Site 765, A:124; B:392, 727  
Site 766, A:291; B:732
- Astacolus scitula*, Site 766, B:278, 288, 293
- Astacolus* sp., Site 766, B:288, 293
- asterigerum*, *Oligosphaeridium*, Site 765, B:416
- asymmetricus*, *Discoaster*, Site 766, A:289
- attadalense*, *Scriniodinium*, Site 765, B:417
- Aulacoteuthis*, morphological trends, B:446
- australis*, *Charltonina*, Site 766, B:290, 294
- australis*, *Muderongia*, Site 765, B:416
- Avellodinium* sp., Site 765, B:418
- avita*, *Didymocyrtilis*, reworking, A:126
- barbadoensis*, *Pseudohastigerina*, Site 765, A:119
- barbui*, *Holocryptocanium*, Site 765, A:128, 130, 142; B:43, 310, 730
- barbui barbui*, *Holocryptocanium*, B:312, 321  
Site 765, B:336
- barnesae*, *Watznaueria*, B:350  
Site 261, B:37
- barnetti*, *Cibicidoides*, Site 765, A:121
- barremiana*, *Gavelinella*, Site 766, A:295
- barremiana*, *Lenticulina*, Site 766, B:764
- Bathysiphon* sp., Site 765, B:252, 257
- Batiacasphaera imperfecta*, Site 765, B:419–420
- Batiacasphaera micropapillata*, Site 765, B:440
- Batiacasphaera* sp., Site 765, B:419
- Batioladanium micropodum*, Site 765, B:418
- Batioladanium reticulatum*, Site 765, B:418
- Batioladanium reticulatum* Zone  
Site 761, B:450  
Site 763, B:450  
Site 765, B:42, 350, 408, 410, 730  
Timor Sea, B:410
- Belemnopsis*, B:444  
Indo-Pacific Province, B:446  
regional differentiation, B:446  
Site 761, B:97
- Belemnopsis gladiatoris*, Ethiopian-Antarctic Sub-province, B:446
- Belemnopsis jonkeri*, B:444–445, 450
- Belemnopsis madagascariensis-B. castarensis* Group, Ethiopian-Antarctic Subprovince, B:446
- Belemnopsis moluccana*, B:445  
Site 763, B:450
- Belemnopsis moluccana-B. stolleyi* Group, Indo-Pacific Province, B:446
- Belodinium dysculum*, Site 765, B:420
- bentonensis*, *Globigerinelloides*, Site 766, B:280, 290, 296
- Berthelina intermedia*, Site 766, B:279, 290, 294
- bettenstaedtii*, *Eprolithus*, n. sp., B:360  
Site 766, B:366, 368
- biforaminis*, *Flabellites*, Site 766, B:359, 364, 368
- Bigenerina* sp., Site 765, B:252, 263
- bigotii*, *Stephanolithion*, Site 261, A:7; B:37, 40, 42, 351, 378
- Bilingulogavelinella*, Australian distribution, B:284
- binaiensis*, *Globoquadrina*, Site 765, A:119
- Biretisporites enebbaensis* Zone, Site 766, A:297
- Blysmatodinium argoi* gen. et sp. nov., Site 765, B:434, 440
- Blysmatodinium* gen. nov., Site 765, B:434
- Bolivinoidea parvissimus*, Site 765, B:727
- bradyana*, *Planularia*, Site 766, B:289
- britannica*, *Watznaueria*  
Site 261, B:37  
Site 765, A:125  
Site 766, B:365
- Broinsonia signata*, Site 766, B:364
- Broomea simplex*, Site 765, B:418
- brouweri*, *Archaeodictyomitra*, B:312, 318  
Site 765, B:330, 332
- brouweri alpha*, *Archaeodictyomitra*, B:318  
Site 765, B:332
- brouweri gamma*, *Archaeodictyomitra*, B:318
- brouweri typica*, *Archaeodictyomitra*, B:318  
Site 765, B:332
- brustolensis*, *Vitorfus*, B:326
- Buccinosphaera invaginata* Zone, Site 765, A:126; B:723
- Buchia*, bipolar bivalve distribution, B:751
- buddencanyonensis*, *Lingulina*, Site 766, B:288
- Bulbobaculites inconstans*, Site 765, B:249, 252–253, 260
- bulloideus*, *Spiniferites*, Site 765, B:429–430
- buxtorfi*, *Planomalina*  
Site 765, A:120  
Site 766, A:294; B:280–281, 290, 296
- cachensis*, *Crucella*, B:319  
Site 765, B:333
- Calcicalathina oblongata* Zone, Site 761, B:97
- Calcidiscus macintyreii* Zone, Site 766, A:289; B:731
- Calculites obscurus* Zone, Site 765, A:124; B:392, 727
- Calculites ovalis* Zone  
Site 765, A:124; B:392, 727  
Site 766, B:397
- Campylosphaera eodela*, Site 766, B:731
- Campylosphaera eodela* Subzone, Site 766, A:289; B:399
- Candeina nitida*, Site 765, A:119
- Canninginopsis intermedia*, Site 765, A:125; B:407, 419
- caracolla*, *Epistomina*, Site 765, B:264
- carniolensis*, *Lithraphidites*  
Site 261, B:351  
Site 765, B:350, 730
- carpathicus*, *Ammobaculoides*, Site 765, B:252, 261
- Carpodinium granulatatum*, Site 765, B:417
- Cassiculosphaeridia magna*, Site 765, B:416
- Cassiculosphaeridia* sp., Site 765, B:420
- Cassigerinella chipolensis*, Site 765, A:119
- castanea*, *Trinchoodinium*, Site 765, B:418
- Catinaster calyculus* Subzone, Site 765, A:123
- Catinaster coalitus* Zone, Site 765, A:123; B:723
- Cecrops septemtoratus*, B:319
- cenomana*, *Schackoia*, Site 765, B:290, 296
- Cenosphaera* spp., B:319  
Site 765, B:333
- Ceratolithoides aculeus*, Site 765, A:124
- Ceratolithoides aculeus* Zone, Site 765, A:124; B:392, 727
- cerviculum*, *Dingodinium*, Site 765, B:419
- cetia*, *Sethocapsa*, B:325  
Site 765, A:128, 141–142; B:43, 341, 730
- Charltonina*, Australian distribution, B:284
- Charltonina australis*, Site 766, B:290, 294
- charoides*, *Glomospira*  
Site 261, B:56  
Site 765, B:253
- chenodes*, *Mirifusus*, B:321  
Site 765, B:336
- Chiasmolithus bidens* Subzone, Site 766, A:289–290
- Chiasmolithus danicus* Zone  
Site 765, A:123  
Site 766, B:399, 731
- Chiasmolithus danicus-Ellipsolithus macellus* zones  
Site 765, B:393  
Site 766, B:399
- chiastius*, *Microstaurus*, Site 765, B:344–345
- Chiastozygus litterarius*, B:767  
Site 766, B:364, 368
- Chiastozygus litterarius* Zone  
Site 765, A:124; B:383, 727  
Site 766, A:293
- chipolensis*, *Cassigerinella*, Site 765, A:119
- choanophorum*, *Melitasphaeridium*, Site 765, B:431, 440
- Chondrites*, Site 261, B:27
- cibaensis*, *Globorotalia*, Site 765, A:119
- Cibicidoides alazanensis*, Site 765, A:121
- Cibicidoides barnetti*, Site 765, A:121
- Cibicidoides dutemplei*, Site 765, A:121
- Cibicidoides havanensis*, Site 765, A:121
- cisownicensis*, *Pseudoreophax*, Site 765, B:255, 263
- Citharina* sp., Site 766, B:288, 293
- clavata*, *Ammolagena*, Site 765, B:14, 245, 258
- Claviedbergella simplicissima*, Site 766, B:282, 290, 296
- Claviedbergella* sp., Site 766, B:282, 290, 296
- Clinapertina inflata*, Site 766, A:294
- Coccolithus miopelagicus* Subzone, Site 765, A:123
- colligata*, *Epelidosphaeridia*, Site 765, B:419
- colligata*, *Speetonia*  
Site 261, B:741  
Site 765, B:350, 367, 730, 741, 743  
Site 766, B:741, 743
- collignoni*, *Marginiulopsis*  
Site 416, A:295  
Site 766, A:295
- Coliosphaera tuberosa* Zone, Site 765, A:126; B:723
- columbaria*, *Eucyrtis*, B:320  
Site 765, A:127; B:335  
Site 766, A:295
- columbaria*, *Eusyringium*, Site 766, B:311
- columnata*, *Prediscosphaera*  
Site 765, B:359  
Site 766, A:293; B:359
- Cometodinium whitei*, Site 765, B:420
- conica*, *Thanarla*, Site 765, A:129–130
- conicus*, *Cretarhabdus*, Site 766, B:365
- Conorboidea hofkeri*, Site 766, A:295
- Conusphaera mexicana*, Site 261, B:370
- Conusphaera mexicana minor*

- Site 261, B:37, 40, 741  
Site 765, B:741
- cooperi*, *Zeugrhabdotus*, n. sp., B:372–373  
Site 261, B:29, 379, 741  
Site 765, B:741
- cornuta*, *Scampanella*, Site 766, B:367
- Corollithion achylosus*, Site 766, B:367
- Corollithion kennedyi*, Site 765, A:124; B:727
- Corollithion silvaradion*, Site 511, B:356
- corona*, *Repmania*, Site 766, B:287, 292
- coronoadventis*, *Grantarhabdus*, Site 766, B:365
- Coryphostoma* sp., Site 766, B:278, 289, 293
- crassa*, *Hormosina*, Site 765, B:254, 259
- crassaformis*, *Globorotalia*, Site 765, A:118
- crenulatus*, *Rotelapillus*, Site 766, B:366
- cretaceus*, *Ammodiscus*, Site 765, B:252, 258
- Cretarhabdus conicus*, Site 766, B:365
- Cretarhabdus* spp., Site 261, B:351
- cretosa*, *Heterantyx*, Site 766, B:273, 287, 292
- cretosa*, *Spiroplectamina*, Site 766, B:273
- Cribroperidinium asarotum*, Site 765, B:417–418
- Cribroperidinium leedervillense*, Site 765, B:417
- Cribroperidinium* sp., Site 765, B:417
- Crucella cachensis*, B:319  
Site 765, B:333
- Crucella espartoensis*, B:319  
Site 765, B:333
- Crucella* spp., B:319  
Site 765, B:333
- Crucibiscutum salebrosum*, B:360  
bipolar distribution, B:42, 356–357, 743  
localities found, B:356  
morphology, B:40  
Site 261, B:359, 378, 741  
Site 765, B:36, 350, 356, 368, 741  
Site 766, B:350, 356, 741
- Cruciellipsis cuvillieri*, B:767  
Site 261, B:40, 359, 370, 378, 741  
Site 765, B:36, 350–351, 367, 369, 378, 730, 741, 743  
Site 766, A:299; B:350–351, 359, 741, 743
- Cruciellipsis cuvillieri* Zone, Site 766, B:450
- cruciferum*, *Histiastrum*, B:321  
Site 765, B:336
- Cruciaplacolithus primus* Subzone, Site 766, A:291; B:398, 731
- Cruciaplacolithus tenuis*, Site 765, B:727
- Cruciaplacolithus tenuis* Subzone  
Site 765, B:727  
Site 766, A:291; B:398–399
- Crybelosporites striatus* Zone, Site 765, A:125
- Cryptamphorella macropora*, B:319  
Site 765, B:333
- Cryptamphorella* sp., B:312, 319  
Site 765, B:333, 730
- cuneata*, *Ellipsoidella*, Site 766, B:278, 289, 294
- Cuneus ludbrookae*, Site 766, B:289, 293
- Cuneus* sp., Site 766, B:278
- cuvillieri*, *Cruciellipsis*, B:767  
Site 261, B:40, 359, 370, 378, 741  
Site 765, B:36, 350–351, 367, 369, 378, 730, 741, 743  
Site 766, A:299; B:350–351, 359, 741, 743
- Cyclagelosphaera argoensis* n. sp., B:371  
Site 261, B:40, 378, 741  
Site 765, B:741
- Cyclagelosphaera deflandrei*, Site 765, B:344–345, 367
- Cyclastrum infundibuliforme*, B:319  
Site 765, B:334
- Cyclastrum* sp., B:319  
Site 765, B:334
- Cyclicargolithus floridanus* Subzone, Site 765, A:123; B:394–395, 725
- cylindroides*, *Laevidentalina*, Site 766, B:288
- Cyrtocapsa grutterinki*, B:320
- Cyrtocapsa pseudacerra*, B:320  
Site 765, B:313, 330, 334
- Cyrtocapsa* sp., B:320  
Site 765, B:313, 330, 334
- Dapsilidinium pastielsii*, Site 765, B:440
- davidii*, *Diconodinium*, Site 765, B:417
- deflandrei*, *Aldorfia*, Site 765, B:420
- deflandrei*, *Cyclagelosphaera*, Site 765, B:344–345, 367
- dehiscens*, *Globoquadrina*, Site 765, A:118
- dehiscens*, *Sphaeroidinella*, B:718  
Site 765, A:118
- delicatus*, *Amaurolithus*, Site 766, A:289
- delrioensis*, *Hedbergella*  
Site 765, A:120  
Site 766, A:294
- delrioensis*, *Praeglobotruncana*, Site 766, B:282, 291, 297
- Dendrophrya latissima*, Site 765, B:253
- Dentoglobigerina altispira*, Site 765, A:117
- depressa*, *Hippocrepina*, Site 765, A:122; B:249, 254, 257
- diamphidia diamphidia*, *Foremanella*, B:321  
Site 765, B:336
- diamphidia hipposidericus*, *Foremanella*, B:321  
Site 765, B:336
- diaphorogona*, *Aceniotyle*, B:317, 332
- Dicarinella primitiva* Zone, Site 765, B:727
- Dicasanella primitiva* Zone, Site 765, A:120
- Diconodinium davidii*, Site 765, B:408, 417
- Diconodinium davidii* Zone, Site 765, A:125; B:407, 730
- Dictyococcites bisectus* Zone, Site 765, A:123; B:395, 725
- Dictyococcites productus*, Site 766, A:289
- dictyotum*, *Scriniodinium*, Site 766, A:301
- Didymocyrtis avita*, Site 765, A:126
- diffundens*, *Glomospira*, Site 765, B:253
- digitalis*, *Wanea*, Site 765, A:126
- dilatata*, *Hyperamina*, Site 765, B:254, 257
- Dingodinium cerviculum*, Site 765, B:419
- Dingodinium jurassicum*, Site 765, B:419
- diplogrammus*, *Glaukolithus*, Site 766, B:367
- Discoaster asymetricus*, Site 766, A:289
- Discoaster binodosus* Subzone, Site 765, A:123; B:394, 725
- Discoaster brouweri* Zone, Site 765, A:122; B:723
- Discoaster diastypus* Zone, Site 766, A:289; B:399, 731
- Discoaster druggi* Subzone, Site 765, A:123; B:395, 725
- Discoaster exilis*, Site 765, A:123
- Discoaster kugleri* Subzone, Site 765, A:123
- Discoaster lodoensis* Zone  
Site 765, B:394  
Site 766, A:289; B:400, 731
- Discoaster mohleri* Zone  
Site 765, A:123; B:393, 727  
Site 766, A:290; B:399, 731
- Discoaster multiradiatus* Zone  
Site 765, A:123; B:393–394, 725, 727  
Site 766, B:399
- Discoaster neorectus* Subzone, Site 765, A:122–123
- Discoaster nobilis* Zone  
Site 765, B:393–394  
Site 766, B:399, 731
- Discoaster quinquenarius* Zone, Site 765, A:122; B:723
- Discoaster sublodoensis* Zone, Site 766, B:731
- Discoasteroides kueperi* Subzone  
Site 765, A:123; B:394, 725  
Site 766, B:400
- Dissilidinium* sp., Site 765, B:418
- dohertyi*, *Planulina*, Site 765, A:121
- Dollidinium sinuosum*, Site 765, B:420
- Dorothia praeauteriviana*, B:765, 767  
Site 261, A:122  
Site 534, B:764
- Dorothia* sp., Site 766, B:293
- dorysphaeroides*, *Sethacapsa*, B:325  
Site 765, B:341
- Druggidium apicopaucicum*, B:765
- duplex*, *Reophax*, Site 765, B:255, 259
- dutemplei*, *Cibicoides*, Site 765, A:121
- Duvalia*, B:445  
Indo-Pacific Province, B:447  
Site 765, A:129  
Site 766, A:297
- Duvalia lobispinosus* Zone  
Site 761, B:450  
Site 763, B:450
- Duvalia sakalava*, B:445  
Site 766, B:450, 751
- dysculum*, *Belodinium*, Site 765, B:420
- echigoense*, *Operculodinium*, Site 765, B:435, 439
- echiodes*, *Triactoma*, B:326
- Eggerella* sp., Site 765, B:263
- Egmontodinium torynum*, Site 765, B:419
- Egmontodinium torynum* Zone  
Site 763, B:450  
Site 765, A:126
- Eiffellithus turriseiffelii*  
Site 765, A:124; B:383  
Site 766, A:291
- Eiffellithus turriseiffelii* Zone  
Site 761, B:97  
Site 765, A:124; B:727  
Site 766, B:396, 733
- Eiffellithus windii*, Site 765, B:36, 369
- Ellipsoglandulina* sp., Site 766, B:278, 294
- Ellipsoidella cuneata*, Site 766, B:278, 289, 294
- embergeri*, *Zeugrhabdotus*, Site 261, B:379
- eodela*, *Campylosphaera*, Site 766, B:731
- Epelidosphaeridia colligata*, Site 765, B:419
- Epistomina caracolla*, Site 765, B:264
- Epitricysta* sp., Site 765, B:420
- Eprolithus bettenstaedtii* n. sp., B:360  
Site 766, B:366, 368
- Eprolithus floralis*, B:357  
Site 765, A:124  
Site 766, A:293; B:359, 365–366, 368
- Eprolithus* sp., Site 766, B:365, 368
- erectus*, *Zeugrhabdotus*  
Site 261, B:379  
Site 765, A:125
- Ericsonia formosa* Subzone, Site 765, A:123; B:394, 725
- Escharisphaeridia* sp., Site 765, B:419
- espartoensis*, *Crucella*, B:319  
Site 765, B:333
- Eucyrtis columbaria*, B:320  
Site 765, A:127; B:335  
Site 766, A:295
- Eucyrtis hanni*, B:320  
Site 765, B:335
- Eucyrtis micropora*, B:320  
Site 765, B:335
- Eucyrtis* spp., spindle-shaped forms, A:295



## Eucyrtis tenuis

## TAXONOMIC INDEX

- Eucyrtis tenuis*, B:320  
Site 765, A:127; B:335
- Eurycheilostoma hergottensis*, Site 766, B:278, 289, 293
- Eusyringium columbaria*, Site 766, B:311
- Eusyringium* sp., B:320-321  
Site 765, B:313, 330-331, 335  
Site 766, B:311
- excavata*, *Tricarinnella*, Site 766, B:289
- excelsa*, *Hormosina*, Site 765, B:254, 259
- exilis*, *Discoaster*, Site 765, A:123
- Exochosphaeridium arnace*, Site 765, B:418
- Exochosphaeridium* sp., Site 765, B:418
- extremus*, *Globigerinoides*, Site 765, A:117, 119
- fasciatum*, *Kleithrisphaeridium*, Site 765, B:418
- Fasciculithus* spp., extinction, A:290
- Fasciculithus tympaniformis* Zone, Site 765, B:393, 727
- Favusella*, Site 766, B:284
- feifeli*, *Paalzowella*, Site 765, B:264
- ferreolensis*, *Globigerinelloides*, Site 765, A:120
- fistulosus*, *Globigerinoides*, Site 765, A:117
- Flabellites biforaminiis*, Site 766, B:359, 364, 368
- floralis*, *Eprolithus*, B:357  
Site 765, A:124  
Site 766, A:293; B:359, 365-366, 368
- fohsi*, *Globorotalia*, Site 765, A:119
- Foremanella diamphidia diamphidia*, B:321  
Site 765, B:336
- Foremanella diamphidia hipposidericus*, B:321  
Site 765, B:336
- Foremanina* sp., Site 765, A:126-127; B:308
- fossacincta*, *Watznaueria*, Site 261, B:370
- fusca*, *Psammosphaera*, Site 765, B:255, 257
- galeata*, *Aprobolocysta*, Site 765, B:420
- gandolfii*, *Spiroplectinella*, Site 766, B:273, 287, 292
- Gaudryina richteri*, Site 766, B:273, 287, 292
- Gaudryina* sp., Site 765, B:253, 262
- gaultensis*, *Seribiscutum*, n. sp., B:360  
Site 766, B:363, 368
- gaultina*, *Glomospirella*, Site 765, B:253, 258
- gaultina*, *Tritaxia*, Site 766, B:273, 287, 292
- Gavelinella andersoni*, Site 766, B:279, 290, 295
- Gavelinella barremiana*, Site 766, A:295
- Gavelinella indica*, Site 766, B:279-280, 290, 295
- Gavelinella* sp.  
Site 765, B:264  
Site 766, B:279-280, 290, 295
- Gephyrocapsa oceanica* Zone, Site 765, A:122
- gladiatoris*, *Belemnopsis*, Ethiopian-Antarctic Subprovince, B:446
- Glaukolithus diplogrammus*, Site 766, B:367
- Globigerina angulisurealis*, Site 765, A:119
- Globigerina apertura*, Site 765, A:117
- Globigerina nepenthes*, Site 765, A:117-119
- Globigerinelloides aptiense*, Site 766, B:280, 290, 295-296
- Globigerinelloides bentonensis*, Site 766, B:280, 290, 296
- Globigerinelloides ferreolensis*, Site 765, A:120
- Globigerinelloides* sp., Site 766, A:294; B:280
- Globigerinoides extremus*, Site 765, A:117, 119
- Globigerinoides fistulosus*, Site 765, A:117
- Globigerinoides primordium*, Site 765, A:119
- Globigerinoides subquadratus*, Site 765, A:119
- Globigerinoides triloba*, Site 765, A:119
- Globoquadrina binaiensis*, Site 765, A:119
- Globoquadrina dehiscens*, Site 765, A:118
- Globoquadrina venezuelana*, Site 765, A:118
- Globorotalia cibaoensis*, Site 765, A:118
- Globorotalia crassaformis*, Site 765, A:118
- Globorotalia fohsi*, Site 765, A:119
- Globorotalia inflata*  
Site 765, A:117  
Site 766, A:293
- Globorotalia juanai*, Site 765, A:119
- Globorotalia kugleri*, Site 765, A:119
- Globorotalia languaensis*, Site 765, A:119
- Globorotalia margaritae*, Site 765, A:117-118
- Globorotalia mayeri*, Site 765, A:119
- Globorotalia merotumida*, Site 765, A:119
- Globorotalia paralenguaensis*, Site 765, A:119
- Globorotalia peripheroacuta*, Site 765, A:119
- Globorotalia peripheroronda*, Site 765, A:118-119
- Globorotalia plesiotumida*, Site 765, A:118-119
- Globorotalia praemenardi*, Site 765, A:119
- Globorotalia puncticulata*, Site 766, B:731
- Globorotalia tosaensis*, Site 765, A:117
- Globorotalia truncatulinoidea*, Site 765, B:723
- Globorotalites*, Australian distribution, B:284
- Globorotalites aptiensis*, Site 766, B:290, 294
- globosus*, *Gyroidinoides*, Site 766, A:294
- Globotruncana aegyptiaca* Zone, Site 765, A:120
- Globotruncana calcarata* Zone, Site 765, A:120
- Globotruncana ventricosa*, Site 765, A:120
- Globotruncanella havanensis*  
Site 765, A:120  
Site 766, A:294
- Globotruncanella petaloidea*, Site 765, A:120
- Globulina prisca*, Site 766, B:289
- glomerosa*, *Praeorbulina*, Site 765, A:119
- Glomospira charoides*  
Site 261, B:56  
Site 765, B:253
- Glomospira diffundens*, Site 765, B:253
- Glomospira gordialis*, Site 765, B:253, 258
- Glomospira irregularis*, Site 765, B:253, 258
- Glomospira serpens*, Site 765, B:253, 258
- Glomospira* sp., Site 765, B:258
- Glomospirella gaultina*, Site 765, B:253, 258
- Glomospirella* sp.  
Site 765, B:253, 258  
Site 766, B:287, 292
- Gonyaulacysta helicoidea*, Site 765, B:418
- gordialis*, *Glomospira*, Site 765, B:253, 258
- gracilis*, *Laevidentalina*, Site 766, B:288
- gracillima*, *Serovaina*, Site 766, B:289, 294
- Grantarhabdus coronoadventis*, Site 766, B:365
- granulatum*, *Carpodinium*, Site 765, B:417
- grutterinki*, *Cyrtocapsa*, B:320
- grzybowski*, *Kalamopsis*, Site 765, B:254, 259
- guttata*, *Lenticulina*, Site 765, B:264
- Gyroidinoides globosus*, Site 766, A:294
- Halesium sexangulum*, Site 765, A:127; B:308
- hamulus*, *Hemirobulina*, Site 766, B:288
- hanni*, *Eucyrtis*, B:320  
Site 765, B:335
- Haplophragmium inconstans*, B:765  
Site 765, A:122
- Haplophragmium lueckei*, A:121
- Haplophragmoides gigantea* Zone, Site 765, A:121
- Haplophragmoides kirki*, Site 765, B:253, 260
- Haplophragmoides* sp., Site 765, B:253-254, 260
- Hapsocysta perdicyta*, Site 765, B:418
- Haquis*, B:372
- havanensis*, *Cibicidoides*, Site 765, A:121
- havanensis*, *Globotruncanella*  
Site 765, A:120  
Site 766, A:294
- Hayesites albiensis*  
Site 765, A:124  
Site 766, A:293
- Hayesites irregularis*, Site 766, B:733
- Hedbergella aptica*, Site 766, B:281, 291, 296
- Hedbergella assemblages*, Site 766, B:282-283, 733
- Hedbergella delrioensis*  
Site 370, B:765  
Site 765, A:120  
Site 766, A:294
- Hedbergella planispira*  
evolution, B:281-282  
Site 765, A:120  
Site 766, B:291, 296
- Hedbergella punctata*, Site 766, A:294; B:282, 291, 297
- Hedbergella* spp., Site 766, A:294
- Hedbergella trocoidea*, Site 766, A:294; B:282, 291, 297
- Hedbergella yezoana*, Site 766, B:291, 297
- helenae*, *Alievium*, B:317-318  
Site 766, A:295
- helicoidea*, *Gonyaulacysta*, Site 765, B:418
- Helicopontosphaera selli* Zone, Site 765, A:122
- Heliolithus kleinpelli* Zone, Site 765, B:393
- helveticus*, *Reophax*, Site 765, B:255, 259
- Hemirobulina hamulus*, Site 766, B:288
- Herendeenia postprojecta*, Site 765, B:417
- Hergottella* sp., Site 766, B:278, 294
- hergottensis*, *Eurycheilostoma*, Site 766, B:278, 289, 293
- Heterantyx cretosa*, Site 766, B:273, 287, 292
- Hibolites*, B:445  
Indo-Pacific Province, B:446  
regional differentiation, B:446  
Site 763, B:450  
Site 765, A:129  
Site 766, A:297
- Hippocrepina depressa*, Site 765, A:122; B:249, 254, 257
- Histiastrium cruciferum*, B:321  
Site 765, B:336
- hofkeri*, *Conorboides*, Site 766, A:295
- Holocryptocanium barbui*, Site 765, A:128, 130, 142; B:43, 310, 730
- Holocryptocanium barbui barbui*, B:312, 321  
Site 765, B:336
- Holocryptocanium* spp., Marin Headlands Terrane, B:744
- Hormosina crassa*, Site 765, B:254, 259
- Hormosina excelsa*, Site 765, B:254, 259
- Hormosina ovulum*, Site 765, A:122; B:259
- Hormosina ovulum gigantea*, Site 765, A:121; B:727
- Hormosina ovulum gigantea* Zone, Site 765, B:727
- Hormosinella* sp., Site 765, B:254, 259
- humerosa*, *Neogloboquadrina*, Site 765, A:117
- humilis*, *Pseudonodosaria*, Site 766, B:288
- Hyperammina dilatata*, Site 765, B:254, 257
- Hyperammina* sp., Site 765, B:254, 257
- Hyperamminoides* sp., Site 765, B:257
- Hystrichokolpoma rigaudiae*, Site 765, B:432, 441
- Hystrichosphaeropsis* sp., Site 765, B:418
- Impagidinium paradoxum*, Site 765, B:438
- Impagidinium patulum*, Site 765, B:438
- Impagidinium phlyctaena*, Site 765, B:418
- Impagidinium sphaericum*, Site 765, B:438
- Impagidinium* spp., Site 765, B:434
- Impagidinium striatum*, Site 765, B:438
- imperfecta*, *Batiacasphaera*, Site 765, B:419-420
- Impletosphaeridium* spp., Site 765, B:435

## TAXONOMIC INDEX

nodosa, *Lenticulina*

- inconstans*, *Bulbobaculites*, Site 765, B:249, 252–253, 260
- inconstans*, *Haplophragmium*, B:765  
Site 765, A:122
- indica*, *Gavelinella*, Site 766, B:279–280, 290, 295
- inequiomatum*, *Prolixosphaeridium*, Site 765, B:419
- inflata*, *Clinapertina*, Site 766, A:294
- inflata*, *Globorotalia*  
Site 765, A:117  
Site 766, A:293
- inflexum*, *Stephanastrum*, B:326  
Site 765, B:342
- infracretacea*, *Serovaina*, Site 766, B:279, 289, 294
- infundibuliforme*, *Cyclastrum*, B:319  
Site 765, B:334
- intermedia*, *Berthelina*, Site 766, B:279, 290, 294
- intermedia*, *Canninginopsis*, Site 765, A:125;  
B:407, 419
- irregularis*, *Glomospira*, Site 765, B:253, 258
- irregularis*, *Hayesites*, Site 766, B:733
- irregularis*, *Rucinolithus*, Site 766, B:359, 365, 368
- israelianum*, *Operculodinium*, Site 765, B:439
- Isthmolithus recurvus* Subzone, Site 765, B:394, 725
- janduchenei*, *Operculodinium*, Site 765, B:430–431, 435, 439
- jarvisi*, *Neoflabellina*, Site 766, A:294
- jeletzkyi*, *Arenoturispirillina*, Site 765, B:252, 258
- jonkeri*, *Belemnopsis*, B:444–445, 450
- juanai*, *Globorotalia*, Site 765, A:119
- jurassicum*, *Dingodinium*, Site 765, B:419
- Kaiwaradinium scrutillinum*, Site 765, A:126;  
B:416
- Kaiwaradinium scrutillinum* Zone, Site 765,  
A:126
- Kalamopsis grzybowskii*, Site 765, B:254, 259
- Kalamopsis* sp., Site 765, B:259
- Kallosphaeridium* sp., Site 765, B:419
- kennedyi*, *Corollithion*, Site 765, A:124; B:727
- kirki*, *Haplophragmoides*, Site 765, B:253, 260
- Kleithrasphaeridium fasciatum*, Site 765, B:418
- kugleri*, *Globorotalia*, Site 765, A:119
- laboriosus*, *Tripocalpis*, B:326  
Site 765, B:342
- lacunosa*, *Pseudoemiliania*, Site 765, A:122
- Laevidentalina cylindroides*, Site 766, B:288
- Laevidentalina gracilis*, Site 766, B:288
- Laevidentalina nana*, Site 766, B:288
- Laevidentalina oligostegia*, Site 766, B:288
- laevigata*, *Psammosphaera*, Site 765, B:257
- laffittei*, *Rotelapillus*, Site 766, B:366
- Lagenamma* sp., Site 765, B:254, 257
- latissima*, *Dendrophrya*, Site 765, B:253
- leedervillense*, *Cribroperidinium*, Site 765, B:417
- leiostraca*, *Sethocapsa*, B:325  
Site 765, A:127; B:308, 341
- lemniscata*, *Nematosphaeropsis*, Site 765, B:441
- lenguaisensis*, *Globorotalia*, Site 765, A:119
- Lenticulina barremiana*, Site 766, B:764
- Lenticulina guttata*, Site 765, B:264
- Lenticulina nodosa*  
Site 370, B:764  
Site 765, B:264
- Lenticulina saxonica*, Site 765, B:264
- Lenticulina subalata*, Site 765, B:264
- Lenticulina subangulata*, A:122
- Leptodinium* sp., Site 765, B:418, 420
- lilyae*, *Pseudodictyomitra*, B:324
- linearis*, *Rhabdammina*, Site 765, B:257
- Lingulina buddencanyonensis*, Site 766, B:288
- Lingulina loryi*, Site 765, B:264
- Lingulina* sp., Site 766, B:293
- Lingulodinium machaerophorum*, Site 765, B:441
- Lingulogavelinella*  
Australian distribution, B:284  
Site 766, A:295
- Lingulonodosaria loryi*, Site 766, B:288
- Lingulonodosaria nodosaria*, Site 766, B:288
- Lingulonodosaria* sp., Site 766, B:288, 293
- Lithtractus pusillus*, B:321
- Lithraphidites bollii* Zone, Site 765, A:124
- Lithraphidites carniolensis*  
Site 261, B:351  
Site 765, B:350, 730
- litterarius*, *Chiastozygus*, B:767  
Site 766, B:364, 368
- Lituotubo* spp., Site 765, B:254
- longa*, *Pyrulina*, Site 765, B:264
- longispinigerum*, *Operculodinium*, Site 765,  
B:431, 435, 439
- loryi*, *Lingulina*, Site 765, B:264
- loryi*, *Lingulonodosaria*, Site 766, B:288
- Lotharingius contractus* Subzone, Site 765, A:125
- Lotharingius velatus*, Site 765, A:125
- Lucianorhabdus maleformis* Zone  
Site 765, A:124; B:383  
Site 766, A:291; B:396, 733
- ludbrookae*, *Cuneus*, Site 766, B:289, 293
- lueckeii*, *Haplophragmium*, A:121
- machaerophorum*, *Lingulodinium*, Site 765, B:441
- macropora*, *Cryptamphorella*, B:319  
Site 765, B:333
- macwhaei*, *Muderongia*, Site 765, B:407
- magna*, *Cassiculosphaeridia*, Site 765, B:416
- malleola*, *Parvicingula*, B:322  
Site 765, B:337  
Site 766, A:295
- manivitae*, *Watznaueria*, B:371–372  
Site 261, B:25, 40, 56, 370, 378, 741  
Site 765, A:124, 246; B:36, 42, 369, 378, 741
- Manivitella pemmatoidea*, Site 766, B:364
- margaritae*, *Globorotalia*, Site 765, A:117–118
- Marginotruncana sigali* Zone, Site 765, A:120
- Marginulopsis collignoni*  
Site 416, A:295  
Site 766, A:295; B:735
- Marssonella* Association  
Australia, B:283  
biogeography, B:283  
global distribution, B:284
- Marssonella oxycona*, Site 766, B:288, 293
- Marssonella* sp., Site 765, B:254, 263
- Marthasterites furcatus* Zone  
Site 765, A:124; B:383  
Site 766, A:291; B:396, 733
- matalosa*, *Vagalapilla*, B:360  
Indo-Pacific Region, B:351, 356  
Site 261, B:40  
Site 765, A:124; B:36, 350, 369, 378, 743  
Site 766, B:368, 743
- mayeri*, *Globorotalia*, Site 765, A:119
- mckannai*, *Acarinina*, Site 766, A:293
- media*, *Angulobracchia*, B:318  
Site 765, B:332
- mediocrix*, *Amphipyndas*, B:318
- Meiourogonyaux* sp., Site 765, B:416, 419–420
- Meiourogonyaux stoveri*, Site 765, B:419
- Melitasphaeridium choanophorum*, Site 765,  
B:431, 440
- membranaceus*, *Spiniferites*, Site 765, B:438
- merotumida*, *Globorotalia*, Site 765, A:119
- mexicana*, *Conusphaera*, Site 261, B:370
- mexicana*, *Planulina*, Site 765, A:121
- mexicana minor*, *Conusphaera*  
Site 261, B:37, 40, 741  
Site 765, B:741
- Micrantholithus hoschulzii* Zone, Site 765, A:124
- micropapillata*, *Batiacasphaera*, Site 765, B:440
- micropodium*, *Batioladinium*, Site 765, B:418
- micropora*, *Eucyrtis*, B:320  
Site 765, B:335
- Microrhabdulus decoratus* Zone  
Site 761, B:97  
Site 765, A:124; B:727  
Site 766, A:291; B:733
- Microstaurus chiastius*, Site 765, B:344–345
- Microstaurus quadratus*, Site 765, B:344–345
- Micula decussata* Zone  
Site 765, A:124; B:727  
Site 766, A:291; B:733
- milamensis*, *Rugoglobigerina*, Site 766, A:294
- minutus*, *Reophax*, Site 766, A:295
- mirabilis*, *Spiniferites*, Site 765, B:438
- Mirifusus chenodes*, B:321  
Site 765, B:336
- moluccana*, *Belemnopsis*, B:445  
Site 763, B:450
- Morozovella subbotinae* complex, Site 766, A:293
- Morozovella velascoensis*, Site 766, A:293
- Muderongia australis*, Site 765, B:416
- Muderongia australis* Zone  
Argo Abyssal Plain, B:42  
Site 765, A:125; B:408, 410, 730  
Site 766, A:297; B:733, 735
- Muderongia macwhaei*, Site 765, B:407
- Muderongia testudinaria* Zone, Site 766, B:735
- Muderongia tetracantha*, Site 765, B:416
- Muderongia tetracantha* Zone, Site 765, A:125;  
B:730
- multiloculata*, *Ticinella*, Site 257, B:284
- Multispinula quantra*, Site 765, B:441
- nana*, *Laevidentalina*, Site 766, B:288
- nannina*, *Praebulimina*, Site 766, B:289, 293
- Nannoconus*, B:754–755  
biogeographic differentiation, B:741, 743  
exclusion from Argo Abyssal Plain, B:42
- Napora* spp., B:321
- Nematosphaeropsis lemniscata*, Site 765, B:441
- Nematosphaeropsis* spp., Site 765, B:434
- Nematosphaeropsis wrennii* n. sp., Site 765,  
B:435, 440
- neocomica*, *Phoberocysta*, B:765, 767  
Site 765, B:408
- neocomiensis*, *Vermeulinoides*, Site 765, A:122;  
B:249, 256, 263
- Neoflabellina jarvisi*, Site 766, A:294
- Neogloboquadrina acostaensis*, coiling change,  
A:119
- Neogloboquadrina humerosa*, Site 765, A:117
- nepenthes*, *Globigerina*, Site 765, A:117–119
- nephroides*, *Selenopemphix*, Site 765, B:441
- Nephrolithus frequens* Zone, Site 766, A:291;  
B:398, 731
- Nephrolithus frequens* Zone/ *Cruciacolithus primus*  
Subzone, Site 766, B:398
- neptuni*, *Achomospaera*, Site 765, B:418
- neyrivensis*, *Produvalia*, Site 765, A:129
- nitida*, *Candeina*, Site 765, A:119
- nodosa*, *Lenticulina*

- Site 370, B:764  
Site 765, B:264  
*nodosaria*, *Lingulonodosaria*, Site 766, B:288  
*Nodosaria obscura*, Site 765, B:264  
*Nothofagus*, Australia SE, B:423  
*Nuttallides umbonifera*, Site 766, A:294
- Obesacapsula*, B:321  
*Obesacapsula rotunda*, Site 765, A:128; B:730  
*Obesacapsula verbana*, B:322  
Site 765, B:310, 336  
*obscura*, *Nodosaria*, Site 765, B:264  
*obscura*, *Pyramidulina*, Site 766, B:288  
*Occisucysta tenuiceras*, Site 765, B:417  
*Odontochitina operculata*, B:765  
Site 765, B:419  
*Odontochitina operculata* Zone  
Argo Abyssal Plain, B:42  
Site 765, A:125; B:407-408, 410, 730  
*Oligosphaeridium asterigerum*, Site 765, B:416  
*Oligosphaeridium poculum*, Site 765, B:419  
*oligostegia*, *Laevidentalina*, Site 766, B:288  
*operculata*, *Odontochitina*, B:765  
Site 765, B:419  
*Operculodinium echigoense*, Site 765, B:435, 439  
*Operculodinium israelianum*, Site 765, B:439  
*Operculodinium janduchenei*, Site 765, B:430-431, 435, 439  
*Operculodinium longispinigerum*, Site 765, B:431, 435, 439  
*orbiculare*, *Stephanastrum*, B:326  
Site 765, B:342  
*Orbiculiforma railensis*, B:322  
Site 765, B:336  
*Orbiculiforma* spp., B:322  
Site 765, B:336  
*orca*, *Sethocapsa*, B:325  
Site 765, B:341  
*Osangularia schloenbachi*, Site 766, B:279, 290, 294  
*ovulum*, *Hormosina*, Site 765, A:122; B:259  
*ovulum gigantea*, *Hormosina*, Site 765, A:121; B:727  
*oxycona*, *Marssonella*, Site 766, B:288, 293  
*Oxyteuthis*, morphological trends, B:446
- Paalzowella feifeli*, Site 765, B:264  
*palmula*, *Systematophora*, Site 765, B:416  
*Pantanelium squinaboli cantuchapai*, B:322  
Site 765, B:337  
*Pantanelium squinaboli squinaboli*, B:322  
Site 765, B:337  
*paradoxum*, *Impagidinium*, Site 765, B:438  
*paralenguensis*, *Globorotalia*, Site 765, A:119  
*Paratrochammina* sp., Site 765, B:254, 262  
*Paratrochamminoides* sp., Site 765, B:254, 261  
*parvus constrictus*, *Aspidolithus*  
Site 765, A:123; B:727  
Site 766, A:291; B:732  
*parvus parvus*, *Aspidolithus*, Site 766, A:291  
*Paronaella* sp., B:322  
Site 765, B:331, 337  
*parri*, *Plectofrondicularia*, Site 765, A:121  
*Parvicingula malleola*, B:322  
Site 765, B:337  
Site 766, A:295  
*Parvicingula* sp., B:313, 322-323, 744  
Site 765, B:330, 338  
*Parvicingula sphaerica*, B:322  
*parvidentatum*, *Repagulum*, Site 765, B:36, 369  
*parvispinum*, *Prolixosphaeridium*, Site 765, B:419  
*parvissimus*, *Bolivinooides*, Site 765, B:727  
*pastielsii*, *Dapsilidinium*, Site 765, B:440
- Patellula* sp., B:323  
Site 765, B:339  
*patulum*, *Impagidinium*, Site 765, B:438  
*pemmatoidea*, *Manivitella*, Site 766, B:364  
*Pentadinium* sp., Site 765, B:440  
*perdictya*, *Hapsocysta*, Site 765, B:418  
*Peregrinoceras albidum* ammonite Zone, Site 765, B:350  
*peripheroacuta*, *Globorotalia*, Site 765, A:119  
*peripheroranda*, *Globorotalia*, Site 765, A:119  
*perspicua*, *Stichocapsa*, B:326  
Site 765, B:342  
*petaloidea*, *Globotruncanella*, Site 765, A:120  
*Petasisforma* sp., B:323-324  
*phlytaena*, *Impagidinium*, Site 765, B:418  
*Phoberocysta burgeri* Zone, Site 766, A:297; B:735  
*Phoberocysta neocomica*, B:765, 767  
Site 765, B:408  
*placacantha*, *Systematophora*, Site 765, A:125; B:432  
*planispira*, *Hedbergella*  
evolution, B:281-282  
Site 765, A:120  
Site 766, B:291, 296  
*Planolites*, Site 261, B:27  
*Planomalina buxtorfi*  
Site 765, A:120  
Site 766, A:294; B:280-281, 290, 296  
*Planomalina buxtorfi* Zone, Site 766, A:294  
*Planomalina praebuxtorfi*, Site 766, B:280, 290, 296  
*Planomalina praebuxtorfi* Zone, Site 766, B:282, 733  
*Planularia bradyana*, Site 766, B:289  
*Planulina dohertyi*, Site 765, A:121  
*Planulina mexicana*, Site 765, A:121  
*Planulina renzi*, Site 765, A:121  
*Plectofrondicularia parri*, Site 765, A:121  
*Plectofrondicularia vaughani*, Site 765, A:121  
*Plectorecurvoides alternans* Zone, Site 765, A:121  
*plesiotumida*, *Globorotalia*, Site 765, A:118-119  
*Pleurostomella reussi*, Site 766, B:278, 289, 294  
*poculum*, *Oligosphaeridium*, Site 765, B:419  
*Podocapsa amphitreptera*, B:324  
Site 765, A:128, 141-142; B:308-309, 339  
*Podocapsa* sp., B:324  
Site 765, B:339  
*Polysphaeridium zoharyi*, Site 765, B:429-430, 435, 441  
*postprojecta*, *Herendeenia*, Site 765, B:417  
*Praebulimina nannina*, Site 766, B:289, 293  
*praebuxtorfi*, *Planomalina*, Site 766, B:280, 290, 296  
*Praeconocaryomma prisca*, B:324  
Site 765, B:339  
Site 766, A:296-297; B:311  
*Praeconocaryomma* sp., B:324  
Site 765, B:331, 339  
*Praecystammina* sp., Site 765, B:254, 261  
*Praediscosphaera columnata* Zone, Site 766, B:733  
*Praedorothia praeauteriviana*, Site 765, B:249-250, 255, 262  
*Praedorothia praeauteriviana* Assemblage, Site 765, B:245, 249  
*Praedorothia* sp., Site 765, B:255, 262  
*Praeglobotruncana delrioensis*, Site 766, B:282, 291, 297  
*praeauteriviana*, *Dorothia*, B:765, 767  
Site 261, A:122  
Site 534, B:764
- praeauteriviana*, *Praedorothia*, Site 765, B:249-250, 255, 262  
*praemenardii*, *Globorotalia*, Site 765, A:119  
*Praeorbulina glomerata*, Site 765, A:119  
*Praeoxyteuthis*, morphological trends, B:446  
*Praediscosphaera columnata*  
Site 765, B:359  
Site 766, A:293; B:359  
*Praediscosphaera columnata* Zone  
Site 765, A:124; B:383, 727  
Site 766, B:396  
*Praediscosphaera spinosa*, Site 766, B:368  
*primalis*, *Pulleniatina*, Site 765, A:119  
*primitivum*, *Seribiscutum*, B:357-358  
distribution, B:358, 743  
Site 765, B:741, 743, 754  
Site 766, A:342; B:368, 741, 743, 754  
*primordium*, *Globigerinoides*, Site 765, A:119  
*prisca*, *Globulina*, Site 766, B:289  
*prisca*, *Praeconocaryomma*, B:324  
Site 765, B:339  
Site 766, A:296-297; B:311  
*prismatium*, *Pterocanium*, reworking, A:126  
*productus*, *Dictyococites*, Site 766, A:289  
*Produvalia neyrivensis*, Site 765, A:129  
*Produvalia* sp., Site 765, A:129  
*Prolixosphaeridium inequornatum*, Site 765, B:419  
*Prolixosphaeridium parvispinum*, Site 765, B:419  
*protindica*, *Scheibnerova*, Site 766, B:280, 290, 295  
*Psammosphaera fusca*, Site 765, B:255, 257  
*Psammosphaera laevigata*, Site 765, B:257  
*Psammosphaera* sp., Site 765, B:255  
*pseudacerra*, *Cyrtocapsa*, B:320  
Site 765, B:313, 330, 334  
*Pseudobolivina* sp., Site 765, B:255, 263  
*Pseudoceratium turneri*, Site 765, B:416  
*Pseudodictyomitra lilyae*, B:324  
*Pseudoemiliana lacunosa*, Site 765, A:122  
*Pseudoeucyrtis* sp., B:324  
Site 765, B:330, 340  
*Pseudogaudryinella* sp., Site 766, B:273, 287, 292  
*Pseudohastigerina barbadoensis*, Site 765, A:119  
*Pseudonodosaria humilis*, Site 766, B:238  
*Pseudoreophax cisowmicensis*, Site 765, B:255, 263  
*Pseudoreophax* sp., Site 765, B:249  
*Pseudoreophax-Thalmannammina-Haplophragmoides kirki* Assemblage, Site 765, B:242-243, 245  
*Pseudothamminella tacinensis-Planomalina buxtorfi* Zone, Site 766, B:282, 733  
*Psilocitharella recta*, Site 766, B:289  
*Pterocanium prismatium*, Site 765, A:126  
*ptomatis*, *Senoniasphaera*, Site 765, B:419  
*Pulleniatina primalis*, Site 765, A:119  
*Pulleniatina* spp., Site 765, A:118  
*punctata*, *Hedbergella*, Site 766, A:294; B:282, 291, 297  
*puncticulata*, *Globorotalia*, Site 766, B:731  
*pusillus*, *Lithtractus*, B:321  
*Pyramidulina obscura*, Site 766, B:288  
*Pyramidulina sceptrum*, Site 766, B:288  
*Pyramidulina* sp., Site 766, B:288  
*Pyrulina longa*, Site 765, B:264  
*Pyxidnopsis* sp., Site 765, B:440
- quadratus*, *Microstaurus*, Site 765, B:344-345  
*Quadriformina*, Site 766, A:294  
*Quadriformina allomorphinoides*, Site 766, B:290, 294  
*Quadrum gartneri* Zone

- Site 765, A:124-125; B:383, 727  
 Site 766, A:291; B:396, 733  
*Quadrum nitidum* Zone, Site 766, B:397  
*Quadrum trifidum* Zone  
 Site 765, A:123-124; B:392, 727  
 Site 766, A:291; B:397-398, 732  
*quantra*, *Multispinula*, Site 765, B:441  
*quinqueloba*, *Trochammina*, B:765, 767  
 Site 765, A:122; B:249-250, 256, 262
- railensis*, *Orbiculiforma*, B:322  
 Site 765, B:336  
*ramosus*, *Spiniferites*, Site 765, B:438  
*Ramulina aculeata*, Site 765, B:264  
*recta*, *Psilocitharella*, Site 766, B:289  
*reidii*, *Stelladinium*, Site 765, B:441  
*Reinhardtites anthophorus* Zone  
 Site 765, A:124; B:727  
 Site 766, A:291; B:397, 732-733  
*Reinhardtites anthophorus*-*Lucianorhabdus cayeuxii* zones, Site 766, B:397  
*Remesella* sp.  
 intrachamber partitions, B:273  
 Site 766, B:287  
*renzi*, *Planulina*, Site 765, A:121  
*Reophax duplex*, Site 765, B:255, 259  
*Reophax helveticus*, Site 765, B:255, 259  
*Reophax minutus*, Site 766, A:295  
*Reophax* sp., Site 765, B:245, 255, 259  
*Repagulum parvidentatum*, Site 765, B:36, 369  
*Repmania corona*, Site 766, B:287, 292  
*reticulatum*, *Batioladinium*, Site 765, B:418  
*Reticulofenestra hillae* Subzone, Site 765, A:123; B:725  
*Reticulofenestra pseudoumbilica* Zone, Site 765, A:122; B:723  
*reticulosa*, *Vaginulinopsis*, Site 765, B:264  
*Reussella szajnochae*, Site 766, A:294  
*reussi*, *Pleurostomella*, Site 766, B:278, 289, 294  
*Rhabdammina linearis*, Site 765, B:257  
*Rhabdammina* sp., Site 765, B:255, 257  
*Rhagodiscus angustus*  
 Site 765, B:359, 368  
 Site 766, B:351, 359, 366  
*Rhagodiscus angustus* Zone  
 Site 765, B:350-351, 730  
 Site 766, B:351  
*Rhagodiscus asper*, B:743  
*Rhizammina* sp., Site 765, B:256-257  
*richteri*, *Gaudryina*, Site 766, B:273, 287, 292  
*rigaudiae*, *Hystrichokolpoma*, Site 765, B:432, 441  
*Ristola* sp., B:313, 324-325, 340, 744  
*Rotalipora appenninica*, Site 766, B:282, 291, 297  
*Rotalipora appenninica* Zone, Site 766, B:282  
*Rotalipora cushmani* Zone  
 Site 765, A:120  
 Site 766, A:294; B:733  
*Rotalipora reicheli* Zone, Site 765, A:120  
*Rotalipora ticinensis*, Site 766, B:282, 291, 297  
*Rotelapillus crenulatus*, Site 766, B:366  
*Rotelapillus laffittei*, Site 766, B:366  
*rotunda*, *Obesacapsula*, Site 765, A:128; B:730  
*Rucinolithus irregularis*, Site 766, B:359, 365, 368  
*Rucinolithus wisei*, B:767  
 Site 765, B:350  
*Rugoglobigerina milamensis*, Site 766, A:294
- Saccammina* sp., Site 765, B:256-257  
*Saccocoma*, Alpine-Mediterranean Tethyan Realm B:751  
*sakalava*, *Duvalia*, B:445
- Site 766, B:450  
*salebrosum*, *Crucibiscutum*, B:360  
 distribution, B:42, 356-357, 743  
 morphology, B:40  
 Site 261, B:359, 378, 741  
 Site 765, B:36, 350, 356, 368, 741  
 Site 766, B:350, 356, 741  
*salebrosum*, *Seribiscutum*, B:754  
*Saracenaria spinosa*, Site 766, B:289  
*saxonica*, *Lenticulina*, Site 765, B:264  
*Scampanella cornuta*, Site 766, B:367  
*sceptrum*, *Pyramidulina*, Site 766, B:288  
*Schackoia cenomana*, Site 766, B:290, 296  
*Scheibnerova*, Australian distribution, B:284  
*Scheibnerova protindica*, Site 766, B:280, 290, 295  
*schloenbachi*, *Osangularia*, Site 766, B:279, 290, 294  
*scitula*, *Astacolus*, Site 766, B:278, 288, 293  
*Scriniodinium attadalense*, Site 765, B:417  
*Scriniodinium dictyotum*, Site 766, A:301  
*scrutillinum*, *Kaiwaradinium*, Site 765, A: 126; B:416  
*scutum*, *Yalkalpodinum*, Site 765, B:416  
*Selenomphix nephroides*, Site 765, B:441  
*selmensis*, *Tappanina*, Site 766, A:294  
*seminulina*, *Sphaeroidinellopsis*, Site 765, A:117  
*semireticulata*, *Aragonia*, Site 766, A:294  
*Senoniasphaera ptomatis*, Site 765, B:419  
*Senoniasphaera tabulata*, Site 766, A:297  
*Senoniasphaera tabulata* Zone, Site 766, B:735  
*septemporatus*, *Cecrops*, B:319  
*Seribiscutum gaultensis* n. sp., B:360  
 Site 766, B:363, 368  
*Seribiscutum primitivum*, B:357-358  
 distribution, B:358, 743  
 Site 765, B:741, 743, 754  
 Site 766, A:342; B:368, 741, 743, 754  
*Seribiscutum salebrosum*, B:754  
*Serovaina gracillima*, Site 766, B:289, 294  
*Serovaina infracretacea*, Site 766, B:279, 289, 294  
*Serovaina* sp., Site 766, B:278  
*serpens*, *Glomospira*, Site 765, B:253, 258  
*Sethocapsa cetia*, B:325  
 Site 765, A:128, 141-142; B:43, 341, 730  
*Sethocapsa dorysphaeroides*, B:325  
 Site 765, B:341  
*Sethocapsa euganea* Zone  
 Site 765, A:127; B:308, 730  
 Site 766, A:295; B:311, 733  
*Sethocapsa leiostraca*, B:325  
 Site 765, A:127; B:308, 341  
*Sethocapsa orca*, B:325  
 Site 765, B:341  
*Sethocapsa* sp., B:325  
 Site 765, B:341  
*Sethocapsa trachyostraca trachyostraca*, B:325  
*sexangulum*, *Halesium*, Site 765, A:127; B:308  
*signata*, *Broinsonia*, Site 766, B:364  
*silvaradion*, *Corollithion*, Site 511, B:356  
*simplex*, *Broomea*, Site 765, B:418  
*simplicissima*, *Claviedbergella*, Site 766, B:282, 290, 296  
*sinuosum*, *Dollidinium*, Site 765, B:420  
*Siphonina tenuicarinata*, Site 765, A:121  
*slitera*, *Archaedictyomitra*, Site 765, B:730  
*Speetonia colligata*  
 Site 261, B:741  
 Site 765, B:350, 367, 730, 741, 743  
 Site 766, B:741, 743  
*sphaerica*, *Parvingula*, B:322  
*sphaericum*, *Impagidinium*, Site 765, B:438
- Sphaeroidinella dehiscens*, B:718  
 Site 765, A:118  
*Sphaeroidinellopsis seminulina*, Site 765, A:117  
*Sphenolithus heteromorphus* Zone, Site 765, A:123; B:725  
*Spinidinium styloniferum*, Site 766, A:297  
*Spiniferites*  
 Site 765, B:407  
 spore/pollen ratio and, B:408, 410  
*Spiniferites bulloideus*, Site 765, B:429-430  
*Spiniferites membranaceus*, Site 765, B:438  
*Spiniferites mirabilis*, Site 765, B:438  
*Spiniferites ramosus*, Site 765, B:438  
*Spiniferites* sp., Site 765, B:420  
*spinosa*, *Prediscosphaera*, Site 766, B:368  
*spinosa*, *Saracenaria*, Site 766, B:289  
*Spiroplectamirus cretosa*, Site 766, B:273  
*Spiroplectamina* sp., Site 765, B:256  
*Spiroplectinella gandolfii*, Site 766, B:273, 287, 292  
*Spongaster tetras tetras*, Site 766, A:295  
*Spongocapsula* sp., B:325-326  
 Site 765, B:341  
*Spongotripus trigonus*, B:326  
 Site 765, B:341  
*squamata clavata*, *Trochammina*, Site 765, B:252  
*squinaboli cantuchapai*, *Pantanellium*, B:322  
 Site 765, B:337  
*squinaboli squinaboli*, *Pantanellium*, B:322  
 Site 765, B:337  
*Stelladinium reidii*, Site 765, B:441  
*Stephanastrum inflexum*, B:326  
 Site 765, B:342  
*Stephanastrum orbiculare*, B:326  
 Site 765, B:342  
*Stephanolithion bigotii*, Site 261, A:7; B:37, 40, 42, 351, 378  
*Stephanolithion bigotii bigotii*, Site 261, B:369-370  
*Stephanolithion bigotii* Zone, Site 765, A:125  
*Stephanolithion bigotii*-*Conusphaera mexicana minor* Assemblage, Site 261, B:527  
*Stichocapsa perspicua*, B:326  
 Site 765, B:342  
*Stoliczkaia disparammonoid* Zone, Site 766, B:282  
*stoveri*, *Meiurogonya*, Site 765, B:419  
*stradneri*, *Vekshinella*, Site 766, B:363-364  
*striatum*, *Impagidinium*, Site 765, B:438  
*striatum*, *Tegumentum*  
 Site 261, B:40, 370  
 Site 765, B:350  
 Site 766, B:350-351, 359, 368  
*styloniferum*, *Spinidinium*, Site 766, A:297  
*subalata*, *Lenticulina*, Site 765, B:264  
*subangulata*, *Lenticulina*, A:122  
*subquadratus*, *Globigerinoides*, Site 765, A:119  
*Subreophax* sp., Site 765, B:256, 259  
*Systematophora areolata*, Site 765, B:416  
*Systematophora palmula*, Site 765, B:416  
*Systematophora placacantha*, Site 765, A:125; B:432  
*szajnochae*, *Reussella*, Site 766, A:294
- tabulata*, *Senoniasphaera*, Site 766, A:297  
*Tanyosphaeridium* sp., Site 765, B:419  
*Tappanina selmensis*, Site 766, A:294  
*Tappanina* sp.  
 morphology, B:278  
 Site 766, B:293  
*Tegumentum* spp., Site 766, A:293, B:735  
*Tegumentum striatum*  
 Site 261, B:40, 370

- Site 765, B:350, 359  
 Site 766, B:350-351, 368  
*Tegumentum tripes*, Site 765, B:730  
*tenuicarinata*, *Siphonina*, Site 765, A:121  
*tenuiceras*, *Occisucysta*, Site 765, B:417  
*tenuis*, *Cruciplacolithus*, Site 765, B:727  
*tenuis*, *Eucyrtis*, B:320  
 Site 765, A:127; B:335  
*tenuissimus*, *Ammodiscus*, Site 765, B:252, 258  
*tetracantha*, *Muderongia*, Site 765, B:416  
*tetras tetras*, *Spongaster*, Site 766, A:295  
*Thalmannammina* sp., Site 765, B:256, 261  
*Thalmanminella appenninica*–*Planomalina bux-*  
*torfi* Zone, Site 766, B:282, 733  
*Thanarla conica*, Site 765, A:129–130  
*Ticinella*  
 Australia, B:284  
 Site 327, B:755  
 Site 511, B:755  
*Ticinella multiloculata*, Site 257, B:284  
*ticinensis*, *Rotalipora*, Site 766, B:282, 291, 297  
*torynum*, *Egmontodinium*, Site 765, B:419  
*tosaensis*, *Globorotalia*, Site 765, A:117  
*trachyostraca trachyostraca*, *Sethocapsa*, B:325  
*Tranolithus phacelosus* Zone  
 Site 765, A:123, 125; B:727  
 Site 766, A:291; B:398, 732  
*Triactoma echiodes*, B:326  
*Tribrachiatus contortus* Subzone, Site 765, B:393  
*Tricarinnella excavata*, Site 766, B:289  
*Tricolocapsa* sp., B:326  
 Site 765, B:342  
*trigonus*, *Spongotripus*, B:326  
 Site 765, B:341  
*triloba*, *Globigerinoides*, Site 765, A:119  
*Trinchodinium castanea*, Site 765, B:418  
*tripes*, *Tegumentum*, Site 765, B:730  
*Tripocalpis laboriosus*, B:326  
 Site 765, B:342  
*Tristix acutiangulata*  
 Site 416, A:295  
 Site 766, A:295; B:735  
*Tritaxia gaultina*, Site 766, B:273, 287, 292  
*trizonalis*, *Acanthocircus*, B:317  
*trizonalis dicranacanthos*, *Acanthocircus*, B:317  
*Trochammina abrupta*, Site 765, A:122; B:250,  
 256, 261–262  
*Trochammina abrupta*–*Bulbobaculites incon-*  
*stans*–*Ammobaculoides* Assemblage, Site  
 765, B:245  
*Trochammina quinqueloba*, B:765, 767  
 Site 765, A:122; B:249–250, 256, 262  
*Trochammina quinqueloba* Assemblage, Site 765,  
 B:242  
*Trochammina* sp., Site 765, B:256, 262  
*Trochammina squamata clavata*, Site 765, B:252  
*Trochamminoides* sp., Site 765, B:256, 261  
*trocoidea*, *Hedbergella*, Site 766, A:294; B:282,  
 291, 297
- truncatulinoidea*, *Globorotalia*, Site 765, B:723  
*Tuberculodinium vancamppoe*, Site 765, B:441  
*Tubodiscus verena*, B:767  
 Site 261, A:124; B:40, 370, 378, 741, 764  
 Site 765, A:124; B:36, 369, 730, 741, 743  
 Site 766, B:741, 743  
*Tubotuberella vlamingii*, Site 765, B:418  
*turneri*, *Pseudoceratium*, Site 765, B:416  
*turriseiffelii*, *Eiffellithus*  
 Site 765, A:124; B:383  
 Site 766, A:291  
*Turritelella* sp., Site 765, B:256, 258  
*tutulolum*, *Adnatosphaeridium*, Site 765, B:418
- umbilicata*, *Acaeniotyle*, B:317  
 Site 765, B:332  
*umbonifera*, *Nuttallides*, Site 766, A:294  
*Uvigerinammina* sp., Site 765, B:256, 263
- Vagalapilla matalosa*, B:360  
 Indo-Pacific Region, B:351, 356  
 Site 261, B:40  
 Site 765, A:124; B:36, 350, 369, 378, 743  
 Site 766, B:368, 743  
*Vaginulina* sp., Site 766, B:293  
*Vaginulinopsis reticulosa*, Site 765, B:264  
*Vaginulinopsis* sp., Site 765, B:264  
*vancamppoe*, *Tuberculodinium*, Site 765, B:441  
*vaughani*, *Plectofrondicularia*, Site 765, A: 121  
*Vekshinella stradneri*, Site 766, B:363–364  
*velascoensis*, *Morozovella*, Site 766, A:293  
*velatus*, *Lotharingius*, Site 765, A:125  
*venezuelana*, *Globoquadrina*, Site 765, A:118  
*ventricosa*, *Globotruncana*, Site 765, A:120  
*verbana*, *Obesacapsula*, B:322  
 Site 765, B:310, 336  
*verena*, *Tubodiscus*, B:767  
 Site 261, A:124; B:40, 370, 378, 741, 764  
 Site 765, A:124; B:36, 369, 730, 741, 743  
 Site 766, B:741, 743  
*Verneuilinidae* sp., Site 766, B:273  
*Verneuilinoides neocomiensis*, Site 765, A:122;  
 B:249, 256, 263  
*Verneuilinoides neocomiensis* Zone, Site 765,  
 A:122  
*Verneuilinoides* sp., Site 765, B:256, 263  
*Vitorfus brustolensis*, B:326  
*vlamingii*, *Tubotuberella*, Site 765, B:418
- Wanaea digitalis*, Site 765, A:126  
*Wanaea* sp., Site 765, B:408  
*Watznaueria barnesae*, B:350  
 Site 261, B:37  
*Watznaueria britannica*  
 Site 261, B:37  
 Site 765, A:125  
 Site 766, B:365  
*Watznaueria britannica* Zone, Site 765, A:125  
*Watznaueria fossacincta*, Site 261, B:370
- Watznaueria manivittae*, B:371–372  
 Site 261, B:25, 40, 56, 370, 378, 741  
 Site 765, A:124, 246; B:36, 42, 369, 378, 741  
*Watznaueria* sp., B:754  
 Site 765, B:8  
*whitei*, *Cometodinium*, Site 765, B:420  
*windii*, *Eiffellithus*, Site 765, B:36, 369  
*wisei*, *Rucinolithus*, B:767  
 Site 765, B:350  
*wrennii*, *Nematosphaeropsis*, n. sp., Site 765,  
 B:435, 440
- Xitus* sp., B:326  
 Site 765, B:342, 730
- Yalkalpodinum scutum*, Site 765, B:416  
*yezoana*, *Hedbergella*, Site 766, B:291, 297
- Zeugrhabdotus cooperi* n. sp., B:372–373  
 Site 261, B:29, 379, 741  
 Site 765, B:741  
*Zeugrhabdotus embergeri*, Site 261, B:379  
*Zeugrhabdotus erectus*  
 Site 261, B:379  
 Site 765, A:125  
*Zeugrhabdotus* sp., Site 261, B:379  
*zoharyi*, *Polysphaeridium*, Site 765, B:429–430,  
 435, 441
- zones (with letter prefixes)  
 CP5, B:727  
 N4, A:119; B:725  
 N5, A:119, 121; B:725  
 N8, A:119; B:725  
 N9, A:119  
 N10, A:119  
 N11, A:119  
 N12, A:119  
 N13, A:119  
 N14, A:119  
 N15, A:119  
 N16, A:119  
 N17, A:118–119  
 N18, A:41, 118; B:718  
 N19, A:41, 118, 293; B:718  
 N20, A:41, 118; B:718  
 N21, A:117  
 N22, A:293  
 P4, A:293  
 P5, A:120, 293–294  
 P6, A:120, 293–294; B:731  
 P7, A:120, 293; B:731  
 P8, A:120, 294; B:731  
 P9, A:120  
 P10, A:120  
 P18, A:119  
 P19, A:119  
 P22, A:119