

## INDEX TO VOLUME 124E

This index provides coverage for the *Initial Reports* volume of the *Proceedings of the Ocean Drilling Program* for Leg 124E. No *Scientific Results* volume was published. The index is included with the Volume 124 index for the sake of convenience, and because the two *Initial Reports* volumes were packaged together within the same cover.

The index is presented in two parts: (1) a Subject Index and (2) a Site Index. Page numbers of index entries are shown with the suffix e, indicating that this was an engineering leg.

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. It follows the concept developed by the Deep Sea Drilling Project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; and (2) a subentry, defined as a further elaboration on the main entry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, and for information on electronic formats available, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

- Acoustic impedance. *See* Impedance  
 Argo Abyssal Plain, coring, 134e
- Basement, Luzon Strait, 99e  
 Bedding, Lingayen Gulf, 76e  
 Bioturbation, Lingayen Gulf, 76e, 78e  
 Brunhes/Matuyama boundary, Mariana Basin E, 124e  
*Bucentaur*, drill system, 42e-44e
- Carbon, Lingayen Gulf, 81e  
 Carbon, organic, geriatric cores, 69e-70e  
 Chert  
   deep-water coring of interbedded lithologies, 5e, 133e-134e  
   Mariana Basin E, 118e, 120e, 122e-123e  
 Clay  
   Lingayen Gulf, 76e, 81e  
   Mariana Basin E, 122e-123e  
 Claystone  
   Lingayen Gulf, 76e  
   Luzon Strait, 94e  
   Mariana Basin E, 122e-123e  
 Compaction, clayey sediments, 81e  
 Control console, 32e
- DCS. *See* Diamond coring system  
 Density  
   Lingayen Gulf, 78e-80e, 84e, 86e  
   Mariana Basin E, 130e-131e  
 Diamond coring system, 5e  
   assembly, 15e-19e  
   compared with known systems, 41e-44e  
   deployment, 15e-35e, 37e-38e  
   drilling equipment, 19e-21e  
   evaluation of, 30e-34e, 37e-40e  
   heave-compensation hardware, 19e-22e  
   Lingayen Gulf, 84e  
   Luzon Strait, 93e, 95e  
   operational data, 38e-39e  
   racking-board hardware, 22e-23e  
   sea trials, 23e-30e  
   summary, 59e  
   testing, 15e-35e  
   time analysis, 34e-35e, 40e  
 Disconformities, Mariana Basin E, 125e  
 Drill string, Hydril, 37e-38e  
 Drilling equipment, 19e-21e  
 Drilling-fluid control, 59e
- England, south coast, chert, 134e  
 Extended core barrel, 5e, 45e-47e  
   Lingayen Gulf, 84e  
   Luzon Strait, 95e  
   Mariana Basin E, 133e  
   summary, 59e-60e
- Faults, Luzon Strait, 94e  
 Feed cylinder, 32e  
 Flow test, XCB, 45e-46e
- Geochemical tool, 105e, 108e-109e  
 Geriatric core investigation, 69e-71e  
 Grain density, Mariana Basin E, 130e  
 GRAPE, Lingayen Gulf, 79e-80e, 86e  
 Gulf of Mexico  
   shear strength, 81e  
   void ratio, 130c
- Heave, 65e-67e  
 Heave-compensation hardware, 19e-22e  
   LDGO, 107e, 109e  
   Westech, 32e  
 Hydraulic top drive, 32e
- IKU/ *Bucentaur* drill system, 42e-44e  
 Impedance  
   Lingayen Gulf, 80e, 87e  
   Mariana Basin E, 130e, 132e  
 Interstitial-water chemistry  
   geriatric cores, 69e-71e  
   Lingayen Gulf, 81e  
   Mariana Basin E, 124e
- JOIDES Resolution*, deep-water dynamic-positioning capabilities, 5e
- Landing-pad assembly, 63e-64e  
 LDGO tools, 105e-109e  
 Lingayen Gulf  
   bathymetry, 79e  
   biostratigraphy, 78e  
   geophysics, 76e  
   geotechnical stratigraphy, 81e-83e, 89e  
   interstitial-water chemistry, 81e  
   lithostratigraphy, 76e, 78e  
   location, 77e  
   magnetic properties, 78e, 82e-83e  
   physical properties, 78e, 80e-81e, 83e-88e  
   seismic stratigraphy, 81e-83e  
 Logging, tool tests, 105e-109e  
 Luzon Strait: Site 773  
   diamond coring system, 93e, 95e  
   geophysics, 94e  
   lithostratigraphy, 94e  
   location, 92e  
   seismic stratigraphy, 94e  
 Luzon Strait: Site 774  
   geophysics, 99e  
   location, 98e  
   seismic stratigraphy, 99e-100e  
 Luzon Strait: Site 775  
   geophysics, 103e  
   lithostratigraphy, 103e  
   location, 102e  
   seismic stratigraphy, 104e
- Manganese, Mariana Basin E, 123e  
 Mariana Basin E  
   geophysics, 118e-121e  
   geotechnical stratigraphy, 132e-133e  
   interstitial-water chemistry, 124e  
   lithostratigraphy, 122e-123e  
   location, 114e  
   magnetic properties, 123e-129e  
   physical properties, 130e-132e  
   sedimentation rates, 130e  
   seismic stratigraphy, 118e-121e  
   stratigraphy, 115e-116e  
 Mariana Trough  
   location, 106e  
   logging results, 108e-109e  
 Mud-pump system, 32e-34e
- Navidrill core barrel, 5e, 49e-54e  
   data summary, 51e-54e  
   deck tests, 50e  
   Mariana Basin E, 133e  
   summary, 60e-61e  
 NCB. *See* Navidrill core barrel  
 Nitrogen, Lingayen Gulf, 81e  
 Normandy, coast, chert, 134e
- Old Pacific sites, chert, 134e-135e  
 ONDO temperature-measurement system, 104e
- Pacific Ocean W, sites, 6e  
 PCS. *See* pressure core sampler  
 Pebbles, igneous rock, Lingayen Gulf, 76e  
 Pigafetta Basin, chert, 134e-135e  
 Piggy-back coring, 41e-42e  
 Pinger, 120e-121e  
 Pitch, 65e-68e  
 Polarity reversals  
   Lingayen Gulf, 78e  
   Mariana Basin E, 123e-124e  
 Porcellanite  
   coring, 133e-134e  
   Mariana Basin E, 122e-123e  
 Porosity  
   Lingayen Gulf, 78e-80e, 85e  
   Mariana Basin E, 130e-132e  
 Power pack, 30e-32e  
 Pressure core sampler, 5e, 55e-56e  
   Lingayen Gulf, 84e
- Quad-combo tool, 105e, 108e-109e
- Reflectors, Luzon Strait, 99e  
 Roll, 65e-68e
- Schlumberger tools, 105e-109e  
 Sedimentation rates, Mariana Basin E, 125e  
 Shear strength  
   Lingayen Gulf, 80e-81e, 87e-88e  
   Mariana Basin E, 130e, 132e-133e  
 Silicification, Mariana Basin E, 123e  
 Sinker bars, 63e  
 Sulfur, Lingayen Gulf, 81e
- Thermal conductivity, Lingayen Gulf, 81e, 88e  
 Tugger, 32e
- Velocity  
   Lingayen Gulf, 80e, 83e, 86e-87e  
   Mariana Basin E, 130e, 132e  
 Vibration-isolated television frame, Luzon Strait, 103e  
 VIT. *See* Vibration-isolated television frame  
 Void ratio, Mariana Basin E, 130e-132e
- Water content  
   Lingayen Gulf, 79e-80e, 85e  
   Mariana Basin E, 130e-131e  
 Water-sampler temperature probe, 57e  
   Lingayen Gulf, 85e  
 Wireline winch, 32e  
 WSTP. *See* Water-sampler temperature probe
- XCB. *See* Extended core barrel

## SITE INDEX

Site 307, stratigraphy, 116e

Site 452, 7e

chert zone, 120e  
stratigraphy, 115e-116e

Site 453, 7e, 105e-108e

logging data, 5e

Site 765, coring, 134e

Site 772, 5e

bathymetry, 79e  
bedding, 76e  
biostratigraphy, 78e  
bioturbation, 76e, 78e  
bulk density, 78e-80e, 84e, 86e  
carbon, 81e  
clay, 76e, 81e  
claystone, 76e  
compaction, 81e  
coring summary, 78e  
diamond coring system, 23e, 84e  
extended core barrel, 46e, 84e  
geophysics, 76e  
geotechnical stratigraphy, 81e-83e, 88e-89e  
GRAPE, 79e-80e, 86e  
igneous rock, 76e  
impedance, 80e, 87e  
interstitial-water chemistry, 81e  
lithostratigraphy, 76e, 78e  
location, 77e  
magnetic properties, 78e, 82e-83e  
nitrogen, 81e  
physical properties, 78e, 80e-81e, 83e-88e  
polarity reversals, 78e  
porosity, 78e-80e, 85e  
pressure core sampler, 56e, 84e  
seismic stratigraphy, 81e-83e

shear strength, 80e-81e, 87e-88e  
sulfur, 81e  
thermal conductivity, 81e, 88e  
velocity, 80e, 83e, 86e-87e  
water content, 79e-80e, 85e  
water-sampler temperature probe, 85e

Site 773, 5e

claystone, 94e  
coring summary, 93e  
diamond coring system, 23e-30e, 93e, 95e  
extended core barrel, 46e, 95e  
faults, 94e  
geophysics, 94e  
lithostratigraphy, 94e  
location, 92e  
pressure core sampler, 56e  
seismic stratigraphy, 94e

Site 774, 7e

basement, 99e  
diamond coring system, 30e  
extended core barrel, 46e  
geophysics, 99e  
location, 98e  
reflectors, 99e  
seismic stratigraphy, 99e-100e

Site 775, 7e

coring summary, 103e  
diamond coring system, 30e  
extended core barrel, 46e  
geophysics, 103e  
lithostratigraphy, 103e  
location, 102e  
seismic stratigraphy, 104e

Site 776, 7e

location, 106e

logging results, 108e-109e

Site 777, 7e

Brunhes/Matuyama boundary, 124e  
bulk density, 130e-131e  
chert, 122e-123e  
interbed coring, 133e-135e  
chert zone, 118e, 120e  
clay, 122e-123e  
claystone, 122e-123e  
coring summary, 123e  
disconformity, 125e  
extended core barrel, 46e, 133e  
geophysics, 118e-121e  
geotechnical stratigraphy, 132e-133e  
grain density, 130e  
impedance, 130e  
interstitial-water chemistry, 124e  
lithostratigraphy, 122e-123e  
location, 113e-115e  
magnetic properties, 119e, 123e-129e  
manganese, 123e  
navidrill core barrel, 49e-50e, 133e  
physical properties, 130e-132e  
polarity reversals, 123e-124e  
porcellanite, 122e-123e, 133e-134e  
porosity, 130e-132e  
sedimentation rates, 130e  
seismic stratigraphy, 118e-121e  
shear strength, 130e, 132e-133e  
silicification, 123e  
stratigraphy, 115e-116e  
velocity, 130e, 132e  
void ratio, 130e-132e  
water content, 130e-131e

Site ENG-4, 7e, 118e