

INDEX TO VOLUME 124

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 124 of the *Proceedings of the Ocean Drilling Program*. Index entries with the suffix *a* refer to pages in the *Initial Reports*, and those with *b*, to pages in the *Scientific Results* (this book). In addition, the letter *m* as a suffix refers to chapter pages on microfiche, which is contained in a pocket in the back of this book.

The index is presented in three parts: (1) a Subject Index, (2) a Site Index, and (3) a Paleontological Index. For information on electronic formats available, please contact the Data Librarian, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547.

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. It expands the concept developed by the Deep Sea Drilling project at Scripps Institution of Oceanography for a comprehensive, cumulative index of DSDP volumes. Both of these indexes are based on a hierarchy of entries: (1) a main entry, defined as a key word or concept followed by a reference to the page on which that word or concept appears; (2) a subentry, defined as a further elaboration on the main entry followed by a page reference; and (3) a sub-subentry, defined as an even further elaboration on the main entry or subentry followed by a page reference.

The Subject Index follows a standard format. Geographic and individual names are referenced in the index only if they are subjects of discussion. This index also includes broad fossil groups, such as foraminifers and radiolarians, which also appear in the Paleontological Index.

The Site Index is structured to contain entries for the sites discussed in the volume. Site entries are modified by subject subentries.

The Paleontological Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) broad fossil groups, including individual genera and species that have been erected or emended formally; (2) biostratigraphic zones; and (3) fossils depicted in illustrations. Taxonomic entries consisting of both genera and species are listed alphabetically by *species*; biostratigraphic zones, however, are listed alphabetically by *genus*.

The indexes cover text figures and tables but not core description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

For further information, contact the Chief Production Editor, Ocean Drilling Program, at the address given in the second paragraph above.

SUBJECT INDEX

- Accretionary wedge, Palawan–NW Sulu Basin, 37a-38a, 54b, 121b
- Acoustic basement, 400a
Cagayan Ridge, 410a
Sulu Sea, 197A, 199a
- Acoustic impedance. *See* Impedance
- Actinolite, Sulu Sea, 260a-261a, 263a
- Alkalinity
Cagayan Ridge, 328a, 330a
Celebes Sea, 154a-155a, 156a, 356a
Sulu Sea, 239a, 241a, 328a
- Alteration
ash, 206b-209b, 214b-215b
Pacific Ocean W, 211b
authigenic mineral sequences, Sulu Sea, 6b
basalt, 157a
Celebes Sea, 312b, 316b
potassium and, 84b
seafloor weathering indicators, 257b
crustal, velocity and, 75b
glass
Cagayan Ridge, 402a, 403a
products, 492b-493b
marginal basin evolution and, 203b
olivine
Cagayan Ridge, 191b
Celebes Sea, 362a-363a, 365a, 366a, 367a, 368a, 369a
Sulu Sea, 259a
pH changes and, 154a
plagioclase, Cagayan Ridge, 191b
reactive zones, Pacific Ocean W, 208b-209b
silicification and, Celebes Sea, 155a, 157a
tephras
Celebes Sea, 7b
Sulu Sea, 7b
volcanic rocks
Cagayan Ridge, 93a-94a, 187b, 300b-301b, 306a, 307a, 313a, 314a, 330a
Celebes Sea, 5b, 356a, 379a-381a
Sulu Sea, 93a-94a, 235a, 239a, 253a, 255a, 260a, 261a, 262a, 263a, 279a-280a, 300b-301b, 302b
- Alteration, low-temperature
stages in ocean crust, 233b
tuffs, 192b-193b
volcanic rocks, Celebes Sea, 277b-278b
- Aluminum
Cagayan Ridge, 392b, 395b-396b
Celebes Sea, 174a, 176a, 178a, 376a, 543b
Pacific Ocean W, 414b-416b, 419b
- Aluminum oxide, ratios vs. diagenetic zones, 502b
- Ammonium
Cagayan Ridge, 328a
Celebes Sea, 155a
organic matter, 241b
diagenesis and, 208b
interstitial waters, Celebes Sea, 242b
Sulu Sea, 235a, 239a
- Amphibole
chemical composition, Pacific Ocean W, 474b, 485b
fractionation, 476b
- Analcime
in altered tuff, Cagayan Ridge, 191b-192b
pyroclastic sequences
Cagayan Ridge, 187b
Sulu Sea, 184b, 186b-187b
- Andesite
Cagayan Ridge, 93a, 255a, 313a-315a, 402a
- fractionation, 476b
geochemistry, Cagayan Ridge, 333b-334b
incompatible-element comparisons, Pacific Ocean W, 332b
Palawan Island, 124b
Sabah, 128b
Sulu Sea, 93a, 270a-271a
element analysis, 305b
geochemistry, 257b
Zamboanga Peninsula, 128b
- Anorthite, Celebes Sea, 282b
- Anoxic conditions, molybdenum and, 390b-392b
- Antique Range, geologic structure, 323b
- Antique Ridge, 87a
volcanism, 464b
- Apatite, Sulu Sea, 261a
- Arabian Sea, monsoon systems, 376b, 385b
- Aragonite compensation depth, Sulu Sea, sea level change and, 387b-389b
- Argo Abyssal Plain (Jurassic), MORB, 319b
- Argon-potassium dating, volcanic arc sequences, Pacific Ocean W, 321b, 323b-325b
- Ash
alteration
Celebes Sea, 206b-209b
Pacific Ocean W, 211b, 214b-215b
Sulu Sea, 206b-209b
Cagayan Ridge, 304a, 306a, 339a, 401a, 461b-462b
Celebes Sea, 128a, 131a, 140a-142a, 346a, 406b, 460b-461b
deposition
Celebes Sea, 143a
Sulu Sea, 221a
lithic, Sulu Sea, 218a
petrography
Cagayan Ridge, 491b-492b
Celebes Sea, 490b-491b
Sulu Sea, 491b-492b
Sulu Sea, 201a, 208a-210a, 212a, 218a-219a, 406b, 461b-462b
- Asia E, margin breakup, 39b-40b
- Asia SE
margin rifting, 47b
tectonics, 51b-52b
- Atlantic Bottom Water, Celebes Sea and, 452b
- Atlantic Ocean
carbonate compensation depth, 449b
crest, oceanic, 75b
Pliocene/Pleistocene boundary, 149b
- Atlantic Ocean N
deep-water agglutinated foraminifers, 171b, 173b
lithostratigraphy, 315a
ocean-atmosphere cycles, 386b
polarity reversals, 149a
- Atlantic Ocean S, pyritized siliceous microfossils, 364b
- Auburn (N.Y.) well, fractures, 117b
- Augite, Cagayan Ridge, 313a-314a, 402a-433a
- Aurora Ridge, volcanism, 462b
- Australian Plate, 199a
- Authigenic minerals, paragenetic sequence, Cagayan Ridge, 192b
- Back-arc spreading
Pacific Ocean W, 39b-40b
Shikoku–Parece Vela Basin, 44b-45b
Sulu Sea, 8b, 197a, 280a, 376b
- Balabac, Turbidites, 444b
- Baloy unit, K/Ar age, 323b-325b
- Banda Sea, 36a, 41a
magnetic properties, 70b
- Barbados, fluid transport, 125a
- Barbados Ridge, interstitial-water chemistry, 154a
- Barium, Cagayan Ridge, 395b
- Basalt
alteration
Celebes Sea, 277b-278b
magnesium and, 215b
Cagayan Ridge, 93a, 100a, 255a, 313a-315a, 402a-403a
derivation, 404a
origins, 5b-6b
Celebes Sea, 40b, 168a-169a, 351a, 359a-360a, 362a-369a
origin, 3b
chemical composition, Cagayan Ridge, 305b, 307b
electrical conductivity, modeling, 96b-99b
fractionation stages, 476b
geochemistry
Celebes Sea, 369a-373a
Sulu Sea, 262a-268a
geochemistry, inorganic, Celebes Sea, 282b
impedance and, 509b
logging
Celebes Sea, 379a-381a
Sulu Sea, 272a-274a
magnetic properties
Celebes Sea, 150a-151a
Sulu Sea, 230a-231a
major elements, Celebes Sea, 314b
mineral chemistry
Celebes Sea, 282b
Sulu Sea, 300b-303b
mineralogy
Celebes Sea, 314b
Sulu Sea, 265b-266b
neutron porosity logging, Celebes Sea, 89b
Pacific Ocean W, incompatible-element comparisons, 332b
petrogenesis, Sulu Sea, 307b-309b
petrology, Celebes Sea, 273b-275b, 277b
stress measurements, 275a
Sulu Sea, 93a, 100a, 253a, 255a, 257a-262a
origins, 5b-6b, 303b-305b
thermal fracturing, drilling and, 112b-114b
trace elements, Celebes Sea, 315b
velocity, 78b-83b
Celebes Sea, 163a
Sulu Sea, 252a
See also Pillow lavas
- Basalt, altered
density, Sulu Sea, 87b-88b
potassium content, 84b
- Basalt, back-arc tholeiitic, 304b-305b, 309b
- Basalt, island-arc, Sulu Sea basalt and, 305b
- Basalt, shoshonitic, 325b, 329b
- Basalt/seawater reactions, Celebes Sea, 277b
- Basement
Cagayan Ridge, 5b-6b, 255a
Celebes Sea, 40b-41b, 351a, 384a
age, 69b, 174b
source, 316b-319b
geochemistry, Sulu Sea, 262a-268a
lithology
Celebes Sea, 359a-360a, 362a-369a
Sulu Sea, 257a-262a
logging

SUBJECT INDEX

- Celebes Sea, 379a-381a
 Sulu Sea, 272a-274a
 magnetic properties
 Celebes Sea, 150a-151a
 Sulu Sea, 229a-231a
 petrology, Celebes Sea, 3b, 58b-59b
 petrology and lithostratigraphy, Sulu Sea, 253b-255b
 seismic stratigraphy
 Celebes Sea, 180a-181a
 Sulu Sea, 277a
 stress measurements, 275a
 subsidence rates
 Celebes Sea, 402b, 403b, 405b, 406b
 Sulu Sea, 403b, 404b
 Sulu Sea, 5b-6b, 87a-88a, 253a, 255a, 279a
 age, 69b
 origin, 8b
- Bellingshausen Abyssal Plain, silicification, 155a
 Bengal Fan, pyritization, 364b
 Bering Sea Basin, as plate fragment, 39b
 Biotite
 Cagayan Ridge, 304a
 Celebes Sea, 131a, 183a
 chemical composition, Pacific Ocean W, 474b
 deposition, Celebes Sea, 143a
 Sulu Sea, 212a, 260a-261a, 263a
- Borneo
 Celebes Sea sediment source, 406b
 tectonostratigraphic units, 39a
- Bottom water
 oxygenation, Sulu Sea, 380b, 381b-382b
 paleo-redox conditions and, Sulu Sea, 390b-391b
- Breccias
 Celebes Sea, 274b-275b, 360a, 362a-365a, 367a-368a
 Sulu Sea, 261a-262a
- Brunhes/Matuyama chron boundary
 Cagayan Ridge, 512b
 Celebes Sea, 139a-140a, 148a, 180a
 Sulu Sea, 226a
 sedimentation rates and, 233a
- Buruanga unit, K/Ar age, 323b-325b
- Butane
 Negros Trench, 113a-114a
 Sulu Sea, 247a
- Ca/Mg ratio, interstitial waters, Pacific Ocean W, 215b
- Cagayan Ridge, 38a
 basement, petrology, 254b
 bathymetry, 44a-48a, 69b-70b
 biostratigraphy. *See* Paleontological Index
 calcium carbonate, 325a-328a
 carbonates, 96a-97a
 clay mineralogy, 309a-311a
 deposition, 311a-313a, 403a-404a
 geochemistry, inorganic, 93a-94a, 325a-330a
 geochemistry, organic, 330a-332a, 409a
 geological evolution, 129b
 gravity high, 71b
 igneous rock petrology, 402a
 clasts, 311a
 interstitial-water chemistry, 325a-330a
 K/Ar age, 324b-325b
 lithostratigraphy, 131b, 140b-141b, 301a-315a, 400a-405a, 410a-411a
 location, 300a
 magmatism, 327b
 magnetic properties, 11b-28b, 319a-325a, 406a-408a, 511b-518b
 anomalies, 44a-45a
 major and minor element analysis, 531b-539b
- petrography, 313a-315a, 402a-403a
 petrology, 256b-259b
 physical properties, 330a-339a, 409a-411a
 sedimentary units, 301a-309a, 400a-402a
 sedimentation rates, 323a-327a, 407a-408a
 seismic stratigraphy, 44a-45a, 57b, 63a-69a, 83a-85a, 335a-341a, 410a, 412a-414a, 518b
 tectonic history, 169b
 tectonics, 5b-7b, 52b-56b, 59b-61b
 volcanic sequences, 181b-182b
 geochemistry, 93a-97a
- Calcite
 basement, Celebes Sea, 277b
 Cagayan Ridge, 328a
 Celebes Sea, 178a-179a, 359a-360a, 365a-369a, 368a
 Pacific Ocean W, 414b-415b
 precipitation, Pacific Ocean W, 236b-237b
 pyroclastic sequences, Cagayan Ridge, 187b
 Sulu Sea, 222a-223a
- Calcite compensation depth, Celebes Sea, 4b
See also Carbonate compensation depth
- Calcium
 Cagayan Ridge, 330a
 Celebes Sea, 157a, 174a-178a, 183a, 239a, 356a, 376a-378a, 380a-381a
 diagenesis and, 204b-205b
 oxygen isotope values and diagenesis of, 214b-215b
 Pacific Ocean W, 414b-416b
 Sulu Sea, 239a, 241a, 264a-265a
- Calcium carbonate
 Cagayan Ridge, 315a, 317a, 325a-328a, 339a, 387b-390b
 Celebes Sea, 4b, 153a-154a, 356a-357a, 365a-366a, 368a-369a
 deposition, 404a-405a
 diagenesis, Pacific Ocean W, 205b-209b
 mass accumulation rate, 383b, 384b, 385b
 Sulu Sea, 235a-239a, 315a
 California, polarity reversals, 149a
 California, Gulf of, silicification, 157a
- Carbon isotopes
 Cagayan Ridge, 385b-387b
 Celebes Sea, 240b-241b
 diagenesis and, 212b
 interstitial waters, Pacific Ocean W, 208b
 Pacific Ocean W, 212b
 Sulu Sea, 109a-111a, 227b-230b, 383b-384b
- Carbon, organic
 Cagayan Ridge, 330a, 332a, 389b-392b
 Celebes Sea, 157a-161a, 183a, 357a-358a
 maturity
 Celebes Sea, 203b
 Sulu Sea, 203b
 oxidation of, 209b
 Pacific Ocean W, 213b
 Sulu Sea, 384b-385b
- Carbon, total organic
 accumulation rates, Pacific Ocean W, 218b-220b, 222b-223b
 Celebes Sea, ratios, 242b-244b
 Sulu Sea, 241a, 244a-246a
 vs. sediment accumulation rates, Celebes Sea, 220b
- Carbonate
 accumulation, Celebes Sea, 457b
 aluminosilicate dilution of, Cagayan Ridge, 387b
 Cagayan Ridge, 96a-97a, 100a
 Celebes Sea, 447b-448b
 crust subsidence and fluctuations in, 449b
 deposition, Sulu Sea, 221a
 interstitial-water and, 239a
- Sulu Sea, 241a
 preservation, Sulu Sea, 382b
 Sabah, 127b
 Sulu Sea, 96a-97a, 100a, 261a-262a
 Pliocene-Pleistocene accumulation, 377b
- Carbonate compensation depth
 Cagayan Ridge, 315a, 339a, 411a
 Celebes Sea, 128a, 347a-348a
 Eocene-Oligocene fluctuations, 449b, 455b
 global fluctuations, 169b
 Sulu Sea, 376b, 377b
 sea level change and, 387b-389b
See also Calcite compensation depth
- Carbonate, lithified, Sulu Sea, 527b-528b, 530b
- Carbonate platform, Palawan Island, 122b
- Carbonate, secondary
 Celebes Sea, 233b-236b, 277b
 precipitation in ocean crust, 233b
 Sulu Sea, 233b-236b
- Carpathian Mountains, deep-water agglutinated foraminifers, 171b, 174b-176b
- Cation exchange capacity, 97b, 102b-103b
 basalts, Pacific Ocean W, 95b
- CCD. *See* Calcite compensation depth; Carbonate compensation depth
- CEC. *See* Cation exchange capacity
- Celadonite, Sulu Sea, 184b, 186b, 225a, 261a, 263a, 361b
- Celebes Sea
 ash petrology, 141a-142a
 basement
 depth, 35a
 geochemistry, 369a-373a
 lithology, 168a-169a, 359a-360a, 362a-369a
 mineralogy and petrogenesis, 313b-316b
 petrography, 275b-277b
 bathymetry, 44a-48a, 65b-66b, 124a
 biostratigraphy. *See* Paleontological Index
 calcium carbonate, 153a, 356a-357a
 clay mineralogy, 137a-139a
 crest, 75b-90b
 deep-water agglutinated foraminifers, 171b-180b
 deposition, 143a, 347a-349a
 geochemistry, inorganic, 152a-157a, 176a-178a, 356a
 basement, 169a, 369a-373a
 geochemistry, organic, 157a-159a, 356a-359a
 geological setting, 35a-41a
 geophysics, 65b-73b, 87a-88a
 glaciation, 350a
 grain size measurements, 139a-140a
 gravity, 67b-68b
 map, 126a
 heat flow, 65b
 interstitial-water chemistry, 153a-157a, 356a-358a
 lithology, units, 346a-347a
 lithostratigraphy, 41b, 128a-143a, 172b, 174a-176a, 273b-275b, 346a-350a
 basement, 235b
 organic matter and, 218b-220b, 240b
 sedimentary units, 128a-137a, 383a-384a
 location, 123a, 204b
 logging, 169a-179a, 374a-381a
 sedimentary units, 376a-379a
 logging, geochemical, 541b-552b
 magnetic properties, 4b-5b, 11b-28b, 40b-42b, 68b-59b, 70b, 88a, 147a-151a, 353a-354a, 519b-520b
 anomalies, 44a-45a, 125a
 major and minor element analysis, 531b-539b
 mass accumulation rates, 455b
 origins, 5b

- physical properties, 81b, 92b-93b, 160a-168a, 175a-177a, 357a-359a, 507b-510b
 sediment accumulation rates, 151a-152a
 sedimentation rates, 354a-356a
 seismic stratigraphy, 43b, 44a-51a, 58b, 70a-82a, 88a, 179a-182a, 382a-384a
 seismic velocity, 67b
 stress, orientation, 344a-345a
 stress measurements, 381a-382a
 summary log, 186a-193a, 386a-397a
 tectonic setting, 3b-5b, 312b, 400b
 palynological correlations, 369b-373b
 volcanoclastic material, 140a-141a
 water depths, Eocene-Oligocene, 454b, 455b
- Celebes-Sulu block
 Neogene evolution, 61b, 63b
 tectonic framework, 52b, 53b
- Cementation
 phillipsite, Cagayan Ridge, 188b
 smectite, Cagayan Ridge, 188b
- Cerium
 basement anomalies, Sulu Sea, 301b, 305b-307b
 Sulu Sea, 264a-265a
- Chalcedony
 Cagayan Ridge, 309a
 Sulu Sea, 261a-262a
- China continental margin, origin of Celebes basin and, 7b-8b
- China Sea Intermediate Water, Sulu Sea and, 375b, 381b
- Chloride
 Cagayan Ridge, 326a
 Celebes Sea, 153a-154a
 Sulu Sea, 238a
- Chlorine, Pacific Ocean W, 414b
- Chlorite
 Cagayan Ridge, 310a-311a
 Celebes Sea, 138a-139a, 175a
 pyroclastic sequences, Sulu Sea, 184b, 186b-187b
 Sulu Sea, 217a-218a, 261a, 263a
- Chromium
 Cagayan Ridge, 256b-257b
 Sulu Sea, 256b-257b, 265a
- Clasts, basalt, Sulu Sea, 255b-256b
- Clasts, vitric
 in altered tuff, Cagayan Ridge, 189b-191b
 in rhyolitic strata, Sulu Sea, 183b
- Clay
 alteration, 259a-262a
 Cagayan Ridge, 304a-306a, 315a, 400a-401a, 410a
 Celebes Sea, 346a-347a, 351a, 359a-360a
 deposition
 Cagayan Ridge, 311a-313a, 404a
 Celebes Sea, 347a-348a
 Sulu Sea, 220a-221a
 electrical conductivity, modeling, 96b-103b
 organic matter and, Cagayan Ridge, 330a
 resistivity and, 83b-84b
 Sulu Sea, 201a, 215a, 269a, 315a
- Clay, brown
 Cagayan Ridge, 339a
 Celebes Sea, 362a-369a
 Sulu Sea, 234a
- Clay, green
 in altered tuff, Cagayan Ridge, 188b, 190b-192b
 Cagayan Ridge, 309a
 Celebes Sea, 362a-369a
 Sulu Sea, 260a-262a
- Clay mineralogy
 Cagayan Ridge, 309a-311a
 Celebes Sea, 4b, 7b, 40b, 42b, 47b, 58b-59b
 Sulu Sea, 217a-219a, 269a, 280a
- Clay minerals
 alteration, 493b
 Celebes Sea, 174a-175a
 diagenetic assemblages, 193b
 oxygen isotopes, 503b
 Pacific Ocean W, 411b-412b, 416b-418b
 diagenesis, 423b-427b
 in pyroclastic sequences, 183b
 Pacific Ocean W, 428b
 Sulu Sea, 255a, 263a
- Clay, red
 biostratigraphy and, 224a
 Celebes Sea, 40b, 47b, 152a, 181a-183a
 sources, 4b
 Palawan Island, 121b
 Sulu Sea, 260a-262a, 280a
- Claystone
 Cagayan Ridge, 401a-402a
 Celebes Sea, 128a, 132a-137a, 346a-347a
 deposition
 Cagayan Ridge, 404a
 Celebes Sea, 143a
 Sulu Sea, 220a-221a
 impedance and, 509b
 logging, Celebes Sea, 376a-378a
 nannofossil, Celebes Sea, 347a
 Pacific Ocean W, mineralogy, 411b-412b
 Palawan Island, 122b
 Sulu Sea, 201a, 209a-212a, 269a-271a
- Claystone, brown
 carbonate content, 447b-448b
 Celebes Sea, 3b-4b
 chemical classification, 422b-423b
 diagenesis, 427b-428b
 Pacific Ocean W
 chemical composition, 422b, 423b
 mineralogy, 412b-413b, 416b
 Sulu Sea, 6b
 volcanic influxes, 420b-421b
- Claystone, green, Celebes Sea, 47b
- Claystone, nannofossil, carbonate content, Celebes Sea, 447b-448b
- Clinofossil bedding, Celebes Sea, 180a
- Clinoptilolites
 Pacific Ocean W, 421b-422b
 pyroclastic sequences, Sulu Sea, 184b-187b
- Clinopyroxene
 alteration and, 278b
 Cagayan Ridge, 255a, 313a-314a, 403a
 Celebes Sea, 141a-142a, 168a, 362a-369a
 chemical composition, Pacific Ocean W, 469b
 composition, Sulu Sea, 255b, 258b
 fractionation, 476b
 mineral chemistry, 282b
 pyroclastic sequences, Cagayan Ridge, 187b
 Sulu Sea, 253a, 255a, 259a-263a
- Cobb Mountain Event, Celebes Sea and, 149a
- Collision
 Cagayan Ridge-South China Sea margin, 54b
 Sulu Sea, 199a
- Collision zones, stress measurement, 5a
- Compaction
 Celebes Sea, 358a
 Sulu Sea, 222a, 251a, 271a
- Compression, 61b
 Philippine archipelago, basin ash layers and, 464b
- Conductivity. *See* Electrical conductivity; Thermal conductivity
- Continental index
 Cagayan Ridge, 310a-311a
 Celebes Sea, 138a-139a
 Sulu Sea, 217a-218a
- Convection, Sulu Sea, 104a, 246a
- Cooling units, Sulu Sea, 261a
- Copper
 Cagayan Ridge, 389b-392b, 396b
 Celebes Sea, 136a
- Coral Basin, 46b
- Cotabato Trench
 Celebes Sea and, 58b, 124a-125a, 382a
 gravity, 67b-68b
 extensional stress, 117b-118b
 subduction, 7b
 tectonics, 52b
 volcanism and, 464b-465b
- Crocker formation, 39a, 122b
 tectonics, 51b
- Crocker Range, 334b
- Crust, oceanic
 aging, 91b
 Celebes Sea, 65b
 flexure of, 115b, 117b
 mass transport, 233b
 Pacific Ocean W, 41a
 physical property variations, 89b-90b
 structure, Celebes Sea, 65b
 Sulu Sea, 56b-57b, 70b-71b, 88a, 92a, 252b
 age, 339b-340b
 logging data, 75b-76b, 79b, 80b
 West Philippine Basin, depth anomaly, 449b
- Crystal fractionation, 486b
 potassium enrichment of glass and, 475b-476b
- Crystallites, Sulu Sea, 259a-260a, 262a
- Crystallization, 469b
 Celebes Sea, 142a
 low-pressure vs. high pressure, 474b
 Sulu Sea, 255a, 265a
- Crystals
 Cagayan Ridge, 304a-305a, 307a, 313a, 402a-403a
 Celebes Sea, 141a-142a
 Sulu Sea, 201a, 210a-211a, 257a
- Dacite
 Cagayan Ridge, 93a
 fractionation, 476b
 Sulu Sea, 93a
- Dangerous Grounds
 collision of, 197a
 geological evolution, 123b
 tectonics, 51b
- Dangerous Grounds-Miri Platform, 39a
- Decompaction
 Celebes Sea, 405b
 Sulu Sea, 405b
- Deformation
 Cagayan Ridge, 304a
 Palawan-NW Sulu basin, 54b
 Sulu Sea, 52b-54b, 56b-57b
- Density
 altered basalts, Sulu Sea, 87b-88b
 Cagayan Ridge, 331a, 334a-335a, 409a-410a
 Celebes Sea, 161a, 163a-164a, 357a-359a, 361a, 374a-375a, 456b
 crustal structure and, 89b-90b
 porosity and, Pacific Ocean W, 93b
 Sulu Sea, 110a, 248a, 250a-252a, 257a, 268a-273a
 crust, 75b-76b, 79b, 80b
 velocity and, Pacific Ocean W, 508b-510b
- Deposition
 Cagayan Ridge, 61b, 403a-405a
 311a-313a
 Celebes Sea, 143a, 181a-183a, 347a-349a
 Sulu Sea, 60b-61b, 201a, 220a-222a
 turbidites, Pacific Ocean W, 443b-444b
- Detrital sediments

SUBJECT INDEX

- Pacific Ocean W
 chemical composition, 420b, 422b
 mineralogy, 411b-414b
- Devitrification
 Celebes Sea, 362a-369a
 Sulu Sea, 260a, 262a
- Diagenesis
 ash
 interstitial water and, 495b, 499b-501b
 lithostratigraphy and, 493b-494b
 paleogeothermal gradient and, 495b
 Celebes Sea, 155a
 clay minerals, Pacific Ocean W, 423b-427b
 oxidative vs. nonoxidative, 193b
 of pyroclastic rocks, Sulu Sea, 182b-183b
 Sulu Sea, 220a, 241a
 volcanic activity and, 494b
 zeolite, 421b-423b
 zones, 491b-492b
- Diffusion, Celebes Sea, 157a
- Dikes, Celebes Sea, 275b
- Dilution, Cagayan Ridge, 387b
- Disconformities, Sulu Sea, 528b
- Dolerite
 Celebes Sea, 275b, 368a-369a
 magnetic properties, 230a
 mineral chemistry, Celebes Sea, 282b
 sill, Sulu Sea, 255b
 Sulu Sea, 255a, 259a-260a, 263a, 265a
- Dolomite
 Cagayan Ridge, 306a
 Sulu Sea, 527b-528b, 530b
- Dolomitization
 diagenesis and, 209b, 211b
 magnesium and, 214b-215b
 Sulu Sea, 235a, 239a
- Electrical conductivity, basalts, Pacific Ocean W, 93b-103b
- Entrapment, as source of marginal basins, 39b
- Eocene/Oligocene boundary, Celebes Basin, 13b
- Ethane
 Celebes Sea, 157a, 159a-161a, 183a
 Sulu Sea, 244a-247a
- Ethylene, Celebes Sea, 159a
- Eurasian Plate, 198a-199a
 tectonics, 52b
- Extensional stress, Celebes Sea, 117b
- Faulting
 Cagayan Ridge, 515b
 Celebes Sea, 108b, 116b, 179a
 Pacific Ocean W, 116b-118b
 Sulu Sea, 108b, 116b
- Faulting, block, South China Sea, 43b
- Faults
 Cagayan Ridge, 336a-337a
 Sulawesi, 40a
 Sulu Sea, 87a, 221a-222a, 277a
- Feldspar
 alteration, 493b
 chemical composition, 482b, 494b-495b
 Pacific Ocean W, 469b
 Pacific Ocean W, 412b, 414b
 pyroclastic sequences, Sulu Sea, 184b
 Sulu Sea, 263a-264a
- Flexure, Celebes Sea, 124a
- Formation factor
 electrical conductivity and, 100b-102b
 porosity and, 87b
- Fractures
 Cagayan Ridge, 402a
 Celebes Sea, causes, 3b
 stress and, 117b
- Pacific Ocean W, 111b-113b
 Sulu Sea, 7b, 222a-223a, 257a, 274a
See also Thermal fracturing
- Gas concentrations
 Negros Trench, 113a, 115a, 117a
 Zamboanga Trench, 117a-118a
- Gauss/Matuyama boundary
 Cagayan Ridge, 319a, 324a
 deposition and, 221a
 Sulu Sea, 375b
- Geochemical logging, Celebes Sea, 541b-552b
- Glaciation
 bottom water paleo-redox conditions and, 390b-391b
 Cagayan Ridge, 301a, 315a
 calcium carbonate accumulation and, 383b
 Celebes Sea, 350a, 352a
 monsoon systems and, 385b
 Sulu Sea, 111a
- Glass
 alteration, 492b-493b
 Sulu Sea, 183b-186b
 alteration products, Cagayan Ridge, 191b
 in altered tuff, Cagayan Ridge, 199b
 Cagayan Ridge, 93a, 304a-306a, 311a-314a, 339a, 402a-403a, 491b-492b
 Celebes Sea, 141a-142a, 360a, 362a-369a, 490b
 chemical composition, 494b-495b
 and norms, 472b-473b
 Pacific Ocean W, 468b-469b
 fresh, Sulu Sea, 491b-492b
 magmatic affinities, 475b-476b
 oxygen isotopes, Pacific Ocean W, 503b
 pyroclastic sequences, Cagayan Ridge, 187b
 replacement, 211b
 Sulu Sea, 93a, 201a, 209a-214a, 253a, 257a, 259a-263a
- Glauconite, Turbidites, Sulu Sea, 445b
- Global rift system, 39b-40b
- Glabed beds, Sulu Sea, 214a-216a, 230a
- Grain density
 Cagayan Ridge, 332a, 334a-335a, 409a-410a
 Celebes Sea, 358a-359a, 361a
 Sulu Sea, 248a, 250a-251a, 257a
 velocity and, 508b
- Grain size, turbidites, Pacific Ocean W, 431b-434b
- GRAPE
 Cagayan Ridge, 331a, 334b-335a
 Celebes Sea, 161a
 Sulu Sea, 252a
- Gravity
 Celebes Sea, 67b-68b
 Sulu Sea, 71b, 300a
- Gravity flows, Pacific Ocean W, 462b
- Guayaguayare Formation, 174b
- Gypsum, Sulu Sea, 222a-223a, 274a
- Halmahera Island arc, volcanic rocks, 477b
- Heat flow
 Celebes Sea, 65b, 179a
 diagenesis and, 427b-428b
 Sulu Sea, 70b-71b
- Hematite, Sulu Sea, 260a
- Heulandite, pyroclastic sequences, Sulu Sea, 184b, 186b-187b
- Hornblende
 Cagayan Ridge, 93a, 304a, 307a
 Celebes Sea, 131a, 141a-142a
 deposition, 143a
 Sulu Sea, 93a, 99a, 209a, 212a, 260a-261a, 263a
- Hyaloclastites, Cagayan Ridge, 462b, 464b
- Hydrocarbon gases
 Cagayan Ridge, 330a
 Celebes Sea, 157a-159a, 161a, 357a
 Sulu Sea, 105a, 227b-231b, 244a-247a
 Sulu Trench, 114a-115a
- Hydrogen isotopes, gas pockets vs. interstitial water data, Sulu Sea, 229b-230b
- Hydrothermal metamorphism, Sulu Sea, 255b
- Hydrothermal solutions, evolution in oceanic crust, 233b
- Hypersthene, Cagayan Ridge, 313a-314a
- Ice rafting
 Atlantic Ocean N, 376b
 Cagayan Ridge, 315a
- Iceland-Faeroe Ridge, calcium, 214b-215b
- Iddingsite
 in altered tuff, Cagayan Ridge, 191b, 193b
 Celebes Sea, 369a
 Sulu Sea, 257a
- Igneous rocks
 Cagayan Ridge, 311a-312a, 402a-405a
 Celebes Sea, 168a-169a, 370a-371a
 geochemistry, 262a-268a
 Pacific Ocean W, 323b
 Sulu Sea, 256b-259b
 Sulu Sea, 257a-262a
- Illite
 Cagayan Ridge, 309a-311a
 Celebes Sea, 137a-139a, 174a-175a, 377a-378a
 mixed-layer clays, Pacific Ocean W, 418b
 Sulu Sea, 217a-218a, 261a, 269a
- Ilmenite, Celebes Sea, 365a-369a
- Iloilo unit, K/Ar age, 323b-325b
- Impedance
 Celebes Sea, 164a-165a
 Sulu Sea, 508b-510b
- Indian Ocean
 carbonate compensation depth, 449b, 455b
 Celebes Sea and, 3b, 5b, 7b-8b
 MORB, 315b-316b
 sediment accumulation rates, 452b-453b
 water exchange, 379b
- Indian Ocean Plate, 35a
 Celebes Sea and, 47b
- Indian Ocean S, crest, 5a
- Indonesian low-pressure system
 Cagayan Ridge, 301a
 Sulu Sea and, 379b
- Interstitial waters
 D/H ratios, 231b
 diagenetic zones and, 499b-501b
 Pacific Ocean W, 495b
 organic matter diagenesis and, 239, 241b-242b
- Interstitial-water chemistry
 Cagayan Ridge, 326a, 328a-330a
 Celebes Sea, 153a-157a, 356a-358a
 diagenesis and, 425b
 Sulu Sea, 238a-241a
- Iron
 Celebes Sea, 168a, 174a, 178a, 277b, 360a, 362a, 367a-369a, 376a-377a
 Pacific Ocean W, 414b-415b, 418b-419b
 Sulu Sea, 257a, 260a, 262a
- Island arcs
 Cagayan Ridge and, 300a-301a
 Pacific Ocean W, 41a
 tholeiite composition, 265a
See also particular island arcs
- Isobutane, Sulu Sea, 247a
- Japan Sea, volcanism, 464b
- K-Ar data. *See* Potassium-argon dating
- Kaolinite

- Cagayan Ridge, 310a-311a
Celebes Sea, 138a
Pacific Ocean W, 412b-414b
Sulu Sea, 217a-218a
Kawio Islands, isotopic age, 321b
Kerogen, Celebes Sea, 240b-241b
Kudat Peninsula, lithology, 128b
- Labrador Sea
 deep-water agglutinated foraminifers, 171b, 176b
 ice rafting, 315a, 376b
Labradorite, Sulu Sea, 263a
Lapillistone
 Cagayan Ridge, 306a-309a, 311a, 339a, 402a-403a, 410a-411a
 impedance and, 509b
 magnetic properties, 512b
 Cagayan Ridge, 406a-407a
 Sulu Sea, 6b, 212a-214a, 270a
Lau Basin, back-arc basin basalts, 278b
Libong formation, Sabah, 128b
Limestone, Palawan Island, 124b
Limonite, Celebes Sea, 359a, 362a, 368a-369a
Little Bahama Bank, radiolarians, 351b
Lizard Springs Formation, 174b
Logging, Celebes Sea, 377a-378a
Lowland vegetation, Celebes Sea, 369b, 371b-372b
- Madeira Abyssal Plain, Turbidites, 111a
Magma
 Celebes Sea, 142a
 crystallization, Celebes Sea, 275b-276b
 mixing, 476b
 Sulu Sea, 220a, 263a-266a
Magma, mantle-derived, tholeiitic composition, 317b
Magmatism, geochemistry, Philippine Archipelago, 326b-329b
Magnesium
 Cagayan Ridge, 330a
 Celebes Sea, 157a, 239a, 356a
 diagenesis and, 204b-205b, 214b-215b
 diagenetic crystallization and, 423b-425b
 Pacific Ocean W, 414b-415b, 418b-419b
 Sulu Sea, 239a, 241a, 263a-265a
Magnetic anomalies
 Celebes Sea, 69b
 Pacific Ocean W, 70b
 Sulu Sea, 339b, 340b, 341b
Magnetic polarity reversals
 Cagayan Ridge, 23b, 30b, 34b, 319a-320a, 323a-324a, 512b
 Celebes Sea, 22b, 147a-149a, 151a-152a, 353a
 crust age and, 343b
 Pacific Ocean W, 11b, 13b, 18b
 sedimentation rates and, 377b-378b
 Sulu Sea, 21b, 28b, 33b, 226a-230a
Magnetic properties
 Cagayan Ridge, 11b-28b, 406a-408a, 511b-518b
 anomalies, 44a-45a
 susceptibility, 321a-323a, 325a, 407a-408a
 Celebes Sea, 4b-5b, 11b-28b, 40b-41b, 68b-69b, 70b, 88a, 147a-151a, 353a-354a, 519b-520b
 anomalies, 44a-45a, 125a
 susceptibility, 150a-151a, 353a-354a
 Sulu Sea, 11b-28b, 68b-69b, 70b, 88a, 226a-233a, 279a, 511b-515b
 anomalies, 44a-45a, 199a
 susceptibility, Sulu Sea, 230a, 233a
Magnetite
 Cagayan Ridge, 313a-314a
 Celebes Sea, 142a
Magnetostratigraphy, Pacific Ocean W, 11b, 14b-17b
Mahakam Delta, turbidites, 443b-444b
Major elements
 basalt, Sulu Sea, 263a-264a, 267a, 268a
 basement, Celebes Sea, 278b, 279b, 281b, 291b
 igneous rocks
 Cagayan Ridge, 403a, 404a-405a
 Celebes Sea, 312b, 314b
 Sulu Sea, 256b-258b, 300b-302b
 onshore magmatism, Philippine Archipelago, 326b-327b
 Pacific Ocean W, 531b-539b
 Sulu Sea, 384b-385b
Mancos Shale, smectite, 421b
Manganese
 Celebes Sea, 136a, 347a
 radiolarians and, Celebes Sea, 346b
Mangrove vegetation, Celebes Sea, 369b, 371b-372b
Mantle, primordial
 Cagayan Ridge, 308b
 Celebes Sea basalts and, 317b-318b
 Sulu Sea basalts compared, 305b
Marginal basins
 basalts, 271b-272b
 convergent margins, subsidence history, 399b
 evolution of, alteration processes and, 203b
 Pacific Ocean W, 5a, 35a
 location, 40b
 origins, 39b
 structural map, 322b
 temporal development, 45b-46b
 subsidence, 402b
Mariana Trough, back-arc basin basalts, 278b
Marl
 Celebes Sea, 346a
 nanofossil, Sulu Sea, 201a, 269a
Marl, foraminifers, Cagayan Ridge, 312a-313a
Marl, nanofossil, Cagayan Ridge, 302a-306a, 312a-313a, 338a, 400a-401a, 404a-405a, 410a
Marlstone
 Cagayan Ridge, 315a
 deposition, Sulu Sea, 221a
 Sulu Sea, 208a-210a, 212a, 315a
Masbate
 magmatism, 326b, 329b
 volcanism, 336b-337b
Mediterranean Sea
 biohorizons, 149b
 deep-water agglutinated foraminifers, 171b, 176b
Mesostasis
 Celebes Sea, 277b
 Sulu Sea, 253a
Mesostasis, glass, Sulu Sea, 259a-263a
Metamorphic rock
 Cagayan Ridge, 93a
 Celebes Sea, 138a
 Philippine Mobile Belt, 40a
 Sulu Sea, 93a
Methane
 Cagayan Ridge, 332a, 409a
 carbonate diagenesis and, 211b
 Celebes Sea, 154a, 157a, 159a-160a, 183a, 358a
 ethane-propane ratio, Sulu Sea, 228b
 genesis of, 228b-229b
 Negros Trench, 113a-115a, 116a-117a
 oxidation of and diagenesis, 208b
 Pacific Ocean W, 213b
 Sulu Sea, 244a-247a
 Zamboanga Trench, 114a, 116a-117a, 118a
Mica, Pacific Ocean W, 412b-414b
Microcracks, electrical conductivity and, 98b, 102b-103b
Microfaults
 Cagayan Ridge, 402a
 Celebes Sea, 347a
 Sulu Sea, 221a-223a
Microgabbro
 sill, Sulu Sea, 255b
 Sulu Sea, 255a, 260a-261a, 263a-265a
Mid-Atlantic Ridge, quench texture, 168a
Milankovitch cycles, Cagayan Ridge, 385b
Mindanao
 magmatism, 327b-329b
 volcanic rocks, K/Ar age, 335b
 volcanism, 336b-337b
Mindoro Strait, sills, 102a
Mineralogy
 Cagayan Ridge, 410b-414b
 Celebes Sea, 410b-414b
 Sulu Sea, 253b, 410b-414b
Minerals
 chemical composition, Pacific Ocean W, 469b, 478b-481b
 See also Clay minerals
 Minerals, authigenic
 Sulu Sea, 183b-184b
 paragenesis, 184b-186b
 Minerals, secondary, basement, Celebes Sea, 277b-278b
 Minor elements, Pacific Ocean W, 531b-539b
Miocene/Pliocene boundary
 Celebes Sea, 180a
 Pacific Ocean W, 18b
 volcanism and, 464b
Miri Platform, tectonics, 51b
Molucca Sea, 40a
 subduction, 59b
 tectonism, 406b
Molucca Sea collision zone, 399b, 464b
 Celebes Sea and, 382a
Molucca Sea Plate
 Celebes Sea and, 3b, 7b-8b, 47b
 tectonics, 52b
Molybdenum
 anoxic conditions and, 390b-392b
 Cagayan Ridge, 396b
Monsoon systems
 Arabian Sea, 376b
 glaciation and, 385b
 Pacific Ocean W, 379b
MORB
 Celebes Sea, 296b
 Celebes Sea basalt comparisons, 315b-319b
 formation modeling, 317b, 318b-319b
 Southwest Indian Ridge, Celebes Sea comparisons, 295b
 Sulu Sea, basalts and, 257b-258b
 in W Pacific marginal basins, 47b
Mordenite, pyroclastic sequences, Sulu Sea, 184b-187b
Negros Trench
 Cagayan Ridge and, 71b
 development, 445b
 extensional stress, 115b, 117b-118b
 geochemistry, organic, 113a-117a
 gravity low, 71b
 Sulu Sea and, 56b-57b
 tectonics, 52b
 volcanism, 336b-337b, 464b, 481b
Neodymium, Sulu Sea, 259b
Neon, Sulu Sea, 264a

SUBJECT INDEX

- Neutron porosity, 89b
 Celebes Sea, 174a-177a, 374a-375a, 379a-381a
 Sulu Sea, 269a-273a
 New Caledonia Basin, 46b
 New Guinea, deep-water agglutinated foraminifers, 171b
 New Hebrides Basin, 46b
 Nickel, Sulu Sea, 265a
 Niobium, Sulu Sea, 265a-266a, 304b-306b
 North Atlantic Deep Water, production of, 379b
 North Pacific Intermediate Water, 102a
 North Sea, deep-water agglutinated foraminifers, 171b, 174b-176b
 Northern Hemisphere, ice sheets, 375b-376b
 Norwegian Sea
 deep-water agglutinated foraminifers, 171b, 175b
 ice rafting, 315a, 376b
- Ocean-atmosphere system, cycles, 385b-386b
 Oligocene/Miocene boundary, Celebes Sea, 461b
 Olivine
 alteration, Cagayan Ridge, 191b
 Cagayan Ridge, 255a, 306a-307a, 313a-314a, 402a-403a
 Celebes Sea, 168a-169a, 359a-360a, 362a-369a
 mineral chemistry, Celebes Sea, 282b, 284b
 Sulu Sea, 253a, 253b, 255a, 257a-263a, 264a-265a
- Ooze, foraminifers, Cagayan Ridge, 302a
 Opal, Cagayan Ridge, 389b
 Opal-CT, pyroclastic sequences, Sulu Sea, 186b
 Ophiolites
 Borneo N, 128b, 129b
 Pacific Ocean W, 41a
 Palawan Island, 38a, 54b, 121b-122b
 Philippine Mobile Belt, 40a
- Organic matter
 amorphous, Celebes Sea, 243b-244b, 246b-247b
 Cagayan Ridge, 330a
 Celebes Sea, 157a, 159a, 357a
 continental vs. marine, 244b-245b
 source, 241b
 degradation processes, 239b
 dilution factor, 243b-244b
 facies
 Celebes Sea, 218b, 219b-220b
 Sulu Sea, 220b, 222b
 maturation, Pacific Ocean W, 222b
 mineralization, 242b-243b
 pyritization
 Celebes Sea, 218b-219b, 224b-225b
 Sulu Sea, 220b-222b
 Sulu Sea, 241a, 246a, 280a
- Orthopyroxene
 Cagayan Ridge, 255a, 313a, 403a
 Celebes Sea, 142a
 chemical composition, Pacific Ocean W, 469b
 Sulu Sea, 255a, 260a, 263a
- Owen Basin, pyritization, 364b-365b
 Oxidation, Cagayan Ridge, 313a-314a
 Oxides
 Celebes Sea, 544b, 547b-548b, 551b-552b
 chemical composition, 475b
 Pacific Ocean W, 474b-475b
- Oxygen, Sulu Sea, 103a, 105a, 381b, 382b
 Oxygen isotopes
 Cagayan Ridge, 385b-387b, 395b
 diagenesis and, 214b-215b
 interstitial waters, Pacific Ocean W, 206b-208b
 Pacific Ocean W, 210b, 211b, 236b-237b
 Sulu Sea, 109a, 383b-384b
- Pacific Intermediate Water, Sulu Sea and, 377b
 Pacific Ocean
 biohorizons, 149b
 crust, oceanic, 75b
 sediment accumulation rates, 452b-453b
 Pacific Ocean, equatorial
 carbonate compensation depth, 449b, 455b
 sediment accumulation rates, 449b
 Pacific Ocean W
 climatic changes, Pleistocene, 379b-392b
 deep-water agglutinated foraminifers, 174b
 marginal basins
 development, 45b-46b
 sediment sources, 421b
 Sulu Sea and, 380b
 tectonic structure, 468b
 Pacific Plate, 35a
 Palagonite, in altered tuff, Cagayan Ridge, 188b, 190b, 191b
 Palau-Kyushu-Bonin arc, volcanism, 464b
 Palawan Island
 geological evolution, 121b-124b
 stratigraphy, 124b
 tectonics, 51b, 54b
 volcanic rocks, 477b
 Palawan margin, collision of Cagayan Ridge with, 59b
 Palawan Trough, seismic stratigraphy, 55b
 Palu Fault, 59b
 Panay Island, 87a
 geologic structure, 333b
 magmatism, 326b, 328b
 volcanic arc units, K/Ar age, 323b-325b
 volcanism, 336b-337b
 Panpanan Basalt, 87a
 Peridotite, Palawan Island, 121b
 Peru continental margin, biostratigraphy, 342b
 pH
 Cagayan Ridge, 326a
 Celebes Sea, 154a-155a, 356a
 Sulu Sea, 238a
- Philippine Archipelago
 volcanic rocks
 geochemistry, 325b-327b, 331b
 K/Ar ages, 323b-325b
- Philippine Basin
 biostratigraphy, 146a
 depth anomaly, 449b
 rotation, 520b
- Philippine Islands, volcanic rocks, 477b
 Philippine Mobile Belt, 39a-40a
 collision with, 197a-198a, 276a, 382a
 K/Ar age, 321b-322b
 tectonics, 52b
 volcanism, 336b-337b
- Philippine Sea
 basin origins, 43b-44b
 Celebes Sea and, gravity, 67b-68b
 clay, red, 183a
 magnetic anomalies, Celebes Sea correlations, 41b-42b
 radiolarians, 350b-351b
 volcanism, 481b
- Philippine Sea Plate, 5a, 35a, 199a
 Celebes Sea and, 3b, 5b, 7b-8b, 47b
 rotation, 460b, 463b
 tectonic reconstruction, 520b
 wind systems and, 460b
- Phillipsite
 in altered tuff, Cagayan Ridge, 190b-192b, 196b, 198b
 Cagayan Ridge, 187b-188b
 chemical composition, 494b-495b
 formation, Pacific Ocean W, 492b
- oxide variations, 496b
 Pacific Ocean W, 421b
 Phosphate, Celebes Sea, 155a, 241b-242b
 Phosphatization
 Cagayan Ridge, 94a
 Sulu Sea, 94a
 Photoelectric effect, Sulu Sea, 269a-273a
 Pierre Shale, smectite, 421b
 Pillow lavas
 alteration, Celebes Sea, 277b-278b
 Celebes Sea, 359a-360a, 362a-365a, 366a-367a
 lithostratigraphy, 273b-275b
 density, logging vs. core data, 88b
 fractures, 112b-114b
 impedance and, 509b
 low-potassium zone, Sulu Sea, 84b
 mineral chemistry, 282b
 neutron porosity logging, 89b
 petrology, Sulu Sea, 253b-254b
 Sulu Sea, 253a, 257a, 261a-263a, 273a-274a
- Plagioclase
 alteration, Cagayan Ridge, 191b
 Cagayan Ridge, 93a, 96a, 98a, 255a, 304a, 306a-307a, 313a-314a, 402a-403a
 Celebes Sea, 141a-142a, 168a, 277b, 359a-360a, 362a-369a
 chemical composition, 482b
 Pacific Ocean W, 469b
 composition, Sulu Sea, 261b-262b
 fractionation, 476b
 as marker of volcanism, Pacific Ocean W, 421b
 mineral chemistry, 282b
 Celebes Sea, 288b-290b
 Sulu Sea, 93a, 96a, 98a, 183b, 253a, 255a, 259a-263a
- Plate motion
 Cagayan Ridge, 513b-515b
 Celebes Sea, 353a
- Pliocene/Pleistocene boundary
 Cagayan Ridge, 339a, 411a
 Celebes Sea, 372b
 Pacific Ocean W, 18b
- Porosity
 Cagayan Ridge, 332a, 334a-335a, 409a-410a
 cation exchange capacity and, 103b
 Celebes Sea, 163a-164a, 358a-359a, 361a, 456b
 crustal structure and, 89b-90b
 decompaction and, 402b, 405b
 density and, 88b
 electrical conductivity and, 100b-102b
 resistivity and, 83b-84b
 Sulu Sea, 110a, 248a, 250a-251a, 257a
 crest, 75b-76b, 79b, 80b
 velocity and, 78b, 81b, 508b-510b
 in basalts, 80b-81b
 Pacific Ocean W, 93b
 See also Neutron porosity
- Potassium
 altered basalts, Sulu Sea, 84b-86b
 Cagayan Ridge, 314a, 403a
 Celebes Sea, 174a-179a, 183a, 376a-381a, 543b-546b, 549b-550b
 diagenesis and, 214b
 Pacific Ocean W, 414b-416b
 Sulu Sea, 220a, 269a-274a, 278a-279a
- Potassium-argon dating
 basalt, Celebes Sea, 3b
 Cagayan Ridge, 94a-96a, 99a, 329b-330b, 333b-340b
 Sulu Sea, 94a-96a, 99a
- Propane, Sulu Sea, 244a-247a
 Propylene, Celebes Sea, 159a
 Pumice, pyroclastic sequences, Sulu Sea, 183b, 185b-186b, 216a

- Pyrite
 Cagayan Ridge, 361b, 364b-365b
 Celebes Sea, 133a, 136a, 156a
 Sulu Sea, 208a
- Pyrite framboids, Celebes Sea, 241b
- Pyritization
 Celebes Sea, 364b, 365b
 organic matter, Celebes Sea, 240b
- Pyroclastic flows, Pacific Ocean W, sources, 464b
- Pyroclastic rocks
 Cagayan Ridge, 315a, 339a, 341a, 404a, 411a
 deposition, 312a-313a
 diagenesis, Sulu Sea, 182b-183b
 impedance and, 508b-509b
 magnetic properties, 512b
 Sulu Sea, 6b, 315a
- Pyroxene
 Cagayan Ridge, 304a, 307a
 chemical composition, 484b
 Pacific Ocean W, 469b
 mineralogy
 Celebes Sea, 285b-286b
 Sulu Sea, 256b
 Sulu Sea, 255a-256a, 260a-263a
- Quartz
 Cagayan Ridge, 304a
 Celebes Sea, 131a
 Pacific Ocean W, 412b-414b
 pyroclastic sequences, Sulu Sea, 184b, 186b
 Sulu Sea, 209a
- Quench texture, Celebes Sea and Mid-Atlantic Ridge compared, 168a
- Rare earth elements
 basalt, Sulu Sea, 303b, 305b
 Celebes Sea, 284b, 317b, 318b
 depletion, Sulu Sea, 58b
 Sulu Sea, 267b
- Recrystallization
 carbonate diagenesis and, 205b-209b
 Sulu Sea, 239a
- Red Sea, spreading, 341b
- Reduction
 sulfate
 Cagayan Ridge, 328a
 Celebes Sea, 154a-155a, 356a
 organic matter, 242b-245b
- Reed Bank
 Cagayan Ridge collision with, 59b-61b
 depositional history, 53b-54b
 geological evolution, 123b
 tectonics, 52b-53b
- Reef carbonates, Celebes Sea, 167b, 169b
- Reflectivity
 Celebes Sea, 382a
 Sulu Sea, 274a-276a
- Reflectors
 Cagayan Ridge, 335a-338a, 410a
 Celebes Sea, 179a-181a, 382a
 Sulu Sea, 276a-277a
- Resistivity
 basalts, Pacific Ocean W, 93b-94b
 Celebes Sea, 174a-176a, 374a-381a
 crustal structure and, 89b-90b
 modeling, 96b-99b
 porosity and, 83b-84b
 Sulu Sea, 269a-273a
 crust, 75b-76b
- Rhyolite
 Celebes Sea, 142a
 fractionation, 476b
 Sulu Sea, 270a-271a
- Rifting
 Cagayan Ridge, 308b, 309b, 341a
 Celebes Sea, 3b, 7b-8b
 Pacific Ocean W, marginal basins and, 402b
 Reed Bank, 53b
 SE Asian margin, 47b
 Shikoku-Parece Vela Basin, 45b
 South China Sea, 43b
- Rotation
 Cagayan Ridge, 513b-515b
 Celebes Sea, 515b, 519b-520b
- Sabah, 39a
 geological evolution, 123b, 126b-128b, 334b-335b
 magmatism, 326b, 328b
 stratigraphy, 126b
 tectonics, 51b
 turbidites, 443b-444b
 volcanic rocks
 geochemistry, 335b
 K/Ar age, 335b
 volcanism, 60b, 336b-337b
- Salinity
 Cagayan Ridge, 326a
 Celebes Sea, 153a-154a
 electrical conductivity and, 98b-102b
 Pacific Ocean W, comparisons, 381b-382b
 resistivity and, 84b, 86b
 Pacific Ocean W, 93b-94b
 Sulu Sea, 103a, 238a
 surface water, 381b
- Sand, Celebes Sea, 347a
- Sandstone
 Celebes Sea, 132a, 134a-135a
 Palawan Island, 124b
 Sulu Sea, 208a-210a
- Sangihe Arc, 40a, 399b
 K/Ar age, 321b
 origins, 47b
 volcanism, 481b
- Saponite, in altered tuff, Cagayan Ridge, 193b
- Sea level
 accumulation of organic matter and, 5a
 Cagayan Ridge, 301a, 315a
 Celebes Sea, 167b, 169b
 maxima and minima, 408b
 Miocene fall, 61b
 anoxic events and, 365b
 subsidence and, 402b
 Sulu Sea, 37a, 221a
 ACD and CCD changes and, 387b-389b
 carbonate production and, 376b-377b
 maxima and minima, 408b
 shelf exposure and, 379b
 turbidite deposition and, Pacific Ocean W, 444b
- Sebahat Formation, 61b, 128b
- Sediment accumulation rates, Celebes Sea, Eocene-Oligocene, 449b-452b
- Sedimentation
 Cagayan Ridge, 311a-313a, 403a-405a
 Celebes Sea, 181a-183a, 347a-349a
- Sedimentation rates
 Cagayan Ridge, 323a-327a, 407a-408a
 carbonate, Sulu Sea, 375b-378b
 Celebes Sea, 3b, 58b-59b, 151a-152a, 406b, 448b-449b
 Eocene-Oligocene, 453b
 magnetic properties and
 Cagayan Ridge, 320a
 Sulu Sea, 226a, 228a
 monsoon and, 379b
 Philippine Sea, 44b
 Sulu Sea, 107a-111a, 232a-235a, 375b-378b, 402b-403b, 404b, 406b
- Sediments, magnetic properties, 511b-515b
- Seismic reflection profiles
 Cagayan Ridge, 57b
 Celebes Sea, 58b
 Sulu Sea, 342b
- Seismic stratigraphy
 Cagayan Ridge, 44a-45a, 63a-69a, 83a-85a, 518b
 Celebes Sea, 43b, 44a-51a, 70a-82a, 88a, 179a-182a, 382a-384a
 basement, 180a-181a
 Palawan Island, 55b
 Sulu Sea, 44a-45a, 52a-62a, 88a, 90a-92a, 197a, 199a, 276a-279a
 crust age and, 339b-343b
 turbidite sequences compared, Pacific Ocean W, 442b, 443b, 444b
- Sericite, Celebes Sea, 365a
- Shear strength
 Cagayan Ridge, 334a-335a, 337a-338a
 Celebes Sea, 165a, 167a
 Sulu Sea, 256a-257a
- Sheet flows
 Cagayan Ridge, 255a-256a, 403a
 Sulu Sea, 255a, 261a-263a, 274a
 Shikoku-Parece Vela Basin, 44b-45b
- Shrinkage cracks, Sulu Sea, 222a
- Sideromelane glass, alteration, Cagayan Ridge, 188b
- Silica
 Cagayan Ridge, 314a, 328a, 389b, 403a
 Celebes Sea, 155a, 174a-176a, 183a, 365a-366a, 368a
 diagenesis and, 206b-207b
 diagenetic zones and, Pacific Ocean W, 499b
 in glass, 468b-469b
 magnesium and, in diagenesis, 214b-215b
 Pacific Ocean W, 414b-415b, 474b-475b
 Sulu Sea, 103a, 239a, 265a
- Silicates. *See individual silicates*
- Silicates, layer, Sulu Sea, 183b-184b
- Silicification
 Celebes Sea, 155a, 157a
 Sulu Sea, 239a
- Silicon
 Celebes Sea, 178a-179a, 376a-377a
 Sulu Sea, 220a
- Sills
 alteration, Celebes Sea, 277b-278b
 Cagayan Ridge, 339a
 Celebes Sea, 275b, 368a-369a
 density, logging vs. core data, 88b
 downhole measurements, 273a-274a
 fractures, 112b-114b
 impedance and, 509b
 low-potassium zone, Sulu Sea, 84b
 Mindoro Strait, Pacific Intermediate Water and, 102a
 neutron porosity logging, 89b
 petrology, Sulu Sea, 254b
 Sulu Sea, 255a, 260a-261a, 263a-265a, 279a
 tectonic shallowing, Sulu Sea, 376b-377b, 406b
- Siltstone
 Celebes Sea, 128a, 132a-134a, 137a
 Sulu Sea, 208a-210a
- Slickenslides, Sulu Sea, 223a
- Slumping
 Cagayan Ridge, 305a, 339a
 Sulu Sea, 277a
- Smectite
 in altered tuff, Cagayan Ridge, 190b-191b, 196b-197b
 ash alteration and, Pacific Ocean W, 211b
 Cagayan Ridge, 309a-311a, 330a, 402a-403a

SUBJECT INDEX

- Celebes Sea, 137a-139a, 175a, 183a, 356a, 377a
 chemical composition, 498b
 formation
 Cagayan Ridge, 492b
 Celebes Sea, 491b
 Sulu Sea, 492b
 Pacific Ocean W, 412b-414b, 423b-425b, 427b-428b
 pyroclastic sequences
 Cagayan Ridge, 187b-188b
 Sulu Sea, 183b-186b
 secondary, Sulu Sea, 215b
 Sulu Sea, 217a-218a, 235a, 255a, 261a-262a, 269a
- sodium
 Pacific Ocean W, 414b-416b
 Sulu Sea, 264a
- Sonic transit time, for basalts, 78b, 80b-81b
- Sorting, Cagayan Ridge, 306a
- South China Sea, 38a, 44a
 basin origins, 42b-43b
 carbonate compensation depth, 169b, 315a
 hydrography, 102a
 margin, geological structure, 431b
 opening of, 197a
 sedimentation rate, 140a
 spreading, 339b-340b, 343b
 turbidites, 443b-444b
- South Fiji Basin, 46b
- Southern Oscillation, 379b
 Cagayan Ridge, 301a
- Southwest Indian Ridge, N-MORB compositions, 295b
- Spinel, chrome
 Celebes Sea, 277b
 composition, Sulu Sea, 263b
 mineral chemistry, Celebes Sea, 284b, 291b
 Sulu Sea, 253a, 255a, 263a
- Spreading
 Indian Ocean, ridge jump, 5b
 models, 340b-342b
 South China Sea, 43b
See also Back-arc spreading
- Spreading rate
 Celebes Sea, 7b, 39b
 Pacific Ocean W, 47b
 Philippine Sea, 43b
- Sr/Nd ratios, Sulu Sea, 269
- Stress
 conditions
 Celebes Sea, 108b, 110-111b
 Sulu Sea, 108b-110b
 measurements
 Celebes Sea, 381a-382a
 Sulu Sea, 274a-276a
 regional, 198a
- Stress, extensional, Celebes Sea, causes, 115b
- Stress orientation, borehole breakouts and, 105b-108b, 111b
- Strontium
 diagenesis and, 205b-208b
 Sulu Sea, 265a
- Strontium isotopes
 interstitial waters, Pacific Ocean W, 206b
 Pacific Ocean W, 209b-210b, 211b
 Sulu Sea, 258b-259b
- Structural zones, Sulu Sea, 87a-88a, 221a-222a
- Subduction, 5a
 Celebes Sea, 3b, 59b, 124a, 399b-400b
 Pacific Ocean W, 35a
 marginal basins and, 46b
 Sulu Ridge, 39a
 Sulu Sea, 56b, 71b, 88a, 198a-199a
 turbidite sedimentation and, 7b
- volcanism and, 464b-465b
- Subsidence, thermal, ocean crust, carbonate content and, 449b
- Subtropical Lower Water, 102a
- Sulawesi Arc, 40a, 59b
 K/Ar age, 321b
 magmatism, 329b
 volcanic rocks, 477b
 K/Ar age, 335b
 volcanism, 336b-337b, 406b, 48 lb
- Sulawesi Collision Zone, 52b
- Sulawesi Trough, 399b
- Sulfate
 Cagayan Ridge, 328a, 330a
 Celebes Sea, 155a, 156a, 356a
 Negros Trench, 113a, 116a
 Pacific Ocean W, 213b
 reduction and organic carbon diagenesis, 208b-209b
 Sulu Sea, 235a, 239a, 241a
 Zamboanga Trench, 118a
See also Reduction, sulfate
- Sulfur, Celebes Sea, 178a
- Sulu Archipelago
 tilted blocks, 179a
 volcanism, 406b
- Sulu Plate, subduction, 406b
- Sulu Ridge, 38a-39a
- Sulu Sea
 acoustic basement, 197a
 basement
 mineralogy and petrography, 299b-300b
 petrology, 253b-255b
 basement depth, 37a
 basement lithology, 257a-262a
 bathymetry, 44a-48a, 66b, 69b-70b, 106a, 376b
 biostratigraphy. *See* Paleontological Index
 calcium carbonate, 235a-239a
 carbonate compensation depth, sea level and, 376b-377b
 carbonates, 96a-97a
 circulation patterns, 101a-102a, 198a
 clay mineralogy, 217a-218a
 crust, oceanic
 age, 342b-343b
 logging data, 76b-77b, 79b, 80b
 structure, 70b-71b
 depositional environment, 37a, 220a-222a
 geochemistry, inorganic, 93a-94a, 235a-241a
 basement, 262a-268a
 igneous rocks, 256b-259b
 geochemistry, organic, 113a-115a, 241a-247a, 384b-385b
 geologic evolution, 297b
 geological setting, 35a-41a
 geological structure, 252b-253b
 geophysics, 65b-73b, 87a-88a
 geothermal data, 89a-90a
 graded beds, 214a-216a
 gravity, 71b
 heat flow, 70b-71b, 105a
 hydrocarbon gases, 105a
 hydrofractures, 222a-223a
 hydrography, 101a-104a, 105a, 375b, 381b-382b
 interstitial-water chemistry, 238a-241a
 lithostratigraphy, 5b, 131b, 138b, 140b, 199a, 315a
 basement, 235b
 organic matter and, 220b-222b
 location, 122b, 197a-198a, 204b, 298b
 logging, 268a-274a
 sedimentary units, 269a-271a
 magmatism, 327b
- magnetic properties, 11b-28b, 68b-69b, 70b, 88a, 226a-233a, 279a, 511b-515b
 anomalies, 44a-45a, 199a, 339b-343b
 downhole measurements, 274a, 276a
 major and minor elements, 384b-385b, 531b-539b
 morphology, 105a
 paleolatitude, 230a
 physical properties, 81b, 92b-93b, 108a-110a, 248a-257a, 507b-510b
 sedimentary units, 199a-214a, 278a-279a
 sedimentation rates, 107a-111a, 232a-235a
 carbonate, 375b-378b
 seismic stratigraphy, 44a-45a, 52a-62a, 88a, 90a-92a, 197a, 199a, 276a-279a
 crust age and, 339b-343b
 seismic velocity, 72b-73b
 sill depth, 387b-389b
 stress
 measurements, 274a-276a
 regional, 198a-199a
 summary log, 282a-297a
 tectonic setting, 400b
 tectonics, 5b-7b
 time series, 383b-385b
 volcanic rock, 93a-97a
 volcanoclastic deposits, 218a-220a
- Sulu Sea Deep Water, 315a
- Sulu Trench
 as source of hydrocarbon gases, 230b
 subduction, 7b, 56b-57b
- Sulu Trough, 399b
- Sulu-Zamboanga-Negros volcanic arc, initiation of, 129b
- Sunda Arc, volcanic rocks, 477b
- Surface water, Pacific Ocean W, hydrography, 381b
- Suture zones, 51b
 Palawan, 70b
- Tablas Island
 magmatism, 327b-328b
 volcanoclastic series, 329b
 volcanism, 336b-337b
- Taiwan, collision in, 464b
- Tasman Basin, 46b
- Temperature
 electrical conductivity and, 93b, 96b, 99b-102b
 fracturing and, 112b-113b, 115b
 resistivity and, 84b, 86b
 Sulu Sea, 103a, 105a, 274a
- Tephra
 alteration, glass replacement, 211b
 Celebes Sea, 61b
 chemical composition, Pacific Ocean W, 470b-471b
 Pacific Ocean W, volcanic sequences
 correlated, 462b
 petrochemical features, Pacific Ocean W, 487b
- Tethys, deep-water agglutinated foraminifers, 173b
- Thermal conductivity
 Cagayan Ridge, 333a-334a, 337a-338a
 Celebes Sea, 66b, 164a-167a, 358a-359a, 363a
 Sulu Sea, 252a, 254a-256a, 257a
- Thermal fracturing
 Celebes Sea, 112b-113b
 Pacific Ocean W, 115b
 Sulu Sea, 112b-113b
- Tholeiite
 Celebes Sea, 369a-371a
 Sulu Sea, 306b
- Thorium

- Celebes Sea, 174a-179a, 183a, 377a-381a, 543b-546b, 549b-550b
 Sulu Sea, 269a-273a
 Thrust system, Sulu Sea, 87a
 Ti/Zr ratio, Sulu Sea, 264b
 Tilting
 Cagayan Ridge, 306a, 321a, 410a, 515b
 Celebes Sea, 58b
 Sulu Sea, 230a
 Titanium
 Celebes Sea, 372a-373a
 Sulu Sea, 220a, 265a-266a, 268a
 Trace elements
 basalt, Celebes Sea, 315b, 318b
 basement, Celebes Sea, 278b, 280b, 283b, 292b-296b
 chemical composition, Celebes Sea, 474b
 igneous rocks
 Cagayan Ridge, 403a, 404a-405a
 Sulu Sea, 265a-267a, 268a
 onshore magmatism, Philippine Archipelago, 326b-327b
 Sulu Sea, 268b, 384b-385b
 Transit time, density and, 88b
 Transtensional basin formation, 39b
 Trenches, 60b
 Trinidad, deep-water agglutinated foraminifers, 171b, 174b
 Trusmadi formation, Sabah, 127b
 Tuff
 altered, Cagayan Ridge, 195b-199b
 Cagayan Ridge, 197b-199b, 255a, 306a-309a, 311a, 339a, 401a-402a, 411a
 diagenesis and, 186b-187b
 Cagayan Ridge, 187b-191b
 impedance and, 509b
 low-temperature alteration, 192b
 magnetic properties, 512b
 Cagayan Ridge, 406a-407a
 Pacific Ocean W, mineralogy, 414b
 Sulu Sea, 6b, 209a-210a, 212a-216a, 218a-220a, 269a-271a, 279a
 Turbidites
 biostratigraphy and
 Celebes Sea, 143a-144a
 Sulu Sea, 223a-225a
 Cagayan Ridge, 315a, 339a
 calcareous
 Celebes Sea, 159b, 161b-163b, 167b-169b
 Sulu Sea, 166b, 167b-169b
 carbonate, 235a
 Celebes Sea, 4b, 132a-134a, 136a, 182a-183a
 deposition
 Cagayan Ridge, 404a
 Celebes Sea, 143a, 349a
 Sulu Sea, 220a-221a
 Miocene sedimentation rates and, Pacific Ocean W, 406b
 organic matter and
 Celebes Sea, 222b, 240b
 Sulu Sea, 220b-221b
 Palawan Island, 122b
 sedimentary breaks, Pacific Ocean W, 441b-444b
 sedimentary facies, Pacific Ocean W, 431b-435b, 439b, 440b-441b
 Sulu Sea, 22b, 128b-129b, 201a, 209a-211a, 215a, 269a, 278a, 315a
 cessation of, 7b
 origin, 342b
 tectonic influences, Pacific Ocean W, 444b
 Turbidites, carbonate
 sea-level events and, Celebes Sea, 445b
 sedimentary facies, Pacific Ocean W, 435b-437b, 441b
 Turbidites, quartz
 Celebes Sea, 59b
 Sulu Sea, 60b, 61b
 Turbidites, siliciclastic, Pacific Ocean W, origins, 444b-445b
 Turbidites, volcanoclastic, Sulu Sea, 440b
 Turbidity currents, Sulu Sea, 111a
 Ulugan fault, 121b
 Unconformities
 Celebes Sea, 350a
 Palawan Island, 54b
 Sulu Sea, 277a, 278a
 Uranium
 Celebes Sea, 174a-175a, 543b, 545b-546b, 549b-550b
 Sulu Sea, 270a-271a, 278a-279a
 Valderrama unit, K/Ar age, 323b-325b
 Vanadium, Sulu Sea, 265a
 Veins, calcite, in ocean crest, 237b
 Velocity
 Cagayan Ridge, 332a-333a, 335a-336a, 409a, 411a
 Celebes Sea, 66b, 163a-165a, 174a-176a, 358a-359a, 362a, 374a-375a, 379a-381a
 crustal, 89b-90b
 index properties and, 507b-508b
 log vs. core, 78b-83b
 porosity and, 93b
 Sulu Sea, 72b-73b, 252a-254a, 257a, 268a-273a
 crust, 75b-76b, 79b, 80b
 Vesiculation, Cagayan Ridge, 307a-309a
 Visayan Basin, turbidites, 443b-444b
 Vitric ash
 Cagayan Ridge, 304a
 Celebes Sea, 141a-142a
 Sulu Sea, 201a, 208a, 218a
 Void ratio
 Cagayan Ridge, 332a, 334a-335a, 409a-410a
 Celebes Sea, 163a-164a, 358a-359a, 361a
 Sulu Sea, 250a-251a, 257a
 Volcanic arcs
 Borneo N, 128b, 129b
 Cagayan Ridge, 38a
 Pacific Ocean W
 location, 463b
 tephtras and, 459b-465b
 Philippine Mobile Belt, 39a-40a
 Volcanic rocks
 Cagayan Ridge, 93a-97a, 402a-405a
 clay minerals in, Pacific Ocean W, 428b
 geochemistry, 314a-315a
 K/Ar age, Cagayan Ridge, 329b-330b, 333b-334b
 land, 477b
 land vs. marine suites compared, 477b
 Sulu Sea, 93a-97a
 Volcanoclastic material
 Celebes Sea, 140a-141a
 Sulu Sea, 218a-220a
 Volcanism
 Cagayan Ridge, 8b, 55b-56b, 60b, 301a, 307a-309a, 312a-313a, 404a, 410a-411a, 461b-462b
 calc-alkaline, Sulu Sea, 255b
 Celebes Sea, 124a-125a, 138a, 140a-142a, 460b-461b
 deposition and, 220a-221a
 diagenesis and, 494b
 island-arc, 304b-305b
 Pacific Ocean W, 203b-204b, 406b
 ash layers, 459b, 477b, 481b-482b
 dominant systems, 460b-461b
 plagioclase as marker for, 421b
 tephra records of, 487b
 Philippine Archipelago, K/Ar age, 336b-337b
 Philippine Sea, 44b
 Southeast Asia, 463b-464b
 Sulawesi, 40a-41a, 59b
 Sulu Sea, 6b, 56b-57b, 59b-60b, 212a-213a, 280a, 461b-462b
 lithologies, 183b
 Vøring Plateau, rifting, 341a
 Vrica section, biohorizons, 148b-150b
 Water circulation, crust, Pacific Ocean W, 236b
 Water content
 Cagayan Ridge, 332a, 334a-335a, 409a-410a
 Celebes Sea, 163a-164a, 358a-359a, 361a
 Sulu Sea, 110a, 248a, 250a-251a, 257a
 Water temperature, Sulu Sea, 381b-382b
 Water/rock ratios, ocean crest, 233b
 Weathering
 Cagayan Ridge, 310a-311a
 Celebes Sea, 138a-139a
 Sulu Sea, 217a-218a
 Wind systems, Pacific Ocean W, 459b-460b
 Yttrium, Sulu Sea, 265a-266a
 Zamboanga Arc, volcanism, 464b, 481b
 Zamboanga Peninsula
 geological evolution, 128b
 lithology, 128b
 melange basement, 88a
 tilted blocks, 58b
 volcanism, 60b
 Zamboanga Trench, geochemistry, organic, 113a-118a
 Zeolite
 alteration, 493b
 Cagayan Ridge, 187b-188b, 309a
 Celebes Sea, 136a
 diagenesis, 421b-423b
 oxygen isotopes, Pacific Ocean W, 503b
 pyroclastic sequences, Sulu Sea, 183b, 184b
 Sulu Sea, 255a, 261a-263a
 See also individual zeolites
 Zinc, Sulu Sea, 264a
 Zirconium
 Celebes Sea, 294b-295b, 372a-373a
 Sulu Sea, 220a, 265a, 268a

SITE INDEX

- Site 283, deep-water agglutinated foraminifers, 171b
- Site 290, volcanism, 44b
- Site 291
clay, red, 183a
volcanism, 44b
- Site 292
radiolarians, 146a, 350b-351b
volcanism, 461b, 463b-464b
- Site 294, volcanism, 44b
- Site 295, volcanism, 44b
- Site 323, silicification, 155a
- Site 336, calcium, 214b-215b
- Site 395, crust, oceanic, 75b, 89b
- Site 396, elements, major, 278b
- Site 418
crust, oceanic, 75b, 89b-90b
potassium, 84b
- Site 449, basalt, 45b
- Site 450, basalt, 45b
- Site 503, sedimentation rates, 376b
- Site 504
alteration, 233b
crust, oceanic, 75b, 89b-90b
resistivity, 84b, 96b
thermal fracturing, 112b
- Site 552
lithostratigraphy, 315a
nannofossils, 386b
sedimentation rates, 376b
- Site 597, alteration, 233b
- Site 606, sedimentation rates, 376b
- Site 628, radiolarians, 351b
- Site 643, deep-water agglutinated foraminifers, 174b-175b
- Site 647, deep-water agglutinated foraminifers, 174b, 176b
- Site 665, sedimentation rates, 376b
- Site 701, pyritization, 364b
- Site 722, pyritization, 364b-365b
- Site 731, pyritization, 364b-365b
- Site 735, neutron porosity, 89b
- Site 764, turbidites, 60b
- Site 765, crust, oceanic, 89b
- Site 767
alkalinity, 154a-155a, 156a
alteration, 5b, 7b, 154a, 155a, 157a
basalt and, 312b
aluminum, 174a, 178a, 414b-416b, 419b, 767a
ammonium, 155a, 208b, 214b
organic matter and, 241b-242b
amphibole, 485b
ash, 128a, 131a, 140a-142a, 460b-461b
alteration, 206b-209b
deposition, 143a
geochemistry, 467b-482b
petrography, 467b-482b, 490b-491b
petrology, 141a-142a
backstripping, 408b
bacteria, 154a-155a
basalt, 3b, 168a-169a
geochemistry, 311b-319b
magnetization, 150a-151a
petrogenesis, 311b-319b
velocity, 163a
basement, 3b, 40b, 58b-59b, 180a-181a
age, 69b, 174b, 400b
lithology, 168a-169a, 418a
magnetization, 150a-151a
bathymetry, 44a-48a, 124a, 416a
biostratigraphy, 4b, 18b-21b, 143a-147a, 371b, 415a-418a
diatoms, 145a
foraminifers, 13b, 144a-145a, 160b-161b, 171b-180b
ichthyoliths, 146a
nannofossils, 12b, 133b, 135b, 137b, 144a
radiolarians, 13b, 145a-146a, 346b-347b, 349b, 352a-353a
turbidites and, 435b-437b
biotite, 131a, 183a
deposition, 143a
biozones, 452b
calcite, 178a-179a, 414b-415b
calcite compensation depth, 447b-453b
See also carbonate compensation depth
calcium, 157a, 174a, 176a, 178a, 183a, 214b-215b, 239a, 414b-416b
diagenesis and, 204b-205b
calcium carbonate, 4b, 153a-154a, 205b-209b, 447b-448b
caliper logs, 171a
carbon isotopes, 208b, 212b, 240b-241b
carbon, organic, 157a-161a, 183a, 213b, 218b, 222b
carbonate compensation depth, 128a, 449b, 455b
See also calcite compensation depth
chloride, 153a-154a
chlorine, 414b
chlorite, 138a, 175a
clay mineralogy, 4b, 7b, 40b, 42b, 58b-59b, 137a-139a
clay minerals, 174a-175a, 411b-412b, 416b-418b
clay, red, 4b, 40b, 152a, 181a-183a
foraminifers and, 171b-180b
claystone, 128a, 132a-137a
deposition, 143a
claystone, brown, 3b-4b, 412b-413b
chemical classification, 423b
clinofom bedding, 180a
clinopyroxene, 141a-142a, 168a
- coal, 61b
continental organic matter, 241b, 245b
continentiality index, 40b, 138a-139a
copper, 136a
coring summary, 122a
corundum, 312b
crystallization, 142a
crystals, 141a-142a
decompaction, 405b, 408b
density, 161a, 163a-164a
deposition, 143a, 181a-183a, 348a-349a
detrital sediments, 414b
chemical compositions, 420b, 422b
diagenesis, 155a, 421b-425b
diffusion, 157a
dissolution, 135b, 145a
element analysis, 532b-533b
Eocene/Oligocene boundary, 447b-453b
ethane, 157a, 159a-161a, 183a
ethylene, 159a
fractures, 3b
gamma-ray data, 172a-173a, 545b-546b
geochemistry, basement, 169a
geochemistry, inorganic, 152a-157a, 176a-178a, 541b-552b
geochemistry, organic, 157a-159a, 419a
glass, 141a-142a, 490b
grain density, 161a, 163a-174a
grain size measurements, 139a-140a
GRAPE, 161a, 163a
gravity map, 126a
heat flow, 179a
hornblende, 131a, 141a-142a
deposition, 143a
hydrocarbon gases, 157a-159a, 161a
igneous rocks, 168a-169a
petrology, 271b-286b
illite, 137a-138a, 174a-175a
impedance, 164a-165a
interstitial-water chemistry, 153a-157a
diagenesis and, 203b-215b
organic matter and, 241b-242b
iron, 168a, 174a-176a, 178a, 414b-415b, 418b-419b
K-Ar ages, 3b
kaolinite, 138a
kerogen, 240b-241b
lithology, units, 128a-137a, 174a-176a
lithostratigraphy, 5b, 41b, 128a-143a, 399b-401b, 409b-411b, 415a-418a
biostratigraphy and, 135b, 172b
organic matter and, 240b
location, 12b, 123a
logging results, 29a, 169a-178a
magma, 142a
magnesium, 157a, 215b, 239a, 414b-415b, 418b-419b
diagenesis and, 204b-205b
magnetic polarity reversals, 11b, 13b, 18b, 22b, 147a-149a, 151a-152a
magnetic properties, 4b-5b, 40b-42b, 147a-151a, 183a, 226a, 418a-419a
anomalies, 44a-45a, 125a
susceptibility, 150a-151a
magnetite, 142a
manganese, 136a
mantle, 317b-318b
marine organic matter, 241b, 243b-247b
methane, 154a, 157a, 159a-160a, 183a, 208b-209b, 213b

- mica, 412b-414b
 mineral chemistry, 282b
 mineralogy, 411b
 MORB, 315b-319b
 neodymium, 292b
 nepheline, 312b
 neutron log, 172a-173a
 neutron porosity, 174a-176a
 olivine, 168a-169a
 organic matter, 157a, 159a, 218b-220b, 224b-225b
 degradation processes, 239b-245b
 dilution factor, 243b-244b
 orthopyroxene, 142a
 oxides, 474b-475b, 544b, 547b-548b
 oxygen isotopes, 206b-208b, 210b
 paleodepth, 351a, 402b, 404b
 paleolatitudes, 148a-150a
 palynology, 369b-372b
 pH, 154a-155a
 phillipsite, 490b-491b
 phosphate, 155a
 organic matter and, 241b-242b
 physical properties, 160a-168a, 175a-177a, 418a
 plagioclase, 141a-142a, 168a
 chemical composition, 482b
 Pliocene/Pleistocene boundary, 372b
 porosity, 163a-164a
 depth and, 402b, 405b
 potassium, 174a-176a, 178a-179a, 183a, 214b, 414b-416b, 544b, 545b-546b
 propylene, 159a
 pyrite, 133a, 136a, 156a, 241b
 pyritization, 218b-219b, 240b
 pyroxene, 484b
 quartz, 131a, 412b-414b
 quench texture, 168a
 rare earths, 293b, 318b
 recrystallization, 205b-209b
 reduction, 154a-155a, 243b-245b
 reflectors, 179a-181a
 resistivity, 173a, 174a-176a
 reworking, 135b, 138b
 rhyolite, 142a
 Rock-Eval pyrolysis, 157a-159a
 salinity, 153a-154a
 sandstone, 132a, 134a-135a
 sea level, 167b, 169b, 406b
 sedimentary breaks, 441b-444b
 sedimentation, 40b, 181a-183a
 organic, 222b, 242b-243b
 sedimentation rates, 3b, 58b-59b, 151a-152a, 355a-356a, 399b-406b, 415a-418a
 seismic stratigraphy, 44a-51a, 124a, 179a-182a
 shear strength, 165a, 167a-168a
 silica, 155a, 174a-176a, 183a, 206b-207b, 414b-415b, 474b-475b
 silicification, 155a
 silicon, 178a-179a
 silt, 128a
 siltstone, 128a, 132a-134a, 137a
 smectite, 137a, 175a, 183a
 chemical composition, 498b
 formation, 491b
 sodium, 414b-416b
 sonic logs, 171a
 source regions, 176a, 178a-179a
 spreading, 5b
 stress, orientation, 3b
 strontium, 205b-208b, 209b-210b, 292b
 subduction, 3b, 124a
 subsidence, 399b-406b
 sulfate, 155a, 156a, 208b-209b, 213b-214b
 organic matter and, 242b-245b
 sulfur, 178a
 summary log, 186a-193a
 tectonics, 3b-5b
 thermal conductivity, 164a-167a
 thorium, 174a-176a, 178a-179a, 183a, 544b, 545b-546b
 turbidites, 4b, 59b, 132a-134a, 136a, 182a-183a, 353a
 complexes, 431b-437b
 deposition, 143a
 foraminifers and, 161b-163b, 166b-167b, 169b
 organic matter and, 240b
 uranium, 174a-175a, 545b-546b
 vegetation, 369b-372b
 velocity, 163a-165a, 174a-176a
 vesicles, 169a
 vitrinite reflectance, 222b
 void ratio, 163a-164a
 volcanic rocks, 40b
 volcanoclastic material, 140a-141a
 volcanism, 124a-125a, 138a, 140a-142a, 460b-461b
 water content, 163a-164a
 weathering, 138a-139a
 zeolites, 136a
- Site 768
 acoustic basement, 199a
 actinolite, 260a-261a, 263a
 alkalinity, 239a, 241a, 328a
 alteration, 6b, 7b, 235a, 239a, 253a, 255a, 279a-280a
 carbonates, secondary, 233b-236b
 volcanic rocks, 300b-301b
 aluminum, 414b-416b, 419b
 ammonium, 208b, 214b, 235a, 239a
 amphibole, 485b
 analcime, 184b, 186b-187b
 andesite, 270a-271a
 apatite, 261a
 ash, 201a, 208a-210a, 212a, 218a-219a, 461b-462b
 alteration, 206b-209b
 deposition, 220a-221a
 geochemistry, 467b-482b
 petrography, 467b-482b
 vitric, 201a, 208a, 218a
 backarc-spreading, 280a
 backstripping, 408b
 bacteria, 227b, 228b, 246a-247a
 basalt, 5b-6b, 253a, 255a, 257a-262a
 chemical composition, 301b-306b
 downhole measurements, 272a-274a
 electrical properties, 91b-103b
 magnetic properties of, 230a-231a
 stress measurements, 275a
 velocity and, 252a
 basement, 5b-6b, 253a, 255a, 279a
 age, 69b
 lithology, 257a-262a, 418a
 logging results, 272a-274a
 magnetic properties and, 229a-231a
 seismic stratigraphy
 stress measurements, 275a
 bathymetry, 44a-48a, 416a
 bedding, 201a
 biostratigraphy, 6b, 21b-23b, 26b-28b, 33b, 35b, 131b, 223a-226a, 415a-418a
 crust age and, 342b-343b
 diatoms, 225a
 foraminifers, 163b-166b, 224a-225a
 ichthyoliths, 226a
 nannofossils, 12b, 133b, 137b, 140b, 142b-144b, 224a
 radiolarians, 225a-226a, 360b-362b
 turbidites and, 441b
 biotite, 212a, 260a-261a, 263a
 biscuit structures, 228a-229a
 borehole, 274a-275a
 borehole televiewer, 105b-118b
 bound water, 273a
 breccias, 261a-262a
 Brunhes/Matuyama boundary, 226a, 233a
 butane, 247a
 calcite, 184b, 222a-223a, 236b-237b, 414b-415b
 calcium, 214b-215b, 239a, 241a, 264a-265a, 414b-416b
 diagenesis and, 204b-205b
 calcium carbonate, 205b-209b, 235a-239a, 261a-262a, 315a
 deposition, 220a-221a
 interstitial-water and, 239a, 241a
 lithified, 527b-528b
 carbon isotopes, 208b, 212b, 227b-230b
 carbon, organic, 213b, 218b, 222b-223b, 241a, 244a-247a
 celadonite, 184b, 186b, 225a, 261a, 263a, 361b
 cementation, 181b-193b
 cerium, 264a-265a, 305b-307b
 chalcedony, 261a-262a
 chloride, 238a
 chlorine, 414b
 chlorite, 184b, 186b-187b, 217a-218a, 261a, 263a
 chrome spinel, 255a, 263a, 263b
 chromium, 265a
 clay, 201a, 215a, 269a, 315a
 alteration, 259a-262a
 deposition, 220a-221a
 clay, brown, 234a
 clay, green, 260a-262a
 clay mineralogy, 217a-218a, 269a, 280a
 clay minerals, 255a, 263a, 411b-412b, 416b-418b
 clay, red, 260a-262a, 280a
 biostratigraphy and, 224a
 claystone, 201a, 209a-212a, 269a-271a
 deposition, 220a-221a
 claystone, brown, 6b, 412b-413b
 chemical classification, 423b
 clinoptilolite, 184b-187b
 clinopyroxene, 253a, 255a, 258b, 259a-263a
 coal, 61b
 collision, 199a
 compaction, 222a, 251a, 271a
 continentality index, 217a-218a
 cooling units, 26 la
 coring summary, 196a
 crust, oceanic, 75b-90b
 crystallite, 259a-260a, 262a
 crystallization, 255a, 265a
 crystals, 183b, 201a, 210a-211a, 257a
 decompaction, 405b, 408b
 density, 76b, 79b, 82b, 87b-88b, 248a, 250a-252a, 257a, 268a-273a
 deposition, 60b, 201a, 220a-222a
 detrital sediments, 414b
 chemical compositions, 420b, 422b
 devitrification, 260a, 262a
 diagenesis, 181b-193b, 220a, 241a, 421b-425b
 unconformities, 528b
 dolerite, 255a, 259a-260a, 263a, 265a
 magnetic properties of, 230a
 dolomite, 184b, 527b-528b, 530b
 dolomitization, 235a, 239a

SITE INDEX

- element analysis, 534b-537b
 ethane, 228b, 244a-247a
 faults, 116b-118b, 221a-222a, 277a
 feldspar, 184b, 263a-264a
 formation factor, 87b
 fractures, 7b, 111b-113b, 115b, 117b,
 222a-223a, 257a, 274a
 geochemistry, basement, 262a-268a
 geochemistry, inorganic, 235a-241a, 256b-259b
 geochemistry, organic, 241a-247a, 419a
 geological evolution, 129b
 glaciation, 375b-378b
 glass, 183b-186b, 201a, 209a-214a, 253a,
 257a, 259a-263a, 491b-492b
 graded beds, 214a-216a
 magnetic properties of, 230a
 grain density, 248a, 250a-251a, 257a
 GRAPE, 252a
 gypsum, 222a-223a, 274a
 hematite, 260a
 heulandite, 184b, 186b-187b
 hornblende, 209a, 212a, 260a-261a, 263a
 hydrocarbon gases, 227b-230b, 244a-247a
 hydrofractures, 222a-223a
 hydrogen isotopes, 227b-231b
 iddingsite, 257a
 igneous rocks, 257a-262a
 petrology, 251b-269b
 illite, 184b, 217a-218a, 261a, 269a
 impedance, 508b-510b
 interstitial-water chemistry, 227b-231b,
 238a-241a
 diagenesis and, 203b-215b
 iron, 257a, 260a, 262a, 414b-415b, 418b-419b
 isobutane, 247a
 kaolinite, 217a-218a
 labradorite, 263a
 lapillistone, 6b, 183b, 212a-214a, 270a
 lithic ash, 218a
 lithology, units, 199a-214a, 278a-279a
 lithostratigraphy, 5b, 131b, 315a, 400b-401b,
 409b-410b, 412b, 415a-418a
 basement, 235b, 254b
 biostratigraphy and, 138b, 140b
 petrogenesis and, 299b-300b
 location, 12b, 198a
 logging results, 268a-274a
 magma, 220a, 263a-266a
 magnesium, 215b, 239a, 241a, 263a-265a,
 414b-415b, 418b-419b
 diagenesis and, 204b-205b
 magnetic polarity reversals, 11b, 13b, 18b, 21b,
 28b, 33b, 226a-230a
 crust age and, 343b
 sedimentation rates and, 377b-378b
 magnetic properties, 226a-233a, 274a, 276a,
 279a, 319a-320a, 418a-419a, 511b-515b
 anomalies, 44a-45a, 199a, 339b-343b
 susceptibility, 230a, 233a
 mantle, 308b
 marlstone, 208a-210a, 212a, 315a
 deposition, 221a
 mesostasis, 253a, 259a-263a
 methane, 208b-209b, 213b, 227b-231b,
 244a-247a
 mica, 412b-414b
 microfaults, 221a-223a
 microgabbro, 255a, 260a-261a, 263a-265a
 mineralogy, 253b, 255b, 411b
 MORB, 304b
 mordenite, 184b-187b
 nannofossil marl, 201a, 269a
 neon, 264a
 neutron porosity, 76b, 78b-79b, 89b, 268a-273a
 nickel, 265a
 niobium, 265a-266a, 304b-305b
 olivine, 253a, 255a, 257a-263a, 264a-265a
 opal-CT, 186b
 organic matter, 220b-222b, 241a, 246a, 280a
 orthopyroxene, 255a, 260a, 263a
 oxides, 474b-475b
 oxygen isotopes, 206b-208b, 210b, 236b-237b
 paleodepth, 402b
 paleolatitude, 230a
 pH, 238a
 phillipsite, 492b
 photoelectric effect, 269a-273a
 physical properties, 81b, 92b-93b, 248a-257a,
 418a
 pillows, 253a, 257a, 261a-263a, 273a-274a
 plagioclase, 183b, 253a, 255a, 259a-263a, 261b
 chemical composition, 482b
 porosity, 82b, 248a, 250a-251a, 257a, 509b
 depth and, 402b
 potassium, 84b-85b, 214b, 220a, 269a-274a,
 278a-279a, 414b-416b
 propane, 228b, 244a-247a
 pumice, 183b, 185b-186b, 216a
 pyrite, 208a
 pyritization, 220b-222b
 pyroclastic rocks, 6b, 181b-193b, 315a
 radiolarians and, 361b
 pyroxene, 255a-256a, 260a-263a
 chemical composition, 484b
 quartz, 184b, 186b, 209a, 412b-414b
 recrystallization, 205b-209b, 239a
 reflectivity, 274a-276a
 reflectors, 276a-277a
 resistivity, 76b, 268a-273a
 reworking, 224a
 rhyolite, 270a-271a
 rock strength, 110b
 Rock-Eval data, 242a-243a
 salinity, 86b, 238a
 sand, 201a
 sandstone, 208a-210a
 sea level, 221a, 376b-377b, 406b
 sedimentary breaks, 441b-444b
 sedimentation, 220a-221a
 dolomite and, 527b-528b
 organic, 222b-223b
 sedimentation rates, 232a-235a, 399b-406b,
 415a-418a
 carbonate, 375b-378b
 seismic stratigraphy, 44a-45a, 52a-62a, 199a,
 276a-279a
 crest age and, 339b-343b
 shear strength, 256a-257a
 sheet flows, 255a, 261a-263a, 274a
 shrinkage cracks, 222a
 silica, 206b-207b, 239a, 265a, 414b-415b,
 474b-475b
 silicates, 183b-184b
 silicon, 220a
 sills, 255a, 260a-261a, 263a-265a, 279a
 logging results, 273a-274a
 silt, 201a
 siltstone, 208a-210a
 slickensides, 223a
 slumping, 277a
 smectite, 183b-186b, 217a-218a, 235a, 255a,
 261a-262a, 269a
 formation, 492b
 sodium, 264a, 414b-416b
 stress
 conditions, 108b-110b
 measurements, 274a-276a, 382a
 regional, 198a-199a
 strontium, 205b-208b, 209b-210b, 265a
 structures, 221a-222a
 subduction, 7b, 198a-199a
 subsidence, 399b-406b
 sulfate, 208b-209b, 213b-214b, 235a, 239a,
 241a
 summary log, 282a-297a
 tectonics, 5b-7b
 temperature, 86b, 274a
 tephra, 61b
 thermal conductivity, 252a, 254a-256a, 257a
 thermal fracturing, 112b-113b, 115b
 thorium, 269a-273a
 tilting, 230a
 titanium, 220a, 265a-266a, 268a
 transit time, 80b-82b
 tuff, 6b, 183b, 195b, 209a-210a, 212a-216a,
 218a-220a, 269a-271a, 279a
 turbidites, 7b, 22b, 201a, 209a-211a, 215a,
 269a, 278a, 315a
 biostratigraphy and, 223a-225a
 carbonate and, 235a
 complexes, 436b-441b
 deposition, 220a-221a
 foraminifers and, 166b-169b
 organic matter and, 220b, 222b
 unconformity, 277a, 278a
 uranium, 270a, 271a, 278a-279a
 vanadium, 265a
 velocity, 76b, 78b-79b, 82b, 252a-254a, 257a,
 268a-273a
 crust and, 75b
 vitrinite reflectance, 222b
 void ratio, 250a-251a, 257a
 volcanic rocks, 297b-309b, 414b
 volcanoclastic deposits, 218a-220a
 volcanism, 6b, 56b-57b, 59b-60b, 212a-213a,
 280a, 461b-462b
 deposition and, 220a-221a
 water circulation, 236b
 water content, 248a, 250a-251a, 257a
 water convection, 246a
 weathering, 217a-218a
 yttrium, 265a-266a
 zeolites, 184b, 255a, 261a-263a
 zinc, 264a
 zirconium, 220a, 265a, 268a
- Site 769
 alkalinity, 328a, 330a
 alkalis, 314a-315a
 alteration, 6b, 7b, 187b, 191b-193b, 306a, 307a,
 313a-314a, 330a
 volcanic rocks, 300b-301b
 aluminum, 395b-396b, 414b-416b, 419b
 ammonium, 328a
 amphibole, 485b
 analcime, 187b
 andesite, 255a, 313a-315a, 333b-334b
 aragonite, 387b-389b
 ash, 304a, 306a, 339a, 461b-462b
 geochemistry, 467b-482b
 petrography, 467b-482b
 vitric, 304a
 augite, 313a-314a
 barium, 389b, 395b
 basalt, 5b-6b, 255a, 313a-315a
 chemical composition, 305b, 307b
 basement, 5b-6b, 255a
 lithology, 418a
 bathymetry, 44a-48a, 416a
 biostratigraphy, 6b, 23b, 29b-30b, 34b-35b,
 131b, 315a-319a, 415a-418a
 diatoms, 13b, 318a

- foraminifers, 163b-166b, 318a
 ichthyoliths, 319a
 isotopes and, 385b-388b
 nannofossils, 12b, 133b, 140b-141b, 145b,
 317a-318a
 radiolarians, 13b, 319a, 361b-363b
 biotite, 304a
 Brunhes/Matuyama boundary, 512b
 calcite, 187b, 190b-191b, 328a, 414b-415b
 calcium, 215b, 330a, 414b-416b
 calcium carbonate, 315a, 317a, 325a-328a, 339a
 carbon, organic, 213b, 330a, 332a, 389b-392b
 carbonate compensation depth, 315a, 387b-389b
 cementation, 181b-193b
 chalcedony, 309a
 chlorine, 414b
 chlorinity, 326a
 chlorite, 310a-311a
 clay, 188b, 190b-192b, 304a-306a, 315a
 deposition, 311a-313a
 organic matter and, 330a
 clay, brown, 339a
 clay, green, 309a
 clay mineralogy, 309a-311a
 clay minerals, 411b-412b, 416b-418b
 claystone, brown, 6b, 412b-413b
 chemical classification, 423b
 clinopyroxene, 187b, 255a, 259b, 313a-314a
 continentality index, 310a-311a
 copper, 389b-392b, 396b
 coring summary, 300a
 crystallization, 307b-308b
 crystals, 304a-305a, 313a
 deformation, soft-sediment, 304a
 density, 331a, 334a-335a
 deposition, 311a-313a, 404a-405a
 detrital sediments, 420b
 chemical compositions, 422b
 diagenesis, 181b-193b, 421b-425b
 dissolution, 315a, 317a-318a, 389b
 dolomite, 306a
 element analysis, 538b-539b
 faults, 336a-337a, 515b
 foraminifer marl, 312a-313a
 foraminifer ooze, 302a
 Gauss/Matuyama chron boundary, 319a, 324a
 geochemistry, basement, 314a-315a
 geochemistry, inorganic, 256b-259b, 325a-330a
 geochemistry, organic, 330a-332a, 419a
 geological evolution, 129b
 glaciation, 301a, 315a, 375b-378b, 385b-386b
 paleo-redox and, 390b-391b
 glass, 187b, 191b, 199b, 304a-306a, 311a,
 313a-314a, 339a, 491b-492b
 grain density, 332a, 334a-335a
 GRAPE, 331a, 334a-335a
 gravity anomaly, 300a
 hornblende, 304a, 307a
 hydrocarbon gases, 330a
 hypersthene, 313a-314a
 ice rafting, 315a
 igneous rocks, 311a-312a
 petrology, 251b-269b
 illite, 309a-311a
 interstitial-water chemistry, 326a, 328a-330a
 iron, 414b-415b, 418b-419b
 kaolinite, 310a-311a
 lapillistone, 6b, 306a-309a, 311a, 339a
 lithic fragments, 306a-307a, 311a
 lithology, units, 301a-309a
 lithostratigraphy, 5b, 131b, 301a-315a,
 409b-410b, 412b, 415a-418a
 basement, 235b, 254b
 biostratigraphy and, 140b
 petrogenesis and, 301b
 location, 12b-13b, 300a-301a
 magmatism, 327b
 magnesium, 215b, 330a, 414b-415b, 418b-419b
 magnetic polarity reversals, 11b, 13b, 18b, 23b,
 30b, 34b, 323a-324a, 512b
 sedimentation rates and, 377b-378b
 magnetic properties, 319a-325a, 418a-419a,
 511b-518b
 anomalies, 44a-45a
 susceptibility, 321a-323a, 325a
 magnetite, 313a-314a
 mantle, 308b
 marlstone, 315a
 methane, 213b, 332a
 mica, 412b-414b
 mineralogy, 255b-256b, 411b
 molybdenum, 390b-392b, 396b
 nannofossil marl, 302a-306a, 312a-313a, 338a
 olivine, 187b, 255a, 306a-307a, 313a-314a
 alteration, 191b
 opal, 389b
 organic matter, 330a
 orthopyroxene, 255a, 313a
 oxidation, 313a-314a
 oxides, 474b-475b
 oxygen isotopes, 385b-387b, 395b
 palagonite, 188b, 190b-191b
 petrography, 313a-315a
 pH, 326a
 phillipsite, 187b-188b, 190b-192b, 196b, 198b
 formation, 492b
 physical properties, 330a-339a, 418a
 plagioclase, 187b, 255a, 262b, 304a,
 306a-307a, 313a-314a
 alteration, 191b
 chemical composition, 482b
 plate movements, 513b-515b
 Pliocene/Pleistocene boundary, 339a
 porosity, 332a, 334a-335a, 509b
 potassium, 314a, 414b-416b
 pyrite, 361b, 364b-365b
 pyroclastic rocks, 6b, 181b-193b, 315a, 339a,
 341a
 deposition, 312a-313a
 pyroxene, 257b, 304a, 307a
 chemical composition, 484b
 quartz, 304a, 412b-414b
 reduction, sulfate, 328a
 reflectors, 335a-338a
 reworking, 141b
 rifting, 308b-309b, 341a
 Rock-Eval data, 331a
 rotation, 513b-515b
 salinity, 326a
 saponite, 193b
 sea level, 61b, 301a, 315a, 364b-365b,
 376b-377b, 385b-386b, 387b-389b
 sedimentation, 311a-313a
 sedimentation rates, 55b-56b, 323a-327a, 380b,
 415a-418a
 carbonate, 375b-378b
 magnetic properties and, 320a
 seismic stratigraphy, 44a-45a, 57b, 63a-69a,
 335a-341a, 518b
 shear strength, 334a-335a, 337a-338a
 sheet flows, 255a-256a
 silica, 314a, 328a, 389b, 414b-415b, 474b-475b
 sills, 339a
 slumping, 305a, 339a
 smectite, 187b-188b, 190b-191b, 196b-197b,
 309a-311a, 330a
 formation, 492b
 sodium, 414b-416b
 sorting, 306a
 sulfate, 213b, 328a, 330a
 tectonics, 5b-7b, 54b
 tephros, 61b
 thermal conductivity, 333a-334a, 337a-338a
 tilting, 306a, 321a, 515b
 time series, 391b-392b
 tuff, 6b, 197b-199b, 255a, 306a-309a, 311a,
 339a
 diagenesis and, 187b-191b
 turbidites, 315a, 339a
 foraminifers and, 166b-167b
 velocity, 332a-333a, 335a-336a
 vesiculation, 307a-309a
 void ratio, 332a, 334a-335a
 volcanic rocks, 297b-309b
 isotopic age, 329b-330b
 volcanism, 6b, 56b, 60b, 301a, 307a-309a,
 312a-313a, 461b-462b
 water content, 332a, 334a-335a
 weathering, 310a-311a
 zeolites, 187b-188b, 309a
- Site 770
 accumulation rates, 449b-451b, 455b, 457b
 alkalinity, 356a
 alteration, 5b, 7b, 277b-278b, 356a, 362a-369a
 basalt and, 312b
 carbonates, secondary, 233b-236b
 aluminum, 376a
 ash, 346a
 barium, 282b-284b
 basalt, 3b, 47b, 351a, 359a-360a, 362a-369a
 electrical properties, 91b-103b
 geochemistry, 311b-319b, 369a-373a
 logging results, 379a-381a
 petrogenesis, 311b-319b
 phyrlic, 273b-275b, 277b
 basement, 3b, 40b, 58b-59b, 351a, 384a
 age, 69b
 geochemistry, 369a-373a
 lithology, 359a-360a, 362a-369a, 418a
 logging results, 379a-381a
 bathymetry, 44a-48a, 416a
 biostratigraphy, 4b, 19b-21b, 24b-25b,
 350a-353a, 415a-418a, 452b
 diatoms, 13b, 352a
 foraminifers, 12b-13b, 160b-161b, 352a
 ichthyoliths, 353a
 nannofossils, 12b, 133b, 138b-139b, 351a-
 352a
 radiolarians, 13b, 348b-350b, 352a-353a
 borehole televiwer, 105b-118b
 breccias, 273b-275b, 360a, 362a-365a,
 367a-369a
 calcite, 236b-237b, 359a-360a, 365a-369a
 calcite compensation depth, 447b-453b
See also carbonate compensation depth
 calcium, 215b, 356a, 376a-378a, 380a-381a
 calcium carbonate, 4b, 277b, 356a-357a,
 365a-366a, 368a-369a, 447b-448b
 carbon, organic, 213b, 357a-358a
 carbonate compensation depth, 347a-348a,
 449b, 455b
See also Calcite compensation depth
 cerium, 282b-284b
 cesium, 278b
 chrome spinel, 277b, 284b, 291b
 chromium, 278b
 clay, 346a-347a, 351a, 359a-360a
 deposition, 347a-348a
 clay, brown, 362a-369a
 clay, green, 362a-369a
 clay mineralogy, 4b

SITE INDEX

- clay, red, 4b
 claystone, 346a-347a
 logging results, 376a-378a
 claystone, brown, 3b-4b
 clinopyroxene, 277b, 362a-369a
 compaction, 358a
 coring summary, 344a
 corundum, 312b
 Cotabato Trench and, 382a
 crust, oceanic, 75b-90b
 crystallization, 273b, 275b, 277b
 density, 77b, 80b, 83b, 87b-88b, 357a-359a,
 361a, 374a-375a, 456b
 deposition, 347a-349a
 depth shifts, 376a-377a
 devitrification, 362a-369a
 dikes, 275b
 dissolution, 138b
 dolerite, 275b, 368a-369a
 Eocene/Oligocene boundary, 447b-453b
 faults, 116b-118b
 flow sheets, 273b
 formation factor, 87b
 fractures, 3b, 111b-113b, 115b, 117b
 gamma-ray data, 377a-378a, 544b, 549b-550b
 geochemical logs, 376a-379a
 geochemistry, basement, 169a, 369a-373a
 geochemistry, inorganic, 356a, 541b-552b
 geochemistry, organic, 356a-359a, 419a
 glaciation, 352a
 glass, 360a, 362a-369a
 grain density, 358a-359a, 361a
 hydrocarbon gases, 357a
 iddingsite, 369a
 igneous rocks, 370a-371a
 petrology, 271b-286b
 illite, 377a-378a
 ilmenite, 277b, 365a-369a
 interstitial-water chemistry, 356a-358a
 iron, 277b, 291b, 360a, 362a, 367a-369a,
 376a-377a
 irradiation memory, 375a-376a
 K-Ar ages, 3b
 lapillistone, 6b
 lava, 365a-369a
 limonite, 359a, 362a, 368a-369a
 lithium, 278b
 lithology, units, 346a-347a, 383a-384a
 lithostratigraphy, 5b, 41b, 273b-275b,
 346a-350a, 415a-418a
 biostratigraphy and, 138b
 petrogenesis and, 313b
 location, 12b
 logging. *See* Site 770, geochemical logs
 magnesium, 215b, 278b, 281b, 291b, 356a
 magnetic polarity reversals, 353a
 magnetic properties, 4b-5b, 40b-42b,
 353a-354a, 418a-419a, 519b-520b
 anomalies, 44a-45a
 susceptibility, 353a-354a
 manganese, 347a
 mantle, 317b-318b
 marl, 346a
 mesostasis, 273b, 275b, 277b
 methane, 213b, 358a
 microfaults, 347a
 mineral chemistry, 282b
 minerals, secondary, 277b-278b
 Molucca Sea collision zone, 382a
 MORB, 315b-319b
 nanofossil claystone, 347a
 neodymium, 284b, 292b-293b
 nepheline, 312b
 neutron porosity, 77b-78b, 80b, 89b,
 374a-375a, 379a-381a
 nickel, 278b, 281b
 niobium, 278b, 282b-284b
 olivine, 273b-275b, 277b, 284b, 359a-3tXta,
 362a-369a
 organic matter, 357a
 oxides, 277b, 474b-475b, 544b, 551b-552b
 oxygen isotopes, 236b-237b
 paleodepth, 351a
 petrography, 275b-277b
 pH, 356a
 phosphorus, 278b, 284b
 physical properties, 81b, 92b-93b, 357a-359a,
 418a
 pillows, 273b-275b, 359a-360a, 362a-365a,
 366a-367a
 alteration and, 277b-278b
 plagioclase, 273b-275b, 277b, 288b-290b,
 359a-360a, 362a-369a
 chemical composition, 482b
 plate motion, 353a
 porosity, 83b, 358a-359a, 361a, 456b
 potassium, 84b, 278b, 282b-283b, 376a-381a,
 544b, 549b-550b
 pyroxene, 285b-286b
 rare earths, 284b, 293b, 318b
 reduction, 356a
 reflectivity, 382a
 reflectors, 41b, 382a
 resistivity, 77b, 374a-381a
 rock strength, 110b
 rotation, 519b-520b
 rubidium, 278b
 salinity, 86b
 sand, clayey, 347a
 sedimentation, 40b, 347a-349a
 sedimentation rates, 3b, 58b-59b, 354a-356a,
 415a-418a, 448b-449b, 453b
 seismic stratigraphy, 44a-45a, 70a-82a,
 382a-384a
 sericite, 365a
 sheet flows, 277b
 silica, 365a-366a, 368a, 474b-475b
 silicon, 376a-377a
 sills, 6b, 275b, 368a-369a
 alteration and, 277b-278b
 smectite, 356a, 377a
 spreading, 5b
 stress
 conditions, 108b, 110b-111b
 measurements, 381a-382a
 orientation, 3b, 344a-345a, 382a, 385a
 strontium, 284b, 292b-293b
 subduction, 3b
 sulfate, 213b, 356a
 summary log, 386a-397a
 tectonics, 3b-5b
 temperature, 86b
 thallium, 278b
 thermal conductivity, 67b, 358a-359a, 363a
 thermal fracturing, 112b-113b, 115b
 tholeiites, olivine normative, 369a-371a
 thorium, 282b-284b, 377a-381a, 544b,
 549b-550b
 titanium, 278b, 281b, 372a-373a
 turbidites, 4b
 deposition, 349a
 foraminifers and, 161b, 163b, 167b
 unconformity, 350a
 uranium, 282b-283b, 549b-550b
 velocity, 77b-78b, 80b, 83b, 358a-359a, 362a,
 374a-375a, 379a-381a
 crust and, 75b
 void ratio, 358a-359a, 361a
 volcanic rocks, 40b
 water circulation, 236b
 water content, 358a-359a, 361a
 water depth, 454b-455b
 zirconium, 278b, 284b, 372a-373a
- Site 771
 acoustic basement, 400a, 410a
 alteration, 6b, 7b, 187b, 191b-193b, 402a-403a
 analcime, 187b
 andesite, 255a, 333b-334b, 402a
 ash, 401a
 augite, 402a-403a
 basalt, 5b-6b, 255a, 402a-403a
 deposition, 404a
 basement, 5b-6b, 255a
 lithology, 418a
 bathymetry, 44a-48a, 416a
 biostratigraphy, 6b, 23b-26b, 31b-32b, 131b,
 405a-406a, 415a-418a
 diatoms, 13b, 406a
 foraminifers, 405a-406a
 ichthyoliths, 406a
 nanofossils, 12b, 133b, 141b, 146b-147b,
 405a
 planktonic foraminifers, 163b-166b
 radiolarians, 13b, 362b-364b, 406a
 bioturbation, 400a
 calcite, 187b, 190b-191b
 calcium carbonate, 404a-405a
 carbonate compensation depth, 411a
 cementation, 181b-193b
 clay, 188b, 190b-192b, 400a-401a, 411a
 deposition, 404a
 claystone, 401a-402a
 deposition, 404a
 claystone, brown, 6b
 clinopyroxene, 187b, 255a, 403a
 coring summary, 399a
 crystals, 402a-403a
 density, 409a-410a
 deposition, 61b, 403a-404a
 diagenesis, 181b-193b
 fractures, 402a
 geochemistry, inorganic, 256b-259b
 geochemistry, organic, 409a, 419a
 geological evolution, 129b
 glass, 187b, 191b, 402a-403a
 grain density, 409a-410a
 igneous rocks, petrology, 251b-269b, 402a
 lapillistone, 410a-411a
 lithology, units, 400a-402a
 lithostratigraphy, 5b, 131b, 400a-405a,
 410a-411a, 415a-418a
 basement, 254b
 biostratigraphy and, 141b
 location, 12b, 400a
 magmatism, 327b
 magnetic properties, 406a-408a, 418a-419a
 511b-515b
 anomalies, 44a-45a
 susceptibility, 407a-408a
 methane, 409a
 microfaults, 402a
 mineralogy, 255b-256b
 nanofossil marl, 400a-401a, 411a
 deposition, 404a-405a
 olivine, 187b, 255a, 402a-403a
 alteration, 191b
 orthopyroxene, 255a, 403a
 palagonite, 188b, 190b-191b
 petrography, 402a-403a
 phillipsite, 187b-188b, 190b-192b, 198b

physical properties, 409a-411a, 418a
 plagioclase, 187b, 255a, 402a-403a
 alteration, 191b
 Pliocene/Pleistocene boundary, 411a
 porosity, 409a-410a, 509b
 potassium, 403a
 pyrite, 364b-365b
 pyroclastic rocks, 6b, 181b-193b, 404a, 411a
 reflectors, 410a
 saponite, 193b
 sea level, 364b-365b

sedimentation rates, 55b-56b, 407a-408a,
 415a-418a
 seismic stratigraphy, 44a-45a, 57b, 83a-85a,
 410a, 412a-414a
 sheet flows, 255a-256a, 403a
 silica, 403a
 silt, 400a
 smectite, 187b-188b, 190b-191b, 402a-403a
 tectonics, 5b-7b, 54b
 tilting, 410a
 tuff, 6b, 198b, 255a, 401a-402a, 411a

diagensis and, 187b-191b
 turbidites, 404a
 velocity, 409a, 411a
 void ratio, 409a-410a
 volcanic rocks, 402a-405a
 isotopic age, 329b-330b
 volcanism, 6b, 56b, 60b, 404a, 410a-411a
 water content, 409a-410a
 water depth, 70b
 zeolites, 187b-188b

PALEONTOLOGICAL INDEX

abies, *Sphenolithus*, Celebes Sea, 138b, 153b
acostaensis, *Neogloboquadrina*
 Cagayan Ridge, 406a
 coiling direction, 159b
 Sulu Sea, 23b
Alnus species, Celebes Sea, 372b
altispira, *Globoquadrina*, Cagayan Ridge, 406a
amplectens, *Reticulophragmium*, Celebes Sea,
 19b, 176b, 180b
angusta, *Lithocyelia*, Celebes Sea, 355b
annosa, *Theocyrtis*, Celebes Sea, 346b, 349b,
 355b
annula, *Cyclolithella*, Celebes Sea, 155b
antepenultima, *Didymocyrtis*, Celebes Sea, 349b
antillarum, *Oolithothus*, Celebes Sea, 155b
 Aragonitic microfossils, Celebes Sea, 161b, 163b
armatus, *Ceratolithus*, Celebes Sea, 153b
asymmetricus, *Discoaster*
 Celebes Sea, 156b
 Sulu Sea, 140b
ateuchus, *Dorcadospyrus*, Celebes Sea, 346b, 357b
angusta, *Lithocyelia*, Celebes Sea, 346b, 350b

barbadiensis, *Discoaster*, 13b
 Celebes Sea, 20b, 138b, 157b
Bathysiphon sp., 178b
belemnus, *Sphenolithus*, Cagayan Ridge, 405a
 Benthic foraminifers
 Cagayan Ridge, 165b-169b
 Celebes Sea, 19b, 144a-145a, 218b
 deep-water agglutinated species, 171b-176b,
 178b-180b
 oxygen isotopes and, 376b
 Sulu Sea, 23b, 165b-169b, 225a, 365b
 turbidites and, 161b-162b, 435b-437b, 441b
berggrenii, *Discoaster*
 Celebes Sea, 138b, 156b
 Sulu Sea, 140b
binodosus, *Discoaster*, Celebes Sea, 157b
bisectus, *Dictyococcites*, Celebes Sea, 55b, 150b
 Bivalves, Celebes Sea, 161b
brouweri, *Discoaster*, 148b-150b
 Cagayan Ridge, 140b
 Celebes Sea, 135b, 156b
 Sulu Sea, 140b
burkei, *Helicosphaera*, Celebes Sea, 154b

 Calcareous microfossils
 Cagayan Ridge, 315a, 405a
 Celebes Sea, 355a
 Sabah, 127b
 Calcareous nannofossils
 Cagayan Ridge, 140b-141b, 145b-147b, 315a,
 324a-325a
 Celebes Sea: Site 767, 135b
 Celebes Sea: Site 769, 143a

Celebes Sea: Site 770, 138b-139b, 349b, 350a
 Celebes Sea, 18b-21b
 magnetostratigraphy and, 22b-24b
 Pacific Ocean NE, 11b-12b, 14b-17b, 22a,
 133b-150b
 sedimentation rates and, 151a-152a, 235a, 355a
 Sulu Sea, 138b, 140b-147b, 223a
 Zone NN11, Celebes Sea, 136b
 Zone NN18, Celebes Sea, 135b-136b
 Zone NN19, Celebes Sea, 135b
 Zone NN21, Celebes Sea, 135b
calcaris, *Discoaster*, Celebes Sea, 156b
Calocyrella costata Zone, 18b
 Cagayan Ridge, 6b, 23b, 25b, 325a, 362b-363b,
 406a
 magnetostratigraphy and, 229a
 sedimentation rates and, 234a-235a
 Sulu Sea, 6b, 13b, 22b, 225a, 360b-361b,
 365b-366b
calyculus, *Catinaster*, Celebes Sea, 157b
cancellata, *Cyclammina*, Celebes Sea, 175b
carteri, *Helicosphaera*, Celebes Sea, 154b
Catinaster coalitus Zone, Celebes Sea, 144a
chalara, *Podocyrtis*, Celebes Sea, 357b
challengeri, *Discoaster*, Celebes Sea, 156b
charoides, *Glomospira*, Celebes Sea, 179b
circulus, *Dorcadospyrus*, Celebes Sea, 356b
claviger, *Rhabdosphaera*, Celebes Sea, 155b
coalitus, *Catinaster*
 Cagayan Ridge, 405a
 Celebes Sea, 157b
 Sulu Sea, 140b
compacta, *Helicosphaera*, Celebes Sea, 154b
conicus, *Sphenolithus*, Celebes Sea, 153b
conversa, *Karrerulina*, Celebes Sea, 180b
Coscinodiscus Zone, Celebes Sea, 176b
costata, *Calocyrella*
 Cagayan Ridge, 406a
 Celebes Sea, 368b
 Sulu Sea, 366b
crassaformis, *Globoquadrina*, Sulu Sea, 108a
Cribrostomoides sp., Celebes Sea, 180b
cristatus, *Ceratolithus*, Celebes Sea, 153b
cylindrica, *Rhabdammina*, Celebes Sea, 178b
Cyrtocapsella tetrapera Zone, Celebes Sea, 432b

Dacrycarpus species, Celebes Sea, 371b-372b
 Deep-water agglutinated foraminifers, 13b
 Celebes Sea, 19b
deflandrei, *Discoaster*
 Celebes Sea, 157b
 Sulu Sea, 22b
dehiscens, *Sphaeroidinella*
 Celebes Sea, 19b
 Sulu Sea, 23b
delicatus, *Amaurolithus*, Celebes Sea, 153b

delmontensis, *Stichocorys*, Cagayan Ridge, 406a
Diartus petterssoni Zone, 18b
 Cagayan Ridge, 13b, 23b, 25b, 325a,
 361b-362b, 406a
 Diatoms, 13b-17b, 22a
 Cagayan Ridge, 23b, 26b, 315a, 318a, 389b,
 406a
 Celebes Sea, 19b, 145a, 350a, 352a
 Sulu Sea, 23b, 223a, 225a
Didymocyrtis antepenultima Zone, Celebes Sea,
 13b, 21b, 349b
Didymocyrtis penultima Zone, Celebes Sea, 352a,
 354a-355a
Discoaster surculus Zone, Cagayan Ridge, 405a
 Discoasters
 Cagayan Ridge, 140b-141b, 317a-318a, 405a
 Celebes Sea, 138b, 352a
discopora, *Discolithina*, Celebes Sea, 155b
dissimilis, *Catapsydrax*, Celebes Sea, 21b
distans, *Hormosinella*, Celebes Sea, 179b
distentus, *Sphenolithus*, Celebes Sea, 20b, 138b,
 153b
doliolus, *Pseudoenotia*, Cagayan Ridge, 318a
Dorcadospyrus atuechus Zone, Celebes Sea, 13b,
 19b, 21b, 146a-147a, 152a, 346b, 349b, 351b,
 352a-353a
Dorcadospyrus spp., Celebes Sea, 350b-351b,
 352a, 356b
druggii, *Discoaster*, Celebes Sea, 156b
dutertrei, *Neogloboquadrina*, Sulu Sea, isotopic
 values, 382b
 DWF. See Deep-water agglutinated foraminifers

elongata, *Hyperammina*, Celebes Sea, 178b
elongatus, *Reophax*, Celebes Sea, 179b
 Eocene/Oligocene boundary, 13b
 Celebes Sea, 138b, 171b-176b
eopelagicus, *Coccolithus*, Celebes Sea, 157b
epigona minima, *Rzehakina*, Celebes Sea, 174b,
 179b
Ericsonia formosa, 157b
exilis, *Discoaster*, Celebes Sea, 156b

floridanus, *Cyclicargolithus*
 Cagayan Ridge, 141b
 Celebes Sea, 155b
 Sulu Sea, 22b
fohsi, *Globorotalia*
 Cagayan Ridge, 25b, 165b, 406a
 Sulu Sea, 165b
 Foraminifers
 Cagayan Ridge, 96a, 304a, 315a, 318a, 389b,
 405a-406a, 408a
 Celebes Sea, 4b, 131a, 144a-145a, 350a, 352a
 Palawan, 122b
 Sulu Sea, 209a, 223a, 224a-225a

PALEONTOLOGICAL INDEX

- See also* Benthic foraminifers; Deep-water agglutinated foraminifers; Planktonic foraminifers
- formosa*, *Ericsonia*, Celebes Sea, 138b
fossilis, *Scapholithus*, Celebes Sea, 155b
fusca, *Psammospaera*, Celebes Sea, 178b
- Gephyrocapsa* species
 Cagayan Ridge, 140b
 Celebes Sea, 135b
 small, Celebes Sea, 144a
 Sulu Sea, 140b
glomerata, *Glomospira*, Celebes Sea, 179b
Glomospirella sp., Celebes Sea, 179b
gardialis, *Glomospira*, Celebes Sea, 179b
grandis, *Chiasmolithus*, 13b
 Celebes Sea, 20b, 155b, 352a
granulata, *Helicosphaera*, Celebes Sea, 154b
gryzbowskii, *Kalamopsis*, Celebes Sea, 179b
gryzbowskii, *Saccamina*, Celebes Sea, 178b
- hamatus*, *Discoaster*
 Cagayan Ridge, 405a
 Celebes Sea, 138b, 156b
heteromorphus, *Sphenolithus*
 Cagayan Ridge, 405a
 Celebes Sea, 153b
 Sulu Sea, 22b
horridus, *Haplofragmoides*, Celebes Sea, 180b
huxleyi, *Emiliana*
 Celebes Sea, 155b
 Sulu Sea, 224a
Hyperammia sp., Celebes Sea, 178b
- Ichthyoliths, 13b, 21b, 23a
 Cagayan Ridge, 23b, 26b, 319a, 406a
 Celebes Sea, 19b, 147a, 173b, 353a
 Sulu Sea, 23b, 224a, 226a
indivisa, *Rhizammina*, Celebes Sea, 178b
intermedia, *Helicosphaera*, Celebes Sea, 154b
inversa, *Helicosphaera*, Celebes Sea, 154b
irregularis, *Glomospira*, Celebes Sea, 179b
irregularis, *Umbellosphaera*, Celebes Sea, 157b
- japonica*, *Discolithina*, Celebes Sea, 144a, 155b
- kugleri*, *Discoaster*
 Cagayan Ridge, 405a
 Celebes Sea, 156b
- lacunosa*, *Pseudoemiliana*
 Celebes Sea, 135b, 138b, 154b
 Sulu Sea, 224a
lamina, *Syracosphaera*, Celebes Sea, 157b
laticonus, *Didymocyrtis*
 Cagayan Ridge, 406a
 Celebes Sea, 368b
latissima, *Dendrophyra*, Celebes Sea, 178b
latus, *Ammodiscus*, Celebes Sea, 178b
leptoporus, *Calcidiscus*, Celebes Sea, 154b
Lychnocanoma elongata Zone, Celebes Sea, 152a, 432b
Lychnocanoma sp., Celebes Sea, 354b
Lychnocanoma sp. A, Celebes Sea, 346b, 349b, 354b
Lycopodium species, Celebes Sea, 369b
- margaritae*, *Globorotalia*, Sulu Sea, 23b
margarelii, *Gephyrocapsa*, 149b
 Celebes Sea, 157b
mediterranea, *Helicosphaera*, Celebes Sea, 154b
menardii, *Globorotalia*
 Cagayan Ridge, 23b, 406a
 coiling direction, 164b, 318a
- Celebes Sea, 19b
 coiling direction, 144a
 coiling direction, 22a, 159b
 Sulu Sea, 23b
 coiling changes, 225a
 coiling direction, 164b
- microrhapidus*, *Bathysiphon*, Celebes Sea, 178b
minuta, *Reticulofenestra*, Celebes Sea, 155b
minutula, *Reticulofenestra*, Celebes Sea, 155b
 Miocene/Pliocene boundary, 18b, 22a
 Cagayan Ridge, 141b, 318a
 Celebes Sea, 138b
 Sulu Sea, 140b, 223a
mitra, *Podocyrtis*, Celebes Sea, 357b
moriformis, *Sphenolithus*, Celebes Sea, 153b
multiporta, *Discolithina*, Celebes Sea, 155b
- Nannofossils
 Cagayan Ridge, 304a, 317a-318a, 325a, 405a, 408a
 Celebes Sea, 144a, 152a, 351a-352a, 354a-355a
 Palawan, 122b, 124b
 Sabah, 127b-128b
 Sulu Sea, 224a
See also Calcareous nannofossils
neohamatus, *Discoaster*, Celebes Sea, 156b
nepenthes, *Globigerina*, Cagayan Ridge, 406a
nitescens, *Coronocyclus*, Celebes Sea, 155b
Nitzschia reinholdii Zone, 13b, 22a
 Cagayan Ridge, 23b, 318a
nodosa, *Syracosphaera*, Celebes Sea, 157b
nodulosus, *Reophax*, Celebes Sea, 174b, 179b
- obliquus*, *Globigerinoides*
 Cagayan Ridge, 23b
 Sulu Sea, 22b
obtusus, *Sphenolithus*, Celebes Sea, 153b
oceanica, *Gephyrocapsa*, Celebes Sea, 157b
oceanica, *Gephyrocapsa* s.l., 133b-134b, 141b, 149b-150b
 Celebes Sea, 18b, 135b
opima nana, *Globorotalia*, Celebes Sea, 21b
opima nana, *Turborotalia*, Celebes Sea, 161b
Orbulina species
 Cagayan Ridge, 25b, 165b
 Sulu Sea, 165b
ovulum ovulum, *Hormosina*, Celebes Sea, 174b, 179b
- pansus*, *Discoaster*, Celebes Sea, 156b
Paratrochamminoides sp., Celebes Sea, 175b-176b, 180b
pegetrum, *Cyclampterium*, Celebes Sea, 355b
pelagicus, *Coccolithus*, Celebes Sea, 157b
pentaradiatus, *Discoaster*, Celebes Sea, 157b
peripheroacuta, *Globorotalia*, Cagayan Ridge, 406a
perplexus, *Hayaster*, Celebes Sea, 157b
petterssoni, *Diartus*
 Cagayan Ridge, 406a
 Celebes Sea, 368b
petterssoni, *Diartus/D. laticonus* transitional form, Celebes Sea, 368b
Phyllocladus species, Celebes Sea, 371b-372b
placenta, *Cyclammina*, Celebes Sea, 175b, 180b
 Planktonic foraminifers, 12b-13b, 14b-17b, 22a, 159b-169b
 Cagayan Ridge, 23b-25b, 164b-166b, 405a
 Celebes Sea, 18b-19b, 21b, 145a, 160b-163b, 218b, 352a
 Sulu Sea, 22b-23b, 163b-166b, 220b, 224a-225a
 turbidites and, 435b-437b
plesiotumida, *Globorotalia*
- Cagayan Ridge, 23b
 Celebes Sea, 19b
 Sulu Sea, 23b
 Pliocene/Pleistocene boundary
 Cagayan Ridge, 165b-166b, 315a, 317a
 Celebes Sea, 18b, 144a
 Celebes and Sulu seas, 148b-150b
 debates over, 141b
 Sulu Sea, 133b-134b, 165b-166b, 224a
Podocyrtis chalarata Zone, Celebes Sea, 3b, 13b, 19b, 21b, 152a, 349b-351b, 353a
Podocyrtis goetheana Zone, Celebes Sea, 13b, 19b, 152a
 Pollen, Celebes Sea, 369b-372b
Praeocystamina sp., Celebes Sea, 175b, 180b
Praeorbulina species, Cagayan Ridge, 25b
predistentus, *Sphenolithus*, Celebes Sea, 20b, 153b
primus, *Amaurolithus*, Cagayan Ridge, 141b
Psammospaera sp., Celebes Sea, 178b
Pseudoenotia doliolus Zone, 13b, 22a
 Cagayan Ridge, 23b, 318a
 Celebes Sea, 19b, 145a, 352a
 Sulu Sea, 23b, 225a
pseudopauciloculata, *Ammosphaeroidina*, 180
pseudoradians, *Sphenolithus*, Celebes Sea, 138b, 153b
pseudoumbilica, *Reticulofenestra*
 Cagayan Ridge, 141b
 Celebes Sea, 155b
Pterocanium sp. A, Celebes Sea, 354b
Pterocanium sp. B, Celebes Sea, 349b, 354b
 Pteropods
 Celebes Sea, 161b
 Sulu Sea, 388b, 395b
pulcherrima, *Scyphosphaera*, Celebes Sea, 153b
pulchra, *Syracosphaera*, Celebes Sea, 157b
Pulleniatina species
 Celebes Sea, 19b
 coiling direction, 159b
- quadramus*, *Discoaster*, Celebes Sea, 156b
Quadratum trifidum Zone, Palawan, 122b
quinqueramus, *Discoaster*
 Cagayan Ridge, 141b
 Celebes Sea, 138b, 156b
- radians*, *Sphenolithus*, Celebes Sea, 153b
 Radiolarians, 13b-17b, 22a-23a, 150b
 Cagayan Ridge: Site 769, 315a, 317a, 319a
 Cagayan Ridge: Site 771, 405a-406a, 408a
 Cagayan Ridge, 6b, 23b, 25b
 Celebes Sea Site 767, 145a-147a, 172b-173b, 346b-347b, 349b
 Celebes Sea: Site 770, 348b-350b, 350a, 352a-353a
 Celebes Sea: 3b-4b, 19b, 21b, 345b-352b, 354b-357b
 Palawan, 122b
 Plectopyramid (deep-dwelling form), 368b
 sedimentation rates and, 151a-152a, 235a, 325a
 Sulu Sea, 6b, 22b, 107a, 223a, 225a-226a, 340b, 359b-366b, 368b
recta, *Helicosphaera*, Celebes Sea, 154b
recurvus, *Isthmolithus*, Celebes Sea, 138b
reticulata, *Helicosphaera*, Celebes Sea, 154b
rex, *Ethmodiscus*, Sulu Sea, 365b
Rhabdammina sp., Celebes Sea, 178b
Rhizophora species, Celebes Sea, 372b
Rhizosolenia praebergonii Zone, Cagayan Ridge, 318a
rhomba, *Helicosphaera*, Celebes Sea, 154b
riedeli, *Dorcadospyrta*, Celebes Sea, 356b
robusta, *Dendrophyra*, Celebes Sea, 178b
ruber, *Globigerinoides* pink

- Cagayan Ridge, 23b
 Sulu Sea, 22b, 107a, 109a, 225a
 isotopic values, 383b, 385b
ruber, *Globigerinoides*, white, Sulu Sea, 382b
rugosa, *Hyperammina*, Celebes Sea, 178b
rugosus, *Ceratolithus*
 Cagayan Ridge, 141b
 Celebes Sea, 153b
rugosus, *Triquetrorhabdulus*
 Cagayan Ridge, 141b
 Celebes Sea, 155b
- saipanensis*, *Discoaster*, 13b
 Celebes Sea, 20b, 138b, 157b
scalaris, *Subreophax*, Celebes Sea, 179b
scrippsae, *Dictyococcites*, Celebes Sea, 138b
sellii, *Helicosphaera*, 149b
 Celebes Sea, 154b
senni, *Globigerina*, Celebes Sea, 21b, 161b
serraculoides, *Bramletteius*, Celebes Sea, 155b
siakensis, *Globorotalia*, Cagayan Ridge, 23b,
 406a
sibogae, *Umbilicosphaera*, Celebes Sea, 155b
sicanus, *Globorotalia*, Cagayan Ridge, 406a
signus, *Discoaster*, Celebes Sea, 156b
 Siliceous microfossils
 Cagayan Ridge, 315a, 405a
 Celebes Sea, 352a
simplex, *Dorcadospyrus*, Celebes Sea, 346b
spectabilis, *Spiroplectammina*, Celebes Sea,
 176b, 180b
Sphenolithus wolffii Zone, Cagayan Ridge, 325a
- spongoconum*, *Theocorys*
 Cagayan Ridge, 362b
 Sulu Sea, 226a, 361b
Stichocorys delmontensis Zone, Celebes Sea,
 352a, 355a
Stichocorys wolffii Zone
 Cagayan Ridge, 6b, 23b, 25b, 319a, 362b-363b,
 406a
 Magnetostratigraphy and, 229a
 sedimentation rates and, 234a-235a
 Sulu Sea, 6b, 13b, 22b, 225a-226a, 361b, 366b
surculus, *Discoaster*
 Cagayan Ridge, 405a
 Celebes Sea, 156b
suturalis, *Orbulina*, Cagayan Ridge, 406a
- tamalis*, *Discoaster*, Celebes Sea, 156b
tanii nodifer, *Discoaster*, Celebes Sea, 156b
telesmus, *Ceratolithus*, Celebes Sea, 153b
Theocyrtis tuberosa Zone, Celebes Sea, 13b, 19b,
 21b, 146a-147a, 152a, 346b, 349b, 351b, 353a
Thyrsoyrtis bromia Zone, Celebes Sea, 351b
tricerus, *Tristylopyris*, Celebes Sea, 346b, 349b-
 351b, 357b
triconiscus, *Sethochytris*, Celebes Sea, 357b
tricorniculatus, *Amaurolithus*
 Cagayan Ridge, 141b
 Celebes Sea, 138b
trifolium, *Lychnocanoma*, Celebes Sea, 354b
Trochamminoides species, Celebes Sea, 175b-
 176b
tropicus, *Calcidiscus*, 150b
- Celebes Sea, 135b, 154b
 Sulu Sea, 22b
truncatulinoides, *Globorotalia*, 159b
 Celebes Sea, 144a
 Sulu Sea, 23b
tubaria, *Didymocyrtis*, Sulu Sea, 361b
tuberosa, *Theocyrtis*, Celebes Sea, 346b, 355b
tumida, *Globorotalia*
 Cagayan Ridge, 406a
 Sulu Sea, 23b
- umbilica*, *Reticulofenestra*, Celebes Sea, 150b,
 155b
- variabilis*, *Discoaster*, Celebes Sea, 156b
variolarius, *Trochamminoides*, Celebes Sea, 180b
velascoensis, *Hormosina*, Celebes Sea, 179b
- wallichii*, *Helicosphaera*, Celebes Sea, 154b
walteri excavatus, *Haplofragmoides*, Celebes Sea,
 180b
walteri walteri, *Haplofragmoides*, Celebes Sea,
 180b
Watznaueria species, Palawan, 122b
wolffii, *Stichocorys*
 Cagayan Ridge, 406a
 Celebes Sea, 368b
 Sulu Sea, 225a-226a
- Zeoglobigerinids*, Celebes Sea, 160b
Zoophycos, Sulu Sea, 209a