

## INDEX TO VOLUME 126

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 126 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by Wm. J. Richardson Associates, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as a further elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes taxonomic entries above the generic level, as well as broad fossil groups such as foraminifers and radiolarians. The notation "ff" following a page listing indicates that reference to a topic continues beyond the last page given but is not sequential. This would be the case where one or more figures or tables follow a principal topic of discussion that makes up a major section. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 787, for example, is given as "Site 787, A:63-96."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

- accretion, Izu-Bonin-Mariana Arc, B:632  
acidic volcanics, in hemipelagic sediments, B:498  
acoustic basement, seismic reflection profiling, A:132  
acoustic index, B:547-549  
alanine, Sumisu Rift, B:537  
albite, B:522  
alkaline earth concentration, Sumisu Rift, B:394  
alkalinity  
  carbonate precipitation and, A:378  
  Site 787, A:88  
  Sites 790/791, A:187-188  
alteration  
  geochemical effects, A:269, 372, 378  
  post-eruptive, A:262  
  "snowflake," A:334-335  
  volcanic rock, B:115  
alteration, diagenetic, volcanoclastic sandstones, B:125-132  
alteration, hydrothermal  
  basement, B:392  
  geochemical effects, A:266  
  Izu-Bonin forearc, B:101-107  
  secondary mineralogy, B:105  
  Sumisu Rift, B:190-191  
  volcanoclastic rock, B:419, 436-439, 442  
alteration, low-temperature, basement, A:265  
aluminosilicates, as calcium sink, B:523  
aluminum  
  basement, B:433-434, 437  
  logging data, A:206; B:655-656  
aluminum oxide  
  basement, B:390  
  core vs. log measurements, B:593, 597  
  magnesium oxide correlation, A:370  
  in pelagic/hemipelagic sediments, B:500  
  in volcanoclastic sand/sandstones, B:470  
aluminum oxide/magnesium oxide ratio, basement, B:409, 423  
aluminum oxide/zirconium ratio, basement, B:416  
alunite, X-ray diffraction, A:150  
Alutom Formation (Guam), B:632  
amino acids. *See also* dissolved combined amino acids (DCAA); dissolved free amino acids (DFAA)  
  aromatic and sulfur-containing, B:532, 536  
  biogeochemistry, B:537-538  
  nonprotein, B:537-538  
  source material, B:536-537  
  Sumisu Rift, B:532-540  
amino butyric acid, Sumisu Rift, B:537-538  
ammonia  
  Site 787, A:88  
  Site 793, A:378  
ammonium  
  Site 790, A:188  
  Site 791, A:188, 194  
  Site 792, A:270  
amphibole, Site 792, B:678  
analcime veins, Ohmachi Seamount, B:189  
analcite. *See* cement, analcite  
andesite  
  aluminum oxide-magnesium oxide correlation, A:370  
  aphyric to sparsely phytic, A:367; B:432, 438  
  basement, B:444  
  boninitic affinity, B:442  
  chromite-olivine, B:438  
  clinopyroxene-orthopyroxene, B:233  
  geochemistry, B:419, 421, 426, 429, 432, 442  
  glass inclusions, B:171-175  
  lithologic types, A:367, 369, 371  
  magnesium-chromium-nickel relationship, A:370  
  olivine- and chromium-spinel-bearing, A:367; B:432  
  phenocryst minerals, B:419, 421  
  plagioclase composition, B:433  
  rhyolite transition, oceanic arcs, B:395  
  Site 788, A:120  
  Site 792, B:677  
  trace elements, A:370-371; B:419  
  types i-iv, B:432, 434, 442  
  in volcanic breccias, A:361-362  
andesite, porphyritic  
  calc-alkaline affinity, B:442  
  clinopyroxene-rich, A:367  
  Izu-Bonin forearc, B:171-172, 442  
  petrology, A:262-266, 361  
  plagioclase-rich, A:367; B:432  
  pyroxene-rich, B:432  
  xenolith, A:267  
andesite, two-pyroxene  
  Izu-Bonin forearc, B:431  
  porphyritic, B:450-451  
  Site 792, B:419, 430  
andesite class  
  geochemistry, B:386-387  
  Site 787, A:69  
  in volcanoclastic breccia, B:433  
andesite intrusions, age, B:632  
anorthite, in plagioclase, B:174, 523  
Aoga Shima Canyon  
  bathymetry, A:66  
  multichannel seismic survey, A:54-55  
  sandy gravel, B:640  
  unconsolidated volcanoclastics, A:75, 77  
Aoga Shima Rift, arc margin uplift, B:646  
Aoga Shima Islands  
  basalt, B:63  
  volcanoclastics, B:34  
arc rifting  
  initiation, B:648  
  Izu-Bonin Arc, B:640, 642-644, 646  
  Izu-Bonin-Mariana Arc, B:627, 629, 632-636  
  location control, B:564, 570-571, 647-648  
  Mariana region, B:647  
  volcanism and, B:647-648  
  vs. spreading, B:383  
arc volcanism  
  backarc, B:639, 647-648  
  cyclic model, B:648  
  forearc, B:639  
  frontal arc, B:639  
  Izu-Bonin Arc, B:584, 646  
  Izu-Bonin-Mariana Arc, B:632, 638-639  
  post-rift-inception, B:387-388  
  pre-rift, B:386-388  
  on proto-remnant arc, B:395  
  pyroclastic, B:639  
arginine, Sumisu Rift, B:538  
ash, black sandy  
  in nannofossil-rich claystone, A:72  
  Site 787, A:74  
ash, pumiceous, Site 793, A:328  
ash, sandy, X-ray diffraction, A:148  
ash, vitric silty, Site 793, A:331  
ash, volcanic  
  Site 790, A:142-144  
  transport mechanisms, A:158  
ash, volcanoclastic, depositional process, B:228  
ash, white, Site 790, A:150  
ash beds  
  in nannofossil-rich clay, A:154  
  Site 793, A:331  
ash layers  
  accumulation rate, B:27, 33  
  age, B:15  
  chemistry, B:40  
  colors, B:27  
  deposition, B:225  
  grain-size distribution, B:27, 34  
  Izu-Bonin Arc, B:23-35, 43-45  
  oxide stratigraphy, B:512  
  sediment source, B:515-516  
  Site 791, A:147  
  Site 792, A:232-236, 238  
  Sumisu Rift, B:10  
  thickness, B:27  
ash tuff  
  petrology, A:174  
  X-ray diffraction, A:186  
Aso Volcano  
  glass chemistry, B:34-35  
  marine tephra, B:42  
aspartic acid, decomposition, B:538  
augite, in volcanoclastic sand/sandstone, B:160  
backarc basin basalt (BABB)  
  geochemistry, B:389, 642  
  magma composition, B:383  
  in rift basins, B:555  
  source, B:393  
backarc basins  
  hydrothermal circulation, B:555, 557  
  Izu-Bonin Arc, B:557  
  sedimentation models, B:3  
  vein structures, B:205  
backarc rifting, geochemical effects, B:482  
backarc spreading, B:636, 638-639  
  arc volcanism and, B:47, 62, 647-648  
  manganese deposits, B:113  
  Mariana vs. Izu-Bonin systems, A:5; B:647  
  Philippine Sea, B:47  
  volcanism and, A:8-9; B:483  
backarc spreading centers, manganese deposits, B:113  
barium  
  in basement basalts, A:184  
  in manganese minerals, B:115  
barium/strontium ratio  
  Izu-Ogasawara Arc, B:465  
  tephras, B:462  
barium/zirconium ratio, Site 791, A:190  
basalt  
  arc vs. rift, B:395-396  
  petrology, A:176-177, 183  
  rift basement, A:128-129  
basalt, basement  
  geochemistry, A:184; B:397-398, 407-417  
  island-arc origin, B:583  
  sulfur isotopes, B:450, 452  
  tholeiitic affinity, A:370  
  vesicle size distribution, B:403  
basalt, glomeroporphyritic, Site 791, A:176  
basalt, olivine-plagioclase, Site 791, A:176-177  
basalt clasts  
  geochemistry, B:386  
  Site 791, A:148  
basalt detritus, source, A:157

basalt flow

## SUBJECT INDEX

- basalt flow, petrology, A:174  
basalt pebbles, geochemistry, B:420  
basaltic mousse  
  description, B:371  
  emplacement mechanisms, B:373, 379  
  geochemistry, B:371, 391, 401, 404, 451  
  juvenile glass clasts, B:450  
  magnetic properties, A:170-171; B:371-377  
  origin, B:371, 373, 375, 379  
  petrology, A:174, 179, 181; B:391-392  
  physical properties, A:200  
  Site 790, A:415  
  Site 791, A:415; B:371-372, 400  
  sulfate-sulfur concentration, B:450  
  sulfur isotopes, B:452  
  vesicular components, B:391  
  X-ray diffraction, A:184  
basement. *See also* acoustic basement; lava, basement  
  age, A:174; B:388, 677-680  
  brecciation, A:407  
  forearc, A:6  
  geochemistry, A:269-271; B:410-413, 418  
  hydrothermal alteration, B:392  
  igneous geochemistry, A:369-371  
  igneous stratigraphy, A:176, 362-367; B:408, 439-440  
  Izu-Bonin forearc, A:223-224  
  lithologic types, A:367, 369  
  lithostratigraphy, A:180, 366; B76  
  low-temperature alteration, A:265  
  magnetic properties, A:263  
  mineralogy, A:264; B:409  
  petrology, A:262-263, 362-367  
  phenocrysts, A:365  
  seismic reflection profiling, A:6-7  
  stratigraphic summary, A:265; B:421  
  subsidence, B:630  
  vertical motion history, B:299-301  
basement, volcanic  
  geochemistry, B:419, 421, 424-425, 483  
  igneous stratigraphy, B:405, 419  
  lithologies, B:634  
  petrography, B:432  
  stable isotopes, B:421-422  
basement/sediment contact  
  fluid circulation, B:619  
  logging data, A:289  
  seismic reflection profiling, B:580  
  sonic velocity, A:284  
bed thickness/maximum particle size ratio, Izu-Bonin forearc, B:97, 99  
bedding parallel slip, Izu-Bonin forearc, B:205-206  
bioclast pebbles, Izu-Bonin forearc, B:87  
bioclasts, B:141  
biomicrite, Site 793, B:231-232, 234  
biosparite, Site 793, B:232-233  
Biwa II excursion, Site 790, A:169  
Blake Event, Site 790, A:169  
Bonin Arc, rifting, A:5  
Bonin forearc, basement A:6-7  
Bonin Islands  
  boninite, B:497  
  declination anomalies, B:353  
  formation, A:9  
  intraoceanic forearc basement, A:6  
  outer-arc high, B:467  
  potassium-argon dating, B:632  
  uplift-subsidence history, A:8; B:630  
  volcaniclastic sandstone, B:483  
Bonin Ridge, uplift, B:630, 640  
boninite  
  formation, A:6  
  intrusion age, B:632  
  origin, B:422  
boninite series volcanics (BSV), forearc terrains, B:422  
border faults  
  across transfer zones, B:566  
  Izu-Bonin-Mariana Arc, B:634  
  Sumisu Rift, B:568-570, 642  
  zigzag pattern, B:564  
Boso Peninsula  
  Brunhes/Matuyama reversal, B:346  
  Shirahama formation, B:49  
  virtual magnetic path, B:349  
breccia, andesite, petrology, A:364-365  
breccia, andesitic hyaloclastite  
  petrology, A:264; B:439  
  Site 792, B:172  
breccia, basalt, Site 791, A:176  
breccia, basaltic andesite, mineralogy, B:105, 110  
breccia, basement, phenocryst assemblages, B:406  
breccia, hyaloclastite  
  mineralogy, B:105, 111  
  Site 792, B:419  
breccia, monolithic, petrology, A:363-364  
breccia, volcanic  
  derivation, A:348  
  heterolithic, B:406  
  logging data, B:657  
  metamorphism, B:186  
  petrography, B:439  
  petrology, A:264  
  Site 793, A:337-338; B:405-406  
breccia, volcanoclastic  
  andesite clasts, B:442  
  geochemistry, A:369  
  mineralogy, B:433  
  petrography, B:432  
brine, calcium chloride, Site 792, B:519  
bronzite, in basaltic andesite, B:432  
Brunhes/Matuyama boundary, B:341-351  
  Site 790, A:170  
  Site 791, A:163  
Brunhes Normal Chronozone, Site 792, A:255  
bryozoans, Site 793, B:231  
burrows  
  Izu-Bonin forearc, B:210, 212, 213, 215  
  Site 791, A:148, 160  
  Site 793, A:330-331  
buserite, Izu-Bonin forearc, B:115  
calcite  
  Izu-Bonin forearc, B:101-102  
  Site 792, A:240  
  Site 793, A:338, 340  
  smectite covering, B:135  
calcium  
  alteration effects, A:269, 378  
  basement, B:434, 437  
  concentration gradient, B:520-521  
  deep maximum, A:269-270  
  gypsum precipitation and, B:521  
  logging data, A:206  
  in manganese minerals, B:115  
  sinks, B:521-523  
  Site 787, A:88  
  Sites 790/791, A:187-188  
  Site 793, A:372  
calcium carbonate, B:489, 495  
  density and, A:189  
  grain density, B:553  
  logging data, B:656, 652-663, 668-669  
  Site 788, A:123  
  Site 790, A:195  
  Site 791, A:200  
  Site 792, A:219  
  Site 793, A:332  
  turbidite influence, A:92  
calcium chloride, in pelagic/hemipelagic sediments, B:499  
calcium/magnesium ratio  
  basement, B:409, 423  
  in manganese deposits, B:117  
  Site 791, A:188  
  Site 792, A:269  
calcium oxide  
  core vs. log measurements, B:597  
  logging data B:657  
  in pelagic/hemipelagic sediments, B:499  
calcium/zirconium ratio, basement, B:416  
caldera submarine  
  Izu-Bonin Arc, B:3, 10  
  magma composition, B:387  
canyon, submarine  
  erosion, B:576, 640  
  sediment till, B:582  
carbon, inorganic, Site 793, A:374-378  
carbon, organic  
  carbonate correlation, A:186  
  Site 787, A:85  
  Site 788, A:122  
  Sites 790/791, A:186, 191-193  
  Site 792, A:268, 272-276  
  Site 793, A:374-375, 378-379  
carbon, total  
  Site 787, A:88  
  Sites 790/791, A:186  
  Site 792, A:268  
  Site 793, A:374-378  
carbonate  
  alkalinity and precipitation of, A:378  
  density and, A:122-123, 379  
  depositional environment, A:115  
  high-to-low transition, A:155  
  in pelagic/hemipelagic sediments, B:493, 496  
  Site 788, A:109, 126  
  Sites 790/791, A:168  
  Site 792, A:272-276  
  Site 793, A:327-328, 374-379  
carbonate bioclasts  
  depositional environment, B:233  
  Site 793, B:231-233  
  source, B:233  
Caroline Plate, subduction, B:647  
Cascade region  
  bimodal volcanism, B:35, 62-63  
  silica, B:60  
celadonite  
  Site 793, A:342  
  vs. glauconite, A:114  
Celebes Sea Basin, viscous remanent magnetization, B:357  
cement, analcite, precipitation temperature, B:132  
cement, carbonate  
  Izu-Bonin forearc, B:128  
  Site 788, A:111, 116  
cement, clay-mineral  
  in Oligocene sandstones, B:128  
  Site 788, B:137  
cement, clinoptilolite, precipitation temperature, B:132  
cement, phillipsite, Site 788, B:126  
cement, zeolite, B:131  
cementation  
  physical property effects of, B:545  
  Site 793, A:334

- cerium, negative anomaly, B:396  
 cerium/lead ratio, Izu Arc, B:387  
 cerium/ytterbium ratio  
   Site 792, B:461  
   tholeiitic layers, B:465  
   vs. tantalum/ytterbium ratio, B:479, 481  
 chabazite, B:523–525  
 chalk, nannofossil  
   depositional environment, A:246  
   Site 787, A:69  
   Site 792, A:235; B:225  
 Chichijima Island  
   boninitic-andesitic rock, B:497  
   foraminifers, B:233  
   magnetic anomalies, B:359  
   volcanic highs, B:630  
 chloride  
   Miocene/Oligocene boundary gradient, B:519–520  
   Site 787, A:85  
   Site 793, A:372  
 chlorine, logging data, A:203, 205, 211–215  
 chlorite  
   chemical composition, B:187, 189–190  
   in clayey siltstone, B:107  
   Izu-Bonin forearc, B:102, 104  
   Ohmachi Seamount, B:187  
   Site 793, A:338, 340; B:521  
   Sumisu Rift, B:186, 189  
 chromite, chemical composition, B:439  
 chromium  
   basement, B:434, 437  
   nickel-magnesium oxide relationship, A:370  
   Oligocene transition, B:483  
 chromium/yttrium ratio, Site 793, A:371  
 chromium/zirconium ratio, basement, B:416  
 clasts. *See* andesite clasts; basalt clasts; carbonate bioclasts; pumice clasts; volcanic clasts  
 clay, classification, A:20  
 clay, nannofossil  
   ash beds in, A:154  
   Site 790, A:145  
   Site 793, A:323, 326  
 clay, nannofossil silty  
   Site 787, A:77  
   Site 792, A:228  
 clay, silty  
   Site 790, A:146  
   volcanic fragments in, A:153  
 clay, vitric, X-ray diffraction, A:150  
 clay, volcanoclastic, depositional process, B:228  
 clay mineralogy, andesite, B:436, 441, 445  
 clay minerals, in vein structures, B:198, 205–206  
 claystone  
   calcareous component, A:407  
   color variation, A:329–330  
   fissility, A:345  
   magnetic properties, A:84  
   manganese minerals, B:115  
   mottled, 787, A:72  
   Site 791, A:147–148  
 claystone, nannofossil  
   basaltic sand grains in, A:157  
   burrowing, A:335  
   depositional environment, A:116  
   physical properties, B:546  
   Site 787, A:69, 71  
   Site 788, A:108–110  
   Site 792, A:235, 239; B:225  
   trace fossil content, B:225–226  
 claystone, silty  
   depositional environment, A:246  
   laminated, A:77  
   Site 787, A:73–74  
   Site 788, A:109  
   Site 792, A:237  
 clinoptilolite, A:7; B:522, 524. *See also* cement, clinoptilolite  
 clinopyroxene  
   basement, B:406–407, 419, 444  
   basement andesite, B:434, 439, 441–442, 446  
   chemical composition, B:175, 178–179, 433–435, 438–441  
   glass inclusions, B:174–175, 180–181, 183  
   relict phenocryst composition, B:160  
   Site 791, B:399  
   in volcanoclastic sand/sandstone, B:161  
 coarsening-upward sequence  
   Site 788, A:116  
   Sites 790/791, A:155  
 color banding, Site 793, A:346  
 color mottling, Site 790, A:145–146  
 compaction  
   Pliocene-Pleistocene, A:117  
   Site 788, A:112, 115–116  
 conglomerate  
   depositional environment, A:346–347  
   depositional processes, B:87, 227, 612  
   formation microscanner imaging, B:82, 84, 87  
   Izu-Bonin forearc, B:612  
   Site 793, A:332–333  
   X-ray diffraction, A:342  
 conglomerate, pebble  
   Site 787, A:73–74  
   Site 788, A:111  
 conglomerate, polyimictic, Site 792, A:240, 244–245  
 conglomerate, pumiceous  
   compaction, A:115–116  
   Site 788, A:109  
   Site 792, A:240  
   Site 793, A:336  
   winnowing, A:157  
 conglomerate, sandy, depositional environment, A:246–247  
 conglomerate, volcanic  
   depositional environment, A:248  
   Site 792, A:235, 237–238  
 conglomerate, volcanic-lithic, Site 793, A:344; B:87  
 conglomerate, volcanoclastic, hydrothermal alteration, B:419  
 conglomerate, volcanogenic, petrography, B:406  
 consolidation, physical property effects, B:544–547  
 convergent margin, circum-Pacific, B:90  
 copper, B:489  
 coralline algae, Site 793, B:231–232, 234  
 Coriolis Trough, isostatic modeling, B:568  
 cristobalite, X-ray diffraction, A:148  
 crystal lithic tuff  
   Site 791, B:404  
   Sumisu Rift, B:186, 189–190  
 Curie temperatures, B:347  
 dacite  
   geochemistry, A:265–266  
   Izu Arc, B:385  
   Site 792, A:267  
   trace elements, B:419, 421, 426  
 dacite clast, Site 792, A:267  
 debris flow  
   clasts, B:98–99  
   Site 792, A:241  
   volcanoclastic vs. nonvolcanic, B:97  
 debris flow, submarine, B:97, 99  
 debris-flow deposits  
   depositional environment, A:247, 345–346  
   Izu-Bonin forearc, B:87  
   Site 793, B:232  
   Sumisu Rift, B:569  
 deformation  
   extensional, B:621  
   Mariana vs. Izu-Bonin systems, A:5  
   Site 787, A:69, 73, 79  
   Site 788, A:112  
   wet-sediment, A:337  
 density. *See also* GRAPE density  
   calcium carbonate and, A:189  
   carbonate content and, A:379  
   dry bulk, B:551–553  
   gravimetric- vs. pycnometer-determined, B:554  
   logging data, B:656  
   olivine diabase intrusion, A:360  
   Site 787, A:92–93, 200  
   Site 788, A:122–123, 126  
   Site 790, A:189, 195, 198–200  
   Site 791, A:206  
   Site 792, A:278–279  
   Site 793, A:379  
   vs. porosity, B:548  
 deposition  
   conglomerate, B:87, 227, 612  
   sandstone, A:346; B:87, 612  
   siltstone, B:87, 612  
 dewatering  
   structures, Izu-Bonin forearc, A:408; B:205  
   veinlets, Site 792, A:235  
 diabase  
   geochemistry, A:185  
   petrology, A:177, 181, 184  
   physical properties, A:200, 379, 386  
 diabase intrusion  
   active arc associations, B:417  
   arc tholeiite affinity, B:442  
   olivine, A:354, 360–361, 367–369  
   diagenesis  
     geochemistry, B:420, 422, 432–433, 435, 442  
     glassy inclusions, A:364  
     logging data, B:657  
     petrography, B:432  
     petrology, A:174, 363  
     Site 793, B:639–640  
   diagenesis, B:132  
     associated demagnetization, A:84  
     original sediment composition control, B:131–132  
     physical property effects, B:545  
     pre-Quaternary sandstone, B:468  
     Site 788, A:110–112  
     volcanoclastic sand/sandstone, B:129, 131–132  
 diaspore, X-ray diffraction, A:148  
 diatoms, amino acid composition, B:537  
 dikes  
   petrology, B:392  
   sandstone, Site 792, A:244  
 diopside, in volcanoclastic sand/sandstone, B:160  
 dissolved combined amino acids (DCAA)  
   as diagenetic indicators, B:531  
   in interstitial waters, B:534, 536–539  
 dissolved free amino acids (DFAA)  
   changes with depth, B:531  
   in interstitial waters, B:532–537  
 dynamo, Rikitake model, B:349  
 earthquakes, magnitude and recurrence interval, B:90–91, 95

## East African rifts

## SUBJECT INDEX

- East African rifts, zigzag border fault systems, B:564
- El Chichon pumice, anhydrite microphenocrysts, B:451
- electrical conductivity, B:604  
grain size and, B:607
- en echelon ridges, Sumisu Rift, B:642
- Eocene/Oligocene boundary, planktonic foraminifers, B:278
- epidote, Sumisu Rift, B:186-187, 189
- erionite, Site 793, B:134
- explosive fountaining, deep-sea, B:373
- fallout sedimentation, Site 792, B:220, 225
- fault blocks, tilted, B:559
- fault gouge  
bedding subparallel, B:202  
petrology, A:183  
X-ray diffraction, A:184, 187
- fault zone  
Site 792, A:235, 245  
Site 793, A:342
- faulting. *See also* border faults; microfaults  
braided, A:345  
dip orientation, A:162  
Site 788, A:109, 112, 116  
Site 793, A:336  
syndepositional, B:559, 562, 646
- faulting, half-graben, Izu-Bonin forearc, B:405
- faulting, normal  
anastomosing and relay pattern, B:559  
formation microscanner imaging, B:621  
Izu-Bonin forearc, B:584  
orthorhombic geometry, B:564  
rifting-related, B:634  
Sites 790/791, A:129  
small-offset, B:559  
zigzag pattern, B:564, 566, 634, 642, 647-648
- faulting, syn-rift, Izu-Bonin forearc, B:647
- feldspar  
in hyaloclastic breccia, B:105  
Izu-Bonin forearc, B:102  
mineralogy, B:111  
smectite covering, B:135
- felsic clast, petrology, A:183
- felsitic grains, stained/etched, B:151
- flowage differentiation, Izu-Bonin forearc, B:417
- flute casts, in sandstone beds, A:336; B:83
- foraminifers  
amino acid composition, B:537  
in sediment gravity flows, B:94  
Site 788, B:137-138
- foraminifers, benthic  
abundance and preservation, A:24  
Assemblages A-D, B:311-313  
biostratigraphy, A:80-81, 118, 163, 165-167, 171-172, 251-253, 349, 351; B:288-296  
biozones, A:165-166; B:288-296  
dissolved oxygen inference, A:24, 118; B:294  
distribution, B:290-293, 295, 297, 314  
Izu-Bonin Arc, B:311-314  
Izu-Bonin forearc, B:495  
large, B:233, 630  
low-oxygen environment, B:228  
paleobathymetry, A:23-24; B:288-296, 313-314  
paleoenvironment, A:81, 84; B:288-296  
resedimented, B:87  
shallow-water environment, B:646  
Site 788, B:290  
Site 792, B:290-292  
Site 793, B:231-232, 234, 292, 294, 296
- stratigraphic hiatuses, A:254  
zonation, A:23
- foraminifers, planktonic  
abundance and preservation, A:23  
biostratigraphy, A:80-81, 118, 162-163, 171-172, 250-252, 349; B:271-280
- Cold Events 1-6 B:281-283  
datums, A:24, 167  
dissolution effects, B:280-283  
distribution, B:274-281  
Eocene/Oligocene boundary, B:278  
Oligocene/Miocene boundary, B:280  
paleoceanography, A:80; B:274  
paleoenvironment, A:81  
Pliocene/Pleistocene boundary, B:271-272, 281  
Site 787, B:272  
Site 788, B:272-273  
Site 790, B:273  
Site 791, B:273  
Site 792, B:273-278  
Site 793, B:278-280  
stratigraphic hiatuses, A:254; B:272, 275, 277, 281  
zonation, A:23
- formation factor, A:33; B:547-549  
porosity and, B:547-548  
Site 787, A:84, 87  
Sites 790/791, A:190  
Site 792, A:267-269, 271  
Site 793, A:371-372  
vertical vs. horizontal, B:548-549
- formation microscanner (FMS) imaging, B:75, 78  
sandstone beds, B:91-93  
sedimentary facies, B:607, 612  
sensor and data processing, B:604, 607  
Site 792, A:289, 295  
Site 793, A:389
- fractures  
extensional, B:205, 206  
formation microscanner imaging, B:616-617, 622-623  
gypsum-filled, A:346  
Mariana forearc, A:5-6
- fracturing, conjugate, Site 787, A:78
- frontal-arc highs  
Izu-Bonin Arc, B:231, 632  
relation to outer-arc high, B:634
- Gauss Normal Chronozone  
Site 788, A:119  
Site 792, A:256
- geochemical logging  
centroid composition, B:596  
data acquisition, B:653-654  
data reduction, B:654-656  
high gamma ray horizons, A:208  
*in-situ* measurements, A:307-308  
Izu-Bonin Arc, B:653-676  
lithologic correlation, B:594, 656-657  
lithostratigraphic correlation, A:206-208, 306  
oxide percentages, B:656-657, 662-663, 668-669, 674-676  
seismic correlation, B:579-580, 582-583, 586-587, 590-591  
Site 791, A:202-203, 206-209; B:660-663  
Site 792, A:289, 296-301; B:598, 664-669  
Site 793, A:389-395; B:599, 670-676  
vs. core measurements, B:593-596
- geochemical logging tool (GLT) string, B:654
- geochemistry, hydrothermal effects, B:497
- geochemistry, fluid. *See also* interstitial-water chemistry  
analytical methods, A:32-33  
seawater interaction effects, A:89  
Site 787, A:85, 87-88  
Site 788, A:122  
Sites 790/791, A:187-188  
Site 792, A:268-270  
Site 793, A:371-378
- geochemistry, igneous  
alteration effects, B:419  
basement, A:270-271, 369  
bimodal, B:639  
calc-alkaline affinity, A:266  
high-field strength elements, A:266  
least-squares mixing, B:407, 409, 414  
olivine diabase intrusion, A:367-369  
pre-rift vs. rift, B:392  
Sites 788/789, A:119-121  
Sites 790/791, A:184-185  
Site 792, A:265-267; B:419, 421, 457-463  
Site 793, B:407-417  
volcanic pebbles, A:369
- geochemistry, inorganic. *See also* geochemical logging  
core vs. log measurements, B:593-596
- geochemistry, sediment  
analytical methods, A:34-35  
Site 787, A:85; B:472, 475, 490, 494  
Site 788 A:122; B:386-387, 472, 475, 490, 494  
Site 790 A:186-187; B:472, 475, 478, 490, 494  
Site 791, A:186-187; B:391-392, 472-473, 475-476, 478-479, 490-491, 494  
Site 792, A:269; B:473, 476, 478-479, 491-492, 494-495  
Site 793, A:378-379; B:473, 476-479, 492, 495
- geomagnetic field, intensity oscillations, B:349, 351
- geomagnetic pole, virtual (VGP), B:342-351
- geophysical logging  
data reprocessing, A:41  
Izu-Bonin forearc, B:608-611  
lithostratigraphic correlation, A:306, 308-309, 401-402  
measurements, A:37-39  
operations, A:228, 286-288, 388, 395, 402  
Site 792, A:223, 289ff; B:610-611  
Site 793, A:396-401; B:608-609
- geothermal gradient, B:191
- Gilbert Normal Chronozone, Site 788, A:119
- glass  
Site 790, A:141  
sulfur content and alteration of, B:451
- glass, brown, B:45  
alteration, B:136  
Site 793, B:152
- glass, intermediate-to-mafic, dissolution, B:129
- glass, rhyolitic, alteration, B:129
- glass, unmixed, Izu-Bonin forearc, B:175, 182
- glass, vitric, B:141, 154
- glass, volcanic  
alteration, B:152  
analytical methods, B:509-510  
bubble-wall type, B:45, 49  
chemistry, B:34, 41, 59-60  
color, B:140, 143-145, 147-150  
diagenetic alteration, B:126  
felsic input, B:143  
hydration, B:512-513  
hydrothermal alteration, B:105, 107  
INA analyses, B:457-458  
isolation of, B:457

- Izu-Bonin forearc, B:101  
 juvenile shard, B:514  
 magma composition, B:505  
 morphology, B:49  
 oxide chemistry, B:63, 70  
 oxide stratigraphy, B:510-516, 518-524  
 Site 793, A:334  
 size range and morphology, B:509  
 systematic weight loss, B:510-513
- glass inclusions  
 analytical technique, B:172, 174  
 in basaltic mousse, B:391, 402  
 chemical composition, B:174-175, 180-181  
 crystallization from unevolved magma, B:175  
 magma mixing and, B:171, 175  
 with microglobules, B:174  
 occurrence, B:174-175, 182  
 in pyroxene-plagioclase phenocrysts, B:171-181  
 Site 793, A:360, 364
- glauconite  
 depositional environment, A:116  
 Site 788, B:228  
 vs. celadonite, A:114
- glauconite-celadonite group, chemical composition, B:436
- glutamic acid, decomposition, B:538
- glycine, Sumisu Rift, B:537
- graded beds  
 inverse, B:87  
 Site 790, A:144, 149  
 Site 792, A:239
- grain size  
 conglomerates, B:84  
 physical properties and, A:278  
 pumice beds, B:8-10, 19  
 resistivity and, B:78  
 volcanic ash layers, B:27, 34
- GRAPE density  
 carbonate content and, A:379  
 Site 787, A:91, 93, 200  
 Site 788, A:122-123, 126  
 Site 790, A:189  
 Site 791, A:199-200, 206  
 Site 792, A:278-279
- gravel  
 Site 788, A:415  
 Site 790, A:141, 144
- gravel, pebble, Site 788, A:104, 106
- gravel, pumiceous  
 depositional environment, A:117, 325  
 role of volcanism in, A:159  
 scoriaceous, A:71; B:640  
 Site 787, A:71  
 Site 788, A:104, 106, 109  
 Site 790, A:140-141, 144, 147  
 Site 793, A:323, 327  
 transport mechanisms, A:158-159  
 winnowing, A:157
- Guam  
 Alutom Formation, B:632  
 volcanic highs, B:630
- gypsum  
 in clayey siltstone, B:107  
 precipitation, A:378; B:521  
 Site 792, A:270  
 X-ray diffraction, A:185
- Hachijo Island  
 pyroclastics, B:49  
 volcanoclastic sand, B:144
- Hahajima Island  
*Nummulites boninensis*, B:233
- volcanic highs, B:630
- half grabens, sediment-filled, B:634
- heat flow  
 rift basins, B:643  
 Site 792, A:285-286
- hemipelagic sediment  
 analytical methods, B:487  
 authigenic components, B:497-498  
 biogenic components, B:489, 495, 497  
 deposition, B:213, 227-229  
 geochemistry, B:489-499  
 hydrothermal effect, B:497  
 mass-flow deposition, B:225, 229  
 sedimentary environment, B:498-499  
 Site 793, A:344  
 source, B:489, 497-499, 515  
 terrigenous component, B:497  
 velocity-porosity relations, B:547
- hemipelagites, sedimentation rates, B:7-8
- heulandite, Site 793, B:134, 438-439, 445, 523
- high-field-strength elements (HFSE)  
 olivine diabase intrusions, A:369  
 tephra, B:461, 463
- Hokuroku Basin, Kuroko deposits, B:643
- hornblende  
 Site 792, B:168  
 in volcanoclastic sand/sandstone, B:160
- hyaloclastite, Site 792, A:263-264
- hydraulic sorting, turbiditic sands and sandstones, B:468
- hydrocarbon gases, Sites 790/791, A:187
- hydrodynamism, Site 788, B:218, 228
- hydrogen, Site 791, A:203, 205, 211-215
- hydrothermal circulation. *See also* alteration, hydrothermal  
 in backarc rift basins, B:555, 557  
 Site 792, A:248  
 Sumisu Rift, B:190, 642-644, 646
- igneous petrology  
 basement, A:262-263, 362-367  
 breccias, B:406  
 lava, A:263-265  
 Sites 790/791, A:174, 176-177, 179, 181-184  
 units, A:176-184; B:391, 419  
 volcanic clasts, A:361-362
- igneous rock  
 physical properties, A:388  
 Pleistocene, A:415, 418
- illite/smectite, mixed-layer, Site 793, B:524
- ilmenite, Site 792, A:264, 268
- immiscible liquids  
 in glass inclusions, B:175  
 in plagioclase phenocrysts, B:174
- impedance, Site 792, A:308
- incompatible elements  
 fractional crystallization effects, B:394  
 in rhyolite pumice, A:120-121; B:386-388  
 Site 792, A:266  
 subduction-related, A:120
- Indian Ocean SW, virtual geomagnetic pole (VGP) migration, B:346
- interstitial-water chemistry  
 advection effects, B:525, 527  
 alteration effects, A:372, 378; B:125, 520-521, 527  
 concentration gradients, B:519-521, 525, 527  
 controls on, B:520  
 diagenetic quiet zone, B:527  
 hydrothermal circulation, B:107  
 mineralogical comparison, B:104-105  
 Site 787, A:89; B:522-523  
 Site 788, A:122-123; B:522-523
- Site 790, B:522-523  
 Sites 790/791, A:187-188, 194  
 Site 792, A:222, 276-277  
 Site 793, A:316, 372-373; B:522-523  
 thermal gradients, B:527  
 thermodynamic aspects, B:519-528
- iron  
 basement, B:433-434  
 enrichment mechanisms, A:367, 369  
 logging data, A:206, 208  
 in manganese deposits, B:122-123  
 Site 787, A:88
- iron oxide  
 ash layers, B:516  
 basement, A:369-370; B:440, 445, 447  
 core vs. log measurements, B:593-594  
 logging data, B:656  
 magnesium oxide correlation, A:266, 269  
 in pelagic/hemipelagic sediments, B:501  
 sinks, B:521
- iron oxide/aluminum oxide ratio, Izu-Bonin forearc, B:187, 189
- iron oxide/magnesium oxide ratio, B:409, 423, 470
- iron oxide/silica ratio, Sumisu Rift, B:187, 190
- iron-titanium oxide, Site 791, B:399
- island-arc basalt (IAB), associated magmas, B:383
- island-arc tholeiite, trace elements, B:479
- island arcs, geochemical signature, B:393
- isostatic rebound, Sumisu Rift, B:566-567, 644
- isothermal remanent magnetization (IRM), B:333, 342
- iterative, nonhierarchical cluster analysis (INCA), Izu-Bonin forearc, B:600-601
- Izu Arc, volcanism, B:386-388, 393-395
- Izu-Bonin Arc  
 accretion to south-central Honshu, B:634  
 arc margin, B:557, 559  
 ash layers, B:27-39  
 backarc, A:415-418; B:185  
 basement, A:51-52; B:231  
 bathymetry, A:52, 408; B:172, 272, 488, 641  
 benthic foraminifers, B:311-314  
 evolution, B:479  
 forearc, A:51-52  
 frontal-arc highs, B:632  
 geochemical evolution, B:481-483  
 geochemical logging, B:653-676  
 geological setting, B:3, 113, 185, 231, 488-489  
 glass shards, B:510-516  
 incompatible elements, A:120  
 Kyushu-Palau Ridge connection, B:206  
 lithospheric extension, B:555  
 lithostratigraphy, B:26, 507  
 manganese deposits, B:114-122  
 massif width, B:634  
 multichannel seismic survey, A:56  
 Oligocene, B:417, 419  
 Oligocene-Miocene strata, A:407  
 paleobathymetry, B:313-314  
 Pliocene-Quaternary strata, A:409  
 pumice, B:18  
 quartz keratophyres, A:121  
 rift basins, B:508, 555  
 rift-flank succession, B:508  
 rifting, A:9, 418; B:508, 647  
 stress field orientation, B:619-620, 624  
 structural features, A:409  
 submarine shield volcano, B:647  
 tephra, B:42  
 topography, B:355  
 uplift, A:418

- volcaniclastic sand/sandstone, B:145, 147, 470-479
- volcaniclastics, B:155, 158-160, 483
- volcanism, B:160-161, 629, 646
- Izu-Bonin arc-trench system, bathymetry, A:65, 99, 130, 224, 317; B:24, 48, 140, 238, 406, 638
- Izu-Bonin backarc  
lithostratigraphy, B:26
- pumice beds, B:6-8
- volcaniclastics, B:155, 158-160
- Izu-Bonin forearc  
alteration mineralogy, B:105-106
- andesite, B:436
- basement, A:6; B:677, 679
- basin evolution, A:408; B:75, 113-114, 231, 603, 632-633
- calcareous nannofossils, B:239-258, 495
- chemostratigraphy, B:594, 596
- diabase intrusive, B:417
- faulting, B:584, 647-648
- geochemical logging, B:593-596
- geological setting, B:677
- geomorphological provinces, B:648
- geothermal gradient, B:191
- hydrothermal alteration, B:101-107
- intersite correlation, A:407-413
- lithospheric extension, B:583
- lithostratigraphy, B:25, 76-78, 603-604
- microstructures, A:64
- outer-arc basement high, A:5
- paleobathymetry, B:299-301
- paleoceanography, B:280-283
- paleoenvironment, B:233, 290-298
- petrogenesis, B:422, 426
- petrography, B:105
- plate rotations, A:64, 318
- pumice beds, B:9
- rare earth elements, B:408
- rift-basin development, B:405
- sandstone beds, B:87-90
- sedimentary structures, B:607, 614, 618-620
- sedimentation, A:318; B:76, 78, 95, 498-499, 584, 603, 647
- seismic reflection profiling, B:634, 636-637
- seismic stratigraphy, A:66; B:557, 575, 579ff
- structural evolution, B:640, 647
- tectonic evolution, A:5-6
- tephra, B:49, 51, 59-63, 68
- terrane origin and evolution, A:224, 318
- thermal history, B:131
- uplift/subsidence history, A:64, 223; B:298
- vein structures, B:195-206
- vertical displacement history, A:318
- vertical motion history, B:640
- volcanic history, A:6; B:285
- volcaniclastics, B:75, 78-90, 155, 158-160, 171-175
- volcanics, B:421-422
- Izu-Bonin-Mariana Arc  
backarc, B:636, 638-639
- evolution, A:6, 8-9
- extension structures, B:634
- faulting, B:642
- forearc, B:634
- frontal arc, B:630-631
- rifting, B:627, 629, 632-636, 640, 642-644, 646
- sedimentation, B:634, 637, 639-640
- volcanism, B:629-632, 639-640, 642, 648
- Izu-Bonin region  
bathymetry, B:286, 312
- pumice, B:8-11
- volcaniclastic sediment, B:543-549
- Izu-Bonin rift, tectonic setting, A:9
- Izu-Ogasawara Arc, tephra, B:457-463
- Izu-Palau Arc system, evolution, B:362-364, 36& 368
- Japan Arc SW, and Japan Sea opening, B:364
- Japan forearc, Oligocene, B:364
- Japan Sea, basin opening, B:364
- Japan Trench  
argillaceous sediment, B:487
- vein structures, B:195
- Juan de Fuca Ridge, basaltic glass, B:510
- Kaikata Seamount, todorokite, A:116
- Kilauea lava fractionation factor, B:451-452
- Korobasaga Volcanic Group (KVG), geochemistry, B:395
- Kotori Volcano  
location, B:557
- as sediment source, B:569
- Kozushima Island, white tephra, B:49
- Kurasaki Volcano, marine tephra, B:42
- Kurasaki volcanics, Site 792, B:63
- Kyushu-Palau Ridge, Izu-Bonin island arc connection, B:206
- lamination  
normal-to-diffuse transition, A:87
- sandstone beds, B:84
- lamination, cross  
formation microscanner imaging, B:618
- ripple-scale, B:91-93, 95, 612
- lamination, parallel, in pumiceous sand beds, A:148
- lanthanum/ytterbium ratio, B:479, 484
- lapilli tuff  
geochemistry, A:185
- petrology, A:174, 181-182, 184
- physical properties, A:200
- Site 787, A:69, 74
- Site 790, A:129
- sonic velocity, A:93
- large-ion-lithophile (LIL) elements, tephra, B:461, 463
- Lao Basin  
arc volcanism, B:394-395
- forearc spreading, B:647
- lava  
barium-poor, B:391
- groundmass texture, A:262
- petrology, B:389-391
- source, B:642, 646
- stratigraphy, A:263-265
- tholeiitic differentiation, B:390
- lava, andesitic, petrology, A:363-365, 367
- lava, basement  
petrology, A:222; B:389-391
- phenocryst assemblages, B:406
- lava, boninitic, petrology, A:365, 367
- lava, calc-alkaline, Site 792, B:422
- lava, hyaloclastic, nonexplosive emplacement, B:373
- lava, porphyritic  
mineralogy, B:111
- Site 793, A:347
- lead isotopes, basement, B:422, 426-428
- Leg 125  
objectives, B:627
- volcanic rock, B:467
- volcaniclastic sandstone, B:483
- Leg 126  
bathymetry, A:43-44; B:4
- chronostratigraphy, B:249, 251
- navigation, A:42
- objectives, A:10; B:101, 140, 209, 353, 487, 505, 627
- seismic reflection profiling, A:43-46
- limestone  
depositional environment, B:233
- Site 793, B:231-233
- lithification  
sandy sediments, B:125-127
- Site 788, A:107-108, 110-112
- volcaniclastic sandstone, B:131
- lithium  
Site 787, A:88
- Sites 790/791, A:187
- lithosphere, linear zone of weakness, B:564, 570-571, 647-648
- lithospheric extension  
mechanisms, B:555
- onset, B:583
- lithostratigraphy  
basement, A:180
- composite section, A:140, 230-231
- composite succession, A:156
- correlation, Sites 790 and 791, A:151-152, 155
- depositional environment, A:115-117, 155-160, 244-248, 325-328, 342, 344-348
- facies associations, A:336, 338
- gravel-to-conglomerate transition, A:108
- hiatuses, A:228; B:579-580
- Izu-Bonin forearc, B:76-78
- lithologic summary, A:157
- lithologic Unit I, A:63, 68-69, 75, 77, 104, 106-108, 129, 140-141, 144-148, 228-229, 244, 322, 325-328, 338, 415, 418; B:4, 6, 8, 114, 210, 215, 217-220, 508-509, 533, 559, 576, 579, 581-582
- lithologic Unit II, A:63, 69, 77, 108-110, 130, 145-148, 155, 157, 229, 244-245, 328, 415, 418; B:6, 213, 215, 217, 220-225, 229, 506, 509, 533, 559, 576, 579-580, 582, 656-657
- lithologic Unit III, A:63-64, 69, 77-78, 229, 235, 246, 328-329, 338, 342, 344; B:6, 225, 533, 576, 580, 582-583, 657
- lithologic Unit IV, A:63-64, 71-74, 78-79, 235, 237, 246-248, 329-332, 338, 344-345; B:115, 227, 580, 583, 657
- lithologic Unit V, A:237-239, 248, 332-338, 340, 345-348; B:115, 227, 580, 583, 657
- lithologic Unit VI, A:240, 337-338, 348; B:583, 657
- lithologic Unit VII, B:583
- logging correlation, A:401-402; B:593-596
- magnetic susceptibility and, A:418
- physical property correlation, A:379, 386, 388
- seismic correlation, A:67, 103, 129-130, 132, 135, 137, 226, 319; B:576-585, 587-588, 590-591
- Site 787, A:71, 410; B:76-78, 282
- Site 788, A:105, 415; B:16, 157, 282, 565, 645
- Site 790, B:282, 565, 645
- Sites 790/791, A:157
- Site 791, B:282, 565, 645
- Site 792, A:410; B:76-78, 282
- Site 793, A:323-324, 411; B:17, 76-78, 282
- tripartite beds, A:144-145, 151-152
- unconformity, A:117
- logging. *See* geochemical logging; geophysical logging

## SUBJECT INDEX

nannofossils, calcareous

- Maemong Limestone (Guam), insoluble residues, B:639
- magma  
backarc vs. arc, B:394  
evolution, B:461  
pre- vs. syn-rift, B:387, 395, 398  
rift vs. arc, B:383  
sources, B:393-394  
trench vs. arc, B:422, 426
- magma, boninitic, genesis, B:630
- magma, silicic, backarc rifting and composition of, B:482-483
- magma, tholeiitic basaltic, pressure compensation level, B:371
- magma eruption  
andesitic, B:513  
explosive rhyolitic, B:513  
rate during incipient rifting, B:393  
sequences 14, B:482
- magma mixing  
eruptive, B: 144  
glass inclusions and, B:171, 175
- magmatism  
with arc volcanism, B:483  
backarc, B:566  
rifting-related, B:483  
syn-rift, B:442
- magnesium  
alteration effects, A:269, 378  
basement, B:434, 437  
Miocene/Oligocene boundary gradient, B:519-520  
Site 787, A:88  
Site 793, A:372
- magnesium/iron ratio, of smectite, B:521
- magnesium oxide  
aluminum oxide correlation, A:370  
ash layers, B:516  
chemostratigraphic variation, B:419  
chromium-nickel relationship, A:370  
iron oxide correlation, A:266, 269  
Oligocene transition, B:483  
in pelagic/hemipelagic sediments, B:497, 499, 501  
sinks, B:521  
vs. silica, B:471
- magnesium oxide/silica ratio  
basement, B:423  
Site 793, A:370
- magnetic anomalies, B:359  
asymmetric accretion, B:636, 638-693
- magnetic polarity reversals, dipole field component, B:351
- magnetic properties, A:43; B:354-357. *See also* natural remanent magnetization (NRM)  
AF demagnetization, B:355-357  
AF magnetization, B:347, 351  
altered vs. unaltered materials, B:333  
anhysteretic remanent magnetization (ARM), A:169; B:342, 347, 351  
azimuthally oriented directions, B:353, 357, 359, 362-363  
basaltic mousse, B:371-376  
Brunhes/Matuyama reversal, B:342-351  
conglomerate test, B:355, 358  
declination, B:357, 359, 363-366  
demagnetization behavior, B:343, 346-347  
directional behavior, B:342  
inclination, B:355, 357  
intensity, B:342-345, 347, 349, 354-355  
lithostratigraphic correlation, A:418  
measurement problems, A:261  
median demagnetizing field (MDF), B:372  
Site 787, A:82-85, 87; B:353-369  
Site 788, A:118-119ff  
Site 790, A:169-174ff; B:334, 340  
Site 791, A:169-174ff; B:333, 335, 337, 339-340  
Site 792, A:222-223, 254-261ff; B:335-340, 353-369  
Site 793, A:352-354ff; B:333, 336, 340, 353-369  
soft-component magnetization, B:357, 359, 362  
susceptibility, A:146, 148  
thermal demagnetization, B:355, 357  
thermal magnetization, B:344  
thermal remanent magnetization (TRM), B:373  
virtual geomagnetic pole (VGP), B:342-351  
viscous remanent magnetization (VRM), B:347, 357
- magnetite, basement, B:419, 436
- magnetostratigraphy, B:238  
biostratigraphic correlation, A:256-257; B:257  
Brunhes/Matuyama reversal record, A:172, 174, 177, 257-261, 352, 354  
Chronozone C5, B:249  
Chronozone C5-C11, A:352  
Chronozone C5A, B:249  
Chronozone C8N, A:257  
Chronozone C9Na, A:257  
polarity reversals, B:253  
remagnetization, A:256, 261  
Site 787, A:84, 257, 262  
Site 788, A:118-119  
Site 790, A:169-170  
Site 791, A:170-174  
Site 792, A:254-257  
Site 793, A:352
- manganates, Izu-Bonin forearc, B:115, 121
- manganese  
in claystone, B:114-117  
depositional environment, B:117  
genetic classification, B:113  
hydrothermal, B:113  
Izu-Bonin Arc, B:114-117  
mineralogy and chemistry, B:115, 117, 122-123  
Site 787, A:88  
Site 788, A:122  
Sumisu Rift, B:114
- manganese oxide  
forearc seamount B:191  
in hemipelagic sediments, B:497, 499  
origin, A:117; B:497-498  
on pumice pebble, A:107
- mantle, sulfur isotope composition, B:449
- Mariana Arc  
rifting, B:557  
volcanism, B:463, 648
- Mariana basin, backarc spreading, A:5
- Mariana forearc, evolution, A:5-6, 8
- Mariana Islands, declination anomalies, B:353
- Mariana Trench, leucocratic plutonic rocks, B:630
- mass spectrometry, inductively coupled (ICP-MS), B:469, 477-478
- mass wasting, Izu-Bonin-Mariana Arc, B:640
- Matuyama Chronozone, Site 792, A:255-256
- mean blocking temperature (MBT), basaltic mousse, B:372
- metamorphism  
basalts, A:174  
heat source, B:191  
Izu-Bonin forearc, B:189-191  
origin, B:189-190  
prehnite-pumpellyite facies, B:189  
tectonics and diversity in, B:185  
timing of, B:190-191
- metavolcanic rock, origin, B:190
- microbreccia, volcanic, Site 793, A:337-338
- microfaults  
anastomosing, A:345  
extensional, A:77, 246, 408  
Site 793, A:334, 336
- microfaults, normal, Site 793, A:334
- microfractures, Site 788, A:106-109
- microstructures  
Izu-Bonin forearc, A:224, 318  
Site 793, B:618
- mid-ocean-ridge basalt (MORB)  
associated magmas, B:383  
E-, Sumisu Rift, B:396, 398  
N-, trace elements, B:477  
sulfur isotopes, B:449
- Middle America Trench, vein structures, B:195, 205  
Minami-Somisu caldera, pumice, A:121; B:10  
Minamizaki limestone  
Bonin Islands, B:632  
foraminifers, B:233
- mineralogy  
authigenic phases, A:373  
chemical-physical correlation, B:104-105  
d-spacing, A:150  
igneous, B:440-442  
secondary, B:436-439  
Site 793, B:432-436  
Sumisu Rift, B:187-188  
thermodynamic correlation, B:524-525  
in volcanoclastic sand/sandstone, B:161, 163
- Miocene/Oligocene boundary, interstitial-water gradients, B:519-520
- Miura-Boso peninsulas, vein structures, B:195, 206
- Miyakejima Island, pyroclastics, B:49
- Miyojinsho volcano, pumice, B:514
- montmorillonite  
Sumisu Rift, B:538  
in vein structures, B:206
- mordenite, Site 793, B:134
- mud, hemipelagic, incompatible elements, B:388
- mud, nannofossil sandy, X-ray diffraction, A:148
- mud clasts, in sandstone beds, B:85
- mudrock, Izu-Bonin forearc, B:80, 612
- mudstone, radiolarian-dominant, B:201
- mudstone, sandy  
depositional environment, A:244-245  
plastic folding, A:76  
Site 792, A:229, 237  
Site 793, A:332
- Nankai, thrusting, subduction-related, B:634
- nannofossils, calcareous  
abundance and preservation, A:21, 23; B:241-242, 246  
Assemblages 1-5, B:239-240, 242  
biostratigraphy, A:79-81, 117-118, 160-162, 167, 171-172, 248-250, 252, 347-349; B:257  
datums, B:256  
distribution, B:240  
Gartner zonation compared, B:246  
lithologic correlation, B:245-246  
magnetostratigraphic correlation, B:249, 251  
Matsuoka and Okada assemblages compared, B:242-244, 246  
Oligocene/Miocene boundary, A:21; B:247  
Oligocene-Miocene, B:246-247, 249



- Pleistocene, B:239–246  
 Pliocene/Pleistocene boundary, A:21  
 Site 787, B:248–249  
 Site 790, B:240  
 Site 791, B:241  
 Site 792, B:242, 250, 254–256  
 Site 793, B:252–253  
 stratigraphic hiatuses, A:254; B:247  
 Sumisu Rift, B:240–242  
 syndimentary reworking, B:241  
 taxonomic classification, B:237, 239  
 zonation, A:21
- natural gamma spectrometry  
 Site 792, A:289  
 Site 793, A:389
- natural remanent magnetization (NRM), B:333, 342–345  
 anhysteretic remanent magnetization (ARM) ratio, B:343, 347–348, 352  
 basaltic mousse, B:372, 374–376  
 isothermal remanent magnetization ratio, B:333–339, 343, 347–348, 372  
 oscillating behavior, B:346, 349, 351  
 signal-to-noise ratio and, B:347  
 stable component direction, B:354–355  
 vein structures, B:204–205
- neodymium isotopes  
 arc vs. rift, B:398  
 basement, B:421–422, 426–427  
 in glass shards, B:461  
 in volcanic rocks, B:391, 396
- neodymium/zirconium ratio, basement, B:416  
 New Guinea Plate N, B:630
- nickel, B:489  
 chromium-magnesium oxide relationship, A:370
- nickel/zirconium ratio, basement, B:416  
 Niijima Island, white tephra, B:49  
 Nishinoshima Island, todorokite, A:116  
 Nishinoshima Trough  
 rift morphology, B:185  
 sediment-filled half graben, B:634  
 Nishiyama Mudstone Formation (Japan), vein structures, B:205
- nitrogen, total  
 Site 787, A:85, 88  
 Site 788, A:122  
 Sites 790/791, A:186–187, 191–193  
 Site 792, A:268, 272–276  
 Site 793, A:374–378
- nucleation kinetics, B:525
- ocean-island arcs, geochemical evolution, B:479, 483  
 ocean-island basalt (OIB), sulfur isotopes, B:449  
 Oceanic Formation (Barbados), vein structures, B:205
- Ohmachi Seamout  
 carbonate bioclasts, B:233  
 geological setting, B:185, 231  
 petrography, B:186–187  
 prehnite-pumpellyite metamorphism, B:189–192
- Oligocene/Miocene boundary  
 calcareous nanofossils, A:21; B:247  
 planktonic foraminifers, B:280
- olivine  
 in basaltic mousse, B:391  
 basement, B:389, 399, 406–407, 439  
 chemical composition, B:162–163  
 in Sumisu Rift basalts, B:396  
 in volcanoclastic sand/sandstone, B:158, 160
- olivine diabase intrusion  
 geochemistry, A:367–369  
 petrography, A:360–361  
 petrology, A:354, 360
- Onnagawa Formation, vein structures, B:205
- ooze, nanofossil, Site 787, A:77
- opal-CT  
 formation conditions, B:525, 527  
 as silica sink, B:525
- opaque minerals, B:140  
 diagenetic, B:126
- ophiolites, supra-subduction zone, A:6  
 ornithine, Sumisu Rift, B:538
- orthoclase, andesite-plagioclase composition, B:443
- orthopyroxene  
 basement, B:406–407, 419, 435, 439, 444  
 chemical composition, B:176–177, 438  
 glass inclusions, B:182  
 phenocrysts, A:263, 266  
 post-eruptive alteration, A:262  
 in volcanoclastic sand/sandstone, B:158, 160
- Oshima Island, pyroclastics, B:49
- outer-arc high (OAH)  
 Izu-Bonin Arc, B:231  
 reflection profiling, B:631  
 relation to frontal-arc highs, B:634
- oxygen fugacity, sulfur content and, B:451
- P*-wave velocity  
 Site 788, A:126  
 Site 792, A:285
- Pacific Ocean W  
 boninite, B:426  
 boninite series volcanics, B:422  
 tectonics, B:139, 556
- Palau Islands, declination, B:353, 359, 363
- Palau-Kyushu Ridge  
 leucocratic plutonic rocks, B:630  
 tuffs and chalks, B:467  
 volcanic basement, B:467  
 volcanoclastics, B:632  
 volcanism, B:629, 639
- paleocurrents  
 analytical methods, B:91–93  
 directions, B:612  
 of sediment gravity flows, B:233
- paleoenvironment, Izu-Bonin arc system, B:288–298
- paleolatitude, B:364  
 magnetic inclination and, B:355, 357  
 Site 787, A:84  
 Site 792, A:257  
 Site 793, A:352, 354
- Parece Vela Basin  
 backarc spreading, A:5; B:636  
 volcanism, B:648
- pelagic sediment  
 analytical methods, B:487  
 authigenic components, B:497–498  
 biogenic components, B:489, 495, 497  
 geochemistry, B:487, 489–499  
 Oligocene, B:632  
 redeposition, B:646  
 sedimentary environment, B:498–499  
 source area, B:489, 497–499  
 terrigenous component, B:497
- Philippine Basin W, magnetic anomalies, B:359
- Philippine Islands, northward motion, A:9
- Philippine Sea  
 active plate boundaries, A:6; B:628  
 andesite, A:271  
 arc volcanism, B:47  
 basalt, A:271
- diagenetic trends, B:132  
 magnetics, B:353, 364–365  
 relict spreading centers, A:6; B:628  
 tectonic features, B:354
- Philippine Sea Plate  
 rotation, A:9; B:75, 364, 367, 603  
 subduction, B:630  
 tectonic evolution, B:362–364, 366–367
- phillipsite, B:524. *See also* cement, phillipsite
- phosphate, in volcanoclastic sandstone, B:483  
 phosphate/yttrium ratio, basement, B:426  
 phosphorus, basement, B:407, 419  
 phosphorus/zirconium ratio, basement, B:416  
 photoelectric effect, predicted vs. actual, A:41
- physical properties  
 analytical methods, A:35–37  
 chemical-mineralogical correlation, A:200  
 depositional processes affecting, B:544–548  
 lithologic correlation, A:379  
 lithostratigraphic correlation, A:92  
 logging data, B:607  
 mineralogical correlation, B:104–105  
 seismic correlation, B:579–583, 586–587, 590–591  
 Site 787, A:88–94  
 Site 788, A:122–123, 125; B:544–549  
 Site 790, A:188–202ff  
 Site 791, A:188–202ff; B:544–549  
 Site 792, A:223, 271, 276, 278–286; B:544–549  
 Site 793, A:316, 379–388; B:544–549  
 unconsolidated-to-lithified transition, B:545  
 volcanoclastic sediments, B:543–549
- pigeonite, in volcanoclastic sand/sandstone, B:160
- Plagioclase  
 basement, B:389, 399, 406–407, 419  
 basement andesite, B:434–436, 439–442, 446–447  
 chemical composition, B:176–179, 432–433  
 glass inclusions, B:171–175, 183  
 stained/etched, B:151, 154
- Plagioclase feldspar  
 dissolution, B:138  
 in volcanoclastic sands, B:140
- plant debris, carbonaceous, Site 792, A:243
- plate rotation, Izu-Bonin forearc, A:224
- pleochroism, in pumpellyite replacement, B:186
- Pliocene/Pleistocene boundary  
 calcareous nanofossils, A:21  
 planktonic foraminifers, B:271–272, 281
- plutonic rock, leucocratic, B:630
- pore pressure, in fracture formation, B:205
- porosity  
 cementation effects, B:545  
 formation factor and, B:547–548  
 indurated pumice, B:126  
 interparticle, A:334  
 lithostratigraphic correlation, A:278–279  
 logging data, B:656  
 olivine diabase intrusion, A:360  
 properties affecting, B:551  
 pumice conglomerates, B:546  
 Site 787, A:89, 91–92  
 Site 788, A:123, 126  
 Site 790, A:189  
 Site 791, A:199–200  
 Site 793, A:379  
 volcanoclastic sandstones, B:126  
 vs. density, B:548
- porosity/cement relationship, volcanoclastic sandstone, B:129
- porosity/velocity relations, B:545–546
- porphyritic-andesitic flow, Site 792, B:439

## SUBJECT INDEX

sand, volcanoclastic

- potash, vs. silica, B:470
- potassium  
 in glass inclusions, B: 173  
 logging data, A:216-220, 289; B:655  
 Miocene/Oligocene boundary gradient, B:519-520  
 Site 787, A:88  
 Site 790, A:187  
 thermodynamics, B:523-524  
 in volcanoclastic sand/sandstones, B:470
- potassium-argon dating, B:677-680
- potassium oxide  
 ash layers, B:515  
 basement, A:369  
 in glass shards, B:512  
 Site 792, A:266  
 tephra layers, B:59-60  
 in volcanic glass, B:34, 63
- potassium oxide-silica relationship  
 pumice beds, B:12-14  
 tephra, B:40, 62, 74
- prehnite. *See also* metamorphism, prehnite-pumellyite facies  
 chemical composition, B:189, 191  
 Izu-Bonin forearc, B:105, 107  
 Ohmachi Seamount, B:186-187, 189
- pressure compensation level (PCL), tholeiitic basaltic magmas, B:371
- proto-remnant arc  
 arc volcanism on, B:395  
 Sumisu Rift, B:559
- pumice  
 ages, B:7-9  
 alteration, B:136-137  
 andesite-to-rhyolite transition, B:395  
 bed thickness, A:116  
 Beds I-V, B:5-6  
 chemistry, B:7, 9, 20-21  
 compaction, B:129, 136-137  
 dissolution rate, B:525  
 distribution, B:11  
 dry-bulk density, B:553  
 eruption episodes, A:116  
 geochemistry, B:385, 387-388  
 grain types, B:7-11, 19  
 indurated, B:126  
 Izu-Bonin Arc, B:44  
 lithologies, B:9  
 low-alkali tholeiite series, B:9  
 major oxides, B:12-14  
 origin and deposition, B:9-11  
 oxide stratigraphy, B:512  
 petrography, B:7  
 petrology, B:396, 398  
 physical properties, A:199  
 Pliocene-Quaternary unconformity, B:11, 386, 508, 570  
 pressure welding, A:112  
 Site 793, A:326, 336  
 Sumisu Rift, B:408  
 textures, B:6-7  
 thickness, B:4  
 trace elements, B:481  
 upward-coarsening sequence, B:482  
 woody fragments, B:151
- pumice, anhydrous, B:389
- pumice, dacite, B:387-388
- pumice, rhyolite, A:120-121; B:386-388
- pumice, silicic, B:386-388
- pumice clasts  
 depositional mechanisms, A:117  
 Site 788, A:106-107, 109  
 Site 793, A:325, 331
- X-ray diffraction, A:148
- pumice conglomerate, physical properties, B:546
- pumice gravel  
 manganese coating, B:114  
 petrography, B:126  
 Sumisu Rift, B:285
- pumice pebbles, Site 790, A:155
- pumiceous sediment  
 consolidation behavior, B:546-547  
 current control, B:147  
 lithification, B:131  
 temperature and age, B:528
- pumpellyite  
 Ohmachi Seamount, B:186  
 Sumisu Rift, B:186-187
- pyrite  
 sulfur and, A:208  
 X-ray diffraction, A:150
- pyroclastics  
 classification, A:20-21  
 grain morphoscopy, B:225  
 redeposition, B:646  
 Sites 790/791, A:158  
 Site 792, B:221-223
- pyroxene  
 calcium content, B:164-168  
 cockscomb texture, B:140  
 in volcanoclastic sand/sandstone, B:161
- quartz  
 basement andesite, B:439  
 Site 792, A:264  
 in volcanoclastic sands, B:140
- radioactivity, logging data, B:655
- radiolarians, B:321-330  
 abundance, A:24-25  
 biostratigraphy, A:26-28, 80-81, 167-168, 171-172, 252-254, 351  
 Site 787, B:322-323  
 Site 790, B:322-324  
 Site 791, B:322, 325-326  
 Site 792, B:322-323, 327-329  
 Site 793, B:324, 330  
 stratigraphic hiatuses, A:254  
 in vein structures, B:198, 201  
 zonation, A:24; B:321-322
- random Cantor dusts, in calculating bed thickness frequency, B:88
- rare earth elements  
 basement lavas, B:398, 417  
 geochemical characteristics, B:489  
 LREE depletion history, B:479, 483  
 neodymium isotopes and redistribution of, B:421-422  
 in pelagic/hemipelagic sediments, B:497-499, 502  
 pumice, B:387-388  
 slab component, B:483  
 temporal distribution, B:461, 480  
 tephra, B:461, 464  
 volcanoclastic sand/sandstones, B:478-479, 482  
 zigzag patterns, B:498
- resistivity, pore-water  
 Site 787, A:87  
 Sites 790/791, A:190  
 Site 792, A:271  
 Site 793, A:372
- resistivity, sediment, A:33-34; B:547, 607  
 grain size correlation, B:78  
 Site 787, A:84-85, 87  
 Sites 790/791, A:186, 190
- Site 792, A:267-268, 271  
 Site 793, A:371-372
- resistivity logs  
 Site 792, A:289  
 Site 793, A:389
- rhyolite  
 arc vs. rift, B:393, 395-396  
 geochemistry, B:393, 395-396, 401, 419  
 Izu Arc, B:385  
 origin magmas, B:512  
 petrology, B:392-393  
 source, B:393  
 trace elements, B:421  
 Types A and B, A:121
- rhyolite dome, hydrothermal deposits, B:642-643
- rift, failed, Izu-Bonin forearc, B:196, 206
- rift flank uplift, Sumisu Rift, B:559, 566, 642, 644, 646
- rift volcanism  
 across transfer zones, B:642  
 forearc, B:405
- rifting. *See also* arc rifting  
 initiation, A:418; B:386  
 interarc, B:482  
 Izu-Bonin arc, A:9  
 Izu-Bonin-Mariana Arc, B:557  
 uplift, A:418
- rubidium, in basement basalts, A:184
- Ryuku Arc  
 ash layers, B:463  
 volcanic history, B:68
- Saipan  
 declination anomalies, B:359, 362  
 leucocratic plutonic rocks, B:630  
 volcanic highs, B:630
- samarium/zirconium ratio, basement, B:416
- sand  
 physical properties, A:91-93  
 Site 791, A:147
- sand, basaltic, in nannofossil claystones, A:157
- sand, black  
 Site 790, A:145  
 Site 791, A:159
- sand, pebbly  
 Site 790, A:144  
 Site 791, A:147, 158
- sand, pumiceous  
 depositional environment, A:326  
 parallel laminations, A:149  
 Site 790, A:144  
 Site 791, A:158  
 Site 793, A:329
- sand, vitric  
 depositional environment, A:326  
 felsic and mafic components, A:228-229  
 graded beds, A:328-329  
 Site 788, A:107  
 Site 791, A:160  
 Site 793, A:323, 325, 327  
 X-ray diffraction, A:148, 150
- sand, volcanoclastic, B:140-144  
 detrital modes, B:142-144  
 geochemistry, B:160  
 grain dissolution and alteration, B:129  
 grain types, B:140-141  
 heterogeneity, B:147, 153  
 Izu-Bonin region, B:155-160  
 lithification, B:131  
 mineral chemistry, B:158-160  
 modal composition, B:145, 147  
 petrology, B:158, 160  
 Site 792, B:169

- tachylite-rich, B:147  
temporal trends, B:144-145  
sand bed, parallel-laminated, A:330  
sand/sandstone, volcanoclastic  
  geochemistry, B:482  
  island-arc character, B:471  
  Izu-Bonin Arc, B:470-474  
  major-element geochemistry, B:470-474  
  rare earth elements, B:478  
  source rocks, B:470-471, 483  
  tholeiitic affinity, B:479  
  trace elements, B:475-479  
sand/silt, black, Site 790, A:144  
sandstone  
  acid vs. basic components, B:483  
  alteration, A:334-335; B:106, 109  
  bed thickness, B:87-90, 95  
  bedding dips, B:91  
  Bouma sequences, B:87  
  color banding, A:346  
  dacitic composition, B:482  
  depositional environment, A:246  
  depositional processes, A:346; B87, 612  
  diagenesis, B:468  
  formation microscanner imaging, B:613-617  
  geochemistry, B:482  
  graded beds, A:346; B:80-82, 84, 612-614  
  intraclasts, B:82  
  magnetic properties, A:84  
  mineralogy, B: 105-106, 109  
  parallel laminations, A:344  
  petrography, B:126-130  
  petrology, A:333-334  
  porosity, A:89  
  sedimentary structures, B:83  
  Site 793, B:231  
  thick beds, B:88-89, 612  
  trace elements, B:483  
  X-ray diffraction, A:340, 342  
sandstone, calcareous, Site 793, B:234  
sandstone, granule  
  formation microscanner imaging, B:80-82,  
  86, 617  
  Izu-Bonin forearc, B:612  
sandstone, lithic-crystal-vitric, Site 787, A:75  
sandstone, muddy  
  depositional environment, A:244-245, 344  
  petrography, B:221, 224  
  Site 792, A:229  
  Site 793, A:333  
sandstone, pebbly  
  deposition, A:346  
  formation microscanner imaging, B:80-82,  
  616  
  Izu-Bonin forearc, B:612  
  Site 787, A:73-74  
  Site 792, A:241  
  Site 793, A:336  
sandstone, pumiceous  
  parallel laminations, A:336  
  Site 788, A:111  
  Site 793, A:343  
sandstone, silty  
  internal structures, A:72-73  
  Site 787, A:73-74, 76  
sandstone, vitric  
  geochemistry, B:482  
  graded beds, A:335  
  logging data, B:657  
  Miocene, A:407  
  Site 787, A:72  
  Site 788, A:109  
  Site 792, A:229, 235; B:172  
sandstone, volcanic, source area, B:482  
sandstone, volcanoclastic  
  diagenetic alteration, B:125-132  
  geochemistry, B:160  
  hydrothermal alteration, B:419  
  Izu-Bonin region, B:155-160  
  mineral chemistry, B:158-160  
  petrology, B:158, 160  
  source areas, B:483  
saponite  
  chemical composition, B:436  
  magnesium/iron ratio, B:521  
Satsuma-Iwojima dacite, sulfur saturation, B:451  
Sawa seamounts, B:185  
scoria, basalt, seismic reflection profiling, A:132  
scour, Site 790, A:154  
sea level, changes in, B:94-95  
seafloor spreading, Shikoku Basin, B:636, 638  
seamounts  
  cross-arc features, B:564  
  Izu-Bonin-Mariana Arc, B:639  
seawater/rock interaction  
  basaltic mousse, B:451  
  Izu-Bonin forearc, B:417, 419, 426, 442-443  
sediment gravity flow  
  calcareous bioclasts in, B:233  
  depositional processes, B:87  
  Izu-Bonin forearc, B:612  
  mechanism and conditions for, B:91  
  Oligocene, B:94  
  pumice deposition by, B:9-10  
  recurrence intervals, B:89-90  
  Site 790, B:213  
  Sumisu Rift, B:228  
  triggering processes, B:90-91  
sediment/igneous transition, physical properties,  
  A:200  
sediment sliding, Site 787, B:87  
sedimentary clast, Site 793, A:342  
sedimentary structures, A:19  
  Site 788, A:105  
  Site 791, A:157  
  Site 793, A:342  
sedimentation rate  
  Brunhes/Matuyama reversal, B:346, 349  
  Izu-Bonin Arc, B:23, 604  
  Izu-Bonin forearc, B:604  
  lithologic correlation, B:497-498  
  magnetic properties and, B:341  
  manganese content and, B:498, 502  
  Oligocene, A:407; B:94  
  pumice beds, B:7-8  
  Site 787, A:74-75  
  Sites 790/791, A:150, 172  
  Site 792, A:222, 243-244; B:580  
  Site 793, A:342  
  Sumisu Rift, B:532, 559, 646  
  tectonic control, B:569  
  turbiditic effects on, B:212  
  volcanic activity and, B:481-482  
seismic reflection profiling, A:43-46; B:564, 629  
  arc margin, B:557, 559  
  basement, A:6-7  
  conglomerate-to-nannofossil claystone transi-  
  tion, A:99  
  correlation, vertical seismic profile, B:578-  
  579, 583-584  
  cross-rift, B:560-561  
  data acquisition and processing, A:50  
  forearc, A:51-52  
  Izu-Bonin arc-trench system, B:630  
  Izu-Bonin forearc, B:634, 636-637  
  lithostratigraphic correlation, A:67, 417  
  Oligocene, B:417, 419  
  rift basin, B:569  
  Site 787, A:46-47, 409  
  Site 788, A:47, 417  
  Site 789, A:48-49, 417  
  Site 790, A:44, 46, 48-49, 120-130, 417  
  Site 791, A:129-130, 417  
  Site 792, A:409  
  Site 793, A:409; B:589  
  Sumisu Basin N, B:572  
  Sumisu Rift, A:52; B:557  
  syn-rift sequence, A:44, 46  
  Unit I/II boundary, A:129-130  
  Unit II/III boundary, A:132  
  VSP correlation, A:314  
seismic stratigraphy  
  Izu-Bonin forearc, B:633, 642  
  lithostratigraphic correlation, A:103, 129-130,  
  132, 135, 137, 226, 319; B:576-585  
  logging correlation, B:579-580, 582-583,  
  586-587, 590-591  
  physical property correlation, B:579-580  
  seismic units 1-3, A:51-52; B:557  
  seismic units 1-4, A:224-225  
  seismic units 1-5, B:575, 579-583  
  Site 787, A:65; B:576-577  
  Sites 788/789, A:99  
  Sites 790/791, A:129-130  
  Site 792, B:577-581  
  Site 793, A:318; B:581-583  
serpentine seamont  
  Izu-Bonin forearc, A:6  
  Mariana forearc, A:6  
Shadow Mountain, emplacement, B:563  
shear fracture  
  formation, B:205  
  Site 793, B:201-202  
shear planes, Riedel, B:205  
shear strength  
  ratio to overburden stress, B:546-547  
  Site 790, A:195, 199  
  Site 791, A:199, 200, 207  
  Site 792, A:279, 285  
  Site 793, A:379, 386, 388  
shear zone, Site 787, A:69  
Shichiyo seamounts, B:185  
Shikinejima Island, white tephra, B:49  
Shikoku Basin  
  backarc spreading, A:5; B:636  
  magnetic anomalies, B:359, 362  
  opening, B:95, 364  
  sandstone-to-mudstone transition, B:95  
  spreading history, revised, B:636, 638  
  subduction, B:364  
  volcanism, B:648  
Shikoku-Parece Vela Basin, westward opening,  
  B:362  
Shinkurose Ridge, basement highs, B:417, 419,  
  677  
sideromelane, B:140-141  
silica. *See also* magnesium oxide/silica ratio; po-  
  tassium oxide-silica relationship  
  ash layers, B:60  
  backarc vs. forearc sites, B:498-500  
  basement, A:369  
  core vs. log measurements, B:593, 597  
  in glass shards, B:512  
  logging data, B:526-527, 657  
  pumice layers, B:514, 516, 525  
  sinks, B:521-522  
  Site 787, A:88  
  Site 793, A:378  
tephras, B:71

- vs. potash, B:470  
vs. silica, B:471  
silica-alkali relationship  
ash layers, B:40, 60, 62, 72  
pumice beds, B:12  
silica phases, dissolution rate, B:525, 528  
silica-titanium dioxide relationship, tephra, B:40, 62, 73  
silicate, framework grains, B:140  
silicon  
basement, B:434, 437  
logging data, A:206  
in manganese deposits, B:122–123  
sill, diabase. *See* diabase intrusion  
silt, nannofossil-rich clayey  
depositional environment, A:244  
Site 790, A:144–145  
Site 792, A:228  
Site 793, A:323  
silt, vitric  
clayey, A:164; B:213  
depositional environment, A:326–327  
felsic and mafic components, A:228–229  
in pumiceous sand, A:159  
Site 790, A:140–141, 144, 157  
Site 791, A:147–148, 161  
Site 793, A:325  
X-ray diffraction, A:148, 150  
siltstone  
depositional processes, B:87, 612  
graded beds, B:80  
internal structures, A:72–73  
X-ray diffraction, A:342  
siltstone, clayey vitric, Site 788, A:109  
siltstone, lithic-crystal-vitric, Site 787, A:75  
siltstone, silty, internal structures, A:72–73  
siltstone, vitric  
graded beds, A:331–333  
Miocene, A:407  
Site 787, A:75  
Site 788, A:109, 112  
Site 792, A:229, 235  
Site 793, A:332  
Site 53, arc volcanism, B:648  
Site 290, foraminifers, B:632  
Site 292  
*Cyclicargolithus floridanus*, B:249  
*Pseudohastigerina micra* Zone, B:272  
Site 296  
arc volcanism, B:639  
*Cyclicargolithus floridanus*, B:249  
*Globorotalia conoidea*, B:276  
*Globorotalia margaritae*, B:273  
*Globorotalia punctulata*, B:273  
location, B:76, 384, 468  
Miocene sandstones, B:483  
Oligocene deposits, B:94  
volcaniclastics, B:632  
volcanism, B:636  
Zone N8, B:279  
Site 393, A:315–403  
Site 442  
basal sediments, B:636  
tephra, B:42, 63, 68  
Site 445  
diagenetic trends, B:132  
*Reticulofenestra bisecta*, B:247  
Site 446, diagenetic trends, B:132  
Site 447, sedimentation maximum, B:632  
Site 448  
Oligocene tholeiitic lava, A:266  
volcanism, B:636  
Site 449, pyroclastic arc volcanism, B:639  
Site 450, pyroclastic arc volcanism, B:639, 648  
Site 451, pyroclastic arc volcanism, B:639  
Site 453  
brown glass, B:145  
diagenesis, B:132  
fluid geochemistry, A:88  
Site 458  
bronzite andesite, B:426, 442, 634  
Eocene arc tholeiites, A:6  
magmatism, B:632  
outer arc high, B:630  
pelagic sediments, B:632  
Site 459  
Eocene arc tholeiites, A:6  
lavas, B:629  
outer arc high, B:630  
pelagic sediments, B:632  
pyroclastic arc volcanism, B:639  
tholeiite-boninite interlayering, B:631  
Site 460, tectonic erosion/accretion, B:632  
Site 461, tectonic erosion/accretion, B:632  
Site 504, sulfur, B:452  
Site 709  
*Gephyrocapsa* sp., B:263–265, 267–268  
location, B:264  
Site 711, *Reticulofenestra bisecta*, B:247  
Site 781, arc-tholeiite intrusion, B:640  
Site 782  
benthic foraminifers, B:296  
location, B:76, 384, 468, 576  
sedimentation rate, B:285  
tephra layers, B:67  
Site 783, location, B:576  
Site 784  
location, B:576  
vein structures, B:206  
Site 785  
location, B:576  
pumice deposition, B:9  
Site 786  
benthic foraminifers, B:296  
location, B:76, 384, 468, 576  
sedimentation rate, B:285  
volcaniclastic layers, B:68  
Site 787, A:63–96. *See also* density; interstitial-water chemistry; lithostratigraphy; magnetic properties; *particular microfossil* groups; seismic reflection profiling; seismic stratigraphy; thermal conductivity; X-ray diffraction  
arc/forearc development, A:6–9  
arc volcanism, B:632  
basal sediments, B:633–634  
claystone, A:407  
deformed beds, B:87  
lithologic column, B:50, 157  
location, B:76, 156, 196, 321, 384, 450, 468, 520, 543, 576  
pelagic/hemipelagic sediments, B:490, 494  
pumice deposits, B:9  
pyroxene, B:164–166  
sedimentary section, B:605, 607  
sedimentation, A:408; B:94  
seismic stratigraphy, B:576–577  
turbidites, A:407  
vein structures, B:196, 198–200  
volcaniclastics, B:155–161, 472, 475  
Site 788, A:97–126. *See also* density; foraminifers; interstitial-water chemistry; lithostratigraphy; physical properties; seismic reflection profiling; seismic stratigraphy; X-ray diffraction  
ash layers, B:36–38  
glass shards, B:510, 513, 518  
location, B:76, 156, 210, 372, 384, 450, 468, 505, 520, 543, 576  
manganese deposits, B:114, 116  
olivine, B:162  
pelagic/hemipelagic sediments, B:490, 494  
pumice deposits, B:8–9, 11  
pyroxene, B:164  
rift flank uplift, B:559  
rifting, A:9  
sedimentary succession, A:415; B:506  
sedimentation, B:644, 646  
trace fossils, B:217–218  
volcaniclastic sediment, B:386–387  
volcaniclastics, B:155–161, 472, 475  
Site 789, A97–126. *See also particular microfossil* groups; seismic reflection profiling; X-ray diffraction  
location, B:156, 372, 450, 505–506, 576  
rifting, A:9  
Site 790, A:127–220. *See also* carbon, organic; density; interstitial-water chemistry; lithostratigraphy; magnetic properties; *particular microfossil* groups; seismic reflection profiling; thermal conductivity; X-ray diffraction  
amino acids, B:532  
arc volcanism, B:646  
ash layers, B:28–29, 36–39  
basement lava, B:389–391  
Brunhes/Matuyama polarity reversal, B:341–351  
composite stratigraphic section, B:211  
*Gephyrocapsa* sp., B:263–268  
glass shards, B:510, 512, 518–522  
hydrothermal circulation, B:646  
igneous rock, A:415, 418  
lithologic column, B:157  
location, B:76, 156, 210, 264, 321, 372, 384, 450, 468, 506, 520, 532, 543, 576  
magnetic susceptibility, A:418  
olivine, B:162  
pelagic/hemipelagic sediments, B:490, 494  
pumice, B:4–8  
pyroxene, B:164  
rift basin, B:559, 562–563  
rifting, A:9  
sedimentary succession, B:508–509  
sedimentation, B:646  
sulfur isotopes, B:450  
trace fossils, B:209–215  
volcaniclastics, B:155–161, 472, 475, 478  
Site 791, A:127–220. *See also* carbon, organic; density; geochemical logging; lithostratigraphy; magnetic properties; *particular microfossils* groups; physical properties; seismic reflection profiling; thermal conductivity; X-ray diffraction  
amino acids, B:533–534  
arc volcanism, B:646  
basaltic mounds, B:371–376, 391–392  
basement lava, B:389–391  
Brunhes/Matuyama polarity reversal, B:341–351  
composite stratigraphic section, B:211  
depositional environment, B:217  
glass shards, B:510, 512, 522–524  
hydrothermal circulation, B:646  
igneous rock, A:415, 418  
lithologic column, B:157  
location, B:76, 156, 210, 372, 384, 450, 468, 506, 520, 532, 543, 576  
magnetic susceptibility, A:418

- olivine, B:162–163  
 pelagic/hemipelagic sediments, B:490–491, 494  
 pumice, B:96  
 rift basin, B:559, 562–563  
 rifting, A:9  
 sedimentary succession, B:508–509  
 sedimentation, B:646  
 sulfur isotopes, B:450  
 tephra, B:36–38  
 trace fossils, B:215–217  
 volcanoclastics, B:155–161, 472–479
- Site 792, A:221–314. *See also* carbon, organic; carbonate; density; geochemical logging; geophysical logging; lithostratigraphy; magnetic properties; *particular microfossil groups*; physical properties; thermal conductivity; X-ray diffraction  
 arc/forearc development, A:6–9  
 arc volcanism, B:632  
 ash layers, B:34–35  
 basal sediments, B:633–634  
 basement, A:407; B:419, 421  
 black tephra, B:63  
 Brunhes/Matuyama polarity reversal, B:341–351  
 chronostratigraphy, B:679  
 composite stratigraphic section, B:220  
 hornblende, B:168  
 hydrothermal alteration, B:101–107, 419  
 igneous stratigraphy, B:439–440  
 lithologic column, B:50, 157, 606  
 location, B:76, 156, 210, 321, 384, 450, 468, 520, 576, 593, 677  
 manganese deposits, B:115–116  
 marine tephra, B:52–58  
 mineralogy, B:440–442  
 Oligocene arc, B:417, 419  
 Oligocene sedimentary logs, B:78–91  
 pelagic/hemipelagic sediments, B:491–492, 494–495  
 pumice deposits, B:9, 11  
 pyroxene, B:165–167  
 sedimentary section, B:605, 607  
 sedimentary structures, B:62, 614, 618–620  
 sedimentation, A:407–408; B:225–227, 229  
 seismic stratigraphy, B:577–581  
 stress field orientation, B:620  
 sulfur isotopes, B:450–451  
 tectonic setting, B:171  
 tephra, B:39, 49, 52–58, 61, 63–66, 457–463  
 trace fossils, B:218–227  
 turbidites, A:407; B:608  
 volcanic stratigraphy, B:405–406  
 volcanoclastics, B:155–161, 473, 476, 478–479
- Site 793, A:315–403. *See also* carbon, organic; carbonate; geochemical logging; geophysical logging; interstitial-water chemistry; lithostratigraphy; magnetic properties; *particular microfossil groups*; physical properties; seismic reflection profiling; thermal conductivity; X-ray diffraction  
 arc/forearc development, A:6–9  
 arc volcanism, B:632  
 basement, B:407–417  
 carbonate bioclasts, B:231–233  
 chronostratigraphy, B:679  
 hydrothermal alteration, B:101–107, 436–439  
 lithologic column, B:157, 232, 606  
 location, B:76, 156, 196, 321, 450, 468, 520, 543, 576, 593, 678  
 manganese deposits, B:115–116  
 mineralogy, B:432–439  
 Oligocene sedimentary logs, B:78–91  
 pelagic/hemipelagic sediments, B:492, 495  
 petrography, B:406–407  
 pumice deposits, B:9  
 pyroxene, B:165–168  
 rift volcanism, B:405  
 sedimentary section, B:605, 607  
 sedimentary structures, B:614–615, 617–620  
 sedimentation, A:407–408  
 seismic stratigraphy, B:581–583  
 stress field orientation, B:620  
 sulfur isotopes, B:451  
 tectonic setting, B:171  
 tephra, B:51, 66  
 turbidites, A:407; B:608  
 vein structures, B:196, 198, 200  
 volcanic rock, B:432  
 volcanic stratigraphy, B:405–406  
 volcanoclastics, B:155–161, 473, 476–479
- slump unit, magnetic properties, A:84  
 smectite  
 Izu-Bonin forearc, B:102  
 morphology, B:105  
 secondary production, B:105  
 Site 792, A:242  
 Site 793, A:338, 340; B:417  
 thermodynamic parameters, B:521
- sodium  
 basement, B:434, 437  
 concentration gradient, B:520  
 in glass inclusions, B:173, 175  
 Site 792, A:270  
 in volcanoclastic sand/sandstones, B:470  
 sodium chloride, grain density, B:553  
 sodium oxide  
 sinks, B:521–522  
 Site 792, A:266  
 sodium oxide/magnesium oxide ratio, basement, B:423  
 Sofu Gan, submarine volcanoes, B:564  
 Sofu Gan Tectonic Line, B:634  
 sonic log  
 Site 792, A:289  
 Site 793, A:389  
 sonic velocity. *See* velocity  
 spinel  
 basement, B:389–390, 399, 435–436, 444  
 in olivines, B:396  
 sponges, amino acid composition, B:537  
 Steens Mountain polarity transition, VGP migration, B:346
- stilbite  
 stability of, B:521  
 thermodynamic parameters, B:524–525
- stress  
 horizontal stretching field, B:205  
 orientation, B:619–620, 624  
 sedimentary structures, B:614, 618–620
- strontium  
 basement, B:417  
 Site 787, A:88  
 trace elements, B:421  
 volcanoclastic sand/sandstones, B:477
- strontium isotopes  
 arc vs. rift, B:398  
 basement, B:421–422, 426–427  
 in glass shards, B:461–462, 465  
 in marine carbonates, B:489, 495  
 volcanic rocks, B:387, 391
- strontium/zirconium ratio, basement, B:416  
 subduction  
 Izu-Bonin Arc, A:6  
 Izu-Bonin vs. Mariana arcs, B:629–630, 647  
 submarine valley, Izu-Bonin forearc, A:322  
 subsidence  
 across transfer zones, B:564  
 differential, A:155; B:227–228, 559, 646  
 focusing of, B:566  
 history, A:8  
 syndepositional, B:562
- sulfate  
 concentration gradient, B:520–521  
 gypsum precipitation and, A:378; B:521  
 Site 787, A:88  
 Sites 790/791, A:188  
 Site 792, A:270  
 sulfide, seawater sulfide origin, B:452  
 sulfide/total sulfur ratio, Sumisu Rift, B:451–452
- sulfur  
 alteration effects, B:451–452  
 in igneous rock, B:450–452  
 logging data, A:206  
 Mariana Arc, B:449  
 recycling, B:452  
 Sites 790/791, A:186–187, 191–193  
 Site 792, A:268  
 sulfate/sulfide ratio, B:451  
 water content and, B:452
- sulfur, total  
 Site 788, A:122  
 Site 792, A:272–276  
 Site 793, A:374–378
- sulfur isotopes  
 alteration effects, B:452  
 arc-to-backarc transitions, B:452  
 degassing, B:449, 452  
 fractionation factor, B:451–452  
 in igneous rock, B:450–452  
 mid-ocean-ridge basalt vs. ocean-island basalt, B:449  
 seawater sulfate reduction and, B:452  
 subduction-related, B:452  
 water content and, B:452
- Sumisu Basin N, seismic reflection profiling, B:572  
 Sumisu Basin S  
 isopach map, B:562–563, 570  
 seismic reflection profiling, B:568  
 Sumisu Caldera S  
 location, B:557  
 as sediment source, B:646  
 Sumisu Jima, volcanoes, B:417, 564  
 Sumisu Jima Canyon, seismic reflection profiling, A:317  
 Sumisu Rift  
 amino acids, B:532–538  
 arc margin, B:570  
 arc spreading, B:113  
 backarc basin basalt, B:642  
 backarc volcanism, B:394  
 basement, A:9; B:392–394  
 bathymetry, A:100, 131, 416; B:5, 287, 506, 558, 573, 643  
 benthic foraminifers, B:288–290  
 explosively erupted magmas, B:387  
 fault pattern, B:564  
 geological setting, B:185, 532  
 hanging-wall collapse, B:566, 644  
 horst blocks, A:9  
 hydrothermal alteration, B:497  
 hydrothermal circulation, B:642–644  
 initiation and development, B:3  
 isostatic rebound, B:566–567, 644  
 magma, B:394–395  
 mineral chemistry, B:187–189

## SUBJECT INDEX

vein structures

- paleobathymetry, B:288-290, 296  
paleoenvironment, B:288-290, 296  
petrography, B:185-186  
prehnite-pumpellyite metamorphism, B:189-192  
proto-remnant arc, B:559  
pumice, B:9-11, 15, 395-398  
radiolarians, B:321-330  
ridge barrier, B:10-11  
rift-axis volcanism, A:9  
rift basin, B:559, 562-563, 569  
rift flank uplift, B:642, 644, 646  
sediment depocenters, B:557, 563  
sediment source, B:569-570  
sedimentary structures, B:563-564  
sedimentary succession, A:415  
sedimentation, B:563, 569-570, 644, 646  
seismic reflection profiling, A:52, 57-60, 102, 134; B:560-561  
structural evolution, B:557, 564, 566, 568-571, 642  
subsidence, B:227-228, 559, 564, 646  
tectonic setting, B:557  
tephra, B:69, 72-73  
two-stage development, B:566  
unconformity age, B:644, 646  
vertical motion history, B:646  
volcanic rock, B:497  
volcaniclastic sand, B:139-140  
volcanism, B:388-393, 646
- Sumisu Rift basalt (SRB)  
geochemistry, B:396  
trace elements, B:387, 390-391  
Sumisu Rift Rhyolites (SRR), petrology, B:392-393  
synthetic seismogram, Site 792, A:308
- tachylite, B:140-141, 144, 152-153  
Takachiho Orogeny, mechanism, B:364  
tantalum, in tephra, B:461-462  
tectonic erosion  
arc margin, B:570  
Izu-Bonin-Mariana Arc, B:632  
tectonic evolution  
anchored slab model, B:362  
arc bending, B:362  
forearc rotation, B:362-363  
full graben stage, B:566, 570, 642  
Izu-Bonin forearc, B:362-367  
whole plate rotation, B:363-366, 368-369  
tectonic rotation  
clockwise, B:357, 362  
paleomagnetic declination and, B:357  
tectonics  
extensional, B:583  
half-graben, A:9  
Izu-Bonin forearc, A:408  
onset, B:583  
rift-related, B:634  
Site 792, A:237  
temperature  
logging data, A:289, 294, 309, 389  
Site 787, A:87  
Sites 790/791, A:190  
Site 792, A:271, 288  
Site 793, A:372  
tension gash, Izu-Bonin forearc, B:206  
tephra  
accumulation rate, B:34  
calc-alkaline, B:62, 459-450, 462  
chemical composition, B:34-35, 40, 59-63, 69  
colors, B:27, 48-49, 60, 63, 69  
derivation, B:461  
frequency, B:33, 49, 61-63, 68  
geochemistry, B:457-463, 514-515  
grain size, B:35-39, 51, 59, 68-69  
high-potassium, B:63, 68  
Izu-Bonin Arc, B:48-69  
low-alkali tholeiite series, B:62  
multiple layer, B:27  
origin, B:63  
petrography, B:30-32, 64-66  
shoshonitic affinity, B:460, 463  
simple layer, B:27  
source, B:35, 460-463  
tantalum, B:461-462  
thickness, B:33, 49  
tholeiitic affinity, B:459-66  
thermal conductivity  
hard-rock, A:36  
Site 787, A:93, 96  
Site 790, A:197-198, 202  
Site 791, A:202, 208, 210  
Site 792, A:285-287  
Site 793, A:388-389  
soft-sediment, A:35-36  
thermal gravity analysis, Izu-Bonin forearc, B:115, 121  
thermodynamics  
interstitial waters, B:519-528  
mineralogical correlation, B:524-525  
thorium, logging data, A:216-220, 289; B:655  
thorium/niobium ratio, island-arc tholeiites, B:479  
thorium/ytterbium ratio, tephra, B:462  
titanium  
basement, B:433-434, 437  
depletion in tephra, B:461  
titanium dioxide  
arc-to-bench transition, B:422, 428  
basement, A:369; B:445  
basement andesite, B:440, 447  
core vs. log measurements, B:593  
logging data, B:657  
in pelagic/hemipelagic sediments, B:500-501  
pumice layers, B:516  
tephra layers, B:59  
titanium dioxide/magnesium oxide ratio, basement, B:409, 423  
titanium dioxide/zirconium ratio, basement, B:416  
titanium oxide/magnesium oxide ratio, Site 791, A:190  
titanium oxide/silica ratio, pumice beds, B:12  
titanium/vanadium ratio  
Site 791, A:190  
volcaniclastic sand/sandstones, B:477  
titanium/zirconium ratio, vs. neodymium isotopes, B:428  
titanomagnetite, B:347  
basement andesite, B:436, 439, 441-442  
in diabase intrusives, B:417  
todorokite  
Izu-Bonin forearc, B:115  
Site 788, A:117-120  
Tohoku Arc, explosive volcanism, B:63  
Tonga, glass inclusions in olivine phenocrysts, B:175  
Tonga arc  
fossil hydrothermal manganese deposits, B:113  
intraoceanic forearc basement, A:6  
Tonga-Fiji region, rhyolitic volcanism, B:514  
Torishima, submarine volcanoes, B:564  
Torishima Caldera  
as pumice source, B:11  
as sediment source, B:569  
Torishima Rift, backarc basin basalt, B:642
- Torishima Volcano  
Izu-Bonin diabase association, B:417  
as sediment source, B:646  
total hydrolyzable amino acids (THAA), in interstitial waters, B:532-535  
trace elements  
basement andesite, A:370-371  
basement basalts, B:398  
metamorphic vs. nonmetamorphic rock, B:192  
Oligocene transition, B:483  
olivine diabase intrusion, A:369  
pre-rift arc volcanics, B:388  
Site 792, A:266-267; B:419, 426  
Site 793, B:409, 417  
source relationship, B:426  
Sumisu Rift basalts, B:387, 390-391  
temporal variation, B:480  
volcaniclastic sand/sandstone, B:475-479, 481  
trace fossils  
anaerobic deposition, B:215, 217, 228  
biogenic reworking, B:213, 223, 229  
climax, B:226  
depositional environment, B:212-220, 223, 225-229  
frozen tiers, B:213, 216  
killing events, B:220, 226  
microscopy, B:221  
morphoscopy, B:221  
Site 788, B:217-218  
Site 790, B:213  
Site 791, B:215, 217  
Site 792, B:219-223, 225, 227  
size, B:222  
tectonic evolution, B:228  
tiered infaunal community migration, B:225  
vertical spreiten migration, B:218  
transfer zones  
rift oblique, B:570  
Sumisu Rift, B:557  
uplift/subsidence across, B:564  
tuff, crystal-lithic, petrology, A:181, 183-184  
tuff, welded, mineralogy, B:105, 109  
turbidites  
cross lamination, B:612  
depositional environment, A:247, 342, 344  
depositional rate, A:407  
formation microscanner imaging, B:607, 612  
incompatible elements, B:388  
intraoceanic forearc basins, B:75, 603  
Izu-Bonin forearc, B:78, 603  
Oligocene, A:407; B:76  
physical properties, A:91, 93  
ripple-scale cross lamination, B:91-93  
Site 787, A:79  
Site 792, A:242; B:227  
uplift  
across transfer zones, B:564  
Izu-Bonin-Mariana region, A:8  
rift flank, B:566  
rifting initiation and, A:418  
upward-fining sequence  
Izu-Bonin forearc, B:88  
source, B:94  
tectonic control, A:347-348  
uranium, logging data, A:216-220, 289; B:655  
vanadium/titanium ratio, volcaniclastic sand/sandstone, B:471  
vein structures  
anastomosing, Site 793, B:198, 201  
backarc settings, B:205  
beardlike, B:205

- braided, B:196, 198, 206  
dip orientation, B:204-205  
fish style, B:195, 200, 204  
formation, B:205-206  
Izu-Bonin forearc, B:195-206  
lithologies, B:195  
mud, B:196, 198  
radiolarian content, B:198, 201  
shape and arrangement, B:200-202  
sigmoidal, B:198, 203-204, 206  
subvertical, B:205-206  
tectonic implications, B:205-206  
X-ray radiographs, B:197
- veinlets  
Izu-Bonin forearc, A:408  
Site 787, A:69  
Site 792, A:246  
Site 793, A:333-345
- velocity  
formation factor and, A:267-268  
igneous rock, A:388  
lithologic correlation, A:386, 388  
lithostratigraphic correlation, A:201-202  
postdepositional processes controlling, B:545  
Site 787, A:93, 95  
Site 788, A:123, 126  
Site 790, A:195, 197, 200  
Site 791, A:200-201, 208  
Site 792, A:279, 284-285, 312  
VSP vs. *in situ* measurements, B:583-585
- velocity/porosity relations, B:545-546
- vernadite, Izu-Bonin forearc, B:115
- vertical seismic profiles (VSP)  
data acquisition, A:294, 301, 395  
MCS correlation, A:314  
physical properties correlation, B:585  
Site 792, A:294, 301, 306, 311, 313; B:582, 585  
Site 793, A:389, 395, 401  
vs. lab and *in-situ* measurements, A:312  
zero offset, B:578-579
- virtual geomagnetic pole (VGP), B:342-351  
Brunhes/Matuyama reversal, B:345  
NRM comparison, B:343  
rapid migration, B:342, 345-346
- vitrophyric layer, Site 793, A:360
- volcanic arc, intraoceanic, formation, A:5
- volcanic clasts  
in conglomerates, A:333  
deposition, A:346  
petrology, A:361-362
- volcanic front  
geochemistry, B:388, 462  
Izu-Bonin Arc, B:640  
Neogene location, B:386  
Pliocene location, B:393
- volcanic lithic conglomerate, Site 792, B:172
- volcanic lithic fragments  
classification, B:140  
microlites, B:141-143, 153-154  
tachylite grains, B:144  
winnowing effects, B:144, 147
- volcanic pebbles, geochemistry, A:369
- volcanic rock  
analytical methods, B:383-385  
forearc generational environment, B:422  
geochemistry, B:386  
Izu-Bonin forearc, B:426  
Japanese, B:449  
petrography, B:432
- stratigraphic units, four types, A:184-185
- volcaniclastic-hemipelagic intercalation, Sumisu Rift, B:509, 576
- volcaniclastic sediment  
age, B:467, 634  
arc rhyolite correlation, B:393  
physical properties, B:543-549  
rift basins, B:557  
shear strength to overburden stress ratio, B:546-547  
single source, B:515  
velocity-porosity relations, B:547
- volcaniclastics  
depositional processes, B:87  
emplacement mechanisms, B:371  
formation microscanner imaging, B:78-91  
Izu-Bonin forearc, B:75  
Quaternary accumulation rate, B:62  
sediment failures, B:90  
temperature and age, B:528
- volcaniclastics, andesitic, geochemistry, B:190
- volcaniclastics, unconsolidated, Aoga Shima Canyon, A:75, 77
- volcanism, B:514. *See also* arc volcanism; rift volcanism  
acidic, A:346  
across transfer zones, B:566  
across transform zones, B:644  
backarc spreading and, A:8-9  
bimodal, B:35, 62-63, 648  
Cascadian pulse, B:63  
Eocene, B:629-632  
in formation of Benin-Mariana forearc, A:6  
geochemical history, B:482  
history, A:348  
intensity and composition, A:318  
Izu-Bonin Arc, B:160-161  
Izu-Bonin-Mariana Arc, B:648  
Izu-Bonin rift, A:9  
proto-remnant arc, B:559  
structural control, B:555  
supra-subduction zone, B:631  
tholeiitic/calc-alkaline transition, B:461-462
- volcanism, alkalic, syn-rift, B:514
- volcanism, andesitic, Sumisu Rift, B:482
- volcanism, arc  
backarc spreading and, B:47, 62  
forearc generation, B:422  
geochemistry, A:8-9  
intensity and composition, A:64  
Philippine Sea, B:47
- volcanism, boninitic, Izu-Bonin forearc, B:426
- volcanism, explosive  
conditions for, B:371  
Izu-Bonin Arc, B:62-63  
Site 791, A:159  
Site 793, A:346  
Sumisu Rift, B:10, 285
- volcanism, mafic-felsic, bimodal, A:128
- volcanism, rhyolitic, B:512-516  
Izu-Bonin Arc, B:49  
pre- and syn-rift, B:513-514  
provenance, B:515-516  
Sumisu Rift, B:646
- volcanism, shoshonitic, Mariana Arc, B:463
- volcanism, syn-rift  
Izu-Bonin forearc, B:647  
Izu-Bonin region, A:9  
Volcano Arc, strontium isotopes, B:463  
volcanoes, paired, B:639
- volcanogenic rock, bimodal, A:155, 344
- wairakite  
alteration temperature, B:107  
formation temperature, B:125  
genesis, B:523  
Site 792, B:135  
stability, B:523
- water content  
of glass shards, B:512  
lithostratigraphic correlation, A:278-279  
Site 787, A:91-92  
Site 788, A:123, 126  
Site 790, A:189  
Site 791, A:199  
Site 793, A:379
- winnowing  
Site 787, B:144, 147  
Site 788, A:157  
wood fragments, B:233
- X-ray diffraction  
analytical methods, A:30  
Izu-Bonin forearc, B:101-104  
Site 787, A:74, 78-79  
Site 788, A:112-114  
Site 790, A:148, 164  
Site 791, A:150, 165-166, 184  
Site 792, A:240-243, 246-247, 269  
Site 793, A:338, 340-342
- X-ray fluorescence  
analytical methods, A:31-32, 34-35  
Site 788, A:121  
Site 790, A:121, 188-189  
Site 791, A:121, 188-189  
Site 792, A:121
- Yap Trench, vein structures, B:205
- Yellowstone National Park, rhyolite glass, B:510
- yttrium  
basement, B:419  
volcaniclastic sand/sandstones, B:477  
yttrium/chromium ratio, Site 793, A:371  
yttrium/zirconium ratio, basement, B:416
- zeolite. *See also* cement, zeolite  
as calcium sink, B:521  
chemical composition, B:438-439  
clinoptilolite vs. phillipsite concentration, B:521, 524  
elemental composition, B:125  
end-member composition, B:522, 525  
Izu-Bonin forearc, B:101, 126-129  
secondary production, B:105  
Site 792, A:242  
smectite covering, B:135
- zeolitization, glass and feldspar, B:129
- zirconium, volcaniclastic sand/sandstones, B:477
- zirconium/barium ratio, B:386
- zirconium/yttrium ratio  
basement, B:426  
Site 792, A:267  
Site 793, A:370  
volcaniclastic sand/sandstones, B:477, 480
- zones, biostratigraphic. *See* in Taxonomic Index under zones (for letter prefixes) and alphabetically (for generic-specific designations)

## TAXONOMIC INDEX

- abyssorum*, *Stilostomella*, Izu-Bonin Arc, B:307  
*acostaensis*, *Globorotalia*, Izu-Bonin Arc, B:275  
*acquiloni*, *Drupptractus*  
 Izu-Bonin Arc, A:351; B:321, 324  
 Sumisu Rift, A:167-168; B:322  
*aculeata*, *Bulimina*  
 first occurrence, B:298  
 Izu-Bonin Arc, B:298, 311, 313, 319  
 paleobathymetry, B:313-314  
 Sumisu Rift, B:306  
*acuta*, *Pleurostomella*, Izu-Bonin Arc, B:307  
*aduncus*, *Reophax*, Izu-Bonin Arc, B:303  
*affinis*, *Globobulimina*, Sumisu Rift, B:306  
*Alabama* sp., Izu-Bonin Arc, B:320  
*altispira*, *Globoquadrina*, Izu-Bonin Arc, B:275–  
 276  
*Ammobaculites* sp., Izu-Bonin Arc, B:317  
*Ammodiscus* sp., Izu-Bonin Arc, B:316  
*Amphicoryna scalaris*, Izu-Bonin Arc, B:304  
*Amphirhopalum ypsilon*, Izu-Bonin Arc, B:322  
*ampliapertura*, *Globigerina*, Izu-Bonin Arc,  
 B:280  
*angelinum*, *Axoprunum*, Sumisu Rift, A:167–168;  
 B:322  
*angusta*, *Lithocyclia*, Izu-Bonin Arc, B:322  
*annulifera*, *Stilostomella*, Izu-Bonin Arc, B:307  
*Anomalinoidea globulosus*, Izu-Bonin Arc, B:308  
*Anthocyrthidium angulare* Zone, Izu-Bonin Arc,  
 A:80; B:322  
*apicularis*, *Karrerulina*, Izu-Bonin Arc, B:313,  
 317  
*arborescens*, *Dendronina*, Izu-Bonin Arc, B:303  
*asanoi*, *Reticulofenestra*, B:239–240, 243  
 last occurrence, B:239  
 Site 790, B:259  
 Site 792, B:261  
*Asterocyclina* sp., Site 793, B:233  
*Astrononion pusillum*, Izu-Bonin Arc, B:311, 320  
*avita*, *Didymocyrtis*, Site 792, A:254; B:322  
*Axoprunum angelinum*, Sumisu Rift, A:167;  
 B:322  
*barbata*, *Bulimina*, Sumisu Rift, B:306  
*barleanus*, *Melonis*  
 Izu-Bonin Arc, B:319  
 Sumisu Rift, B:309  
*Bathysiphon filiformis*, Izu-Bonin Arc, B:318  
*belemnus*, *Sphenolithus*, Izu-Bonin Arc, A:348;  
 B:247  
*bengalensis*, *Osangularia*, Izu-Bonin Arc, B:319  
*berggrenii*, *Discoaster*, Izu-Bonin Arc, A:79;  
 B:249  
*Biplanispira mirabilis*, Site 793, B:87, 231, 233–  
 234  
*bisecta*, *Reticulofenestra*, Izu-Bonin Arc, A:250;  
 B:247  
*Bolivina pacifica*, Izu-Bonin Arc, B:318  
*Bolivina pusilla*  
 Izu-Bonin Arc, B:318  
 Sumisu Rift, B:305  
*Bolivina robusta*, Sumisu Rift, B:305  
*Bolivinita quadrilatera*, Sumisu Rift, B:305  
*bollii*, *Discoaster*, Site 787, A:79  
*bollii*, *Globigerinoides*, Izu-Bonin Arc, B:276  
*boninensis*, *Globogyroidina*, gen. et sp. nov., Su-  
 misu Rift, B:302, 310  
*boninensis*, *Nummulites*, Hahajima Island, B:233  
*bradyi*, *Cibicidoides*, Sumisu Rift, B:308  
*bradyi*, *Eggerella*  
 Izu-Bonin Arc, B:317  
 Sumisu Rift, B:303  
*bradyi*, *Fissurina*, Sumisu Rift, B:304  
*bradyi*, *Karrerella*, Sumisu Rift, B:303  
*bradyi*, *Trifarina*, Izu-Bonin Arc, B:319  
*brevis*, *Pleurostomella*, Izu-Bonin Arc, B:307  
*Bulimina aculeata*  
 first occurrence, B:298  
 Izu-Bonin Arc, B:298, 311, 313, 319  
 paleobathymetry, B:313–314  
 Sumisu Rift, B:306  
*Bulimina aculeata* Assemblage Zonule  
 Site 792, A:253; B:292  
 Sumisu Rift, A:165; B:288  
*Bulimina aculeata–Uvigerina hispidocostata* As-  
 semblage Zonule, Sumisu Rift, A:166;  
 B:288, 290  
*Bulimina barbata*, Sumisu Rift, B:306  
*Bulimina exilis*, Sumisu Rift, B:307  
*Bulimina rostrata*, Izu-Bonin Arc, B:306  
*Bulimina striata*, B:306, 319  
*Bulimina striata–Bulimina aculeata* Assemblage  
 Zonule, Sumisu Rift, A:165–166; B:288  
*bulloides*, *Pullenia*  
 Izu-Bonin Arc, B:320  
 Sumisu Rift, B:310  
*bulloides*, *Sphaeroidina*  
 Izu-Bonin Arc, B:311, 319  
 Sumisu Rift, B:309  
*Busilla robusta*, Izu-Bonin Arc, B:318  
*calcaris*, *Discoaster*, Site 787, A:79  
*Calcidiscus leptoporus*, Sumisu Rift, B:240, 243,  
 261  
*Calcidiscus macintyreii*  
 Izu-Bonin Arc, A:117, 348; B:247  
 Sumisu Rift, A:160  
*calculosus*, *Discoaster*, B:247  
*calida*, *Globigerina*  
 Izu-Bonin Arc, A:250  
 Sumisu Rift, B:273  
*Calocyclotta costata* Zone, Izu-Bonin Arc, B:324  
*calyculus*, *Catinaster*, Site 792, A:250; B:247,  
 249, 251, 262  
*cancellata*, *Cyclammmina*, Izu-Bonin Arc, B:317  
*caribbeanica*, *Gephyrocapsa*  
 classification, B:239  
 crossbar angles, B:242–243  
 Sumisu Rift, B:242–244, 246, 259–260  
*carinata*, *Cassidulina*, Sumisu Rift, B:305  
*carteri*, *Helicosphaera*, Site 792, B:261  
*Cassidulina carinata*, Sumisu Rift, B:305  
*Cassidulina* sp., Sumisu Rift, B:305  
*Catapsydrax dissimilis*, Izu-Bonin Arc, B:277,  
 280  
*Catapsydrax* sp., Site 793, A:349  
*Catapsydrax stainforthi*, Izu-Bonin Arc, B:277,  
 280  
*Catinaster calyculus*, Site 792, A:250; B:247,  
 249, 251, 262  
*Catinaster coalitus*, Site 792, A:250; B:247, 251,  
 262  
*Ceratobulimina pacifica*, Izu-Bonin Arc, B:318  
*cerroazulensis*, *Globorotalia*, Izu-  
 Bonin Arc, B:278  
*Chiloguembelina cubensis*, Izu-Bonin Arc, B:277,  
 280  
*Chilostomella oolina*, Izu-Bonin Arc, B:309, 313,  
 319  
*Chilostomella oolina–Uvigerina hispidocostata*  
 Assemblage Zonule, Sumisu Rift, A:166;  
 B:290  
*Chilostomella ovoidea*, Izu-Bonin Arc, B:319  
*Chondrites*  
 Izu-Bonin Arc, B:218–220, 222–223, 225, 227  
 Sumisu Rift, B:210, 212–216  
*Chrysalogonium longicostatum*, Izu-Bonin Arc,  
 B:304  
*Cibicidoides bradyi*, Sumisu Rift, B:308  
*Cibicidoides havanensis*, B:308, 319  
*Cibicidoides mundulus*  
 Izu-Bonin Arc, B:319  
 Sumisu Rift, B:308  
*Cibicidoides renzi*, Izu-Bonin Arc, B:308  
*Cibicidoides renzi–Bulimina jarvisi* Assemblage  
 Zonule, B:296  
*Cibicidoides renzi–Cibicidoides wuellerstorfi* As-  
 semblage Zonule, Site 792, A:251, 253;  
 B:291  
*Cibicidoides robertsonianus*, Izu-Bonin Arc,  
 B:319  
*Cibicidoides* sp., Izu-Bonin Arc, B:308, 319  
*Cibicidoides* spp.–*Epistominella* sp. Assemblage  
 Zonule, Site 792, A:253; B:291  
*Cibicidoides* spp.–*Rhizammmina* sp. Assemblage  
 Zonule, Site 793, A:351; B:294, 296  
*Cibicidoides wuellerstorfi*, Izu-Bonin Arc, A:80,  
 253; B:308, 319  
*Cibicidoides wuellerstorfi–Pyrgo murrhina* As-  
 semblage Zonule, B:296  
*ciperoensis*, *Sphenolithus*  
 Izu-Bonin Arc, A:250, 349; B:247, 249, 251  
 last occurrence, A:349; B:249, 251  
*Clausicoccus fenestratus*, B:246  
*Clausicoccus* sp., Site 792, B:262  
*coalitus*, *Catinaster*, Site 792, A:250; B:247, 251,  
 262  
*communis*, *Dentalina*, Izu-Bonin Arc, B:304, 318  
*communis*, *Martinottiella*  
 Izu-Bonin Arc, B:317  
 Sumisu Rift, B:303  
*conglobata*, *Thalmanammmina*, Izu-Bonin Arc,  
 B:303  
*conglobatus*, *Globigerinoides*, Izu-Bonin Arc,  
 B:272  
*connecta*, *Globigerina*, Izu-Bonin Arc, B:280  
*conoidea*, *Globorotalia*, Izu-Bonin Arc, B:272,  
 275–276  
*continua*, *Globorotalia*, Izu-Bonin Arc, B:277,  
 280  
*Coronocyclus* sp., Site 792, B:262  
*crassaformis hessi*, *Globorotalia*, Site 793,  
 A:349; B:279  
*Cribrostomoides* sp., Izu-Bonin Arc, B:316  
*crispum*, *Elphidium*, Site 787, A:84  
*cubensis*, *Chiloguembelina*, Izu-Bonin Arc,  
 B:277, 280  
*Cyclammmina cancellata*, Izu-Bonin Arc, B:317  
*Cyclammmina trullissata*, Izu-Bonin Arc, B:303,  
 317  
*Cyclicargolithus floridanus*, B:247, 249, 251  
 classification, B:239  
 last occurrence, B:251  
*Cyrtocapsella japonica*, Site 792, A:254; B:323  
*Cyrtocapsella tetrapera*, Site 793, A:351; B:324  
*Cyrtocapsella tetrapera* zone, Izu-Bonin Arc,  
 B:323  
*Cystammmina pauciloculata*, Izu-Bonin Arc, B:317



## TAXONOMIC INDEX

*decoraperta, Globigerina*

- decoraperta, Globigerina*, Izu-Bonin Arc, B:275  
*deflandrei, Discoaster*, Izu-Bonin Arc, B:247, 262  
*delmontensis, Stichocorys*, Site 792, A:254; B:323  
*Dendronina arborescens*, Izu-Bonin Arc, B:303  
*Dentalina communis*, Izu-Bonin Arc, B:304, 318  
*dentaliniformis, Reophax*, Izu-Bonin Arc, B:316  
*depressa, Globocassidulina*, Izu-Bonin Arc, B:318  
*Diartus hughesi*, Izu-Bonin Arc, B:322  
*Diartus petterssoni Zone*, Site 792, A:254; B:323  
*Didymocyrtis alata zone*, Izu-Bonin Arc, B:324  
*Didymocyrtis antepenultima Zone*, Site 787, A:80; B:322  
*Didymocyrtis avita*, Site 792, A:254; B:322  
*Didymocyrtis laticonus*, Izu-Bonin Arc, B:323  
*Didymocyrtis penultima Zone*, Site 792, A:254; B:323  
*Discamina sp.*, Izu-Bonin Arc, B:316  
*Discoaster berggrenii*, Izu-Bonin Arc, A:79; B:249  
*Discoaster bollii*, Site 787, A:79  
*Discoaster calcaris*, Site 787, A:79  
*Discoaster calculosus*, B:247  
*Discoaster deflandrei*, Izu-Bonin Arc, B:247, 262  
*Discoaster druggii*, Izu-Bonin Arc, B:247, 262  
*Discoaster hamatus*, Site 792, A:250; B:247, 249, 251, 262  
*Discoaster kugleri*, Site 792, A:250; B:247, 249, 251, 262  
*Discoaster loeblichii*, Site 787, A:79  
*Discoaster pansus*, Site 792, B:262  
*Discoaster pentaradiatus*, Izu-Bonin Arc, B:644  
*Discoaster quinqueringus*, B:249  
*Discoaster sp.*, Site 788, A:117  
*Discoaster surculus*, Site 792, A:249  
*Discoaster variabilis*, Site 792, B:262  
*disjuncta, Sphaeroidinellopsis*, Izu-Bonin Arc, B:279-280  
*dissimilis, Catapsydrax*, Izu-Bonin Arc, B:277, 280  
*distans, Hormosinella*, Sumisu Rift, B:316  
*distentus, Sphenolithus*  
 Izu-Bonin Arc, A:80, 250, 349; B:247, 249  
 last recurrence, A:349; B:249  
*Dorcadospyrus alata Zone*, Site 792, A:254; B:323  
*Dorcadospyrus atuechus Zone*, Site 787, A:80; B:322  
*druggii, Discoaster*, Izu-Bonin Arc, B:247, 262  
*Drupptractus acquilontus*  
 Izu-Bonin Arc, A:351; B:321, 324  
 Sumisu Rift, A:167-168; B:322  
*druryi, Globigerina*, Izu-Bonin Arc, B:280
- Eggerella bradyi*  
 Izu-Bonin Arc, B:317  
 Sumisu Rift, B:303  
*Eggerella propinqua*, Izu-Bonin Arc, B:303  
*Ehrenbergina pacifica*  
 Izu-Bonin Arc, B:318  
 Sumisu Rift, B:305  
*elegans, Hoeglundina*  
 Izu-Bonin Arc, B:318  
 Sumisu Rift, B:304  
*elegans, Islandiella*, Sumisu Rift, B:305  
*Elphidium crispum*, Site 787, A:84  
*Emiliana huxleyi*  
 first occurrence, B:7  
 Izu-Bonin Arc, A:248, 348; B:239  
 Sumisu Rift, A:161; B:7, 242, 259-260  
*Epistominella exigua*, Izu-Bonin Arc, B:310  
*ericsonii, Gephyrocapsa*, Site 790, B:265  
*Eulepidina formosa*, Izu-Bonin Arc, B:298  
*Eulepidina sp.*, Site 793, B:231, 234
- exigua, Epistominella*, Izu-Bonin Arc, B:310  
*exilis, Bulimina*, Sumisu Rift, B:307  
*extans, Globorotalia*, Izu-Bonin Arc, B:280
- Favocassidulina favus*, Izu-Bonin Arc, B:305, 318  
*favus, Fovocassidulina*, Izu-Bonin Arc, B:305, 318  
*fenestratus, Clausiococcus*, B:246  
*filiformis, Bathysiphon*, Izu-Bonin Arc, B:318  
*Fissurina bradyi*, Sumisu Rift, B:304  
*Fissurina formosa*, Izu-Bonin Arc, B:318  
*Fissurina sp.*  
 Izu-Bonin Arc, B:318  
 Sumisu Rift, B:304  
*Fissurina subformosa*, Sumisu Rift, B:304  
*floridanus, Cyclicargolithus*, B:247, 249, 251  
 classification, B:239  
 last occurrence, B:249, 251  
*fohsi lobata, Globorotalia*, Site 793, A:349  
*formosa, Eulepidina*, Izu-Bonin Arc, B:298  
*formosa, Fissurina*, Izu-Bonin Arc, B:318
- Gavelinopsis lobatulus*, Sumisu Rift, B:309  
*Gephyrocapsa*  
 classification, B:263-264  
 morphometric changes, B:263-267  
*Gephyrocapsa caribbeanica*  
 classification, B:239  
 crossbar angles, B:242-243  
 Sumisu Rift, B:242-244, 246, 259-260  
*Gephyrocapsa ericsonii*, Site 790, B:265  
*Gephyrocapsa oceanica*  
 classification, B:239  
 Sumisu Rift, B:240, 242-244, 246, 259-260  
*Gephyrocapsa ornata*  
 morphotypes, B:265  
 Site 790, B:263-265, 269  
*Gephyrocapsa parallela*, B:239  
*Gephyrocapsa protohuxleyi*  
 morphometric changes, B:265  
 Site 790, B:243, 263-265, 269  
*Gephyrocapsa sp.*, A:117; B:246  
*Gephyrocapsa sp.*, large, B:243, 263-265  
*Gephyrocapsa sp.*, small, B:239-243, 259-260, 263-265  
 abundance patterns, B:243, 264-265, 267-268  
*Gephyrocapsa spp.*  
 classification, B:237, 239  
 crossbar angles, B:244  
*Gephyrocapsa Zone*, small, B:246, 265  
*Globigerapsis sp.*, Izu-Bonin Arc, B:280  
*Globigerina ampliapertura*, Izu-Bonin Arc, B:280  
*Globigerina calida*  
 Izu-Bonin Arc, A:250  
 Sumisu Rift, B:273  
*Globigerina connecta*, Izu-Bonin Arc, B:280  
*Globigerina decoraperta*, Izu-Bonin Arc, B:275  
*Globigerina druryi*, Izu-Bonin Arc, B:280  
*Globigerina gortanii*, Izu-Bonin Arc, B:272  
*Globigerina multicamerata*, Izu-Bonin Arc, B:275  
*Globigerina nepenthes*, Izu-Bonin Arc, A:251; B:273  
*Globigerina pachyderma acme Zone 1*, Site 791, A:163  
*Globigerina pachyderma acme Zone 2*, Site 791, A:163  
*Globigerina pseudovenezuelana*, Izu-Bonin Arc, B:280  
*Globigerina ruber*, Site 788, A:118  
*Globigerina senni*, Izu-Bonin Arc, B:280  
*Globigerinita iota*  
 Izu-Bonin Arc, B:274, 279  
 Sumisu Rift, B:273
- Globigerinoides bollii*, Izu-Bonin Arc, B:276  
*Globigerinoides conglobatus*, Izu-Bonin Arc, B:272  
*Globigerinoides immaturus*, Izu-Bonin Arc, B:280  
*Globigerinoides kennetti*, Izu-Bonin Arc, B:276  
*Globigerinoides obliquus extremus*, Izu-Bonin Arc, B:272  
*Globigerinoides ruber*  
 Izu-Bonin Arc, B:274, 279  
 last occurrence, B:274  
 Sumisu Rift, B:273  
*Globigerinoides ruber complex*, Site 792, A:250  
*Globigerinoides tenellus*, Izu-Bonin Arc, B:274, 279  
 globigerinoids, Site 787, A:80  
*Globobulimina affinis*, Sumisu Rift, B:306  
*Globobulimina pacifica*, Izu-Bonin Arc, B:319  
*Globocassidulina depressa*, Izu-Bonin Arc, B:318  
*Globocassidulina moluccensis*  
 Izu-Bonin Arc, B:318  
 Sumisu Rift, B:305  
*Globocassidulina sp.*, Sumisu Rift, B:305  
*Globocassidulina subglobosa*  
 Izu-Bonin Arc, B:318  
 Sumisu Rift, B:305  
*Globogyroidina boninensis gen. et sp. nov.*, Sumisu Rift, B:302, 310  
*Globogyroidina gen. nov.*, B:300, 302  
*Globoquadrina altispira*, Izu-Bonin Arc, B:275-276  
*Globoquadrina humerosa*, Izu-Bonin Arc, B:274  
*Globoquadrina venezuelana*, Izu-Bonin Arc, B:274  
*Globorotalia acostaensis*, Izu-Bonin Arc, B:275  
*Globorotalia cerroazulensis cocoaensis*, Izu-Bonin Arc, B:278  
*Globorotalia conoidea*, Izu-Bonin Arc, B:272, 275-276  
*Globorotalia continuosa*, Izu-Bonin Arc, B:277, 280  
*Globorotalia crassaformis hessi*, Site 793, A:349; B:279  
*Globorotalia extans*, Izu-Bonin Arc, B:280  
*Globorotalia fohsi lobata*, Site 793, A:349  
*Globorotalia margaritae*, Izu-Bonin Arc, B:272-273  
*Globorotalia mayeri*, Izu-Bonin Arc, B:280  
*Globorotalia menardii*, Izu-Bonin Arc, B:276  
*Globorotalia menardii group*, Site 787, A:80  
*Globorotalia menardii-tumida complex*, Site 792, A:250  
*Globorotalia mendacis*, Izu-Bonin Arc, B:280  
*Globorotalia motumida*, Izu-Bonin Arc, B:276  
*Globorotalia miozea*, Izu-Bonin Arc, B:272, 280  
*Globorotalia opimanana*, Izu-Bonin Arc, B:272, 280  
*Globorotalia opima opima*, Izu-Bonin Arc, B:272  
*Globorotalia peripheroronda*, Izu-Bonin Arc, B:276-277, 279-280  
*Globorotalia plesiotumida*, Izu-Bonin Arc, B:272  
*Globorotalia praescitula*, Izu-Bonin Arc, B:279-280  
*Globorotalia pseudomiozea*, Izu-Bonin Arc, B:280  
*Globorotalia puncticulata*, Izu-Bonin Arc, B:273  
*Globorotalia semivera*, Izu-Bonin Arc, B:280  
*Globorotalia siakensis*, Izu-Bonin Arc, B:277  
*Globorotalia tosaensis*  
 Izu-Bonin Arc, A:349; B:274, 279  
 last occurrence, B:273  
*Globorotalia truncatulinoidea*  
 Izu-Bonin Arc, A:250, 349; B:271-272, 274  
 Sumisu Rift, B:273

## TAXONOMIC INDEX

*praegerontica*, *Pleurostomella*

- globosa*, *Saitoella*, gen. et sp. nov., Izu-Bonin Arc, B:300, 309
- globulosus*, *Anomalinoidea*, Izu-Bonin Arc, B:308
- gortanii*, *Globigerina*, Izu-Bonin Arc, B:272
- graciliformis*, *Uvigerina*, Izu-Bonin Arc, B:306
- gracillima*, *Stilostomella*, Izu-Bonin Arc, B:307
- gutifer*, *Reophax*, Izu-Bonin Arc, B:316
- Gyroidina* sp., Izu-Bonin Arc, B:320
- Gyroidinoidea neosoldanii*, Izu-Bonin Arc, B:310, 320
- Gyroidinoidea* sp., B:310, 320
- hamatus*, *Discoaster*, Site 792, A:250; B:247, 249, 251, 262
- hanzawai*, *Tosaia*, Sumisu Rift, B:306
- Haplophragmoides* sp., Izu-Bonin Arc, B:316
- havanensis*, *Cibicidoides*, B:308, 319
- Helicosphaera carteri*, Site 792, B:261
- Helicosphaera inversa*, classification, B:239
- Helicosphaera* sp., Site 792, B:262
- Helicosphaera* spp., classification, B:239
- Helicosphaera wallichii*, Site 792, B:261
- Helminthopsis*  
Izu-Bonin Arc, B:218, 222  
Sumisu Rift, B:210, 215
- heteromorphus*, *Sphenolithus*, Izu-Bonin Arc, A:348; B:247
- hispida*, *Uvigerina*, Sumisu Rift, B:306
- hispidocostata*, *Uvigerina*, B:306, 319
- Hoeglundina elegans*  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:304
- Hormosinella distans*, Sumisu Rift, B:316
- hosoyaensis*, *Martinottiella*  
Izu-Bonin Arc, B:317  
Sumisu Rift, B:303
- hughesi*, *Diartus*, Izu-Bonin Arc, B:322
- humerosa*, *Globoquadrina*, Izu-Bonin Arc, B:274
- huxleyi*, *Emiliana*  
first occurrence, B:7  
Izu-Bonin Arc, A:248, 348; B:239  
Sumisu Rift, A:161; B:7, 242, 259-260
- Hyperammia* sp., Izu-Bonin Arc, B:303
- immaturus*, *Globigerinoides*, Izu-Bonin Arc, B:280
- inversa*, *Helicosphaera*, classification, B:239
- iota*, *Globigerinita*  
Izu-Bonin Arc, B:274, 279  
Sumisu Rift, B:273
- irregularis*, *Umbellosphaera*, Site 790, B:261
- Islandiella elegans*, Sumisu Rift, B:305
- japonica*, *Cyrtocapsella*, Site 792, A:254; B:323
- Karreriella bradyi*, Sumisu Rift, B:303
- Karrerulina apicularis*, Izu-Bonin Arc, B:313, 317
- kennetti*, *Globigerinoides*, Izu-Bonin Arc, B:276
- kugleri*, *Discoaster*, Site 792, A:250; B:247, 249, 251, 262
- lacunosa*, *Pseudoemiliana*  
Izu-Bonin Arc, A:117-118, 248; B:239, 242-243  
last occurrence, B:239  
Sumisu Rift, A:160-161; B:259
- laevis*, *Lagena*, Izu-Bonin Arc, B:318
- Lagena laevis*, Izu-Bonin Arc, B:318
- lamarckiana*, *Quinqueloculina*, Izu-Bonin Arc, B:304, 318
- Laticarinina pauperata*, Izu-Bonin Arc, B:309
- laticonus*, *Didymocytis*, Izu-Bonin Arc, B:323
- Lenticulina rotulatus*, Izu-Bonin Arc, B:304
- Lenticulina* sp., Izu-Bonin Arc, B:304
- lepidula*, *Stilostomella*, Sumisu Rift, B:307
- leptoporus*, *Calcidiscus*, Sumisu Rift, B:240, 243, 261
- Lithocyclus angusta*, Izu-Bonin Arc, B:322
- lobatulus*, *Gavelinopsis*, Sumisu Rift, B:309
- loeblichii*, *Discoaster*, Site 787, A:79
- longicostatus*, *Chrysalogonium*, Izu-Bonin Arc, B:304
- longiscata*, *Nodosaria*, Izu-Bonin Arc, B:304
- lucernula*, *Pyrgo*, Sumisu Rift, B:304
- macintyreii*, *Calcidiscus*  
Izu-Bonin Arc, A:117, 348; B:247  
Sumisu Rift, A:160
- margarita*, *Globorotalia*, Izu-Bonin Arc, B:272-273
- Marginulina* sp., Izu-Bonin Arc, B:318
- Martinottiella communis*  
Izu-Bonin Arc, B:317  
Sumisu Rift, B:303
- Martinottiella hosoyaensis*  
Izu-Bonin Arc, B:317  
Sumisu Rift, B:303
- mayeri*, *Globorotalia*, Izu-Bonin Arc, B:280
- Melonis barleanus*  
Izu-Bonin Arc, B:319  
Sumisu Rift, B:309
- Melonis pompilioides*  
Izu-Bonin Arc, B:320  
Sumisu Rift, B:309
- Melonis* sp., Izu-Bonin Arc, B:319
- menardii*, *Globorotalia*, Izu-Bonin Arc, B:276
- mendacis*, *Globorotalia*, Izu-Bonin Arc, B:280
- miotumida*, *Globorotalia*, Izu-Bonin Arc, B:276
- miozea*, *Globorotalia*, Izu-Bonin Arc, B:276
- mirabilis*, *Biplanispira*, Site 793, B:87, 231, 233-234
- moluccensis*, *Globocassidulina*  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:305
- multicamerata*, *Globigerina*, Izu-Bonin Arc, B:275
- multicostata*, *Rectuvigerina*, Izu-Bonin Arc, B:306
- mundulus*, *Cibicidoides*  
Izu-Bonin Arc, B:319  
Sumisu Rift, B:308
- murrhina*, *Pyrgo*  
Izu-Bonin Arc, B:313, 318  
Sumisu Rift, B:304
- neosoldanii*, *Gyroidinoidea*, Izu-Bonin Arc, B:310, 320
- nepenthes*, *Globigerina*, Izu-Bonin Arc, A:251; B:273
- nipponensis*, *Paracassidulina*, Izu-Bonin Arc, B:318
- Nodosaria longiscata*, Izu-Bonin Arc, B:304
- Nodulina* sp., Izu-Bonin Arc, B:316
- Nummulites boninensis*, Hahajima Island, B:233
- Nummulites vasus*, Izu-Bonin Arc, B:298
- Nuttallides truempyi*, Site 787, A:80
- Nuttallides truempyi*-*Osangularia mexicana* Assemblage Zonule, B:296
- obliquus extremus*, *Globigerinoides*, Izu-Bonin Arc, B:272
- oceanica*, *Gephyrocapsa*  
classification, B:239  
Sumisu Rift, B:240, 243-244, 246, 259-260
- Oculosiphon* sp., Izu-Bonin Arc, B:311, 313, 316
- oolina*, *Chilostomella*, Izu-Bonin Arc, B:309, 313, 319
- Ophthalmidium pusillum*, Izu-Bonin Arc, B:304
- opima nana*, *Globorotalia*, Izu-Bonin Arc, B:272, 280
- opima opima*, *Globorotalia*, Izu-Bonin Arc, B:272
- Oridorsalis umbonatus*  
Izu-Bonin Arc, B:320  
Sumisu Rift, B:310
- Oridorsalis umbonatus*-*Pleurostomella* spp. Assemblage Zonule, Site 792, A:251; B:291
- Oridorsalis umbonatus*-*Stilostomella* spp. Assemblage Zonule, B:296
- ornata*, *Gephyrocapsa*  
morphotypes, B:265  
Site 790, B:263-265, 269
- Osangularia bengalensis*, Izu-Bonin Arc, B:319
- Osangularia mexicana*-*Globocassidulina subglobosa* Assemblage Zonule, B:296
- oshimai*, *Paracassidulina*, Izu-Bonin Arc, B:318
- ovoidea*, *Chilostomella*, Izu-Bonin Arc, B:319
- pacifica*, *Bolivina*, Izu-Bonin Arc, B:318
- pacifica*, *Ceratobulimina*, Izu-Bonin Arc, B:318
- pacifica*, *Ehrenbergina*  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:305
- pacifica*, *Globobulimina*, Izu-Bonin Arc, B:319
- Palaeophycus*  
Izu-Bonin Arc, B:218, 222  
Sumisu Rift, B:215
- pansus*, *Discoaster*, Site 792, B:262
- Paracassidulina nipponensis*, Izu-Bonin Arc, B:318
- Paracassidulina oshimai*, Izu-Bonin Arc, B:318
- Paracassidulina sagamiensis*, Izu-Bonin Arc, B:318
- Parafissurina* sp.  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:304
- parallela*, *Gephyrocapsa*, B:239
- parvula*, *Reticulofenestra*  
morphometric changes, B:265  
Site 790, B:264-265, 269
- pauciloculata*, *Cystamma*, Izu-Bonin Arc, B:317
- pauperata*, *Laticarinina*, Izu-Bonin Arc, B:309
- Pellatispira ruteni*, Site 793, B:231
- pentaradiatus*, *Discoaster*, Izu-Bonin Arc, B:644
- pentas*, *Spongaster*, Izu-Bonin Arc, B:322
- peregrina*, *Stichocorys*, Site 792, A:254
- peripheroronda*, *Globorotalia*, Izu-Bonin Arc, B:276-277, 279-280
- Planolites*  
Izu-Bonin Arc, B:218, 220, 222-225, 227  
Sumisu Rift, B:210, 212-213, 215
- plesiotumida*, *Globorotalia*, Izu-Bonin Arc, B:272
- Pleurostomella acuta*, Izu-Bonin Arc, B:307
- Pleurostomella brevis*, Izu-Bonin Arc, B:307
- Pleurostomella praegerontica*, Izu-Bonin Arc, B:307
- Pleurostomella* sp., B:307
- Pleurostomella* spp., last occurrence, B:298
- Pleurostomella* spp.-*stilostomella* spp. Assemblage Zonule, Sumisu Rift, A:165; B:288
- Pleurostomella subcylindrica*, Izu-Bonin Arc, B:307
- pompilioides*, *Melonis*  
Izu-Bonin Arc, B:320  
Sumisu Rift, B:309
- Pontosphaera* sp., B:261
- praegerontica*, *Pleurostomella*, Izu-Bonin Arc, B:307

*praescitula, Globorotalia*

## TAXONOMIC INDEX

- praescitula, Globorotalia*, Izu-Bonin Arc, B:279–280
- primalis, Pulleniatina*, Izu-Bonin Arc, B:273
- proboscidea, Uvigerina*, Izu-Bonin Arc, B:319
- propinqua, Eggerella*, Izu-Bonin Arc, B:303
- protohuxleyi, Gephyrocapsa*  
morphometric changes, B:265  
Site 790, B:243, 263–265, 269
- Pseudoemiliana lacunosa*  
Izu-Bonin Arc, A:117–118, 248; B:239, 242–243  
last occurrence, B:239  
Sumisu Rift, A:160–161; B:259
- Pseudohastigerina micra* Zone, Izu-Bonin Arc, B:272
- pseudomiozea, Globorotalia*, Izu-Bonin Arc, B:280
- pseudoumbilica, Reticulofenestra*  
classification, B:239  
Site 792, B:262
- pseudovenezuelana, Globigerina*, Izu-Bonin Arc, B:280
- pulchra, Syracosphaera*, Site 792, B:261
- Pullenia bulloides*  
Izu-Bonin Arc, B:320  
Sumisu Rift, B:310
- Pullenia bulloides–Melonis barleeanus* Assemblage Zonule, Site 793, A:351; B:296
- Pullenia quinqueloba*  
Izu-Bonin Arc, B:320  
Sumisu Rift, B:310
- Pullenia riveroi*, Sumisu Rift, B:310
- Pullenia simplex*, Sumisu Rift, B:310
- Pullenia* sp., Izu-Bonin Arc, B:320
- Pulleniatina primalis*, Izu-Bonin Arc, B:273
- punctulata, Globorotalia*, Izu-Bonin Arc, B:273
- pusilla, Bolivina*  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:305
- pusillum, Astrononion*, Izu-Bonin Arc, B:311, 320
- pusillum, Ophthalmidium*, Izu-Bonin Arc, B:304
- Pyrgo lucernula*, Sumisu Rift, B:304
- Pyrgo murrhina*  
Izu-Bonin Arc, B:313, 318  
Sumisu Rift, B:304
- quadrilatera, Bolivinita*, Sumisu Rift, B:305
- quinqueloba, Pullenia*  
Izu-Bonin Arc, B:320  
Sumisu Rift, B:310
- Quinqueloculina lamarckiana*, Izu-Bonin Arc, B:304, 318
- Quinqueloculina* sp., Sumisu Rift, B:304
- quinqueramus, Discoaster*, B:249
- Rabdaminella* sp., Izu-Bonin Arc, B:316
- ramosa, Saccorhiza*, Izu-Bonin Arc, B:311, 316
- Rectuvigerina multicostata*, Izu-Bonin Arc, B:306
- Recurvoides* sp., Izu-Bonin Arc, B:317
- renzi, Cibicidoides*, Izu-Bonin Arc, B:308
- Reophax aduncus*, Izu-Bonin Arc, B:303
- Reophax dentaliniformis*, Izu-Bonin Arc, B:316
- Reophax guttifer*, Izu-Bonin Arc, B:316
- Reophax scorpiurus*, Izu-Bonin Arc, B:316
- Reophax* sp., Izu-Bonin Arc, B:303
- Reophax spiculifer*, Izu-Bonin Arc, B:316
- Reticulofenestra asanoi*, B:239–240, 243  
last occurrence, B:239  
Site 790, B:259  
Site 792, B:261
- Reticulofenestra bisecta*, Izu-Bonin Arc, A:250; B:247
- Reticulofenestra parvula*  
morphometric changes, B:265  
Site 790, B:264–265, 269
- Reticulofenestra pseudoumbilica*  
classification, B:239  
Site 792, B:262
- Reticulofenestra* sp.  
Site 792, A:249  
Sumisu Rift, A:161–162
- Reticulofenestra* sp., small, B:262
- Reticulofenestra* spp., classification, B:239
- Reticulofenestra umbilica*, B:247
- Rhabdammina* sp., Izu-Bonin Arc, B:303, 316
- Rhabdammina* sp. Assemblage Zonule, Site 792, A:251; B:290
- Rhabdammina* sp.–*Stilostomella* spp. Assemblage Zonule, Site 792, A:251; B:291
- Rhabdammina* spp.–*Oridorsalis umbonatus* Assemblage Zonule, Site 793, A:351; B:294
- Rhabdammina* spp.–*Thalmanammina conglobata* Assemblage Zonule, Site 793, B:292
- Rhabdammina* spp.–*Thalmanammina* sp. Assemblage Zonule, Site 793, A:349, 351
- Rhizammina* sp., Izu-Bonin Arc, B:303, 316
- Rhizammina* sp.–*Margulinina* sp. Assemblage Zonule, Site 793, A:351
- Rhizammina* sp.–*Rhabdammina* sp. Assemblage Zonule, Site 793, B:294
- riveroi, Pullenia*, Sumisu Rift, B:310
- robertsonianus, Cibicidoides*, Izu-Bonin Arc, B:319
- robusta, Bolivina*, Sumisu Rift, B:305
- robusta, Busilla*, Izu-Bonin Arc, B:318
- rostrata, Bulimina*, Izu-Bonin Arc, B:306
- rotulatus, Lenticulina*, Izu-Bonin Arc, B:304
- ruber, Globigerina*, Site 788, A:118
- ruber, Globigerinoides*  
Izu-Bonin Arc, B:274, 279  
last occurrence, B:274  
Sumisu Rift, B:273
- rutteni, Pellatispira*, Site 793, B:231
- Saccammina sphaerica*, Izu-Bonin Arc, B:316
- Saccorhiza ramosa*, Izu-Bonin Arc, B:311, 316
- sagamiensis, Paracassidulina*, Izu-Bonin Arc, B:318
- Saitoella* gen. nov., B:299
- Saitoella globosa* gen. et sp. nov., Izu-Bonin Arc, B:300, 309
- scalaris, Amphicoryna*, Izu-Bonin Arc, B:304
- schlumbergeri, Sigmoidopsis*  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:304
- Scolicia*, Site 788, B:218, 228
- scorpiurus, Reophax*, Izu-Bonin Arc, B:316
- seminulina, Sphaeroidinellopsis*, Izu-Bonin Arc, B:276
- semivera, Globorotalia*, Izu-Bonin Arc, B:280
- senni, Globigerina*, Izu-Bonin Arc, B:280
- senticosa, Uvigerina*, Sumisu Rift, B:306
- siakensis, Globorotalia*, Izu-Bonin Arc, B:277
- sibogae, Umbilicosphaera*, Sumisu Rift, B:242–243, 261
- Sigmoidopsis schlumbergeri*  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:304
- simplex, Pullenia*, Sumisu Rift, B:310
- Skolithos*, Izu-Bonin Arc, B:218–219, 225, 228
- sphaerica, Saccammina*, Izu-Bonin Arc, B:316
- Sphaeroidina bulloides*  
Izu-Bonin Arc, B:311, 319  
Sumisu Rift, B:309
- Sphaeroidina* sp., Izu-Bonin Arc, B:309, 319
- Sphaeroidinellopsis disjuncta*, Izu-Bonin Arc, B:279–280
- Sphaeroidinellopsis seminulina*, Izu-Bonin Arc, B:276
- Sphaeroidinellopsis* spp., Izu-Bonin Arc, A:80; B:275
- Sphaeroidinellopsis subdehiscens*, Izu-Bonin Arc, B:275–276
- Sphenolithus belemnus*, Izu-Bonin Arc, A:348; B:247
- Sphenolithus ciperoensis*  
Izu-Bonin Arc, A:250, 349; B:247, 249, 251  
last occurrence, A:349; B:249, 251
- Sphenolithus distentus*  
Izu-Bonin Arc, A:80, 250, 349; B:247, 249  
last occurrence, A:349; B:249
- Sphenolithus heteromorphus*, Izu-Bonin Arc, A:348; B:247
- spiculifer, Reophax*, Izu-Bonin Arc, B:316
- Spongaster pentas*, Izu-Bonin Arc, B:322
- Spongaster pentas pentas* Zone, Site 792, A:253
- Spongaster pentas* Zone, Site 792, A:254; B:322
- Spongaster tetras*, Izu-Bonin Arc, B:322
- stainforthi, Catapsydrex*, Izu-Bonin Arc, B:277, 280
- Stichocorys delmontensis*, Site 792, A:254; B:323
- Stichocorys peregrina*, Site 792, A:254
- Stichocorys wolffii*, Izu-Bonin Arc, A:254, 351; B:323–324
- Stilostomella abyssorum*, Izu-Bonin Arc, B:307
- Stilostomella annulifera*, Izu-Bonin Arc, B:307
- Stilostomella gracillima*, Izu-Bonin Arc, B:307
- Stilostomella lepidula*, Sumisu Rift, B:307
- Stilostomella* sp.–*Hyperammina* sp. A Assemblage Zonule, Site 793, B:294
- Stilostomella* sp.–*Nodosaria* sp. A Assemblage Zonule, Site 793, A:351
- Stilostomella* spp.  
Izu-Bonin Arc, B:298, 307  
last occurrence, B:298
- Stilostomella* spp.–*Cibicidoides wuellerstorfi* Assemblage Zonule, Site 792, A:253; B:291
- Stilostomella* spp.–*Oridorsalis umbonatus* Assemblage Zonule, Site 792, A:251; B:290
- Stilostomella* spp.–*pleurostomella* spp. Assemblage Zonule, Site 792, A:253; B:291
- Stilostomella* spp.–*Pullenia bulloides* Assemblage Zonule, Site 793, A:351; B:296
- striata, Bulimina*, B:306, 319
- subcylindrica, Pleurostomella*, Izu-Bonin Arc, B:307
- subdehiscens, Sphaeroidinellopsis*, Izu-Bonin Arc, B:275–276
- subformosa, Fissurina*, Sumisu Rift, B:304
- subglobosa, Globocassidulina*  
Izu-Bonin Arc, B:318  
Sumisu Rift, B:305
- surculus, Discoaster*, Site 792, A:249
- Syracosphaera pulchra*, Site 792, B:261
- Teichichnus*, Site 792, B:225
- tenellus, Globigerinoides*, Izu-Bonin Arc, B:274, 279
- tetrapera, Cyrtocapsella*, Site 793, A:351; B:324
- tetras, Spongaster*, Izu-Bonin Arc, B:322
- Textularia* sp., Izu-Bonin Arc, B:317
- Thalassinoides*, Site 792, B:222
- Thalmanammina conglobata*, Izu-Bonin Arc, B:303
- Thalmanammina* sp., Izu-Bonin Arc, B:317
- Theocorythium trachelium diana*, Sumisu Rift, A:167; B:322
- tosaensis, Globorotalia*

## TAXONOMIC INDEX

## Zoophycos

- Izu-Bonin Arc, A:349; B:274, 279  
last occurrence, B:273
- Tosaia hanzawai*, Sumisu Rift, B:306
- trachelium diana*, *Theocorythium*, Sumisu Rift, A:167; B:322
- Trifarina bradyi*, Izu-Bonin Arc, B:319
- Trochammina* sp., Izu-Bonin Arc, B:317
- truempyi*, *Nuttallides*, Site 787, A:80
- trullissata*, *Cyclammina*, Izu-Bonin Arc, B:303, 317
- truncatulinoidea*, *Globorotalia*  
Izu-Bonin Arc, A:250, 349; B:271–272, 274  
Sumisu Rift, B:273
- Umbellosphaera irregularis*, Site 790, B:261
- umbilica*, *Reticulofenestra*, B:247
- Umbilicosphaera sibogae*, Sumisu Rift, B:242–243, 261
- umbonatus*, *Oridorsalis*  
Izu-Bonin Arc, B:320  
Sumisu Rift, B:310
- Uvigerina graciliformis*, Izu-Bonin Arc, B:306
- Uvigerina graciliformis* Assemblage Zonule, Site 792, B:291
- Uvigerina hispida*, Sumisu Rift, B:306
- Uvigerina hispidocostata*, B:306, 319
- Uvigerina proboscidea*, Izu-Bonin Arc, B:319
- Uvigerina proboscidea* Acme Zone, Sites 790/791, A:165
- Uvigerina senticosa*, Sumisu Rift, B:306
- Uvigerina senticosa* Acme Zonule, B:288
- Uvigerina* sp. Assemblage Zonule, Site 792, A:253
- variabilis*, *Discoaster*, Site 792, B:262
- vascus*, *Nummulites*, Izu-Bonin Arc, B:298
- venezuelana*, *Globoquadrina*, Izu-Bonin Arc, B:274
- wallichii*, *Helicosphaera*, Site 792, B:261
- wolffii*, *Stichocorys*, Izu-Bonin Arc, A:254, 351; B:323–324
- wuellerstorfi*, *Cibicidoides*, Izu-Bonin Arc, A:80, 253; B:308, 319
- zeta*, *Amphirhopalum*, Izu-Bonin Arc, B:322
- zones (with letter prefixes)
- CD3, A:80, 253
- CD4, A:80, 253
- CN1a, Site 792, A:250
- CN1c, A:250, 348; B:246
- CN2, Site 792, A:250; B:247
- CN3, A:348; B:247
- CN4, Site 793, A:348; B:247
- CN5, Site 792, A:250; B:247
- CN6, Site 792, A:250
- CN7, Site 792, A:250; B:247
- CN8, A:80, 250; B:249
- CN9, Site 792, A:250; B:249
- CN10, Site 787, A:80
- CN11, Site 787, A:80
- CN11b, Site 792, A:250
- CN12, Site 792, A:249–250
- CN12C, Site 788, A:117
- CN14, A:161–162, 249, 348
- CN15, A:79, 117, 160–162, 248–249, 348
- CP17, A:250, 349; B:247
- CP18, A:250, 349; B:247
- CP19, A:80, 250, 349; B:247
- N3, Site 792, A:251; B:277
- N4, A:349; B:277
- N5, A:251; B:277
- N6, A:251; B:280
- N7/N8 boundary, B:280
- N8, Site 792, A:251
- N9, A:251, 349; B:279–280
- N10, Site 793, A:349; B:280
- N15, B:276
- N16, A:80; B:276
- N17, A:80, 251; B:272, 276
- N18, A:80, 118; B:272–273
- N19, A:80, 118; B:272, 275
- N20, A:80; B:275
- N21, Site 792, A:251; B:274
- N22, A:80, 250; B:279
- N23, A:162–163, 250, 349
- P16, B:273, 277–278
- P17, B:277
- P18, A:251; B:280
- P19, A:251; B:280
- P21, A:349; B:272, 277
- P22, Site 792, A:251; B:277
- Zoophycos*  
Izu-Bonin Arc, B:218, 222, 225  
Sumisu Rift, B:213, 215