

INDEX TO VOLUME 129

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 129 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and to those in the *Scientific Results* (this book), by "B" with a colon (B:). In addition, reference to material in a back-pocket foldout is shown as "bp," and to material in a back-pocket microfiche, as "m."

The index was prepared by DBA, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as a further elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets") or core photographs. Also excluded are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes taxonomic entries above the generic level, as well as broad fossil groups such as foraminifers and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 800, for example, is given as "Site 800, A:33-89."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus.

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

SUBJECT INDEX

- abyssal setting, Upper Cretaceous, B:232
accumulation rates, B:32, 39, 57
 Jurassic–Cretaceous, B:532
 Mesozoic, B:31
 Site 801, B:40
acoustic basement
 3.5-kHz record, A:233
 alkalic dolerite sills, B:345
 facies, A:77-80
 volcanic events, A:235
acoustic layer 2A, basalts, B:504
acritarchs, species list, B:227
actinolite
 dolerites, B:346
 mineral chemistry, B:314
age correlation
 Sites 800, 801, 802, A:191
 Site 800, B:7
 Site 801, B:7
Albian, lower, Unit III, B:268
Albian, middle, biostratigraphy, B:193
Albian–Aptian, normal polarity, B:434
Albian–Cenomanian
 Unit III, A:30, 40, 101
 volcaniclastic turbidite, B:437
Albian–Cenomanian boundary, biostratigraphy,
 B:182-183
Albian–Coniacian, Unit III, B:437
Albian
 biostratigraphy, B:194, 221, 223-229
 end of, B:574
 paleomagnetism, B:435
 Site 800, A:33
 Unit III, B:268
algae, red, B:156, 160
 photomicrographs, B:164
algae, B:120
alkali basalt magma, initial intrusion, B:425-427
alkali basalts
 Jurassic, B:362-363
 mineral chemistry, B:305-343
 mineral separates, B:395
 petrography, B:307
 Site 801, B:4
alkali feldspar, mineral chemistry, B:308
alkalinity
 depletion in interstitial water, B:270
 interstitial water, A:207, 269, 273-275, B:272-
 273
 pore fluid, B:270-271
 vs. depth, A:125
alkali olivine basalts
 isotopic composition, B:412
 rock magnetism, B:455-470
 velocity, B:504
alkali pyroxene
 acmite, diopside, hedenbergite components,
 B:317
 mineral chemistry, B:311, 314-315
alteration, aluminum-saponite-type, mineral as-
 semblages, B:418
alteration, blue-green-type, mineral assemblages,
 B:418-419
alteration, celadonite-type, mineral assemblages,
 B:417-418
alteration, high-temperature anoxic, basaltic crest,
 B:364
alteration, high-temperature, thaumasite veins,
 B:131
alteration, hydrothermal
 Pigafetta Basin, B:21
 See alteration, high-temperature anoxic
alteration, low-temperature hydrothermal, ocean
 crust, B:415-427
alteration, low-temperature oxidative, basaltic
 crust, B:364
alteration, low-temperature, thaumasite veins,
 B:131
alteration, low-grade, mineral assemblages, B:485
alteration, saponite-type, mineral assemblages,
 B:138, 416-417
 basaltic crust, B:364-376
 basalts, B:298, 485-499
 chemical effects, B:368-369
 chemistry, B:141
 dolerites, B:346
 geochemical effects, B:406-407
 Hole 801B, A:135-136
 Hole 801C, A:140-142
 mineralogical effects, B:367
 photographs, B:418
 siliceous deposits, B:42
 Site 800, A:67-68
 Site 802, A:218-219
 Unit 24, B:491-493
 Unit 9, B:491-493
 whole-rock chemical changes, B:419-420
alteration budget, sediments, B:274
alteration parameters
 basalt lavas, B:353
 dolerite sills, B:353
 variation with depth, B:368-369
aluminosulfate, sulfur isotopes, B:286
aluminum-iron-manganese, samples, B:55, 60-61
aluminum/(aluminum+iron+manganese) ratio,
 sediments, B:55
aluminum/metal ratio, samples, B:53
aluminum
 clinopyroxene, B:330
 concentration, B:57, 638
 Lower Cretaceous, B:606
 mass accumulation rates, B:588-589, 594,
 596, 598
 pyroxene, B:316-317
 sediments, B:46, 50
 See also cerium/aluminum ratio
 siliceous deposits, B:41
 spinel, B:317, 319
 Upper Jurassic, B:606
amphibole, B:140
 crystal chemistry, B:318-319
 dolerites, B:346
 mineral chemistry, B:313-314
 petrography, B:307
 See also individual minerals
analcime, B:13
 SEM photomicrographs, B:134
 Site 802, B:124
 tuff, B:127, 129-130
apatite
 chemical composition, B:171
 composite sample, B:171
 electron microprobe data, B:171
 euohedral crystals, B:171
 fission-tracks, B:169-176
 needles, B:306
 petrography, B:363
 photomicrographs, B:172-173
 sediments, B:8
 SEM data, B:27
apparent ages, argon/argon, B:391
Aptian, upper, A:186-187, B:148
 biostratigraphy, B:180, 194, 221, 229
 nannofossils, B:193
 paleomagnetism, B:435
 Site 585, B:555
 Site 800, A:33, B:32
 Site 802, B:557
 Unit IV, A:40-44, B:268
Aptian–Cenomanian, A:185-186, 188, 190-192
Aptian–Coniacian, A:185
APWP. *See* polar wandering, apparent path
Ar-40/Ar-39, *See* argon-40/argon-39
argon-40/argon-39, radiometric ages, B:389-404
Atlantic Ocean N
 abyssal agglutinated foraminifers, B:252
 correlation, B:235
 foraminifers, B:254
augite, mineral chemistry, B:308
authigenesis, hydrothermal, sediments, B:8
authigenesis, thaumasite veins, B:131
Bajocian, biostratigraphy, B:206
barite, B:159
barium/niobium ratio, basalts, B:387
barium
 Pigafetta Basin, B:16
 sediments, B:56
 siliceous deposits, B:41
 See also copper/barium ratio
Barremian
 biostratigraphy, B:180, 205, 221
 Unit V, A:44
basalt-seawater interaction, chemical exchange,
 B:368-369
basalt clasts, B:138, 147
 photomicrographs, B:152
basalt extrusives, logs, A:216
basalt flows, aphyric, radiometric ages, B:390-391
basalt flows, submarine, ancient oceanic crust,
 B:551, 574
 feldspar composition, B:309
 magnetic properties, B:450
 middle Cretaceous, B:568
 Site 61, B:555
 stratigraphy, B:456
 unit designation, B:448
basalt lava, tholeiitic, major oxides and trace ele-
 ments, B:354-356
basalt magnetism
 Site 801, A:123, B:455-470
 Site 802, A:204-205
 vs. depth, A:205
basalts, alkalic
 incompatible elements, B:373-376
 mineral chemistry, B:308-343
 petrography, B:363
 radiometric ages, B:393
 strontium isotopes, B:409-410
basalts, extrusive, B:119
basalts, hypocrySTALLINE, photomicrographs, B:152
basalts, interbedded, Unit VI, A:104-106
basalts, microphyric tholeiitic, petrography,
 B:346, 348
basalts, oceanic
 comparison, B:376-383
 geochemical comparison, B:406-412
basalts, phyric, petrography, B:307-308
basalts, pillow, radiometric ages, B:391
basalts, tholeiitic

- argon-40/argon-39 laser analyses, B:402
 crystal chemistry, B:315-320
 high-velocity, B:504
 Jurassic, B:581
 mineral separates, B:396
 neodymium isotopes, B:410
 open-system generation, B:384
 petrography, B:307-308, 363-364
 photomicrographs, B:347
 physical properties, B:486
 radiometric ages, B:393
 rock magnetism, B:461
 Site 801, B:4, 442
 strontium isotopes, B:409-410
- basalts, tholeiitic and alkalic, normative basalt tetrahedron, B:379
- basalts, vesicular, petrography, B:138, 307
 alteration, B:270, 485-499
 Aptian, B:565
 argon-40/argon-39 incremental heating, B:403
 Bathonian–Callovian, B:10
 chemical analyses, B:370-377
 core ages, B:35, 37
 Cretaceous, B:345-359
 differentiation trends, B:489
 dissolution, B:275
 geochemistry, B:405-413
 interlaboratory chemical data, B:363, 669
 Jurassic–Lower Cretaceous, B:677
 Jurassic, B:501-506
 lead/lead vs. initial strontium/strontium and neodymium/neodymium, B:409
 lithologic units, B:35, 37
 lithologies, B:35, 37
 mineral phases, B:306
 mineral separates, B:397
 paleomagnetic data by increasing depth, B:465-470
 paleomagnetism, B:447-454
 photomicrographs, B:388
 radiometric ages, B:389-404
 recovery, B:635
 samarium/samarium vs. initial neodymium/neodymium, B:409
 Site 802, A:186-187, B:621
 strontium, neodymium, and lead isotopes, B:407
See also alkali basalts, dolerites; mid-ocean ridge basalt; ocean-island basalts
- basement, basaltic
 radiometric ages, B:389-404
 upper Bathonian–lower Callovian, B:675
- basement
 alteration, B:426-427
 hydrothermal deposits, B:485
 Jurassic, B:4, 27, 362-363, 447-454
 Site 800, A:81
 Site 801, A:91-170
 stratigraphy, B:383, 456
- basement rocks, geochemistry, B:291
- Bathonian, upper, sedimentation, B:583
- Bathonian–Callovian
 paleomagnetism, B:436
 photomicrographs, B:108-110
 Site 801, A:91-170
 Unit V, A:104, B:437
 Unit VI, A:104-106
- Bathonian–Callovian boundary, biostratigraphy, B:396
- Bathonian
 interflow sediments, B:581
 Unit V, B:268
- bathymetry, B:151
- benthic species, B:231
 Pacific Ocean W, A:35, 94, 172, B:561
 Site 800, B:695
 Site 801, B:695
 Site 802, B:695
- bedding, fine, B:159
- bedding, inclined, formation microscanner imagery, B:89, 157, 159
 contacts, B:156
 Lower Cretaceous, B:686
- bed structures, internal, B:159
- beidellite, alteration, B:425
- Berriasian–Barremian, B:32
- Berriasian
 biostratigraphy, B:180, 221
 sill emplacement, B:346
 Site 800, A:33, B:32
 Unit V, B:268
 Unit VI, A:44
- Bikini Atoll, correlation, B:240
- Bikini Atoll Drill Hole 2B, biostratigraphy, B:231
- biochronology, foraminiferal assemblages, B:254
- Biofacies B, foraminiferal assemblages, B:231
- biogeography, nannofossils, B:190
- biogeography. *See also* paleobiogeography
- biological productivity, Jurassic–Cretaceous, B:601
- biomineralization, siliceous, B:21
- biosiliceous events, deposition, B:232
- biostratigraphy
 Callovian–Oxfordian boundary, B:589
 Cenozoic, B:119
 correlation with paleolatitudes, B:624
 Jurassic–Cretaceous, B:179-187, 532
 Jurassic–Lower Cretaceous, B:203-220
 Lower Cretaceous, B:221-228
 Mesozoic, A:13-18
 middle Cretaceous, B:189-201
 Site 800, A:48-52
 Site 801, A:113-118
 Site 802, A:195-200
 Upper Cretaceous, B:247-264
- biotite
 alteration patches, B:321
 argon-40/argon-39 laser analyses, B:401
 composition in aluminum, magnesium, and iron, B:320
 crystal chemistry, B:315
 dolerites, B:346
 mineral chemistry, B:322-323
 petrography, B:363
- bioturbation
 Leg 129, B:159, 604
 middle Berriasian–Valanginian–lower Hauterivian, B:597
 mottling, B:597
 radiolarites, B:583
- bivalves, B:160
- block rotations, volcanic piles, B:459
- bornite, geochemistry, B:290
- boron
 interstitial water, B:269, 270-275
 sediments, B:48, 50
 siliceous deposits, B:41
- bottom water oxygenation
 Callovian, B:601
 Upper Jurassic–Lower Cretaceous, B:604
- breccia, angular, B:92
- breccia, chert, photomicrographs, B:108-110
- breccia, compartmented, B:92
 Bathonian, B:582
 fragments, B:93
 Jurassic–Lower Cretaceous, B:95, 677
- brecciated zones, Hole 801C, A:142
- bryozoans, B:120
- bubble wall, B:144
- bulk properties, basalts, B:486
- burial history, Mesozoic, B:176
- bytownite, mineral chemistry, B:308
- C-13/C-12. *See* carbon-13/carbon-12
- calcareous deposits, B:39
- calcareous nannofossils. *See* nannofossils, calcareous
- calcification
 compressional wave velocity, B:491
 physical properties, B:493
- calcite, replacive, B:11, 13, 156-156
 photomicrographs, B:100-104
 sediments, B:274
 Unit IV, B:268
 X-ray diffraction data, B:12-15, 87
- calcium-strontium relationship, tuff, B:128
- calcium
 enrichment in interstitial water, B:270
 interstitial water, B:207, 269, 272-275
 measured spectra, B:636
 pore fluid, B:270-271
 tuff, B:128
 vs. depth, A:60, 125
 yield in decimal fraction, B:153
See also clinopyroxene
- calcium carbonate
 Hole 802A, B:651
 lithostratigraphic section, A:194
 oxide-weight fractions, Hole 800A, B:644-645
 Site 802, A:190
- calcium oxide, B:143
 basalts, B:378
 lithologic facies, B:18
 vs. strontium, B:131
- calcium silicate carbonate sulfate hydroxide, B:119
- Callovian–Oxfordian boundary, A:107
- Callovian–Valanginian, B:90
- Callovian
 biostratigraphy, B:206
 Site 801, B:608
 Unit V, B:268
- Campanian, upper
 biostratigraphy, B:230-231
 marker species, B:184
 Unit I, B:268
 Unit II, B:268
- Campanian
 abyssal assemblages, B:252
 biostratigraphy, B:180, 229, 231, 248
 brown chert-porcellanite unit, B:437
 paleomagnetism, B:436
 Site 61, B:555
 Site 800, A:33
 Unit I, B:268
 Unit II, B:268
 Unit IV, B:234-235
 Unit V, B:269
- carbon, organic
 Hole 801B, A:136
 Site 801, A:111
 Site 802, A:190
- carbon-13/carbon-12, data, B:424
- carbon-13/carbon-12
 alkali basalts, B:420-423
 apatite, B:176
 carbonate, B:426
- carbon, in dolerite, A:70
- carbonate, lagoonal, B:160

- carbonate, pelagic biogenic, middle Cretaceous, B:619
 alteration, B:367, 369
 basalts, A:144, 220
 dolerites, B:346
 Hole 801B, A:136
 hydrothermal deposits, B:423
 Jurassic–Lower Cretaceous, B:608
 mass accumulation rates, B:588–589, 605
 sedimentary rocks, A:45–46
 sediments and pore water, B:280
 Site 801, A:106, 111
 stratigraphic plot, A:112
 tholeiitic basalts, B:323
 volcanoclastics, B:144
- carbonate banks, foraminifers, B:233–234
- carbonate compensation depth
 Aptian–Santonian, B:619
 dissolution of carbonates, B:618
 Jurassic, B:605
 Lower Cretaceous, B:605
 Pigafetta Basin, B:15, 247
 Site 800, B:7
 Site 801, B:7
 Site 802, B:231
- carbon dioxide, dissolved, carbonate accumulation/dissolution, B:619
- carbon isotopes. *See* carbon-13/carbon-12
- Caroline Ridge, Horizon B, B:567
- CCD. *See* carbonate compensation depth
- celadonite, B:11, 13
 alteration, B:367, 417–418
 basalts, B:493
 chemical composition, B:142, 339–343
 dolerites, B:346
 mineral chemistry, B:322
 petrography, B:308
 Site 801, B:273
 TEM data, B:29
- celestine. *See* celestite
- celestite
 Pigafetta Basin, B:16
 sediments, B:286
- cementation, sediments, B:95, 267, 275
- Cenomanian–Campanian, Unit II, A:99, 101
- Cenomanian–Maestrichtian boundary, biostratigraphy, B:183
- Cenomanian, B:88
 paleomagnetism, B:436
 Site 800, A:33
 Unit III, B:268
- Cenozoic, lower, B:22
 apparent polar wander paths, Hawaiian lineations, B:480
 biostratigraphy, B:229–248
 geochemistry, B:295–302
 lithostratigraphy, B:154
 redeposited sequence, B:119
 sediments, B:3–30
 stratigraphy, A:171–242
 Unit I, A:99
- cerium/aluminum ratio, sediments, B:52, 55
- cerium
 sediments, B:51, 55
 siliceous deposits, B:42
 vs. zirconium, B:357
- chabazite, sodium, SEM photomicrographs, B:135
 photographs, B:122
 Site 802, B:125
- chalcedony, B:88, 91, 98
 cement, B:92
 photomicrographs, B:112–114
 Site 801, B:92
- tholeiite, B:425
 Tithonian–Valanginian, B:93
- chalcocite, geochemistry, B:290
- chalcopyrite
 geochemistry, B:290
 sulfur isotopes, B:288
- chalk, clayey, mineral composition, B:124
- chalk, nannofossil
 core ages, B:37
 depositional setting, B:232–233
 lithologic units, B:37
 lithologies, B:37
 Site 801, B:36
 Site 802, A:182–183, 192, 194
 trace elements, B:126
 Unit III, B:268–269, 441
 upper Paleocene, B:91
- chalk, B:551
 Aptian–Albian–Cenomanian, B:619
 Campanian, B:555
 geochemistry, B:289–290, 292
 inclusion photomicrographs, B:100–104
 physical properties, B:508–517
 seismic stratigraphy, B:565
 Site 801, B:34
 Site 802, A:180–182, B:120, 130
 tuff, B:123, 130
- chemical discrimination
 tectonic fields, B:148
 volcanoclastics, B:148
- chemical reactions, in situ, sediments, B:270–271
- chemostratigraphy
 basalts, B:380
 Jurassic, B:369
- chert, bedded
 Leg 129, B:89, 91, 97–98
 photomicrographs, B:105
- chert, brown
 core ages, B:35
 lithologic units, B:35
 lithologies, B:35
 Site 801, A:112–113, B:56
 Unit II, A:99, 101, B:268, 437
- chert, carbonate-replacement, photomicrographs, B:97, 100–104
- chert, dark brown, Unit IV, B:268
- chert, gray
 Unit III, B:268
 X-ray diffraction data, B:86
- chert, gray, radiolarian, paleomagnetism, B:431
- chert, nodular, B:88
- chert, quartz, B:98
 lower Eocene, B:93
 lower Miocene, B:93
- chert, radiolarian
 photomicrographs, B:105
 Site 800, B:32
 Site 801, B:92
 TEM data, B:30
 upper Tithonian, B:592
 X-ray diffraction data, B:86
- chert, radiolarian volcanoclastic, X-ray diffraction data, B:82
- chert, ribbon radiolarian, B:89
- chert, thermal, B:89, 98, 108–110
- chert, volcanic, B:97
- chert/clay ratio, velocity logs, B:688
- chert, B:32, 81–82, 88, 99, 551
 Albian–Cenomanian, Hole 800A, B:9
 Aptian–Albian–Cenomanian, B:619
 Bathonian, B:582
 Berriasian–Aptian, B:598
 Berriasian–Valanginian, B:681, 683
- Callovian, B:75
 Campanian, B:18, 555
 carbonate-replacement, B:88
 Cenomanian–Campanian, B:10, 561, 598
 chemical composition, B:639
 core ages, B:33
 Cretaceous, B:689
 formation microscanner imagery, B:688
 geochemistry, B:290
 Jurassic–Lower Cretaceous, B:677
 lithologic units, B:33
 lithologies, B:33
 lower Callovian, B:584
 lower Tithonian, B:680–681
 middle Berriasian–Valanginian–lower Hauterivian, B:597
 middle Oxfordian, B:588
 Oxfordian–Kimmeridgian, B:680
 paleomagnetism, B:436
 physical properties, B:508–517
 recovery, B:635
 seismic stratigraphy, B:565
 Site 800, B:6, 56
 Site 801, B:4, 34, 36, 92
 thickness, B:690
 Tithonian–Valanginian, B:93
 Tithonian, B:589, 592
 Turonian–Campanian, Hole 800A, B:9
 Unit II, A:38
 Unit III, A:38–40
 Unit VI, A:44, 104–106
 Upper Cretaceous, B:14, 563
 Valanginian–Barremian, B:599
 Valanginian, B:596
- certification, B:89, 91, 93, 97
 formation microscanner imagery, B:591
 fronts, B:88
 Tithonian, B:592–593
- chloride
 interstitial water, B:270–275
 ions, B:272
- chlorine
 depletion in sediments, B:271–272
 increase by water uptake, B:281
 interstitial water, A:207, B:269
 measured spectra, B:636
 vs. depth, A:125
 vs. pore-water D/H, B:300–301
- chlorinity
 reduction, B:272
 Site 800, A:59–60
- chlorite-smectite, mineral chemistry, B:321
- Chondrites* burrows, radiolarite layers, B:597
- chromium
 cooling units, B:366
 dolerite sills, B:348
 fractionation index, B:383
 pyroxene, B:316–317
 spinel, B:317, 319
 tuff, B:127
 vs. depth below seafloor, B:351
 vs. zirconium, B:357
- clasts, lithic, B:138
- clasts, lithic volcanogenic, B:138
- clasts, B:147–148, 155, 160
- clay, brown
 core ages, B:33
 lithologic units, B:33
 lithologies, B:33
 Unit I, B:269
 upper Campanian–Tertiary, Hole 800A, B:9
- clay, brown, pelagic, Unit I, A:99
- clay, calcareous

- Valanginian–Barremian, B:599
 clay, dark reddish brown, pelagic, Unit IA, A:99
 clay, detrital, B:55
 clay, marine, B:56
 clay, pelagic, B:32
 Bathonian, B:582
 Cenomanian–Campanian, B:562
 core ages, B:37
 geochemistry, B:287-288
 lithologic units, B:37
 lithologies, B:37
 lower Miocene–middle Pliocene, B:561
 Miocene, B:563
 physical properties cross-plots, B:510
 Site 800, B:32
 Site 802, B:123, 130
 Tertiary, B:563
 clay, pelagic, brown
 core ages, B:35
 Cretaceous–Cenozoic, A:47-48
 lithologic units, B:34
 Site 802, A:176, 194
 Unit I, A:38, B:268
 clay, pelagic, red
 Cenozoic, B:17
 mineral composition, B:17
 clay, red
 Cretaceous–Quaternary, B:6
 uppermost Cenozoic, B:15
 clay, smectite/chlorite, B:155
 clay, volcanoclastic, B:124
 clay, zeolitic, pelagic, brown, Unit I, B:268
 clay/radiolarite ratio, Milankovitch cycles, B:545
 clay, B:158-159
 basalts, B:493
 biostratigraphy, B:206
 Callovian, B:603
 Campanian–Tertiary, B:10
 Campanian, B:555
 Cretaceous, B:689
 Jurassic–Lower Cretaceous, B:608
 lithologic units, B:33
 lithologies, B:33
 Lower Cretaceous, B:606
 mass accumulation rates, B:598
 paleomagnetism, B:432
 recovery, Hole 800A, B:635
 Site 800, A:33
 Upper Jurassic, B:606
 See also chert/clay ratio
 clay fraction
 bulk X-ray powder diffraction data, B:143
 SEM data, B:27
 Site 802, B:123
 clay input, pulses, B:602
 clay membranes, ultrafiltration, B:295, 298
 clay minerals, B:39
 microprobe data, B:50
 petrography, B:307
 Site 801, B:36
 Site 802, B:124
 X-ray diffraction data, B:50, 87
 claystone, brown, Unit III, B:441
 claystone, calcareous
 Campanian–Eocene, B:558
 core ages, B:37
 lithologic units, B:37
 lithologies, B:37
 Site 802, A:180-182, 185, 191-192
 Unit II, B:441
 claystone, iron-rich radiolarian, B:583
 claystone, lithified tuffaceous, B:138
 claystone, metalliferous, Lower Cretaceous–?Late Jurassic, B:600
 claystone, nannofossil, B:36
 claystone, pelagic
 Cretaceous, B:39
 depositional setting, B:231
 Site 802, B:120
 claystone, radiolarian, B:158
 Jurassic–Lower Cretaceous, B:677
 paleomagnetism, B:435
 Site 800, B:32
 claystone, siliceous, Unit V, A:44-45
 claystone, siliceous volcanoclastic, X-ray diffraction data, B:86
 claystone, silicified
 Site 801, B:4
 Unit VI, A:104-106
 claystone, tuffaceous calcareous, B:130
 claystone, zeolitic pelagic, Unit IV, B:269
 claystone-radiolarite layers, multiple microprobe transects, B:587
 claystone
 biostratigraphy, B:207, 229
 Bathonian–Callovian, B:10, 559
 Callovian, B:584-585, 587, 602
 chemical composition, B:582
 core ages, B:37
 geochemistry, B:289
 Jurassic, B:18, 581
 Jurassic–Cretaceous, B:601
 Jurassic–Lower Cretaceous, B:677
 lithologic units, B:37
 lithologies, B:37
 Lower Cretaceous, B:19, 530
 microprobe transects, B:591
 physical properties cross-plots, B:510
 post-Valanginian, B:683, 683
 silica dissolution, B:587
 Site 800, A:33, B:32
 Site 801, A:106-107, B:34, 36
 Site 802, A:183, 185-186, 190, 192, B:123, 557
 tuff, B:130
 Unit IV, A:40-44
 Units VI–IX, B:269
 Unit V, A:104, B:268-269, 437
 Upper Jurassic, B:19
 climate cycles, Jurassic–Cretaceous, equatorial, B:529-547
 Clinoptilolite, B:11
 bulk X-ray powder diffraction data, B:143
 mineral composition, B:117
 Pigafetta Basin, B:22, 80
 sediments, B:270
 SEM data, B:28
 Site 802, B:124, 275
 TEM data, B:29
 tuff, B:129-130
 volcanic-related, B:89
 X-ray diffraction data, B:12-15, 87
 clinopyroxene, variolitic, B:138, 148, 307
 compositional variation, B:141
 composition in calcium, iron, magnesium, B:316
 composition in titanium and aluminum, B:317
 mineral chemistry, B:308, 312-313
 petrography, B:306, 346, 363-364
 Site 802, B:120
 tholeiite, B:371
 tholeiitic basalts, B:321, 326-327
 titaniferous diopside/augite, B:325
 See also pyroxene
 coloration, palynomorphs, B:223
 compaction, burial, B:272
 compaction, well-logging, B:507-527
 compressional wave velocity
 basalts, B:488-489
 data summary, B:504
 Site 800, A:62-64
 Site 801, A:127-128
 Site 802, A:209-213
 traveltime, B:501
 vs. carbonate, carbon dioxide, B:491-498
 vs. density, B:506
 vs. depth, A:63, 130, 213, B:506
 vs. lithology, B:515
 vs. major elements, B:490-491, 494, 496-497
 vs. porosity, B:501, 505
 vs. trace elements, B:491, 499
 vs. velocity anisotropy, B:492
 vs. wet-bulk density, B:490, 502
 Coniacian–Campanian, A:183-184
 Coniacian, biostratigraphy, B:229
 cooling units, nonvesicular, glassy spherulitic margins, B:346
 cooling units, volcanic
 Cretaceous, B:345-359
 petrography, B:362-363
 cooling units
 chemical correlation, B:364, 366
 petrography, B:306-308
 radiometric ages, B:391-392
 copper/barium ratio, sediments, B:56-57
 copper
 sediments, B:56
 siliceous deposits, B:42
 vs. barium, B:64-65
 core-log depth correlation, B:159
 depth errors, B:510
 core descriptions, visual, B:153
 core photographs, B:153
 core recovery, well-logging, B:507-527
 correlation, interbasinal, foraminifers, B:247
 correlation, interhole, alkalic basalts, B:362-363
 correlation, lithologic, A:189
 correlation, stratigraphic, A:139
 correlation diagrams
 lead-lead, B:408
 strontium/strontium vs. initial neodymium/neodymium, B:408
 cosmopolitan species, foraminifers, B:254
 Cretaceous, Lower, B:573, 604
 apparent polar wander paths, B:481
 biostratigraphy, B:183, 203-228, 247-264
 dolerite sills, B:485
 geochemistry, B:573
 Milankovitch cycles, equatorial, B:529-547
 Pacific sites, B:573
 paleolatitudes, B:576
 petrology, B:573
 sedimentary features, B:573
 sediments, B:673
 Site 800, B:571
 Site 801, B:40, 571, 594
 stratigraphy, B:573
 Unit V, B:433
 Cretaceous, middle, B:137-152
 biostratigraphy, B:189-201
 events, B:21
 Cretaceous, Upper, B:89, 97
 paleomagnetism, B:475
 Pigafetta Basin, B:22
 Cretaceous–Oligocene, B:36
 Cretaceous, B:39, 84, 88, 141, 551
 basalts, B:405-413
 biostratigraphy, B:179-187, 229-248

- East Mariana Basin, B:551-569
 geochemistry, B:295-302
 geological setting, B:573
 integrated stratigraphy, B:693
 normal polarity, B:434
 Pacific Ocean W, B:551-569
 paleogeography, B:189-190, 621
 paleolatitudes, B:615-631
 paleomagnetism, B:431-436, 440, 447-454
 Pigafetta Basin, B:551-569
 reversed polarity, B:444
 sediments, location of ODP and DSDP sites drilled into, B:572
 sills and lava flows, B:345-359
 Site 800, A:33-89
 Site 801, A:91-170
 stratigraphic depth correlation diagram, B:139
 stratigraphy, A:171-242
 summary of lithostratigraphy, B:154
 turbidite, B:512
- Cretaceous Normal Polarity Superchron, B:617
 paleolatitudes, B:436, 444, 618
 volcanoclastic turbidite, B:437
- crystalite, volcanic-related, B:89
- crust, basaltic, alteration, B:298
 age, B:553
 Jurassic, A:157-158
 simple model, B:412
 thickening, B:349
- crystal chemistry. *See* mineral chemistry
- crystal fragments, B:140
- crystallization, hydrous, amphibole, B:314
- crystallization age, basalts, B:407-409, 411-412
- crystals, quench, alkali feldspar, B:308
- cyelicity, Jurassic-Cretaceous, B:601
- D/H. *See* hydrogen isotopes
- debris, biosiliceous, Tithonian, B:592
- debris, shallow-water, photomicrographs, B:164
- debris-flow deposits, clast-supported, B:155
- debris-flow deposits, graded, B:155
- debris-flow deposits, matrix-supported, B:155, 161
 biostratigraphy, B:229
 core photographs, B:155
 Unit V, B:269
- debris avalanches, B:146
- debris flows, seamounds, B:138
- deformation features, A:108-112
- degassing, hydrogen and methane, B:295
- dehydration, sediments, B:271-272
- demagnetization, alternating field
 basalts, B:458
 Site 800, A:56
 Unit V, B:432
- demagnetization, secondary, Unit V, B:443
- demagnetization, stepwise, vector projection, B:461, 463
- demagnetization, thermal
 Bathonian-Campanian, B:617
 Unit V, B:432
- demagnetization
 decay patterns, B:450
 response, B:433, 438-439, 442
 sedimentary rocks, B:441
- density, bulk, vs. lithology, B:515
- density, wet-bulk
 vs. compressional wave velocity, A:64, 131, 213
 vs. depth, A:62
- density-caliper-gamma ray logs
 Site 800, A:86-87
 Site 801, A:162-164
- Site 802, A:240-241
- density
 igneous rocks, B:486-488
 vs. depth, B:513-514
- density logs, chert, B:516
- deposition, B:155
- desiccation, photomicrographs, B:108-110
- dewatering
 interlayer water, B:281
 Site 800, B:272
- diabase sill, middle Cretaceous, B:572
- diagenesis, B:91
 Jurassic-Lower Cretaceous, B:608
 nannofossils, B:190
 palynomorphs, B:223
 radiolarians, B:91
 sediments, B:270-271, 512
 Site 801, A:107-108
 Site 802, B:124
 Tithonian, B:593
 tuff, B:128
- diagenetic features, upper Paleogene, B:91
- diagenetic markers, B:16
- diagenetic reactions
 clay membranes, B:295
 interstitial water, B:267-281
- diffusion, basaltic crust, B:270-271
- diffusion barriers, interstitial water, B:272
- diffusion constant, sediments, B:274
- diffusive exchange, sediment-seawater, B:298, 301
- dinoflagellate cysts
 Aptian-Albian, Australia, B:226
 biostratigraphy, B:221-222
 distribution, B:226
 species list, B:227
- diopside, titaniferous, elongate prisms, B:327
- diopside, mineral chemistry, B:308-309
- dipmeter measurements, B:153, 159
 stratigraphy, B:689
- discontinuities
 sedimentation rates, B:540
 spectral analysis, B:535-537
- dissolution, variable
 Lower Cretaceous, B:602
 Upper Jurassic, B:602
- dissolution
 Aptian, B:180
 carbonate, B:604
 nannofossils, B:193-194
- dolerites, alkalic
 major oxides and trace elements, B:350-351
 mineral chemistry, B:308-343
 petrography, B:306-307, 347
 radiometric ages, B:392-393
- dolerites, aphyric alkalic, radiometric ages, B:390
 core ages, B:33
 Cretaceous, B:345-359
 Jurassic, B:362-363
 lead isotope ratios, B:409
 lithologic units, B:33
 lithologies, B:33
 magnetization, A:56-57
 mineral chemistry, B:305-343
 mineral phases, B:306
 mineral separates, B:394
 petrography, B:363
 sills, B:485
 Site 800, A:33, 66
- dolerite sills
 Leg 129, B:551
 middle Cretaceous, B:568
 physical properties, B:485
- Site 800, B:32
 Unit VI, A:44
- dolomite, X-ray diffraction data, B:87
- downhole logs
 geochemical combination tool string, A:72, 147, 223
 lithologic units, B:532
 natural gamma-ray spectrometry tool, A:148, 224
 quad combination tool string, A:71, 146, 222
 raw and processed velocity logs, A:149, 225
 summary compilation, A:73, 150, 226
- downhole measurements
 Site 800, A:68-75
 Site 801, A:144-152
 Site 802, A:219-227
See also well-logging
- drifting
 Early Cretaceous, B:578
 uppermost Jurassic, B:578
- DWAF. *See* foraminifers, deep-water agglutinated
- Earth's orbital parameters, changes, B:529-547
- East Mariana Basin
 apatite, B:169-178
 bathymetry, B:695
 biostratigraphy, B:229-248
 data, B:555
 Early Cretaceous, B:571
 geochemical well logs, B:635
 geochemistry, B:295-302, 653
 interstitial water, B:267-281
 Jurassic, B:571
 lower Miocene-middle Pliocene, B:561
 MESOPAC II SCS watergun profile, B:564
 oceanic crust, B:553
 paleolatitudes, B:615-631
 paleomagnetism, B:447-454
 physical properties, B:485-499
 regional history, B:553
 sedimentation, B:31-79, 571
 seismic facies, B:561
 seismic stratigraphy, B:551-B:569
 silicification, B:81
 site description, A:171-242
 tectonic setting, B:553
 turbidite, B:565
 volcanoclastic facies, B:153
 well-logging, B:507-527
- eccentricity cycles, Milankovitch cycles, B:529-547
- electrofacies, lithology, B:516
- electron microprobe data, apatite, B:175
- Emperor Seamounts
 Pacific Plate, B:576
 tholeiitic basalts, B:489
- Eniwetok Atoll
 biostratigraphy, B:231
 correlation, B:240
- environment, eruptive, B:144-145, 148
 basalts, B:379
 ocean-island, B:148
- environment, eutrophic, B:194
- environment, marine, B:31
- environment, marine shallow, Mesozoic, B:223
- environment, sedimentary, mega-Pacific beginning, B:573
- environment, shallow-water, B:146-148
- Eocene
 paleomagnetism, B:440
 Unit II, B:269
- equatorial assemblages, Cretaceous, B:194
- erosional events

- correlation, B:234
Miocene, B:240
See also unconformities
- exogenic cycles, sulfur, B:283
- explanatory notes, standards and methods, A:5-29, B:240
- facies, vertical sequences, dipmeter-microresistivity log, B:155, 166-167
Berriasian-Valanginian, B:598
Cretaceous, B:579-581
Jurassic-Lower Cretaceous, B:531-532
Jurassic, B:579-581
lower Callovian, B:585
Lower Cretaceous, B:592, 595
Mesozoic, B:580
relationship between aluminum/(aluminum+iron+manganese) and iron/titanium ratio, B:24
Site 801, A:102-103
Tithonian-Berriasian, B:594
upper Callovian, B:586
Upper Jurassic-Lower Cretaceous, B:604
Upper Jurassic, B:587
uppermost Bathonian, B:584
upper Tithonian, B:590
vertical sequence, B:159-160
See also microfacies
- faults, volcanoclastic sandstone, B:173
- fauna, shallow-water, B:160
- faunal density
Cretaceous, B:248
foraminifers, B:259-260
- faunal diversity
Cretaceous, B:248
foraminifers, B:259-260
- feldspar, B:140, 156, 158
argon-40/argon-39 laser analyses, B:400
mineral chemistry, B:308-311
zonation with calcic cores, B:325
See also individual groups and minerals
- ferriwinchite, mineral chemistry, B:313-314
- fertility indices
Aptian-Cenomanian interval, B:193
nannofossils, B:191, 198-200, 625-626
- fission-track annealing
apatite, B:169-176
kinetic model, B:170
- fission-tracks, length data, B:173-174
- fissure fillings, SEM photomicrographs, B:135
- fissure veins, thaumasite, B:131
- flaser laminae, B:159
- flow strength, B:160
- fluid inclusions, calcite veins, B:174
- fluidization/liquefaction channel, B:157
- fluidized-flow deposits, B:155-156, 159-160
- fluid pending, hydrothermal deposits, B:369
- FM35-12 expedition seismic survey
coverage, B:554
DSDP sites, B:553
MCS air-gun profile, A:228, 230
track chart, A:175
- FMS. *See* formation microscanner imagery
- folds, chevron, formation microscanner imagery, B:158
- folds, recumbent, B:160
formation microscanner imagery, B:157
- folds. *See also* microfolds
- foraminifer chambers, photomicrographs, B:100-104
- foraminifers, agglutinated abyssal, Upper Cretaceous, B:247-264
- foraminifers, agglutinated benthic
Upper Cretaceous, B:251-253
- foraminifers, benthic
Cretaceous-Tertiary, B:232
Leg 129, B:160
- foraminifers, deep-water agglutinated
biostratigraphy, B:247-264
Site 802, B:229, 235
- foraminifers, larger, correlation with Bikini Atoll and Eniwetok Atoll, B:240
- foraminifers, planktonic, biostratigraphy, A:16, B:231
- foraminifers, reworked benthic, Cretaceous-Cenozoic, B:229-248
- foraminifers, reworked deep-water calcareous benthic, "smaller," B:229
- foraminifers, reworked shallow-water, "larger," B:229
abundance, A:50
comparison between Pacific and Atlantic, B:260
Cretaceous-Tertiary, B:246-248
Leg 129, B:155
photomicrographs, B:241-245
replaced, B:581
Site 800, A:51-52
Site 801, A:116-117, B:34
Site 802, A:189-200, B:120
species list, B:235-239, 254-264
- formation microscanner imagery
lithofacies, B:531-532
lithologies, B:674
resistivity, B:159, 674, 691
sediments, B:673-693
vs. spectral cyclicity, B:539-540
- fossil assemblages, agglutinated, interbasinal correlation, B:247
- fossil assemblages, benthic foraminifers, B:229
- fossil assemblages, planktonic, B:193
low diversity, B:231
nannofossils, B:190
See also equatorial assemblages
- fractionation, isotopic, bacterial sulfate reduction, B:96, 292
closed-system vs. open-system, B:370-371
- fracture fillings, B:123, 125
- fractures, horizontal, B:119
Hole 801B, A:136
SEM photomicrographs, B:122, 135
Site 800, A:68
Site 802, B:123
- gamma-ray data
Hole 800A, B:640-641
Hole 801B, B:646-647
Hole 802A, B:650
- gamma-ray intensity
lithofacies, B:531-532
sedimentation rates, B:542
- gamma-ray logs
filtered vs. unprocessed, B:536
reprocessing, B:639
signal filtering, B:534-535
sources of artifacts, B:537-539
time-series analysis, B:535
- gas hydrates, interstitial water, B:274
- geochemical cycles, sulfur, B:292-293
- geochemical data, igneous rocks, B:653-669
- geochemical logging tool string
components, B:636
schematic drawing, B:637
- geochemical logs
Hole 801B, B:648-649
normalization of elemental yields, B:638
- silica contents, B:514-515
Site 800, A:88-89, B:639
Site 801, A:165-167, B:639, 673
Site 802, A:242-243, B:639
- geochemical signatures, siliceous reeks, B:57
- geochemical trend, deposits, B:3-30
- geochemistry, inorganic
description, A:18-19
Site 800, A:57-60
Site 801, A:123-124
Site 802, A:205-207
- geochemistry
basalts, B:405-413
clasts, B:137-152
Hole 801B, A:136
Hole 801C, A:144
interlayer water, B:295-302
Jurassic oceanic crust, B:361-388
sills and lava flows, B:345-359
Site 802, A:218-219
sulfur, B:283-294
- geologic history, foraminifers, B:230
- geophysical logs
Jurassic-Lower Cretaceous, B:543-545
Site 801, B:673
- glass, basaltic, B:275
- glass, phyric altered, photomicrographs, B:152
- glass, volcanic, B:159
Site 801, B:36
- glass, B:140, 143, 155, 158
chemical composition, B:330
SEM photomicrographs, B:134
See also vitric components
- glass margins, rapid cooling, B:346
- glass shards, alteration, B:142, 145
- glauconite, alteration, B:418-419
- glomerocrysts, plagioclase, B:307
- goethite
alteration, B:367-368
photomicrographs, B:108-110
Pigafetta Basin, B:16
sediments, B:8
- Golden Dragon Seamount
geochronology, B:411
lava, B:148, 394
- gossan, alteration, B:367-368
- graded bedding, B:156, 159
foraminifer assemblages, B:234
larger foraminifer facies, B:233-234
- grading, B:155
- grain-flow deposits, B:129, 155, 157, 159-160
core photographs, B:162
- grain density
alkali basalts, B:488
vs. depth, A:62
vs. lithology, B:515
- grapestone, photomicrographs, B:164
- haematite. *See* hematite
- hafnium-tantalum-thorium diagram, N-MORB basalts, B:349
- halite
X-ray diffraction data, B:12-15
- halloysite, B:13
TEM data, B:29
- Haplophragmoides* Acme correlation level, correlation to lithology, B:248
- Hauterivian
biostratigraphy, B:205, 221
Site 800, A:33
Unit V, B:268
- Hawaiian-Phoenix ridge junction, Magellan Rise microplate, B:574

- Hawaiian magnetic lineations
 Berriasian-Barremian, B:598
 Jurassic-Lower Cretaceous, B:573-574
 Lower Cretaceous, B:578
 lunes, B:618
 paleomagnetism, B:471-481
 Site 303, B:599
 Site 304, B:599
 hawaiite, eruptive setting, B:379
 heat flow model, sediments, B:171
 heating, incremented
 mineral separates, B:394-397
 hematite
 alteration, B:367
 Site 801, A:107, B:36
 Upper Jurassic-Lower Cretaceous, B:604
 herschelite, SEM photomicrographs, B:135
 Himu Seamount, B:148
 geochronology, B:411
 lavas, B:394
 sediments, B:268
 Hole 800A, site description, A:36-38
 Hole 801A, site description, A:93-95
 Hole 801B, site description, A:95-97
 Hole 801C, site description, A:97-99
 Hole 802A, site description, A:174-176
 horizon B, B:555-557
 basaltic sills/flows, B:555
 Jurassic oceanic crust, B:555
 MESOPAC II seismic profile, B:566
 middle Cretaceous, B:555
 Site 801, B:555
 two end-member modes, B:555
 volcanogenic material, B:566
 hotspots, fixed, true polar wander correction,
 B:628
 hotspots
 Lower Cretaceous, B:578
 magnetic anomalies, B:479
 paleolatitudes, B:624
 traces, B:574
 true polar wander correction to model, B:628
 uppermost Jurassic, B:578
 hyaloclastite, B:145, 147
 reworking, B:145
 Unit II, B:269
 hydration, basaltic rocks, B:368
 hydrogen, measured spectra, B:636
 hydrogen isotopes
 depth profiles of pore water, B:297
 pore water, B:295-302
 hydrothermal circulation
 alteration, B:273
 volcanoclastics, B:173
 hydrothermal deposits
 alteration, B:367-368
 brecciation, B:456
 bulk properties, B:487
 chemical analyses, B:424
 Hole 801C, A:143-144
 isotopes, B:406
 Jurassic, B:362-362
 photomicrographs, B:421
 radiometric ages, B:389-390
 recrystallization, B:419
 Site 801, A:106-107
 hydrothermal emanations, siliceous deposits, B:42
 hydrothermal fluids, volatile-rich, alteration,
 B:367
 hydrothermal systems, sulfides, B:369
 hysteresis parameters
 basalts, B:458
 tholeiitic basalts, B:459
 igneous petrology
 Site 800, A:65-68
 Site 801, A:130-144
 Site 802, A:215-219
 igneous rock fragments, B:158
 Site 802, B:120
 igneous rocks
 Cretaceous, B:345-359
 description, A:21-24
 geochemical data, B:653-669
 lithologic units, A:215
 lithostratigraphy, A:133
 illite, B:32
 siliceous deposits, B:42
 inclusions, spinel, B:317
 incompatible element ratios, basalts, B:378-379
 index properties
 Site 800, A:60-62
 Site 801, A:129
 Site 802, A:207-209, 212
 vs. depth, A:62
See also density, wet-bulk; porosity; grain density
 insolation variations, changes, B:529-547
 Inter-Tropical Convergence Zone, radiolarian pro-
 ductivity, B:530
 interflow sediments, Bathanian, B:582
 interlayer water
 expulsion, B:272
 hydrogen isotopes, B:299
See also interstitial fluid, interstitial water,
 pore fluid, pore water
 interpillow deposits
 Hole 801C, A:142
 Site 801, B:10
 interstitial fluid, velocity, B:501-502
 interstitial water
 geochemistry, B:267-281, 283-285, 295-302
 Jurassic-Cretaceous, B:603
 sediments, B:286-287
 Site 800, A:57-60
 Site 801, A:124-125
 Site 802, A:206-207, B:120
 sulfate, B:293
 tuff, B:129-130
See also interlayer water, interstitial fluid,
 pore fluid, pore water
 intrusive events, A:46-47
 intrusive, discordant dike-like, petrography,
 B:362
 inversion, logs, B:515-516
 ion filtration, B:272
 iron, ferric, amphiboles, B:313-314
 iron-manganese oxide
 clay-rich intervals, B:590
 Lower Cretaceous, B:598
 Site 801, B:92
 iron/magnesium ratio
 biotite, B:321
 saponite, B:323
 iron/manganese ratio, claystone, B:597
 iron
 abundance, B:57, 582
 enrichment, B:602
 Lower Cretaceous, B:606
 mass accumulation rates, B:588-589, 593,
 596, 598
 measured spectra, B:636
 olivine, B:330
 sediments, B:43, 50
 siliceous deposits, B:41
 Upper Jurassic, B:606
See also aluminum-iron-manganese; alumi-
 num/(aluminum+iron+manganese)
 ratio; clinopyroxene
 iron hydroxide
 alteration, B:417-418
 partial reduction and dissolution, B:587
 iron oxidation plots, hydrothermal deposits, B:423
 iron oxide/magnesium oxide ratio
 basalts, B:378
 fractionation indices, B:368-369
 iron oxide
 SEM data, B:27
 X-ray diffraction data, B:12-15
 iron oxyhydroxide
 alteration, B:367
 Site 800, B:7
 Site 801, B:7
 woody fabric, B:591
 isochron ages, basalts, B:392
 isochron diagrams, samarium-neodymium and ru-
 bidium-strontium, B:408
 isotopes, B:85
 basalts, B:405-413
 hydrothermal deposits, B:415-427
 igneous rocks, B:653-669
 lava, B:349
 sediments, B:271
 tuff, B:128
See also carbon-13/carbon-12, lead isotopes,
 neodymium isotopes, oxygen-18/oxy-
 gen-16, stable isotopes, strontium-
 87/strontium-86, sulfur isotopes
 Izu-Bonin Trench, biostratigraphy, B:221, 247-
 264
 Japanese-Hawaiian magnetic lineation junction,
 Shatsky Rise, B:574
 Japanese magnetic lineations
 Berriasian-Barremian, B:598
 Jurassic-Lower Cretaceous, B:574
 lunes, B:618
 Mesozoic, B:573
 paleomagnetism, B:471-481
 uppermost Jurassic, B:578
 Jurassic, Middle, B:89
 basaltic rocks, B:305-343
 biostratigraphy, B:697-707
 pillow lavas, B:485
 Jurassic, Upper
 Milankovitch cycles, equatorial, B:529-547
 paleolatitudes, B:576
 Site 307, B:587-594
 Site 801, A:91-170, B:587-594
 Jurassic-Eocene, pole positions, B:578
 Jurassic, B:39, 57, 84, 551
 basalts, B:501-506
 biostratigraphy, B:179-187, 203-220
 East Mariana Basin, B:551-569
 geochemistry, B:295-302
 geochronology, B:412
 geological setting, B:573
 integrated stratigraphy, B:693
 location of ODP and DSDP sites drilled into,
 B:572
 oceanic crust, B:361-388, 415-427
 Pacific Ocean W, A:156-158, B:551-569, 573
 paleogeography, B:621
 paleolatitudes, B:615-631
 paleomagnetism, B:431-446
 Pigafetta Basin, B:551-569
 sediments, B:673
 Site 800, A:80-81, B:571
 Site 801, B:571, 581

- Jurassic crust
 alteration, B:272
 comparison with oceanic basalts, B:376-383
 mineral phases, B:8
- Jurassic magnetic quiet zone
 FM35-12 MCS airgun profile, B:562
 formation, B:439
 M-sequence magnetic anomalies M29-M36, B:553
 magnetic lineations, B:389
 Pacific Ocean W, B:573
 paleomagnetism, B:431-470
 Pigafetta Basin, B:3
 Site 801, A:95, B:268, 455, 461, 615
 time calibration, B:399
 velocity, B:504
- Jurassic spreading center, basalts, B:415-427
- katophorite, mineral chemistry, B:314
 Kimmeridgian, biostratigraphy, B:205
 Koeningberger ratio
 basalts, B:458
 vs. depth, B:449, 457
- laboratory data, comparison with logging data, B:507-527
- labradorite, mineral chemistry, B:308
 laminae, convolute, core photographs, B:159
 laminations, B:156, 159, 163
 lanthanum/hafnium ratio, basalts, B:387
 lanthanum/niobium ratio, basalts, B:387
 lanthanum/samarium ratio, basalts, B:368-369, 387
 lanthanum/tantalum ratio, sills, B:349
 lanthanum/thorium ratio, sills, B:349
 lanthanum/ytterbium ratio, basalts, B:368-369
 lanthanum
 lava, B:349
 samples, B:49
 sediments, B:50
 siliceous deposits, B:42
 sills, B:349
 vs. thorium distribution, B:359
- lapilli tuff, B:121, 123
- laser fusion
 mineral separates, B:394-397
- lava, tholeiitic, eruptive environment, B:349-351
 oceanic crust, B:373
 tholeiitic basalt, B:345
See also pillow lava
- lava flows, tholeiitic, petrography, B:145, 346-347
 Cretaceous, B:345-359
 hawaiite, B:323
 petrography, B:362
 physical properties, B:485
- lead-207/lead-204, basalts, B:405-413
 lead-208/lead-204, basalts, B:405-413
 lead isotopes, igneous rocks, B:653-669
 Leg 11, mid-ocean ridge basalts, B:377-378
 Leg 17, biostratigraphy, B:221-228
 Leg 20, biostratigraphy, B:221-228
 Leg 62
 biostratigraphy, B:221-228
 nannofossils, B:193
- Leg 129
 core handling, A:7-8
 definitions, A:5
 downhole measurements, A:24-26
 drilling characteristics, A:5-8
 explanatory notes, A:5-29
 geochemical logs, B:635
 geochemistry, A:18-19, B:283-302, 405-413, 653
- geochemistry and petrography, B:345-359
 igneous rocks, A:21-24
 interstitial water, B:267-281
 Jurassic, B:571
 location map, B:82, 138, 153, 180, 190, 268, 284, 296, 305, 346, 406, 416, 486, 502, 508, 531
 Lower Cretaceous, B:571
 sedimentation history, B:571
 seismic stratigraphy, A:24-26
 shipboard scientific procedures, A:6-8
 site description, A:171-242
 site geophysics, A:26-28
 track chart, A:37, 96, 135, 153, 175
 visual core description, A:8-13
- Lepidocyclinidae, Site 802, A:198
- lepispheres, opaline, SEM data, B:27, 88
 photomicrographs, B:112-114, 116-117
 SEM data, B:27
- levee deposits, acoustically transparent layer, B:563
- limestone, Calpionellid-bearing, Lower Cretaceous, B:600
- limestone, gray, siliceous, Unit III, A:38-40
- limestone, radiolarian
 Aptian-Albian-Cenomanian, B:619
 core ages, B:37
 lithologic units, B:37
 lithologies, B:37
 Site 802, A:185, 191-192
 Units VI-IX, B:269
 Unit V, B:269
- limestone, radiolarian, siliceous, X-ray diffraction data, B:86
- limestone, recrystallized, B:583
 Site 801, B:4
- limestone, siliceous
 Berriasian, B:581
 photomicrographs, B:100-104
 physical properties, B:508-517
 Site 800, B:56
 X-ray diffraction data, B:82
- limestone, silicified
 Site 800, A:33
 Unit III, B:268
- limestone
 Albian-Cenomanian, Hole 800A, B:9
 Barremian, B:600
 Berriasian-Aptian, B:598
 Berriasian-Barremian, B:598-599
 biostratigraphy, B:229
 core ages, B:33
 lithologic units, B:33
 lithologies, B:33
 paleomagnetism, B:431-432
 recovery, Hole 800A, B:635
 Site 800, B:6
- limonite, alteration, B:367
- lithification, B:91, 95
- lithium
 interstitial water, B:269, 272-275
 pore fluid, B:270-271
- lithologic units
 Cenozoic, B:119
 Hole 801C, A:137
 Jurassic-Lower Cretaceous, B:531-532
 Site 800, A:39
 Site 801, A:99-108
 Site 802, A:176-187
 Subunit IVA-1, B:688
 Subunit IVA-2, B:686, 690
 Subunit IVA-3, B:686
 Subunit IVA, B:681, 684-686
- Subunit IVB, B:680-682, 686
 Subunit VB, B:678-680, 690
 Unit I, A:38-39, 99, 176, 194, B:32, 36, 119, 268-269
 Unit IA, A:99
 Unit IB, A:99
 Unit II, A:38-39, 99, 101, 176, 178-182, B:14, 32, 34, 36, 119, 268-269
 Unit 11A, A:176, 178-182
 Unit III, A:38-40, 101, 182-183, 192, 194, B:13, 32, 34, 36, 123, 232-233, 268-269, 683, 686-688
 Unit IV, A:39-44, 101, 103-104, 183, 192, B:11, 32, 38, 119, 231-232, 268-269, 685-686
 Unit IVA, A:101, 103
 Unit IVB, A:103-104
 Unit V, A:39, 44, 104, 183-184, 192, B:10, 32, 38, 119, 268-269, 597, 675, 677
 Unit VI, A:39, 44, 104-106, 185-186, 190-192, B:32, 36, 38, 444
 Unit VII, A:185, 190-192, B:38, 444
 Unit VIII, A:185-186, 190, B:38, 444
 Unit IX, A:186, 188, 190, B:444
 Unit X, A:186-187
 Units V-IX, B:119
 well-logging, B:507-527
- lithology, B:82-83
 Cenozoic, B:120
 correlation with seismic stratigraphy, A:77-80, 154-156, 231-235
 Hole 801B, A:130-132
 Hole 801C, A:136-137
 igneous rocks, A:65
 normalization factor, B:524
 Site 802, A:178-179, 215-217
 symbols used, A:10
 well-logging, B:507-527
 X-ray diffraction data, B:86-87
- lithospheric swell, plate motion, B:629
- lithostratigraphy
 alkalic basalts, B:362-363
 basalts, B:365, 417
 Cretaceous, B:345-348
 Jurassic-Cretaceous, B:533
 Jurassic-Lower Cretaceous, B:573
 Leg 129, B:154, 286-287, 297
 lithologic units, B:503
 Site 800, A:38-48, B:285
 Site 801, A:99-113, 138, 285, 581
 Site 802, A:176-187, 230, 288
- lithotype inversion
 logging data, B:520-524
 oxides and physical properties, B:523, 526-527
- lithotypes
 assumed properties and compositions, B:520
 error analysis, B:519-520
 logging data, B:515-524
 original and modeled lithologic sections, B:522
 physical properties and major oxides, B:521
- logging data
 comparison with geochemical data, B:514-515
 comparison with laboratory data, B:507-527
 depth shifting, B:638
 Leg 129, B:153
 Milankovitch cycles, B:532-534
 vs. depth, B:512
- logging operations
 time schedule, A:144, 221
- logging units
 Jurassic-Lower Cretaceous, B:547
 seismic stratigraphy, A:79

- Site 800, A:70-74
 Site 801, A:145-152
 Site 802, A:220-226
 Unit 1, A:70, 145, 151, 220-221
 Unit 2, A:221, 226
 Unit 2a, A:70, 73, 151
 Unit 2b, A:73, 151
 Unit 2c, A:151
 Unit 3, A:73, 151-152, 226
 Unit 4, A:73-74
 log inversion, lithology, B:515-516
 low-velocity layer, Jurassic magnetic quiet zone, B:504
 lower transparent unit, B:557-559
 Site 80, B:559
 LREE. *See* rare elements, light
 lunes, magnetic lineations, B:477
- M-sequence magnetic anomalies
 MESOPAC II, B:551
 skewness, B:617
See also magnetic anomalies
 Maestrichtian–Campanian, Unit I, A:99
 Maestrichtian
 biostratigraphy, B:231, 248
 decrease of agglutinated foraminifers, B:252
 Unit IV, B:269
 magmatic phases, primary, mineral chemistry, B:305-343
 magmatic phases, secondary, mineral chemistry, B:305-343
 Magellan flexural moat
 East Mariana Basin, B:560
 seismic stratigraphy, B:566
 Magellan Rise
 Berriasian–Barremian, B:599
 biostratigraphy, B:221
 Magellan Seamount
 sediments, B:568
 Upper Cretaceous–Holocene carbonate turbidites, B:565
 upper opaque layer, B:560
 magma chambers, fractionation, B:372-373, 376
 magmatic affinity, B:144
 magnesium/(magnesium+iron) ratio, tuff, B:128
 magnesium
 alkalic basalts, B:374-375
 depletion in interstitial water, B:270
 interstitial water, A:207, B:269, 272-275
 olivine, B:330
 phyllosilicate, B:339, 342-343
 pore fluid, B:270-271
 sediments, B:45, 50
 siliceous deposits, B:41
 vs. depth, A:60, 125
See also clinopyroxene
 magnesium number
 basalts, B:379
 frequency distribution, B:381
 magnesium oxide, tuff, B:130
 magnetic anomalies, marine, patterns, B:432
 cross-strike direction, B:475
 Site 800, B:597
 time calibration, A:95
 magnetic anomalies M0–M29, skewness, B:471-481
 magnetic anomalies M0–M37
 time calibration, A:36, 174
 magnetic anomalies M33, site description, A:33-89
 magnetic anomalies. *See also* M-sequence magnetic anomalies
- magnetic behavior, aberrant, sedimentary rocks, B:445
 magnetic behavior, sediments, A:200-202
 magnetic declination, basalts, B:452-454
 magnetic field strength, coercive, basalts, B:458
 magnetic inclination, NRM, distribution with depth, B:464
 magnetic inclination, remanent, cored sediments, B:615
 magnetic inclination, stable
 basalts, B:448-449, 458-459
 distribution with depth, B:464
 magnetic inclination
 basalts, B:452-454
 natural remanent magnetization, B:440
 sedimentary rocks, B:443
 Site 800, A:55, 57
 Site 802, A:294
 stratigraphic plot, B:434, 440
 vs. depth, A:205
 magnetic intensity
 basalts, B:452-454
 depth distribution, B:457
 sedimentary rocks, B:443
 stratigraphic plot, B:434, 440
 magnetic lineations, azimuth, cross-strike projection, B:475
 magnetic lineations, skewness, Upper Cretaceous–Eocene, B:576-578
 location map, B:472
 Pacific Ocean W, B:552
 Site 800, B:615-616
 Site 801, B:616
 Site 802, B:120, 616
 track-line segments, B:474
 magnetic polarity
 block rotation, B:459-460
 Jurassic, B:455-456
 Lower Cretaceous, B:435
 magnetic anomaly skewness, B:621
 Site 800, A:54
 Site 801, A:121
 Unit II, B:437
 Unit III, B:437
 Unit IV, B:437
 Unit V, B:437
 Upper Cretaceous–lower Tertiary, A:203
 vs. depth, B:464
 magnetic quiescence. *See* Jurassic magnetic quiet zone
 magnetic reversals, Cenozoic, B:477
 magnetic skewness
 anomalous behavior, B:618
 average values, B:476
 lineation intersection plots, B:478
 M-sequence magnetic anomalies, B:615
 magnetic lineations, B:471-481
 magnetic smooth zones. *See* Jurassic magnetic quiet zone
 magnetic susceptibility, volume, vs. depth, A:205
 basalts, B:448-449, 458
 vs. depth, B:457
 magnetization, alternating field, basalts, B:448
 magnetization, anhysteretic remanence, basalts, B:458
 magnetization, natural remanent
 alkali olivine basalts, B:456-458
 measurement, B:447-450
 sedimentary rocks, B:431
 magnetization, remanent, Bathonian–Campanian, B:617
 magnetization, remanent anhysteretic, sedimentary intervals, B:437
- magnetization, saturation, basalts, B:458
 magnetization, secondary
 Bathonian–Campanian, B:617
 Unit IV, B:433
 magnetization, thermoremanent, magnetic polarity, B:476
 magnetization, viscous, basalts, B:458
 magnetization, intensity, B:447
 magnetostratigraphy
 calibration of biostratigraphy, B:248-249
 Site 800, A:54
 Site 801, A:120
 Site 802, A:202
 Mai Tai Guyot, upper opaque layer, B:560
 major elements
 hydrothermal deposits, B:415-427
 igneous rocks, B:653-669
 interstitial water, B:267-281
 partitioning, B:57
 samples, B:73, 78
 sediments, B:19, 21, 72-73, 271, 279
 Site 800, A:58
 Site 802, B:124
 tuff, B:125
 major minerals, X-ray data, B:278
 major oxides, B:146
 basalt lavas, B:348-349
 dolerite sills, B:348-349
 fractionation indices, B:368-369
 percentage calculation, B:638
 samples, B:70-71
 volcanoclastics, B:145, 147
 vs. water, B:422
 weight fractions, B:644-645, 648-649, 651
 X-ray fluorescence data, B:361-388
 manganese
 depletion, B:603
 fractionation, B:604
 interstitial water, B:272-275
 Jurassic–Cretaceous, B:603
 low concentration, B:582
 Lower Cretaceous, B:606
 mass accumulation rates, B:588-589, 594, 596, 598
 pore fluid, B:270-271
 sediments, B:44, 50
 siliceous deposits, B:41
 Site 800, B:7
 Site 801, B:7
 Upper Jurassic, B:606
 vs. depth, A:59-60, 126, 208
See also aluminum-iron-manganese; aluminum/(aluminum+iron+ manganese) ratio
 manganese oxide, SEM data, B:27, 36
 manganite, B:19
 marcasite, geochemistry, B:290, 292-293
 Marcus-Wake Seamounts, sediments, B:568
 Marcus Island, biostratigraphy, B:247-264
 Mariana Basin, central
 biostratigraphy, B:179-187
 site description, A:171-242
 tuff, B:119-135
 Mariana Basin
 biostratigraphy, B:189-201
 geochemistry, B:283-294, 345-359, 405-413
 geochronology, B:389-404
 mineral chemistry, B:305-343
 paleomagnetism, B:431-446
 tuff, B:119-135
 volcanoclastics, B:137-152
See also East Mariana Basin
 Mariana Trench, B:600

- Marshall Islands, lavas, B:394
 mass wasting, B:146
 matrix, B:155
 MDF. *See* median destructive field
 median destructive field, natural remanent magnetization, B:447, 449
 megaquartz, photomicrographs, B:108-110
 MESOPAC II expedition
 line 10, A:154
 line 18, A:229
 line 2, A:156
 line 6, A:155
 MCS survey, potential drilling targets, B:551
 regional seismic survey, B:553-554
 S& water-gun data, hydrophone group spacing, B:552
 SCS water-gun data, vertical-incident, A:75
 SCS water-gun data, A:76, 80, 154, 232
 track chart, A:37, 96, 153, 175
 mesostasis
 petrography, B:363
 phyllosilicate, B:322
 Mesozoic, upper, B:57
 biostratigraphy, B:179-187
 M-sequence magnetic anomalies M0-M37, B:399, 551
 paleolatitude motion, B:579
 siliceous biogenic deposits, B:16
 Site 800, B:3-30, 170
 Site 801, B:3-30
 volcanism, B:390
 volcanism melting anomalies, B:404
 metal oxide, mass accumulation rates, B:593
 metals
 sediments, Lower Cretaceous, B:606
 Upper Jurassic, B:606
 See also aluminum/metal ratio
 metamorphism, contact, dolerites, B:346
 metasediments, B:16
 mica, B:140
 micrite, Jurassic, B:581
 microdolerite
 Jurassic, B:362-363
 petrography, B:307
 See also dolerites
 microfacies
 Callovian, B:585
 See also facies
 microfolds
 formation microscanner imagery, B:157
 See also folds
 microfossils, calcareous, Callovian, B:604
 microfossils, siliceous, B:89
 microfossils. *See also* individual groups
 microlites, quench, B:325
 microlites, petrography, B:307
 micronodules, iron-manganese, radiolarian-rich intervals, B:591
 Site 800, B:7
 Valanginian, B:596
 microphenocrysts, B:138
 olivine, B:348
 microprobe analyses, B:57
 microresistivity, B:159
 Mid-Cretaceous superplume, eruptions, B:349-351, 629
 mid-ocean ridge basalt, N-type
 geochemistry, B:369
 Site 801, B:415-427
 Site 802, B:348-351
 trace elements, B:358
 mid-ocean ridge basalt
 geochemical comparison, B:409-411
 Jurassic crust, B:377-378
 Mid-Pacific Mountains
 ages and tectonic cause, B:574
 biostratigraphy, B:221
 Site 463, B:600
 Milankovitch cycles, precession-induced climatic-oceanographic, Valanginian-lower Hauterivian, B:597
 eccentricity discontinuities, B:544
 Site 800, B:598
 Site 801, B:598
 Upper Jurassic-Lower Cretaceous, equatorial, B:529-547
 Upper Jurassic, B:602
 Valanginian, B:596
 mineral assemblages, low grade, altered basalts, B:367
 mineral chemistry
 basaltic rocks, B:305-343
 fractionation, B:308
 mineral stratigraphy, B:13, 21
 mineral zoning, oscillatory, B:308
 minor elements
 partitioning, B:57, 79
 samples, B:74, 80
 Site 801, B:75, 81
 Site 802, B:76, 124
 Miocene, lower, B:88
 biostratigraphy, B:231
 erosional events, B:235, 240
 Miocene, B:137-152
 biostratigraphy, B:229
 East Mariana Basin, B:119-135
 paleomagnetism, B:440
 Site 801, B:36
 stratigraphic depth correlation diagram, B: 139
 Unit II, B:269
 montmorillonite, volcanic-related, B:89
 MORB. *See* mid-ocean ridge basalt
 nannoflora, calcareous
 Aptian-Cenomanian, B:625
 Lower Cretaceous, B:618
 Upper Jurassic, B:618
 uppermost Aptian-Cenomanian, B:626
 See also nannofossils, calcareous
 nannofossils, calcareous, B:155-156
 abundance, A:50, 115, 197
 Aptian-Cenomanian, A:51
 biostratigraphy, A:14-16, B:189-201
 Cretaceous, A:48-51, 199, B:182, Jurassic-Cretaceous, B:bp
 Mesozoic, B:179-187
 middle Cretaceous, B:624
 Site 801, A:113-116
 Site 802, A:195-198
 nannofossils
 Aptian-Cenomanian, B:197-199
 assemblages, B:624
 biostratigraphy, B:179-187, 189-201
 paleolatitudes, B:446
 percentage of most abundant taxa, B:192
 Pigafetta Basin, B:562
 poorly preserved, B:583
 preservation and fertility indices, B:198-200
 Site 801, B:36
 upper Aptian, B:170
 Nauru Basin
 basalts, B:397
 geochronology, B:411
 location map, A:172
 sill and flow complex, B:408
 tholeiitic lavas, B:348, 350, 357
 Nazca Plate, spreading-axis basalts, B:378
 negative sum error, models, B:519-520
 Neocomian, B:90
 neodymium-143/neodymium-144, basalts, B:405-413
 neodymium isotopes, igneous rocks, B:653-669
 Neogene, Unit I, B:269
 nickel
 cooling units, B:366
 fractionation index, B:383
 vs. zirconium, B:357
 niobium-yttrium-zirconium diagram, N-MORB basalts, B:349
 niobium, B:143
 sills, B:349
 vs. zirconium, B:357
 nodules
 compaction, B:592
 samples, B:65
 normalization factor, lithology, B:524
 North Pole, apparent positions, B:577
 NRM. *See* magnetization, natural remanent
 Nummulitidae, Site 802, A:198
 nutrients, B:39
 Nyquist harmonics, Milankovitch cycles, B:538
 ocean basins, deep, B:3
 oceanic crust, oldest, B:3-30, 551
 alteration, B:283-294
 Jurassic, B:172, 361-388, 415-427
 Middle Jurassic, B:82
 paleomagnetism, B:578
 seismic velocity, B:493
 Site 802, B:119
 site description, A:91-170
 oceanic plateaus
 ancient oceanic crust, B:574
 tholeiitic basalts, B:349
 ocean island basalts, incompatible element-enriched, B:348-351
 composition, B:378-379
 geochemical comparison, B:409-411
 geochemistry, B:374-378
 "within-plate," B:144
 ocean islands, B:146
 association with submarine sills, B:349-351
 eruptive environment, B:148
 ochre, hydrothermal
 sediments, B:8
 Site 801, B:10
 ochre, siliceous, B:16
 Ogasawara fracture zone
 East Mariana Basin, B:560
 FM35-12 MCS airgun profile, B:560
 Site 585, B:555
 stratigraphy, B:565
 tectonic features, B:568
 Ogasawara fracture zone, magnetic anomalies M22-M36, B:566
 OIB. *See* ocean island basalts
 Oligocene, upper, biostratigraphy, B:231
 Oligocene, paleomagnetism, B:440
 olivine, B:138, 140, 148
 analyses from tholeiitic basalts, B:328-329
 compositional variation, B:140
 petrography, B:307, 346-347, 363
 tholeiite, B:371
 tholeiitic basalts, B:317
 See also individual minerals
 Ontong-Java Plateau
 basalts, B:397
 middle Cretaceous, B:630
 oceanic lithosphere, B:412

- tholeiite, B:348, 350, 357
volcanism, B:411
- ooids, B:147-148, 160
photomicrographs, B:164
- ooze, calcareous, sediments, B:131
- opal-A, B:82, 91
reactions, B:271-272
upper Paleocene, B:91
- opal-C, B:85
X-ray diffraction data, B:87
- opal-CT, B:11, 82, 85, 89, 91, 95-96, 98
bulk X-ray powder diffraction data, B:143
core ages, B:33
lithologic units, B:33
lithologies, B:33
lower Miocene, B:93
minimum temperatures of formation, B:97
paleotemperature, B:174
photomicrographs, B:100-105, 112-114, 116-117
reactions, B:271-272
samples, B:88
X-ray diffraction data, B:12-15, 87
- opal, B:32
accumulation rates, B:593
Pigafetta Basin, B:16
- Oxfordian-Kimmeridgian boundary, biostratigraphy, B:396
- Oxfordian
biostratigraphy, B:205-206, 222
Unit IV, B:268
- oxidation, basaltic rocks, B:368
- oxygen-18/oxygen-16, alkali basalts, B:420-423
- oxygen isotopes, B:81-117
alkali basalts, B:420-423
apatite, B:176
chalcedony, B:95
chert, B:95
extent of alteration, B:494
opal-CT, B:95
porcellanite, B:95
quartz, B:95
whole rock vs. depth, B:425
whole rock vs. water, B:423
See also oxygen-18/oxygen-16
- P*- wave velocity. *See* compressional wave velocity
- Pacific "Panthalasa" basin, Jurassic, B:571
- Pacific-Izanagi plate boundary, B:615
- Pacific Ocean, central equatorial
Jurassic, B:571
Lower Cretaceous, B:571
- Pacific Ocean, central W
bathymetry, B:553
geochemistry, B:295-302
- Pacific Ocean, equatorial, Milankovitch cycles, B:529-547
- Pacific Ocean SW, site description, B:600
- Pacific Ocean W equatorial, biostratigraphy, B:229-248
early history, A:158
oldest rocks, B:389-404
- Pacific Ocean NW, paleomagnetism, B:471-481
- Pacific Ocean W
apatite, B:169-176
bathymetry, B:151, 695
biostratigraphy, B:179-187, 189-201, 203-220, 221-228, 247-264, 697-707
borehole logs, B:673
foraminifers, B:254
geochemical well logs, B:635
geochemistry, B:283-294, 405-413
geochemistry and petrogenesis, B:361-388
- geochemistry and petrography, B:345-359
geochronology, B:389-404
high-pressure velocity, B:501-506
hydrothermal alteration, B:415-427
location map, B:222
mineral chemistry, B:305-343
paleolatitude motion, B:576
paleomagnetism, B:431-470
physical properties, B:485-499
plate tectonic framework, B:573-576
sedimentation, B:31-79
sediments, B:3-30
silicification, B:81-117
site description, A:33-89, 91-242
tuff, B:119-135
volcaniclastics, B:137-153
well-logging, B:507-527
- Pacific Plate, Middle Jurassic, B:571
apparent polar wander paths, B:621
embryonic, B:568
magnetic lineations, B:477
motion, A:54-55, B:471-481
motion reconstruction models, B:554
northward drift, B:630
oldest portion, B:431-446, 615-631
origin, B:630
paleomagnetism, B:608
reversal in southward to northward motion, B:629-630
southward motion, B:616, 629
Tertiary, B:630
- Pacific spreading ridges, Middle Jurassic, B:571
- packstone, B:88
depositional setting, B:232-233
- palagonite, vesicular, photomicrographs, B:143, 148, 152, 158
alteration, B:362
SEM photomicrographs, B:134
Site 802, B:120
- palagonite shards, photomicrographs, B:152
- paleo-seawater, differences with actual seawater, B:298
- paleobiogeography, radiolarians, B:702
- Paleocene, upper, B:88
biostratigraphy, B:231
Unit III, B:269
- Paleocene, biostratigraphy, B:229-231
- paleoceph
Cretaceous, B:579
Jurassic, B:579
Mesozoic, Pacific Ocean W, B:580
- paleoecology
Campanian, B:627
Coniacian, B:627
foraminifers, B:231-234
lower Campanian, B:627
paleo-equatorial crossings, B:624
planktonic communities, B:615
Turonian, B:627
Upper Cretaceous, B:247-264
See also paleoenvironment
- paleoenvironment
Cenozoic, B:119
foraminifers, B:234
larger foraminiferal facies, B:233-234
Mesozoic, B:180
signals, B:82
Upper Cretaceous, B:229-230
See also paleoecology
- paleoequatorial belt, B:194
Southern Hemisphere, B:617
upwelling, B:194, 624
- paleoequatorial crossings
evidence for, B:189-201
lower Maestrichtian, B:627
middle Eocene, B:627
post-Campanian, B:627
upper Campanian, B:627
Upper Cretaceous, B:629
Upper Cretaceous-lower Cenozoic, B:624
- Paleogene, lower, decrease of agglutinated foraminifers, B:252
hiatus, B:91
stratigraphic relations, B:91
- paleogeography
Cretaceous-Cenozoic, B:627
Cretaceous, B:189-190, 630
Lower Cretaceous, B:621
magnetic lineations, B:622-623
Upper Jurassic, B:621
- paleolatitudes, instantaneous, stratigraphic plot, B:436
- paleolatitudes, mean, A:56, B:13, 194
accumulation rates, B:605
basalts, B:448
Bathonian basalts, B:459
Berriasian-Valanginian, B:598
calculated from apparent polar wander paths, B:480
Callovian, B:621
Cretaceous, B:193, 629
Euler pole rotation parameters, B:627
interpretation, A:236
Jurassic-Paleocene, B:431-446
Lower Cretaceous, B:435, 598
magnetic anomalies, B:479, 615-631
Mesozoic, B:577, 580, 628
Middle Jurassic-Lower Cretaceous, B:615
Middle Jurassic, B:629
plate motion, A:158
sedimentation rates, B:445-446
Site 800, A:54-56
Site 801, A:120-123, B:628
Site 802, A:202-204
stratigraphic plot, B:441, 445, 618
Units II-V, B:439
Upper Cretaceous-Eocene, B:576-578
Upper Cretaceous-lower Tertiary, B:444
Upper Jurassic-lower Aptian, B:578
vs. corresponding cores, A:204
- paleomagnetic constraints, B:38
Site 800, B:39
Site 801, B:39
Site 802, B:39
- paleomagnetism, B:57, 579
Cretaceous, B:447-454
description, A:18
Jurassic-Eocene, B:577
Jurassic-Paleocene, B:431-446
Jurassic, B:455-470
seamounts, B:615
Site 800, A:52-57
Site 801, A:118-123
Site 802, A:200-205
Upper Cretaceous-Eocene, B:576-578
- paleoceanography, B:39, 194
Cretaceous, B:247
mega-Pacific beginning, B:573
Upper Jurassic-Lower Cretaceous, B:604
- paleotemperature, estimates, B:174
- palygorskite, TEM data, B:30
- palynomorphs
biostratigraphy, A:16-18
Lower Cretaceous, B:221-228
photomicrographs, B:228
Site 800, A:52

- Site 801, A:118
 Site 802, A:200
See also acritarchs, dinoflagellates, spore-morphs
- Pangea super-continent, Jurassic, B:571
- partial melting, oceanic crust, B:373
- partitioning ratios, siliceous deposits, B:42
- pelagite, core photographs, B:93, 97, 164
- permeability
 opal-CT to quartz, B:95-96
 water content, B:494
- petrogenesis, Jurassic oceanic crust, B:361-388
- petrography, B:85, 138
 basaltic rocks, B:306-308
 basalts, B:363-364
 Hole 801B, A:132-134
 Hole 801C, A:137-139
 sills and lava flows, B:345-359
 Site 800, A:65-67
 Site 802, A:217-219
 volcanoclastics, B:137-152
- pH
 bottom waters, B:604
 interstitial water, B:269, 273-275
 vs. depth, A:59, 126, 208
- phase transformations, opal-CT to quartz, B:95-96
- phenocrysts, plagioclase, B:308
- phillipsite, B:11
 bulk X-ray powder diffraction data, B:143
 Pigafetta Basin, B:22
 sediments, B:270, 275
 Site 802, B:124
 tuff, B:127, 129-130
 X-ray diffraction data, B:12-15
- Phoenix-Japanese ridge junction
 Caroline Rise, B:574
 Ontong Java Plateau, B:574
- Phoenix magnetic lineations
 confidence lunes, B:618
 Mesozoic, B:573
 paleomagnetism, B:471-481
- Phoenix Ridge, Upper Jurassic-Lower Cretaceous, B:574, 578
- phosphorus/cerium ratio, alkalic basalts, B:374
- phosphorus, sediments, B:47, 50
- phosphorus, siliceous deposits, B:41
- phyllosilicate, secondary, nucleation sites, B:306-307
 alkalic dolerites and basalts, B:321-322
 alteration, B:369
 chemistry, B:141
 electron probe data, B:420
 secondary minerals, B:419
 tholeiitic basalts, B:323
- physical properties, rebound-corrected, B:509
 vs. depth, B:511
- physical properties
 basalts, B:485-499
 description, A:19-21
 shipboard measurements, B:512
 Site 800, A:60-65
 Site 801, A:124-129
 Site 802, A:207-214
 summary, A:210-211, B:487
 vs. chemistry and petrography, B:489-490
 vs. lithology, B:5 11-512
 well-logging, B:507-527
- Pigafetta Basin
 bathymetry, B:695
 biostratigraphy, B:179-187, 189-201, 203-220, 247-264, 697-707
 borehole logs, B:673
 correlation, B:235
- deposits, B:3-30
 geochemical data, B:653
 geochemical well logs, B:635
 geochemistry, B:283-302, 405-413
 geochemistry and petrogenesis, B:361-388
 geochemistry and petrography, B:345-359
 geochronology, B:389-404
 high-pressure velocity, B:501-506
 hydrothermal alteration, B:415-427
 interstitial water, B:267-281
 Jurassic, B:571
 Lower Cretaceous, B:571
 Milankovitch cycles, B:529-547
 mineral chemistry, B:305-343
 oceanic crust, B:553
 paleolatitudes, B:615-631
 paleomagnetism, B:431-446, 455-470
 physical properties, B:485-499
 regional history, B:553
 sedimentation, B:31-79, 571
 sediments, B:3-30
 seismic stratigraphy, B:551-569
 silicification, B:81
 site description, A:33-89, 91-170
 tectonic setting, B:553
 volcanoclastics, B:137-153
 well-logging, B:507-527
- pillow lava
 alteration, B:491-493
 chemical composition, B:329-330
 petrography, B:346-347, 362-363
 physical properties, B:485
 rims, B:145
See also lava
- pipes, flamelike, core photographs, B:159
- pipes, vertical, core photographs, B:159
- plagioclase, B:138, 148
 argon-40/argon-39 laser analyses, B:401
 crystal chemistry, B:315
 oscillatory zoning, B:306
 petrography, B:307, 346-347, 363
 tholeiite, B:371
 tholeiitic basalts, B:324-325
- plankton, siliceous
 Lower Cretaceous, B:618
 Upper Jurassic, B:618
- plate motion
 biosiliceous background, B:15
 history, A:81
 paleolatitudes, A:158
 paleontological data, B:618
 relation to seismic stratigraphy, B:567-568
- plate tectonics
 Lower Cretaceous, B:574
 paleomagnetism, B:477
 Upper Jurassic, B:574
- Pliocene-Quaternary, A:176, 194
- polar wandering, apparent path
 magnetic lineations, B:471-481
 Pacific Plate, B:621
 seamounts, B:479
- polar wandering, true
 Hawaiian-Emperor bend, B:628
 paleoequator, B:627
- polar wandering
 Cenozoic, B:627
 clockwise rotation, B:477-481
 paths, B:479
- pole locations
 ellipse parameters, B:476
 magnetic lineations, B:471
 plates, B:475
 plate tectonics, B:477
- porcellanite, brown
 Unit II, A:38, B:268
- porcellanite, radiolarian, B:82, 88-89, 92, 98
 Aptian-Albian-Cenomanian, B:619
 biostratigraphy, B:229
 Campanian-Eocene, B:558
 carbonate-replacement, B:88
 Cenomanian-Campanian, B:10, 562
 chemical composition, B:639
 core ages, B:35
 lithologic units, B:35
 lithologies, B:35
 microfacies, B:596
 minimum temperatures of formation, B:97
 Oxfordian, B:590
 oxygen isotopes, B:96
 paleomagnetism, B:436
 photomicrographs, B:100-105, 108-110
 physical properties, B:508-517
 post-Valanginian, B:686
 recovery, Hole 800A, B:635
 Site 800, A:33, B:32
 Site 801, A:112-113, B:92
 thickness, B:690
 Tithonian-Valanginian, B:93
 Tithonian, B:589
 Turonian-Campanian, Hole 800A, B:9
 Unit II, A:99, 101, B:268
 Unit V, B:269
 X-ray diffraction data, B:86
- pore fluid, B:96
 tuff, B:129-130
See also interstitial water, pore water
- pore water
 geochemistry, B:270-271
 minimum temperatures of formation, B:97
 strontium isotopes, B:269
See also interstitial water, pore fluid
- porosity, secondary, B:96
 opal-CT to quartz, B:95-96
- porosity, secondary moldic, B:97
 photomicrographs, B:116-117
- porosity, uncorrected, vs. depth, B:509
- porosity, wet-bulk, alkali basalts, B:487
 alkali olivine basalts, B:502
 geochemistry, B:287-288
 igneous rocks, B:486-488
 Site 800, B:272
 volcanoclastics, B:511
 vs. depth, A:62, B:488, 513-514
 vs. grain density, B:489
 vs. thermal conductivity, A:65, 215, B:492
 vs. wet-bulk density, B:488, 505
- potassium/(calcium+sodium), tuff, B:128, 130
- potassium/argon geochronology, oceanic lavas, B:390-397
- potassium
 concentration, B:638
 depletion in interstitial water, B:270
 interstitial water, A:207, B:269, 272-275
 pore fluid, B:270-271
 vs. depth, A:60, 125
- power spectra
 radiolarite, B:538
 significant frequencies, B:539
 vs. depth, B:537
- precession, changes, B:529-547
- precipitation, B:96
- preservation
 nannofossils, B:179-182
 palynomorphs, B:223
- primary minerals
 Hole 801B, A:135

- Hole 801C, A:141
 petrography, B:346-348
 Site 800, A:68
 Site 802, A:218
 protoliths, B:81, 93
 pseudomorphs, compositional variation, B:142
 pyrite
 alteration, B:367
 geochemistry, B:292-293
 petrography, B:308
 Site 800, B:285
 sulfur isotopes, B:286, 288
 pyroxene, B:140, 157-158
 mineral chemistry, B:308-309, 311-312
 tholeiitic basalts, B:316-317
See also individual groups and minerals
- quartz, chalcedonic, photomicrographs, B:100-
 B:104
 quartz, diagenetic, B:81, 85
 quartz, drusy euhedral, B:92
 quartz, hydrothermal, B:11, 32, 36, 82, 96, 98, 158
 minimum temperatures of formation, B:97
 photomicrographs, B:108-110, 116-117
 Pigafetta Basin, B:16-17, 80, 117
 reactions, B:271-272
 sediments, B:8
 SEM data, B:27
 X-ray diffraction data, B:12-15, 87
- radioactivity, total, B:638
 radiolarians, ghost, SEM photomicrographs, B:134
 radiolarians, nassellarian, B:57, 91, 112-114, 155-
 156, 158-159
 abundance, A:115, 197
 Berriasian-Barremian, B:6
 Berriasian-Valanginian, B:598
 biostratigraphy, A:16, B:203-220, 697-707
 Callovian, B:584, 587
 correlation of Middle-Late Jurassic, B:700
 Jurassic-Cretaceous, B:601
 Jurassic, B:701
 Jurassic geographical distribution, B:700
 Lower Cretaceous, B:206, 598,606
 middle Cretaceous, B:624
 Middle Jurassic-Cretaceous, B:205
 Middle Jurassic-Lower Cretaceous, B:212-215
 Middle Jurassic, B:697-707
 Oxfordian, B:588, 590
 photomicrographs, B:105-107, 112, 216-220
 productivity, B:530
 re-evaluation of age, B:448
 replaced, B:581
 scanning electron micrographs, B:704-707
 silica-filled, B:583
 silicification, B:545
 Site 800, A:52
 Site 801, A:117-118, B:34, 36
 Site 802, A:200
 species list, B:209-211
 Tithonian, B:581, 591-592
 Upper Cretaceous, B:96
 Upper Jurassic, B:606
 Valanginian, B:596
- radiolarian tests
 current winnowing, B:602
 dissolution, B:91
 photomicrographs, B:112-114
- radiolarite, brown
 core ages, B:35
 lithologies, B:35
 Site 801, A:107-108
 Unit IV, A:101-104, B:268, 437
- units, B:35
 radiolarite, clayey, B:583
 Site 800, B:32
 Unit V, A:44-45
 X-ray diffraction, B:82
 radiolarite, hematite-rich, Lower Cretaceous,
 B:571
 radiolarite, metalliferous, Callovian, B:601
 radiolarite, red
 Jurassic, B:18
 Site 801, A:106-107
 Unit V, A:104, B:437
 radiolarite, silicified metalliferous, B:583
 radiolarite, umber, Unit V, B:268
 radiolarite/clay ratio, Lower Cretaceous, B:555
 radiolarite
 "woody" texture, B:589
 Aptian-Albian-Cenomanian, B:619
 Bathonian-Callovian, B:10, 559
 Berriasian-Barremian, B:6
 Berriasian-middle Valanginian, B:594
 Berriasian-Valanginian, B:594, 681,683
 biostratigraphy, B:206-207
 Callovian, B:584-585, 587,602,608
 chemical composition, B:582
 core ages, B:37
 Cretaceous, B:39
 deep-ocean, B:606
 geochemistry, B:290
 Jurassic-Cretaceous, B:601
 Jurassic, B:18, 39,606
 Leg 129, B:32, 39,88,95, 158
 lithologic units, B:33, 37
 lithologies, B:33, 37
 Lower Cretaceous, B:530
 lower Tithonian, B:680-681
 microprobe analyses, B:582-583
 microprobe transects, B:591
 middle Berriasian-Valanginian-lower Hau-
 terivian, B:597-601
 Middle Jurassic-Lower Cretaceous, B:571
 middle Oxfordian, B:588
 middle Tithonian, B:591
 Milankovitch cycles, equatorial, B:529-547
 Oxfordian-Kimmeridgian, B:680
 Oxfordian-Tithonian, B:587
 Oxfordian-Valanginian, B:10
 Oxfordian, B:590, 690
 oxygen isotopes, B:96
 paleomagnetism, B:432
 photomicrographs, B:105
 physical properties, B:508-517
 post-Valanginian, B:686
 pre-Aptian, B:559
 SEM data, B:27
 Site 800, B:56
 Site 801, B:34, 36,40,92
 Site 802, A:185-186, 190, B:557
 Tithonian-Valanginian, B:93
 Tithonian, B:594
 Unit V, B:268
 Valanginian-Barremian, Hole 800A, B:9
See also clay/radiolarite ratio
- radiometric ages, basaltic basement, B:389-404
 radiometric ages, summary, B:393
 rare earths, chondrite-normalized
 basalts, B:382, 387
 dolerites and basalt flows, B:358
 rare earths, condrite-normalized, samples, B:66-68
 rare earths, light
 fractionation, B:358
 sediments, B:56
- rare earths
- alkalic basalts, B:374-378
 basalts, B:368-369
 dolerite sills, B:348-349
 fractionation, B:369
 mass accumulation rates, B:594
 samples, B:65, 74, 76, 80-81
 sediments, B:56
 siliceous deposits, B:42
 Site 801, B:75
 Site 802, B:76
 tholeiitic lavas, B:348-349
 recrystallization
 hydrothermal deposits, B:419
 palynomorphs, B:223
 redeposition, foraminifers, B:235
 reefal material, biogenic, B:148
 reefs, amphisteginids, B:233-234
 refraction data, airguns, B:552
 resedimentation, B:160
 Miocene, B:240
 resistivity-sonic-gamma ray logs
 Site 800, A:84-85
 Site 801, A:168-170
 Site 802, A:238-239
 resistivity logs, medium-depth, porosity trends,
 B:510
 resistivity tool data, lithology, B:534
 reverberant layer, lithofacies, A:77-80
 reworking
 benthic foraminifers, B:230
 volcanic detrital siliceous deposits, B:42
 volcanoclastites, B:146
 ridge-push force, rising plume material, B:629
 rifting, indicators, B:174
 rock magnetism, Jurassic, B:455-470
 rubidium, basalts, B:378
 rudists, B:551
- sandstone, redeposited volcanoclastic, Unit IV,
 A:40-44
 Santonian, biostratigraphy, B:223
 Santonian-Campanian, normal polarity, B:443
 scanning electron microscope data, B:85
 scoriae, B:147
 seafloor spreading, magnetic lineations, B:477
 seafloor spreading rates, B:551
 East Pacific Rise, B:554
 Lower Cretaceous, B:574
 sea levels, global highstand
 Site 802, B:240
 sea levels, Lower Cretaceous, B:530
 seamount aprons, ancient oceanic crust, B:574
 seamounts, B:153
 association with submarine sills, B:349-351
 off-axis, B:383
 Pacific Ocean W, B:574
 paleomagnetism, NW, B:471
 pole data, B:629-630
 Upper Cretaceous-Eocene, B:576-578
 volcanism, B:394-395
 seawater-basalt interactions, B:131
 seawater
 Cretaceous, B:292
 geochemistry, B:295
 samples, B:65
- secondary minerals
 analcime-smectite-phillipsite, B:126
 chemical composition, B:367-369
 Clinoptilolite-smectite, B:126
 geochemistry, B:291
 Hole 801B, A:135
 Hole 801C, A:141
 hydrothermal deposits, B:415-427

- petrography, B:346-348
 phillipsite-smectite-analcime, B:126
 phillipsite-smectite-calcite-clinoptilolite, B:126
 photomicrographs, B:421
 sediments, B:274
 Site 800, A:68
 Site 802, A:218, B:120
 smectite-clinoptilolite-phillipsite, B:126
 tuff, B:129-130
- secular variations, block rotations, B:459
 sediment accumulations, biogenic, cycles, B:608
 sedimentary features, B:155
 Site 802, A:188-195
 sedimentary record
 Site 800, B:572
 Site 801, B:572
 sedimentary rocks, siliceous, nomenclature, B:82-85
 sedimentary rocks, X-ray diffraction data, A:44-45
 sedimentary sequences
 Jurassic-Paleocene, B:431-446
 Site 800, B:3-8
 Site 801, B:3-8
 sedimentary sources, B:57
 sedimentary structures, water-escape, core photographs, B:163, 157
 Callovian, B:585
 description, A:8-11
 lower Callovian, B:584
 sedimentation, background, B:39
 sedimentation, basal, Callovian-Bathonian, B:6
 sedimentation, biogenic
 Albian-Cenomanian, A:47
 Cretaceous, B:4
 Lower Cretaceous, B:606
 Upper Jurassic, B:606
 sedimentation, biosiliceous
 Berriasian-Barremian, B:6
 Oxfordian-Tithonian, B:6
 sedimentation, cyclic
 Lower Cretaceous, B:606
 Upper Jurassic, B:606
 sedimentation, pelagic
 Albian-Cenomanian, B:6
 sedimentation, siliceous
 Pigafetta Basin, B:6
 Upper Cretaceous, B:6
 Site 800, A:47
 sedimentation
 basinwide trends, B:567
 interpretation, B:566
 Lower Cretaceous, A:46-47
 Mesozoic, A:113
 middle Cretaceous, B:6
 Pigafetta Basin, B:20
 sedimentation history
 Jurassic, B:578
 Lower Cretaceous, B:578
 Site 800, B:571
 Site 801, A:106-113, B:571
 Stage 1, B:6
 Stage 2, B:6
 Stage 3, B:6
 Stage 4, B:6
 Stage 5, B:14
 Stage 6, B:15
 stages, B:4
 upper Bathonian-Aptian, B:601-604
 sedimentation rates, tuned, correlation to stratigraphy, B:290, 540-545
 318-385 mbsf, B:542-543
 385-412 mbsf, B:541
 385 mbsf, B:541
- 412-448 mbsf, B:540
 412 mbsf, B:541
 Aptian, B:600
 biostratigraphic data, B:532
 Cenozoic, B:119
 closed system evolution, B:274
 Cretaceous, B:6, 440
 discontinuities, B:535-537
 Lower Cretaceous, B:581
 lower Tertiary, B:436
 middle Valanginian, B:596
 Milankovitch cycles, equatorial, B:529-547
 Oxfordian, B:590
 Site 800, A:52-53, 118-119, B:90, 118-119
 Site 802, A:201, B:269
 Tithonian, B:589
 Valanginian-lower Hauterivian, B:597
 Valanginian, B:596
See also accumulation rates
 sediment burial, shallow, B:175
 sediment inclination
 Aptian, B:629
 Cretaceous, B:630
 southward drift, B:630
 sediment mixing, B:160
 sedimentology
 Site 800, A:38-48
 Site 801, A:99-113
 Site 802, A:187-195
 sediments, biosiliceous, B:85
 Oxfordian-Barremian, B:11
 sediments, calcareous, certification, B:91
 sediments, deep-sea, B:81-117
 sediments, interflow, A:106-107
 sediments, oceanic
 Milankovitch cycles, equatorial, B:529-547
 relation between iron, manganese, and aluminum contents, B:26
 samples, B:65
 sediments, oldest, A:91-170
 sediments, pelagic, B:155, 158, 160; 583
 Albian-Cenomanian, B:13
 sediments, red, Callovian-Bathonian, B:21
 sediments, redeposited
 Site 585, B:563
 Site 802, B:563
 sediments, siliceous
 classification, B:32
 Site 800, B:32
 sediments, volcanic, B:137
 sediments, volcanoclastic, B:143, 155
 photomicrographs, B:152
 vertical sequence, B:159
 sediments, volcanogenic, Cretaceous, B:247, 267-281, 563-565
 chemical variation, B:143
 classification, A:12-13
 composition, B:57
 CSI logs, B:165
 depth, B:143
 description, A:8-13
 disturbance, A:11-12
 geochemical well logs, B:625
 geochemistry, B:283-294
 interlayer water, B:295-302
 iron-manganese-(nickel+cobalt+copper), B:26
 mineral associations, B:8
 mineral composition, B:94
 mineralogical trends, B:3-30
 normalized oxide contents, B:517-519
 petrology, B:120, 581-587
 Site 800, B:3-30
 Site 801, B:3-30
- well-logging, B:507-527
 seismic intervals
 correlation with lithologic units, B:513-514
 Site 800, A:74-75
 Site 802, A:227
 seismic profiles
 East Mariana Basin, B:555
 Pigafetta Basin, B:555
 Site 801, A:157
 seismic reflection, B:551
 seismic reflectors, correlation, B:513
 seismic stratigraphy, 551
 correlation with lithology, A:77-80, 154-156, 231-235
 description, A:24-26
 lithostratigraphy, correlation with, B:555
 Pacific Ocean W, B:554-555
 Site 800, A:75-80
 Site 801, A:152-156
 Site 802, A:229-235
 summary, A:159, 234-235
 seismic surveys, velocity vs. two-way traveltime, A:158
 seismic velocity
 basalts, B:504
 sediments, B:555
 seismograms, synthetic
 Site 800, A:74-75
 Site 801, A:152
 Site 802, A:227
 selvages, petrography, B:348
 SEM. *See* scanning electron microscope data
 shards, B:140
 Shatsky Rise, Berriasian-Aptian, B:598
 sideromelane, B:148
 petrography, B:348
 sideromelane shards, photomicrographs, B:152
 silica, biogenic
 accumulation rates, B:602, 605
 cyclicity, mass accumulation rates, B:593
 Jurassic-Lower Cretaceous, B:588-589, 608
 mass accumulation rates, B:598
 Site 800, B:40
 Site 801, B:41
 Site 802, B:42
 silica, detrital
 Site 800, B:40
 Site 801, B:41
 Site 802, B:42
 silica, diagenetic, B:89
 silica, dissolved, B:96
 silica, hydrothermal
 Site 800, B:40
 Site 801, B:41
 Site 802, B:42
 silica, total, B:41-42
 accumulation rates, B:599
 concentrations, B:57
 diagenesis, B:82
 dissolution, B:602
 interstitial water, B:272-275
 phases, B:82
 pore fluid, B:270-271
 siliceous deposits, B:42
 Site 800, B:40
 Site 801, B:41
 Site 802, B:42
 sources, B:91
 volcanoclastic samples, B:144
 vs. depth, A:60
 yield in decimal fraction, B:153
 siliceous deposits, biogenic, B:32, 42
 geochemical characteristics, B:31-79

- Jurassic-lower Tertiary, B:31
 sedimentological characteristics, B:31-79
 siliceous rocks, diagenetic, B:81-117
 SEM photomicrographs, B:90
 volcanic-related, B:89
 silicification, basal, Callovian, B:585
 silicification, differential, B:81-82, 97, 117
 boundaries, B:90
 degree, B:692
 formation microscanner imagery, B:591
 Jurassic-Lower Cretaceous, B:674
 Lower Cretaceous, B:686
 middle Tithonian, B:591
 Milankovitch cycles, B:592
 photomicrographs, B:108-110
 radiolarians, B:545
 radiolarite, B:587
 relative abundance, B:688-689
 Tithonian, B:592
 Valanginian, B:596
 silicon+aluminum+magnesium+iron, phyllosilicate, B:320-321
 silicon+iron+manganese, samples, B:63
 silicon+iron+manganese, sediments, B:55, 62
 silicon/aluminum ratio
 Pigafetta Basin, B:16
 tuff, B:127
 vs. depth in sediments, B:17
 silicon
 measured spectra, B:636
 phyllosilicate, B:339, 342-343
 siliceous deposits, B:41
 vs. depth, A:59, 126, 208
 sills, massive alkalic dolerite, mineral chemistry, B:305-343
 sills/flows, Aptian, B:559-560
 sills
 alkalic dolerites, B:345-346
 ancient oceanic crust, B:574
 core ages, B:33
 Cretaceous, B:345-359
 dolerite, B:309
 emplacement, B:349
 lithologic units, B:33
 lithologies, B:33
 Site 800, A:65
 siltstone, B:138
 depositional setting, B:231
 physical properties, B:508-517
 post-Valanginian, B:686
 Site 61, lithostratigraphy, B:555
 Site 100, mid-ocean ridge basalt, B:377-378
 Site 105, mid-ocean ridge basalt, B:377-378
 Site 155, physical properties, B:490
 Site 163, physical properties, B:490
 Site 167, biostratigraphy, B:221-228
 Site 195, biostratigraphy, B:221-228
 Site 196, biostratigraphy, B:221-228, 247-264
 Site 198, biostratigraphy, B:247-264
 Site 199
 correlation with Sites 585 and 802, A:189
 lithostratigraphy, B:555
 seismic stratigraphy, B:565
 Tertiary, B:562
 Site 305, Berriasian-Aptian, B:598
 Site 306, Berriasian-Aptian, B:598
 Site 319, physical properties, B:490
 Site 320, physical properties, B:490
 Site 321, physical properties, B:490
 Site 322, physical properties, B:490
 Site 323, physical properties, B:490
 Site 417, petrology, B:425
 Site 420, physical properties, B:490
 Site 421, physical properties, B:490
 Site 422, physical properties, B:490
 Site 425, physical properties, B:490
 Site 427, physical properties, B:490
 Site 428, physical properties, B:490
 Site 430, physical properties, B:490
 Site 432, physical properties, B:490
 Site 433, physical properties, B:490
 Site 462
 geochronology, B:411
 physical properties, B:490
 Site 463
 biostratigraphy, B:221-228
 fertility indices, B:193
 Site 465, physical properties, B:490
 Site 478, physical properties, B:490
 Site 481, physical properties, B:490
 Site 482, physical properties, B:490
 Site 483, physical properties, B:490
 Site 485, physical properties, B:490
 Site 504, physical properties, B:490
 Site 506, physical properties, B:490
 Site 507, physical properties, B:490
 Site 508, physical properties, B:490
 Site 510, physical properties, B:490
 Site 585
 correlation with Sites 802 and 199, A:189
 FM35-12 MCS airgun profile, B:560
 lithostratigraphy, B:555
 seismic stratigraphy, B:565-566
 Tertiary, B:562
 Site 595, physical properties, B:490
 Site 597, physical properties, B:490
 Site 800, A:33-89
 apatite, B:169-176
 basalt alteration, B:490
 Berriasian oldest horizons, B:208
 biostratigraphy, A:48-52, B:179-187, 189-201, 203-228, 247-264
 correlation chart with Sites 801 and 802, A:193
 correlation with Site 801, B:567
 correlation with Sites 801, 802, A:191, B:8
 geochemical well logs, B:635
 geochemistry, B:283-294, 405-413, 653
 geochemistry, inorganic, A:57-60
 geochemistry and petrography, B:345-359
 geochronology, B:389-404
 igneous petrology, A:65-68
 interstitial water, B:267-281
 Jurassic, B:571
 lithologic units, B:5
 lithostratigraphy, A:38-48
 location map, B:4, 82, 170, 204, 248
 location map, B:636
 Lower Cretaceous, B:571
 Mesozoic-Cenozoic, B:3-4
 mineral chemistry, B:305-343
 paleolatitudes, B:480, 615-631
 paleolatitudes vs. stratigraphy, B:617
 paleomagnetism, B:431-446
 sample description, B:34
 sedimentation, B:31-79
 sedimentation history, B:571
 sedimentology, A:38-48
 sediments, B:3-30
 seismic stratigraphy, A:75-80, B:556-557
 silicification, B:81
 site description, A:33-89
 site geophysics, A:75-80
 volcaniclastics, B:137-153
 Site 801, A:91-170
 Bathonian or Callovian oldest horizons, B:208
 biostratigraphy, A:113-118, 179-187, 189-201, 203-228, 247-263
 borehole logs, B:673
 coring summary, A:92
 correlation, B:8
 correlation chart with Sites 800 and 802, A:193
 correlation with Site 800, B:567
 correlation with Sites 800 and 802, A:191
 downhole measurements, A:144-152
 geochemical well logs, B:635
 geochemistry, A:123-124, 283-294, 405-413, 653
 geochemistry and petrogenesis, B:361-388
 geochronology, B:389-404
 high-pressure velocity, B:501-506
 hydrothermal alteration, B:415-427
 interstitial water, B:267-281
 Jurassic, B:555, 571, 690, 699
 Jurassic-Lower Cretaceous stratigraphy, B:574-575
 lithologic units, B:5
 lithostratigraphy, A:99-113, B:285
 location map, B:4, 82, 93, 204, 248, 362, 636
 Lower Cretaceous, B:571
 Mesozoic-Cenozoic, B:4
 Milankovitch cycles, B:529-547
 mineral chemistry, B:305-343
 oceanic crest, B:555
 paleolatitudes, B:480, 615-631
 paleomagnetism, A:123-124, 431-446, 455-470
 physical properties, A:124-129
 physical summary, A:128
 sample descriptions, B:36
 sedimentation, B:31-79
 sedimentation history, B:571
 sedimentology, A:99-113
 sediments, B:3-30
 seismic stratigraphy, A:152-156, B:556-557
 shifts, B:573
 silicification, B:81
 site description, A:91-170
 site geophysics, A:152-156
 volcaniclastics, B:137-153
 Site 802, A:171-243
 basalt alteration, B:490
 biostratigraphy, A:195-200, B:179-187, 189-201, 221-248
 correlation chart with Sites 800 and 801, A:193
 correlation diagram with Sites 800 and 801, A:191
 correlation with Sites 585 and 199, A:189
 geochemical well logs, B:635
 geochemistry, B:283-294, 405-413, 653
 geochemistry and petrography, B:345-359
 geochronology, B:389-404
 interstitial water, B:267-281
 Jurassic oceanic crust, B:553
 location map, A:172, B:82, 120, 230, 636
 mineral chemistry, B:305-343
 paleolatitudes, B:480, 615-631
 paleolatitudes vs. stratigraphy, B:619
 paleomagnetism, B:431-454
 sample descriptions, B:38
 sedimentation, B:31-79
 seismic stratigraphy, B:556-557
 silicification, B:81
 site description, A:171-242
 stratigraphy, B:565
 tuff, B:119-135
 volcanic events, B:565

- volcaniclastics, B:137-152
- site geophysics
Site 800, A:75-80
Site 801, A:152
Site 802, A:227-229
- slump deformation, origin, B:585
- slump deposits
Bathonian–middle Callovian, B:584
core photographs, B:156
- slumps, submarine, B:146
- slumps, B:155-156, 160-161
- smectite, magnesium-rich
SEM data, B:28
SEM photomicrographs, B:134
- smectite-chlorite, alteration, B:367
- smectite, B:11, 141, 143, 148
alteration, B:362, 367
chemical composition, B:334-337
color variation, B:323
compositional variation, B:142
dolerites, B:346
interlayer water, B:299
mineral composition, B:117
nucleation sites, B:307
petrography, B:307-308
Pigafetta Basin, B:80
sediments, B:274
Site 801, B:36, 273
TEM data, B:29-30
tuff, B:127
Unit II, B:269
X-ray diffraction data, B:12-15
See also chlorite-smectite
- sodium
depletion in interstitial water, B:270
interstitial water, A:207, B:269, 272-275
pore fluid, B:270-271
vs. depth, A:60, 125
- solid solution, mineral chemistry, B:314
- sonic logs
logged intervals vs. interval slowness, B:516
sediments, B:512-513
- SOPITA. *See* South Pacific Isotopic and Thermal Anomaly
- Southern Hemisphere, paleogeography, B:439
- South Pacific Isotopic and Thermal Anomaly, origin, B:394-395
- spalling, B:140, 145
- spectral analysis
Milankovitch cycles, equatorial, B:529-547
sedimentation rates, B:543
Unit IV, B:534
- spectral cyclicity
gamma-ray logs, B:538-539
vs. formation microscanner imagery, B:539-540
- spectrograms, three-dimensional, discontinuities, B:535-537
- spherules, photomicrographs, B:100-104
- spinel, chromian, crystal chemistry, B:319
chemical composition, B:331-333
composition, B:141
crystal fragments, B:140
tholeiite, B:371
tholeiitic basalts, B:317
- sponge spicules, lower Miocene, B:93
- sporomorphs, B:147
Aptian/Albian, Australia, B:226
biostratigraphy, B:222
distribution, B:225
species list, B:227
- Sr-87/Sr-86. *See* strontium-87/strontium-86
- stable isotopes
apatite, B:176
See carbon isotopes, oxygen isotopes, sulfur isotopes
- stack velocities, semblance analysis, B:552
- “Stealth”-Phoenix plate boundary, magnetic lineations, B:621
- “Stealth” Microplate, Kimmeridgian–Valanginian, B:574
- “Stealth” Plate
apparent polar wander paths, B:621
Hawaiian lineation skewness, B:621
Japanese lineation skewness, B:621
paleolatitude history, B:618
- “Stealth” Plate hypothesis, magnetic lineations, B:477
- stratification, horizontal, B:156
- stratigraphy, B:82, 84
Campanian–upper Quaternary, B:121
Hole 801B, B:675
Jurassic–Lower Cretaceous, B:530-532, 676-677
Site 801, B:675
- strontium-87/strontium-86
basalts, B:405-413
igneous rocks, B:653-669
interstitial water, B:267-281
pore fluid, B:270-271
pore fluid and sediments, B:277
See also strontium isotopes
- strontium/calcium ratio, sediments, B:131
- strontium
basalts, B:378
facies, B:18
interstitial water, B:269, 272-273, 281
Pigafetta Basin, B:16
pore fluid, B:270-271
sediments, B:271
tuff, B:128
vs. depth, A:59, 126, 208
- structural rotation, volcanic piles, B:448
- subduction zones, sulfur cycling, B:292-293
- subsidence curves
Cretaceous, B:579
Jurassic, B:579
- substitution, iron-magnesium, amphiboles, B:314
- sulfate, acid-soluble, B:285
- sulfate, water-soluble, B:285
bacterial reduction, B:291-292
concentration, B:292
depletion in interstitial water, B:270
interstitial water, A:207, B:269, 272-275, 291
pore fluid, B:270-271
sediments, B:286
SEM data, B:287-288
vs. depth, A:125
- sulfide, B:290
hydrothermal deposits, B:367-368
oxidation, B:288
sediments, B:287
- sulfur
dolerite, A:70
Hole 801B, A:136
measured spectra, B:636
sediments, B:283-294
Site 800, B:285
Site 801, A:111, B:285
Site 802, B:288
- sulfur isotopes
sediments, B:285
tuff, B:128
- tachylite clasts, photomicrographs, B:152
- tantalum
sills, B:349
vs. zirconium distribution, B:359
- tectonic environment discrimination diagrams, chemical, lava, B:349-351
- tectonics, B:144, 160
block rotations, B:459
magnetic signature, B:456
Mid-Cretaceous volcanic event, B:349-351
Pacific Plate, B:615-631
Site 800, B:170
- temperature
apatite, B:173, 176
See also paleotemperature
- Tertiary, lower, sedimentation rates, B:57, 436
East Mariana Basin, B:551-569
Pacific Ocean W, B:551-569
paleomagnetism, B:431-446
Pigafetta Basin, B:551-569
siliceous deposits, B:41
Site 800, A:33-89
Site 801, B:40
Unit I, B:268
Unit IA, A:99
- Tethyan fauna
foraminifers, B:254
radiolarians, B:584, 700
- Tethys-Pacific connection, Middle Jurassic, B:702
- textures, “woody,” radiolarite, B:583
aphyric, basalts, B:362-363
- textures, glomerocrystic, differential quenching, B:348
- textures, glomerophyric, differential quenching, B:348
- textures, holocrystalline, basalts, B:362-363
textures, hypocrystalline, basalts, B:362-363
textures, microlitic, plagioclase, B:362
textures, quench, rapid cooling, B:346
textures, spherulitic, differential quenching, B:348
- thaumasite
first deep-sea occurrence, B:119-135
interstitial water, B:291
photographs, B:122
sediments, B:286
SEM photomicrographs, B:135
Site 802, B:125, 275
tuff, B:130
Unit II, B:269
- thermal conductivity
basalts, B:489
Site 800, A:64-65
Site 801, A:128-129
Site 802, A:213-214
vs. depth, A:64, 131, 214
- thermal history, B:170
- thin-section/smear slide data, B:153
- tholeiite
geochemistry, B:369-373
isotopes, B:406
- thorium/hafnium ratio
alkalic basalts, B:374
basalts, B:386
- thorium/tantalum ratio
basalts, B:386
tholeiite, B:369-370
- thorium
concentration, B:638
sills, B:349
vs. depth below seafloor, B:351
vs. lanthanum distribution, B:359
- titanaugite, dolerites, B:346
- titanium/(titanium+iron+manganese) ratio, tuff, B:128, 130
- titanium/aluminum ratio, pyroxenes, B:316

- titanium/ vs. aluminum (aluminum+iron+manganese) ratio, B:54
- titanium/zirconium ratio, sills, B:349
- titanium, B:143
- clinopyroxene, B:330
- pyroxene, B:316-317
- tuff, B:127
- titanium dioxide
- cooling units, B:366
- distribution in dolerite sills, B:358
- fractionation, B:358
- fractionation index, B:383
- tholeiitic and alkalic basalts, B:379
- vs. zirconium, B:357
- titanomagnetite
- crystallization, B:327
- dolerites, B:346
- granules, B:362
- petrography, B:307, 363
- Tithonian, upper, B:92
- biostratigraphy, B:183, 205, 221
- Tithonian-Valanginian
- Unit IVA, A:101-103
- Unit V, B:437
- TPW. *See* polar wandering, true
- trace elements, chondrite-normalized, basalts, B:143, 380
- basalt lavas, B:348-349
- dolerite sills, B:348-349
- hydrothermal deposits, B:415-427
- igneous rocks, B:653-669
- instrumental neutron activation analysis data, B:361-388
- Pigafetta Basin, B:16
- sediments, B:8, 20, 22, 271
- sediments and pore water, B:280
- Site 802, B:124
- tuff, B:126
- volcaniclastics, B:145, 147
- TRC. *See* trophic resource continuum
- tremolite, mineral chemistry, B:314
- trophic resource continuum, comparing modern Atlantic and Pacific oceans, B:201
- tuff, black, photographs, B:122
- tuff, calcareous, B:123
- tuff, crystal-vitric, B:120
- tuff, massive, B:124
- tuff, sandy, physical properties, B:508-517
- tuff, volcanoclastic, pore-water D/H, B:301
- core ages, B:37
- East Mariana Basin, B:119-135
- geochemical evolution, B:130
- lithologic units, B:37
- lithologies, B:37
- lower Miocene-middle Pliocene, B:561
- major elements, B:125
- mineral composition, B:124
- mineral evolution, B:130
- Miocene, B:561
- origin, B:131
- SEM data, B:123
- SEM photomicrographs, B:134
- silicon/aluminum ratio vs. depth, B:127
- Site 199, B:555
- Site 801, B:36
- Site 802, A:176, 178-180, 194, B:123
- trace elements, B:126
- Unit II, B:441
- X-ray diffraction data, B:123
- turbidite, bioclastic, B:155, 158, 160
- turbidite, bioclastic facies, core photographs, B:164
- turbidite, calcareous, Tertiary, B:562
- turbidite, calcareous volcanoclastic, B:158, 160
- turbidite, volcanoclastic, B:155, 157, 160, 190
- Albian, B:562
- Aptian-Cenomanian, B:619
- Campanian-Eocene, B:558
- Coniacian-Campanian, B:558
- core ages, B:35, 802
- core photographs, B:163
- depositional setting, B:232-233
- lithologic units, B:35, 37
- lithologies, B:35, 37
- middle Cretaceous, B:11
- middle Valanginian, B:596
- mineral composition, B:16, 80, 117
- paleomagnetism, B:435
- sand-silt-clay, B:32
- shallow-water off-ridge seamount source, B:567
- Site 585, B:555
- Site 801, A:112, B:36
- Site 802, A:176, 178-180, 183-184, 186, 188, 190, 192
- Unit III, A:101, B:268, 437
- Unit IV, B:268
- Units VI-IX, B:269
- Unit V, B:269, 443-444
- turbidite, volcanogenic, geochemistry, B:156-157, 159, 288-289
- Albian-Cenomanian, B:10
- biostratigraphy, B:229
- Coniacian-upper Campanian, B:565
- core ages, B:37
- core photographs, B:163
- Cretaceous, B:565
- Cretaceous, B:568
- depositional setting, B:231
- Jurassic-Lower Cretaceous, B:677
- lithologic units, B:37
- lithologies, B:37
- middle Cretaceous, B:137-152
- natural remanent magnetization, B:431
- paleolatitudes, B:439
- post-Valanginian, B:683
- seamounts, B:129
- SEM data, B:28
- Site 801, B:34
- Tertiary, B:565
- Turonian-Campanian, B:254
- Site 800, B:32
- Unit II, A:38
- Turonian-Coniacian boundary, biostratigraphy, B:184
- Turonian
- biostratigraphy, B:180, 221
- Unit II, B:268
- ultrafiltration, clay membranes, B:295, 298
- unconformities
- Callovian, B:589
- Cretaceous-Cenozoic, B:234
- Lower Cretaceous, B:559, 567
- Site 801, A:112
- stratigraphic relations, B:91
- See also* erosional events
- upper opaque unit, B:559-563
- middle Pliocene-lower Miocene, B:561
- seismic character, B:562
- upper transparent unit, B:563
- acoustically transparent layer, B:563
- upwelling, equatorial, radiolarians, B:530
- upwelling, B:39
- uranium, concentration, B:638
- Valanginian-Albian hiatus, A:112
- Valanginian
- biostratigraphy, B:205, 221-222
- paleomagnetism, B:435
- Unit IV, B:268
- Unit V, A:44
- vein fillings, carbonate, B:323
- veins, mineralized, volcanoclastic sandstone, B:173
- alteration, B:425
- Hole 801B, A:136
- Hole 801C, A:142
- Site 800, A:68
- Site 802, B:125
- velocity, high-pressure, basalts, B:501-506
- vs. depth, B:513-514
- vs. two-way traveltime, A:231
- velocity anisotropy
- basalts, B:489
- vs. depth, A:63, 130, 213
- velocity logs, raw and processed, A:74
- vesicles, B:147
- Hole 801C, A:141-142
- SEM photomicrographs, B:134
- vesiculation, B:145, 147
- vitric components, B: 140, 148
- alteration, B:142
- See also* glass, shards
- volcanic ash
- alteration, B:301
- Unit II, B:269
- volcanic edifices
- ancient oceanic crust, B:574
- building, B:240
- volcanic events
- Aptian, A:47
- Cretaceous, A:81
- middle Cretaceous, A:158-159, B:6, 349-351, 563
- Site 802, A:235-236
- volcanic islands, near emergent, B:147
- volcanic islands, B:160
- volcanoclastics, B:153
- apatite, B:170
- Aptian-Albian-Cenomanian, B:96
- biostratigraphy, B:229
- bulk chemistry, B:143
- chemical analyses, B:m
- compositional variation, B:142
- core ages, B:33
- Cretaceous, B:4
- lithologic units, B:33
- lithologies, B:33
- middle Cretaceous, B:389
- paleomagnetism, B:431-432
- petrographic features, B:m
- petrography, B:137-152
- Pigafetta Basin, B:19
- Site 800, A:33, B:170
- Site 802, B:121, 124
- sources, B:147
- temperature history, B:171
- X-ray diffraction data, B:m
- volcanoclastites, source region, B:148
- volcanic materials, alteration, B:275
- volcanic piles
- basalts, B:448
- Jurassic, B:447
- post-Callovian rotation, B:459
- volcanic provinces, middle Cretaceous, B:350
- volcanism, alkaline, seamounts, B:161, 383
- Cretaceous, B:405-413
- intraplate lavas, B:411

- lower Aptian, B:581
 Mesozoic, B:390
 volcanogenic phases, geochemical expression, B:16

 water-rock reactions, thaumasite veins, B:131
 water content, vs. depth, A:62
 weathering, submarine. *See* alteration, low-temperature oxidative
 well-logging
 lithology, B:507-527
 Site 800, A:68-75
 Site 801, A:144-152
 Site 802, A:219-227
 See also downhole measurements
 well logs
 geochemical, B:635
 winchite, mineral chemistry, B:313-314
 wireline logs, B:155, 160-161
 vertical sequence, B:159
 wood fragments, B:147

 X-ray diffraction data, B:85, 157, 516-517, 520
 X-ray spectroscopy, B:85
- yttrium, B:143
 fractionation index, B:383
 vs. zirconium, B:357

 zeolite, potassic, SEM data, B:28
 zeolite, sodium, SEM photomicrographs, B:134, 158-159
 alteration, B:367
 bulk X-ray powder diffraction data, B:143
 fractures, B:292
 sediments, B:274
 Site 801, B:36
 Site 802, B:119, 124-125
 stratigraphy, B:22
 Unit IA, A:99
 Unit II, B:269
 Unit IV, B:268
 Valanginian, B:596
 veins, B:130
 zeolitization, tuff, B:129-130
 Zijderveld vector plots, uniform vector decay, B:451
 zirconium/niobium ratio, alkalic basalts, B:374
 zirconium/tantalum ratio, N-MORB basalts, B:350
- zirconium/yttrium ratio
 alkalic basalts, B:374
 basalts, B:386
 N-MORB basalts, B:349
 tholeiite, B:369-370
 zirconium, B:143
 basalts, B:378, 386
 distribution relative to other elements, B:357
 dolerite sills, B:348, 358
 fractionation index, B:383
 tuff, B:127
 vs. chromium, B:128
 vs. depth below seafloor, B:351
 vs. tantalum, B:359
 vs. titanium dioxide, B:128
 zonation
 foraminifers, B:230
 Jurassic-Cretaceous, B:179-201
 Mesozoic, A:14-18
 radiolarians, B:203-220
 See also individual zones in the Taxonomic Index

TAXONOMIC INDEX

- abisectus*, *Cyclicargolithus*, Site 802, A:195
Acaeniotype diagorophona, B:129, 220
Acaeniotype umbilicata
 Site 800, A:52
 Site 801, A:117
Acanthocircus carinatus, B:206
Acanthocircus dicranacanthos, B:207
 Site 800, A:52
Acanthocircus dicranacanthos Zone, Site 801, A:117
Acanthocircus oblongus, Site 801, B:698
Acanthocircus trizonalis, B:207
Acarinina mckannai, Site 802, A:199
Acarinina nitida, Site 802, A:199
Acarinina primitiva, Site 802, A:199
Acarinina soldadoensis, Site 802, A:199
Acarinina spp., Site 802, A:198
aculeus, *Ceratolithoides*
 Site 801, A:116
 Site 802, A:198
acuta, *Morozovella*, Site 802, A:199
acutus, *Lithraphidites*
 Site 800, A:48
 Site 802, A:198
Adercotryma, B:254, 262
africana, *Braarudosphaera*, B:193
alatus, *Lithraphidites*
 Site 800, A:48
 Site 801, A:116
albianus, *Axopodorhabdus*, Site 801, A:116
Alievium helenae, B:207, 216
Alisporites, B:222
alternans, *Pleurostomella* cf., Site 802, B:238, 243
altiaperturus, *Globigerinoides*, Site 802, A:198
altissima, *Ristola*, B:220
amabilis, *Archaeodictyomitra* (?), Site 801, B:698
Ammodiscus cretaceus, B:255, 261
Ammodiscus dubius, B:257
Ammodiscus irregularis, B:255
Ammodiscus planus, B:255
Ammodiscus septatus, B:258
Ammodiscus serpens, B:255
Ammodiscus shoneanus, B:258
Ammodiscus tenuissimus, B:255, 261
Amphipyndax pseudoconulus Zone, Site 801, A:117
Amphipyndax tylotus Zone
 Site 800, A:52
 Site 801, A:117
Amphistegina, Site 802, A:198, B:233
Amphistegina hauerina, Site 802, B:229, 235, 244
amphitreptera, *Podocapsa*, B:127
amphora, *Dictyopora*, Site 802, A:200
Andromeda, B:220
Angulobracchia, B:220
Angulogerina angulosa, Site 802, B:235, 242
angulosa, *Angulogerina*, Site 802, B:242
anguscus, *Parhabdololithus*
 Site 801, A:116
 Site 802, A:198
angustus, *Prediscosphaera*, Site 800, A:48
anthoporus, *Reinhardtites*, Site 802, A:198
antillea, *Orthomorphina* aff., Site 802, B:238, 242
antiquasporites, *Stereisporites*, B:222
anulosa, *Angulogerina*, Site 802, B:235
apiarium, *Archaeodictyomitra*, B:206
appenninica, *Rotalipora*, Site 801, A:117
aragonensis, *Morozovella*, Site 802, A:198
Aragonia ouezzanensis, Site 802, B:230, 236, 243
Aragonia velascoensis, Site 802, B:230, 236, 243
Archaeodictyomitra (?) *amabilis*, Site 801, B:698
Archaeodictyomitra apiarium, B:206
Archaeodictyomitra brouweri, B:207
Archaeodictyomitra excellens, B:207, 216
Archaeodictyomitra lacrimula, B:206
 Site 800, A:52
Archaeodictyomitra pseudoscalaris, B:207, 216
Archaeoglobigerina sp., Site 802, A:199
armata, *Pararotalia*, Site 802, B:238, 244
Aschemocella/Dendrophyra latissima, B:255
Aschemocella, B:261
Aspidolithus parvus, Site 802, A:198
Aspidolithus parvus constrictus
 Site 801, A:116
 Site 802, A:198
Assipetra infracretacea, Site 800, A:51
Asterigerina, Site 802, A:198, B:233
Asterigerina marshallana, Site 802, B:229, 236, 240, 244
Asterigerina tentoria, Site 802, B:229, 236, 240
asymmetricus, *Foraminisporis*, B:222
Axopodorhabdus albianus, Site 801, A:116

barnesae, *Watznaueria*
 Site 800, A:51
 Site 801, A:116
beckmannii, *Paleopontosphaera*, Site 801, A:116
beckmannii, *Polycostella*, B:183
 Site 801, A:116
beisseli, *Gyroidinoides*, Site 802, B:237, 243
bejaouensis, *Ticinella*, Site 801, A:117
belemnos, *Sphenolithus*, Site 802, A:195
bentonensis, *Globigerinelloides*, Site 801, A:117
Biscutum, Site 801, A:118
Biscutum blackii, B:182
Biscutum constans, Site 801, A:116
Biscutum erismaticum, B:183
bisphericus, *Globigerinoides*, Site 802, A:198
biumbilicalis, *Haplophragmoides*, Site 802, B:237, 241
biumbilicata, *Haplophragmoides*, Site 800, A:51
blackii, *Biscutum*, B:182
boesii, *Parvicingula*, B:206, 216-217
Bolivina, Site 802, A:199, B:236, 242
Bolivinopsis parvissimus, Site 801, A:116
borneensis, *Heterostegina*, Site 802, B:229, 233, 237, 240, 244-245
Braarudosphaera africana, B:193
brevialus, *Haplophragmoides*, Site 800, A:51
brevicostatatum, *Hsuum*, B:220
britannica, *Watznaueria*, B:181
Brizalina sp., Site 802, A:199
brouweri, *Archaeodictyomitra*, B:207
Bulbobaculites lueckeiproblematicus, B:248
Bulimina tuxpamensis, Site 802, B:236, 242
bulloides, *Haplophragmoides*, B:256

Calculites obscurus, Site 802, A:198
Callialasporites dampieri, Site 200, A:200
Callialasporites trilobatus, B:222, 228
 Site 200, A:200
Canninginopsis colliveri, B:221-223, 228
 Site 802, A:200
capita, *Hemicryptocapsa*, B:216
caracolla, *Epistomina* cf., Site 802, B:244
carinatus, *Acanthocircus*, B:206
carinatus, *Triquetrorhabdulus*, Site 802, A:195
carpatica, *Cinguloturris*, B:203, 206-207, 218-219

carpatica, *Pseudodictyomitra*
 Site 800, A:52
 Site 801, A:117-118
Cassidulina subumida sp., Site 802, A:200
Cassidulina subumida, Site 802, B:236, 243
Catapsydrax dissimilis, Site 802, A:198
catenarum, *Stylocapsa*, Site 801, 697-698
cayeuxii, *Lucianorhabdus*, Site 802, A:198
Cecrops septemporatus, Site 800, A:52
Cecrops septemporatus Zone
 Site 800, A:52
 Site 801, A:117
cenomana, *Shackoina*, Site 802, A:200
Ceratolithoides aculeus
 Site 801, A:116
 Site 802, A:198
Ceratolithoides verbeekii, Site 802, A:198
cerroazulensis, *Turborotalia*, Site 802, A:198
cerviculum, *Dingodinium*, Site 802, A:200
chalara, *Podocyrtilis*, Site 802, A:200
chapmani, *Planorotalites*, Site 802, A:199
charoides, *Glomospira*, Site 802, B:237
chenodes, *Mirifusus*, B:206, 216
Chiasmolithus sp., Site 802, A:198
chiastia, *Cruciellipsis*
 Site 800, A:48
 Site 801, A:116
 Site 802, A:198
chica, *Emiluvia*, B:220
Chrysalogonium, Site 802, A:199
Cibicides ribbingi, Site 802, B:236, 242
Cibicides voltziana, Site 802, B:236, 243
Cicatricosisporites, Site 200, A:200
Cinguloturris carpatica, B:203, 206-207, 218-219
Cinguloturris carpatica Zone, Site 801, A:118
Cinguloturris septemporatus Zone, Site 801, A:118

circulata, *Elytrocysta*, B:228
citae, *Globotruncanella*, Site 802, A:199
Coccolithus, Site 801, A:116
Coccolithus sp., Site 802, A:195
colliveri, *Canninginopsis*, Site 802, A:200
columnna, *Dictyomitrella* (?), B:206
columnaris, *Orthomorphina* cf., Site 802, B:238, 242
columnnata, *Prediscosphaera*
 Site 800, A:48
 Site 801, A:116
communis, *Watznaueria*, Site 801, A:116
complex, *Oligosphaeridium*, Site 802, A:200
concava, *Haplophragmoides*, B:255
concava, *Trochammina*, B:255
concavus, *Haplophragmoides* cf., B:255, 262
conexa, *Tricolocapsa*, Site 801, A:118, 697-698
conglobatus, *Paratrochamminoides*, B:257
conicus, *Sphenolithus*, Site 802, A:195
conintuosa, *Globorotalia*, Site 802, A:198
conoformis, *Dicolocapsa*, B:207
constans, *Biscutum*, Site 801, A:116
constrictus, *Haplophragmoides*, Site 801, A:117
constrictus parvus, *Aspidolithus*, Site 801, A:116
continua, *Globorotalia*, Site 802, A:198
conversa, *Gaudryina*, B:257
conversa, *Karrerulina* cf., B:257
conversa, *Plectina*, B:257
Conylothorax, B:219
cordis, *Theocapsomma*, Site 801, B:700
corpulentus, *Paratrochamminoides*, Site 802, B:238, 241
cosmoconica, *Parvicingula*, B:217

- crassa, Hormosina*, Site 802, B:237, 241
cretacea, Prediscosphaera, B:183
cretaceus, Ammodiscus, B:255, 261
Cretarhabdus, Site 802, A:198
Cretarhabdus sp., Site 801, A:116
Cretarhabdus surirellus, B:180
Cribrosphaerella ehrenbergii, B:183
Crolanium pythiae, B:206, 216
Crucellipsis chiastia
 Site 800, A:48
 Site 801, A:116
 Site 802, A:198
Crucellipsis literarius Zone, Site 800, A:51
Cruciplacolithus tenuis, Site 802, A:198
Cryptamphorella, B:217
Cuclagelosphaera margerelii, Site 801, A:116
curus, Micula, Site 801, A:116
cusmani, Praebulimina, Site 802, B:238, 242
Cyathidites, B:222
Cyathidites minor, B:222
Cyathidites spp., Site 200, A:200
Cyclagelosphaera margerelii, B:181, 183
Cyclicargolithus abisectus, Site 802, A:195
Cyclicargolithus floridanus, Site 802, A:195
Cyclicargolithus moriformis, Site 802, A:195

dampieri, Callialasporites, Site 200, A:200
decoratus, Microrhabdulus, Site 800, A:48
decussata, Micula
 Site 801, A:116
 Site 802, A:198
decussatus, Haplophragmoides, B:262, 255
deflandrei, Discoaster, Site 802, A:195
deflexiformis, Recurvoides, Site 801, A:116
dehiscens, Globoquadrina, Site 802, A:198
dehiscens, Globorotalia, Site 802, A:198
delrioensis, Hedbergella, Site 801, A:117
Dendrophyra, Site 802, B:232
Dendrophyra excelsa, Site 802, B:241
Dendrophyra latissima, Site 802, B:236, 241
Dendrophyra sp., Site 800, A:51
Dentalina, Site 802, B:236
depressa, Trochammina, Site 802, B:239, 241
dessucatis, Haplophragmoides, B:255
dhimenaensis, Parvicingula (?), Site 801, B:700
diagorophona, Acaeniotyle, B:129, 220
diamphidia, Foremanella, B:207, 217
Diazomatolithus lehmanii, B:181
Dibolachras tythopora, Site 800, A:52
Dibolachras tythopora Zone, B:204-205
Dicolocapsa conoformis, B:207
dicranacanthos, Acanthocircus, Site 800, A:52
Dictyomitra formosa, Site 800, A:52
Dictyomitra koslovae
 Site 800, A:51-52
 Site 801, A:117
Dictyomitra septemporatus Zone, Site 800, A:52
Dictyomitra tythopora Zone
 Site 800, A:52
 Site 801, A:118
Dictyomitrella (?) *columna*, B:206
Dictyomitrella (?) *kamoensis*, Site 801, B:698
Dictyomitrella (?) *puga*, B:217
Dictyopora amphora, Site 802, A:200
Dictyopora mongolofieri, Site 802, A:200
dilatata, Hyperammina, Site 802, B:237, 241
Dingodinium cerviculum, Site 802, A:200
Discoaster deflandrei, Site 802, A:195
Discoaster multiradiatus
 Site 801, A:116
 Site 802, A:195
Discoaster pentaradiatus, Site 802, A:195
Discoaster variabilis, Site 802, A:195

Discorhabdus rotatorius, Site 801, A:116
dissimilis, Catapsydrax, Site 802, A:198
Drentalina, Site 802, B:242
dubius, Ammodiscus, B:257
dubius, Paratrochamminoides, B:257, 264
dubius, Trochamminoides, B:257

edgari, Morozovella, Site 802, A:199
ehrenbergii, Cribrosphaerella, B:183
Eiffellithus turrisseiffelii
 Site 800, A:48
 Site 801, A:116
 Site 802, A:198
Eiffellithus turrisseiffelii Zone, Site 801, A:116
elegantissima, Thanarla, Site 801, A:117
elevi, Loxostomum, Site 802, B:237, 243
elongata, Hyperammina, B:257, 261
Elytrocysta circulata, B:228
Emiluvia chica, B:220
Emiluvia hopsoni, B:219
eminens, Toweius, Site 802, A:198
Epistomina cf. caracolla, Site 802, B:236, 244
erectus, Zygodiscus, Site 801, A:116
erismaticum, Biscutum, B:183
Euchitonina sp., Site 802, A:200
Eucyrtidiellum, B:218
Eucyrtidiellum nodosum, Site 801, B:698
Eucyrtidiellum pryctum, B:219
Eucyrtidiellum unumaense, Site 801, B:698
Eucyrtis hanni, B:206
Eucyrtis tenuis, B:206
excellens, Archaeodictyomitra, B:207, 216
excelsa, Dendrophyra, Site 802, B:241
excelsa, Hormosina, B:256

Fasciculithus sp., Site 802, A:198
Fasciculithus tympaniformis, Site 801, A:116
floralis, Lithastrinus
 Site 800, A:48
 Site 801, A:116
 Site 802, A:198
floridanus, Cyclicargolithus, Site 802, A:195
fohsi peripheroronda, Globorotalia, Site 802, A:198
Foraminisporis asymmetricus, B:222
Foremanella diamphidia, B:207, 217
formosa, Dictyomitra, Site 800, A:52
formosa gracilis, Morozovella, Site 802, A:199
fragilis, Fromea, B:222
fragilis, Mirifusus, B:129, 220
fraudulentus, Haplophragmoides
 Site 800, A:51
 Site 801, A:117
Fromea fragilis, B:222
furcatus, Marthasterites, Site 802, A:198

Gaudryina conversa, B:257
Gaudryina pyramidata, Site 802, B:236, 241
Gerochella, B:257
gigantea, Hormosina, B:247, 249
gigantea ovulum, Hormosina, B:256-257
globigerinaeformis, Praecystammina
 Site 801, A:116-117
 Site 802, B:238
Globigerina spp., Site 802, A:198
Globigerinatella insueta Zone, Site 802, A:198
Globigerina trilocolinoides, Site 802, A:199
globigerinelloides, Hedbergella, Site 801, A:117
Globigerinelloides, Site 802, A:198
Globigerinelloides bentonensis, Site 801, A:117
Globigerinelloides praehillensis, Site 802, A:199
Globigerinelloides sp., Site 802, A:200
Globigerinelloides ultramrica, Site 802, A:199

globigeriniformis, Praecystammina
 Site 800, A:51
 Site 802, B:241
globigeriniformis, Trochammina, B:258
globigeriniformis, Trochammina sp.1(?) ex gr., B:258
Globigerinoides altiaperturae, Site 802, A:198
Globigerinoides bisphericus, Site 802, A:198
Globigerinoides ultramrica, Site 802, A:199
Globoquadrina dehiscens, Site 802, A:198
Globorotalia continuosa, Site 802, A:198
Globorotalia dehiscens, Site 802, A:198
Globorotalia fohsi peripheroronda, Site 802, A:198
Globorotalia mayeri, Site 802, A:198-199
Globorotalia obesa, Site 802, A:198
Globorotalia obliquus, Site 802, A:198
Globorotalia praebulloides, Site 802, A:198
Globorotalia ruber, Site 802, A:198
Globorotalia scitula, Site 802, A:198
Globorotalia trilobus, Site 802, A:198
Globorotalia venezuelana, Site 802, A:198
Globorotalites michelianus, Site 802, B:236, 243
Globotruncana, Site 802, A:198
Globotruncanella citae, Site 802, A:199
globulosa, Heterohelix, Site 802, A:199
Glomospira, Site 802, B:232
Glomospira charoides, Site 802, B:237
Glomospira gordialis, B:255, 261
Glomospira irregularis, B:255, 261
Glomospira serpens, B:255
Glomospira (Tolypammina?) irregularis, B:255
Gongylothorax sakawaensis, B:220
gordialis, Glomospira, B:255, 261
Gorgansium pulchrum, Site 801, B:700
gothicum, Quadrum, Site 802, A:198
granulosa, Umbria, B:183
granulosa minor, Umbria, Site 801, A:116
grillii, Lithastrinus, Site 802, A:198
grzybowskii, Kalamopsis, B:257, 262
guadalupensis, Mesovallupus, B:129, 207
Guexella nudata, Site 801, A:118, B:697, 700
guttifera, Reophax, B:258
Gyroidinoides beisseli, Site 802, B:237, 243
Gyroidinoides cf. praeglobosus, Site 802, B:237, 243

Haliodyctya (?) *hojnosi*, B:129
hanni, Eucyrtis, B:206
Hantkenina sp., Site 802, A:198
Haplophragmoides Assemblage A, Site 800, A:51
Haplophragmoides Assemblage B, Site 800, A:51
Haplophragmoides biumbilicalis, Site 802, B:237, 241
Haplophragmoides biumbilicata, Site 800, A:51
Haplophragmoides breviaulus, Site 800, A:51
Haplophragmoides bulloides
 Site 801, A:116-117
 Site 802, B:232
Haplophragmoides cf. concava, B:255
Haplophragmoides cf. concavus, B:255, 262
Haplophragmoides cf. herbichi, B:256
Haplophragmoides constrictus, Site 801, A:117
Haplophragmoides decussatus, B:255, 262
Haplophragmoides ex gr. herbichi, B:256, 262
Haplophragmoides ex gr. perexplicatus-constrictus, B:256, 263
Haplophragmoides fraudulentus
 Site 800, A:51
 Site 801, A:117
Haplophragmoides herbichi, Site 802, B:237, 241
Haplophragmoides incredibilis, B:256, 262
Haplophragmoides krashennikov, B:262-263

- Haplophragmoides krasheninnikovi*, B:256
Haplophragmoides molestus, B:255-256, 263
Haplophragmoides multicamerata
 Site 800, A:51
 Site 801 A:117
Haplophragmoides multicamerus, B:248-250,
 256, 258, 263
Haplophragmoides multiformis, B:256
Haplophragmoides parvus, Site 800, A:51
Haplophragmoides perexplicatus-constrictus,
 B:248, 256
Haplophragmoides perexplicatus-pervagatus,
 B:255
Haplophragmoides perexplicatus, Site 800, A:51
Haplophragmoides pervagatus
 Site 800, A:51
 Site 801, A:117
Haplophragmoides pseudokirki, B:248
Haplophragmoides sp., Site 801, A:116
Haplophragmoides walteri, B:255
hauerina, *Amphistegina*, Site 802, B:229, 235
Hedbergella
 Site 800, A:52
 Site 802, A:198
Hedbergella delrioensis, Site 801, A:117
Hedbergella globigerinelloides, Site 801, A:117
Hedbergella holmdelensis, Site 802, A:199
Hedbergella infracretacea, Site 801, A:117
Hedbergella planispira, Site 801, A:117
Hedbergella simplex, Site 801, A:117
Hedbergella sp., Site 802, A:200
helenae, *Alievium*, B:207, 216
Heliolithus kleinpellii, Site 801, A:116, 198
helvetica, *Podobursa*, B:220
Hemicryptocapsa capita, B:216
herbichi, *Haplophragmoides*, Site 802, B:237
herbichi, *Haplophragmoides* cf., B:256
herbichi, *Haplophragmoides* ex gr., B:256
Heterohelix globulosa, Site 802, A:199
Heterohelix navarroensis, Site 802, A:199
Heterohelix striata, Site 802, A:199
heteromorphus, *Sphenolithus*, Site 802, A:195
Heterosphaeridium B:223
Heterostegina, Site 802, B:232
Heterostegina borneensis, Site 802, B:229, 233,
 237, 240, 244-245
Hexalithus noelae, Site 801, A:116
hojnosi, *Haliodyctya* (?), B:129
holmdelensis, *Hedbergella*, Site 802, A:199
hopsoni, *Emiluvia*, B:129
hopsoni, *Vallulus*, B:129, 207
Hormosina, Site 802, B:232
Hormosina crassa, Site 802, B:237, 241
Hormosina excelsa, B:256
Hormosina gigantea, 13:247-249
Hormosina ovuloides B:256, 262
Hormosina ovulum
 Site 800, A:51
 Site 802, B:237, 241
Hormosina ovulum gigantea, B:248, 256-257, 261
Hormosina ovulum ovulum, B:257, 262
Hormosina-Haplophragmoides lineage, B:254
Hsuum brevicostatum, B:220
Hsuum maxwelli, B:129
Hyperammina, Site 802, B:232
Hyperammina cf. *dilatata*, B:256
Hyperammina dilatata, Site 802, B:237, 241, 261
Hyperammina elongata, B:257, 261

ichikawai, *Solenotryma* (?), B:218
indivisa, *Rhizammina*, B:258
infracretacea, *Assipetra*, Site 800, A:51
infracretacea, *Hedbergella*, Site 801, A:117

intricatus, *Paratrochamminoides* (?), B:257
intricatus, *Paratrochamminoides*, Site 802,
 B:238, 241
irregularis, *Anmodiscus*, B:255
irregularis, *Glomospira* (?), B:255
irregularis, *Glomospira (Tolypammina?)*, B:255
irregularis, *Glomospira*, B:255, 261
irregularis, *Rucinolithus*
 Site 800, A:48
 Site 801, A:116

jankoi, *Uvigerinammina*, B:248
japonicus, *Protunuma*, B:218

Kalamopsis grzybowskii, B:257, 262
karnoensis, *Dictyomitrella* (?), Site 801, B:698
Karrerulina, B:257, 264
Karrerulina cf. *conversa*, B:257
kleinpellii, *Heliolithus*
 Site 801, A:116
 Site 802, A:198
koslovae, *Dictyomitra*
 Site 800, A:51-52
 Site 801, A:117
krasheninnikovi, *Haplophragmoides*, B:256, 262-
 263
krutzschii, *Wallodinium*, B:221-222

lacrimalis, *Stylocapsa*, Site 801, B:698, 700
lacrimula, *Archaeodidymitra*, Site 800, A:52
lanceola, *Sphaerostylus*, Site 800, A:52
latissima, *Dendrophyra*, Site 802, B:241
lehmanii, *Diazomatolithus*, B:181
Lenticulina, Site 802, B:237, 242
Lepidocyclina, Site 802, B:232
Lepidocyclina sumatrensis, Site 802, B:229, 233,
 240, 244-245
Lepidocyclina (Nephrolepidina) sumatrensis, Site
 802, B:237
lepidula, *Stilostomella*, Site 802, B:239, 242
lilyae, *Pseudodictyomitra*, B:206, 216
Lithastrinus floralis
 Site 800, A:48
 Site 801, A:116
 Site 802, A:198
Lithastrinus grillii, Site 802, A:198
Lithastrinus septenarius, Site 802, A:198
Lithochytris vespertilio, Site 802, A:200
Lithraphidites acutus
 Site 800, A:48
 Site 802, A:198
Lithraphidites alatus
 Site 800, A:48
 Site 801, A:116
lituiformis, *Lituotuba*, B:257, 261
lituiformis, *Trochammina*, B:257
Lituola nautiloidea globigeriniformis, B:258
Lituotuba lituiformis, B:257, 261
lobulata, *Trochammina*, B:258
Loxostomum elvi, Site 802, B:237, 243
Lucianorhabdus cayeuxii, Site 802, A:198
Lucianorhabdus maleformis, Site 802, A:198
lueckeiproblematicus, *Bulbobaculites*, B:248

maleformis, *Lucianorhabdus*, Site 802, A:198
manivitae, *Watznaueria*, Site 801, A:116
margerelii, *Cyclagelosphaera*, Site 801, A:116
marshallana, *Asterigerina*, Site 802, B:236, 240,
 244
Marthasterites furcatus, Site 802, A:198
maxwelli, *Hsuum*, B:129
mayeri, *Globorotalia*, Site 802, A:198-199
mckannai, *Acarinina*, Site 802, A:199

mediodilatatus, *Mirifusus*, B:206, 216-217
Mesovallulus guadalupensis, B:129, 207
michelianus, *Globorotalites*, Site 802, B:236, 243
Microrhabdulus decoratus, Site 800, A:48
Micula, Site 802, A:198
Micula curus, Site 801, A:116
Micula decussata
 Site 801, A:116
 Site 802, A:198
mikamense, *Zhamoidellum*, B:218-219
minor, *Cyathidites*, B:222
minuta, *Pullenia*, Site 802, B:238, 243
Mirifusus, B:396
Mirifusus chenodes, B:206, 216
Mirifusus fragilis, B:219-220
Mirifusus mediodilatatus, B:206, 216-217
mitra, *Podocyrtilis*, Site 802, A:200
molestus, *Haplophragmoides*, B:255-256, 263
mongolofieri, *Dictyopora*, Site 802, A:200
moriformis, *Cyclicargolithus*, Site 802, A:195
moriformis, *Sphenolithus*, Site 802, A:195
Morozovella acuta, Site 802, A:199
Morozovella aragonensis, Site 802, A:198
Morozovella edgari, Site 802, A:199
Morozovella edgari Zone, Site 802, A:198-199
Morozovella formosa gracilis, Site 802, A:199
Morozovella pseudobulloides, Site 802, A:199
Morozovella subbotinae, Site 802, A:199
Muderongia tetracantha, B:223, 228
multicamerata, *Haplophragmoides*
 Site 800, A:51
 Site 801, A:117
multicamerus, *Haplophragmoides*, B:248-250,
 256, 258, 263
multiformis, *Haplophragmoides*, B:256
multiradiatus, *Discoaster*
 Site 801, A:116
 Site 802, A:195
munda, *Pseudobolivina*, B:250, 258, 264

Nannoconus, B:183
naradamiensis, *Stichocapsa*, Site 801, A:118
nautiloidea globigeriniformis, *Lituola*, B:258
navarroensis, *Heterohelix*, Site 802, A:199
nodosum, *Eucyrtidiellum*, Site 801, B:698
noelae, *Hexalithus*, Site 801, A:116
nudata, *Guexella*, Site 801, A:118, B:697, 700
Nuttallides truempyi, Site 801, A:116

obesa, *Globorotalia*, Site 802, A:198
Obesacapsula somphedia, Site 801, A:117
Obesacapsula somphedia Zone, Site 802, A:200
obliquus, *Globorotalia*, Site 802, A:198
oblongula, *Stylocapsa*, Site 801, A:118, B:700
oblongus, *Acanthocircus*, Site 801, B:698
obscurus, *Calculites*, Site 802, A:198
ochiensis, *Protunuma* (?), Site 801, B:698
Odontochitina operculata, B:22, 221-223
oligoporus, *Sphaerostylus*, B:218
Oligosphaeridium group, Site 802, A:200
Oligosphaeridium pulcherrimum, Site 802, A:200
olszewskii, *Paratrochamminoides*, B:257, 264
olszewskii, *Trochammina*, B:257
olszewskii, *Trochamminoides*, B:257
operculata, *Odontochitina*, B:221-223
Orbulina suturalis, Site 802, A:198
Orbulina universa, Site 802, A:198
ordinarium, *Perispyridium*, B:207, 218-219
Oridorsalis umbonatus, Site 802, B:237, 243
orionatus, *Tranolithus*
 Site 800, A:48
 Site 801, A:116
Orthomorphina aff. *antilea*, Site 802, B:238, 242

- Orthomorphina* cf. *columnaris*, Site 802, B:238, 242
ouezzanensis, *Aragonia*, Site 802, B:230, 236
ovuloides, *Hormosina*, B:256, 262
ovuloides, *Reophax*, B:256
ovulum, *Hormosina*
 Site 800, A:51
 Site 802, B:237, 241
ovulum, *Reophax*, B:257
ovulum crassa, *Hormosina*, B:256
ovulum gigantea, *Hormosina*, B:248, 257, 261
ovulum ovulum, *Hormosina*, B:257, 262
- pacifica*, *Buzasina*, B:250, 255, 261
Paleopontosphaera, B:183
Paleopontosphaera beckmannii, Site 801, A:116
Paleopontosphaera sp., Site 801, A:116
Pararotalia, Site 802, A:198, B:232-233
Pararotalia armata, Site 802, B:238, 244
Paratrochamminoides, Site 802, B:232
Paratrochamminoides conglobatus, B:257
Paratrochamminoides corpulentus, Site 802, B:238, 241
Paratrochamminoides dubius, B:257, 264
Paratrochamminoides intricatus, Site 802, B:238, 241
Paratrochamminoides (?) *intricatus*, B:257
Paratrochamminoides olszewskii, B:257, 264
Paratrochamminoides (?) *semipellucidus*, B:257
Paratrochamminoides sp., Site 801, A:116
parcus, *Aspidolithus*, Site 802, A:198
parcus constrictus, *Aspidolithus*, Site 802, A:198
Parhabdololithus, B:183
Parhabdololithus angustus
 Site 801, A:116
 Site 802, A:198
Parhabdololithus sp., Site 801, A:116
Parvicingula (?) *dhimenaensis*, Site 801, B:700
Parvicingula boesii, B:206, 216-217
Parvicingula cosmoconica, B:217
parvispinosum, *Prolixosphaeridium*, B:228
parvissimus, *Bolivinopsis*, Site 801, A:116
parvus, *Haplophragmoides*, Site 800, A:51
parvus, *Plectorecurvodes*, B:257-258, 264
perexplicatus, *Haplophragmoides*, Site 800, A:51
perexplicatus-constrictus, *Haplophragmoides*, B:248, 256
perexplicatus-constrictus, *Haplophragmoides* ex gr., B:256, 263
perexplicatus-pervagatus, *Haplophragmoides*, B:255
Perispyridium ordinarium, B:207, 218-219
pervagatus, *Haplophragmoides*
 Site 800, A:51
 Site 801, A:117
Phormocyrtis trachodes, Site 802, A:200
planispira, *Hedbergella*, Site 801, A:117
Planorotalites chapmani, Site 802, A:199
Planulina cf. *wuellerstorfi*, Site 802, B:238, 242
Plectina conversa, B:257
Plectorecurvodes, Site 802, B:232
Plectorecurvodes parvus, B:257-258, 264
Plectorecurvodes rotundus, Site 802, B:238, 241
Pleurostomella cf. *alternans*, Site 802, B:238, 243
plicarum, *Tricolopasa*, B:396
Podobursa helvetica, B:220
Podocapsa amphitreptera, B:217
Podocarpidites, B:222
Podocyrtis chalara, Site 802, A:200
Podocyrtis mitra, Site 802, A:200
Podocyrtis trachodes, Site 802, A:200
Polycostella beckmannii, Site 801, A:116, B:183
Praebulimina cushmani, Site 802, B:238, 242
- praebuloides*, *Globorotalia*, Site 802, A:198
Praecystamma, Site 802, B:232
Praecystamma globigerinaeformis
 Site 801, A:116-117
 Site 802, B:238, 241
Praecystamma globigeriniformis, Site 800, A:51
praeglobosus, *Gyroidinoides* cf., Site 802, B:237, 243
praehillensis, *Globigerinelloides*, Site 802, A:199
Praeorbulina glomerata Zone, Site 802, A:198
Prediscosphaera angustus, Site 800, A:48
Prediscosphaera angustus Zone, Site 800, A:48
Prediscosphaera columnata
 Site 800, A:48
 Site 801, A:116
Prediscosphaera columnata Zone, B:182
Prediscosphaera cretacea, B:183
primitiva, *Acarinina*, Site 802, A:199
primitiva, *Pseudodictyomitra*, B:206-207, 218
Prolixosphaeridium parvispinosum, B:228
proteus, *Trochammina*, B:258
proteus, *Trochamminoides*, B:258, 263
Protovallupus, B:207
Protunuma japonicus, B:218
Protunuma (?) *ochiensis*, Site 801, B:698
pryctum, *Eucyrtidiellum*, B:219
Pseudobolivina munda, B:250, 258, 264
pseudobulloidis, *Morozovella*, Site 802, A:199
Pseudodictyomitra carpatica, Site 800, A:52
Pseudodictyomitra carpatica Zone
 Site 800, A:52
 Site 801, A:117-118
Pseudodictyomitra lilyae, B:206, 216
Pseudodictyomitra primitiva, B:206, 218
Pseudodictyomitra primitiva Zone, Site 801, A:118
Pseudodictyomitra pseudomacrocephala
 Site 800, A:52
 Site 801, A:117
 Site 802, A:200
pseudokirki, *Haplophragmoides*, B:248
pseudomacrocephala, *Pseudodictyomitra*
 Site 800, A:52
 Site 801, A:117
 Site 802, A:200
pseudoscalaris, *Archaeodictyomitra*, B:207, 216
pseudoscripta, *Stilostomella*, Site 802, B:242
pseudospinulosa, *Reussella*, Site 802, B:238
pseudospinulosa, *Reussella* cf., Site 802, B:242
pseudoubilica, *Reticulofenestra*
 Site 800, A:48
 Site 802, A:195
puga, *Dictyomitrella* (?), B:217
pulcherrimum, *Oligosphaeridium*, Site 802, A:200
pulchra, *Thanarla*, Site 800, A:52
pulchrum, *Gorgansium*, Site 801, B:700
Pullenia minuta, B:238, 243
pyramidata, *Gaudryina*, Site 802, B:236, 241
pythiae, *Crolanium*, B:206, 216
- Quadrum gothicum*, Site 802, A:198
Quadrum sissinghii
 Site 801, A:116
 Site 802, A:198
Quadrum trifidum
 Site 801, A:116
 Site 802, A:198
- Recurvodes*, B:258
Recurvodes deflexiformis, Site 801, A:116
Recurvodes sp., Site 801, A:116
Reinhardtites anthophorus, Site 802, A:198
Reophax guttifera, B:258
- Reophax ovuloides*, B:256
Reophax ovulum, B:257
Reophax scalaris, B:258
Reticulofenestra pseudoubilica
 Site 800, A:48
 Site 802, A:195
Reussella cf. *pseudospinulosa*, Site 802, B:238, 242
Rhabdammina sp., Site 800, A:51
Rhizammina/Dendrophrya Complex, B:249, 258
Rhizammina, Site 802, B:232, 238-239, 241
Rhizammina indivisa, B:258
ribbingi, *Cibicides*, Site 802, B:236, 242
Ristola altissima, B:220
roberti, *Ticinella*, Site 801, A:117
robusta, *Stichocapsa*, Site 801, A:118, B:698
Rotalia, Site 802, A:198, B:232
Rotalia tectoria, Site 802, B:239-240, 244
Rotalipora appenninica, Site 801, A:117
rotatorius, *Discorhabdus*, Site 801, A:116
rotundus, *Plectorecurvodes*, Site 802, B:238, 241
ruber, *Globorotalia*, Site 802, A:198
Rucinolithus irregularis
 Site 800, A:48
 Site 801, A:116
Rucinolithus sp., Site 801, A:116
Rucinolithus terebrodentarius
 Site 800, A:48
 Site 801, A:116
Rugoglobigerina, Site 802, A:198
Rugoglobigerina sp., Site 802, A:199
- Saccamina*, Site 802, B:232
Saccamina sphaerica, Site 802, B:239, 241
sakawaensis, *Gongylothorax*, B:220
scalaris, *Reophax*, B:258
scalaris, *Subreophax*, Site 802, B:239, 241
scitula, *Globorotalia*, Site 802, A:198
semipellucidus, *Paratrochamminoides*, B:257
septatus, *Ammodiscus*, B:258
septatus, *Trochamminoides*, B:258, 263
septemporatus, *Cecropus*, B:203, 206, 216
 Site 800, A:52
 Site 801, A:117
septenarius, *Lithastrinus*, Site 802, A:198
serpens, *Ammodiscus*, B:255
serpens, *Glomospira*, B:255
Sethocapsa uterculus, B:207, 216-217
Shackoia cenomana, Site 802, A:200
shoneana, *Trochammina*, B:258
shoneana, *Turritella*, B:258, 261
shoneanus, *Ammodiscus*, B:258
simplex, *Hedbergella*, Site 801, A:117
Siphonina cf. *tenuicarinata*, Site 802, B:239, 242
sissinghii, *Quadrum*
 Site 801, A:116
 Site 802, A:198
soldadoensis, *Acarinina*, Site 802, A:199
Solenotryma (?) *ichikawai*, B:218
somphedia, *Obesacapsula*, Site 801, A:117
sphaerica, *Saccamina*, Site 802, B:239, 241
Sphaerostylus lanceola, Site 800, A:52
Sphaerostylus oligoporus, B:218
Sphenolithus belemnos, Site 802, A:195
Sphenolithus conicus, Site 802, A:195
Sphenolithus heteromorphus, Site 802, A:195
Sphenolithus moriformis, Site 802, A:195
Sphenolithus spicularius, *Xitus*, B:207, 217
Spiniferites, B:222
spiralis, *Strylocapsa* (?), Site 801, A:118, B:697
Spongaster tetras, Site 802, A:200
squamata, *Trochammina*, B:255
Stereosporites antiquasporites, B:222

- Stichocapsa*, Site 801, B:698
Stichocapsa naradaniensis, Site 801, A:118
Stichocapsa robusta, Site 801, A:118, B:698
Stichocibicides, Site 802, A:198
Stilostomella, Site 802, A:199, B:239, 242
Stilostomella lepidula, Site 802, B:239
Stilostomella pseudoscripta, Site 802, B:239, 242
stradneri, *Vagalapilla*, Site 801, A:116
striata, *Heterohelix*, Site 802, A:199
Stylocapsa (?) *spiralis*, Site 801, A:118, B:697
Stylocapsa (?) *spiralis* Zone, Site 801, A:118, B:697
Stylocapsa catenarum, Site 801, B:697-698
Stylocapsa lacrimalis, Site 801, B:698, 700
Stylocapsa oblongula, Site 801, A:118, B:700
Stylocapsa tecta, Site 801, A:118, B:697-698, 700
subbotinae, *Morozovella*, Site 802, A:199
Subreophax scalaris, Site 802, B:239, 241
subtumida, *Cassidulina*, Site 802, B:236, 243
sumatrensis, *Lepidocyclus*, Site 802, B:229, 233, 240, 244-245
sumatransis, *Lepidocyclus* (*Nephrolepidina*), Site 802, B:237
supracretacea, *Watznaueria*, B:181
surirellus, *Cretarhabdus*, B:180
suturalis, *Orbulina*, Site 802, A:198

tecta, *Stylocapsa*, B:207
Site 801, A:118, B:697-698, 700
tectoria, *Rotalia*, Site 802, B:239-240, 244
tentoria, *Asterigerina*, Site 802, B:229, 236, 240
tenuicarinata, *Siphonina* cf., Site 802, B:239, 242
tenuis, *Cruciplacolithus*, Site 802, A:198
tenuis, *Eucyrtis*, B:206
tenuissimus, *Ammodiscus*, B:255-261
terebrodentarias, *Rucinolithus*, B:181
Site 800, A:48
Site 801, A:116
tetracantha, *Muderongia*, B:223, 228-229
Tetratrabs zealis, B:220
Thanarla elegantissima, Site 801, A:117
Thanarla pulchra, B:216
Site 800, A:52
Thanarla veneta, Site 802, A:200
Theocampe urna, Site 801, A:117
Theocapsomma, Site 801, B:698
Theocapsomma cordis, B:207
Site 801, B:700
Ticinella bejaouensis, Site 801, A:117
Ticinella roberti, Site 801, A:117
Toweius eminens, Site 802, A:198
trachodes, *Phormocyrtis*, Site 802, A:200

trachodes, *Podocyrtis*, Site 802, A:200
Tranolithus orionatus, B:182
Site 800, A:48
Site 801, A:116
Tribrachiatius, Site 801, A:116
Tricolocapsa conexa, B:203, 207, 396
Site 801, A:118, B:697-698
Tricolocapsa conexa Zone, B:206-207
Site 801, A:91, 118, B:697
Tricolocapsa plicarum, B:396
Tricolocapsa vaoi, B:219
trifidum, *Quadrum*
Site 801, A:116
Site 802, A:198
trilobatus, *Callialasporites*, B:222, 228
Site 802, A:200
trilobus, *Globorotalia*, Site 802, A:198
triloculinoides, *Globigerina*, Site 802, A:199
Triquetrorhabdulus carinatus, Site 802, A:195
Triquetrorhabdulus carinatus Zone, Site 802, A:195
trizonalis, *Acanthocircus*, B:207
Trochammina, B:264
Trochammina concava, B:255
Trochammina depressa, Site 802, B:239, 241
Trochammina globigeriniformis, B:258
Trochammina lituiformis, B:257
Trochammina lobulata, B:258
Trochammina olszewskii, B:257
Trochammina proteus, B:258
Trochammina shoneana, B:258
Trochommina sp.1.(?)ex gr. *globigeriniformis*, B:258
Trochammina squamata, B:255
Trochamminoides, B:258
Trochamminoides dubius, B:257
Trochamminoides olszewskii, B:257
Trochamminoides proteus, B:258, 263
Trochamminoides septatus, B:258, 263
truempyi, *Nuttallides*, Site 801, A:116
Turborotalia cerroazulensis, Site 802, A:198
turriseiffelii, *Eiffellithus*, B:183
Site 800, A:48
Site 801, A:116
Site 802, A:198
Turritella shoneana, B:258, 261
tuxpamensis, *Bulimina*, Site 802, B:236
tympaeniformis, *Fasciculithus*, Site 801, A:116
tythopora, *Dibolachras*, B:203, 532
Site 800, A:52

ultramicro, *Globigerinelloides*, Site 802, A:199

ultramicro, *Globigerinoides*, Site 802, A:199
umbilicata, *Acaeniotyle*
Site 800, A:52
Site 801, A:117
umbonatus, *Oridorsalis*, Site 802, B:237, 243
Umbria granulosa, B:183
Umbria granulosa minor, Site 801, A:116
universa, *Orbulina*, Site 802, A:198
unumaense, *Eucyrtidiellum*, Site 801, B:698
urna, *Theocampe*, Site 801, A:117
uterculus, *Sethocapsa*, B:207, 216-217
Uvigerinammina jankoi, B:248

Vagalapilla stradneri, B:183
Site 801, A:116
Vaginulinopsis, Site 802, A:198
Vallupus hopsoni, B:129, 207
vaoi, *Tricolocapsa*, B:129
variabilis, *Discoaster*, Site 802, A:195
velascoensis, *Aragonia*, Site 802, B:230, 236, 243
veneta, *Thanarla*, Site 802, A:200
venezuelana, *Globorotalia*, Site 802, A:198
verbeekii, *Ceratolithoides*, Site 802, A:198
vespertilio, *Lithochytris*, Site 802, A:200
voltziana, *Cibicides*, Site 802, B:236, 243

Wallothinium krutzschii, B:221-222
walteri, *Haplophragmoides*, B:255
Watznaueria barnesae, B:180-181, 191, 194
Site 800, A:51
Site 801, A:116
Watznaueria britannica, B:181
Watznaueria communis
Site 801, A:116, 118
Site 802, A:198
Watznaueria manivittae, B:183
Site 801, A:116
Watznaueria supracretacea, B:181
Williriedellum, B:219
wuellerstorfi, *Planulina*, Site 802, B:238, 242

Xiphostylus, B:396
Xitus spicularius, B:207, 217

zealis, *Tetratrabs*, B:220
Zhamoidellum mikamense, B:218-219
Zygodiscus, B:190-191
Zygodiscus erectus, B:183, 189-191, 194
Site 801, A:116
Zygodiscus, B:19