

INDEX TO VOLUME 131

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 131 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by "A" with a colon (A:), and to those in the *Scientific Results* (this book), by "B" with a colon (B:).

The index was prepared by DBA, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms ("barrel sheets"), core photographs, smear-slide data, or thin-section data; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes taxonomic entries at the generic level, as well as broad fossil groups such as foraminifers and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site's listing in the index. Such a reference to Site 808, for example, is given as "Site 808, A:61–269."

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under "zones."

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

SUBJECT INDEX

absorption, X-ray pole figure goniometry, B:145
 abyssal facies, clay mineralogy, B:347
 accretion
 sediments, B:235
 stress regime, B:225–226
 accretionary prisms
 deformation structures, B:83–101, 123–133, 493–512
 fluid flow, B:487–492
 growth, B:331–341
 heat flow, B:475–486
 hydrologic regimes, B:373–374
 Nankai Trough, A:273–274
 pore-fluid loss, B:211–220, 423–425
 sedimentation, B:319
 strain, B:144–155
 stress tensors, B:103–122
 structure, A:8–9, 109–121
 thermal data, B:461–473
 toe facies, A:15–20; B:334
 See also accretionary wedges
 accretionary wedges, lateral shortening, B:45
 accumulation rates
 hemipelagic sediments, B:160
 organic constituents, B:62
 sediments, B:60
 Site 808, A:213
 vs. depth, A:254
 vs. time, A:254
 accumulation rates, mass
 depth to datums, A:252
 paleoproduction, B:381–382
 actinolite, basement rocks, A:155
 advective flow
 décollement zone, B:403
 pore fluid, B:407
 age-depth variations, inflection points, B:326
 algal cysts, sediments, B:69
 alginite, mud, B:379, 382
 alkalies
 alteration, A:157
 interstitial water, B:389–390
 alkaline earth elements, interstitial water, B:390, 394–396
 alkalinity, interstitial water, Site 297, A:128–138, 162, 168; B:161–162, 166–168, 170, 388–390, 392
 alteration
 basaltic rocks, B:198
 basement rocks, A:153, 155
 volcanic ash, A:138; B:176–177
 X-ray mineralogy, A:171, 173–184
 See also hydrothermal alteration
 alteration, submarine, basalts, B:200
 alteration, thermal
 clay minerals, B:21
 miospores, B:61–65
 organic materials, B:382–383
 aluminum oxide
 volcanic ash, B:178, 180–182
 vs. depth, B:440
 See also barium/aluminum oxide ratio; calcium/aluminum oxide ratio; chromium/aluminum oxide ratio; cobalt/aluminum oxide ratio; copper/aluminum oxide ratio; gallium/aluminum oxide ratio; iodide/aluminum oxide ratio; lanthanum/aluminum oxide ratio; magnesium oxide/aluminum oxide ratio;

manganese oxide/aluminum oxide ratio; neodymium/aluminum oxide ratio; nickel/aluminum oxide ratio; niobium/aluminum oxide ratio; phosphorus oxide/aluminum oxide ratio; potassium oxide/aluminum oxide ratio; rubidium/aluminum oxide ratio; scandium/aluminum oxide ratio; silica/aluminum oxide ratio; sodium oxide/aluminum oxide ratio; strontium/aluminum oxide ratio; thorium/aluminum oxide ratio; titanium oxide/aluminum oxide ratio; vanadium/aluminum oxide ratio; yttrium/aluminum oxide ratio; zinc/aluminum oxide ratio
 ammonium
 concentration, A:128–138
 interstitial water, A:162, 168; B:166–168, 170, 174, 392
 analcime
 turbidites, A:96
 volcanic ash, A:173–184; B:177
 X-ray diffraction intensity vs. sodium oxide/aluminum
 analcite. *See* analcime
 anchimetamorphism, detrital provenance, B:30
 anelastic strain recovery
 in-situ stress, A:170–171, 173–176
 techniques, A:65, 67
 anisotropy
 consolidation behavior, B:268
 décollement zone, B:365–378
 permeability, B:240–242
 strain, B:155
 anisotropy, acoustic
 microfabrics, B:221–233
 reorientation, B:223
 vs. bedding angle, B:229
 vs. depth, A:211; B:227–228, 230
 Ashizuri Canyon, seismic profiles, B:339
 ASR. *See* anelastic strain recovery
 attenuation coefficients
 computed tomography scanning, B:89, 136–140
 vs. densities, B:90
 Atterberg limit, stress, B:265
 authigenesis
 pore fluid, B:423–425
 sediments, B:353, 355
 volcanic ash, B:175–183
 auto-brecciation, photomicrographs, A:195
 axial flows, sedimentation, B:19
 axial strain rate, data, A:215
 backarc basins, formation, A:6
 background correction, X-ray pole figure goniometry, Site 808, B:144–145
 Barbados, pore fluid, B:409
 barium, vs. depth, B:350, 358
 barium/aluminum oxide ratio, vs. depth, B:445
 basalts
 comparison, A:157–158
 Miocene, A:91
 modal composition, A:195
 petrology, B:197–207
 basalts, aphyric
 olivine-plagioclase, A:152
 plagioclase, A:152
 basalts, phryic
 clinopyroxene-plagioclase, A:153
 olivine, A:152–153
 plagioclase, A:151–152
 basement
 geochemistry, A:150–159
 lithology, A:150–159
 petrography, B:197–199
 basin facies, lithofacies, B:332–333
 bathymetry
 maps, A:10, 16
 shipboard data, A:21
 bedding, steepened, occurrence, A:113–114
 bedding angle
 vs. acoustic anisotropy, B:229
 with shear bands, A:133
 bedding dip
 core-scale structures, B:370–371
 vs. depth, A:135–136; B:111
 bedding fabric, lithology, B:124, 128, 131
 bedding planes, stereonet projections, A:140–143, 145
 bentonite, sediments, B:347
 biogenic constituents, sediments, A:134
 biostratigraphy
 Nankai accretionary prism, A:276
 Pleistocene, B:3–13
 Site 808, A:99–109
 bioturbation, turbidite, A:87, 94; B:37, 151
 boron, interstitial water, B:165–174, 396
 boron-11, interstitial water, B:166–168
 breccia, cores, A:113, 134, 146
 breccia, hydraulic
 distribution, B:127, 133
 overpressure, B:89
 brecciation
 décollement zone, B:73
 porosity, B:399
 strain, B:105
 structures, A:120
 See also auto-brecciation
 brittle structures, geometry, B:109
 bromide, interstitial water, B:165–174
 Bruckmann/Hamilton prediction, A:212
 Brunhes Chron, reversals, A:156
 butane, molecular composition, A:191
 butane ratio, diagenesis, B:188–189
 C-13/C-12. *See* carbon-13/carbon-12
 calcite
 basement rocks, A:155
 diagenesis, B:425
 turbidites, A:94–99
 veins, A:196; B:406, 411–412
 volcanic ash, B:176–177
 vs. depth, A:117
 calcium
 interstitial water, A:128–138, 163–164, 166–168; B:388–390, 394–396, 399
 volcanic ash, A:172
 calcium/aluminum oxide ratio, vs. depth, B:445
 calcium carbonate
 lithofacies, A:99
 vs. calcite, A:108
 vs. depth, A:98; B:228
 See also carbonate content
 calcium oxide/aluminum oxide ratio
 sediments, B:350, 352, 354–355, 359, 361
 vs. depth, B:441
 capillary suction test, data, A:217, 255
 capillary suction tool, schematic diagram, A:255

carbon

carbon, inorganic, total, interstitial water, B:159–163
 carbon, organic, dissolved, interstitial water, B:166–168
 carbon, organic, total, B:380–384
 interstitial water, B:165–174, 389
 molecular composition, A:186–187
 profiles, A:139–140
 sediments, A:189
 vs. depth, B:61
 carbon-13/carbon-12
 kerogen, B:380–384
 pore fluid, B:425
 sediments, B:186–191, 193, 195
 total inorganic carbon, B:159–163
 carbon dioxide, hemipelagic sediments, B:160–162
 carbon isotopes. *See* carbon-13/carbon-12
 carbon/nitrogen ratio
 geochemistry, A:149
 vs. depth, B:168
 carbonate compensation depth, Miocene, B:318
 carbonate content, turbidites, A:93–94
 catagenesis, organic materials, B:188–189
 CCD. *See* carbonate compensation depth
 cementation, porosity, B:257–259
 Cenozoic
 biostratigraphy, B:3–13
 stratigraphy, B:313–330
 cerium, vs. depth, B:350, 358
 cerium/niobium ratio, vs. K/Nb, A:198
 cerium/yttrium ratio, MORB affinities, A:157
 chloride
 décollement zone, A:130–132
 interstitial water, A:128–138, 283; B:389–390
 chloride depth profile, origin, B:399, 401–402
 chlorine
 interstitial water, A:163–165, 167; B:403
 sediments, B:424
 See also potassium/chlorine ratio; sodium/chlorine ratio
 chlorinity, sediments, B:352–353
 chlorite
 basement rocks, A:155
 hemipelagic mud, B:22, 24–29
 sediments, B:347, 391–392
 turbidite, A:96–97
 volcanic ash, B:171–177
 vs. depth, A:121
 chloride+kaolinite, vs. depth, B:347–348
Chondrites, sediments, Site 582, B:318–319
 chromium
 basalts, B:206
 vs. depth, B:350, 356–357
 chromium/aluminum oxide ratio, vs. depth, B:445
 clastic dikes, sandstone, A:97
 clay, scaly, core-scale structures, B:370–371
 clay instability, tests, A:213–217, 220
 clay mineralogy
 error analysis, B:23
 sediments, B:47, 248, 317–318, 343–364
 turbidite, B:18–19
 clay minerals, smectitic
 alteration, A:155
 fabric, B:150
 turbidite, A:94–99
 veins, B:406
 volcanic ash, B:176–177
 vs. depth, A:110, 112, 114, 120
 X-ray diffraction data, B:345–362, 364
 claystone
 lithologic units, A:85–86
 turbidite, A:95

SUBJECT INDEX

clinoptilolite
 genesis, B:183
 turbidite, A:95–97
 volcanic ash, A:173–184; B:177
 clinopyroxene
 basalts, A:153; B:200
 geochemistry, B:202, 204
 cobalt, vs. depth, B:350, 356–357
 cobalt/aluminum oxide ratio, vs. depth, B:444
 collision zones, sedimentation, B:29
 compaction
 fluid expulsion, B:387
 See also overcompaction
 compaction stress path, deformation, B:373
 compressional wave velocity
 accretionary prisms, B:211–220
 acoustic anisotropy, B:221–233, 368–369, 376
 error analysis, B:223–225
 fabric, B:83–84
 saturated sediments, B:276–277
 vs. in-situ porosity, B:259
 vs. yield stress, B:258
 compression index, sediments, B:271
 conglomerate, mudstone-pebble, photographs, B:327
 grain size, A:84–85
 Neogene, A:90–91
 consolidation, one-dimensional
 deformation, B:371
 dewatering, B:84–88
 sediments, B:241, 249–252, 261–263
 See also overconsolidation; preconsolidation; reconsolidation; underconsolidation
 consolidation tests, one-dimensional, sediments, B:285–286
 convolute laminae, turbidites, A:85
 copper, vs. depth, B:350, 356
 copper/aluminum oxide ratio, vs. depth, B:445
 cores, computed X-ray tomography, B:135–140
 cristobalite, volcanic ash, A:173–184
 cross laminae, sediment dispersal, B:19
 cross plots, logs, A:192
 crest
 age, A:210–211
 See also oceanic crest
 crustal shortening, evidence, A:284
 CT scanning. *See* X-ray tomography, computed
 Curie point, sediments, B:296–297
 current ripples
 paleocurrents, B:40
 turbidite, B:37
 D/H. *See* deuterium/hydrogen
 décollement zone
 accretionary prisms, B:73–82
 acoustic anisotropy, B:223–225
 anisotropy, B:365–378
 computed tomography, B:136, 138
 consolidation, B:288
 core-scale structures, B:370–371
 core photograph, A:146
 effect on organic matter, B:63
 frontal thrust, B:303–305, 423–425
 geochemistry, B:427–428
 geometry, B:127–128
 magnetic susceptibility, B:367–368
 offscraping, B:124
 pore water, B:353, 355, 357
 porosity-depth variations, B:215–216
 porosity, B:399
 prisms, A:119
 reflection, A:17
 sediment permeability, B:239

sediments, A:277–278; B:255–256
 seismic velocity data, A:18
 stress-strain variations, B:278–279
 structures, B:83–101
 velocity scattergram, B:86
 decomposition, thermal
 geochemistry, B:172
 organic materials, B:161
 deformation
 accretionary prisms, B:487–512
 core-scale structures, B:369–370
 geometry and orientation, B:45–46
 Nankai accretionary prism, A:273–285
 paleomagnetism, B:301–310
 sediments, B:263
 stress regime, B:225–226
 structures, B:83–101
 triaxial tests, B:275–281
 X-ray pole figure goniometry, B:141–155
 deformation bands
 distribution, B:125–126, 128
 structures, B:86
 vs. depth, B:111
 deformation front, porosity+depth variations, B:215–216
 deformation structures
 accretionary prisms, B:123–133
 computed X-ray tomography, B:135–140
 orientation, B:104
 dehydration, sediments, B:353, 355, 391–392
 densification
 porosity collapse, B:93
 sediments, B:137
 density, bulk
 computed tomography scanning, B:136–138
 correlation with attenuation, B:88
 cross plot with acoustic velocity, A:212
 stresses, B:288–289
 vs. depth, A:200; B:401, 410–411
 density, dry-bulk, depth to datums, A:252
 density, grain, vs. depth, A:200
 accretionary prisms, A:13
 CT values, B:89
 deuterium/hydrogen
 décollement zone, B:404–405
 pore fluid, B:425
 sediments, B:186–191, 193, 195
 dewatering, channelized, evidence, B:88–90
 dewatering, diffusive, fabric, B:83–84
 dewatering, localized
 consolidation, B:84–88
 deformation, B:371
 fluid expulsion, B:365
 pore fluid, B:46
 sediments, B:241–242
 dewatering structures, graded bedding, A:98
 diagenesis
 décollement zone, B:403
 interstitial water, B:165–174, 389
 mechanism, B:52
 organic materials, B:159–163, 188–189
 sediments, A:275–276; B:343–364
 turbidite, B:18
 volcanic ash, B:175–183
 diagenetic front, geochemistry, A:133
 dinoflagellates, sediments, B:64, 68
 downhole logs
 sediments, A:279–280
 Site 808, A:176–185, 188–195, 251
 drill-string packer, description, A:61–62
 elastic behavior, sediments, B:252–253
 elastic moduli, accretionary prisms, A:13

SUBJECT INDEX

elastic rebound, stresses, B:207
 epidote, basement rocks, A:155
 ethane
 gases, A:143–144
 molecular composition, A:191
 sediments, B:186–191, 193, 195
 exhumation, lithofacies, B:337–338
 Exxon “eustatic” sea-level curve, sequence stratigraphy, B:322–323

fabric, magnetic
 accretionary prisms, B:301–310
 deformation, B:84

fabric, penetrative
 deformation, B:83–84
 sediments, B:372

fabric, phyllosilicate, core-scale structures, B:369–370

fabric, scaly, cores, A:113, 134

fabric, structural, anisotropy, B:365–378
 optical microscopy, B:48
 orientation, B:124

fabric geometry, microscopic character, B:86–87

facies
 evolution, B:331–341
 organic materials, B:59–61
 See also lithofacies

failure modes, tuff, B:275–281

fault planes, slickenlined, examples, B:107

fault zones, dark, microprobe analysis, B:89, 91

faults
 décollement zone, B:73, 366–367
 dewatering, B:84
 distribution, A:127–128, 142, 144–147;
 B:125, 127, 129, 131
 photomosaic, B:97
 physical properties, B:137
 stereonet projections, A: 141–143, 145–147
 strain, B:105
 vs. depth, B:111

faults, high-angle, core photograph, A:144

faults, normal, extension, B:106

faults, slickenlined
 inverse method analysis, B:103–122
 stress tensor inversion, B:114–117

faults, small
 core-scale structures, B:369–370
 dewatering, B:87
 occurrence, A:112

feldspar, volcanic ash, A:173–184; B:176–177

flow collapse, turbidite, B:40–42

flow deposits, photographs, B:328

flow reflection, turbidite, B:40–42

fluid expulsion
 compaction, B:387
 interstitial water, B:165–174

fluid flow
 accretionary prisms, A:12
 evidence, A:135, 211
 geochemical evidence, B:397–413
 mechanism, A:282–284
 ONDO, A:199–201
 sediments, B:241–242
 structural geological evidence, B:487–492
 structures, B:83–101

fluid migration, geochemistry, B:361–362

fluid pressure
 deformation, B:129
 fault boundary, B:288–289

fluorescence, laser-induced, interstitial water, B:166–170, 174

folding, paleomagnetism, A:124, 126

folding model, remanence behavior, B:309

folds

décollement zone, B:366–367
 dip data and younging directions, A:139

foliation, magnetic, parameters, B:306–307

forearc basin facies, sedimentation, B:337

forearcs, sedimentation, B:323–324

formation factor
 measurements, A:169
 vs. depth, A:212
 vs. porosity, A:213

fractures
 basaltic rocks, A:155–156; B:198–199
 stress regime, B:225

friction, internal, stress, B:265

Fuji drainage basin, sedimentation, B:24

gallium, vs. depth, B:350, 356–357

gallium/aluminum oxide ratio, vs. depth, B:444

gamma attenuation, as a function of pipe thickness, A:235

gamma logs, data, A:218–219, 231–232, 234

gas pockets, hydrocarbons, B:185–195

gases, headspace
 hydrocarbons, B:186–191
 migration, A:144, 148; B:189–191
 molecular composition, A:186–187, 191

Gauss Chron, reversals, A:156

geochemical logs, summary, A:263–268

geochemistry, inorganic, A:128–138

geochemistry, organic, A:138–149
 accretionary prisms, A:13
 basement, A:150–159
 sediments, A:279
 Site 808, B:427–450

geophysical surveys, shipboard data, A:21–23

geothermal gradient, temperature, B:401

Gilbert Chron, reversals, A:156

grain orientation, rose diagram, B:41

halite, volcanic ash, A:173–184

heat flow
 calculated curves, A:244; B:62–63
 fluid flow, B:475–486
 profiles, A:139
 sediments, A:280; B:57, 355, 457–458
 Site 808, A:203–213
 thermal structure, A:210

helium-3/helium-4, décollement zone, B:405–406, 410

hematite, basement rocks, A:155

hemipelagite
 composition, A:91, 93
 thermal alteration, B:61

heulandite, turbidite, A:95–97

hydrates, clathrate, stability, B:461–473
 gases, A:140, 143
 seismic reflection, A:250

hydraulic conductivity
 deformation, B:90, 371–372
 stresses, B:288

hydrocarbons, light, sediments, B:185–195

hydrocarbons, thermogenic, gases, A:144, 148
 gases, A:140
 interstitial water, B:161–162
 molecular composition, A:186–187
 ratios, A:192–193
 See also individual compounds

hydrogen isotopes. *See* deuterium/hydrogen

hydrogeology
 Nankai accretionary prism, A:273–285
 sediments, B:493–512

hydrothermal alteration
 basement rocks, A:155
 diagenesis, B:352

hydrothermal anomalies, geochemistry, B:360–361

ichnofossils
 bioturbation, A:94
 turbidite, A:85, 88; B:37
 See also Chondrites

iddingsite, basement rocks, A:155

igneous rocks
 basement, A:150–159
 geochemistry, A:197

illite
 crystallinity, B:347
 hemipelagic mud, B:22, 24–29
 sediments, B:317–318, 391–392
 stability, B:20
 transition from smectite, B:351–352
 turbidite, A:96–97
 volcanic ash, B:176–177
 vs. depth, A:119; B:348

illite, detrital
 basal trace orientation, B:51
 orientation analysis, B:49

illite crystallinity index, vs. depth, B:30

illite/smectite mixed layer
 homogenization, B:350–351
 sediments, B:347–348

illitization
 décollement zone, B:403
 transition from smectite, B:351–352

ilmenite
 basalts, B:202
 geochemistry, B:202

impedance, acoustic, vs. depth, A:211

impedance, hydraulic, permeability, B:240–242, 245

incompatible elements, basalts, B:200, 202–207

index properties
 accreted sediments, B:222–223
 sediments, A:159, 161–162, 164; B:265–268
 unit divisions, A:201
 vs. depth, A:200

inductively coupled plasma/optical emission data, sediments, B:439

inertinite, mud, B:379, 382–385

inertite, palynofacies, B:59

interstitial water, A:158, 160–161
 expulsion, B:353
 geochemistry, B:344–345, 352, 387–396
 hydrocarbons, B:195
 marine sediments, B:165–174
 relation with volcanic ash, B:181, 183
 total inorganic carbon, B:159–163
 yield per unit length of cores, A:157
 See also pore water

iodide, interstitial water, B:165–174

iron, volcanic ash, A:172

iron oxide, volcanic ash, B:178, 180–182

iron oxide/aluminum oxide ratio, vs. depth, B:440

island arcs, A:273–274

iso-butane, gases, A:143

iso-pentane, gases, A:143–144

IZANAGI acoustic sidescan sonar, facies, B:332–341

Izu collision zone, sediment source, B:317

Izu–Bonin Arc, plate tectonics, A:6–7

Izu–Honshu collision zone, sedimentation, B:19, 23

Japan Arc, plate tectonics, B:316–318

Japan Arc SW
 schematic cross section, A:8
 tectonics, A:5–7

Japanese arc-trench system, tectonic setting, A:6; B:198

Japanese islands, tectonic setting, A:7

Jaramillo Chron

SUBJECT INDEX

Jaramillo Chron, reversals, A:156

kaolinite

- diffraction pattern, B:145
- permeability, B:92
- stability, B:21

See also chlorite+kaolinite

kerogen

- carbon isotopes, B:380, 382–384
- interstitial water, B: 162

Kii peninsula, sedimentation, B:24

kinematics, plate convergence vector, B:372

kink-like bands

- core-scale structures, B:369–370
- dewatering, B:86
- distribution, B:126, 129
- photomosaic, B:87

kink bands

- distribution, B:126, 129, 131
- internal and external angles, B:88
- physical properties, B:137

lamination, turbidite, B:37, 40

Lamont temperature tool, A:209–213

lanthanum, vs. depth, B:350, 358

lanthanum/aluminum oxide ratio, vs. depth, B:445

lanthanum/yttrium ratio, MORB affinity, A:157

LAST-I. *See* lateral stress tool

lateral stress tool

- description, A:62–65
- sediments, B:286–288
- Site 808, A:198–199

linear expansion test, A:217, 220

lipinite, mud, B:382–383

lithium

- concentration, A:128–138
- interstitial water, A:163, 166–168; B:390

lithium fluoride, interstitial water, B:396

lithofacies

- mineral assemblages, B:177
- physical properties, B:137
- sediments, A:280–281
- seismic profiles, B:85
- trench wedge, B:16–17
- vs. core recovery, A:254

lithologic units

- basement rocks, A:194
- Cenozoic, B:315–316
- geochemistry, B:200
- lithofacies, B:333–336
- lithostratigraphy, B:318–322
- stratigraphy, B:35–37
- summary table, A:82
- Unit 1, A:151–153, 159
- Unit 2, A:153, 159, 161
- Unit 3, A:161–162
- Unit 4, A:162
- Unit 5, A:162
- Unit 6, A:162, 164
- Unit 7, A:164
- Unit I, A:81–82
- Unit II, A:83–87
- Unit III, A:87
- Unit IV, A:87–89
- Unit V, A:89–90
- Unit VI, A:91–93

lithology

- basement, A:150–159
- stratigraphy, A:275
- through-casing logs, A:188

lithostratigraphy

- basement rocks, A:194; B:199
- Cenozoic, B:143, 315–316

correlation with seismic stratigraphy, A:201–202

- depositional environments, A:83
- lithologic units, A:15–16; B:35–37
- Nankai accretionary prism, A:81–93, 284

logs, downhole, digital sonic tool, B:212

logs, resistivity, vs. depth, B:215

lysocline, Miocene, B:318

macerals, mud, B:379, 382–385

magnesium

- concentration, A:128–138
- interstitial water, A:163, 166–167; B:388–390, 394–396
- volcanic ash, A:172

magnesium oxide

- volcanic ash, B:178, 180–182
- vs. nickel, A:198

magnesium oxide/aluminum oxide ratio

- sediments, B:350, 352, 354–355, 359, 361
- vs. depth, B:441

magnetic declination

- apparent rotation, B:109
- sample coordinates, B:144
- vs. depth, A:151

magnetic inclination

- natural remanent magnetization, A:148–150
- sediments, B:294, 296, 301–303

stereographic projection, A:157

vs. bedding dip, A:156

vs. depth, A:151

magnetic intensity

- natural remanent magnetization, A:148–150
- sediments, B:300
- vs. depth, A:151

magnetic remanence, core orientation, A:126–128

magnetic reversals

- depth to datums, A:252
- vs. depth, A:156

magnetic surveys, shipboard data, A:21

magnetic susceptibility, low-field

- anisotropy, B:301–310, 365–378

cores, A:214

fabric, B:83

measurements, A:169

paleocurrents, B:40

sediments, B:298

magnetite, geochemistry, B:202

magnetite, titanium, basalts, B:200

magnetization, anhysteretic remanent, partial

sediments, B:293–300

vs. depth, B:297–299

magnetization, natural remanent

- alternating field demagnetization, A:148–150
- deformation, B:84

discrete samples, A:154–155

paleocurrents, B:37, 39–40

sediments, B:293–300

magnetization, saturation, sediments, B:296–297

magnetostratigraphy

Nankai accretionary prism, A:276

Pliocene–Pleistocene, A:123–124

polarity vs. depth, A:152

major elements

basalts, A:156–157; B:200, 205–206

igneous rocks, A:197

interstitial water, B:387–396

sediments, B:427–450

volcanic ash, B:175–183

X-ray fluorescence spectra, B:345, 350, 353–355, 359–361

major minerals, vs. depth, A:106

manganese, interstitial water, B:165–174

manganese oxide/aluminum oxide ratio

sediments, B:350, 352, 354–355, 359, 361

vs. depth, B:441

March model, deformation ellipsoid, B:145, 151–152

March strains, X-ray goniometry, B:146–147, 150

marker particles, fabric, B:49

maturity

hydrocarbons, B:187–189

organic materials, A:190

Matuyama Chron, reversals, A:156

mechanical parameters, sediments, B:250–251

mesostasis, glassy, basement rocks, A:155

metamorphism, low-grade, zeolite facies, B:199

methane, bacterial

concentration, A:190

generation, B:189

hemipelagic sediments, B:161

molecular composition, A:191

sediments, B:186–191, 193, 195

sulfate reduction zone, A:140

mica, lattice spacing, B:31

microfabrics

accreted sediments, B:221–233

mudstone, B:45–56

microfaults, pore water, A:282

microstructure, physical properties, B:137

minor elements

interstitial water, B:387–396

X-ray fluorescence spectra, B:345, 350, 356–359

Miocene, lower, unconformities, Shimanto Belt, B:341

biostratigraphy, A:99–109; B:6, 10

lithologic units, A:87–93

mudstone, B:350–351

zonal assignments, B:13

miospores, color index, B:59

models, one-dimensional, décollement zone, B:74–76

modulus, tangent, vs. effective vertical stress, B:270

Mohr diagrams, pore pressure, B:106–109

morphotectonics, A:274–275

mud, fine-grained, microfabric, B:45–56

mud, hemipelagic

composition, B:317

geochemistry, B:427–450

X-ray diffraction data, B:22, 24–29, 349

mud, permeability, B:92

mudstone, hemipelagic, geochemistry, B:427–450

mudstone, vitric, X-ray mineralogy, A:107

consolidation , B:257–259

geochemistry, B:357–358, 360

microfabric, B:45–56

microstructure, B:48

origin, B:316

n-butane, gases, A:143

n-pentane, gases, A:144

Nankai accretionary prism, frontal part

deformation, B:83–101

deformation structures, B:123–133

faults, B:103–122

fluid flow, B:487–492

heat flow, B:475–486

hydrocarbons, B:185–195

marine sediments, B:165–174

organic materials, B:379–385

pore fluid, B:211–220

sediment permeability, B:235–245

sediments, B:45–56

stratigraphic synthesis, B:313–330

stress regime, B:261–273

structure, A:8–9
 Nankai accretionary wedge, tuff, B:275–281
 Nankai Forearc, sedimentary facies, B:331–341
 Nankai subduction zone, fluid flow, B:397–413
 Nankai Trough
 acoustic anisotropy, B:221–233
 basalts, B:197–207
 bathymetric map, B:320
 biostratigraphy, B:3–13
 clay-rich sediments, B:247–260
 décollement zone, B:73–82
 deformation, B:493–512
 facies, B:333–334
 geochemistry, B:387–396
 geological background, A:5–14
 geophysical surveys, A:21–23
 in-situ stress, B:283–291
 magnetic fabric, B:301–310
 organic materials, B:159–163
 pore fluid, B:423–425
 reflectors, B:461–473
 sedimentation, B:35–43
 sediments, B:57–69, 343–364
 stratigraphic synthesis, B:313–330
 structural synthesis, B:365–378
 tectonic setting, A:7
 thermal conductivity, B:451–456
 turbidite wedge, B:15–34
 vertical seismic profile data, B:411–422
 volcanic ash, B:175–183
 Nankai Trough accretionary complex, plate boundaries, B:224
 nannofossil zones, Cenozoic, B:59
 nannofossils, calcareous
 abundance of *Emiliania huxleyi*, B:5
 abundance of *Pseudoemiliania lacunosa*, B:6
 biostratigraphy, A:99, 101, 107–109; B:3–13
 depth to datums, A:252
 Miocene range chart, B:9
 Pleistocene range chart, B:7
 Pliocene range chart, B:8
 zonation, A:125
 natural gamma ray log, summary, A:257–262
 Nd-143/Nd-144. *See* neodymium-143/neodymium-144
 neodymium, vs. depth, B:350, 356
 neodymium-143/neodymium-144, basalts, B:205–206
 neodymium/aluminum oxide ratio, vs. depth, B:447
 neodymium isotopes. *See* neodymium-143/neodymium-144
 nepheloid layer, sedimentation, B:350
 nickel, vs. MgO, A:198
 nickel/aluminum oxide ratio, vs. depth, B:444
 nickel/magnesium oxide ratio, alteration, A:157
 niobium
 vs. depth, B:350, 356–357
 See also cerium/niobium ratio; potassium/niobium ratio; zirconium/niobium ratio
 niobium/aluminum oxide ratio, vs. depth, B:442
 nitrogen
 vs. depth, B:168
 See also carbon/nitrogen ratio
 nitrogen, organic
 molecular composition, A:186–187
 sediments, A:189
 ocean basins, sedimentation, B:323–324
 ocean floors, backscattering sonar images, A:11
 oceanic crest
 reflection, A:15–16
 structures, A:120

ocean trenches, A:273–274
 ocean troughs
 Nankai Trough, A:273–275
 sediments, A:5–14
 oedometer tests, sediments, B:265–267
 Olduvai Chron, reversals, A:156
 olistostromes, accretionary prisms, B:338
 olivine
 basalt, A:152–153; B:200
 geochemistry, B:202
 ONDO. *See* ONDO system; temperature monitoring system
 ONDO system
 schematic diagram, A:241
 Site 808, A:199–201
 open-hole logging
 Site 808, A:188–194, 216
 summary, A:230
 organic materials
 diagenesis, B:159–163
 interstitial water, B:165–174
 maturity, A:190
 palynofacies, B:59–61
 sediments, B:379–385
 sulfate reduction, A:149
 vs. depth, B:168
 overcompaction, sediments, B:268
 overconsolidation
 dewatering, B:84–88
 porosity, B:93
 stress, B:265
 See also consolidation
 overloading ratio, sediments, B:271
 overpressure, sediments, B:373
 oxidation, basement rocks, A:155
 oxide, B:183
 oxide, iron-titanium, basalts, B:200
 oxygen-18/oxygen-16
 décollement zone, B:404–405
 pore fluid, B:425
 oxyhydroxide, iron-manganese, veins, B:406, 411–412
 packer experiments, A:195–198
 paleocurrents
 axial flows, B:19–20
 current ripples, B:40
 sediments, B:317–318
 turbidite, B:30, 37, 39–40
 paleomagnetism
 deformation, B:104
 paleocurrents, B:41
 Site 808, A:121–128
 See also rock magnetism
 paleoproductivity, plankton, B:382–384
 palynofacies, sediments, B:57–69
 palynomorphs, Cenozoic, B:57–69
 pelagite, composition, A:91, 93
 pentane
 molecular composition, A:191
 sediments, B:186–191, 193, 195
 permeability, bulk, packer experiments, A:195–198
 permeability, dynamic, consolidation, B:91–93
 permeability, static
 consolidation, B:91–96
 deformation, B:371–372
 sediments, B:235–245, 250–252
 tools, A:61–67
 tuff, B:276–278, 280
 vs. void ratio, B:241–242, 244
 petrography, igneous rocks, A:151–153
 petrology, basement, A:13

“phacoidal” structure, CT scan, B:140
 Philippine Sea, tectonic map, B:58
 Philippine Sea Plate, stress tensors, B:104
 phosphate
 concentration, A:128–138
 interstitial water, A:162, 168
 phosphorus oxide/aluminum oxide ratio, vs. depth, B:442
 phyllosilicate
 deformation, B:141
 fabric, B:93
 physical properties
 accreted sediments, B:222–223
 computed X-ray tomography, B:135–140
 Nankai accretionary prism, A:284
 sediments, A:278; B:250–251, 265–268
 Site 808, A:159–170
 phytoclasts
 absolute abundances, B:62
 inertite, B:59
 pillow lava, textures, B:198
 plagioclase
 basalt, A:151–152; B:200
 geochemistry, B:203–204
 turbidite, A:94–99
 vs. depth, A:116
 See also quartz/plagioclase ratio
 plasticity, sediments, B:268
 plastic regime, sediments, B:256–257
 plate boundaries, convergent
 deformation structures, B:123
 fluid expulsion, B:365
 sediments, B:235
 plate convergence, seismic profiles, B:365, 369
 plate tectonics
 cross section, B:124
 history, B:316–318
 local linear velocity, B:106
 Nankai accretionary prism, A:281–282
 Pleistocene
 biostratigraphy, A:99–109; B:5–6
 lithologic units, A:82–87
 zonal assignments, B:13
 Pliocene
 biostratigraphy, A:99–109; B:6
 lithologic units, A:88–89
 zonal assignments, B:13
 Pliocene/Pleistocene boundary, biostratigraphy, B:5
 pore fluid
 accretionary prisms, B:211–220
 authigenic phases, B:423–425
 expulsion, B:216–218
 removal, B:45
 tools, A:61–67
 vs. depth, B:401
 pore pressure
 LAST-I, A:240
 Mohr diagrams, B:106–109
 packer experiments, A:195–198
 sediments, B:241–242
 stresses, B:207, 290
 vs. deviator stress, B:272
 WSTP tool, A:204–205
 pore structure, electron microscope data, B:277
 pore water
 fluid flow, A:282
 See also interstitial water
 porosity
 accretionary prisms, A:13; B:211–220, 423–424
 brecciation, B:399
 core-scale structures, B:370–371

porosity (cont.)

CT values, B:89
decrease with depth, A:189-195
densification, B:137-138
interlayer water expulsion, B:353
interstitial water, B:172
pore pressure, B:240-241
sediments, B:237, 249-252
stresses, B:288-289
tuff, B:276-278, 280
vs. constrained modulus, B:255
vs. depth, A:200, 202, 240; B:47, 256, 401
vs. effective pressure, B:279
vs. formation factor, A:213
vs. resistivity, A:213
vs. thermal conductivity, A:210
vs. yield stress, B:255
See also resistivity–porosity relation; velocity–porosity relation

porosity-depth functions
deformation front, B:215-216
sediments, B:284-285

porosity rebound, sediments, B:257

potassium
concentration, A:128-138
interstitial water, A:163, 166; B:389-390
volcanic ash, A: 172

potassium/chlorine ratio, interstitial water, B:181, 183

potassium logs, A:218-219, 231-232

potassium/niobium ratio, vs. Ce/Nb, A:198

potassium oxide, volcanic ash, B:178, 180-182

potassium oxide/aluminum oxide ratio
sediments, B:350, 352, 354-355, 359, 361
vs. depth, B:442

preconsolidation, stress, B:265, 287

preferred orientation
clays, B:52
flocculation, B:48
grains, B:151

pressure, vs. thermal conductivity, B:457-458

pressure, effective, vs. porosity, B:279

pressure–temperature stability fields, hydrates, A:250

prism toe facies, lithofacies, B:334

propane
gases, A:143-144
molecular composition, A:191
sediments, B:190-192

protothrust zone, boundary, A:17

provenance
sediments, B:15-34, 347
thermal maturation analysis, B:63

pseudomorphs, basalt, A:153

pyrite, tubular structures, B:411-412

quartz
sediments, B:347
turbidites, A:94-99
volcanic ash, A:173-184; B:176-177
vs. depth, A:115

quartz/plagioclase ratio, vs. grain size, A:113

rare earths, sediments, B:427-450

ray-trace diagrams, seismic lines, B:79

reconsolidation, uniaxial, sediments, B:247-260

reduction
hydrocarbons, B:190
interstitial water, B:167

reduction zone, gases, A:140, 143

reflectance, organic materials, B:382-383

resistivity
measurements, A:169
open-hole intervals, A:188-194

SUBJECT INDEX

resistivity, shallow, vs. depth, A:238
resistivity-porosity relation, logs, A:192-194, 239
resistivity log
vs. depth, A:236
vs. porosity, A:213
resistivity-sonic-gamma ray logs, summary, A:256, 269

reworking, miospores, B:61
rock magnetism, sediments, B:293-300
rubidium, vs. depth, B:350, 356
rubidium/aluminum oxide ratio, vs. depth, B:443

sand, fine-grained, Pleistocene, A:82
sand, thin-bedded
permeability, B:92
petrography, B:17-18
provenance, A:284
scanning electron micrographs, B:268

sandstone, clastic dikes, A:97

sandstone, volcanic, thickness, A:84

saturation. *See also* resaturation

scandium, vs. depth, B:350, 356-357

scandium/aluminum oxide ratio, vs. depth, B:444

scleratoclasts, trench turbidite, B:60

secondary assemblages, zeolite facies, B:199

secondary minerals
basalts, A:195
basement rocks, A:155

sediment age, vs. depth, A:156; B:10-12

sedimentary faults, ash/tuff layer, A:96

sedimentary petrology, A:93-99

sedimentation
flocculation, B:52
Nankai Trough, B:35-43

sedimentation rates
calcareous nannofossils, B:10, 12
changes, A:213
depth to datums, A:252
interstitial water, B:161-168
organic materials, B:379-380
stresses, B:288
vs. age, A:253
vs. depth, A:253

sediment deformation, A:273-285

sediment dispersal
inferred directions, B:19
summary, B:34

sedimentology
accretionary prisms, A:13
Site 808, A:81-99

sediments
accretion, A:5-14
bulk mineralogy, A:94-99
composition, A:91, 93
geochemistry, B:343-364
hydrocarbons, B:185-195
microfabric, B:45-56
organic materials, A:189
permeability, B:235-245
petrophysics, B:47
pore fluid, B:423-425
provenance and dispersal, B:15-34
strength behavior, B:261-273

sediments, accreted, microfabrics, B:211-233

sediments, clay-rich
ductile strain, B:141-155
reconsolidation, B:247-260

sediments, hemipelagic
accumulation, A:7-9
diagenesis, B:159-163
major elements, B:353
organic materials, B:379-385
porosity, B:367

sediments, marine
interstitial water, B:165-174
thermal conductivity, B:457-458

sediment thickness, vs. depth, A:237

seismic lines, location, B:74

seismic modeling, décollement, B:74-76

seismic profiles, sedimentary features, A:18-20

seismic profiles, vertical
preliminary plot, A:243
schematic diagram, A:242

Site 808, A:202-203

velocity-depth structure, B:411-422

velocity, B:213

seismic reflection
décollement, B:366-367
deformation, A:16-18
gas hydrates, A:250
lithofacies, B:85
shipboard data, A:22
trench wedges, B:77

seismic sections, multichannel
accretionary wedges, B:105
deformation front, B:213
lithology, A:74

seismic sections, synthetic, wave equation modeling, B:80-82

seismic stratigraphy
correlation with lithostratigraphy, A:201-202
oceanic crest, A:15-16
open-hole interpretation, A:188-194
Site 808, A:201-203

seismic units, correlation, A:276

seismic waveforms, models, B:75

serpentine, basement rocks, A:155

shear bands
brecciation, A:277
distribution, A:113, 127, 130-133, 137, 141

shear deformation, sediments, B:263

shear strength, undrained
measurements, A:164
sediments, A:204; B:271
vs. sub-bottom depth, A:203

shear zones
distribution, B:126, 129, 131-132
seismic models, B:77

Shikoku Basin
bathymetric map, B:160
facies, B:332-333
organic materials, B:379-380
plate tectonics, B:316-318
sedimentation, B:24
sediments, B:171-172, 391-392
seismic stratigraphy, A:15-16
stratigraphic synthesis, B:313-330
tectonics, A:5-7

Shimanto accretionary prism, growth, B:331-341

Shimanto Belt
bathymetric map, B:160
sedimentation, B:23, 34

shortening, lateral
indicators, B:147, 151-152
Nankai accretionary prism, B:52

shortening, parallel to strike, B:106

shortening, perpendicular to strike, B:106

shortening axes, plate convergence vector, B:372

siderite, volcanic ash, A:173-184

silica
concentration, A: 128-138
interstitial water, A:163-165, 167-168; B:399
volcanic ash, A:172; B:178, 180-182

silica, dissolved, interstitial water, B:392

silica/aluminum oxide ratio
sediments, B:350, 352, 354-355, 359, 361

SUBJECT INDEX

temperature monitoring system

vs. depth, B:440
 silt, clayey, Pleistocene, A:82
 siltstone, hydrofractured, photomicrographs, B:99
 siltstone, ripple-laminated
 lithologic units, A:85
 Pleistocene, A:87
 turbidite, A:95; B:37
 Site 296, stratigraphy, B:320-321
 Site 297
 interstitial water, B:387
 stratigraphy, B:320
 turbidite, B:18
 Site 298
 sediment permeability, B:236
 stratigraphy, B:319-320
 turbidite, B:18
 Site 442
 basalts, A:157
 stratigraphy, B:321
 Site 443
 basalts, A:157
 stratigraphy, B:321-322
 Site 444
 basalts, A:157
 stratigraphy, B:322
 Site 582
 interstitial water, B:387-388
 sediment permeability, B:236
 sediment reconsolidation, B:249-251
 stratigraphic summary, B:329
 stratigraphy, B:318-319
 turbidite, A:123; B:18
 Site 583
 interstitial water, B:387-388
 sediment permeability, B:236
 stratigraphic summary, B:329
 stratigraphy, B:319
 turbidite, B:18
 Site 808, A:61-269
 bathymetric map, B:160
 bathymetry, A:16
 biostratigraphy, A:124
 chronostratigraphy, B:224-225
 deformation, B:83-101, 135-155
 downhole measurements, A:74-81, 176-185, 188-195
 explanatory notes, A:25-60
 faults, B:103-122
 geochemistry, B:387-396, 427-450
 geophysical surveys, A:21-23
 heat flow, A:202-213
 hydrocarbons, B:185-195
 in-situ stress, B:283-291
 inorganic geochemistry, A:128-138
 interstitial water, B:388-390
 magnetic fabric, B:301-310
 organic materials, B:159-163, 379-385
 physical properties, A:159-170
 rock magnetism, B:293-300
 sediment permeability, B:235-245
 sediments, B:45-49
 seismic stratigraphy, A:201-203
 site description, A:71-269
 site location, A:73
 special tools, A:61-67
 stratigraphic column, B:17
 structural synthesis, B:365-378
 thermal conductivity, B:451-458
 vertical seismic profile data, B:411-422
 volcanic ash, B:175-183
 slickenlines
 faults, B:103-122
 orientation by paleomagnetism, B:108

slickensides
 distribution, A:129, 141-143, 145-147
 stereonet projections, A:141-143, 145-147
 slide deposits, Pleistocene, A:86
 slope basin facies, lithofacies, B:334, 336-337
 slope deposits, vs. depth, A:114
 slope environment, sedimentation, B:334-335
 slump folds, slope apron deposits, B: 124-125, 129, 131
 slumps, seismic reflection, A:18
 smectite
 hemipelagic mud, B:22, 24-29
 pole projections, B:50
 sediments, B:317-318, 347-348, 391-392
 textures, B:49
 transition to illite, B:351-352
 volcanic ash, A:173-184; B:176-177
 vs. depth, A:118; B:348
 sodium
 interstitial water, A: 163, 165; B:389-390
 sediments, B:391-392
 volcanic ash, A:172
 sodium/chlorine ratio, interstitial water, A:167; B:181-183, 392
 sodium oxide/aluminum oxide ratio, vs. depth, B:441
 soil mechanics, sediments, B:267
 sonic caliper logs
 summary, A:234
 vs. depth, A:238
 spreading centers, sedimentation, B:323-324
 Sr-87/Sr-86. *See* strontium-87/strontium-86
 stable isotopes, gas ratios, B:194
 stiffness, sediments, B:264
 strain, ductile, clay-rich sediments, B:141-155
 strain, triaxial, B:53-54
 Fry and PODI determination, B:49
 geometry and orientation, B:45-46
 permeability, B:92
 principal axes, B:148-149
 rotation, B:147
 sediments, A:173-174
 smectite, B:52
 vs. depth, B:56
 strain hardening, sediments, B:93
 stratigraphic column, Cenozoic, B:344
 stratigraphy
 accretionary prisms, A:13
 Cenozoic, B:37
 strength behavior, sediments, B:261-273
 stress
 accretionary prisms, A:13
 evidence, A:284
 LAST-I, A:198-199
 vs. sub-bottom depth, A:203
 stress, deviator
 vs. mean effective stress, B:272
 vs. pore pressure, B:272
 stress, effective, vertical
 vs. depth, B:288
 vs. tangent modulus, B:270
 stress, effective, vs. void ratio, B:269, 286
 stress, in-situ
 sediments, B:283-291
 vs. yield loci, B:273
 stress, lateral
 LAST-I, B:290
 vs. time, A:240
 stress, overburden, sediments, B:271
 stress, principal, orientation, B:105-106
 stress, vertical, sediments, B:253-255
 stress direction, principal, fault boundary, B:288-289
 stress geometry, dewatering, B:46

stress inversion, plate convergence vector, B:372
 stress parameters, Mohr diagrams, B:118
 stress ratios
 sediments
 Site 582, B:249-251, 252
 stress regime
 accretion, B:225-226
 core-scale structures, B:369-372
 depth distribution, B:106
 sediments, B:261-273
 stress relief features, microfractures, B:225
 stress tensors
 accretionary prism toe, B:103-122
 deformation, B:377-378
 depth distribution, B:118
 stress-strain variations, tuff, B:277-279
 strontium-87/strontium-86
 basalts, B:200, 205-206
 interstitial water, B:402-404
 sediments, B:423-424
 strontium
 interstitial water, A:163, 168; B:390, 394-396
 sediments, B:424
 vs. depth, B:350, 358
 strontium isotopes. *See* strontium-87/strontium-86
 strontium/aluminum oxide ratio, vs. depth, B:443
 structural domains
 accretionary prisms, A:110-111
 distribution, A:126
 stereonet projections, A:141-143, 145-147
 structural fabric, A:283
 structural geology
 Nankai accretionary prism, A:276-277, 284
 oceanic crust, A:16-18
 Site 808, A:109-121
 subduction
 multichannel seismic reflection, A:16-18
 plate tectonics, A:281-282
 sediments, B:151-152, 235
 subduction rates, thrust horizontal displacement, A:281
 subduction zones
 acoustic anisotropy, B:223-225
 evolution, A:18-19
 fluid flow, B:397-413
 geothermal gradient, B:344-345
 pore-fluid loss, B:211-220, 423-425
 sedimentation, B:323-324
 See also accretionary prisms
 sulfate
 concentration, A:128-138
 décollement zone, B:404
 interstitial water, A:162, 168; B:162, 392
 organic matter, A:149
 sulfate zone, gases, A:140, 143-144
 swelling, clay, A:213
 swelling index, sediments, B:271
 synclinorium, tectonics, A:275
 tectonic controls, sedimentation, B:334-335
 tectonics
 maps, B:58
 Nankai Trough, A:273-274
 seismic reflection, A:15-20
 temperature
 downhole measurements, A:179-180, 182, 184-185
 sediments, A:244
 vs. 1/time, A:245-247
 vs. depth, A:249-250
 vs. time, A:241, 245-247
 temperature log, A:209-213, 220, 229, 233
 temperature monitoring system, description, A:65-66

temperature profile

temperature profile, ONDO, A:199-201
 Tenryu drainage basin, sedimentation, B:24
 textures
 basalt, A:196
 mudstone, B:45-56
 X-ray analysis, B:48-49
 thermal conductivity
 corrections, B:451-456
 measurements, A:164-165, 206-209
 pressure dependence, B:457-458
 vs. depth, A:209, 249
 vs. porosity, A:210
 thermal gradient
 Site 808, A:248
 WSTP tool, A:205
 thermal maturation analysis, sediments, B:57-69
 thermal structure
 accretionary prisms, A:12
 hydrocarbons, B:187-189
 temperature profile, A:210
 thorium, vs. depth, B:350, 356-357
 thorium logs, data, A:218-219, 231-232
 thorium/aluminum oxide ratio, vs. depth, B:444
 thrust faults
 deformation, B:261-273
 interstitial water, B:168, 171, 388-389, 390-391
 lithologic units, A:17
 seismic reflection profiles, B:368
 thrust sheets, ocean basins, A:17
 thrust zones
 porosity, B:399
 vs. depth, A:115-116
 thrust zones, frontal
 brecciation, A:277
 deformation, A:138, 169-170; B:303-305
 vertical seismic profiles, B:422
 titanium
 volcanic ash, A:172
 vs. zirconium, A:198
 titanium oxide
 volcanic ash, B:178, 180-182
 vs. zirconium, B:207
 titanium oxide/aluminum oxide ratio
 sediments, B:350, 352, 354-355, 359, 361
 vs. depth, B:440
 TLT. *See* Lamont temperature tool
 tomography, computed, X-ray, deformational structures, B:371
 Tosa Basin, seismic profiles, B:340
 trace elements
 basalts, A:156-157; B:200, 205-206
 igneous rocks, A:197
 normal-MORB normalized, A:198
 sediments, B:427-450
 X-ray fluorescence spectra, B:345, 350, 356-359
 traveltimes, one-way, vs. depth, B:421
 trenches
 lithofacies, B:333-334
 sedimentation, B:323-324
 trench facies, lithofacies, B:333-334
 trench slope, turbidity currents, B:35-43
 trench wedge facies
 clay mineralogy, B:347-348
 dewatering, B:366
 major elements, B:352
 sedimentation, A:96-97
 triaxial tests
 sediments, B:267-268
 tuff, B:278-279
 tubular-cylindrical structures, décollement zone, B:406

SUBJECT INDEX

tuff
 failure modes, B:275-281
 origin, B:316
 Pleistocene, A:87
 turbidite, A:95
 tuning effects, seismic models, B:76-77
 turbidite, coarsening-upward, facies, B:338
 turbidite, fine-grained, lithology, B:37
 deformation zone, A:7
 diagenesis, B:159-163
 facies, B:60, 333
 mineral composition, A:275-276
 petrography, B:17-18
 Pleistocene, A:83-87
 scanning electron micrographs, B:268
 siltstone, A:92-93
 trench outer slope, B:38-39
 X-ray diffraction data, B:27
 turbidite thickness, vs. depth, A:83
 turbidite wedges, provenance, B:15-34
 turbidity currents, deflected, sedimentation, B:323-324
 confined flow model, B:42
 dispersal patterns, B:30
 provenance, A:284
 sedimentation, B:35-43
 ulvöspinel, basalts, B:200
 unconformities
 facies model, B:337-338
 Miocene, B:341
 underconsolidation, stresses, B:288-289
 underplating, décollement zone, B:403
 underthrust structure, prisms, A: 119-120
 uranium logs
 Site 808, A:218-219
 vs. depth, A:236-237
 vanadium/aluminum oxide ratio, vs. depth, B:444
 veins, extensional, structures, A:120
 veins, mineralized
 alteration, B:198-199
 basaltic rocks, A:155-156
 calcite, A:196
 chemical profile, B:90
 overpressuring, B:89
 tubular-cylindrical structures, B:406
 vein structure, distribution, B:127, 129
 velocity
 anisotropy, B:365-378
 open-hole intervals, A:188-194
 vs. depth, A:235-236, 251
 vs. orientation, B:86
 See also velocity, acoustic
 velocity, acoustic, longitudinal
 compared with anisotropy, A:167-169
 cross plot with bulk density, A:212
 measurements, A:165-169
 tuff, B:277
 vs. depth, A:211
 velocity, downhole, vs. depth, B:215
 velocity, interval, vs. depth, B:418-419
 velocity, seismic
 accretionary prisms, B:211-220
 profiles, A:18
 sediments, B:257-258
 velocity, sonic
 sediments, B:247-260
 velocity-depth structure
 deformation front, B:213
 vertical seismic profiles, A:202-203
 velocity-porosity relation, logs, A:192-194, 239
 vesicles, textures, B:198
 vitrinite, mud, B:379, 382-385
 void ratio
 sediments, B:242
 vs. effective stress, B:269, 286
 volcanic ash
 alteration, A:134-135
 chemical composition, A:170-172
 chemistry and mineralogy, A:135-138
 clay mineralogy, B:350-351
 geochemistry, B:317, 360
 major-element chemistry, B:175-183
 relation with interstitial water, B:181, 183
 seismic stratigraphy, A:15-16
 thickness, A:84
 X-ray mineralogy, A:107
 volcanic glass, alteration, B:344-345
 volcanics, acidic, origin, B:316
 Miocene-Pliocene, A:88-89
 turbidite, B:22
 VSP. *See* seismic profiles, vertical
 water content, vs. depth, A:200; B:401
 water sampler, temperature, pore-pressure tool, A:204-205, 245-247
 wavelet estimation, seismic models, B:74
 well logging
 depth summary, A:215, 224-228
 downhole measurements, A:176-185, 188-195
 wireline packer, description, A:62
 WSTP. *See* water sampler, temperature, pore-pressure tool
 X-ray fluorescence data, sediments, B:432-437
 X-ray mineralogy
 bulk powders, A:100-107
 vs. depth, A:109, 111
 X-ray pole figure goniometry, strain, B:141-155
 X-ray tomography, computed
 deformational structures, B:87-90, 98, 101
 scan image analysis, B:135-140
 yellow substance, interstitial water, B:166-170, 174
 yield limit, sediments, B:253-256, 261-273
 yttrium
 vs. depth, B:350, 358
 See also cerium/yttrium ratio; lanthanum/yttrium ratio; zirconium/yttrium ratio
 yttrium/aluminum oxide ratio, vs. depth, B:443
 zeolite
 turbidite, A:95-97
 vs. depth, A:108
 zeolite facies, metamorphism, B:199
 zeolithization, diagenesis, B:351
 zinc, vs. depth, B:350, 356
 zinc/aluminum oxide ratio, vs. depth, B:444
 zirconium
 vs. titanium, A:198
 vs. titanium oxide, B:207
 zirconium/aluminum oxide ratio, vs. depth, B:443
 zirconium/niobium ratio
 basalts, B:206
 vs. Zr/Y, A:199
 zirconium/yttrium ratio
 basalts, B:206
 vs. Zr/Nb, A:199
 zonation
 biostratigraphy, B:3-13
 See also individual zones in the Taxonomic Index

TAXONOMIC INDEX

acutus, *Ceratolithus*, Site 808, A:107
Amaurolithus tricorniculatus, Site 808, A:107; B:6
ampliaperta, *Helicosphaera*, Site 808, A: 109;
 B:10
angulare, *Anthocyrtidium*, Site 808, A:109
Anthocyrtidium angulare, Site 808, A:109
Anthocyrtidium angulare Zone, Site 808, A:109
aperta, *Gephyrocapsa*, Site 808, B:5
asanoi, *Reticulofenestra*, Site 808, A:99; B:5
asymmetricus, *Discoaster*, Site 808, A:101, 107
auritus auritus, *Botryostrobus*, Site 808, A:109

Botryostrobus auritus auritus, Site 808, A:109
brouweri, *Discoaster*, Site 808, A:101; B:6
Buccinosphaera invaginata, Site 808, A:109

Calcidiscus leptoporus, Site 808, A:99; B:5
caribbeanica, *Gephyrocapsa*, Site 808, A:99,
 101; B:5
carteri, *Helicosphaera*, Site 808, A:99; B:5-6
Catinaster coalitus, Site 808, A:107
Ceratolithus acutus, Site 808, A:107
Ceratolithus cristatus, Site 808, A:99; B:5
Ceratolithus rugosus, Site 808, A:107; B:6
Ceratolithus telesmus, Site 808, B:5
Chondrites, Site 808, A:85
clavigera, *Rhabdosphaera*, Site 808, B:5
coalitus, *Catinaster*, Site 808, A:107
Coccolithus pelagicus, Site 808, A:99; B:5
cristatus, *Ceratolithus*, Site 808, A:99; B:5
Cyclicargolithus floridanus, Site 808, A:107; B:6
Cyclicargolithus macintyrei, Site 808, A:109

deflandrei, *Discoaster*, Site 808, A:109
Discoaster asymmetricus, Site 808, A:101, 107
Discoaster brouweri, Site 808, A:101; B:6
Discoaster brouweri Zone, Site 808, B:3
Discoaster deflandrei, Site 808, A:109
Discoaster hamatus, Site 808, A:107
Discoaster kugleri, Site 808, A:107; B:6
Discoaster pentaradiatus, Site 808, A:101; B:6
Discoaster quinqueramus, Site 808, A:107; B:6
Discoaster surculus, Site 808, A:101; B:6
Discoaster tamalis, Site 808, A:107

Emiliania huxleyi, Site 808, A:99; B:4-5

floridanus, *Cyclicargolithus*, Site 808, A:107; B:6

Gephyrocapsa, Site 808, A:99

Gephyrocapsa aperta, Site 808, B:5
Gephyrocapsa caribbeanica, Site 808, A:99, 101;
 B:5
Gephyrocapsa oceanica, Site 808, B:5
Gephyrocapsa oceanica Zone, Site 808, B:3
Gephyrocapsa parallela, Site 808, B:5
Gephyrocapsa sinuosa, Site 808, B:5

hamatus, *Discoaster*, Site 808, A:107
Helicosphaera ampliaperta, Site 808, A:109; B:10
Helicosphaera carteri, Site 808, A:99; B:54
Helicosphaera hyalina, Site 808, B:5
heteromorphus, *Sphenolithus*, Site 808, A:107,
 109; B:6, 10
huxleyi, *Emiliania*, Site 808, A:99; B:4-5
hyalina, *Helicosphaera*, Site 808, B:5

Impagidinium spp., Site 808, B:64, 68
invaginata, *Buccinosphaera*, Site 808, A:109

japonica, *Pontosphaera*, Site 808, A:99; B:5-6

kugleri, *Discoaster*, Site 808, A:107; B:6

lacunosa, *Pseudoemiliania*, Site 808, A:99; B:4-6
Lamprocyrtis nigrinae, Site 808, A:109
lemniscata, *Nematospaeropsis*, Site 808, B:67
leptoporus, *Calcidiscus*, Site 808, A:99; B:5
Lycopodium, Site 808, B:57, 58

macintyrei, *Cyclicargolithus*, Site 808, A:109
mirabilis, *Umbilicosphaera*, Site 808, A:99; B:5

Nematospaeropsis lemniscata, Site 808, B:57, 67
nigrinae, *Lamprocyrtis*, Site 808, A:109

oceanica, *Gephyrocapsa*, Site 808, B:5
octacantha, *Tetrapyle*, Site 808, A: 109

parallela, *Gephyrocapsa*, Site 808, B:5
pelagicus, *Coccolithus*, Site 808, A:99; B:5
pentaradiatus, *Discoaster*, Site 808, A:101; B:6
Pontosphaera japonica, Site 808, A:99; B:5-6
Pseudoemiliania lacunosa, Site 808, A:99; B:46
pseudoumbilica, *Reticulofenestra*, Site 808,
 A:107; B:6
Pterospermella? spp., Site 808, B:69

quinqueramus, *Discoaster*, Site 808, A:107; B:6

Reticulofenestra asanoi, Site 808, A:99; B:5
Reticulofenestra pseudoumbilica, Site 808,
 A:107; B:6
Rhabdosphaera, Site 808, B:5
Rhabdosphaera clavigera, Site 808, B:5
rugosus, *Ceratolithus*, Site 808, A:107; B:6
rugosus, *Triquetrorhabdulus*, Site 808, A:107; B:6

sibogae, *Umbilicosphaera*, Site 808, B:5
sinuosa, *Gephyrocapsa*, Site 808, B:5
Sphenolithus heteromorphus, Site 808, A:107,
 109; B:6, 10
Sphenolithus spp., Site 808, B:6
surculus, *Discoaster*, Site 808, A:101; B:6

tamalis, *Discoaster*, Site 808, A:107
telesmus, *Ceratolithus*, Site 808, B:5
Tetrapyle octacantha, Site 808, A:109
tricorniculatus, *Amaurolithus*, Site 808, A:107;
 B:6
Triquetrorhabdulus rugosus, Site 808, A:107; B:6

Umbilicosphaera mirabilis, Site 808, A:99; B:5
Umbilicosphaera sibogae, Site 808, B:5

 zones (with letter prefixes)
 NN5, Site 808, A:89, 91, 108, 124; B:5, 10
 NN5-NN21, Site 808, B:10
 NN6, Site 808, A:107, 124; B:6
 NN7/NN6 boundary, Site 808, A:107
 NN7, Site 808, A:107, 124; B:6
 NN8, Site 808, B:6
 NN9, Site 808, B:6
 NN10, Site 808, A:124; B:6
 NN10, Site 808, A:107, 124; B:6
 NN12, Site 808, A:107, 124
 NN13, Site 808, A:124; B:6
 NN14/NN13 boundary, Site 808, A:107
 NN14/NN15 boundary, Site 808, A:107
 NN15, Site 808, A:107, 124
 NN16, Site 808, A:101, 107; B:6
 NN17, Site 808, A:101, 107; B:6
 NN18, Site 808, A:101, 124; B:3, 6
 NN19, Site 808, A:99, 124
 NN20, Site 808, A:99, 124; B:3, 5
 NN21/NN20 boundary, Site 808, A:99
 NN21, Site 808, A:99
Zoophycos, Site 808, A:88, 95