

## INDEX TO VOLUME 132

This index provides coverage for both the *Initial Reports* and *Scientific Results* portions of Volume 132 of the *Proceedings of the Ocean Drilling Program*. References to page numbers in the *Initial Reports* are preceded by “A” with a colon (A:), and to those in the *Scientific Results* (this book), by “B” with a colon (B:).

The index was prepared by DBA, Inc., under subcontract to the Ocean Drilling Program. The index contains two hierarchies of entries: (1) a main entry, defined as a keyword or concept followed by a reference to the page on which that word or concept appears, and (2) a subentry, defined as an elaboration on the main entry followed by a page reference.

The index is presented in two parts: (1) a Subject Index and (2) a Taxonomic Index. Both parts cover text figures and tables but not core-description forms (“barrel sheets”), core photographs, smear-slide data, or thin-section data; these are given in the *Initial Reports*. Also excluded from the index are bibliographic references, names of individuals, and routine front and back matter.

The Subject Index follows a standard format. Geographic, geologic, and other terms are referenced only if they are subjects of discussion. This index also includes broad fossil groups such as foraminifers and radiolarians. A site chapter in the *Initial Reports* is considered the principal reference for that site and is indicated on the first line of the site’s listing in the index. Such a reference to Site 809, for example, is given as “Site 809, A:43–73.”

The Taxonomic Index is an index relating to significant findings and/or substantive discussions, not of species names *per se*. This index covers three varieties of information: (1) individual genera and species that have been erected or emended formally, (2) biostratigraphic zones, and (3) fossils depicted in illustrations. A taxonomic entry consisting of both genus and species is listed alphabetically by genus and also by species. Biostratigraphic zones are listed alphabetically by genus; zones with letter prefixes are listed under “zones.”

For further information, including available electronic formats, contact the Chief Production Editor, Ocean Drilling Program, 1000 Discovery Drive, College Station, Texas 77845-9547, U.S.A.

## SUBJECT INDEX

age vs. depth, Site 810, B:54  
 alkalis, vs. silica, in pumice, B:63  
 Aptian–Albian, bedded chert–chalk sequence, A:13  
 ARM. *See* remanent magnetization, anhysteretic ash, volcanic. *See* volcanic ash  
 atmospheric circulation, volcanic ash, B:57–66  
 Barremian/Aptian boundary, seismic stratigraphy, B:5–8  
 basalt  
   X-ray-fluorescence data, A:63  
   *See also* pillow basalt  
 basalt, aphyric, recovery, A:12, 55–60  
 basalt, vesicular, photograph, A:59  
 bathymetry, Shatsky Plateau, B:6  
 biostratigraphy  
   age distribution, A:89  
   Cretaceous–Cenozoic, B:15–36  
   Site 810, A:82–88  
 bioturbation, photograph, Site 810, A:86  
 Bonin Arc  
   core, A:233–235  
   rift-zone map, A:11–12, 47  
   *See also* Izu–Bonin Arc  
 bottom hole assembly hardware, description, A:164–165  
 Brunhes Chron, magnetostratigraphy, B:29, 42–43, 51–55  
 Brunhes/Matuyama boundary, magnetostratigraphy, B:42–43, 54  
 burrows, pyritized, photograph, A:86  
 carbon, inorganic, ooze, B:69–79  
 carbonate compensation depth, seismic reflectors, B:4  
 carbonate content  
   vs. age, B:79  
   vs. depth, B:39, 70  
 Cenomanian/Turonian boundary, seismic stratigraphy, B:5–8  
 Cenozoic  
   biostratigraphy, A:83–89; B:15–36  
   paleoceanography, B:3–13  
 chalk, Pacific Ocean W, A:11  
 ChRM. *See* remanent magnetization, characteristic clay  
   abundance, A:86  
   lithostratigraphy, A:81–82  
 Cochiti Subchron, magnetostratigraphy, B:43, 53  
 coercivity, sediments, B:39  
 compressional-wave logger, Site 810, A:92  
 compressional wave velocity  
   Site 809, A:61–62, 69  
   Site 810, A:92, 110–111  
   vs. depth, A:71  
   vs. wet bulk density, A:73  
 Conrad 1008 profile, seismic stratigraphy, B:9  
 coring methods  
   improvements, A:11, 133–134  
   *See also* diamond coring system; drill-in bottom hole assembly system; drilling methods  
 Cretaceous  
   biostratigraphy, A:83–89; B:15–36  
   lithostratigraphy, A:81–82  
   paleoceanography, B:3–13  
 DCS. *See* diamond coring system

demagnetization, alternating-field basalts, A:67–68  
   ooze, B:40  
   sediments, B:48–49  
 density, bulk  
   GRAPE measurements, A:92; B:69–79  
   GRAPE plot vs. depth, A:107–109; B:70  
   Site 809, A:70  
 density, grain  
   gravimetric determination, A:96–99  
   Site 809, A:70  
   vs. depth, A:72, 100  
 diagenesis, differential, unconformities, B:9  
 diamond coring system  
   auxiliary equipment, A:146–148  
   back-off sub, A:188–199  
   casing hanger/landing seat, A:185–188  
   configuration, A:127  
   control panel, A:144  
   deployment at first site, A:152–158  
   derrick modification, A:149  
   description, A:139–238  
   drilling fluid system, A:148  
   electrical system, A:150  
   evaluation of components, A:158–160  
   future considerations, A:161–162  
   hydraulic power system, A:145–146  
   hydraulic wireline winch, A:145  
   hydriil tubing string, A:148  
   initial assembly, A:149–151  
   modifications underway, A:151–152  
   modified core barrel assembly, A:225–238  
   modified reentry cone, A:177–185  
   mud pumps, A:145  
   Pacific Ocean W, A:5–21  
   recommended modifications, A:160–161  
   roller cone bits, A:211–224  
   safety study, A:148  
   sea-floor component hardware, A:163–210  
   secondary heave compensation, A:145  
   subsea hardware, A:149  
   tapered stress joint, A:199  
   tensioning tool, A:199–202  
   wireline core barrel system, A:149  
 dissolution  
   fossils, A:87–89; B:16  
   seismic stratigraphy, B:12  
 domain structure, titanomagnetite, B:42  
 Dominica, volcanic ash, B:63  
 drill-in bottom hole assembly system, A:8  
 drilling methods  
   diagrams, A:10–11  
   *See also* coring methods; diamond coring system  
 engineering objectives, Shatsky Rise, A:8–11  
 engineering tests  
   Leg 124E, A:5–8  
   Shatsky Rise, A:5–21  
 Eocene  
   foraminifers, B:24  
   lithostratigraphy, A:81–82  
   nannofossils, B:17  
 foraminifers, planktonic, biostratigraphy, B:15–36  
 foraminifers, biostratigraphy, A:84–88  
 formation collapse, drilling, A:53  
 Gauss Chron, correlation, B:29, 51–55

Gauss/Gilbert boundary, magnetostratigraphy, B:43  
 geochemistry, basalt, A:59–60  
 Gilbert Chron, correlation, B:29, 43, 51–55  
 glacial/interglacial cycles, indicators, B:37, 44  
 glass, fragments in ooze, B:58–59  
 glass, volcanic. *See* volcanic glass  
 goethite, magnetic susceptibility, B:43  
 hematite, magnetic susceptibility, B:43  
 hiatuses  
   Cenozoic, B:30  
   Cretaceous–Cenozoic, B:15–36  
   *See also* unconformities  
 igneous petrology, Site 809, A:55–59  
 index properties  
   Site 809, A:62  
   Site 810, A:90–91  
 IRM. *See* remanent magnetization, isothermal  
 Izu–Bonin Arc  
   plate tectonics, A:47  
   *See also* Bonin Arc  
 Izu–Ogasawara Arc, plate tectonics, A:47  
 Jaramillo Subchron, correlation, B:29, 51–55  
 Kaena Subchron, magnetostratigraphy, B:43, 51–55  
 lithostratigraphy  
   Site 809, A:55–59  
   Site 810, A:81–82  
 loess, magnetostratigraphy, B:43  
 Maastrichtian  
   foraminifers, B:19, 22  
   lithostratigraphy, A:81–82  
   nannofossils, B:17  
 magnetic inclination, plots, A:90–92  
 magnetic lineations, orthogonal, triple junctions, B:4  
 magnetic minerals, magnetic susceptibility, B:43  
 magnetic polarity, reversal stratigraphy, B:47–55  
 magnetic properties, sediments, B:37–45, 49–51  
 magnetic susceptibility, volume, vs. depth  
   ooze, B:69–79  
   sediments, B:37–45  
   Site 809, A:60–61, 64–65  
   Site 810, A:91–92  
   vs. age, B:79  
   vs. depth, B:39–40, 70, 101, 105–106  
 magnetite, electron microscopy data, B:41–42  
 magnetostratigraphy  
   Cenozoic, B:29  
   Neogene, B:42–43, 47–55  
 Mammoth Subchron, magnetostratigraphy, B:43, 51–55  
 Matuyama Chron, correlation, B:29, 51–55  
 Matuyama/Gauss boundary, magnetostratigraphy, B:42–43  
 median destructive field  
   sediments, B:50  
   vs. depth, B:41  
 Mesozoic, Pacific Ocean W, A:11  
 mini-hard-rock guide base, description, A:8, 165–177  
 Miocene  
   foraminifers, B:24, 29

**Miocene (cont.)**

lithostratigraphy, A:81–82  
 magnetostratigraphy, B:47–55  
 nannofossils, B:17  
 volcanic ash, B:57–66  
 Mount Saint Helens, volcanic ash, B:63  
 nannofossils, calcareous, biostratigraphy, B:15–36  
 Neogene  
   magnetic reversal stratigraphy, B:47–55  
   ooze, B:69–79  
 North Sumisu Basin, seismic surveys, A:50  
 Nunivak Subchron, correlation, B:53  
 Olduvai Subchron, correlation, B:29, 42–43, 51–55  
 ooze, lithostratigraphy, A:81–82  
 ooze, calcareous, biostratigraphy, B:15–36  
 ooze, nannofossil  
   geochemistry, B:69–79  
   volcanic ash content, B:57–66  
 oxygen isotopes  
   carbonates, B:69–79  
   vs. age, B:79  
*P*-waves. *See* compressional wave velocity  
 Pacific–Farallon–Izanagi triple junction, magnetic lineations, B:4  
 Pacific Ocean NW, volcanic ash correlation, B:63–65  
 Pacific Ocean W, seafloor engineering, A:5–21  
 paleoceanography, Cretaceous–Cenozoic, B:3–13  
 Paleocene  
   foraminifers, B:22, 24  
   lithostratigraphy, A:81–82  
   nannofossils, B:17  
 paleoclimatology, magnetostratigraphy, B:43  
 Paleogene/Neogene boundary, unconformities, B:12  
 paleogeography, Cretaceous, B:9, 12  
 paleomagnetism  
   Neogene, B:37–45  
   Site 809, A:60–61  
   Site 810, A:88–93  
   *See also* magnetic inclination; magnetic lineations; magnetic polarity; magnetostratigraphy; median destructive field; remanent magnetization  
 petrography, basalts, A:57–59  
 physical properties, Site 809, A:61–63  
 pillow basalt  
   Pacific Ocean W, A:11  
   photograph, A:57  
 platform configuration, Shatsky Rise, A:9  
 Pleistocene  
   biostratigraphy, A:84  
   foraminifers, B:29  
   magnetostratigraphy, B:47–55  
   nannofossils, B:17, 19  
   paleomagnetism, B:37–45  
   volcanic ash, B:57–66  
 Pliocene  
   foraminifers, B:29  
   magnetostratigraphy, B:47–55  
   nannofossils, B:17, 19  
   paleomagnetism, B:37–45  
   volcanic ash, B:57–66  
 porcellanite, Pacific Ocean W, A:11

**SUBJECT INDEX**

porosity  
   gravimetric determination, A:102–105  
   Site 809, A:70  
   vs. depth, A:72, 101  
 port call activities, hardware, A:116–117  
 productivity, Cretaceous, B:12  
 pumice, sources, B:57–66  
 pumice dropstone, photograph, A:84  
 radiolarians, abundance, A:87  
 remanent magnetization, anhydrous, demagnetization curves, B:41  
 remanent magnetization, characteristic, sediments, B:49  
 remanent magnetization, isothermal, acquisition curves, B:39–41  
 remanent magnetization, isothermal, saturation sediments, B:40–41  
   vs. volume susceptibility, B:41  
 remanent magnetization, natural  
   basalt, A:66  
   plots, A:90–91  
   sediments, B:49  
 Réunion Subchron, correlation, B:29  
 reworking, fossils, A:87–89  
 rock magnetism, Site 809, A:61  
 rock recovery, improvements, A:11–12  
 Roseau Ash, genesis, B:63  
 scientific objectives, Leg 132, A:11–14  
 seafloor engineering, Pacific Ocean W, A:5–21  
 seafloor structures, Shatsky Rise, A:8  
 sedimentation, Cretaceous–Cenozoic, B:3–13  
 sedimentation rates  
   Cenozoic, B:30  
   indicators, B:43–44  
   magnetostratigraphy, B:54–55  
 sediments, magnetic properties, B:37–45  
 seismic lines, location, B:4  
 seismic profiles, seismic stratigraphy, B:3–13  
 seismic reflectors R1 and R2, seismic stratigraphy, B:3–9  
 seismic stratigraphy, Cretaceous–Cenozoic, B:3–13  
 seismic units, seismic stratigraphy, B:3–9  
 Selli Event, unconformities, B:12  
 Shatsky Plateau, stratigraphy, B:3–13  
 Shatsky Rise  
   biostratigraphy, B:15–36  
   carbonates, B:69–79  
   coring, A:235  
   magnetostratigraphy, B:47–55  
   paleoceanography, B:3–13  
   paleomagnetism, B:37–45  
   seismic surveys, A:81, 133  
   volcanic ash, B:57–66  
 shear strength, Torvane, A:93  
 shear strength, vane  
   carbonate sediments, A:90, 94–95  
   vs. depth, A:94, 100  
 ship systems, hardware, A:135–137  
 Sidufjall Subchron, magnetostratigraphy, B:53  
 silica, vs. alkalis, in pumice, B:63  
 Site 305, bathymetry, B:5–6  
 Site 306, bathymetry, B:5–6  
 Site 438, volcanic ash, B:65  
 Site 577, correlation with Site 810, B:42–43  
 Site 578, volcanic ash, B:58, 60–65  
 Site 579, volcanic ash, B:58, 60–65  
 Site 580, volcanic ash, B:58, 60–65  
 Site 809, A:43–73  
   coring summary, A:52  
   engineering results, A:20–21  
   operational drilling summary, A:14–15  
   operational narrative, A:15–18  
   site description, A:43–73  
 Site 810, A:75–111  
   biostratigraphy, B:15–36  
   carbonates, B:69–79  
   correlation with Site 577, B:42–43  
   engineering results, A:21  
   explanatory notes, A:23–39  
   magnetostratigraphy, B:47–55  
   operational drilling summary, A:15  
   operational narrative, A:18–20  
   operations report, A:115–137  
   paleoceanography, B:3–13  
   paleomagnetism, B:37–45  
   site description, A:75–111  
   volcanic ash, B:57–66  
 South Sumisu Basin, seismic surveys, A:50  
 Sumisu Rift  
   back-arc basins, A:11  
   bathymetry, A:49–50  
   map, A:47–48  
   seismic profiler record, A:49  
   volcanic peaks, A:51  
 tensioning/mini-riser system, Shatsky Rise, A:8  
 Thvera Subchron, magnetostratigraphy, B:43, 53  
 tool operations, Site 810, A:125  
 Torishima Rift, map, A:48  
 trace fossils  
   photograph, A:86  
   Site 810, A:82  
 triple junctions, magnetic lineations, B:4  
 unconformities  
   Cretaceous–Cenozoic, B:15–36  
   seismic stratigraphy, B:5–6, 12  
   *See also* hiatuses  
 Vema 2110 profile, seismic stratigraphy, B:3–5  
 Vema 3612 profile, seismic stratigraphy, B:3–5  
 void ratio  
   *See also* porosity  
   Site 809, A:70  
   vs. depth, A:73  
 volcanic ash  
   distribution, A:84  
   sources, B:57–66  
   X-ray-fluorescence data, A:85  
 volcanic glass, distribution, A:84  
 volcanism, island arcs, B:62–63  
 washed residues, total weight and percentages, B:22, 26  
 water content  
   gravimetric determination, A:102–105  
   Site 809, A:70  
   vs. depth, A:72, 101  
 zonation. *See individual zones in Taxonomic Index*

## TAXONOMIC INDEX

*Abathomphalus intermedius*, Site 810, B:22  
*Abathomphalus mayaroensis*, Site 810, B:22  
*Abathomphalus mayaroensis* Zone, Site 810, B:22  
*abundocamerata*, *Morozovella*, Site 810, B:24, 35  
*Acarinina bullbrookii*, Site 810, B:24  
*Acarinina pentacamerata*, Site 810, A:87  
*Acarinina pseudotipilensis*, Site 810, B:24  
*Acarinina rotundimarginata*, Site 810, B:24  
*Acarinina rugosoaculeata*, Site 810, B:24  
*acerkulinoidea*, *Planoglobulina*, Site 810, B:22  
*acostaensis*, *Neoglobiquadrina*, Site 810, B:29  
*aegyptiaca*, *Globotruncana*, Site 810, B:22  
*aequa*, *Morozovella*, Site 810, B:24  
*angulata*, *Morozovella*, Site 810, B:22, 24  
*ragonensis*, *Morozovella*, Site 810, A:87; B:24  
*Aragonia*, Site 810, B:9, 22  
*Aragonia trinitatensis*, Site 810, A:87  
*atlantica*, *Globotruncanita*, Site 810, B:22  
  
*brouweri*, *Discoaster*, Site 810, B:19  
*bullbrookii*, *Acarinina*, Site 810, B:24  
*bulloides*, *Sphaeroidina*, Site 810, A:87  
  
*calida*, *Globigerina*, Site 810, B:24  
*caucasica*, *Morozovella*, Site 810, A:87; B:24  
*Chiasmolithus danicus*, Site 810, B:17  
*Chondrites*, Site 810, A:82  
*Cibicidoides wuellerstorfi*, Site 810, A:87  
*compressa*, *Globanomalina*, Site 810, B:24, 35  
*conicotruncata*, *Morozovella*, Site 810, B:24  
*contusa*, *Contusotruncana*, Site 810, B:22  
*Contusotruncana contusa*, Site 810, B:22  
*Contusotruncana walischensis*, Site 810, B:22  
*crassaformis*, *Globorotalia*, Site 810, A:87; B:29  
*crassaformis oceanica*, *Globorotalia*, Site 810, A:84  
*crassata*, *Morozovella*, Site 810, B:24  
  
*danicus*, *Chiasmolithus*, Site 810, B:17  
*davillensis*, *Pseudohastigerina*, Site 810, B:24  
*daubjergensis*, *Globoconusa*, Site 810, B:22  
*dehiscens*, *Sphaeroidinella*, Site 810, B:29  
*Discoaster brouweri*, Site 810, B:19  
*Discoaster sublodoensis*, Site 810, B:17  
  
*edita*, *Eoglobigerina*, Site 810, B:35  
*eggeri*, *Ventilabrella*, Site 810, B:22  
*ehrenbergi*, *Globanomalina*, Site 810, B:22, 24, 35  
*elevata*, *Globotruncanita*, Site 810, B:22  
*Emiliania huxleyi*, Site 810, B:19  
*Eoglobigerina edita*, Site 810, B:35  
*excolata*, *Pseudoguembelina*, Site 810, B:22  
*extremus*, *Globigerinoides*, Site 810, B:24  
  
*frontosa*, *Turborotalia*, Site 810, A:87; B:24  
  
*Gansserina gansseri* Zone, Site 810, B:17, 22  
*Gephyrocapsa oceanica*, Site 810, B:17  
*Gephyrocapsa* spp., Site 810, B:17  
*Gephyrocapsa* Zone, Site 810, B:19, 29  
*Globanomalina compressa*, Site 810, B:24  
*Globanomalina ehrenbergi*, Site 810, B:22, 24, 35  
*Globigerina calida*, Site 810, B:24  
*Globigerina nepenthes*, Site 810, A:87  
*Globigerinoides extremus*, Site 810, B:24  
*Globoconusa daubjergensis*, Site 810, B:22  
*Globorotalia crassaformis*, Site 810, A:87; B:29  
*Globorotalia crassaformis oceanica*, Site 810, A:84

*Globorotalia crassaformis ronda*, Site 810, A:84  
*Globorotalia inflata*, Site 810, A:84, 84  
*Globorotalia margaritae*, Site 810, A:87; B:29  
*Globorotalia margaritae margaritae*, Site 810, B:24  
*Globorotalia merotumida*, Site 810, B:24, 29  
*Globorotalia puncticylata*, Site 810, A:87  
*Globorotalia tumida*, Site 810, A:84; B:24, 29  
*Globotruncana aegyptiaca*, Site 810, B:22  
*Globotruncana aegyptiaca* Zone, Site 810, A:87  
*Globotruncana* spp., Site 810, B:24  
*Globotruncanella havanensis*, Site 810, B:22  
*Globotruncanella pschadiae*, Site 810, B:22  
*Globotruncanita atlantica*, Site 810, B:22  
*Globotruncanita elevata*, Site 810, B:22  
*Globotruncanita pettersi*, Site 810, B:22  
*Glovanomalina compressa*, Site 810, B:35  
*gracilis*, *Morozovella*, Site 810, B:24  
  
*havanensis*, *Globotruncanella*, Site 810, B:22  
*Heterohelix striata*, Site 810, B:24  
*hexacamerata*, *Rugoglobigerina*, Site 810, B:22  
*higginsi*, *Subbotina*, Site 810, A:87  
*huxleyi*, *Emiliania*, Site 810, B:19  
  
*inconstans*, *Praemurica*, Site 810, B:36  
*inflata*, *Globorotalia*, Site 810, A:84, 87  
*intermedius*, *Abathomphalus*, Site 810, B:22  
  
*Lenticulina*, Site 810, B:22  
*levis*, *Reinhardtites*, Site 810, B:17  
  
*macintyrei*, *Calcidiscus*, Site 810, B:19  
*margaritae*, *Globorotalia*, Site 810, A:87; B:29  
*margaritae margaritae*, *Globorotalia*, Site 810, B:24  
  
*Marssonella*, Site 810, B:22  
*mayaroensis*, *Abathomphalus*, Site 810, B:22  
*mckannai*, *Muricoglobigerina*, Site 810, B:24  
*merotumida*, *Globorotalia*, Site 810, B:24, 29  
*microstoma*, *Zeaglobigerina*, Site 810, B:24, 29  
*Micula murus*, Site 810, B:17  
*Micula murus* Zone, Site 810, B:17  
*Micula prinsii* Zone, Site 810, B:17  
*Morozovella abundocamerata*, Site 810, B:24, 35  
*Morozovella aqua*, Site 810, B:24  
*Morozovella angulata*, Site 810, B:22, 24  
*Morozovella aragonensis*, Site 810, A:87; B:24  
*Morozovella caucasica*, Site 810, A:87; B:24  
*Morozovella conicotruncata*, Site 810, B:24  
*Morozovella crassata*, Site 810, B:24  
*Morozovella gracilis*, Site 810, B:24  
*Morozovella pusilla*, Site 810, B:35  
*Morozovella pusilla* Zone, Site 810, A:87  
*Morozovella simulabilis*, Site 810, B:35  
*multicamerata*, *Planoglobulina*, Site 810, B:22  
*Muricoglobigerina mckannai*, Site 810, B:24  
*murus*, *Micula*, Site 810, B:17  
  
*Neoglobiquadrina acostaensis*, Site 810, B:29  
*Neoglobiquadrina pseudopima*, Site 810, B:29  
*nepenthes*, *Globigerina*, Site 810, A:87  
*nepenthes*, *Zeaglobigerina*, Site 810, B:24, 29  
*Nuttalites*, Site 810, A:87  
  
*oceanica*, *Gephyrocapsa*, Site 810, B:17  
*Oridorsalis umbonatus*, Site 810, A:87  
  
*pachytheca truncorotaloides*, *Truncorotalia*, Site 810, A:84

*Parasubbotina pseudobulloides*, Site 810, B:24  
*Parasubbotina varianta*, Site 810, B:24  
*pentacamerata*, *Acarinina*, Site 810, A:87  
*peregrina*, *Uvigerina*, Site 810, A:87  
*pettersi*, *Globotruncanita*, Site 810, B:22  
*Planoglobulina acervulinoides*, Site 810, B:22  
*Planoglobulina multicamerata*, Site 810, B:22  
*Planolites*, Site 810, A:82  
*praecursoria*, *Praemurica*, Site 810, B:22, 36  
*Praemurica inconstans*, Site 810, B:36  
*Praemurica praecursoria*, Site 810, B:22, 36  
*Praemurica trinidadensis*, Site 810, B:22, 36  
*Praemurica uncinata*, Site 810, B:22, 24, 36  
*Premoli boundari*, Site 810, B:54  
*pschadiae*, *Globotruncanella*, Site 810, B:22  
*pseudobulloides*, *Parasubbotina*, Site 810, B:24  
*Pseudoguembelina excolata*, Site 810, B:22  
*Pseudohastigerina danvillensis*, Site 810, B:24  
*pseudopima*, *Neoglobiquadrina*, Site 810, B:29  
*pseudotipilensis*, *Acarinina*, Site 810, B:24  
*Pulleniatina* spp., Site 810, A:84  
*puncticylata*, *Globorotalia*, Site 810, A:87  
*pusilla*, *Morozovella*, Site 810, B:35  
  
*Quadrum trifidum*, Site 810, B:17  
  
*reicheli*, *Rugoglobigerina*, Site 810, B:22  
*Reinhardtites levis*, Site 810, B:17  
*ronda crassaformis*, *Globorotalia*, Site 810, A:84  
*rotundata*, *Rugoglobigerina*, Site 810, B:22  
*rotundimarginata*, *Acarinina*, Site 810, B:24  
*Rugoglobigerina hexacamerata*, Site 810, B:22  
*Rugoglobigerina reicheli*, Site 810, B:22  
*Rugoglobigerina rotundata*, Site 810, B:22  
*rugosoaculeata*, *Acarinina*, Site 810, B:24  
  
*scotti*, *Trinitella*, Site 810, B:22  
*simulatilis*, *Morozovella*, Site 810, B:35  
*Sphaeroidina bulloides*, Site 810, A:87  
*Sphaeroindina dehiscens*, Site 810, B:29  
*Sphaeroindinellopsis* spp., Site 810, B:29  
*striata*, *Heterohelix*, Site 810, B:24  
*Subbotina higginsi*, Site 810, A:87  
*Subbotina triloculinoides*, Site 810, B:24  
*sublodoensis*, *Discoaster*, Site 810, B:17  
  
*Thalassinoides*, Site 810, A:82  
*Thoracosphaera* spp., Site 810, B:17  
*topilensis*, *Truncorotaloides*, Site 810, B:24  
*Trichichnus*, Site 810, A:82  
*trifidum*, *Quadrum*, Site 810, B:17  
*triloculinoides*, *Subbotina*, Site 810, B:24  
*trinidadensis*, *Aragonia*, Site 810, A:87  
*Trinitella scotti*, Site 810, B:22  
*Truncorotalia truncorotaloides pachytheca*, Site 810, A:84  
*Truncorotaloides topilensis*, Site 810, B:24  
*Truncorotaloides truncatulinoides*, Site 810, B:29  
*tumida*, *Globorotalia*, Site 810, A:84; B:24, 29  
*Turborotalia frontosa*, Site 810, A:87; B:24  
  
*umbonatus*, *Oridorsalis*, Site 810, A:87  
*uncinata*, *Praemurica*, Site 810, B:22, 24, 36  
*Uvigerina peregrina*, Site 810, A:87  
  
*varianta*, *Parasubbotina*, Site 810, B:24  
*Ventilabrella eggeri*, Site 810, B:22

*walfischensis*, *Contusotruncana**walfischensis*, *Contusotruncana*, Site 810, B:22*wuellerstorfi*, *Cibicidoides*, Site 810, A:87*Zeaglobigerina microstoma*, Site 810, B:24, 29*Zeaglobigerina nepenthes*, Site 810, B:24, 29

zones (with letter prefixes)

CN5, Site 810, B:19, 50, 53–54

CN6, Site 810, B:50, 53–54

CN8, Site 810, B:50, 53

CN9, Site 810, B:53

CN10, Site 810, B:53

CP2, Site 810, B:17

## TAXONOMIC INDEX

CP3, Site 810, B:17

CP4, Site 810, B:17

CP11, Site 810, B:17, 50, 53–54

CP12, Site 810, B:17

KS28, Site 810, A:88

KS29, Site 810, A:87

N14, Site 810, B:24

N14/N15 boundary, Site 810, B:29

N15, Site 810, B:24

N16, Site 810, B:29

N17, Site 810, B:29

N18, Site 810, B:24, 29, 53

N19, Site 810, B:24, 53

N19/N20 boundary, Site 810, B:29

N20, Site 810, B:24

N21, Site 810, B:24, 29

N22, Site 810, B:29

N23, Site 810, B:24

P3, Site 810, A:87; B:22

P5, Site 810, B:24

P6, Site 810, B:24

P8, Site 810, A:87; B:24

P9, Site 810, A:87; B:24

*Zoophyces*, Site 810, A:82